

4029C30075

# HILLSBOROUGH COUNTY


FLORIDA

Office of the County Administrator  
Daniel A. Kleman

41193

**BOARD OF COUNTY COMMISSIONERS.**

- Dottie Berger
- Joe Chillura
- Chris Hart
- Jim Norman
- Jan Platt
- Thomas Scott
- Ed Turanchik



April 9, 1998

Deputy County Administrator  
Patricia Bean

Assistant County Administrators  
Edwin Hunzeker  
Jimmie Keel

Solid Waste Section

RECEIVED  
MAY 01 1998

Ms. Allison Amram, P.G.  
 Department of Environmental Protection  
 Waste Management Section  
 3804 Coconut Palm Drive  
 Tampa, Fl. 33619 8318

RE: Permit #S029-256427 - Southeast County Sanitary Landfill

Dear Ms. Amram:


In accordance with Permit No. S029-256427 the Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical results of the semi-annual water quality monitoring of the Southeast Landfill. Samples were collected by the SWMD during February 16-19, 1998 and analyzed by Post, Buckley, Schuh and Jernigan, Inc.

A map depicting monitoring locations, water quality summary tables for groundwater and surface water, and a groundwater elevation contour diagram are also provided.

Should you have any questions or comments on this information, please feel free to contact me directly at (813)276-2944

Sincerely,

David S. Adams, P.  
 Senior Hydrologist  
 Solid Waste Management



DSA/jgc  
 Enclosures

- xc: Chongman Lee, Department of Environmental Protection  
 Paul Schipfer, EPC  
 Matt Mathews, Solid Waste Management Department  
 Irene Barnes, Southeast Hillsborough Civic Association  
 Thomas G. Smith, Solid Waste Management Department  
 Greg Walk, General Manager Southeast Landfill  
 Sheree Henninger, Waste Management Southeast Landfill  
 Sarah Hill, Solid Waste Management Department



DEP Form # 62-522.600(2)
Form Title <u>GROUND WATER MONITORING REPORT</u>
Effective Date _____
DEP Application No. _____

# Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

## GROUND WATER MONITORING REPORT.

Rule 62-522.600(11)

**PART I GENERAL INFORMATION**

- (1) Facility Name Southeast Landfill  
 Address P O Box 1110  
 City Tampa, Florida Zip 33601  
 Telephone Number ( 813 ) 272-5680
- (2) The GMS Identification Number 4029C30075
- (3) DEP Permit Number S029-158504
- (4) Authorized Representative Name Darvl H. Smith, Director, Department of Solid Waste  
 Address P O Box 1110  
 City Tampa, Florida Zip 33601  
 Telephone Number ( 813 ) 276-2900
- (5) Type of Discharge Groundwater - Potential Only
- (6) Method of Discharge Landfill

**Certification**

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 4/13/98 *Darvl H. Smith* *Darvl H. Smith*  
 Signature of Owner or Authorized Representative

**PART II QUALITY ASSURANCE REQUIREMENTS**


- Sample Organization Comp QAP # 880891G
- Analytical Lab Comp QAP #/HRS Certification # 860044G  
 \*Comp QAP #/HRS Certification # \_\_\_\_\_
- Lab Name P.B.S.&J. Environmental Laboratory
- Address 3365 E. Colonial Dr., Orlando, FL 32807
- Phone Number ( 407 ) 277-4443

Chemical Constituents Detected in the Groundwater Samples Collected at the  
Southeast Landfill Groundwater Monitoring Wells  
February 17 and 18, 1998

GENERAL PARAMETERS	Floridan Aquifer		Surficial Aquifer Wells						Private Wells				(MCL) STANDARD
	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weaks	Holland	McBride	Barnes	F.A.C. 62-550
depth to water (feet)	82.88	79.02	3.60	24.99	22.97	7.15	18.24	27.14	-	-	-	-	NS
water table elevation (NGVD)	47.26	46.21	126.12	107.09	108.47	125.60	109.85	100.53	-	-	-	-	NS
conductivity (umhos/cm) (field)	437	366	264	187	214	177	163	361	533	403	276	414	NS
pH (field)	7.37	7.56	<b>4.66</b>	<b>6.27</b>	<b>4.9</b>	<b>6.88</b>	<b>5.41</b>	<b>5.70</b>	7.38	7.14	7.24	7.49	(6.5 - 8.5)**
total dissolved solids (mg/l)	168	252	188	140	148	136	100	220	284	224	160	248	500**
temperature (°C) (field)	23.2	23.6	22	23.2	23.1	23.1	25.3	23.3	22.9	24.2	23.4	24	NS
turbidity (NTU) (field)	2.5	0.8	18.2	2.8	10.7	2.1	8.2	3.2	1.6	3.2	14.8	1	NS
chloride (mg/l)	8	8	31	31	35	17	18	15	21	21	6	10	250**
ammonia nitrogen (mg/l as N)	0.31	BDL	0.41	0.46	1.28	2.01	0.71	0.77	0.07	0.06	BDL	0.16	NS
nitrate (mg/l as N)	BDL	BDL	BDL	BDL	BDL	0.2	0.02	0.27	0.01	BDL	0.04	0.05	10*
dissolved oxygen (mg/l) (field)	2.68	0.79	0.43	0.8	1.02	1.57	0.71	0.96	6.23	1.4	2.38	3.62	NS
total alpha (pCi/l)	-	-	-	-	-	-	-	-	8	2.9	3.2	1.1	15*
radium 226 (pCi/l)	-	-	-	-	-	-	-	-	<b>9.3</b>	-	-	-	5*
Metals: (mg/l)													
	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weaks	Holland	McBride	Barnes	(MCL) STANDARD
iron	0.044	0.043	<b>0.627</b>	<b>1.380</b>	0.263	<b>0.810</b>	<b>0.575</b>	<b>6.530</b>	<b>0.463</b>	<b>1.360</b>	<b>1.940</b>	0.065	0.3**
copper	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.009	BDL	0.006	BDL	1**
barium	0.005	0.005	0.110	0.001	0.022	0.002	0.006	0.010	0.004	0.004	0.003	0.005	2*
arsenic	BDL	BDL	BDL	BDL	BDL	0.008	BDL	0.023	BDL	BDL	BDL	BDL	0.05*
lead	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.015*
sodium	15.1	16.2	7.4	9	11.3	10.3	8.9	12.2	9	5.4	6.4	17.2	160*
zinc	BDL	BDL	BDL	BDL	0.030	BDL	BDL	BDL	0.09	0.200	1.4	0.090	5**
Organics: (µg/l)													
E.P.A. Methods 8260													
	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weaks	Holland	McBride	Barnes	(MCL) STANDARD
Organic Parameters Detected	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weaks	Holland	McBride	Barnes	F.A.C. 62-550
1,1-dichloroethene	BDL	BDL	BDL	BDL	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7*
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994													
NS = NO STANDARD													
MCL = MAXIMUM CONTAMINANT LEVEL													
BDL = BELOW DETECTION LIMIT													
ND = NO SURVEY DATA AVAILABLE													
* = DENOTES PRIMARY DRINKING WATER STANDARD													
** = DENOTES SECONDARY DRINKING WATER STANDARD													
<b>4.58</b> : EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded and bold)													
NTU = NEPHELOMETRIC TURBIDITY UNITS													
pCi/l = PICOCURIES PER LITER													
µg/l = MICROGRAMS PER LITER													
mg/l = MILLIGRAMS PER LITER													
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter													

**Chemical Constituents Detected in the Surface Water Samples Collected at the  
Southeast Landfill February 19, 1998**

										(MCL) STANDARD
GENERAL	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	F.A.C. 62-302
staff gauge reading	1.69	3.57	2.87	3.30	-	-	-	-	-	NS
water level NGVD	123.89	122.31	97.51	92.30	-	-	-	-	-	NS
conductivity (umhos/cm) (field)	287	173	243	181	-	-	-	-	-	1275
pH (field)	6.02	7.25	6.52	6.72	-	-	-	-	-	(6.0 - 8.5)
total dissolved solids (mg/l)	176	132	152	112	-	-	-	-	-	NS
total suspended solids (mg/l)	BDL	15	5	5	-	-	-	-	-	NS
temperature (°C) in field	18.7	19.4	17.9	18.4	-	-	-	-	-	NS
turbidity (field) (NTU)	5.1	15.3	15.1	18.4	-	-	-	-	-	29
nitrate (mg/l)	3.09	BDL	1.81	0.63	-	-	-	-	-	NS
dissolved oxygen (mg/l) (field)	6.28	8.13	9.12	8.41	-	-	-	-	-	Must Be > OR = 5.0
total phosphorous (mg/l)	0.03	2.27	0.28	1.14	-	-	-	-	-	NS
biochem. oxygen demand (mg/l)	1	5	BDL	2	-	-	-	-	-	NS
chemical oxygen demand (mg/l)	16	66	25	35	-	-	-	-	-	NS
total organic carbon (mg/l as C)	8	16	10	12	-	-	-	-	-	NS
chlorophyll-A (MG/M3)	4	76	5	8	-	-	-	-	-	NS
total hardness (mg/l as CaCO)	100	62.5	86	58.8	-	-	-	-	-	NS
fecal coliform (Col/100ml)	106	-	260	436	90	46	62	180	38	800
										(MCL) STANDARD
Metals: (mg/l)	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	F.A.C. 62-302
iron	0.147	0.136	0.333	0.409	-	-	-	-	-	1
copper	BDL	BDL	BDL	BDL	-	-	-	-	-	**
barium	0.018	0.004	0.015	0.011	-	-	-	-	-	NS
vanadium	BDL	BDL	BDL	BDL	-	-	-	-	-	NS
chromium	BDL	BDL	BDL	BDL	-	-	-	-	-	***
nickel	BDL	BDL	BDL	BDL	-	-	-	-	-	****
zinc	0.03	BDL	BDL	BDL	-	-	-	-	-	* = 105.99
mercury	BDL	BDL	BDL	BDL	-	-	-	-	-	0.000012
NOTE: Water Levels taken on Feb. 16, 1998										
NOTE: Referenced, Surface Water Quality Standards Title 62 Chapter 62-302, Class III: Fresh										
NS = NO STANDARD										
MCL = MAXIMUM CONTAMINANT LEVEL										
S.L.Comp. = SMITH LAKE COMPOSITE SAMPLE										
S.L. 1-A = SMITH LAKE SAMPLE 1-A										
BDL = BELOW DETECTION LIMIT										
* = $Zn < or = e(0.8473[\ln H] + 0.7614)$ , note: H = Hardness, for 3A standard is 105.99										
** = $Cu < or = e(0.8545[\ln H] - 1.465)$										
*** = $Cr < or = e(0.819[\ln H] + 1.561)$										
**** = $Ni < or = e(0.846[\ln H] + 1.1645)$										
: EXCEEDS TITLE 62 CHAPTER 62-302 SURFACE WATER QUALITY STANDARDS										
NTU = NEPHELOMETRIC TURBIDITY UNITS										
µg/l = MICROGRAMS PER LITER										
mg/l = MILLIGRAMS PER LITER										
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter										
NGVD: National Geodetic Vertical Datum										



SEWL298.DWG

Surficial Aquifer Groundwater Elevation and Contour Map  
 Southeast County Landfill, Hillsborough County, Florida.  
 Groundwater and Surface Water Elevation Data Recorded on February 16, 1998

Well Diameter (in): 2  
 Total Depth: 153.60  
 Evacuation (gal): 64.0  
 Sample Appearance:

Elevation (NVGD): 129.94  
 Water Level (ft): 82.68  
 Ground Water Elevation (NGVD): 47.26

Facility GMS #: 4029C30075  
 Test Site ID #: 4029A12631

Sample Date/Time: 2/18/98 9:05:00 AM  
 Report Period: 98/1

Well Name: TH-19

9802263 01

Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): 47.26

Ground Water Elevation (ft. MSL): —

*(4029-ORL.ME)*  
*2631*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	437 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.37 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	168 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.5 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	8 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.31 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.68 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	44 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	15.1 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L



Well Diameter (in): 2  
 Total Depth: 27.90  
 Evacuation (gal): 16.8  
 Sample Appearance:

Elevation (NVGD): 129.72  
 Water Level (ft): 3.60  
 Ground Water Elevation (NGVD): 126.12

Facility GMS #: 4029C30075 Sample Date/Time: 2/18/98 11:44:00 AM  
 Test Site ID #: 4029A12634 Report Period: 98/1

Well Name: TH-22 9802263 02 Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): 126.12

2634

Ground Water Elevation (ft. MSL): —

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	264 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	4.56 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	188 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	18.2 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	31 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.41 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.43 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	110 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	627 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	7.4 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 27.90  
 Evacuation (gal): 16.8  
 Sample Appearance:

Elevation (NVGD): 129.72  
 Water Level (ft): 3.60  
 Ground Water Elevation (NGVD): 126.12

Facility GMS #: 4029C30075 Sample Date/Time: 2/18/98 11:44:00 AM  
 Test Site ID #: 4029A126.34 Report Period: 98/1

Well Name: TH-22 DUP

9802263 03

Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): 126.12

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	264 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	4.56 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	184 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	18.2 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	31 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.29 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.43 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	101 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	593 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	7.1 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 34.30  
 Evacuation (gal): 9.5  
 Sample Appearance:

Elevation (NVGD): 132.08  
 Water Level (ft): 24.99  
 Ground Water Elevation (NGVD): 107.09

Facility GMS #: 4029C30075  
 Test Site ID #: 4029A12636

Sample Date/Time: 2/18/98 10:22:00 AM  
 Report Period: 98/1

Well Name: TH-28

9802263 04

Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): 107.09

Ground Water Elevation (ft. MSL):

2636

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	187 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.27 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	140 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.8 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	31 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.46 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.8 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	1 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	1850 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 46.19  
 Evacuation (gal): 24.5  
 Sample Appearance:

Elevation (NVGD): 129.44  
 Water Level (ft): 22.97  
 Ground Water Elevation (NGVD): 106.47

Facility GMS #: 4029C30075  
 Test Site ID #: 4029A14113

Sample Date/Time: 2/18/98 9:25:00 AM  
 Report Period: 98/1

Well Name: TH-30

9802263 05

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 106.47

Ground Water Elevation (ft. MSL):

4113

Well Type:  Background  
 Intermediate  
 Compliance  
 Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	214 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	4.8 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	148 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.1 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	10.7 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	35 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.28 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.02 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	22 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	263 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	11.3 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	30 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	3 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L



Well Diameter (in): 2  
 Total Depth: 23.10  
 Evacuation (gal): 21.6  
 Sample Appearance:

Elevation (NVGD): 132.75  
 Water Level (ft): 7.15  
 Ground Water Elevation (NGVD): 125.60

Facility GMS #: 4029C30075  
 Test Site ID #: 4029A14415

Sample Date/Time: 2/18/98 8:47:00 AM  
 Report Period: 98/1

Well Name: TH-38-A

9802263 08

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:  Background  
 Intermediate  
 Compliance  
 Other

Ground Water Elevation (NGVD): 125.6

4415

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	177 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	6.03 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	136 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.1 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.1 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	17 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	2.01 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.02 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.57 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	8 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	2 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	8510 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	10.3 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 165.90  
 Evacuation (gal): 86.0  
 Sample Appearance:

Elevation (NVGD): 125.23  
 Water Level (ft): 79.02  
 Ground Water Elevation (NGVD): 46.21

Facility GMS #: 4029C30075 Sample Date/Time: 2/18/98 12:10:00 PM  
 Test Site ID #: 4029A126.32 Report Period: 98/1

Well Name: TH-40 9802263 09 Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): 46.21

Ground Water Elevation (ft. MSL):

Well Type:  Background  
 Intermediate  
 Compliance  
 Other

*2632*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	366 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.56 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	252 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.6 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.8 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	8 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.79 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	43 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	16.2 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 26.83  
 Evacuation (gal): 14.0  
 Sample Appearance:

Elevation (NVGD):   
 Water Level (ft): 18.24  
 Ground Water Elevation (NGVD): 109.55

Facility GMS #: 4029C30075 Sample Date/Time: 2/18/98 10:59:00 AM  
 Test Site ID #: Report Period: 98/1

Well Name: TH-57 9802263 10 Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

7573

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	163 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.41 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	100 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	25.3 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	8.2 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	18 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.71 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.02 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.71 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	6 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	575 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.9 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Diameter (in): 2  
 Total Depth: 32.92  
 Evacuation (gal): 8.0  
 Sample Appearance:

Elevation (NVGD):             
 Water Level (ft): 27.14  
 Ground Water Elevation (NGVD): 100.53

Facility GMS #: 4029C30075      Sample Date/Time: 2/18/98 9:52:00 AM  
 Test Site ID #:                      Report Period: 98/1

Well Name: TH-58                      9802263 11

Well Purged (Y/N): Y

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD):

7574

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	361 umhos/cm	Fid umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	5.73 pH UNITS	Fid pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	220 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.3 DEG C	Fid DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.2 ntu	Fid ntu
00940	CHLORIDE	GRAB	N	EPA325.2	15 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.77 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.27 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.96 mg/L	Fid mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	23 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	10 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	6530 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	12.2 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L



Well Diameter (in): *NA*  
 Total Depth:  
 Evacuation (gal):  
 Sample Appearance:

Elevation (NVGD): *NA*  
 Water Level (ft):  
 Ground Water Elevation (NGVD):

Facility GMS #: Sample Date/Time: 2/19/98 9:50:00 AM  
 Test Site ID #: Report Period: 98/1

Well Name: SURF SITE 3A

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

9802271 01  
*(4028-ORL.S.C)*  
*2646*

Well Purged (Y/N): N

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .05 mg/L	.05 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	287 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	100 mg/L CaCO3	.25 mg/L CaCO3
00406	pH IN FIELD	GRAB	N	EPA150.1	8.02 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	176 mg/L	* mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	18.7 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	5.1 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.39 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	3.49 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	3.09 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	3.1 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	6.28 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.03 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	1 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	16 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	8 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	18 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	19.1 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	147 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	12.7 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	30 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLORETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	4	mg/m3	mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	106	Col/100 mL	Col/100 mL

Well Diameter (in): **NA**  
 Total Depth:  
 Evacuation (gal):  
 Sample Appearance:

Elevation (NVGD): **NA**  
 Water Level (ft):  
 Ground Water Elevation (NGVD):

Facility GMS #: Sample Date/Time: 2/19/98 9:35:00 AM  
 Test Site ID #: Report Period: 98/1

Well Name: SURF SITE 3B2B 9802271 02 Well Purged (Y/N): N

Classification of Ground Water: G II

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

2647

Well Type:  
 Background  
 Intermediate  
 Compliance  
 Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .05 mg/L	.05 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	243 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	86 mg/L CaCO3	.25 mg/L CaCO
00406	pH IN FIELD	GRAB	N	EPA150.1	6.52 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	152 mg/L	* mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	5 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	17.9 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	15.1 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.57 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	2.39 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	1.81 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	1.82 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	9.12 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.28 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	25 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	10 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	15 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	16.8 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	333 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	10.7 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	5	mg/m3	mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	260	Col/100 mL	Col/100 mL

Well Diameter (in): *NA*  
 Total Depth:  
 Evacuation (gal):  
 Sample Appearance:

Elevation (NVGD): *NA*  
 Water Level (ft):  
 Ground Water Elevation (NGVD):

Facility GMS #: Sample Date/Time: 2/19/98 9:20:00 AM  
 Test Site ID #: Report Period: 98/1

Well Name: SURF SITE 3C2 9802271 03 Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:  
 Background  
 Intermediate  
 Compliance  
 Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

*2648*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .05 mg/L	.05 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	181 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	56.8 mg/L CaCO3	.25 mg/L CaCO3
00406	pH IN FIELD	GRAB	N	EPA150.1	6.72 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	112 mg/L	* mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	5 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	18.4 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	18.4 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.34 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	.98 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.63 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.64 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	8.41 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	1.14 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	2 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	35 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	12 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	11 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	15.8 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	409 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	6.95 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	8	mg/m3	mg/m3
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	436	Col/100 mL	Col/100 mL

Well Diameter (in): **NA**  
 Total Depth:  
 Evacuation (gal):  
 Sample Appearance:

Elevation (NVGD): **NA**  
 Water Level (ft):  
 Ground Water Elevation (NGVD):

Facility GMS #: Sample Date/Time: 2/19/98 9:00:00 AM  
 Test Site ID #: Report Period: 98/1

Well Name: SURF SITE 1A-1E 9802271 06 Well Purged (Y/N): N

Classification of Ground Water: G II  
 Ground Water Elevation (NGVD):  
 Ground Water Elevation (ft. MSL):

Well Type:  
 Background  
 Intermediate  
 Compliance  
 Other

*2640*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .05 mg/L	.05 mg/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	173 umhos/cm	Fld umhos/cm
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	62.5 mg/L CaCO3	.25 mg/L CaCO
00406	pH IN FIELD	GRAB	N	EPA150.1	7.25 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	132 mg/L	* mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	15 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	19.4 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	15.3 ntu	Fld ntu
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	1.39 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	1.4 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	8.13 mg/L	Fld mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	2.27 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	5 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	56 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	16 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	4 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	15.9 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	136 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	5.54 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	76 mg/m3	mg/m3



Facility GMS #:

Sample Date/Time: 2/19/98 8:42:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: SMITH LAKE 1-A

980227201

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- Background
- Intermediate
- Compliance
- Other

Ground Water Elevation (NGVD): **ND**

*264'*

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	90 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/19/98 8:47:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: SMITH LAKE 1-B

980227202

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Depth to Water (ft.):

↓

2642

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	46 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/19/98 8:33:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: SMITH LAKE 1-C

980227203

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- Background
- Intermediate
- Compliance
- Other

Ground Water Elevation (NGVD): NR

2643

Depth to Water (ft.):

↓

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	62 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/19/98 8:26:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: SMITH LAKE 1-D

980227204

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Depth to Water (ft.):

↓

2644

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	180	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/17/98 10:33:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: BARNES

980223601

Well Purged (Y/N): Y

Classification of Ground Water: G II

Ground Water Elevation (NGVD): NA

Depth to Water (ft.):

(4029-ORC.MF)  
3075

Well Type:

- Background
- Intermediate
- Compliance
- Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	414 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.49 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	248 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	10 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.16 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.05 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	3.62 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	65 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	17.2 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	90 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	1.1	pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.4	pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 2/17/98 9:54:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: HOLLAND

980223603

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Depth to Water (ft.):

NA  
↓

3077

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	403 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.14 JH UNITS	Fld JH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	224 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.2 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.2 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	21 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.06 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.4 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	4 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	1360 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	5.4 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	200 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	2.9 pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.3 pCi/L	pCi/L



Facility GMS #:

Sample Date/Time: 2/17/98 11:15:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: MCBRIDE

980223604

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): **NA**

Background

Depth to Water (ft.): **↓**

Intermediate

Compliance

Other

*3076*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	276 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.24 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	160 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.4 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	14.8 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	6 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.04 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.38 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	3 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	6 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	1940 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.4 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	1400 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	3.2 pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.2 pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 2/17/98 9:04:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: WEEKS

980223605

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): *NA*

Background

Intermediate

Depth to Water (ft.): *3211*

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	533 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.38 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	284 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.9 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1.6 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	21 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.07 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.01 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	6.23 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	4 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	9 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	463 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	90 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	8	pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	2.5	pCi/L	pCi/L
09501	RADIUM 226 IN WATER	GRAB	N	EPA903.1	9.9	pCi/L	.1 pCi/L
09502	RADIUM 226-counting error	GRAB	N	EPA903.1	.4	pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 2/17/98 10:33:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: BARNES-DUP

980223602

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): N/A

- Background
- Intermediate
- Compliance
- Other

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	414 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.49 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	232 mg/L	* mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1 ntu	Fld ntu
00940	CHLORIDE	GRAB	N	EPA325.2	10 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.21 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.05 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	3.62 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	5 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	61 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	17 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	120 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	1.8 pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.5 pCi/L	pCi/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 2/18/98 9:45:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: EQIP BLANK

9802263 12

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD):

NA

Background

Ground Water Elevation (ft. MSL):

✓

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12 mg/L	* mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L



Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 2/18/98 9:43:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: TRAVEL BLANK

9802263 13

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Ground Water Elevation (ft. MSL): ↓

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in):

Elevation (INVD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 2/19/98 10:03:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: EQUIP BLANK

9802271 07

Well Purged (Y/N): N

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): NA

Ground Water Elevation (ft. MSL): ↓

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .05 mg/L	.05 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	< .25 mg/L CaCO3	.25 mg/L CaCO3
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12 mg/L	* mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4 mg/L	* mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	< .1 mg/L	.1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	< .1 mg/L	.1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	< .02 mg/L	.02 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1 mg/L	1 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	< 2 mg/L	2 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	< 1 mg/L	1 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	< .05 mg/L	.05 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	5 mg/m3	mg/m3

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 2/19/98 10:00:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: TRAVEL BLANK

9802271 08

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Ground Water Elevation (ft. MSL): ↓

Intermediate

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25	ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/98 10:00:00 AM

Test Site ID #:

Report Period: 98/2

Well Name: EQIP BLANK

980221702

Well Purged (Y/N): N

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): **NA**

Depth to Water (ft.): **↓**

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 75 ug/L	75 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 15 ug/L	15 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 400 ug/L	400 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 50 ug/L	50 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40 ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L



Facility GMS #:

Sample Date/Time: 2/16/98 9:50:00 AM

Test Site ID #:

Report Period: 98/2

Well Name: TRAVEL BLANK

980221703

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:  Background

Ground Water Elevation (NGVD): ~~NA~~

Intermediate

Depth to Water (ft.): 

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 75 ug/L	75 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 15 ug/L	15 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 400 ug/L	400 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 50 ug/L	50 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40 ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/98 9:53:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: PRE EQIP BLANK

980221802

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:  Background

Ground Water Elevation (NGVD): NA

Intermediate

Depth to Water (ft.):

NA  
↓

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12 mg/L	* mg/L
00425	BICARBONATES	GRAB	N	EPA310.1	< .4 mg/L HCO3	.4 mg/L HCO3
00940	CHLORIDE	GRAB	N	EPA325.2	< 1 mg/L	1 mg/L
00720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5 ug/L	5 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00745	SULFIDE	GRAB	N	EPA376.2	< .04 mg/L	.04 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39330	aldrin	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39338	beta BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39350	chlordane	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< .15 ug/L	.15 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 15 ug/L	15 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 15 ug/L	15 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
73553	THIONAZIN	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< .1 ug/L	.1 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< .1 ug/L	.1 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1 ug/L	1 ug/L
30191	Dinoseb	GRAB	N	EPA8150	< 2 ug/L	2 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73501	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34283	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73554	Isosafrole	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73589	Methapyrilene	GRAB	N	EPA8270	< 2000 ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73620	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000 ug/L	2000 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10 ug/L	10 ug/L

Well Name: PRE EQIP BLANK

980221802

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34461	Phenanthrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10 ug/L	10 ug/L

Facility GMS #:

Sample Date/Time: 2/17/98 8:43:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: EQIP BLANK

980223608

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

Background

Intermediate

Depth to Water (ft.):

↓

Compliance

Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12 mg/L	* mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .05 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1 ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 10 ug/L	10 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01042	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 25 ug/L	25 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .1 mg/L	.1 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01087	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 20 ug/L	20 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	.8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	.5 pCi/L	.1 pCi/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	.5 pCi/L	pCi/L



Facility GMS #:

Sample Date/Time: 2/17/98 8:40:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: TRAVEL BLANK

980223609

Well Purged (Y/N): N

Classification of Ground Water: G II

- Well Type:
- Background
  - Intermediate
  - Compliance
  - Other

Ground Water Elevation (NGVD): NA

Depth to Water (ft.):



STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

Well Name: TRAVEL BLANK

980223609

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/19/98 8:18:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: SMITH LAKE 1-E

980227205

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): **NR**

- Background
- Intermediate
- Compliance
- Other

Depth to Water (ft.):

**NR**  
↓

2645

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	38 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/16/98 10:05:00 AM

Test Site ID #:

Report Period: 98/2

Well Name: LEACHATE PUMP STATION #5

980221701

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

Ground Water Elevation (NGVD): NA

- Background
- Intermediate
- Compliance
- Other

Depth to Water (ft.):

NA  
↓

3243

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	9840 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	6.95 pH UNITS	Fld pH UNITS
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.3 DEG C	Fld DEG C
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.48 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 75 ug/L	75 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 15 ug/L	15 ug/L
78124	BENZENE	GRAB	N	EPA8260	1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 2 ug/L	2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	2 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	1 ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 400 ug/L	400 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 35 ug/L	35 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 50 ug/L	50 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	2 ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40 ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 25 ug/L	25 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	7 ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/98 10:22:00 AM

Test Site ID #:

Report Period: 98/1

Well Name: COMP LEACH PUMP ST. 3&5

980221801

Well Purged (Y/N): N

Classification of Ground Water: G-II

Well Type:

Ground Water Elevation (NGVD): NA

Depth to Water (ft.):

↓

3243

- Background
- Intermediate
- Compliance
- Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	10960 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	7.34 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	6380 mg/L	mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	25.3 DEG C	Fld DEG C
00425	BICARBONATES	GRAB	N	EPA310.1	2269 mg/L HCO3	.4 mg/L HCO3
00940	CHLORIDE	GRAB	N	EPA325.2	2820 mg/L	1 mg/L
00720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5 ug/L	5 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	217 mg/L	.05 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.11 mg/L	.01 mg/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.48 mg/L	Fld mg/L
00745	SULFIDE	GRAB	N	EPA376.2	< .04 mg/L	.04 mg/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	9770 ug/L	25 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	1990 mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39330	aldrin	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39338	beta BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39350	chlordane	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .01 ug/L	.01 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< .15 ug/L	.15 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 1 ug/L	1 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5 ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
39600	METHYL PARATHION	GRAB	N	EPA8141	< 15 ug/L	15 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 15 ug/L	15 ug/L
73553	THIONAZIN	GRAB	N	EPA8141	< 5 ug/L	5 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< .1 ug/L	.1 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< .1 ug/L	.1 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1 ug/L	1 ug/L
30191	Dinoseb	GRAB	N	EPA8150	< 2 ug/L	2 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73501	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34283	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73554	Isosafrole	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73589	Methapyrilene	GRAB	N	EPA8270	< 2000 ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73620	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000 ug/L	2000 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L



Well Name: COMP LEACH PUMP ST. 3&5

980221801

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10 ug/L	10 ug/L