

"60-4059-A-18A," "EPA 610," "60-4059-A-18A," "E8482," "740032," "Arsenic," "4.0," "ug/L," "U," "4.0," "TRG," "1," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MS," "3.005," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:33," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18A," "EPA 610," "60-4059-A-18A," "E8482," "743986," "Iron," "590," "ug/L," "50," "TRG," "1," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MS," "3.005," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:33," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18A," "EPA 610," "60-4059-A-18A," "E8482," "740033," "Sodium," "732," "mg/L," "0.31," "TRG," "1," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MS," "3.005," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:33," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18AMS," "EPA 610," "60-4059-A-18AMS," "E8482," "740033," "Arsenic," "937," "ng/L," "0.40," "SPK," "1," "94," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MSD," "05102102," "3.20," "No Prep," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:36," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18AMS," "EPA 610," "60-4059-A-18AMS," "E8482," "740033," "Sodium," "127," "mg/L," "0.31," "TRG," "1," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MS," "3.005," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:36," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18AMSD," "EPA 610," "60-4059-A-18AMSD," "E8482," "740033," "Arsenic," "937," "ng/L," "0.40," "SPK," "1," "94," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MSD," "05102102," "3.20," "No Prep," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:36," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-4059-A-18AMSD," "EPA 610," "60-4059-A-18AMSD," "E8482," "740033," "Sodium," "126," "mg/L," "0.31," "TRG," "1," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/08/2012 10:09," "AQUEOUS-Other," "MSD," "05102102," "3.20," "No Prep," "RES," "YES," "10/08/2012 10:09," "10/08/2012 15:36," "TOT," "660-130062," "660-130080," "Yes","", "660-50432-1"
"60-5043-A-1," "EPA 3501," "660-5043-A-1," "E8482," "1515," "Ammonia (N)," "0.20," "mg/L," "0.030," "TRG," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 20:59," "AQUEOUS-Other," "MS," "No Prep," "RES," "YES," "10/09/2012 20:59," "10/09/2012 20:59," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5043-A-1MSD," "EPA 3501," "660-5043-A-1MSD," "E8482," "1515," "Ammonia (N)," "0.516," "mg/L," "0.030," "SPK," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:02," "AQUEOUS-Other," "MS," "No Prep," "RES," "YES," "10/09/2012 21:02," "10/09/2012 21:02," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5043-A-1MSD," "EPA 3501," "660-5043-A-1MSD," "E8482," "1515," "Ammonia (N)," "0.515," "mg/L," "0.030," "SPK," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:04," "AQUEOUS-Other," "MSD," "No Prep," "RES," "YES," "10/09/2012 21:04," "10/09/2012 21:04," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5043-A-1MSD," "EPA 3501," "660-5043-A-1MSD," "E8482," "1515," "Ammonia (N)," "0.515," "mg/L," "0.030," "TRG," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:04," "AQUEOUS-Other," "MSD," "No Prep," "RES," "YES," "10/09/2012 21:04," "10/09/2012 21:04," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5043-A-1MSD," "EPA 3501," "660-5043-A-1MSD," "E8482," "1515," "Ammonia (N)," "0.285," "mg/L," "0.030," "SPK," "1," "95," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:44," "AQUEOUS-Other," "MSD," "No Prep," "RES," "YES," "10/09/2012 21:44," "10/09/2012 21:44," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5043-A-1MSD," "EPA 3501," "660-5043-A-1MSD," "E8482," "1515," "Ammonia (N)," "0.285," "mg/L," "0.030," "TRG," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:44," "AQUEOUS-Other," "MSD," "No Prep," "RES," "YES," "10/09/2012 21:44," "10/09/2012 21:44," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"60-5047-A-GMSD," "EPA 3501," "660-5047-A-GMSD," "E8482," "1515," "Ammonia (N)," "0.303," "mg/L," "0.030," "SPK," "1," "107," "060," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/09/2012 21:45," "AQUEOUS-Other," "MSD," "No Prep," "RES," "YES," "10/09/2012 21:45," "10/09/2012 21:45," "TOT," "660-130153," "660-130154," "Yes","", "660-50432-1"
"BLANK EQUIPMENT," "SM18 2540 C," "660-50432-1," "E8482," "1705," "Residues-Filtrable (TDS)," "5.0," "mg/L," "0.50," "TRG," "1," "1," "0," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/04/2012 09:20," "AQUEOUS-Other," "MS," "04102102," "4.70," "No Prep," "RES," "YES," "10/05/2012 10:35," "10/05/2012 10:35," "TOT," "660-129997," "660-129997," "Yes","", "660-50432-1"
"BLANK EQUIPMENT," "EPA 3000 (Chloride)," "660-50432-1," "E8482," "1687006," "Chloride," "0.20," "mg/L," "0.20," "TRG," "1," "1," "0," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/04/2012 09:20," "AQUEOUS-Other," "MS," "04102102," "4.70," "No Prep," "RES," "YES," "10/05/2012 10:35," "10/05/2012 10:35," "TOT," "660-129997," "660-130121," "Yes","", "660-50432-1"
"BLANK EQUIPMENT," "EPA 3000 (Chloride)," "660-50432-1," "E8482," "1687006," "Chloride," "0.20," "mg/L," "0.20," "TRG," "1," "1," "0," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/04/2012 09:20," "AQUEOUS-Other," "MS," "04102102," "4.70," "No Prep," "RES," "YES," "10/05/2012 10:35," "10/05/2012 10:35," "TOT," "660-129997," "660-130121," "Yes","", "660-50432-1"
"BLANK EQUIPMENT," "EPA 3000 (Chloride)," "660-50432-1," "E8482," "1687006," "Chloride," "0.20," "mg/L," "0.20," "TRG," "1," "1," "0," "41193," "SOUTHEAST COUNTY SFL (PCNIC LF)," "10/04/2012 09:20," "AQUEOUS-Other,"

"660-50479-A-1", "EPA 300.0 (Chloride)", "660-50479-A-1", "E84282", "16887006", "Chloride", "40", "mg/L", "LJ", "0.20", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "10/10/2012 09:24", "AQUEOUS-Other", "N", "No Prep", "RES", "YES", "10/10/2012 09:24", "10/10/2012 09:24", "TOT", "660-130234", "660-130234", "Yes", "Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.", "660-50432-1"

"660-50479-A-1MS", "EPA 300.0 (Chloride)", "660-50479-A-1MS", "E84282", "16887006", "Chloride", "47.9", "mg/L", "LJ", "0.20", "SPK", "1", "1", "79", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "10/10/2012 09:39", "AQUEOUS-Other", "MS", "No Prep", "RES", "YES", "10/10/2012 09:39", "10/10/2012 09:39", "TOT", "660-130234", "660-130234", "Yes", "10.0", "Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.", "660-50432-1"

"660-50479-A-1MSD", "EPA 300.0 (Chloride)", "660-50479-A-1MSD", "E84282", "16887006", "Chloride", "48.0", "mg/L", "LJ", "0.20", "SPK", "1", "1", "80", "0.70", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "10/10/2012 09:54", "AQUEOUS-Other", "MSD", "No Prep", "RES", "YES", "10/10/2012 09:54", "10/10/2012 09:54", "TOT", "660-130234", "660-130234", "Yes", "10.0", "Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.", "660-50432-1"

"660LCS 660-129997/2", "SM18 2540 C", "LCS 660-129997/2", "E84282", "1705", "Residues- Filterable (TDS)", "9750", "mg/L", "25", "SPK", "1", "1", "98", "25", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/05/2012 10:35", "10/05/2012 10:35", "TOT", "660-129997", "660-129997", "Yes", "10000", "660-50432-1"

"660LCS 660-130062/2-A", "EPA 6010", "LCS 660-130062/2-A", "E84282", "7440382", "Arsenic", "943", "ug/L", "4.0", "SPK", "1", "1", "94", "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:23", "TOT", "660-130062", "660-130080", "Yes", "1000", "660-50432-1"

"660LCS 660-130062/2-A", "EPA 6010", "LCS 660-130062/2-A", "E84282", "7439896", "Iron", "1050", "ug/L", "50", "SPK", "1", "1", "105", "200", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:23", "TOT", "660-130062", "660-130080", "Yes", "1000", "660-50432-1"

"660LCS 660-130062/2-A", "EPA 6010", "LCS 660-130062/2-A", "E84282", "7440325", "Sodium", "9.43", "mg/L", "0.31", "SPK", "1", "1", "94", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:23", "TOT", "660-130062", "660-130080", "Yes", "10.0", "660-50432-1"

"660LCS 660-130073/2", "SM18 2540 C", "LCS 660-130073/2", "E84282", "1705", "Residues- Filterable (TDS)", "9980", "mg/L", "25", "SPK", "1", "1", "100", "25", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/08/2012 12:01", "10/08/2012 12:01", "TOT", "660-130073", "660-130073", "Yes", "10000", "660-50432-1"

"660LCS 660-130121/40", "EPA 300.0 (Chloride)", "LCS 660-130121/40", "E84282", "16887006", "Chloride", "10.1", "mg/L", "0.20", "SPK", "1", "1", "101", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/08/2012 18:37", "10/08/2012 18:37", "TOT", "660-130121", "660-130121", "Yes", "10.0", "660-50432-1"

"660LCS 660-130121/5", "EPA 300.0 (Chloride)", "LCS 660-130121/5", "E84282", "16887006", "Chloride", "10.0", "mg/L", "0.20", "SPK", "1", "1", "100", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/08/2012 09:31", "10/08/2012 09:31", "TOT", "660-130121", "660-130121", "Yes", "10.0", "660-50432-1"

"660LCS 660-130153/11", "EPA 350.1", "LCS 660-130153/11", "E84282", "1515", "Ammonia (N)", "0.534", "mg/L", "0.030", "SPK", "1", "1", "107", "0.060", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/09/2012 20:49", "10/09/2012 20:49", "TOT", "660-130153", "660-130153", "Yes", "0.500", "660-50432-1"

"660LCS 660-130154/4", "EPA 350.1", "LCS 660-130154/4", "E84282", "1515", "Ammonia (N)", "0.513", "mg/L", "0.030", "SPK", "1", "1", "103", "0.060", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/09/2012 22:06", "10/09/2012 22:06", "TOT", "660-130154", "660-130154", "Yes", "0.500", "660-50432-1"

"660LCS 660-130212/1-A", "EPA 6010", "LCS 660-130212/1-A", "E84282", "7440382", "Arsenic", "978", "ug/L", "4.0", "SPK", "1", "1", "98", "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:58", "TOT", "660-130211", "660-130256", "Yes", "1000", "660-50432-1"

"660LCS 660-130212/1-A", "EPA 6010", "LCS 660-130212/1-A", "E84282", "7439896", "Iron", "1010", "ug/L", "50", "SPK", "1", "1", "101", "200", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:58", "TOT", "660-130211", "660-130256", "Yes", "1000", "660-50432-1"

"660LCS 660-130212/1-A", "EPA 6010", "LCS 660-130212/1-A", "E84282", "7440325", "Sodium", "9.64", "mg/L", "0.31", "SPK", "1", "1", "96", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:58", "TOT", "660-130211", "660-130256", "Yes", "10.0", "660-50432-1"

"660LCS 660-130234/5", "EPA 300.0 (Chloride)", "LCS 660-130234/5", "E84282", "16887006", "Chloride", "10.1", "mg/L", "0.20", "SPK", "1", "1", "101", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "No Prep", "RES", "YES", "10/10/2012 09:08", "10/10/2012 09:08", "TOT", "660-130234", "660-130234", "Yes", "10.0", "660-50432-1"

"660LCS 660-130062/3-A", "EPA 6010", "LCS 660-130062/3-A", "E84282", "7440382", "Arsenic", "935", "ug/L", "4.0", "SPK", "1", "1", "93", "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:26", "TOT", "660-130062", "660-130080", "Yes", "1000", "660-50432-1"

"660LCS 660-130062/3-A", "EPA 6010", "LCS 660-130062/3-A", "E84282", "7439896", "Iron", "1040", "ug/L", "50", "SPK", "1", "1", "104", "200", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:26", "TOT", "660-130062", "660-130080", "Yes", "1000", "660-50432-1"

"660LCS 660-130062/3-A", "EPA 6010", "LCS 660-130062/3-A", "E84282", "7440325", "Sodium", "9.43", "mg/L", "0.31", "SPK", "1", "1", "94", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "LCS", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:26", "TOT", "660-130062", "660-130080", "Yes", "10.0", "660-50432-1"

"660MB 660-129997/1", "SM18 2540 C", "MB 660-129997/1", "E84282", "1705", "Residues- Filterable (TDS)", "5.0", "mg/L", "U", "5.0", "TRG", "1", "1", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/05/2012 10:35", "10/05/2012 10:35", "TOT", "660-129997", "660-129997", "Yes", "660-50432-1"

"660MB 660-130062/1-A", "EPA 6010", "MB 660-130062/1-A", "E84282", "7440382", "Arsenic", "4.0", "ug/L", "U", "4.0", "TRG", "1", "1", "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:20", "TOT", "660-130062", "660-130080", "Yes", "660-50432-1"

"660MB 660-130062/1-A", "EPA 6010", "MB 660-130062/1-A", "E84282", "7439896", "Iron", "50", "ug/L", "U", "50", "TRG", "1", "1", "200", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:20", "TOT", "660-130062", "660-130080", "Yes", "660-50432-1"

"660MB 660-130062/1-A", "EPA 6010", "MB 660-130062/1-A", "E84282", "7440235", "Sodium", "0.31", "mg/L", "U", "0.31", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/08/2012 10:09", "10/08/2012 15:20", "TOT", "660-130062", "660-130080", "Yes", "660-50432-1"

"660MB 660-130073/1", "SM18 2540 C", "MB 660-130073/1", "E84282", "1705", "Residues- Filterable (TDS)", "5.0", "mg/L", "U", "5.0", "TRG", "1", "1", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/08/2012 12:01", "10/08/2012 12:01", "TOT", "660-130073", "660-130073", "Yes", "660-50432-1"

"660MB 660-130121/39", "EPA 300.0 (Chloride)", "MB 660-130121/39", "E84282", "16887006", "Chloride", "0.20", "mg/L", "U", "0.20", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/08/2012 18:21", "10/08/2012 18:21", "TOT", "660-130121", "660-130121", "Yes", "660-50432-1"

"660MB 660-130121/4", "EPA 300.0 (Chloride)", "MB 660-130121/4", "E84282", "16887006", "Chloride", "0.20", "mg/L", "U", "0.20", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/08/2012 09:16", "10/08/2012 09:16", "TOT", "660-130121", "660-130121", "Yes", "660-50432-1"

"660MB 660-130153/10", "EPA 350.1", "MB 660-130153/10", "E84282", "1515", "Ammonia (N)", "0.030", "mg/L", "U", "0.030", "TRG", "1", "1", "0.060", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/09/2012 20:48", "10/09/2012 20:48", "TOT", "660-130153", "660-130153", "Yes", "660-50432-1"

"660MB 660-130154/3", "EPA 350.1", "MB 660-130154/3", "E84282", "1515", "Ammonia (N)", "0.030", "mg/L", "U", "0.030", "TRG", "1", "1", "0.060", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/09/2012 22:05", "10/09/2012 22:05", "TOT", "660-130154", "660-130154", "Yes", "660-50432-1"

"660MB 660-130211/1-A", "EPA 6010", "MB 660-130211/1-A", "E84282", "7440382", "Arsenic", "4.0", "ug/L", "U", "4.0", "TRG", "1", "1", "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:55", "TOT", "660-130211", "660-130256", "Yes", "660-50432-1"

"660MB 660-130211/1-A", "EPA 6010", "MB 660-130211/1-A", "E84282", "7439896", "Iron", "50", "ug/L", "U", "50", "TRG", "1", "1", "200", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:55", "TOT", "660-130211", "660-130256", "Yes", "660-50432-1"

"660MB 660-130211/1-A", "EPA 6010", "MB 660-130211/1-A", "E84282", "7440235", "Sodium", "0.31", "mg/L", "U", "0.31", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "10/11/2012 08:43", "10/11/2012 14:55", "TOT", "660-130211", "660-130256", "Yes", "660-50432-1"

"660MB 660-130234/4", "EPA 300.0 (Chloride)", "MB 660-130234/4", "E84282", "16887006", "Chloride", "0.20", "mg/L", "U", "0.20", "TRG", "1", "1", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "10/10/2012 08:53", "10/10/2012 08:53", "TOT", "660-130234", "660-130234", "Yes", "660-50432-1"