270556
LR

BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Deputy County Administrator
Wally Hill

Assistant County Administrators
Bernardo Garcia
Carl S. Harness
Manus J. O'Donnell

D.E.P.
JAN 12 2005
Southwest District Tampa

January 11, 2005

Ms. Susan Pelz, P.E.
Florida Department of Environmental Protection
Solid Waste Section
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: **Southeast County Landfill**
Section 7 Landfill Cell
Annual Influent Analytical Data – November 2004

Dear Ms. Pelz:

In accordance with Specific Condition No. 31 of the Operation Permit No. 35435-007-SO, the Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data for the annual influent sampling of Section 7 landfill cell at the Southeast County Landfill (SELF). The SWMD collected the influent sample from sampling location 007, located at the sideslope riser on November 9, 2004. The referenced permit requires the SWMD to sample and analyze the leachate under 40 CFR Part 261.24, Table 1.

Field parameters for the annual leachate sample indicated specific conductivity at 5127 umhos/cm, a pH level of 6.35 pH units, and dissolved oxygen at 2.30 milligrams per liter (mg/l). The SWMD Field Sampling Team indicated that the sample had color and sheen, which is expected for an active leachate collection system.

Purgeable organics and metals were detected within the influent sample. In accordance with the referenced Table 1, all of the parameters were below their maximum concentration for toxicity characteristics. The complete laboratory analytical data sheets from Elab, Inc. are attached.

NOV 2004
EVENT AT
SECTION 7 LCS

Should you have any questions or comments concerning the information provided in this submittal, please feel free to contact me at (813) 276-2908 or David Adams at (813) 276-2944.

Sincerely,

Patricia V. Berry
Landfill Services Section Manager
Solid Waste Management Department

PVB/mdt
Enclosures
xc: Ron Cope, EPC
Larry Ruiz, SWMD
David Adams, P.G., SWMD

enviro/projects/self//Section7Influent2004.doc

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JAN 12 2005
SOUTHWEST DISTRICT
TAMPA

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	INORGANICS								
70300	Solids, Total Dissolved	Grab	N	E160.1	11/11/2004	1.2	U	mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/10/2004	0.036	U	mg/L	0.036
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/10/2004	0.0091	U	mg/L	0.0091
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/16/2004	0.025	I	mg/L	0.012
00440	Alkalinity, Bicarbonate (As CaCO3)	Grab	N	SM2320	11/12/2004	0.16	U	mg/L	0.16
00720	Cyanide	Grab	N	SW9012	11/22/2004	0.0027	U	mg/L	0.0027
00745	Sulfide	Grab	N	SW9034	11/15/2004	0.54	U	mg/L	0.54
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2004	2.8	U	µg/L	2.8
01007	Barium	Grab	N	SW6010	11/12/2004	0.56	IV	µg/L	0.23
01012	Beryllium	Grab	N	SW6010	11/12/2004	0.060	I	µg/L	0.056
01027	Cadmium	Grab	N	SW6010	11/12/2004	0.34	U	µg/L	0.34
01034	Chromium	Grab	N	SW6010	11/12/2004	0.62	I	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2004	1.6	U	µg/L	1.6
01042	Copper	Grab	N	SW6010	11/12/2004	0.55	IV	µg/L	0.47
01045	Iron	Grab	N	SW6010	11/12/2004	11	U	µg/L	11
01051	Lead	Grab	N	SW6010	11/12/2004	2.2	U	µg/L	2.2
01067	Nickel	Grab	N	SW6010	11/12/2004	1.0	U	µg/L	1.0
01147	Selenium	Grab	N	SW6010	11/12/2004	3.1	U	µg/L	3.1
01077	Silver	Grab	N	SW6010	11/12/2004	0.93	U	µg/L	0.93
00929	Sodium	Grab	N	SW6010	11/12/2004	190	U	µg/L	190
01102	Tin	Grab	N	SW6010	11/12/2004	7.0	IV	µg/L	1.9
01087	Vanadium	Grab	N	SW6010	11/12/2004	0.73	U	µg/L	0.73
01092	Zinc	Grab	N	SW6010	11/12/2004	3.5	U	µg/L	3.5
	Antimony	Grab	N	SW6020	11/15/2004	0.40	U	µg/L	0.40
	Thallium	Grab	N	SW6020	11/15/2004	0.21	I	µg/L	0.12
71900	Mercury	Grab	N	SW7470	11/16/2004	0.012	U	µg/L	0.012
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/19/2004	0.0014	U	µg/L	0.0014
77651	Ethylene Dibromide	Grab	N	SW8011	11/19/2004	0.0030	U	µg/L	0.0030

Data Qualifier Code Key:

*	Value exceeds Maximum Contaminant Level	I	Analyte detected below quantitation limits
U	Not Detected Above the MDL	V	Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
39330	Aldrin	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39337	alpha-BHC	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
39338	beta-BHC	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
46323	delta-BHC	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39340	gamma-BHC	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
39350	Chlordane	Grab	N	SW8081	11/17/2004	0.080	U	µg/L	0.080
39460	Chlorobenzilate	Grab	N	SW8081	11/17/2004	0.080	U	µg/L	0.080
39360	4,4'-DDD	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
39365	4,4'-DDE	Grab	N	SW8081	11/17/2004	0.0080	U	µg/L	0.0080
39370	4,4'-DDT	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
39380	Dieldrin	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
34361	Endosulfan I	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
34356	Endosulfan II	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
34351	Endosulfan sulfate	Grab	N	SW8081	11/17/2004	0.010	U	µg/L	0.010
39390	Endrin	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
34366	Endrin aldehyde	Grab	N	SW8081	11/17/2004	0.0070	U	µg/L	0.0070
39410	Heptachlor	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39420	Heptachlor epoxide	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
81281	Kepone	Grab	N	SW8081	11/17/2004	0.033	U	µg/L	0.033
39480	Methoxychlor	Grab	N	SW8081	11/17/2004	0.0080	U	µg/L	0.0080
81316	Pentachloronitrobenzene	Grab	N	SW8081	11/17/2004	0.027	U	µg/L	0.027
39400	Toxaphene	Grab	N	SW8081	11/17/2004	0.37	U	µg/L	0.37
34671	Aroclor 1016	Grab	N	SW8082	11/17/2004	0.10	U	µg/L	0.10
39488	Aroclor 1221	Grab	N	SW8082	11/17/2004	0.16	U	µg/L	0.16
39492	Aroclor 1232	Grab	N	SW8082	11/17/2004	0.11	U	µg/L	0.11
39496	Aroclor 1242	Grab	N	SW8082	11/17/2004	0.16	U	µg/L	0.16
39500	Aroclor 1248	Grab	N	SW8082	11/17/2004	0.13	U	µg/L	0.13
39504	Aroclor 1254	Grab	N	SW8082	11/17/2004	0.10	U	µg/L	0.10
39508	Aroclor 1260	Grab	N	SW8082	11/17/2004	0.11	U	µg/L	0.11
	Chlorfenvinphos	Grab	N	SW8141	11/18/2004	0.22	U	µg/L	0.22
46314	Dimethoate	Grab	N	SW8141	11/18/2004	0.14	U	µg/L	0.14
81888	Disulfoton	Grab	N	SW8141	11/18/2004	0.20	U	µg/L	0.20
38462	Famphur	Grab	N	SW8141	11/18/2004	0.22	U	µg/L	0.22

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
39540	Parathion, Ethyl	Grab	N	SW8141	11/18/2004	0.34	U	µg/L	0.34
39600	Parathion, Methyl	Grab	N	SW8141	11/18/2004	0.19	U	µg/L	0.19
46313	Phorate	Grab	N	SW8141	11/18/2004	0.38	U	µg/L	0.38
39730	2,4-D	Grab	N	SW8151	11/18/2004	0.15	U	µg/L	0.15
81287	Dinoseb	Grab	N	SW8151	11/18/2004	0.090	U	µg/L	0.090
39032	Pentachlorophenol	Grab	N	SW8151	11/18/2004	0.030	U	µg/L	0.030
39740	2,4,5-T	Grab	N	SW8151	11/18/2004	0.020	U	µg/L	0.020
39760	2,4,5-TP (Silvex)	Grab	N	SW8151	11/18/2004	0.030	U	µg/L	0.030
81552	Acetone	Grab	N	SW8260	11/18/2004	3.7	U	µg/L	3.7
76997	Acetonitrile	Grab	N	SW8260	11/18/2004	3.7	U	µg/L	3.7
34210	Acrolein	Grab	N	SW8260	11/18/2004	3.0	U	µg/L	3.0
34215	Acrylonitrile	Grab	N	SW8260	11/18/2004	2.2	U	µg/L	2.2
78109	Allyl chloride	Grab	N	SW8260	11/18/2004	0.39	U	µg/L	0.39
34030	Benzene	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
73085	Bromochloromethane	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
32101	Bromodichloromethane	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
32104	Bromoform	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
34413	Bromomethane	Grab	N	SW8260	11/18/2004	0.60	U	µg/L	0.60
81595	2-Butanone	Grab	N	SW8260	11/18/2004	1.8	U	µg/L	1.8
77041	Carbon disulfide	Grab	N	SW8260	11/18/2004	0.49	U	µg/L	0.49
32102	Carbon tetrachloride	Grab	N	SW8260	11/18/2004	0.29	U	µg/L	0.29
34301	Chlorobenzene	Grab	N	SW8260	11/18/2004	0.15	U	µg/L	0.15
34311	Chloroethane	Grab	N	SW8260	11/18/2004	0.51	U	µg/L	0.51
32106	Chloroform	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
34418	Chloromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
81520	Chloroprene	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
32105	Dibromochloromethane	Grab	N	SW8260	11/18/2004	0.19	U	µg/L	0.19
77596	Dibromomethane	Grab	N	SW8260	11/18/2004	0.30	U	µg/L	0.30
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/18/2004	0.64	U	µg/L	0.64
34668	Dichlorodifluoromethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34496	1,1-Dichloroethane	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34531	1,2-Dichloroethane	Grab	N	SW8260	11/18/2004	0.19	U	µg/L	0.19
34501	1,1-Dichloroethene	Grab	N	SW8260	11/18/2004	0.40	U	µg/L	0.40

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JAN 12 2005
SOUTHWEST DISTRICT
TAMPA

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
77173	1,3-Dichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77170	2,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.55	U	µg/L	0.55
77168	1,1-Dichloropropene	Grab	N	SW8260	11/18/2004	0.31	U	µg/L	0.31
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.25	U	µg/L	0.25
73570	Ethyl methacrylate	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34371	Ethylbenzene	Grab	N	SW8260	11/18/2004	0.20	U	µg/L	0.20
34391	Hexachlorobutadiene	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
77103	2-Hexanone	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
77424	Iodomethane	Grab	N	SW8260	11/18/2004	0.52	U	µg/L	0.52
77033	Isobutyl Alcohol	Grab	N	SW8260	11/18/2004	7.9	U	µg/L	7.9
81593	Methacrylonitrile	Grab	N	SW8260	11/18/2004	3.8	U	µg/L	3.8
81597	Methyl methacrylate	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34423	Methylene chloride	Grab	N	SW8260	11/18/2004	2.0	U	µg/L	2.0
77007	Propionitrile	Grab	N	SW8260	11/18/2004	2.8	U	µg/L	2.8
77128	Styrene	Grab	N	SW8260	11/18/2004	0.12	U	µg/L	0.12
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34475	Tetrachloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34010	Toluene	Grab	N	SW8260	11/18/2004	0.35	U	µg/L	0.35
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
39180	Trichloroethene	Grab	N	SW8260	11/18/2004	0.27	U	µg/L	0.27
34488	Trichlorofluoromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77057	Vinyl acetate	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
39175	Vinyl chloride	Grab	N	SW8260	11/18/2004	0.43	U	µg/L	0.43
34020	Xylenes, Total	Grab	N	SW8260	11/18/2004	0.32	U	µg/L	0.32
34205	Acenaphthene	Grab	N	SW8270	12/1/2004	0.80	U	µg/L	0.80

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JAN 12 2005
SOUTHWEST DISTRICT TAMPA

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34200	Acenaphthylene	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
81553	Acetophenone	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
82204	2-Acetylaminofluorene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
77581	4-Aminobiphenyl	Grab	N	SW8270	12/1/2004	2.8	U	µg/L	2.8
34220	Anthracene	Grab	N	SW8270	12/1/2004	0.57	U	µg/L	0.57
34526	Benzo(a)anthracene	Grab	N	SW8270	12/1/2004	0.64	U	µg/L	0.64
34247	Benzo(a)pyrene	Grab	N	SW8270	12/1/2004	0.69	U	µg/L	0.69
34230	Benzo(b)fluoranthene	Grab	N	SW8270	12/1/2004	0.81	U	µg/L	0.81
34521	Benzo(g,h,i)perylene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34242	Benzo(k)fluoranthene	Grab	N	SW8270	12/1/2004	0.66	U	µg/L	0.66
77147	Benzyl alcohol	Grab	N	SW8270	12/1/2004	0.65	U	µg/L	0.65
34278	Bis(2-chloroethoxy)methane	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34273	Bis(2-chloroethyl)ether	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73522	Bis(2-chloroisopropyl)ether	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
39100	Bis(2-ethylhexyl)phthalate	Grab	N	SW8270	12/1/2004	0.78	U	µg/L	0.78
34636	4-Bromophenyl phenyl ether	Grab	N	SW8270	12/1/2004	0.64	U	µg/L	0.64
34292	Butyl benzyl phthalate	Grab	N	SW8270	12/1/2004	0.78	U	µg/L	0.78
34452	4-Chloro-3-methylphenol	Grab	N	SW8270	12/1/2004	1.8	U	µg/L	1.8
73529	4-Chloroaniline	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34581	2-Chloronaphthalene	Grab	N	SW8270	12/1/2004	0.65	U	µg/L	0.65
34586	2-Chlorophenol	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34641	4-Chlorophenyl phenyl ether	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34320	Chrysene	Grab	N	SW8270	12/1/2004	0.58	U	µg/L	0.58
73540	Diallate	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34556	Dibenzo(a,h)anthracene	Grab	N	SW8270	12/1/2004	0.85	U	µg/L	0.85
81302	Dibenzofuran	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34536	1,2-Dichlorobenzene	Grab	N	SW8270	12/1/2004	0.95	U	µg/L	0.95
34566	1,3-Dichlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34571	1,4-Dichlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34631	3,3´-Dichlorobenzidine	Grab	N	SW8270	12/1/2004	0.58	U	µg/L	0.58
34601	2,4-Dichlorophenol	Grab	N	SW8270	12/1/2004	0.98	U	µg/L	0.98
77541	2,6-Dichlorophenol	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34336	Diethyl phthalate	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34341	Dimethyl phthalate	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
73558	p-Dimethylaminoazobenzene	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
73559	7,12-Dimethylbenz(a)anthracene	Grab	N	SW8270	12/1/2004	2.0	U	µg/L	2.0
73560	3,3'-Dimethylbenzidine	Grab	N	SW8270	12/1/2004	2.3	U	µg/L	2.3
34606	2,4-Dimethylphenol	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
39110	Di-n-butyl phthalate	Grab	N	SW8270	12/1/2004	0.70	U	µg/L	0.70
34657	4,6-Dinitro-2-methylphenol	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
45622	1,3-Dinitrobenzene	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34616	2,4-Dinitrophenol	Grab	N	SW8270	12/1/2004	2.0	U	µg/L	2.0
34611	2,4-Dinitrotoluene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
34626	2,6-Dinitrotoluene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34596	Di-n-octyl phthalate	Grab	N	SW8270	12/1/2004	0.69	U	µg/L	0.69
34346	1,2-Diphenylhydrazine	Grab	N	SW8270	12/1/2004	0.94	U	µg/L	0.94
73571	Ethyl methanesulfonate	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34376	Fluoranthene	Grab	N	SW8270	12/1/2004	0.53	U	µg/L	0.53
34381	Fluorene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
39700	Hexachlorobenzene	Grab	N	SW8270	12/1/2004	0.59	U	µg/L	0.59
34386	Hexachlorocyclopentadiene	Grab	N	SW8270	12/1/2004	3.6	U	µg/L	3.6
34396	Hexachloroethane	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
73576	Hexachloropropene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
34403	Indeno(1,2,3-cd)pyrene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
39430	Isodrin	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34408	Isophorone	Grab	N	SW8270	12/1/2004	0.99	U	µg/L	0.99
73582	Isosafrole	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
73589	Methapyrilene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73595	Methyl methanesulfonate	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
73591	3-Methylcholanthrene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77416	2-Methylnaphthalene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77152	2-Methylphenol	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
77146	3&4-Methylphenol	Grab	N	SW8270	12/1/2004	2.2	U	µg/L	2.2
34696	Naphthalene	Grab	N	SW8270	12/1/2004	0.86	U	µg/L	0.86
73600	1-Naphthylamine	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
73601	2-Naphthylamine	Grab	N	SW8270	12/1/2004	1.7	U	µg/L	1.7

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-001

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JAN 12 2005
SOUTHWEST DISTRICT
TAMPA

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:50:00 AM
Well/Sampling Point WACS:	Eq Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Eq Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
73599	1,4-Napthoquinone	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
78142	2-Nitroaniline	Grab	N	SW8270	12/1/2004	1.6	U	µg/L	1.6
78300	3-Nitroaniline	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
73605	4-Nitroaniline	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34447	Nitrobenzene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
73622	5-Nitro-o-toluidine	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34591	2-Nitrophenol	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34646	4-Nitrophenol	Grab	N	SW8270	12/1/2004	0.99	U	µg/L	0.99
73611	N-Nitrosodiethylamine	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34438	N-Nitrosodimethylamine	Grab	N	SW8270	12/1/2004	0.63	U	µg/L	0.63
73609	N-Nitroso-di-n-butylamine	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34428	N-Nitroso-di-n-propylamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34433	N-Nitrosodiphenylamine	Grab	N	SW8270	12/1/2004	0.67	U	µg/L	0.67
73613	N-Nitrosomethylethylamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
73619	N-Nitrosopiperidine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
78206	N-Nitrosopyrrolidine	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
77793	Pentachlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
73626	Phenacetin	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34461	Phenanthrene	Grab	N	SW8270	12/1/2004	0.73	U	µg/L	0.73
34694	Phenol	Grab	N	SW8270	12/1/2004	0.55	U	µg/L	0.55
73628	1,4-Phenylenediamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
39080	Pronamide	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34469	Pyrene	Grab	N	SW8270	12/1/2004	0.72	U	µg/L	0.72
77545	Safrole	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77734	1,2,4,5-Tetrachlorobenzene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
77770	2,3,4,6/2,3,4,5-Tetrachlorophenol	Grab	N	SW8270	12/1/2004	3.8	U	µg/L	3.8
73553	Thionazin	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77142	o-Toluidine	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34551	1,2,4-Trichlorobenzene	Grab	N	SW8270	12/1/2004	0.85	U	µg/L	0.85
77687	2,4,5-Trichlorophenol	Grab	N	SW8270	12/1/2004	1.7	U	µg/L	1.7
34621	2,4,6-Trichlorophenol	Grab	N	SW8270	12/1/2004	0.93	U	µg/L	0.93
73652	o,o,o-Triethylphosphorothioate	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73653	1,3,5-Trinitrobenzene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	FIELD								
	Conductivity	Grab	N	FLD	11/9/2004	5127		umhos/c	
	Dissolved Oxygen	Grab	N	FLD	11/9/2004	2..30		mg/L	
	pH	Grab	N	FLD	11/9/2004	6.35		S.U.	
	Temperature	Grab	N	FLD	11/9/2004	27.05		deg C	
	INORGANICS								
70300	Solids, Total Dissolved	Grab	N	E160.1	11/11/2004	3800	*	mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/10/2004	1100	*	mg/L	0.36
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/10/2004	0.091	U	mg/L	0.091
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/16/2004	94	*	mg/L	0.12
00440	Alkalinity, Bicarbonate (As CaCO3)	Grab	N	SM2320	11/12/2004	570		mg/L	0.33
00720	Cyanide	Grab	N	SW9012	11/22/2004	0.0030	I	mg/L	0.0027
00745	Sulfide	Grab	N	SW9034	11/15/2004	0.65	U	mg/L	0.65
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2004	7.8	I	µg/L	2.8
01007	Barium	Grab	N	SW6010	11/12/2004	100	V	µg/L	0.23
01012	Beryllium	Grab	N	SW6010	11/12/2004	0.066	I	µg/L	0.056
01027	Cadmium	Grab	N	SW6010	11/12/2004	0.34	U	µg/L	0.34
01034	Chromium	Grab	N	SW6010	11/12/2004	6.0		µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2004	28		µg/L	1.6
01042	Copper	Grab	N	SW6010	11/12/2004	22	V	µg/L	0.47
01045	Iron	Grab	N	SW6010	11/12/2004	91000	*	µg/L	11
01051	Lead	Grab	N	SW6010	11/12/2004	2.2	U	µg/L	2.2
01067	Nickel	Grab	N	SW6010	11/12/2004	59		µg/L	1.0
01147	Selenium	Grab	N	SW6010	11/12/2004	3.1	U	µg/L	3.1
01077	Silver	Grab	N	SW6010	11/12/2004	0.93	U	µg/L	0.93
00929	Sodium	Grab	N	SW6010	11/12/2004	360000	*V	µg/L	190
01102	Tin	Grab	N	SW6010	11/12/2004	1.9	U	µg/L	1.9
01087	Vanadium	Grab	N	SW6010	11/12/2004	13		µg/L	0.73
01092	Zinc	Grab	N	SW6010	11/12/2004	48		µg/L	3.5
	Antimony	Grab	N	SW6020	11/15/2004	4.9		µg/L	0.40

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JAN 12 2005
SOUTHWEST DISTRICT
TAMPA

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	Thallium	Grab	N	SW6020	11/15/2004	0.12	U	µg/L	0.12
71900	Mercury	Grab	N	SW7470	11/16/2004	0.012	U	µg/L	0.012
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/19/2004	0.0014	U	µg/L	0.0014
77651	Ethylene Dibromide	Grab	N	SW8011	11/19/2004	0.0030	U	µg/L	0.0030
39330	Aldrin	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39337	alpha-BHC	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
39338	beta-BHC	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
46323	delta-BHC	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39340	gamma-BHC	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
39350	Chlordane	Grab	N	SW8081	11/17/2004	0.080	U	µg/L	0.080
39460	Chlorobenzilate	Grab	N	SW8081	11/17/2004	0.080	U	µg/L	0.080
39360	4,4´-DDD	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
39365	4,4´-DDE	Grab	N	SW8081	11/17/2004	0.0080	U	µg/L	0.0080
39370	4,4´-DDT	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
39380	Dieldrin	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
34361	Endosulfan I	Grab	N	SW8081	11/17/2004	0.0050	U	µg/L	0.0050
34356	Endosulfan II	Grab	N	SW8081	11/17/2004	0.0040	U	µg/L	0.0040
34351	Endosulfan sulfate	Grab	N	SW8081	11/17/2004	0.010	U	µg/L	0.010
39390	Endrin	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
34366	Endrin aldehyde	Grab	N	SW8081	11/17/2004	0.0070	U	µg/L	0.0070
39410	Heptachlor	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
39420	Heptachlor epoxide	Grab	N	SW8081	11/17/2004	0.0060	U	µg/L	0.0060
81281	Kepone	Grab	N	SW8081	11/17/2004	0.033	U	µg/L	0.033
39480	Methoxychlor	Grab	N	SW8081	11/17/2004	0.0080	U	µg/L	0.0080
81316	Pentachloronitrobenzene	Grab	N	SW8081	11/17/2004	0.027	U	µg/L	0.027
39400	Toxaphene	Grab	N	SW8081	11/17/2004	0.37	U	µg/L	0.37
34671	Aroclor 1016	Grab	N	SW8082	11/17/2004	0.10	U	µg/L	0.10
39488	Aroclor 1221	Grab	N	SW8082	11/17/2004	0.16	U	µg/L	0.16
39492	Aroclor 1232	Grab	N	SW8082	11/17/2004	0.11	U	µg/L	0.11
39496	Aroclor 1242	Grab	N	SW8082	11/17/2004	0.16	U	µg/L	0.16
39500	Aroclor 1248	Grab	N	SW8082	11/17/2004	0.13	U	µg/L	0.13

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
39504	Aroclor 1254	Grab	N	SW8082	11/17/2004	0.10	U	µg/L	0.10
39508	Aroclor 1260	Grab	N	SW8082	11/17/2004	0.11	U	µg/L	0.11
	Chlorfenvinphos	Grab	N	SW8141	11/18/2004	0.22	U	µg/L	0.22
46314	Dimethoate	Grab	N	SW8141	11/18/2004	0.14	U	µg/L	0.14
81888	Disulfoton	Grab	N	SW8141	11/18/2004	0.20	U	µg/L	0.20
38462	Famphur	Grab	N	SW8141	11/18/2004	0.22	U	µg/L	0.22
39540	Parathion, Ethyl	Grab	N	SW8141	11/18/2004	0.34	U	µg/L	0.34
39600	Parathion, Methyl	Grab	N	SW8141	11/18/2004	0.19	U	µg/L	0.19
46313	Phorate	Grab	N	SW8141	11/18/2004	0.38	U	µg/L	0.38
39730	2,4-D	Grab	N	SW8151	11/18/2004	0.15	U	µg/L	0.15
81287	Dinoseb	Grab	N	SW8151	11/18/2004	0.090	U	µg/L	0.090
39032	Pentachlorophenol	Grab	N	SW8151	11/18/2004	0.030	U	µg/L	0.030
39740	2,4,5-T	Grab	N	SW8151	11/18/2004	0.020	U	µg/L	0.020
39760	2,4,5-TP (Silvex)	Grab	N	SW8151	11/18/2004	0.030	U	µg/L	0.030
81552	Acetone	Grab	N	SW8260	11/18/2004	7.3	I	µg/L	3.7
76997	Acetonitrile	Grab	N	SW8260	11/18/2004	3.7	U	µg/L	3.7
34210	Acrolein	Grab	N	SW8260	11/18/2004	3.0	U	µg/L	3.0
34215	Acrylonitrile	Grab	N	SW8260	11/18/2004	2.2	U	µg/L	2.2
78109	Allyl chloride	Grab	N	SW8260	11/18/2004	0.39	U	µg/L	0.39
34030	Benzene	Grab	N	SW8260	11/18/2004	3.4	*	µg/L	0.23
73085	Bromochloromethane	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
32101	Bromodichloromethane	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
32104	Bromoform	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
34413	Bromomethane	Grab	N	SW8260	11/18/2004	0.60	U	µg/L	0.60
81595	2-Butanone	Grab	N	SW8260	11/18/2004	10		µg/L	1.8
77041	Carbon disulfide	Grab	N	SW8260	11/18/2004	0.49	U	µg/L	0.49
32102	Carbon tetrachloride	Grab	N	SW8260	11/18/2004	0.29	U	µg/L	0.29
34301	Chlorobenzene	Grab	N	SW8260	11/18/2004	0.15	U	µg/L	0.15
34311	Chloroethane	Grab	N	SW8260	11/18/2004	7.6		µg/L	0.51
32106	Chloroform	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
34418	Chloromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
81520	Chloroprene	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
32105	Dibromochloromethane	Grab	N	SW8260	11/18/2004	0.19	U	µg/L	0.19

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77596	Dibromomethane	Grab	N	SW8260	11/18/2004	0.30	U	µg/L	0.30
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/18/2004	0.64	U	µg/L	0.64
34668	Dichlorodifluoromethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34496	1,1-Dichloroethane	Grab	N	SW8260	11/18/2004	1.7		µg/L	0.26
34531	1,2-Dichloroethane	Grab	N	SW8260	11/18/2004	1.8		µg/L	0.19
34501	1,1-Dichloroethene	Grab	N	SW8260	11/18/2004	0.40	U	µg/L	0.40
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	3.7		µg/L	0.17
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
77173	1,3-Dichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77170	2,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.55	U	µg/L	0.55
77168	1,1-Dichloropropene	Grab	N	SW8260	11/18/2004	0.31	U	µg/L	0.31
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.25	U	µg/L	0.25
73570	Ethyl methacrylate	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34371	Ethylbenzene	Grab	N	SW8260	11/18/2004	3.0		µg/L	0.20
34391	Hexachlorobutadiene	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
77103	2-Hexanone	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
77424	Iodomethane	Grab	N	SW8260	11/18/2004	0.52	U	µg/L	0.52
77033	Isobutyl Alcohol	Grab	N	SW8260	11/18/2004	7.9	U	µg/L	7.9
81593	Methacrylonitrile	Grab	N	SW8260	11/18/2004	3.8	U	µg/L	3.8
81597	Methyl methacrylate	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/18/2004	13		µg/L	0.26
34423	Methylene chloride	Grab	N	SW8260	11/18/2004	3.8	I	µg/L	2.0
77007	Propionitrile	Grab	N	SW8260	11/18/2004	2.8	U	µg/L	2.8
77128	Styrene	Grab	N	SW8260	11/18/2004	2.0		µg/L	0.12
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34475	Tetrachloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34010	Toluene	Grab	N	SW8260	11/18/2004	78		µg/L	0.35
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
39180	Trichloroethene	Grab	N	SW8260	11/18/2004	0.30	I	µg/L	0.27

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34488	Trichlorofluoromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77057	Vinyl acetate	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
39175	Vinyl chloride	Grab	N	SW8260	11/18/2004	0.43	U	µg/L	0.43
34020	Xylenes, Total	Grab	N	SW8260	11/18/2004	9.4		µg/L	0.32
34205	Acenaphthene	Grab	N	SW8270	12/1/2004	0.80	U	µg/L	0.80
34200	Acenaphthylene	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
81553	Acetophenone	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
82204	2-Acetylaminofluorene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
77581	4-Aminobiphenyl	Grab	N	SW8270	12/1/2004	2.8	U	µg/L	2.8
34220	Anthracene	Grab	N	SW8270	12/1/2004	0.57	U	µg/L	0.57
34526	Benzo(a)anthracene	Grab	N	SW8270	12/1/2004	0.64	U	µg/L	0.64
34247	Benzo(a)pyrene	Grab	N	SW8270	12/1/2004	0.69	U	µg/L	0.69
34230	Benzo(b)fluoranthene	Grab	N	SW8270	12/1/2004	0.81	U	µg/L	0.81
34521	Benzo(g,h,i)perylene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34242	Benzo(k)fluoranthene	Grab	N	SW8270	12/1/2004	0.66	U	µg/L	0.66
77147	Benzyl alcohol	Grab	N	SW8270	12/1/2004	0.65	U	µg/L	0.65
34278	Bis(2-chloroethoxy)methane	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34273	Bis(2-chloroethyl)ether	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73522	Bis(2-chloroisopropyl)ether	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
39100	Bis(2-ethylhexyl)phthalate	Grab	N	SW8270	12/1/2004	0.78	U	µg/L	0.78
34636	4-Bromophenyl phenyl ether	Grab	N	SW8270	12/1/2004	0.64	U	µg/L	0.64
34292	Butyl benzyl phthalate	Grab	N	SW8270	12/1/2004	0.78	U	µg/L	0.78
34452	4-Chloro-3-methylphenol	Grab	N	SW8270	12/1/2004	1.8	U	µg/L	1.8
73529	4-Chloroaniline	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34581	2-Chloronaphthalene	Grab	N	SW8270	12/1/2004	0.65	U	µg/L	0.65
34586	2-Chlorophenol	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34641	4-Chlorophenyl phenyl ether	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34320	Chrysene	Grab	N	SW8270	12/1/2004	0.58	U	µg/L	0.58
73540	Diallate	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34556	Dibenzo(a,h)anthracene	Grab	N	SW8270	12/1/2004	0.85	U	µg/L	0.85
81302	Dibenzofuran	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34536	1,2-Dichlorobenzene	Grab	N	SW8270	12/1/2004	0.95	U	µg/L	0.95

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34566	1,3-Dichlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34571	1,4-Dichlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34631	3,3'-Dichlorobenzidine	Grab	N	SW8270	12/1/2004	0.58	U	µg/L	0.58
34601	2,4-Dichlorophenol	Grab	N	SW8270	12/1/2004	0.98	U	µg/L	0.98
77541	2,6-Dichlorophenol	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34336	Diethyl phthalate	Grab	N	SW8270	12/1/2004	14		µg/L	1.4
34341	Dimethyl phthalate	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
73558	p-Dimethylaminoazobenzene	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
73559	7,12-Dimethylbenz(a)anthracene	Grab	N	SW8270	12/1/2004	2.0	U	µg/L	2.0
73560	3,3'-Dimethylbenzidine	Grab	N	SW8270	12/1/2004	2.3	U	µg/L	2.3
34606	2,4-Dimethylphenol	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
39110	Di-n-butyl phthalate	Grab	N	SW8270	12/1/2004	0.70	U	µg/L	0.70
34657	4,6-Dinitro-2-methylphenol	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
45622	1,3-Dinitrobenzene	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34616	2,4-Dinitrophenol	Grab	N	SW8270	12/1/2004	2.0	U	µg/L	2.0
34611	2,4-Dinitrotoluene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
34626	2,6-Dinitrotoluene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34596	Di-n-octyl phthalate	Grab	N	SW8270	12/1/2004	0.69	U	µg/L	0.69
34346	1,2-Diphenylhydrazine	Grab	N	SW8270	12/1/2004	0.94	U	µg/L	0.94
73571	Ethyl methanesulfonate	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34376	Fluoranthene	Grab	N	SW8270	12/1/2004	0.53	U	µg/L	0.53
34381	Fluorene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
39700	Hexachlorobenzene	Grab	N	SW8270	12/1/2004	0.59	U	µg/L	0.59
34386	Hexachlorocyclopentadiene	Grab	N	SW8270	12/1/2004	3.6	U	µg/L	3.6
34396	Hexachloroethane	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
73576	Hexachloropropene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
34403	Indeno(1,2,3-cd)pyrene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
39430	Isodrin	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34408	Isophorone	Grab	N	SW8270	12/1/2004	0.99	U	µg/L	0.99
73582	Isosafrole	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
73589	Methapyrilene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73595	Methyl methanesulfonate	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
73591	3-Methylcholanthrene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77416	2-Methylnaphthalene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77152	2-Methylphenol	Grab	N	SW8270	12/1/2004	5.0	I	µg/L	1.5
77146	3&4-Methylphenol	Grab	N	SW8270	12/1/2004	61	*	µg/L	2.2
34696	Naphthalene	Grab	N	SW8270	12/1/2004	0.86	U	µg/L	0.86
73600	1-Naphthylamine	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
73601	2-Naphthylamine	Grab	N	SW8270	12/1/2004	1.7	U	µg/L	1.7
73599	1,4-Napthoquinone	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
78142	2-Nitroaniline	Grab	N	SW8270	12/1/2004	1.6	U	µg/L	1.6
78300	3-Nitroaniline	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
73605	4-Nitroaniline	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34447	Nitrobenzene	Grab	N	SW8270	12/1/2004	1.4	U	µg/L	1.4
73622	5-Nitro-o-toluidine	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34591	2-Nitrophenol	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34646	4-Nitrophenol	Grab	N	SW8270	12/1/2004	0.99	U	µg/L	0.99
73611	N-Nitrosodiethylamine	Grab	N	SW8270	12/1/2004	1.5	U	µg/L	1.5
34438	N-Nitrosodimethylamine	Grab	N	SW8270	12/1/2004	0.63	U	µg/L	0.63
73609	N-Nitroso-di-n-butylamine	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34428	N-Nitroso-di-n-propylamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
34433	N-Nitrosodiphenylamine	Grab	N	SW8270	12/1/2004	0.67	U	µg/L	0.67
73613	N-Nitrosomethylethylamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
73619	N-Nitrosopiperidine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
78206	N-Nitrosopyrrolidine	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
77793	Pentachlorobenzene	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
73626	Phenacetin	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
34461	Phenanthrene	Grab	N	SW8270	12/1/2004	0.73	U	µg/L	0.73
34694	Phenol	Grab	N	SW8270	12/1/2004	0.55	U	µg/L	0.55
73628	1,4-Phenylenediamine	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2
39080	Pronamide	Grab	N	SW8270	12/1/2004	1.1	U	µg/L	1.1
34469	Pyrene	Grab	N	SW8270	12/1/2004	0.72	U	µg/L	0.72
77545	Safrole	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0
77734	1,2,4,5-Tetrachlorobenzene	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
77770	2,3,4,6/2,3,4,5-Tetrachlorophenol	Grab	N	SW8270	12/1/2004	3.8	U	µg/L	3.8
73553	Thionazin	Grab	N	SW8270	12/1/2004	1.0	U	µg/L	1.0

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-002

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 11:00:00 AM
Well/Sampling Point WACS:	Leachate Inf Section 7	**Report Period:**	December 2004
Well/Sampling Point Name:	Leachate Inf Section 7	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77142	o-Toluidine	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
34551	1,2,4-Trichlorobenzene	Grab	N	SW8270	12/1/2004	0.85	U	µg/L	0.85
77687	2,4,5-Trichlorophenol	Grab	N	SW8270	12/1/2004	1.7	U	µg/L	1.7
34621	2,4,6-Trichlorophenol	Grab	N	SW8270	12/1/2004	0.93	U	µg/L	0.93
73652	o,o,o-Triethylphosphorothioate	Grab	N	SW8270	12/1/2004	1.3	U	µg/L	1.3
73653	1,3,5-Trinitrobenzene	Grab	N	SW8270	12/1/2004	1.2	U	µg/L	1.2

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-003

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:45:00 AM
Well/Sampling Point WACS:	Travel Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Travel Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
81552	Acetone	Grab	N	SW8260	11/18/2004	3.7	U	µg/L	3.7
76997	Acetonitrile	Grab	N	SW8260	11/18/2004	3.7	U	µg/L	3.7
34210	Acrolein	Grab	N	SW8260	11/18/2004	3.0	U	µg/L	3.0
34215	Acrylonitrile	Grab	N	SW8260	11/18/2004	2.2	U	µg/L	2.2
78109	Allyl chloride	Grab	N	SW8260	11/18/2004	0.39	U	µg/L	0.39
34030	Benzene	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
73085	Bromochloromethane	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
32101	Bromodichloromethane	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
32104	Bromoform	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
34413	Bromomethane	Grab	N	SW8260	11/18/2004	0.60	U	µg/L	0.60
81595	2-Butanone	Grab	N	SW8260	11/18/2004	1.8	U	µg/L	1.8
77041	Carbon disulfide	Grab	N	SW8260	11/18/2004	0.49	U	µg/L	0.49
32102	Carbon tetrachloride	Grab	N	SW8260	11/18/2004	0.29	U	µg/L	0.29
34301	Chlorobenzene	Grab	N	SW8260	11/18/2004	0.15	U	µg/L	0.15
34311	Chloroethane	Grab	N	SW8260	11/18/2004	0.51	U	µg/L	0.51
32106	Chloroform	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23
34418	Chloromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
32105	Dibromochloromethane	Grab	N	SW8260	11/18/2004	0.19	U	µg/L	0.19
77596	Dibromomethane	Grab	N	SW8260	11/18/2004	0.30	U	µg/L	0.30
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/18/2004	0.64	U	µg/L	0.64
34668	Dichlorodifluoromethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34496	1,1-Dichloroethane	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34531	1,2-Dichloroethane	Grab	N	SW8260	11/18/2004	0.19	U	µg/L	0.19
34501	1,1-Dichloroethene	Grab	N	SW8260	11/18/2004	0.40	U	µg/L	0.40
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
77173	1,3-Dichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77170	2,2-Dichloropropane	Grab	N	SW8260	11/18/2004	0.55	U	µg/L	0.55
77168	1,1-Dichloropropene	Grab	N	SW8260	11/18/2004	0.31	U	µg/L	0.31
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.23	U	µg/L	0.23

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank

Southeast Landfill Well
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F04110308
Sample Number: F04110308-003

Facility WACS:	Southeast Treatment	**Sample Date/Time:**	11/9/2004 10:45:00 AM
Well/Sampling Point WACS:	Travel Blank II	**Report Period:**	December 2004
Well/Sampling Point Name:	Travel Blank II	**Well Purged:**	YES
Classification of Groundwater:	GII	**Well Type:**	Leachate
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/18/2004	0.25	U	µg/L	0.25
73570	Ethyl methacrylate	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34371	Ethylbenzene	Grab	N	SW8260	11/18/2004	0.20	U	µg/L	0.20
34391	Hexachlorobutadiene	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
77103	2-Hexanone	Grab	N	SW8260	11/18/2004	0.28	U	µg/L	0.28
77424	Iodomethane	Grab	N	SW8260	11/18/2004	0.52	U	µg/L	0.52
77033	Isobutyl Alcohol	Grab	N	SW8260	11/18/2004	7.9	U	µg/L	7.9
81593	Methacrylonitrile	Grab	N	SW8260	11/18/2004	3.8	U	µg/L	3.8
81597	Methyl methacrylate	Grab	N	SW8260	11/18/2004	0.21	U	µg/L	0.21
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/18/2004	0.26	U	µg/L	0.26
34423	Methylene chloride	Grab	N	SW8260	11/18/2004	2.0	U	µg/L	2.0
77007	Propionitrile	Grab	N	SW8260	11/18/2004	2.8	U	µg/L	2.8
77128	Styrene	Grab	N	SW8260	11/18/2004	0.12	U	µg/L	0.12
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/18/2004	0.44	U	µg/L	0.44
34475	Tetrachloroethene	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
34010	Toluene	Grab	N	SW8260	11/18/2004	0.41	I	µg/L	0.35
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/18/2004	0.33	U	µg/L	0.33
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/18/2004	0.17	U	µg/L	0.17
39180	Trichloroethene	Grab	N	SW8260	11/18/2004	0.27	U	µg/L	0.27
34488	Trichlorofluoromethane	Grab	N	SW8260	11/18/2004	0.50	U	µg/L	0.50
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/18/2004	0.24	U	µg/L	0.24
77057	Vinyl acetate	Grab	N	SW8260	11/18/2004	0.46	U	µg/L	0.46
39175	Vinyl chloride	Grab	N	SW8260	11/18/2004	0.43	U	µg/L	0.43
34020	Xylenes, Total	Grab	N	SW8260	11/18/2004	0.32	U	µg/L	0.32

Data Qualifier Code Key:
* Value exceeds Maximum Contaminant Level
U Not Detected Above the MDL
I Analyte detected below quantitation limits
V Analyte detected in the associated Method Blank