

**Mission:**

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



**Ron DeSantis**  
Governor

**Joseph A. Ladapo, MD, PhD**  
State Surgeon General

**Vision:** To be the **Healthiest State** in the Nation

---

May 31, 2022

Electronic Mail – Received Receipt Requested

Brendon Pantano, CEO  
Coastal Waste & Recycling of Palm Beach, LLC  
1840 NW 33<sup>rd</sup> St.  
Pompano Beach, FL 33064

WACS Facility No.: 102974  
Project No.: 345545-005-SO  
COUNTY: Palm Beach  
PROJECT: Waste Processing Facility  
Permit Renewal Application

Re: **Third (3<sup>rd</sup>) Request for Additional Information (R.A.I.)**  
**Response Extension Request Approval**  
**Facility Location:** 6759 Wallis Road, West Palm Beach, Florida, 33413

**Dear Mr. Pantano:**

The Florida Department of Health, Palm Beach County (FDOH), received on May 31, 2022, a request for an additional ninety (90) day period to respond to permit application 345545-005-SO, **3<sup>rd</sup> R.A.I.**, dated March 3, 2022. This request was submitted by Ms. Brenda S. Clark, of BSC Engineering, Inc, on behalf of Coastal Waste & Recycling of Palm Beach, LLC. The FDOH grants this extension established under the provisions of 62-4.055(1) F.A.C. A response to the permit application, **3<sup>rd</sup> R.A.I.** is due **August 29, 2022**.

Please provide the **Request for Additional Information** promptly to complete the review of your application pursuant to Chapters 120 and 403, Florida Statutes (F.S.) and Florida Administrative Code (F.A.C.) Rules 62-4.055, 62-701, and 62-709. All applications for a permit must be certified by a professional engineer registered in the State of Florida pursuant to Rule 62-4.050(3), F.A.C. This requirement also applies to responses to Department requests for additional information of an engineering nature. For any material changes to the application, please include a new certification statement by the authorized representative.

We will resume processing your application after receipt of the requested information. You are reminded that Rule 62-4.055(1), F.A.C. requires applicants to respond to requests for information within 90 days (**August 29, 2022**). Failure of an applicant to provide the timely requested information by the applicable deadline shall result in denial of the application.

If you have any questions regarding this matter, please contact the project engineer, Craig Kidwell, at 561-837-5975 or at [Craig.Kidwell@flhealth.gov](mailto:Craig.Kidwell@flhealth.gov).

## REQUEST FOR ADDITIONAL INFORMATION

---

Executed in West Palm Beach, Florida.

*Kajal Bhavsar*

Kajal Bhavsar, Engineering Specialist Supervisor III  
Air and Waste Section  
Division of Environmental Public Health

LT/kb/ck

This letter was sent to the following people by electronic mail with received receipt requested.

Brendon Pantano, Coastal Waste & Recycling of Palm Beach, LLC;  
Chad Abell, Coastal Waste & Recycling of Palm Beach, LLC;  
Erick Montanez, Coastal Waste & Recycling of Palm Beach, LLC;  
Brenda S. Clark, BSC Engineering-Consultant;  
Norva Blandin, FDEP  
Elizabeth Kromhout, DEP/TAL;  
Alan Willett, DEP/TAL;  
Susan Eldredge, DEP/TAL  
Karen Kantor, SWA/PBC; and,  
Florida Department of Health, Palm Beach County

[bpantano@coastalwasteinc.com](mailto:bpantano@coastalwasteinc.com)  
[cabell@coastalwasteinc.com](mailto:cabell@coastalwasteinc.com)  
[emontanez@coastalwasteinc.com](mailto:emontanez@coastalwasteinc.com)  
[bclark@bscengine.com](mailto:bclark@bscengine.com)  
[norva.blandin@floridadep.gov](mailto:norva.blandin@floridadep.gov)  
[elizabeth.kromhout@FloridaDEP.gov](mailto:elizabeth.kromhout@FloridaDEP.gov)  
[alan.willett@FloridaDEP.gov](mailto:alan.willett@FloridaDEP.gov)  
[susan.eldredge@dep.state.fl.us](mailto:susan.eldredge@dep.state.fl.us)  
[kkantor@swa.org](mailto:kkantor@swa.org)  
[DL CHD50 EPost SWM](#)