

640-43224-E-4U, "EPA 350.1", "640-43224-E-4U", "E87052", "1515", "Ammonia (N)", "0.039", "mg/L", "0.026", "TRG", "1", "0.050", "39859", "CITRUS CENTRAL SLF", "04/25/2013 13:30", "AQUEOUS-Other", "N", "No Prep", "RES", "YES", "04/25/2013 13:30", "04/25/2013 13:30", "TOT", "680-274454", "680-274454", "Yes", "660-53929-1"
640-43224-E4DU, "EPA 350.1", "640-43224-E4U", "E87052", "1515", "Ammonia (N)", "0.0321", "mg/L", "0.026", "TRG", "1", "0.050", "39859", "CITRUS CENTRAL SLF", "04/25/2013 13:30", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/25/2013 13:30", "04/25/2013 13:30", "TOT", "680-274454", "680-274454", "Yes", "660-53929-1"
640-4312-E-5-A, "EPA 6010", "640-4312-E-5-A", "E84282", "7440382", "Arsenic", "4.0", "ug/L", "U", "4.0", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "N", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:42", "TOT", "660-136852", "660-136856", "Yes", "660-53929-1"
640-4312-E-5-A, "EPA 6010", "640-4312-E-5-A", "E84282", "7440235", "Sodium", "3.6", "mg/L", "0.31", "TRG", "1", "0.050", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "N", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:42", "TOT", "660-136852", "660-136856", "Yes", "660-53929-1"
640-4312-E-5-AMS, "EPA 6010", "640-4312-E-5-MS", "E84282", "7440382", "Arsenic", "9.77", "ug/L", "U", "4.0", "SPK", "1", "98", "1.0", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "MS", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:46", "TOT", "660-136852", "660-136856", "Yes", "1000", "660-53929-1"
640-4312-E-5-AMS, "EPA 6010", "640-4312-E-5-MS", "E84282", "7440235", "Sodium", "13.2", "mg/L", "0.31", "SPK", "1", "96", "0.50", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "MS", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:46", "TOT", "660-136852", "660-136856", "Yes", "10.0", "660-53929-1"
640-4312-E-5-AMSD, "EPA 6010", "640-4312-E-5-C MSD", "E84282", "7440382", "Arsenic", "9.69", "ug/L", "U", "4.0", "SPK", "1", "97", "1.0", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "MSD", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:49", "TOT", "660-136852", "660-136856", "Yes", "1000", "660-53929-1"
640-4312-E-5-AMSD, "EPA 6010", "640-4312-E-5-C MSD", "E84282", "7440235", "Sodium", "13.2", "mg/L", "0.31", "SPK", "1", "96", "0.50", "39859", "CITRUS CENTRAL SLF", "04/26/2013 05:56", "AQUEOUS-Other", "MSD", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:49", "TOT", "660-136852", "660-136856", "Yes", "10.0", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "71432", "Benzene", "0.50", "ug/L", "U", "0.50", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "71432", "Benzene", "0.50", "ug/L", "U", "0.50", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "1868537", "Dibromofluoromethane", "52.6", "ug/L", "U", "0.00", "SURR", "1", "105", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "100414", "Ethylbenzene", "0.44", "ug/L", "U", "0.44", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "108883", "Toluene", "0.51", "ug/L", "U", "0.51", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "75014", "Vinyl chloride", "0.50", "ug/L", "U", "0.50", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"
660-53901-C-1DU, "EPA 8260", "660-53901-B-1 DU", "E84282", "1330207", "Xylenes", "Total", "0.50", "ug/L", "U", "0.50", "TRG", "1", "0.00", "39859", "CITRUS CENTRAL SLF", "04/22/2013 11:53", "AQUEOUS-Other", "DUP", "No Prep", "RES", "YES", "04/22/2013 11:53", "04/22/2013 11:53", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"
660-53901-C-2MS, "EPA 8260", "660-53901-B-2 MS", "E84282", "71432", "Benzene", "0.50", "ug/L", "U", "0.50", "SPK", "1", "85", "1.0", "39859", "CITRUS CENTRAL SLF", "04/22/2013 12:30", "AQUEOUS-Other", "MS", "3030", "RES", "YES", "04/22/2013 12:30", "04/22/2013 12:30", "TOT", "660-136720", "660-136720", "Yes", "20.0", "660-53929-1"
660-53901-C-2MS, "EPA 8260", "660-53901-B-2 MS", "E84282", "1868537", "Dibromofluoromethane", "47.7", "ug/L", "U", "0.00", "SURR", "1", "95", "39859", "CITRUS CENTRAL SLF", "04/22/2013 12:30", "AQUEOUS-Other", "MS", "3030", "RES", "YES", "04/22/2013 12:30", "04/22/2013 12:30", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"
660-53901-C-2MS, "EPA 8260", "660-53901-B-2 MS", "E84282", "100414", "Ethylbenzene", "16.9", "ug/L", "U", "0.44", "SPK", "1", "85", "1.0", "39859", "CITRUS CENTRAL SLF", "04/22/2013 12:30", "AQUEOUS-Other", "MS", "3

"680LCS 680-274965/11-A", "EPA 8011", "LCS 680-274965/11-A", "E87052", "76017", "Pentachloroethane", "0.0242", "ug/L", "SURR", "1", "97", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCS", "Extract", "RES", "NO", "04/30/2013 15:37", "04/30/2013 19:43", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"

"680LCS 680-274965/11-A", "EPA 8011", "LCS 680-274965/11-A", "E87052", "76017", "Pentachloroethane", "0.0256", "ug/L", "SURR", "1", "102", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCS", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:43", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"

"680LCSD 680-274935/4", "EPA 300.0 (Chloride)", "LCSD 680-274935/4", "E87052", "16887006", "Chloride", "50.1", "mg/L", "1.0", "SPK", "5", "100", "0", "5.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "No Prep", "RES", "YES", "04/30/2013 08:49", "04/30/2013 08:49", "TOT", "680-274935", "680-274935", "Yes", "50.0", "660-53929-1"

"680LCSD 680-274965/12-A", "EPA 8011", "LCSD 680-274965/12-A", "E87052", "106934", "1,2-Dibromoethane", "0.105", "ug/L", "0.0022", "SPK", "1", "105", "1", "0.020", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:51", "TOT", "680-274965", "680-275144", "Yes", "0.100", "660-53929-1"

"680LCSD 680-274965/12-A", "EPA 8011", "LCSD 680-274965/12-A", "E87052", "96128", "1,2-Dibromo-3-Chloropropane", "0.0983", "ug/L", "0.0050", "SPK", "1", "98", "1", "0.020", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:51", "TOT", "680-274965", "680-275144", "Yes", "0.100", "660-53929-1"

"680LCSD 680-274965/12-A", "EPA 8011", "LCSD 680-274965/12-A", "E87052", "96184", "1,2,3-Trichloropropane", "0.474", "ug/L", "0.090", "SPK", "1", "95", "4", "0.20", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:51", "TOT", "680-274965", "680-275144", "Yes", "0.500", "660-53929-1"

"680LCSD 680-274965/12-A", "EPA 8011", "LCSD 680-274965/12-A", "E87052", "76017", "Pentachloroethane", "0.0237", "ug/L", "SURR", "1", "95", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "Extract", "RES", "NO", "04/30/2013 15:37", "04/30/2013 19:51", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"

"680LCSD 680-274965/12-A", "EPA 8011", "LCSD 680-274965/12-A", "E87052", "76017", "Pentachloroethane", "0.0256", "ug/L", "SURR", "1", "103", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "LCSD", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:51", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "71432", "Benzene", "0.50", "ug/L", "U", "0.50", "TRG", "1", "1.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "47.3", "ug/L", "SURR", "1", "95", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "1868537", "Dibromofluoromethane", "55.6", "ug/L", "SURR", "1", "111", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "100414", "Ethylbenzene", "0.44", "ug/L", "U", "0.44", "TRG", "1", "1.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "108883", "Toluene", "0.51", "ug/L", "U", "0.51", "TRG", "1", "1.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "DEP-SURR-038", "Toluene-d8", "54.2", "ug/L", "SURR", "1", "108", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "50.0", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "75014", "Vinyl chloride", "0.50", "ug/L", "U", "0.50", "TRG", "1", "1.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"

"660MB 660-136720/8", "EPA 8260", "MB 660-136720/8", "E84282", "1330207", "Xylenes- Total", "0.50", "ug/L", "U", "0.50", "TRG", "1", "3.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "5030", "RES", "YES", "04/22/2013 11:15", "04/22/2013 11:15", "TOT", "660-136720", "660-136720", "Yes", "660-53929-1"

"660MB 660-136779/1", "SM18 2540 C", "MB 660-136779/1", "E84282", "1705", "Residues- Filterable (TDS)", "5.0", "mg/L", "U", "5.0", "TRG", "1", "5.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "04/24/2013 10:11", "04/24/2013 10:11", "TOT", "660-136779", "660-136779", "Yes", "660-53929-1"

"660MB 660-136852/1-A", "EPA 6010", "MB 660-136852/1-A", "E84282", "7440382", "Arsenic", "4.0", "ug/L", "U", "4.0", "TRG", "1", "10", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:33", "TOT", "660-136852", "660-136856", "Yes", "660-53929-1"

"660MB 660-136852/1-A", "EPA 6010", "MB 660-136852/1-A", "E84282", "7440235", "Sodium", "0.31", "mg/L", "U", "0.31", "TRG", "1", "0.50", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "3005", "RES", "YES", "04/26/2013 05:56", "04/26/2013 11:33", "TOT", "660-136852", "660-136856", "Yes", "660-53929-1"

"680MB 680-274454/2", "EPA 350.1", "MB 680-274454/2", "E87052", "1515", "Ammonia (N)", "0.026", "mg/L", "U", "0.026", "TRG", "1", "0.050", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "04/25/2013 13:30", "04/25/2013 13:30", "TOT", "680-274454", "680-274454", "Yes", "660-53929-1"

"680MB 680-274935/2", "EPA 300.0 (Chloride)", "MB 680-274935/2", "E87052", "16887006", "Chloride", "1.0", "mg/L", "U", "1.0", "TRG", "5", "5.0", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "No Prep", "RES", "YES", "04/30/2013 07:49", "04/30/2013 07:49", "TOT", "680-274935", "680-274935", "Yes", "660-53929-1"

"680MB 680-274965/10-A", "EPA 8011", "MB 680-274965/10-A", "E87052", "106934", "1,2-Dibromoethane", "0.0022", "ug/L", "U", "0.0022", "TRG", "1", "0.020", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:34", "TOT", "680-274965", "680-275144", "Yes", "660-53929-1"

"680MB 680-274965/10-A", "EPA 8011", "MB 680-274965/10-A", "E87052", "96128", "1,2-Dibromo-3-Chloropropane", "0.0050", "ug/L", "U", "0.0050", "TRG", "1", "0.020", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:34", "TOT", "680-274965", "680-275144", "Yes", "660-53929-1"

"680MB 680-274965/10-A", "EPA 8011", "MB 680-274965/10-A", "E87052", "96184", "1,2,3-Trichloropropane", "0.090", "ug/L", "U", "0.090", "TRG", "1", "0.20", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:34", "TOT", "680-274965", "680-275144", "Yes", "660-53929-1"

"680MB 680-274965/10-A", "EPA 8011", "MB 680-274965/10-A", "E87052", "76017", "Pentachloroethane", "0.0259", "ug/L", "SURR", "1", "103", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "Extract", "RES", "NO", "04/30/2013 15:37", "04/30/2013 19:34", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"

"680MB 680-274965/10-A", "EPA 8011", "MB 680-274965/10-A", "E87052", "76017", "Pentachloroethane", "0.0271", "ug/L", "SURR", "1", "109", "39859", "CITRUS CENTRAL SLF", "AQUEOUS-Other", "MB", "Extract", "RES", "YES", "04/30/2013 15:37", "04/30/2013 19:34", "TOT", "680-274965", "680-275144", "Yes", "0.0250", "660-53929-1"