



Hillsborough County
Florida

Office of the County Administrator
Daniel A. Kleman

April 8, 1999

BOARD OF COUNTY COMMISSIONERS

Pat Frank
Chris Hart
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms
Ben Wacksman

RECEIVED
APR 19 1999
Department of Environmental Protection
BY SOUTHWEST DISTRICT

Deputy County Administrator
Patricia Bean

Assistant County Administrators
Edwin Hunzeker
Kimmie Keel

Ms. Allison Amram, P.G.
Department of Environmental Protection
Waste Management Section
3804 Coconut Palm Drive
Tampa, FL 33619 8318

RE: Permit #S029-256427 - Southeast County Sanitary Landfill

Dear Ms. Amram:


In accordance with Permit No. S029-256427 the Hillsborough County Solid Waste Management Department (HCSWMD) is pleased to provide the analytical results of the semi-annual water quality monitoring of the Southeast Landfill site. Samples were collected by the HCSWMD during February 15-17, 1999 and analyzed by our contract laboratory, Post, Buckley, Schuh and Jernigan, Inc.

A map depicting the monitoring locations, water quality summary tables for groundwater and surface water, a groundwater elevation summary table, and a groundwater elevation contour diagram are also provided.

Should you have any questions or require any additional information, please feel free to contact me directly at (813)276-2944.


Sincerely,

David S. Adams, P.G.
Senior Hydrologist
Solid Waste Management



DSA/jgc
Enclosures

xc: Chongman Lee, Department of Environmental Protection
Paul Schipfer, EPC
Matt Mathews, Solid Waste Management Department
Irene Barnes, Southeast Hillsborough Civic Association
Thomas G. Smith, Solid Waste Management Department
Greg Walk, General Manager Southeast Landfill
Sheree Henninger, Waste Management Southeast Landfill
Sarah Hill, Solid Waste Management Department



**Chemical Constituents Detected in the Groundwater Samples Collected at the
Southeast Landfill Groundwater Monitoring Wells
February 15, 16 and 17, 1999**


GENERAL (mg/l)	Floridan Aquifer		Surficial Aquifer Wells						Private Wells				(MCL) STANDARD
PARAMETERS	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weeks	Holland	McBride	Barnes	F.A.C. 62-550
depth to water (feet)	101.20	100.92	5.65	26.55	24.11	9.00	19.75	28.43	-	-	-	-	NS
water table elevation (NGVD)	28.74	24.31	124.07	105.53	105.33	123.75	108.34	99.24	-	-	-	-	NS
conductivity (umhos/cm) (field)	435	367	264	196	206	183	151	342	523	398	349	401	NS
pH (field)	6.85	6.94	4.3	5.08	4.7	5.17	5.16	5.59	6.9	6.86	7.28	7.26	(6.5 - 8.5)**
total dissolved solids (mg/l)	256	212	116	88	88	84	84	172	256	196	152	200	500**
temperature (°C) (field)	22.6	23.5	23.1	23.3	22.7	22.6	25.9	23.2	22.1	23.3	24.4	23	NS
turbidity (NTU) (field)	0.2	2.3	15.4	0.5	8.2	2.8	1.5	1.2	2	0.8	0.4	0.9	NS
chloride (mg/l)	9	8	30	37	38	7	19	12	22	21	7	9	250**
ammonia nitrogen (mg/l as N)	0.32	0.4	0.4	0.9	1.28	13.4	1.22	1.4	BDL	0.06	BDL	5.48	NS
nitrate (mg/l as N)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.04	0.03	BDL	0.08	0.07	10*
dissolved oxygen (mg/l) (field)	1.26	1.16	0.88	1.06	1.19	1.49	0.24	1.56	2.81	0.74	1.1	1.89	NS
total alpha (pCi/l)	-	-	-	-	-	-	-	-	11.7	1.3	3	2	15*
radium 226 (pCi/l)	-	-	-	-	-	-	-	-	9.2	-	-	-	5*
Metals: (mg/l)	Floridan Aquifer		Surficial Aquifer Wells						Private Wells				(MCL) STANDARD
	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weeks	Holland	McBride	Barnes	F.A.C. 62-550
iron	BDL	0.047	0.663	2.130	0.271	8.080	0.58	7.190	0.543	1.480	0.905	BDL	0.3**
chromium	BDL	BDL	0.003	0.001	0.003	0.003	BDL	0.002	BDL	BDL	BDL	BDL	
copper	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1**
barium	0.005	0.006	0.098	BDL	0.016	0.002	0.005	0.009	0.004	0.004	0.003	0.005	2*
arsenic	BDL	BDL	BDL	BDL	BDL	0.006	BDL	0.022	0.008	BDL	BDL	BDL	0.05*
lead	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.004	BDL	BDL	BDL	0.015*
sodium	14	16	6.65	9.86	9.92	9.42	8.95	8.4	9.23	5.76	6.99	16	160*
zinc	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.209	0.103	0.225	0.102	5**
Organics: (µg/l)	Floridan Aquifer		Surficial Aquifer Wells						Private Wells				(MCL) STANDARD
E.P.A. Methods 8260	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weeks	Holland	McBride	Barnes	F.A.C. 62-550
Organic Parameters Detected	BDL	BDL	BDL	BDL	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7*
1,1-dichloroethene	BDL	BDL	BDL	BDL	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7*
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994													
NS = NO STANDARD													
MCL = MAXIMUM CONTAMINANT LEVEL													
BDL = BELOW DETECTION LIMIT													
ND = NO SURVEY DATA AVAILABLE													
* = DENOTES PRIMARY DRINKING WATER STANDARD													
** = DENOTES SECONDARY DRINKING WATER STANDARD													
4.3 : EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded and bold)													
NTU = NEPHELOMETRIC TURBIDITY UNITS													
pCi/l = PICOCURIES PER LITER													
µg/l = MICROGRAMS PER LITER													
mg/l = MILLIGRAMS PER LITER													
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter													

Chemical Constituents Detected in the Surface Water Samples Collected at the
Southeast Landfill February 17, 1999

GENERAL (mg/l)										(MCL) STANDARD
PARAMETERS	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	F.A.C. 62-302
staff gauge reading	0.30	2.80	1.10	1.26	-	-	-	-	-	NS
water level NGVD	122.50	121.53	95.73	90.25	-	-	-	-	-	NS
conductivity (umhos/cm) (field)	315	180	242	207	-	-	-	-	-	1275
pH (field)	6.6	6.71	6.64	5.85	-	-	-	-	-	(6.0 - 8.5)
total dissolved solids (mg/l)	180	104	140	144	-	-	-	-	-	NS
total suspended solids (mg/l)	BDL	21	5	BDL	-	-	-	-	-	NS
temperature (°C) in field	18.1	18.9	16.3	16.8	-	-	-	-	-	NS
turbidity (field) (NTU)	3.1	8.82	4.4	2.8	-	-	-	-	-	29
nitrate (mg/l)	0.5	BDL	0.28	0.14	-	-	-	-	-	NS
dissolved oxygen (mg/l) (field)	6.78	13.9	8.46	7.97	-	-	-	-	-	Must Be > OR= 5.0
total phosphorous (mg/l)	0.04	1.39	0.28	0.67	-	-	-	-	-	NS
biochem. oxygen demand (mg/l)	BDL	5	1	BDL	-	-	-	-	-	NS
chemical oxygen demand (mg/l)	7	56	24	BDL	-	-	-	-	-	NS
total organic carbon (mg/l as C)	6	16	8	11	-	-	-	-	-	NS
chlorophyll-A (MG/M3)	4	68	10	BDL	-	-	-	-	-	NS
total hardness (mg/l as CaCO)	100	64	76	73	-	-	-	-	-	NS
fecal coliform (Col/100ml)	4	-	256	34	0	40	12	26	24	800
										(MCL) STANDARD
Metals: (mg/l)	3A	1A-1E	3B2B	3C2	S.L. 1-A	S.L. 1-B	S.L. 1-C	S.L. 1-D	S.L. 1-E	F.A.C. 62-302
iron	0.153	0.041	0.715	0.158	-	-	-	-	-	1
copper	BDL	BDL	BDL	BDL	-	-	-	-	-	**
barium	0.028	0.002	0.019	0.008	-	-	-	-	-	NS
vanadium	BDL	BDL	BDL	BDL	-	-	-	-	-	NS
chromium	BDL	0.001	0.001	0.001	-	-	-	-	-	***
nickel	BDL	BDL	BDL	BDL	-	-	-	-	-	****
zinc	BDL	BDL	BDL	BDL	-	-	-	-	-	* = 105.99
mercury	BDL	BDL	BDL	BDL	-	-	-	-	-	0.000012
NOTE: Water Levels taken on Feb. 16, 1998										
NOTE: Referenced, Surface Water Quality Standards Title 62 Chapter 62-302, Class III: Fresh										
NS = NO STANDARD										
MCL = MAXIMUM CONTAMINANT LEVEL										
S.L.Comp. = SMITH LAKE COMPOSITE SAMPLE										
S.L. 1-A = SMITH LAKE SAMPLE 1-A										
BDL = BELOW DETECTION LIMIT										
* = $Zn < \text{or} = e(0.8473[\ln H] + 0.7614)$, note: H = Hardness, for 3A standard is 105.99										
** = $Cu < \text{or} = e(0.8545[\ln H] - 1.465)$										
*** = $Cr < \text{or} = e(0.819[\ln H] + 1.561)$										
**** = $Ni < \text{or} = e(0.846[\ln H] + 1.1645)$										
: EXCEEDS TITLE 62 CHAPTER 62-302 SURFACE WATER QUALITY STANDARDS										
NTU = NEPHELOMETRIC TURBIDITY UNITS										
µg/l = MICROGRAMS PER LITER										
mg/l = MILLIGRAMS PER LITER										
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter										
NGVD: National Geodetic Vertical Datum										

**Groundwater and Surface Water Levels Recorded at the Southeast Landfill
Site
February 15, 1999**

Measuring Point I.D.	T.O.C. Elevations (NGVD)	2/15/99	
		W.L. B.T.O.C.	W.L. (NGVD)
P-1D	129.45	ND	ND
P-1S	129.85	ND	ND
P-2D	138.73	17.77	120.96
P-2S	138.82	7.79	131.03
P-3D	143.19	20.00	123.19
P-3S	143.20	7.79	135.41
P-4D	141.80	21.44	120.36
P-4S	141.98	6.41	135.57
P-5D	156.84	24.47	132.37
P-6D	159.10	34.64	124.46
TH-19*	130.05	101.20	28.85
TH-22	128.82	5.65	123.17
TH-28	130.60	26.55	104.05
TH-30	128.37	24.11	104.26
TH-32	129.25	14.78	114.47
TH-35	145.19	27.24	117.95
TH-36A	152.70	31.75	120.95
TH-38A	131.20	9.00	122.20
TH-40*	124.77	100.92	23.85
TH-56	131.69	14.45	117.24
TH-57	128.09	19.75	108.34
TH-58	127.67	28.43	99.24
SW-3A	3.33=125.53	0.30	122.50
SW-3B2B	3.34=97.97	1.10	95.73
SW-3C2	3.34=92.33	1.26	90.25
SMITH LAKE	6.66=125.40	2.80	121.53
NGVD = National Geodetic Vertical Datum			
T.O.C. = Top of Casing			
B.T.O.C. = Below Top of Casing			
* = Floridan Well			
W.L. = Water Level			



Surficial Aquifer Groundwater Elevation and Contour Map
Southeast County Landfill, Hillsborough County, Florida.
February 15, 1999

DEP Form # 62-522.800(2)
Form Title <u>GROUND WATER MONITORING REPORT</u>
Effective Date _____
DEP Application No. _____

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

GROUND WATER MONITORING REPORT

Rule 62-522.600(11)


PART I GENERAL INFORMATION

- (1) Facility Name Southeast Landfill
 Address P O Box 1110
 City Tampa, Florida Zip 33601
 Telephone Number (813) 272-5680
- (2) The GMS Identification Number 4029C30075
- (3) DEP Permit Number S029-158504
- (4) Authorized Representative Name Darvl H. Smith, Director, Department of Solid Waste
 Address P O Box 1110
 City Tampa, Florida Zip 33601
 Telephone Number (813) 276-2900
- (5) Type of Discharge Groundwater - Potential Only
- (6) Method of Discharge Landfill

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 4/13/99



Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

- Sample Organization Comp QAP # 880891G
- Analytical Lab Comp QAP #/HRS Certification # 860044G
- *Comp QAP #/HRS Certification # _____
- Lab Name P.B.S.&J. Environmental Laboratory
- Address 3365 E. Colonial Dr., Orlando, FL 32807
- Phone Number (407) 277-4443

Well Diameter (in): 2 Elevation (NVGD): 129.94
 Total Depth: 153.60 Water Level (ft): 101.20
 Evacuation (gal): 94.5 Ground Water Elevation (NGVD): 28.74
 Sample Appearance:

Facility GMS #: 4029C30075 Sample Date/Time: 2/15/99 8:12:00 AM
 Test Site ID #: 4029A12031 Report Period: 99/1

Well Name: TH-19 9902277 01 Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 28.74

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.6	DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	256	mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.2	ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	6.85	pH UNITS	Fld pH UNITS
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	.4 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14	mg/L	.2 mg/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.26	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	435	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	9	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.32	mg/L	.02 mg/L

Well Diameter (in): 2
Total Depth: 153.60
Evacuation (gal): 94.5
Sample Appearance:

Elevation (NVGD): 129.94
Water Level (ft): 101.20
Ground Water Elevation (NGVD): 28.74

Facility GMS #: 4029C30075
Test Site ID #: 4029A12031

Sample Date/Time: 2/15/99 8:12:00 AM
Report Period: 99/1

Well Name: TH-19

9902277 01

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 28.74

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.6 DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	256 mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.2 ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	6.85 pH UNITS	Fld pH UNITS
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14 mg/L	.2 mg/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.26 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	435 umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	9 mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.32 mg/L	.02 mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	5	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 165.90
Evacuation (gal): 81
Sample Appearance:

Elevation (NVGD): 125.23
Water Level (ft): 100.92
Ground Water Elevation (NGVD): 24.31

Facility GMS #: 4029C30075
Test Site ID #: 4029A12632

Sample Date/Time: 2/15/99 12:19:00 PM
Report Period: 99/1

Well Name: TH-40 9902277 08

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 24.31

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.3	ntu	Fld ntu
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.5	DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	212	mg/L	12 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00406	pH IN FIELD	GRAB	N	EPA150.1	6.94	pH UNITS	Fld pH UNITS
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	16	mg/L	.2 mg/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	47	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.16	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	8	mg/L	1 mg/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.4	mg/L	.02 mg/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	6	ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	367	umhos/cm	Fld umhos/cm
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 27.90
Evacuation (gal): 23
Sample Appearance:

Elevation (NVGD): 129.72
Water Level (ft): 5.65
Ground Water Elevation (NGVD): 124.07

Facility GMS #: 4029C30075
Test Site ID #: 4029A12634

Sample Date/Time: 2/15/99 11:57:00 AM
Report Period: 99/1

Well Name: TH-22

9902277 02

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 124.07

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.1	DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	15.4	ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	4.3	pH UNITS	Fld pH UNITS
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	116	mg/L	12 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.65	mg/L	.2 mg/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	663	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.88	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	264	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	30	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.4	mg/L	.02 mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01034	Chromium	GRAB	N	EPA6010	3	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	98	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 34.30
Evacuation (gal): 23
Sample Appearance:

Elevation (NVGD): 132.08
Water Level (ft): 26.55
Ground Water Elevation (NGVD): 105.53

Facility GMS #: 4029C30075
Test Site ID #: 4029A12636

Sample Date/Time: 2/15/99 10:34:00 AM
Report Period: 99/1

Well Name: TH-28 9902277 03

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 105.53

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	196	umhos/cm	Fld umhos/cm
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	37	mg/L	1 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.06	mg/L	Fld mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	2130	ug/L	40 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.86	mg/L	.2 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	5.08	pH UNITS	Fld pH UNITS
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.5	ntu	Fld ntu
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	88	mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.3	DEG C	Fld DEG C
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.9	mg/L	.02 mg/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2 Elevation (NVGD): 129.44
 Total Depth: 46.19 Water Level (ft): 24.11
 Evacuation (gal): 22.8 Ground Water Elevation (NGVD): 105.33
 Sample Appearance:

Facility GMS #: 4029C30075 Sample Date/Time: 2/15/99 9:59:00 AM
 Test Site ID #: 4029A14113 Report Period: 99/1

Well Name: TH-30 9902277 06 Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 105.33

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.92	mg/L	.2 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.7	DEG C	Fld DEG C
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	88	mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	8.2	ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	4.7	pH UNITS	Fld pH UNITS
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	271	ug/L	40 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.19	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	206	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	38	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.28	mg/L	.02 mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	3	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	16	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	3	ug/L	1 ug/L

Well Diameter (in): 2
 Total Depth: 23.10
 Evacuation (gal): 12
 Sample Appearance:

Elevation (NVGD): 132.75
 Water Level (ft): 9.00
 Ground Water Elevation (NGVD): 123.75

Facility GMS #: 4029C30075
 Test Site ID #: 4029A14415

Sample Date/Time: 2/15/99 7:47:00 AM
 Report Period: 99/1

Well Name: TH-38-A

9902277 07

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): 123.75

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	6	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	2	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	3	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	13.4	mg/L	.02 mg/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.6	DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	84	mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.8	ntu	Fld ntu
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.42	mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	8080	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.49	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	183	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	7	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00406	pH IN FIELD	GRAB	N	EPA150.1	5.17	pH UNITS	Fld pH UNITS
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
Total Depth: 26.83
Evacuation (gal): 9
Sample Appearance:

Elevation (NVGD):
Water Level (ft): 19.75
Ground Water Elevation (NGVD): 108.34

Facility GMS #: 4029C30075

Sample Date/Time: 2/15/99 11:05:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: TH-57

9902277 09

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	580	ug/L	40 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	84	mg/L	12 mg/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1.5	ntu	Fld ntu
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.22	mg/L	.02 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	5.16	pH UNITS	Fld pH UNITS
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.24	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	151	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	19	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.95	mg/L	.2 mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	5	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	25.9	DEG C	Fld DEG C
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in): 2
 Total Depth: 32.92
 Evacuation (gal): 12.3
 Sample Appearance:

Elevation (NVGD):
 Water Level (ft): 28.43
 Ground Water Elevation (NGVD): 99.24

Facility GMS #: 4029C30075
 Test Site ID #:

Sample Date/Time: 2/15/99 10:17:00 AM
 Report Period: 99/1

Well Name: TH-58

9902277 10

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type: ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01002	Arsenic	GRAB	N	EPA6010	22	ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.4	mg/L	.2 mg/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	9	ug/L	1 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2	DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	172	mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	1.2	ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	5.59	pH UNITS	Fld pH UNITS
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.4	mg/L	.02 mg/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	7190	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.56	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	342	umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	12	mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00620	NITRATE	GRAB	N	EPA353.2	.04	mg/L	.01 mg/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
00985	Vanadium	GRAB	N	EPA6010	6	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	2	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 8:23:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: WEEKS

990229602

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L	.02 mg/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	22.1 DEG C	Fld DEG C
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2 ntu	Fld ntu
09502	RADIUM 226-counting error	GRAB	N	EPA903.1	.3 pCi/L	pCi/L
09501	RADIUM 226 IN WATER	GRAB	N	EPA903.1	9.2 pCi/L	.1 pCi/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	256 mg/L	12 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.03 mg/L	.01 mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	22 mg/L	1 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.23 mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	3.8 pCi/L	pCi/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	11.7 pCi/L	.1 pCi/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	543 ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.81 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	523 umhos/cm	Fld umhos/cm
00406	pH IN FIELD	GRAB	N	EPA150.1	6.9 pH UNITS	Fld pH UNITS
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01092	Zinc	GRAB	N	EPA6010	209	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	4	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	8	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 8:53:00 AM.

Test Site ID #:

Report Period: 99/1

Well Name: HOLLAND

990229607

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	1480 ug/L	40 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	1.3 pCi/L	.1 pCi/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.3 DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	196 mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.8 ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	6.86 pH UNITS	Fld pH UNITS
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	5.76 mg/L	.2 mg/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.7 pCi/L	pCi/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.74 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	398 umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	21 mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.06 mg/L	.02 mg/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	103 ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	4	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 10:28:00 AM.

Test Site ID #:

Report Period: 99/1

Well Name: MCBRIDE

990229601

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.4 DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	152 mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.4 ntu	Fld ntu
00406	pH IN FIELD	GRAB	N	EPA150.1	7.28 pH UNITS	Fld pH UNITS
00620	NITRATE	GRAB	N	EPA353.2	.08 mg/L	.01 mg/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.99 mg/L	.2 mg/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.8 pCi/L	pCi/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	3 pCi/L	.1 pCi/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	905 ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.1 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	349 umhos/cm	Fld umhos/cm
00940	CHLORIDE	GRAB	N	EPA325.2	7 mg/L	1 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L	.02 mg/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	225 ug/L	25 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	3	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 9:43:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: BARNES

990229604

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	102	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	5	ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	401	umhos/cm	Fld umhos/cm
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	9	mg/L	1 mg/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	2	pCi/L	1 pCi/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.89	mg/L	Fld mg/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	1.9	pCi/L	pCi/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	16	mg/L	.2 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	5.48	mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.07	mg/L	.01 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	7.26	pH UNITS	Fld pH UNITS
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	.9	ntu	Fld ntu

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	200	mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23	DEG C	Fld DEG C
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 9:35:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SURF SITE 3A

990231101

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	7 mg/L	2 mg/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	SM5210B	< 1 mg/L	1 mg/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	4 mg/m3	3 mg/m3
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	315 umhos/cm	Fld umhos/cm
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.04 mg/L	.02 mg/L
01097	Antimony	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4 mg/L	4 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	6 mg/L	1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	1.4 mg/L	.1 mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.9 mg/L	.1 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	100 mg/L CaCO	.71 mg/L CaCO
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	18.1 DEG C	Fld DEG C
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	15.5 mg/L	.2 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	3.1 ntu	Fld ntu
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00406	pH IN FIELD	GRAB	N	EPA150.1	6.6 pH UNITS	Fld pH UNITS
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.5 mg/L	.01 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.5 mg/L	.01 mg/L
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02 mg/L	.02 mg/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	15 mg/L	.05 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	153 ug/L	40 ug/L
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	4 Col/100 mL	Col/100 mL
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	180 mg/L	12 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	28	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	6.78	mg/L	Fld mg/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 8:40:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SURF SITE 1A-1E

990231106

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	16.8 mg/L	.2 mg/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	56 mg/L	2 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	SM5210B	5 mg/L	1 mg/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	180 umhos/cm	Fld umhos/cm
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	8.82 ntu	Fld ntu
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	21 mg/L	4 mg/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	16 mg/L	1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	2.1 mg/L	.1 mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	2.1 mg/L	.1 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	64 mg/L CaCO	.71 mg/L CaCO
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	18.9 DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	104 mg/L	12 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	6.71 pH UNITS	Fld pH UNITS
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	1.39 mg/L	.02 mg/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	68 mg/m3	3 mg/m3
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02 mg/L	.02 mg/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	5.39 mg/L	.05 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	41 ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	13.9 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	2	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 9:20:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SURF SITE 3B2B

990231102

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	SM5210B	1	mg/L	1 mg/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	24	mg/L	2 mg/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	242	umhos/cm	Fld umhos/cm
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	13.5	mg/L	.2 mg/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	10	mg/m3	3 mg/m3
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.28	mg/L	.02 mg/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	5	mg/L	4 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	.4	mg/L	.1 mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.1	mg/L	.1 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	76	mg/L CaCO	.71 mg/L CaCO
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	16.3	DEG C	Fld DEG C
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	8	mg/L	1 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	4.4	ntu	Fld ntu
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00406	pH IN FIELD	GRAB	N	EPA150.1	6.64	pH UNITS	Fld pH UNITS
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.27	mg/L	.01 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.28	mg/L	.01 mg/L
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L	.02 mg/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	10.3	mg/L	.05 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	715	ug/L	40 ug/L
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	256	Col/100 mL	Col/100 mL
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	8.46	mg/L	Fld mg/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	140	mg/L	12 mg/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	19	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 9:10:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SURF SITE 3C2

990231103

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	SM5210B	< 1	mg/L	1 mg/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	15.3	mg/L	.2 mg/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	8	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34536	1,2-DICHLORO BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLORO BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	11	mg/L	1 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4	mg/L	4 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	.8	mg/L	.1 mg/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	.7	mg/L	.1 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	73	mg/L CaCO	.71 mg/L CaCO
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	16.8	DEG C	Fld DEG C
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	144	mg/L	12 mg/L
82078	TURBIDITY IN FIELD	GRAB	N	EPA180.1	2.8	ntu	Fld ntu
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	.67	mg/L	.02 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	5.85	pH UNITS	Fld pH UNITS
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	.14	mg/L	.01 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.14	mg/L	.01 mg/L
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	< 2	mg/L	2 mg/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	8.44	mg/L	.05 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	158	ug/L	40 ug/L
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	34	Col/100 mL	Col/100 mL
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	7.97	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	< 3	mg/m3	3 mg/m3
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	207	umhos/cm	Fld umhos/cm
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L	.02 mg/L

Facility GMS #:

Sample Date/Time: 2/17/99 8:25:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SMITH LAKE 1-A

990231201

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	0	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/17/99 8:33:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SMITH LAKE 1-B

990231202

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance

☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	40	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/17/99 8:18:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SMITH LAKE 1-C

990231203

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	12	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/17/99 8:10:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SMITH LAKE 1-D

990231204

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	26	Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/17/99 8:00:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: SMITH LAKE 1-E

990231205

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance

☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
31616	FECAL COLIFORM-MF	GRAB	N	SM9222D	24 Col/100 mL	Col/100 mL

Facility GMS #:

Sample Date/Time: 2/18/99 7:35:00 AM.

Test Site ID #:

Report Period: 99/1.

Well Name: LEACHATE PUMP STATION 5

990235203

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 40 ug/L	40 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	2 ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	1 ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77596	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	2 ug/L	1 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	3 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	4	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	2	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	20	ug/L	5 ug/L
81596	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	2	ug/L	10 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/18/99 8:15:00 AM.

Test Site ID #:

Report Period: 99/1

Well Name: COMP LEACH PUMP ST. 3&5

990235201

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	15	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01007	Barium	GRAB	N	EPA6010	14	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	12	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	15	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	288	ug/L	5 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	79	ug/L	5 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01102	Tin	GRAB	N	EPA6010	.009	mg/L	.005 mg/L
00985	Vanadium	GRAB	N	EPA6010	31	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 15	ug/L	15 ug/L
01051	Lead	GRAB	N	EPA6010	13	ug/L	4 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
78206	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81287	Dinoseb	GRAB	N	EPA8150	< 2	ug/L	2 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 15	ug/L	15 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 30	ug/L	30 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01045	IRON-ICP METHOD	GRAB	N	EPA6010	7810	ug/L	40 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
00440	BICARBONATES	GRAB	N	EPA310.1	3110	mg/L HCO3	1 mg/L HCO3
00940	CHLORIDE	GRAB	N	EPA325.2	2830	mg/L	1 mg/L
00720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5	ug/L	5 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
00300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	4.35	mg/L	Fld mg/L
39492	PCB-1232	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	1950	mg/L	.2 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L	.02 mg/L
00620	NITRATE	GRAB	N	EPA353.2	.17	mg/L	.01 mg/L
00406	pH IN FIELD	GRAB	N	EPA150.1	7.33	pH UNITS	Fld pH UNITS
00745	SULFIDE	GRAB	N	EPA376.2	< .04	mg/L	.04 mg/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	7010	mg/L	12 mg/L
00010	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	26	DEG C	Fld DEG C
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
00094	CONDUCTIVITY IN FIELD	GRAB	N	EPA120.1	12200	umhos/cm	Fld umhos/cm
34361	endosulfan I	GRAB	N	EPA8080	.17	ug/L	.01 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39330	aldrin	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39338	beta BHC	GRAB	N	EPA8080	.05	ug/L	.01 ug/L
39350	chlordan	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
73553	THIONAZIN	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< .15	ug/L	.15 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
78142	2-Nitroaniline	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthylene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 24	ug/L	24 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
73582	Isosafrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73589	Methapyrilene	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
82204	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73522	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

Facility GMS #:

Sample Date/Time: 2/18/99 7:18:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: PRE EQIP BLANK

990235202

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34205	Acenaphthylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200 ug/L	200 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 50 ug/L	50 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 24 ug/L	24 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 20 ug/L	20 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10 ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10 ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
82204	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
39338	beta BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
39330	aldrin	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
73553	THIONAZIN	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 15	ug/L	15 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 15	ug/L	15 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
39350	chlordan	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
01102	Tin	GRAB	N	EPA6010	< .005	mg/L	.005 mg/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	12 mg/L
00745	SULFIDE	GRAB	N	EPA376.2	< .04	mg/L	.04 mg/L
73522	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L	.02 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
00720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5	ug/L	5 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1	mg/L	1 mg/L
00440	BICARBONATES	GRAB	N	EPA310.1	1.72	mg/L HCO3	1 mg/L HCO3
39400	toxaphene	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39488	PCB-1221	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< .15	ug/L	.15 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .01	ug/L	.01 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73589	Methapyrilene	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
73582	Isosafrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81287	Dinoseb	GRAB	N	EPA8150	< 2	ug/L	2 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78206	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 30	ug/L	30 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

Facility GMS #:

Sample Date/Time: 2/18/99 7:13:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: EQUIP BLANK

990235204

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81596	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77596	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L

Facility GMS #:

Sample Date/Time: 2/18/99 7:10:00 AM.

Test Site ID #:

Report Period: 99/1

Well Name: TRAVEL BLANK

990235205

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 2	ug/L	2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77168	1,1-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Name: TRAVEL BLANK

990235205

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81596	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77596	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 7:45:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: EQUIP BLANK

990231107

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
00680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	< 1 mg/L	1 mg/L
00600	TOTAL NITROGEN	GRAB	N	EPA351.2	< .1 .g/L	.1 .g/L
00625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	< .1 mg/L	.1 mg/L
46570	TOTAL HARDNESS	GRAB	N	EPA130.2	< .71 mg/L CaCO	.71 mg/L CaCO
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12 mg/L	12 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
00630	NITRATE + NITRITE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	SM5210B	< 1 mg/L	1 mg/L
00619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02 mg/L	.02 mg/L
00927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	< .05 mg/L	.05 mg/L
00530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4 mg/L	4 mg/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM10200H	< 3 mg/m3	3 mg/m3
00340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.4	< 2 mg/L	2 mg/L
00916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
00665	TOTAL PHOSPHORUS	GRAB	N	EPA365.1	< .02 mg/L	.02 mg/L
01067	Nickel	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/17/99 7:42:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: TRAVEL BLANK

990231108

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

Well Name: TRAVEL BLANK

990231108

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 7:55:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: EQIP BLANK

990229608

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	12 mg/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L	.02 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	0	pCi/L	.1 pCi/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1	mg/L	1 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	.4	pCi/L	pCi/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99 7:53:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: TRAVEL BLANK

990229609

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Name: TRAVEL BLANK

990229609

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 2/16/99

Test Site ID #:

Report Period: 99/1

Well Name: DUP

990229603

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78113	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01502	ALPHA-counting error	GRAB	N	EPA900.0	3.2 pCi/L	pCi/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	276 mg/L	12 mg/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
09501	RADIUM 226 IN WATER	GRAB	N	EPA903.1	6.9 pCi/L	.1 pCi/L
00620	NITRATE	GRAB	N	EPA353.2	.03 mg/L	.01 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L	.02 mg/L
00940	CHLORIDE	GRAB	N	EPA325.2	22 mg/L	1 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01501	ALPHA, TOTAL	GRAB	N	EPA900.0	8.4 pCi/L	.1 pCi/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	490 ug/L	40 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
09502	RADIUM 226-counting error	GRAB	N	EPA903.1	.3 pCi/L	pCi/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.85 mg/L	.2 mg/L
01051	Lead	GRAB	N	EPA6010	< 4 ug/L	4 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
01092	Zinc	GRAB	N	EPA6010	202 ug/L	25 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2 ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5 ug/L	5 ug/L

Well Name: DUP

990229603

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	4	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #: 4029C30075

Sample Date/Time: 2/15/99

Test Site ID #:

Report Period: 99/1

Well Name: DUP

9902277 11

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	236 mg/L	12 mg/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	8 mg/L	1 mg/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
00620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L	.01 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	14 mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2 ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40 ug/L	40 ug/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L	.02 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4 ug/L	4 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
01040	Copper	GRAB	N	EPA6010	< 5 ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25 ug/L	25 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	5	ug/L	1 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #: 4029C30075

Sample Date/Time: 2/15/99 7:28:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: EQUIP BLANK

9902277 12

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Ground Water Elevation (ft. MSL):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01007	Barium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01067	Nickel	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01097	Antimony	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01002	Arsenic	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01012	Beryllium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01034	Chromium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01037	Cobalt	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01027	Cadmium	GRAB	N	EPA6010	< 1	ug/L	1 ug/L
01051	Lead	GRAB	N	EPA6010	< 4	ug/L	4 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01147	Selenium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01077	Silver	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01059	Thallium	GRAB	N	EPA6010	< 2	ug/L	2 ug/L
00985	Vanadium	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
01092	Zinc	GRAB	N	EPA6010	< 25	ug/L	25 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
01040	Copper	GRAB	N	EPA6010	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 12	mg/L	12 mg/L
00620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L	.01 mg/L
00610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.3	mg/L	.02 mg/L
00929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
71900	MERCURY	GRAB	N	EPA7470	< .2	ug/L	.2 ug/L
01045	IRON-ICP METHOD	GRAB	N	EPA6010	< 40	ug/L	40 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
00940	CHLORIDE	GRAB	N	EPA325.2	< 1	mg/L	1 mg/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Diameter (in):

Elevation (NVGD):

Total Depth:

Water Level (ft):

Evacuation (gal):

Ground Water Elevation (NGVD):

Sample Appearance:

Facility GMS #:

Sample Date/Time: 2/15/99 7:26:00 AM

Test Site ID #:

Report Period: 99/1

Well Name: TRAVEL BLANK

9902277 13

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Ground Water Elevation (ft. MSL):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	2	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L

Well Name: TRAVEL BLANK

990227713

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 4	ug/L	4 ug/L