

file:///C:/Documents%20and%20Settings/cnaldk/TAL/Desktop/Download/AdmFiles/660-55247-55251-55273/41193_301907_undb.txt (1 of 17)17/2013-4-22-23:09

[illegible]

"TH-77","EPA 350.1","660-55277-2","E87052","1515","Ammonia (N)","0.40","mg/L","0.026","TRG","1","","0.050","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/08/2013 15:30","07/08/2013 15:30","TOT","680-283694","680-283694","Yes","","660-55277-1"

"TH-77","EPA 6010","660-55277-2","E84282","7440382","Arsenic","4.0","ug/L","10","4.0","TRG","1","","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:20","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-77","EPA 6010","660-55277-2","E84282","7439896","Iron","1100","ug/L","50","TRG","1","","200","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:20","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-77","EPA 6010","660-55277-2","E84282","7440235","Sodium","17","mg/L","0.31","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:20","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-77DU","SM18 2540 C","660-55277-2","E84282","1705","Residues-Filterable (TDS)","236","mg/L","10","TRG","1","","13","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Other","DUP","03072013","3.30","No Prep","RES","YES","07/10/2013 11:43","07/10/2013 11:43","TOT","660-139250","660-139250","Yes","","660-55277-1"

"TH-77MS","EPA 300.0 (Chloride)","660-55277-2","E87052","16887006","Chloride","8.89","mg/L","7","0.25","SPK","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Other","MS","03072013","3.30","No Prep","RES","YES","07/10/2013 21:32","07/10/2013 21:32","TOT","680-284142","680-284142","Yes","10.0","Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria","660-55277-1"

"TH-77MSD","EPA 300.0 (Chloride)","660-55277-2","E87052","16887006","Chloride","8.89","mg/L","7","0.25","SPK","1","","0.05","0","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 11:09","AQUEOUS-Other","MSD","03072013","3.30","No Prep","RES","YES","07/10/2013 21:44","07/10/2013 21:44","TOT","680-284142","680-284142","Yes","10.0","Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria","660-55277-1"

"TH-76","SM18 2540 C","660-55277-3","E84282","1705","Residues-Filterable (TDS)","210","mg/L","10","TRG","1","","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/10/2013 11:43","07/10/2013 11:43","TOT","660-139250","660-139250","Yes","","660-55277-1"

"TH-76","EPA 300.0 (Chloride)","660-55277-3","E87052","16887006","Chloride","12","mg/L","0.25","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/10/2013 21:57","07/10/2013 21:57","TOT","680-284142","680-284142","Yes","","660-55277-1"

"TH-76","EPA 300.0 (Chloride)","660-55277-3","E87052","16887006","Chloride","8.89","mg/L","7","0.25","SPK","1","","0.050","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/08/2013 15:30","07/08/2013 15:30","TOT","680-283694","680-283694","Yes","","660-55277-1"

"TH-76","EPA 6010","660-55277-3","E84282","7440382","Arsenic","4.0","ug/L","11","4.0","TRG","1","","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:23","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-76","EPA 6010","660-55277-3","E84282","7439896","Iron","990","ug/L","50","TRG","1","","200","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:23","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-76","EPA 6010","660-55277-3","E84282","7440235","Sodium","22","mg/L","0.31","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:23","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-76DU","EPA 300.0 (Chloride)","660-55277-3","E87052","16887006","Chloride","12.5","mg/L","0.25","TRG","1","","0.1","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 12:06","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/10/2013 22:09","07/10/2013 22:09","TOT","680-284142","680-284142","Yes","","660-55277-1"

"TH-72","SM18 2540 C","660-55277-4","E84282","1705","Residues-Filterable (TDS)","820","mg/L","25","TRG","1","","25","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/10/2013 11:43","07/10/2013 11:43","TOT","660-139250","660-139250","Yes","","660-55277-1"

"TH-72","EPA 300.0 (Chloride)","660-55277-4","E87052","16887006","Chloride","280","mg/L","2.5","TRG","10","","5.0","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/10/2013 22:21","07/10/2013 22:21","TOT","680-284142","680-284142","Yes","","660-55277-1"

"TH-72","EPA 350.1","660-55277-4","E87052","1515","Ammonia (N)","8.8","mg/L","0.13","TRG","5","","0.25","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","No Prep","RES","YES","07/08/2013 17:11","07/08/2013 17:11","TOT","680-283694","680-283694","Yes","","660-55277-1"

"TH-72","EPA 6010","660-55277-4","E84282","7440382","Arsenic","4.0","ug/L","10","4.0","TRG","1","","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:26","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-72","EPA 6010","660-55277-4","E84282","7439896","Iron","790","ug/L","50","TRG","1","","200","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:26","TOT","660-139189","660-139195","Yes","","660-55277-1"

"TH-72","EPA 6010","660-55277-4","E84282","7440235","Sodium","120","mg/L","0.31","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/03/2013 13:22","AQUEOUS-Groundwater","N","03072013","3.30","3005","RES","YES","07/09/2013 09:13","07/09/2013 15:26","TOT","660-139189","660-139195","Yes","","660-55277-1"

"680-91559-V-2","SM18 5220 D","680-91559-V-2","E87052","1565","COD","22","mg/L","6.3","TRG","1","","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/08/2013 13:57","AQUEOUS-Other","N","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","","660-55251-1"

"680-91559-V-2MS","SM18 5220 D","680-91559-V-2MS","E87052","1565","COD","115","mg/L","6.3","SPK","1","","93","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/08/2013 13:57","AQUEOUS-Other","MS","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","100","660-55251-1"

"680-91559-V-2MSD","SM18 5220 D","680-91559-V-2MSD","E87052","1565","COD","124","mg/L","6.3","SPK","1","","102","8","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","07/08/2013 13:57","AQUEOUS-Other","MSD","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","100","660-55251-1"

"660LCS 660-139094-2","EPA 353.2 (Nitrite-Nitrite (N))","LCS 660-139094-2","E84282","1820","Nitrite-Nitrite (N)","1.04","mg/L","0.10","SPK","1","","104","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/03/2013 15:52","07/03/2013 15:52","TOT","660-139094","660-139094","Yes","1.00","660-55251-1"

"660LCS 660-139094-2","EPA 353.2 (Nitrite (N))","LCS 660-139094-2","E84282","1835","Nitrite (N)","0.507","mg/L","0.10","SPK","1","","101","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/03/2013 15:52","07/03/2013 15:52","TOT","660-139094","660-139094","Yes","0.500","660-55251-1"

"660LCS 660-139161-2","SM18 2540 C","LCS 660-139161-2","E84282","1705","Residues-Filterable (TDS)","9910","mg/L","25","SPK","1","","99","25","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/08/2013 11:10","07/08/2013 11:10","TOT","660-139161","660-139161","Yes","10000","660-55251-1"

"660LCS 660-139189-2-A","EPA 6010","LCS 660-139189-2-A","E84282","7440382","Arsenic","991","ug/L","4.0","SPK","1","","99","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:25","TOT","660-139189","660-139195","Yes","1000","660-55277-1"

"660LCS 660-139189-2-A","EPA 6010","LCS 660-139189-2-A","E84282","7439896","Iron","1010","ug/L","50","SPK","1","","101","200","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:25","TOT","660-139189","660-139195","Yes","1000","660-55277-1"

"660LCS 660-139189-2-A","EPA 6010","LCS 660-139189-2-A","E84282","7440235","Sodium","991","mg/L","0.31","SPK","1","","99","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:25","TOT","660-139189","660-139195","Yes","100","660-55277-1"

"660LCS 660-139250-2","SM18 2540 C","LCS 660-139250-2","E84282","1705","Residues-Filterable (TDS)","9930","mg/L","25","SPK","1","","99","25","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/10/2013 11:43","07/10/2013 11:43","TOT","660-139250","660-139250","Yes","10000","660-55277-1"

"680LCS 680-283593-4","SM18 5220 D","LCS 680-283593-4","E87052","1565","COD","110","mg/L","6.3","SPK","1","","110","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","100","660-55251-1"

"680LCS 680-283634-4","SM18 5220 D","LCS 680-283634-4","E87052","1565","COD","110","mg/L","6.3","SPK","1","","110","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","100","660-55251-1"

"680LCS 680-283694-11","EPA 350.1","LCS 680-283694-11","E87052","1515","Ammonia (N)","1.03","mg/L","0.026","SPK","1","","103","0.050","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/08/2013 15:30","07/08/2013 15:30","TOT","680-283694","680-283694","Yes","1.00","660-55277-1"

"680LCS 680-284142-3","EPA 300.0 (Chloride)","LCS 680-284142-3","E87052","16887006","Chloride","9.66","mg/L","0.25","SPK","1","","97","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/10/2013 20:42","07/10/2013 20:42","TOT","680-284142","680-284142","Yes","10.0","660-55277-1"

"680LCS 680-284150-3","EPA 300.0 (Chloride)","LCS 680-284150-3","E87052","16887006","Chloride","9.93","mg/L","0.25","SPK","1","","99","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/10/2013 16:27","07/10/2013 16:27","TOT","680-284150","680-284150","Yes","10.0","660-55277-1"

"680LCS 680-284142-4","EPA 300.0 (Chloride)","LCS 680-284142-4","E87052","16887006","Chloride","9.67","mg/L","0.25","SPK","1","","97","0","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/10/2013 20:55","07/10/2013 20:55","TOT","680-284142","680-284142","Yes","10.0","660-55277-1"

"680LCS 680-284150-4","EPA 300.0 (Chloride)","LCS 680-284150-4","E87052","16887006","Chloride","9.93","mg/L","0.25","SPK","1","","99","0","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","LCS","No Prep","RES","YES","07/10/2013 16:39","07/10/2013 16:39","TOT","680-284150","680-284150","Yes","10.0","660-55277-1"

"660MB 660-139094-1","EPA 353.2 (Nitrate (N))","MB 660-139094-1","E84282","1805","Nitrate (N)","0.10","mg/L","1","0.10","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/03/2013 15:51","07/03/2013 15:51","TOT","660-139094","660-139094","Yes","","660-55251-1"

"660MB 660-139161-1","EPA 350.1","MB 660-139161-1","E84282","1705","Residues-Filterable (TDS)","59","mg/L","1","5.0","TRG","1","","5.0","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/08/2013 11:10","07/08/2013 11:10","TOT","660-139161","660-139161","Yes","","660-55251-1"

"660MB 660-139189-1-A","EPA 6010","MB 660-139189-1-A","E84282","7440382","Arsenic","4.0","ug/L","10","4.0","TRG","1","","10","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:22","TOT","660-139189","660-139195","Yes","","660-55277-1"

"660MB 660-139189-1-A","EPA 6010","MB 660-139189-1-A","E84282","7439896","Iron","50","ug/L","50","TRG","1","","200","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:22","TOT","660-139189","660-139195","Yes","","660-55277-1"

"660MB 660-139189-1-A","EPA 6010","MB 660-139189-1-A","E84282","7440235","Sodium","0.31","mg/L","1","0.31","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","3005","RES","YES","07/09/2013 09:13","07/09/2013 14:22","TOT","660-139189","660-139195","Yes","","660-55277-1"

"660MB 660-139250-1","SM18 2540 C","MB 660-139250-1","E84282","1705","Residues-Filterable (TDS)","59","mg/L","1","5.0","TRG","1","","5.0","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/10/2013 11:43","07/10/2013 11:43","TOT","660-139250","660-139250","Yes","","660-55277-1"

"680MB 680-283593-3","SM18 5220 D","MB 680-283593-3","E87052","1565","COD","63","mg/L","1","6.3","TRG","1","","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/08/2013 11:20","07/08/2013 11:20","TOT","680-283593","680-283593","Yes","","660-55251-1"

"680MB 680-283634-3","SM18 5220 D","MB 680-283634-3","E87052","1565","COD","63","mg/L","1","6.3","TRG","1","","20","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/08/2013 13:57","07/08/2013 13:57","TOT","680-283634","680-283634","Yes","","660-55251-1"

"680MB 680-283694-28","EPA 350.1","MB 680-283694-28","E87052","1515","Ammonia (N)","0.026","mg/L","1","0.026","TRG","1","","0.050","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/08/2013 15:49","07/08/2013 15:49","TOT","680-283694","680-283694","Yes","","660-55277-1"

"680MB 680-284142-2","EPA 300.0 (Chloride)","MB 680-284142-2","E87052","16887006","Chloride","0.25","mg/L","1","0.25","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/10/2013 20:30","07/10/2013 20:30","TOT","680-284142","680-284142","Yes","","660-55277-1"

"680MB 680-284150-2","EPA 300.0 (Chloride)","MB 680-284150-2","E87052","16887006","Chloride","0.25","mg/L","1","0.25","TRG","1","","0.50","41193","SOUTHEAST COUNTY SLF (PCNIC LP)","AQUEOUS-Other","MB","No Prep","RES","YES","07/10/2013 13:03","07/10/2013 13:03","TOT","680-284150","680-284150","Yes","","660-55277-1"