Danielle Harrington
Digitally signed by Danielle Harrington
DN: cn=Danielle Harrington, c=US, o=TestAmerica Laboratories, Inc, ou=Project Manager, email=danielle.harrington@testamericainc.com
Date: 2014.01.16 16:14:11 -07'00'

"160-4900-B-1-B","EPA 9310 (Alpha)","160-4900-B-1-B","E87689","FL-RAD-002","Alpha -
Total","1.09","2.30","pCi/L","T","4.13","TRG","1",,,,"4.13","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/10/2013
14:15","AQUEOUS-Other","N","13122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 18:39","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"160-4900-B-1-BMS","EPA 9310 (Alpha)","160-4900-B-1-C
MS","E87689","FL-RAD-002","Alpha -
Total","140.8","20.2","pCi/L",,"4.32","SPK","1",,"94",,"4.32","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/10/2013
14:15","AQUEOUS-Other","MS","13122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 18:39","TOT","160-96781","160-97035","Yes","149",,"280-50528-1"
"160-4900-B-1-BDU","EPA 9310 (Alpha)","160-4900-B-1-E
DU","E87689","FL-RAD-002","Alpha -
Total","2.038","2.49","pCi/L","TJ","4.07","TRG","1",,,"61","4.07","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/10/2013
14:15","AQUEOUS-Other","DUP","13122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 18:39","TOT","160-96781","160-97035","Yes",,"Estimated value;
value may not be accurate. Spike recovery or RPD outside of
criteria.","280-50528-1"
"MW-3A","EPA 9310 (Alpha)","280-50528-1","E87689","FL-RAD-002","Alpha -
Total","16.4","3.35","pCi/L",,"1.65","TRG","1",,,,"1.65","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
08:42","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-1B","EPA 9310 (Alpha)","280-50528-10","E87689","FL-RAD-002","Alpha -
Total","6.55","2.07","pCi/L",,"1.79","TRG","1",,,,"1.79","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
12:34","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-1A","EPA 9310 (Alpha)","280-50528-11","E87689","FL-RAD-002","Alpha -
Total","2.28","1.78","pCi/L","T","2.61","TRG","1",,,,"2.61","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
12:55","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:03","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-FL3","EPA 9310 (Alpha)","280-50528-12","E87689","FL-RAD-002","Alpha -
Total","4.13","1.87","pCi/L",,"2.17","TRG","1",,,,"2.17","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
13:33","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:03","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-2B","EPA 9310 (Alpha)","280-50528-13","E87689","FL-RAD-002","Alpha -
Total","2.56","1.44","pCi/L",,"1.80","TRG","1",,,,"1.80","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
14:17","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:03","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-2AR","EPA 9310 (Alpha)","280-50528-14","E87689","FL-RAD-002","Alpha -
Total","1.54","1.05","pCi/L",,"1.50","TRG","1",,,,"1.50","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
14:50","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:03","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-3B","EPA 9310 (Alpha)","280-50528-2","E87689","FL-RAD-002","Alpha -
Total","3.86","1.65","pCi/L",,"1.73","TRG","1",,,,"1.73","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
08:10","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-FL1","EPA 9310 (Alpha)","280-50528-3","E87689","FL-RAD-002","Alpha -
Total","5.03","2.56","pCi/L",,"2.91","TRG","1",,,,"2.91","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
07:37","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-4B","EPA 9310 (Alpha)","280-50528-4","E87689","FL-RAD-002","Alpha -
Total","0.270","1.13","pCi/L","T","2.16","TRG","1",,,,"2.16","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
09:15","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014

14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-4A","EPA 9310 (Alpha)","280-50528-5","E87689","FL-RAD-002","Alpha -
Total","0.377","1.17","pCi/L","T","2.14","TRG","1",,,,"2.14","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
09:46","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-5B","EPA 9310 (Alpha)","280-50528-6","E87689","FL-RAD-002","Alpha -
Total","5.23","1.99","pCi/L",,"1.93","TRG","1",,,,"1.93","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
10:20","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-5A","EPA 9310 (Alpha)","280-50528-7","E87689","FL-RAD-002","Alpha -
Total","3.13","1.26","pCi/L",,"1.25","TRG","1",,,,"1.25","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
10:51","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-7B","EPA 9310 (Alpha)","280-50528-8","E87689","FL-RAD-002","Alpha -
Total","0.898","1.69","pCi/L","T","2.96","TRG","1",,,,"2.96","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
11:26","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"MW-7A","EPA 9310 (Alpha)","280-50528-9","E87689","FL-RAD-002","Alpha -
Total","2.87","2.12","pCi/L","T","3.04","TRG","1",,,,"3.04","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/19/2013
11:58","AQUEOUS-Groundwater","N","20122013",,"9310","RES","YES","01/08/2014
14:15","01/09/2014 22:02","TOT","160-96781","160-97035","Yes",,,"280-50528-1"
"Equipment Blank","EPA 9310 (Alpha)","280-50576-1","E87689","FL-RAD-002","Alpha -
Total","0.0295","0.558","pCi/L","T","1.13","TRG","1",,,,"1.13","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
10:00","AQUEOUS-Other","N","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:15","TOT","160-97054","160-97925","Yes",,,"280-50528-1"
"Equipment BlankDU","EPA 9310 (Alpha)","280-50576-1","E87689","FL-RAD-002","Alpha -
Total","0.1419","0.707","pCi/L","TJ","1.33","TRG","1",,,"131","1.33","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
10:00","AQUEOUS-Other","DUP","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:15","TOT","160-97054","160-97925","Yes",,"Estimated value;
value may not be accurate. Spike recovery or RPD outside of
criteria.","280-50528-1"
"Equipment BlankMS","EPA 9310 (Alpha)","280-50576-1","E87689","FL-RAD-002","Alpha -
Total","72.09","9.42","pCi/L",,"1.73","SPK","1",,"134",,"1.73","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
10:00","AQUEOUS-Other","MS","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:15","TOT","160-97054","160-97925","Yes","53.7",,"280-50528-1"
"MW-6BR","EPA 9310 (Alpha)","280-50576-2","E87689","FL-RAD-002","Alpha -
Total","1.57","1.39","pCi/L","T","2.10","TRG","1",,,,"2.10","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
09:06","AQUEOUS-Groundwater","N","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:17","TOT","160-97054","160-98030","Yes",,,"280-50528-1"
"MW-6AR","EPA 9310 (Alpha)","280-50576-3","E87689","FL-RAD-002","Alpha -
Total","6.09","1.78","pCi/L",,"1.45","TRG","1",,,,"1.45","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
09:38","AQUEOUS-Groundwater","N","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:18","TOT","160-97054","160-98030","Yes",,,"280-50528-1"
"MW-FL2R","EPA 9310 (Alpha)","280-50576-4","E87689","FL-RAD-002","Alpha -
Total","0.811","0.838","pCi/L","T","1.32","TRG","1",,,,"1.32","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
08:30","AQUEOUS-Groundwater","N","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:18","TOT","160-97054","160-98030","Yes",,,"280-50528-1"
"MW-8R","EPA 9310 (Alpha)","280-50576-5","E87689","FL-RAD-002","Alpha -
Total","2.52","1.17","pCi/L",,"1.32","TRG","1",,,,"1.32","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","12/20/2013
07:42","AQUEOUS-Groundwater","N","21122013",,"9310","RES","YES","01/09/2014
13:26","01/13/2014 11:18","TOT","160-97054","160-98030","Yes",,,"280-50528-1"

"160LCS 160-96781/2-A","EPA 9310 (Alpha)","LCS
160-96781/2-A","E87689","FL-RAD-002","Alpha -
Total","54.32","7.77","pCi/L","","1.80","SPK","1","","101","","1.80","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD
SOUTH)","","AQUEOUS-Other","LCS","","9310","RES","YES","01/08/2014 14:15","01/09/2014
18:39","TOT","160-96781","160-97035","Yes","53.7","","280-50528-1"
"160LCS 160-97054/2-A","EPA 9310 (Alpha)","LCS
160-97054/2-A","E87689","FL-RAD-002","Alpha -
Total","51.83","7.39","pCi/L","","1.70","SPK","1","","96","","1.70","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD
SOUTH)","","AQUEOUS-Other","LCS","","9310","RES","YES","01/09/2014 13:26","01/13/2014
11:15","TOT","160-97054","160-97925","Yes","53.7","","280-50528-1"
"160MB 160-96781/1-A","EPA 9310 (Alpha)","MB
160-96781/1-A","E87689","FL-RAD-002","Alpha -
Total","1.133","0.796","pCi/L","","1.09","TRG","1","","","1.09","87081","VISTA LANDFILL,
LLC (BUTTREY/KEENE RD SOUTH)","","AQUEOUS-Other","MB","","9310","RES","YES","01/08/2014
14:15","01/09/2014 18:38","TOT","160-96781","160-97035","Yes","","","280-50528-1"
"160MB 160-97054/1-A","EPA 9310 (Alpha)","MB
160-97054/1-A","E87689","FL-RAD-002","Alpha -
Total","0.3528","0.695","pCi/L","T","1.23","TRG","1","","","1.23","87081","VISTA
LANDFILL, LLC (BUTTREY/KEENE RD
SOUTH)","","AQUEOUS-Other","MB","","9310","RES","YES","01/09/2014 13:26","01/13/2014
11:15","TOT","160-97054","160-97925","Yes","","","280-50528-1"