



Florida Department of
Environmental Protection
Inspection Checklist

FACILITY INFORMATION:

Facility Name: TAFT RECYCLING, INC.

On-Site Inspection Start Date: 04/22/2014

On-Site Inspection End Date: 04/22/2014

WACS No.: 87104

Facility Street Address: 375 7TH STREET

City: ORLANDO

County Name: ORANGE

Zip: 32824

INSPECTION PARTICIPANTS:

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Mary F Lawrence, Inspector

Other Participants: Gloria-Jean De Pradine, Inspector; Wilson Esteves, Manager

INSPECTION TYPE:

Routine Operation Inspection for WPF - Transfer Station facility

Routine Operation Inspection for WPF - Material Recovery Facility - Class I/III

Routine Operation Inspection for WPF - Waste Tire Processing Facility

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

SECTION 1.0 - FILE REVIEW

SECTION 4.0 - WASTE PROCESSING FACILITIES

Inspection Date: 04/22/2014

SECTION 1.0 - FILE REVIEW**Requirements:**

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

| Item No. | FILE REVIEW (Pre- or Post-Inspection, as appropriate.) Completed | Ok | Not Ok | Unk | N/A |
|----------|--|----|--------|-----|-----|
| 1.1 | For landfills and C&D disposal facilities, does the facility have a current plan for the method and sequence of filling wastes? 62-701.500(2)(f) for landfills; 62-701.730(7)(a) for C&D debris sites | | | | ✓ |
| 1.2 | For landfills, are the following records being reported to the Department?(Check any that are Not OK) <input type="checkbox"/> Waste reports (annually) 62-701.500(4) <input type="checkbox"/> Annual estimate of remaining life 62-701.500(13)(c) | | | | ✓ |
| 1.3 | Is gas monitoring being performed as required by the permit? 62-701.500(9), 62-701.530(2) | | | | ✓ |
| 1.4 | Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)(c) | | | | ✓ |
| 1.5 | Is water quality sampling and testing performed according to standard procedures and at the required frequencies? 62-701.510(2) for landfills; 62-701.730(4)(b) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities. | | | | ✓ |
| 1.6 | Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) and (4); 62-701.730(4)(c) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities. | | | | ✓ |
| 1.7 | For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.600(6)(b), 62-701.730(9)(d) | | | | ✓ |
| 1.8 | Is financial assurance adequate? 62-701.630 for landfills; 62-701.710(7)(a) and (10)(a) for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information. | ✓ | | | |
| 1.9 | Are cost estimates current and adjusted every year? 62-701.630(4) for landfills; 62-701.710(7)(b) and (10)(a) for waste processing facilities; 62-701.730(11)(b) and (c) for C&D debris facilities; 62-713.600(6)(b) and (c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. | ✓ | | | |
| 1.10 | For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by February 1st of each year? 62-701.730(12) | | | | ✓ |
| 1.11 | For C&D recycling facilities with no disposal, is an Annual Report for the recycling facility submitted to the Department by February 1st of each year? 62-701.710(8)(b) | | | | ✓ |
| 1.12 | For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1) | | | | ✓ |
| 1.13 | For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3) | | | | ✓ |

Inspection Date: 04/22/2014

SECTION 4.0 - WASTE PROCESSING FACILITIES**Requirements:**

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

| Item No. | SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18)) Completed | Ok | Not Ok | Unk | N/A |
|----------|--|----|--------|-----|-----|
| 4.1.1 | Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a) | ✓ | | | |
| 4.1.2 | Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b) | ✓ | | | |
| 4.2 | Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) <input type="checkbox"/> 100 feet from potable water wells (except on-site)? <input type="checkbox"/> 50 feet from water bodies? | ✓ | | | |
| 4.3 | Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d) | ✓ | | | |
| 4.4 | Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e) | ✓ | | | |
| 4.5 | Unauthorized open burning of solid waste prohibited, except in accordance with Department requirements? 62-701.300(3) | ✓ | | | |
| 4.6 | Are the following unauthorized wastes or special wastes properly managed? (Check any that are Not OK) <input type="checkbox"/> Hazardous waste 62-701.300(4) <input type="checkbox"/> Biomedical waste 62-701.300(6) <input type="checkbox"/> Used oil and oily wastes, except as exempted 62-701.300(11) <input type="checkbox"/> PCB wastes 62-701.300(5) <input type="checkbox"/> Liquids 62-701.300(10) | ✓ | | | |

| Item No. | WASTE PROCESSING FACILITY OPERATION AND MAINTENANCE Completed | Ok | Not Ok | Unk | N/A |
|----------|--|----|--------|-----|-----|
| 4.7 | For areas not enclosed, is litter controlled and are litter control devices maintained? 62-701.710(3)(a) | ✓ | | | |
| 4.8 | Is leachate collection and removal system maintained and operated as required? 62-701.710(3)(b) | ✓ | | | |
| 4.9 | Are all drains and leachate conveyances kept clean so that leachate flow is not impeded? 62-701.710(4)(g) | ✓ | | | |
| 4.10 | Are the following records or plans current and available on-site? (Check any that are Not OK) <input type="checkbox"/> Operation Plan 62-701.710(2)(e) <input type="checkbox"/> Contingency Plan 62-701.710(2)(g) <input type="checkbox"/> Operation records 62-701.710(8)(a) | ✓ | | | |
| 4.11 | Is the Operation Plan substantially followed? 62-701.710(4)(a) | ✓ | | | |
| 4.12 | Are putrescible wastes stored no longer than 48 hours or as otherwise allowed in the Operation Plan? 62-701.710(4)(b) | ✓ | | | |
| 4.13 | Are the operating hours posted at the facility? 62-701.710(4)(c)1 | ✓ | | | |
| 4.14 | Is a trained operator on duty whenever the facility is operating? 62-701.710(4)(c)1 | ✓ | | | |
| 4.15 | Is at least one trained spotter on duty at all times that waste is received at the facility to inspect the incoming waste, unless exempt under 62-701.710(1)(d)1? 62-701.710(4)(c)2 | ✓ | | | |
| 4.16 | Are unauthorized wastes removed from the waste stream and placed into appropriate containers for disposal at a permitted facility? 62-701.710(4)(c)2 | ✓ | | | |

Inspection Date: 04/22/2014

| Item No. | WASTE PROCESSING FACILITY OPERATION AND MAINTENANCE Completed | Ok | Not Ok | Unk | N/A |
|----------|--|----|--------|-----|-----|
| 4.16 | | ✓ | | | |
| 4.17 | Is the facility operated to control objectionable odors? 62-701.710(4)(d) | ✓ | | | |
| 4.18 | Is adequate fire protection equipment available and operational? 62-701.710(4)(e) | ✓ | | | |
| 4.19 | Is access to the facility controlled by fencing or other effective barriers to prevent disposal of unauthorized solid waste? 62-701.710(4)(f) | ✓ | | | |
| 4.20 | If the facility is a Transfer Station and is claiming the financial assurance exemption, does it manage the waste on a first-in, first-out basis and store waste for no greater than 7 days? 62-701.710(1)(d)1 | | | | ✓ |
| 4.21 | Are all additional specific conditions (not otherwise addressed above) in the permit, Department order, or certification, if any, being followed? 62-701.320(1), 403.161, F.S. | ✓ | | | |
| 4.22 | If the facility has reached its permitted capacity for storage of wastes or recyclable materials, has the permittee stopped accepting additional waste for processing? 62-701.710(4)(i) | ✓ | | | |

| Item No. | WASTE PROCESSING FACILITY CLOSURE Completed | Ok | Not Ok | Unk | N/A |
|----------|--|----|--------|-----|-----|
| 4.23 | Has the solid waste or residue been properly disposed of within 30 days after receiving the final solid waste shipment? 62-701.710(6)(b) | | | | ✓ |
| 4.24 | Has closure been completed within 180 days after receiving the final solid waste shipment? 62-701.710(6)(c) | | | | ✓ |

COMMENTS:

04/22/2014

Permit #'s SO48-0173968-009 & WT48-0173968-010 expire 6/03/2016.

Financial assurance cost estimates were submitted 2/7/2014 and approved 2/11/2014.

Facility no longer processes waste tires on-site.

The transfer station and material recovery facility were in good order at the time of inspection.

ATTACHMENTS:

Class III Waste



Class I Waste



Inspection Date: 04/22/2014

Wood Recycling Area



Waste Tire Storage



Sorting Building



Baler



Inspection Date: 04/22/2014

Signed:

Mary F Lawrence

PRINCIPAL INSPECTOR NAME**PRINCIPAL INSPECTOR SIGNATURE**

Inspector

PRINCIPAL INSPECTOR TITLE

FDEP

ORGANIZATION

4/22/2014

DATE

Gloria-Jean De Pradine

INSPECTOR NAME

Inspector

INSPECTOR TITLE

NO SIGNATURE

INSPECTOR SIGNATURE

FDEP

ORGANIZATION

Wilson Esteves

REPRESENTATIVE NAME

Manager

REPRESENTATIVE TITLE

NO SIGNATURE

REPRESENTATIVE SIGNATURE

Taft Recycling, Inc.

ORGANIZATION**Supervisor: Reginald F. Phillips**

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Not Ok" or areas of concern.