

48079-D-1, "EPA 300 (Chloride)," "640-48079-D-1," "E87052," "16887006," "Chloride," "12," "mg/L," "0.25," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/20/2014 08:12," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/06/2014 17:05," "06/06/2014 17:05," "TOT," "660-332819," "660-332819," "YES," "10.0," "660-60951-1"
 48079-D-1MS, "EPA 300 (Chloride)," "640-48079-D-1MS," "E87052," "16887006," "Chloride," "22.9," "mg/L," "0.25," "SPK," "1," "102," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/20/2014 08:12," "AQUEOUS-Other," "MS," "03052014," "No Prep," "RES," "YES," "06/06/2014 17:21," "06/06/2014 17:21," "TOT," "660-332819," "660-332819," "YES," "10.0," "660-60951-1"
 660-60934-A-1, "EPA 6010," "660-60934-A-1-A," "E84282," "7440382," "Arsenic," "9.1," "ug/L," "1," "4.0," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:42," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1-A, "EPA 6010," "660-60934-A-1-A," "E84282," "7439896," "Iron," "50," "ug/L," "1," "5.0," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:42," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1-A, "EPA 6010," "660-60934-A-1-A," "E84282," "7440325," "Sodium," "2.6," "mg/L," "0.31," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:42," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1MS, "EPA 6010," "660-60934-A-1-B MS," "E84282," "7440382," "Arsenic," "1020," "ug/L," "1," "4.0," "SPK," "1," "101," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:45," "TOT," "660-148740," "660-148828," "YES," "1000," "660-60951-1"
 660-60934-A-1MS, "EPA 6010," "660-60934-A-1-B MS," "E84282," "7439896," "Iron," "1000," "ug/L," "1," "5.0," "SPK," "1," "100," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:45," "TOT," "660-148740," "660-148828," "YES," "1000," "660-60951-1"
 660-60934-A-1MS, "EPA 6010," "660-60934-A-1-B MS," "E84282," "7440325," "Sodium," "12.5," "mg/L," "0.31," "SPK," "1," "100," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:45," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 6010," "660-60934-A-1-C MSD," "E84282," "7440382," "Arsenic," "100," "ug/L," "1," "4.0," "SPK," "1," "101," "10," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:55," "TOT," "660-148740," "660-148828," "YES," "1000," "660-60951-1"
 660-60934-A-1MSD, "EPA 6010," "660-60934-A-1-C MSD," "E84282," "7439896," "Iron," "1030," "ug/L," "1," "103," "3," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:55," "TOT," "660-148740," "660-148828," "YES," "1000," "660-60951-1"
 660-60934-A-1MSD, "EPA 6010," "660-60934-A-1-C MSD," "E84282," "7440382," "Arsenic," "12.4," "mg/L," "0.31," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:55," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 6010," "660-60934-A-1-C MSD," "E84282," "7439896," "Iron," "150," "ug/L," "1," "150," "3," "200," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "05/29/2014 14:10," "AQUEOUS-Other," "MSD," "03062014," "2.60," "No Prep," "RES," "YES," "06/04/2014 08:11," "06/06/2014 09:55," "TOT," "660-148740," "660-148828," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 6010," "660-60934-A-1-C MSD," "E84282," "7440325," "Sodium," "1.05," "mg/L," "0.25," "TRG," "1," "105," "Residues-Filtrable (D)," "660-60951-1," "E84282," "7440382," "Arsenic," "4.0," "ug/L," "1," "4.0," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "06/03/2014 10:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/06/2014 16:50," "06/06/2014 16:50," "TOT," "660-333395," "660-333395," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 350 (Iron)," "660-60951-1," "E87052," "16887006," "Chloride," "0.25," "mg/L," "0.25," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "06/03/2014 10:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/06/2014 16:50," "06/06/2014 16:50," "TOT," "660-332819," "660-332819," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 350 (Iron)," "660-60951-1," "E87052," "16887006," "Chloride," "0.25," "mg/L," "0.25," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "06/03/2014 10:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/06/2014 16:50," "06/06/2014 16:50," "TOT," "660-332819," "660-332819," "YES," "10.0," "660-60951-1"
 660-60934-A-1MSD, "EPA 350 (Iron)," "660-60951-1," "E87052," "16887006," "Chloride," "0.25," "mg/L," "0.25," "TRG," "1," "100," "0.50," "41193," "SOUTHEAST COUNTY SFL (PCNIC FL)," "06/03/2014 10:10," "AQUEOUS-Other," "N," "03062014," "2.60," "No Prep," "RES," "YES," "06/06