

BOARD OF COUNTY COMMISSIONERS

Kevin Beckner
Victor D. Crist
Ken Hagan
Al Higginbotham
Lesley "Les" Miller, Jr.
Sandra L. Murman
Mark Sharpe



Office of the County Administrator
Michael S. Merrill

CHIEF ADMINISTRATIVE OFFICER
Helene Marks

CHIEF FINANCIAL ADMINISTRATOR
Bonnie M. Wise

DEPUTY COUNTY ADMINISTRATORS
Lucia E. Garsys
Sharon D. Subadan

March 31, 2014

Mr. John Morris, P.G.
Florida Department of Environmental Protection
Waste Permitting Section
13051 Telecom Parkway
Temple Terrace, FL 33637

RE: **Southeast County Landfill
Laboratory Analytical Results
Initial Assessment Monitoring Plan
Report No. 42 – February 2014**

Dear Mr. Morris:

The Hillsborough County Public Utilities Department (County) is pleased to provide the analytical results from the February 2014 sampling event conducted as part of our continuation of the Initial Assessment Monitoring Plan (IAMP). The IAMP was developed to address the potential impacts to groundwater from the sinkhole on the edge of Phase VI at the Southeast County Landfill (SCLF), which was discovered on December 14, 2010.

As part of the agreement between the County and Florida Department of Environmental Protection Southwest District Office (Department), three (3) upper Floridan/Limestone aquifer monitoring wells, designated as TH-72, TH-76 and TH-77 are sampled on a monthly schedule. Representative samples were collected from each of these monitoring wells on February 6, 2014 and analyzed for total dissolved solids (TDS), chloride, total ammonia, arsenic, iron, sodium, and five (5) field parameters. However, the County inadvertently did not sample the surficial aquifer groundwater monitoring wells TH-73, TH-74, and TH-75 in February, due to a communication error. The County has already collected groundwater samples from each of the six (6) groundwater monitoring wells and the results shall be submitted as part of the March 2014 IAMP No. 43 report.

Each sample collected was analyzed by our contracted laboratory, Test America, Inc. The following paragraphs summarize the parameter specific results pertinent to the evaluation of potential water quality impacts from the sinkhole at the SCLF.

Turbidity

During the January sampling event, turbidity values in the Upper Floridan / Limestone aquifer monitoring wells TH-72, TH-76, and TH-77 were recorded at 2.07, 18.1, and 4.62 Nephelometric Turbidity Units (NTUs), respectively. Turbidity continues to decrease in the two newest monitoring wells TH-76 and TH-77.

Conductivity

The conductivity values observed in TH-72, TH-76, and TH-77 were 2,452, 446, and 424 micromhos per centimeter (umhos/cm), respectively. Monitoring well TH-72 is the closest UFA monitoring well to the sinkhole, it and continues to exhibit groundwater impacts similar to those observed over the last year. The elevated conductivity observed is likely attributable to the waste in the throat of the sinkhole and the large amounts of grout materials injected into the subsurface as part of the sinkhole stabilization and remediation processes. Conductivity values in TH-76 and TH-77 are relatively low and consistent with the unaffected deep wells across the site.

Total Dissolved Solids (TDS)

The TDS in TH-72 was observed at 1,300 mg/l and continues to be above the Secondary Drinking Water Standard (SDWS) of 500 mg/l. The two down gradient monitoring wells, TH-76 and TH-77 exhibited TDS values of 230 mg/l and 250 mg/l, respectively, which is consistent with the water quality of the unaffected deep wells across the site.

Chloride

Chloride was observed at 580 mg/l in TH-72, which is well above the SDWS of 250 mg/l. The elevated chloride value observed, is likely attributable to waste in the sinkhole and/or the grouting activities. Chloride values in TH-76 and TH-77 were observed at 12 and 9.2 mg/l, which is consistent with the unaffected deep wells across the site.

Iron

Total iron concentrations in two (2) of the three (3) UFA monitoring wells were observed above the SDWS of 0.3 mg/l. TH-72 and TH-76 exhibited iron at 0.71 mg/l and 0.96 mg/l, respectively. The elevated iron concentrations observed in these wells are consistent with historical data set, and are likely naturally occurring in the formation, and/or the result of past strip mining activities in the area.

Sodium

Sodium was observed at a concentration of 210 mg/l in TH-72, which is above the PDWS of 160 mg/l. The elevated sodium value is likely attributable to the waste in the sinkhole and/or the grouting activities. Sodium values in TH-76 and TH-77 were observed at 20 and 16 mg/l, which is consistent with the unaffected deep wells across the site.

Total Ammonia

Total ammonia was observed at a concentration of 23 mg/l in TH-72, which is above the former groundwater cleanup target level (GCTL) of 2.8 mg/l. The two down gradient monitoring wells, TH-76 and TH-77 were observed at 0.45 and 0.27 mg/l, respectively, which is consistent with the unaffected deep wells across the site.

Groundwater Elevations and Direction of Flow

On February 5, 2014, the County collected groundwater and surface water elevation data at sixty-five (65) points across the site, including twenty eight (28) surficial aquifer wells, seven (7) upper Floridan (limestone) aquifer wells, twenty three (23) piezometers, and six (6) surface water sites. No significant changes to the patterns of flow in the surficial aquifer were noted in the December data set and the flow diagram provided is consistent with the observations over the period of record. The general direction of flow within the surficial aquifer has historically been to the west-northwest across the Southeast County Landfill site. The elevations observed within the wells closest to the sinkhole indicate that flow patterns may be somewhat affected in the area, which would not be unexpected. However, the overall direction of flow within the surficial aquifer remains toward the west/northwest across the site.

A contour diagram of the upper Floridan / Limestone aquifer has been prepared for the general area around the sinkhole and is included with this submittal. This diagram was generated manually in AutoCad™ utilizing only the three data points closest to the sinkhole. For the month of February, the elevation change between TH-72 and TH-76 is -0.12 ft., and the change between TH-72 and TH-77 is +0.12 ft. The diagram indicates that flow within the UFA in the area of the former sinkhole continues to be in a north/northwest direction, but at what appears to be a very slow rate. The County will continue to evaluate the direction of flow within the upper Floridan / Limestone aquifer in the vicinity of the sinkhole, and a more comprehensive understanding of this system will be developed over time. However, based on the consistency of the gradient and a consistent direction of flow, an additional down gradient UFA monitoring still appears to be warranted.

Conclusions

The water quality observed in the February 2014 IAMP sampling event indicates that the upper Floridan / Limestone well TH-72, which is closest to the sinkhole, continues to exhibit impacts to water quality. The impacts observed in TH-72 include elevated conductivity, TDS, chloride, ammonia, iron and sodium. These impacts were not unexpected within the upper Floridan / Limestone aquifer in the immediate vicinity of the sinkhole feature. Upper Floridan / Limestone aquifer monitoring wells, TH-76 and TH-77 continue to exhibit good water quality with no evidence of impact from the sinkhole. Conductivity values, TDS, chloride and ammonia are all very low and consistent with the historical data set for the unaffected upper Floridan aquifer groundwater monitoring wells at the SCLF.

Based on the groundwater elevations in TH-72, TH-76, and TH-77, the direction of flow within the upper Floridan aquifer in the vicinity of the sinkhole is to the northwest. The County will continue to evaluate the direction of flow in this area, and if no significant seasonal changes are observed, an additional upper Floridan well will be installed in an appropriate down gradient location northwest of the sinkhole. The County will work directly with the Department on approval of the location and the appropriate construction details.

Recommendations

The County continues to move forward with implementation of the IAMP, which includes the monthly sampling of the three upper Floridan / Limestone aquifer groundwater monitoring wells, TH-72, TH-76, and TH-77, and the quarterly sampling of the three surficial aquifer monitoring wells, TH-73, TH-74, and TH-75. We will continue to evaluate any water quality changes in both the surficial and upper Floridan wells, and present the findings in the monthly IAMP reports.

Enclosed for your review please find a site location map depicting the location of the monitoring wells sampled, the water quality data summary table for the February 2014 sampling event, a groundwater elevation data table, groundwater contour and flow diagrams for the surficial and upper Floridan / Limestone aquifers, the historical data tables for each well sampled this month, and the complete analytical data report from our contracted laboratory, Test America, Inc.

Should you have any questions or require any additional information please feel free to call me at (813) 663-3221.

Respectfully submitted,





David S. Adams, P.G.
Environmental Manager
Public Utilities Department
Environmental Services



xc: John Lyons, Director, Public Works Department
Kim Byer, Public Works Department, Solid Waste Division
Larry Ruiz, Public Works Department, Solid Waste Division
Jeff Greenwell, Public Utilities Department
Michelle Van Dyke, Public Utilities Department
Richard Tedder, FDEP Tallahassee
Clark Moore, FDEP Tallahassee
Susan Pelz, FDEP Southwest District
Steve Morgan, FDEP, Southwest District
Andy Schipfer, EPC
Ernest Ely, WMI
Brian Miller, DOH
Rich Siemering, HDR
Joe O'Neill, CDS

C:\pwworking\tpa\ld0266713Well Location Map.dwg, Plot, 5/20/2013 3:03:58 PM, Irodriugu



- LEGEND**
- 001 ▲ LEACHATE SAMPLING LOCATION
 - P-1S ⊙ SHALLOW PIEZOMETER
 - P-1D ⊙ DEEP PIEZOMETER
 - SUP-1 ● SUPPLY WELL
 - TH-32 ⊗ INACTIVE MONITORING WELL LOCATION AND DESIGNATION
 - P-8D ● PIEZOMETER TO MONITOR HYDRAULIC DIVIDE
 - 1D □ SURFACE WATER MONITORING SITE LOCATION
 - TH-22A ⊗ MONITORING SITE LOCATION MONITOR WELL
 - * FLORIDAN AQUIFER
 - 1A** STAFF GAUGE
 - TH-73 ⊗ MONITORING WELL SAMPLED AS PART OF IAMP

NOTES:
1. TOPOGRAPHICAL INFORMATION COMPLIED FROM EXISTING CONDITIONS SURVEY PERFORM BY PICKETT & ASSOCIATES DATED JAN 2013.



SHEET TITLE

**IAMP WELL LOCATIONS
SOUTHEAST COUNTY LANDFILL
HILLSBOROUGH COUNTY, FLORIDA**

PROJECT NUMBER	REFERENCE SHEET
SCALE	DRAWING NAME
DATE MAY. 2013	EXHIBIT NUMBER 1

**Southeast County Landfill
Laboratory Analytical Data
Upper Floridan Groundwater Monitoring Wells
February 6, 2014**


GENERAL	Upper Floridan Wells			(MCL) STANDARD
PARAMETERS	TH-72	TH-76	TH-77	
conductivity (umhos/cm) (field)	2452	446	424	NS
dissolved oxygen (mg/l) (field)	0.13	0.14	0.09	NS
pH (field)	6.69	7.54	7.53	(6.5 - 8.5)**
temperature (°C) (field)	23.13	22.57	23.39	NS
turbidity (NTU) (field)	2.07	18.1	4.62	NS
total dissolved solids (mg/l)	1300	230	250	500**
chloride (mg/l)	580	12	9.2	250**
ammonia nitrogen (mg/l as N)	23 j3	0.45	0.27	2.8***
				(MCL) STANDARD
Metals: (mg/l)	TH-72	TH-76	TH-77	
arsenic	0.004 u	0.004 u	0.004 u	0.01*
iron	0.71	0.96	0.26	0.3**
sodium	210	20	16	160*
Note: Ref. Groundwater Guidance Concentrations, FDEP 2012				
MCL=Maximum Contaminant Level				
BDL=BELOW DETECTION LIMIT				
NTU=NEPHELOMETRIC TURBIDITY UNITS				
u = parameter was analyzed but not detected.				
j3 = estimated value, value may not be accurate. Spike recovery or RPD outside of criteria.				
*=DENOTES PRIMARY DRINKING WATER STANDARD				
**=DENOTES SECONDARY DRINKING WATER STANDARD				
***=DENOTES GROUNDWATER CLEANUP TARGET LEVELS				
1300	Exceeds Standards			
ug/l=MICROGRAMS PER LITER				
mg/l=MILLIGRAMS PER LITER				
NS=NO STANDARD				

Southeast County Landfill


Groundwater and Surface Water Elevations

February 5, 2014

Measuring Point	T.O.C. Elevations	W.L.	W.L.	Time
I.D.	(NGVD)	B.T.O.C.	(NGVD)	
P-4D	140.78	22.48	118.30	12:41
P-4S	140.95	10.09	130.86	12:42
P-5D	151.94	ND	ND	12:10
P-6D-A	148.01	27.82	120.19	12:16
P-7D	138.92	17.98	120.94	13:30
P-8D	138.34	18.14	120.20	13:28
P-11D	138.02	17.60	120.42	12:51
P-12S	134.97	14.31	120.66	12:55
P-13S	140.21	19.43	120.78	13:16
P-14S	138.56	17.80	120.76	13:21
P-15S	139.19	18.52	120.67	13:22
P-16S	143.38	15.89	127.49	11:52
P-16I	144.15	24.04	120.11	11:54
P-16D	143.84	23.80	120.04	11:53
P-17S	137.35	16.35	121.00	12:04
P-17I	137.32	17.19	120.13	12:02
P-17D	137.22	17.19	120.03	12:03
P-18S	129.86	18.36	111.50	11:05
P-19	133.36	14.45	118.91	12:13
P-20	132.38	12.71	119.67	12:21
P-21	122.79	3.87	118.92	12:32
P-22	128.35	9.19	119.16	12:34
P-23	143.13	23.65	119.48	12:27
TH-19*	130.27	100.24	30.03	11:43
TH-20A	131.86	9.56	122.30	10:20
TH-20B	132.57	10.51	122.06	10:21
TH-22	128.82	5.14	123.68	10:28
TH-22A	129.27	5.73	123.54	10:28
TH-24A	128.23	5.11	123.12	10:34
TH-28A	131.10	28.03	103.07	10:56
TH-30	128.88	23.94	104.94	10:50
TH-32	129.90	14.80	115.10	11:10
TH-35	145.98	28.65	117.33	12:07
TH-36A	152.70	32.74	119.96	11:48
TH-38A	130.68	10.18	120.50	13:10
TH-38B	131.81	11.00	121.81	13:11
TH-40*	124.99	95.31	29.68	10:15
TH-41*	125.00	100.38	24.62	10:14
TH-42*	116.74	76.80	39.94	11:12
TH-57	128.36	19.08	109.28	10:39
TH-58	127.88	28.11	99.77	10:52
TH-61	138.73	17.54	121.19	13:14
TH-61A	139.45	18.22	121.23	13:14
TH-64	139.64	17.99	121.65	13:18
TH-65	135.40	14.56	120.84	12:57
TH-66	130.58	9.28	121.30	13:01
TH-66A	130.66	9.75	120.91	12:59
TH-67	129.51	6.50	123.01	13:03
TH-68	140.01	18.18	121.83	13:28
TH-69A	144.97	25.44	119.53	12:47
TH-70A	146.63	22.95	123.68	12:44
TH-71A	146.95	27.18	119.77	12:39
TH-72	130.96	99.50	31.46	10:59
TH-73	131.07	30.71	100.36	10:58
TH-74	109.08	9.44	99.64	10:43
TH-75	106.92	7.80	99.12	10:45
TH-76	111.21	79.87	31.34	10:06
TH-77	119.88	88.30	31.58	10:10
SW-3A	3.0'=125.53'	0.31	122.84	9:58
SW-3B2B	3.0'=97.97'	1.54	96.51	11:25
SW-3C2	6.0'=92.33'	1.30	87.63	11:29
Mine Cut #1	4.0'=122.14'	2.70	120.84	13:25
Mine Cut #2	6.0'=123.47'	2.68	120.15	11:39
Mine Cut #3	4.0'=112.27'	2.30	110.57	11:14
Mine Cut #4	5.0'=97.54'	1.42	93.96	11:18
NGVD = National Geodetic Vertical Datum				
T.O.C. = Top of Casing				
B.T.O.C. = Below Top of Casing				
* = Floridan Well				
ND = No Data - Sampling Location Dry				
W.L. = Water Level				



Southeast County Landfill
 Groundwater Elevation Contour Diagram – February 5, 2014



FEBRUARY 2014
 UPPER FLORIDAN / LIMESTONE AQUIFER CONTOUR DIAGRAM
 IN THE VICINITY OF THE FORMER SINKHOLE
 SOUTHEAST COUNTY LANDFILL
 HILLSBOROUGH COUNTY, FLORIDA

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Tampa
6712 Benjamin Road
Suite 100
Tampa, FL 33634
Tel: (813)885-7427

TestAmerica Job ID: 660-58967-1

Client Project/Site: SELF IAMP Wells

For:

Hillsborough Co Public Utilities Dept
Environmental Services Group
Brandon Support Operations Complex
332 North Falkenburg Rd, 2nd Floor
Tampa, Florida 33619

Attn: David Adams



Authorized for release by:
2/17/2014 1:39:20 PM

Nancy Robertson, Project Manager II
(813)885-7427
nancy.robertson@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Table of Contents

Cover Page 1

Table of Contents 2

Sample Summary 3

Case Narrative 4

Definitions/Glossary 5

Detection Summary 6

Client Sample Results 7

QC Sample Results 11

QC Association Summary 14

Lab Chronicle 16

Method Summary 18

Certification Summary 19

Chain of Custody 21

Field Data Sheets 22

Receipt Checklists 26



Sample Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
660-58967-1	TH-72	Ground Water	02/06/14 14:15	02/06/14 16:00
660-58967-2	TH-76	Ground Water	02/06/14 12:11	02/06/14 16:00
660-58967-3	TH-77	Ground Water	02/06/14 13:07	02/06/14 16:00
660-58967-4	BLANK FIELD	Ground Water	02/06/14 11:30	02/06/14 16:00

Case Narrative

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Job ID: 660-58967-1

Laboratory: TestAmerica Tampa

Narrative

Job Narrative
660-58967-1

Comments

No additional comments.

Receipt

The samples were received on 2/6/2014 4:00 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.4° C.

Metals

No analytical or quality issues were noted.

General Chemistry

Method 350.1: The matrix spike duplicate (MSD) recovery for batch 315079 was outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits. The sample is flagged with J3.

No other analytical or quality issues were noted.

Definitions/Glossary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Qualifiers

HPLC/IC

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
L	Off-scale high. Actual value is known to be greater than the value given.

General Chemistry

Qualifier	Qualifier Description
J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
U	Indicates that the compound was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Detection Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: TH-72

Lab Sample ID: 660-58967-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	580		10	5.0	mg/L	20		300.0	Total/NA
Iron	710		200	50	ug/L	1		6010B	Total Recoverable
Sodium	210		0.50	0.31	mg/L	1		6010B	Total Recoverable
Ammonia as N	23	J3	1.0	0.52	mg/L	20		350.1	Total/NA
Total Dissolved Solids	1300		25	25	mg/L	1		SM 2540C	Total/NA
Field pH	6.69				SU	1		Field Sampling	Total/NA
Field Temperature	23.13				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.13				mg/L	1		Field Sampling	Total/NA
Specific Conductance	2452				uS/cm	1		Field Sampling	Total/NA
Turbidity	2.07				NTU	1		Field Sampling	Total/NA

Client Sample ID: TH-76

Lab Sample ID: 660-58967-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		0.50	0.25	mg/L	1		300.0	Total/NA
Iron	960		200	50	ug/L	1		6010B	Total Recoverable
Sodium	20		0.50	0.31	mg/L	1		6010B	Total Recoverable
Ammonia as N	0.45		0.050	0.026	mg/L	1		350.1	Total/NA
Total Dissolved Solids	230		10	10	mg/L	1		SM 2540C	Total/NA
Field pH	7.54				SU	1		Field Sampling	Total/NA
Field Temperature	22.57				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.14				mg/L	1		Field Sampling	Total/NA
Specific Conductance	446				uS/cm	1		Field Sampling	Total/NA
Turbidity	18.1				NTU	1		Field Sampling	Total/NA

Client Sample ID: TH-77

Lab Sample ID: 660-58967-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	9.2		0.50	0.25	mg/L	1		300.0	Total/NA
Iron	260		200	50	ug/L	1		6010B	Total Recoverable
Sodium	16		0.50	0.31	mg/L	1		6010B	Total Recoverable
Ammonia as N	0.27		0.050	0.026	mg/L	1		350.1	Total/NA
Total Dissolved Solids	250		5.0	5.0	mg/L	1		SM 2540C	Total/NA
Field pH	7.53				SU	1		Field Sampling	Total/NA
Field Temperature	23.39				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.09				mg/L	1		Field Sampling	Total/NA
Specific Conductance	424				uS/cm	1		Field Sampling	Total/NA
Turbidity	4.62				NTU	1		Field Sampling	Total/NA

Client Sample ID: BLANK FIELD

Lab Sample ID: 660-58967-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron	55	I	200	50	ug/L	1		6010B	Total Recoverable
Sodium	0.48	I	0.50	0.31	mg/L	1		6010B	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Tampa

Client Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: TH-72

Date Collected: 02/06/14 14:15

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-1

Matrix: Ground Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	580		10	5.0	mg/L			02/10/14 19:29	20

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.0	U	10	4.0	ug/L		02/12/14 05:30	02/12/14 12:09	1
Iron	710		200	50	ug/L		02/12/14 05:30	02/12/14 12:09	1
Sodium	210		0.50	0.31	mg/L		02/12/14 05:30	02/12/14 12:09	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia as N	23	J3	1.0	0.52	mg/L			02/11/14 11:07	20
Total Dissolved Solids	1300		25	25	mg/L			02/12/14 13:42	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	6.69				SU			02/06/14 14:15	1
Field Temperature	23.13				Degrees C			02/06/14 14:15	1
Oxygen, Dissolved	0.13				mg/L			02/06/14 14:15	1
Specific Conductance	2452				uS/cm			02/06/14 14:15	1
Turbidity	2.07				NTU			02/06/14 14:15	1

TestAmerica Tampa

Client Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: TH-76

Date Collected: 02/06/14 12:11

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-2

Matrix: Ground Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		0.50	0.25	mg/L			02/10/14 19:43	1

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.0	U	10	4.0	ug/L		02/12/14 05:30	02/12/14 12:13	1
Iron	960		200	50	ug/L		02/12/14 05:30	02/12/14 12:13	1
Sodium	20		0.50	0.31	mg/L		02/12/14 05:30	02/12/14 12:13	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia as N	0.45		0.050	0.026	mg/L			02/11/14 10:38	1
Total Dissolved Solids	230		10	10	mg/L			02/12/14 13:42	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	7.54				SU			02/06/14 12:11	1
Field Temperature	22.57				Degrees C			02/06/14 12:11	1
Oxygen, Dissolved	0.14				mg/L			02/06/14 12:11	1
Specific Conductance	446				uS/cm			02/06/14 12:11	1
Turbidity	18.1				NTU			02/06/14 12:11	1

TestAmerica Tampa

Client Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: TH-77
Date Collected: 02/06/14 13:07
Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-3
Matrix: Ground Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.2		0.50	0.25	mg/L			02/10/14 20:26	1

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.0	U	10	4.0	ug/L		02/12/14 05:30	02/12/14 12:16	1
Iron	260		200	50	ug/L		02/12/14 05:30	02/12/14 12:16	1
Sodium	16		0.50	0.31	mg/L		02/12/14 05:30	02/12/14 12:16	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia as N	0.27		0.050	0.026	mg/L			02/10/14 14:47	1
Total Dissolved Solids	250		5.0	5.0	mg/L			02/12/14 13:42	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field pH	7.53				SU			02/06/14 13:07	1
Field Temperature	23.39				Degrees C			02/06/14 13:07	1
Oxygen, Dissolved	0.09				mg/L			02/06/14 13:07	1
Specific Conductance	424				uS/cm			02/06/14 13:07	1
Turbidity	4.62				NTU			02/06/14 13:07	1

Client Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: BLANK FIELD

Lab Sample ID: 660-58967-4

Date Collected: 02/06/14 11:30

Matrix: Ground Water

Date Received: 02/06/14 16:00

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.25	U	0.50	0.25	mg/L			02/10/14 20:41	1

Method: 6010B - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.0	U	10	4.0	ug/L		02/12/14 05:30	02/12/14 12:20	1
Iron	55	I	200	50	ug/L		02/12/14 05:30	02/12/14 12:20	1
Sodium	0.48	I	0.50	0.31	mg/L		02/12/14 05:30	02/12/14 12:20	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia as N	0.026	U	0.050	0.026	mg/L			02/10/14 14:54	1
Total Dissolved Solids	5.0	U	5.0	5.0	mg/L			02/12/14 13:42	1

QC Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 680-314954/5

Matrix: Water

Analysis Batch: 314954

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.25	U	0.50	0.25	mg/L			02/10/14 14:55	1

Lab Sample ID: LCS 680-314954/6

Matrix: Water

Analysis Batch: 314954

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.80		mg/L		98	90 - 110

Lab Sample ID: LCSD 680-314954/7

Matrix: Water

Analysis Batch: 314954

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.91		mg/L		99	90 - 110	1	30

Lab Sample ID: 660-58967-2 MS

Matrix: Ground Water

Analysis Batch: 314954

Client Sample ID: TH-76

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	12		10.0	21.8		mg/L		98	80 - 120

Lab Sample ID: 660-58967-2 MSD

Matrix: Ground Water

Analysis Batch: 314954

Client Sample ID: TH-76

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	12		10.0	22.0		mg/L		100	80 - 120	1	30

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 660-146060/1-A

Matrix: Water

Analysis Batch: 146091

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 146060

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	4.0	U	10	4.0	ug/L		02/12/14 05:30	02/12/14 11:19	1
Iron	50	U	200	50	ug/L		02/12/14 05:30	02/12/14 11:19	1
Sodium	0.31	U	0.50	0.31	mg/L		02/12/14 05:30	02/12/14 11:19	1

Lab Sample ID: LCS 660-146060/2-A

Matrix: Water

Analysis Batch: 146091

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 146060

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	1000	1030		ug/L		103	80 - 120
Iron	1000	1040		ug/L		104	80 - 120
Sodium	10.0	10.0		mg/L		100	80 - 120

TestAmerica Tampa

QC Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 660-59057-A-1-B MS

Matrix: Water

Analysis Batch: 146091

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 146060

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	4.0	U	1000	1110		ug/L		111	80 - 120
Iron	50	U	1000	1060		ug/L		106	80 - 120
Sodium	660		10.0	668	L	mg/L		120	80 - 120

Lab Sample ID: 660-59057-A-1-C MSD

Matrix: Water

Analysis Batch: 146091

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total Recoverable

Prep Batch: 146060

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	4.0	U	1000	1100		ug/L		110	80 - 120	1	20
Iron	50	U	1000	1070		ug/L		107	80 - 120	2	20
Sodium	660		10.0	666	L	mg/L		91	80 - 120	0	20

Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 680-315079/35

Matrix: Water

Analysis Batch: 315079

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia as N	0.026	U	0.050	0.026	mg/L			02/11/14 10:52	1

Lab Sample ID: LCS 680-315079/25

Matrix: Water

Analysis Batch: 315079

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia as N	1.00	1.01		mg/L		101	90 - 110

Lab Sample ID: 660-58967-1 MS

Matrix: Ground Water

Analysis Batch: 315079

Client Sample ID: TH-72

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia as N	23	J3	1.00	23.8		mg/L		97	90 - 110

Lab Sample ID: 660-58967-1 MSD

Matrix: Ground Water

Analysis Batch: 315079

Client Sample ID: TH-72

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia as N	23	J3	1.00	23.4	J3	mg/L		54	90 - 110	2	30

Lab Sample ID: 660-58967-2 DU

Matrix: Ground Water

Analysis Batch: 315079

Client Sample ID: TH-76

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Ammonia as N	0.45		0.449		mg/L		0.2	30

TestAmerica Tampa

QC Sample Results

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 660-146098/1

Matrix: Water

Analysis Batch: 146098

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5.0	U	5.0	5.0	mg/L	-		02/12/14 13:42	1

Lab Sample ID: LCS 660-146098/2

Matrix: Water

Analysis Batch: 146098

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	10000	9900		mg/L	-	99	80 - 120

Lab Sample ID: 660-58967-3 DU

Matrix: Ground Water

Analysis Batch: 146098

Client Sample ID: TH-77

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	250		246		mg/L	-	0	20

QC Association Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

HPLC/IC

Analysis Batch: 314954

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total/NA	Ground Water	300.0	
660-58967-2	TH-76	Total/NA	Ground Water	300.0	
660-58967-2 MS	TH-76	Total/NA	Ground Water	300.0	
660-58967-2 MSD	TH-76	Total/NA	Ground Water	300.0	
660-58967-3	TH-77	Total/NA	Ground Water	300.0	
660-58967-4	BLANK FIELD	Total/NA	Ground Water	300.0	
LCS 680-314954/6	Lab Control Sample	Total/NA	Water	300.0	
LCSD 680-314954/7	Lab Control Sample Dup	Total/NA	Water	300.0	
MB 680-314954/5	Method Blank	Total/NA	Water	300.0	

Metals

Prep Batch: 146060

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total Recoverable	Ground Water	3005A	
660-58967-2	TH-76	Total Recoverable	Ground Water	3005A	
660-58967-3	TH-77	Total Recoverable	Ground Water	3005A	
660-58967-4	BLANK FIELD	Total Recoverable	Ground Water	3005A	
660-59057-A-1-B MS	Matrix Spike	Total Recoverable	Water	3005A	
660-59057-A-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	3005A	
LCS 660-146060/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 660-146060/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 146091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total Recoverable	Ground Water	6010B	146060
660-58967-2	TH-76	Total Recoverable	Ground Water	6010B	146060
660-58967-3	TH-77	Total Recoverable	Ground Water	6010B	146060
660-58967-4	BLANK FIELD	Total Recoverable	Ground Water	6010B	146060
660-59057-A-1-B MS	Matrix Spike	Total Recoverable	Water	6010B	146060
660-59057-A-1-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	6010B	146060
LCS 660-146060/2-A	Lab Control Sample	Total Recoverable	Water	6010B	146060
MB 660-146060/1-A	Method Blank	Total Recoverable	Water	6010B	146060

General Chemistry

Analysis Batch: 146098

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total/NA	Ground Water	SM 2540C	
660-58967-2	TH-76	Total/NA	Ground Water	SM 2540C	
660-58967-3	TH-77	Total/NA	Ground Water	SM 2540C	
660-58967-3 DU	TH-77	Total/NA	Ground Water	SM 2540C	
660-58967-4	BLANK FIELD	Total/NA	Ground Water	SM 2540C	
LCS 660-146098/2	Lab Control Sample	Total/NA	Water	SM 2540C	
MB 660-146098/1	Method Blank	Total/NA	Water	SM 2540C	

Analysis Batch: 315079

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total/NA	Ground Water	350.1	
660-58967-1 MS	TH-72	Total/NA	Ground Water	350.1	

TestAmerica Tampa

QC Association Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

General Chemistry (Continued)

Analysis Batch: 315079 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1 MSD	TH-72	Total/NA	Ground Water	350.1	
660-58967-2	TH-76	Total/NA	Ground Water	350.1	
660-58967-2 DU	TH-76	Total/NA	Ground Water	350.1	
660-58967-3	TH-77	Total/NA	Ground Water	350.1	
660-58967-4	BLANK FIELD	Total/NA	Ground Water	350.1	
LCS 680-315079/25	Lab Control Sample	Total/NA	Water	350.1	
MB 680-315079/35	Method Blank	Total/NA	Water	350.1	

Field Service / Mobile Lab

Analysis Batch: 146194

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
660-58967-1	TH-72	Total/NA	Ground Water	Field Sampling	
660-58967-2	TH-76	Total/NA	Ground Water	Field Sampling	
660-58967-3	TH-77	Total/NA	Ground Water	Field Sampling	

Lab Chronicle

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Client Sample ID: TH-72

Date Collected: 02/06/14 14:15

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		20	314954	02/10/14 19:29	PAT	TAL SAV
Total Recoverable	Prep	3005A			146060	02/12/14 05:30	GAF	TAL TAM
Total Recoverable	Analysis	6010B		1	146091	02/12/14 12:09	GAF	TAL TAM
Total/NA	Analysis	SM 2540C		1	146098	02/12/14 13:42	TKO	TAL TAM
Total/NA	Analysis	350.1		20	315079	02/11/14 11:07	JME	TAL SAV
Total/NA	Analysis	Field Sampling		1	146194	02/06/14 14:15		TAL TAM

Client Sample ID: TH-76

Date Collected: 02/06/14 12:11

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	314954	02/10/14 19:43	PAT	TAL SAV
Total Recoverable	Prep	3005A			146060	02/12/14 05:30	GAF	TAL TAM
Total Recoverable	Analysis	6010B		1	146091	02/12/14 12:13	GAF	TAL TAM
Total/NA	Analysis	SM 2540C		1	146098	02/12/14 13:42	TKO	TAL TAM
Total/NA	Analysis	350.1		1	315079	02/11/14 10:38	JME	TAL SAV
Total/NA	Analysis	Field Sampling		1	146194	02/06/14 12:11		TAL TAM

Client Sample ID: TH-77

Date Collected: 02/06/14 13:07

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	314954	02/10/14 20:26	PAT	TAL SAV
Total Recoverable	Prep	3005A			146060	02/12/14 05:30	GAF	TAL TAM
Total Recoverable	Analysis	6010B		1	146091	02/12/14 12:16	GAF	TAL TAM
Total/NA	Analysis	SM 2540C		1	146098	02/12/14 13:42	TKO	TAL TAM
Total/NA	Analysis	350.1		1	315079	02/10/14 14:47	JME	TAL SAV
Total/NA	Analysis	Field Sampling		1	146194	02/06/14 13:07		TAL TAM

Client Sample ID: BLANK FIELD

Date Collected: 02/06/14 11:30

Date Received: 02/06/14 16:00

Lab Sample ID: 660-58967-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	314954	02/10/14 20:41	PAT	TAL SAV
Total Recoverable	Prep	3005A			146060	02/12/14 05:30	GAF	TAL TAM
Total Recoverable	Analysis	6010B		1	146091	02/12/14 12:20	GAF	TAL TAM
Total/NA	Analysis	SM 2540C		1	146098	02/12/14 13:42	TKO	TAL TAM
Total/NA	Analysis	350.1		1	315079	02/10/14 14:54	JME	TAL SAV

TestAmerica Tampa

Lab Chronicle

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858
TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

Method Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL SAV
6010B	Metals (ICP)	SW846	TAL TAM
350.1	Nitrogen, Ammonia	MCAWW	TAL SAV
SM 2540C	Solids, Total Dissolved (TDS)	SM	TAL TAM
Field Sampling	Field Sampling	EPA	TAL TAM

Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL TAM = TestAmerica Tampa, 6712 Benjamin Road, Suite 100, Tampa, FL 33634, TEL (813)885-7427

Certification Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Laboratory: TestAmerica Tampa

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40610	06-30-14
Florida	NELAP	4	E84282	06-30-14
Georgia	State Program	4	905	06-30-14
USDA	Federal		P330-11-00177	04-20-14

Laboratory: TestAmerica Savannah

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	AFCEE		SAVLAB	
A2LA	DoD ELAP		399.01	02-28-15
A2LA	ISO/IEC 17025		399.01	02-28-15
Alabama	State Program	4	41450	06-30-14
Arkansas DEQ	State Program	6	88-0692	01-31-15
California	NELAP	9	3217CA	07-31-14
Colorado	State Program	8	N/A	12-31-14
Connecticut	State Program	1	PH-0161	03-31-15
Florida	NELAP	4	E87052	06-30-14
GA Dept. of Agriculture	State Program	4	N/A	06-30-14
Georgia	State Program	4	N/A	06-30-14
Georgia	State Program	4	803	06-30-14
Guam	State Program	9	09-005r	04-17-14
Hawaii	State Program	9	N/A	06-30-14
Illinois	NELAP	5	200022	11-30-14
Indiana	State Program	5	N/A	06-30-14
Iowa	State Program	7	353	07-01-15
Kentucky (DW)	State Program	4	90084	12-31-14
Kentucky (UST)	State Program	4	18	06-30-14
Louisiana	NELAP	6	LA100015	12-31-14
Maine	State Program	1	GA00006	08-16-14
Maryland	State Program	3	250	12-31-14
Massachusetts	State Program	1	M-GA006	06-30-14
Michigan	State Program	5	9925	06-30-14
Mississippi	State Program	4	N/A	06-30-14
Montana	State Program	8	CERT0081	01-01-15
Nebraska	State Program	7	TestAmerica-Savannah	06-30-14
New Jersey	NELAP	2	GA769	06-30-14
New Mexico	State Program	6	N/A	06-30-14
New York	NELAP	2	10842	03-31-14
North Carolina DENR	State Program	4	269	12-31-14
North Carolina DHHS	State Program	4	13701	07-31-14
Oklahoma	State Program	6	9984	08-31-14
Pennsylvania	NELAP	3	68-00474	06-30-14
Puerto Rico	State Program	2	GA00006	01-01-14 *
South Carolina	State Program	4	98001	06-30-14
Tennessee	State Program	4	TN02961	06-30-14
Texas	NELAP	6	T104704185-08-TX	11-30-14
USDA	Federal		SAV 3-04	04-07-14
Virginia	NELAP	3	460161	06-14-14
Washington	State Program	10	C1794	06-10-14

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Tampa

Certification Summary

Client: Hillsborough Co Public Utilities Dept
Project/Site: SELF IAMP Wells

TestAmerica Job ID: 660-58967-1

Laboratory: TestAmerica Savannah (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
West Virginia DEP	State Program	3	94	06-30-14
West Virginia DHHR	State Program	3	9950C	12-31-13 *
Wisconsin	State Program	5	999819810	08-31-14
Wyoming	State Program	8	8TMS-L	06-30-14

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Tampa

TestAmerica Tampa

6712 Benjamin Road Suite 100
Tampa, FL 33634
Phone (813) 885-7427 Fax (813) 885-7049

Chain of Custody Record

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Jack Patterson

Client Information

Client Contact: *Jack Patterson*
Company: Hillborough Co Public Utilities Dept
Address: Environmental Services Group Brandon Support Operations Com
City: Tampa
State: FL Zip: 33619
Phone:
Email: townselm@hillboroughcounty.org
Project Name: SELF MWs, SS, Private Wells, NPDES
Site:
Florida

Lab PM: Robertson, Nancy
E-Mail: nancy.robertson@testamericainc.com

Carrier Tracking No(s):

COC No: 660-53752-17374.1
Page 1 of 1

Due Date Requested:

Analysis Requested

Due Date Requested:
TAT Requested (days):
PC #: DPSW1616001
MO #:
Project #: 66003915
SSOW#:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastewater)
TH-72	2-6-14	14:15	G	Water
TH-76		12:11		Water
TH-77		13:07		Water
FIELD BLANK		11:30		Water

Field Filtered Sample (Yes or No)	2540C - Total Dissolved Solids	6010B - AS,FE,NA	300_ORGFM_28D - Chloride	360.1 - Ammonia as N
X	X	X	X	X
	X	X	X	X
	X	X	X	X
	X	X	X	X

Special Instructions/Note:	Preservation Codes:
	A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecylhydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)



660-56967 Chain of Custody

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Empty Kit Relinquished by: *Jack Patterson* Date: 2-6-14 Time: 16:00

Relinquished by: *Jack Patterson* Date/Time: 2-6-14 16:00

Relinquished by: *Jack Patterson* Date/Time: 2-6-14 16:00

Relinquished by: *Jack Patterson* Date/Time: 2-6-14 16:00

Custody Seals Intact: ☐ Yes ☐ No Custody Seal No.:
Cooler Temperature(s) °C and Other Remarks: 4.4°C 2/07

GROUNDWATER SAMPLING LOG

PURGING DATA

SAMPLING DATA

SEE C.O.C. FOR SAMPLE ANALYSIS

DBP =Dedicated Bladder Pump

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Baller; BP = Bladder Pump; ESP = Electric Submersible Pump;
RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)

pH: ± 0.2 units Temperature: ± 0.2 °C Specific Conductance: $\pm 5\%$ Dissolved Oxygen: all readings $\leq 20\%$ saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or $\pm 10\%$ (whichever is greater) Turbidity: all readings ≤ 20 NTU; optionally ± 5 NTU or $\pm 10\%$ (whichever is greater)

2/17/2014

Form FD 9000-24
GROUNDWATER SAMPLING LOG

SITE NAME: SELF IAMP		SITE LOCATION: Lithia, Florida	
WELL NO: TH-77	SAMPLE ID:	DATE: 2-6-14	

PURGING DATA

WELL DIAMETER (inches): 2	TUBING DIAMETER (inches): 0.5	WELL SCREEN INTERVAL DEPTH: 154.2 feet to 169.2 feet	STATIC DEPTH TO WATER (feet): 88.14	PURGE PUMP TYPE OR BAILER: DBP
WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH - STATIC DEPTH TO WATER) X WELL CAPACITY (only fill out if applicable) = (169.2 feet - 88.14 feet) X .16 gallons/foot = 12.97 gallons				
EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME (only fill out if applicable) = gallons + (gallons/foot X feet) + gallons = gallons				
INITIAL PUMP OR TUBING DEPTH IN WELL (feet): 168.2	FINAL PUMP OR TUBING DEPTH IN WELL (feet): 168.2	PURGING INITIATED AT: 12:31	PURGING ENDED AT: 13:07	TOTAL VOLUME PURGED (gallons): 19.8

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. µS/cm	DISSOLVED OXYGEN mg/L	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
12:55	13.2	13.2	.55	88.41	7.53	23.38	424	.11	7.66	NONE	NONE
13:01	3.3	16.5	.55	88.41	7.52	23.39	424	.10	5.05	↓	↓
13:07	3.3	19.8	.55	88.41	7.53	23.39	424	.09	4.62	↓	↓

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016
PURGING EQUIPMENT CODES: B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; O = Other (Specify)

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: ANDREW BALLOON / ZACK PATTERSON				SAMPLER(S) SIGNATURE(S): <i>Zack Patterson</i>				SAMPLING INITIATED AT: 13:07		SAMPLING ENDED AT: 13:18	
PUMP OR TUBING DEPTH IN WELL (feet): 168.2				TUBING MATERIAL CODE: T				FIELD-FILTERED: Y <input checked="" type="radio"/> N		FILTER SIZE: _____ µm	
FIELD DECONTAMINATION: PUMP Y N <input checked="" type="radio"/> TUBING Y N <input checked="" type="radio"/>				DUPLICATE: Y <input checked="" type="radio"/> N							

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE	SAMPLE PUMP FLOW RATE (mL per minute)
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH			

SEE C.O.C. FOR SAMPLE ANALYSIS DBP= Dedicated bladder pump

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

NOTES: 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)
pH: ± 0.2 units Temperature: ± 0.2 °C Specific Conductance: ± 5% Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater) Turbidity: all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Revision Date: February 2009

Form FD 9000-24
GROUNDWATER SAMPLING LOG

SITE NAME: SELF IAMP		SITE LOCATION: Lithia, Florida	
WELL NO: TH-76	SAMPLE ID:	DATE: 2-6-14	

PURGING DATA

WELL DIAMETER (inches): 2	TUBING DIAMETER (inches): 0.5	WELL SCREEN INTERVAL DEPTH: 163.35 feet to 178.35 feet	STATIC DEPTH TO WATER (feet): 79.70	PURGE PUMP TYPE OR BAILER: DBP
WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH - STATIC DEPTH TO WATER) X WELL CAPACITY (only fill out if applicable) = (178.35 feet - 79.70 feet) X .16 gallons/foot = 15.79 gallons				
EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME (only fill out if applicable) = gallons + (gallons/foot X feet) + gallons = gallons				
INITIAL PUMP OR TUBING DEPTH IN WELL (feet): 177.35	FINAL PUMP OR TUBING DEPTH IN WELL (feet): 177.35	PURGING INITIATED AT: 11:25	PURGING ENDED AT: 12:11	TOTAL VOLUME PURGED (gallons): 24.64

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. µS/cm	DISSOLVED OXYGEN mg/L	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
11:55	15.9	15.9	.53	80.28	7.54	22.54	446	.13	17.1	light cloudy	none
12:03	4.24	20.14	.53	80.28	7.53	22.53	446	.14	19.7	↓	↓
12:11	4.24	24.64	.53	80.28	7.54	22.57	446	.14	18.1	↓	↓

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016
PURGING EQUIPMENT CODES: B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; O = Other (Specify)

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: ANDREW BALLOON / ZACK PATTERSON		SAMPLER(S) SIGNATURE(S):		SAMPLING INITIATED AT: 12:11	SAMPLING ENDED AT: 12:22
PUMP OR TUBING DEPTH IN WELL (feet): 177.35		TUBING MATERIAL CODE: T	FIELD-FILTERED: Y N	FILTER SIZE: _____ µm	
FIELD DECONTAMINATION: PUMP Y N Dedicated		TUBING Y N Dedicated	DUPLICATE: Y N		

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE	SAMPLE PUMP FLOW RATE (mL per minute)
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH			

SEE C.O.C. FOR SAMPLE ANALYSIS DBP = Dedicated bladder pump

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)
SAMPLING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; RFP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

NOTES: 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)
pH: ± 0.2 units Temperature: ± 0.2 °C Specific Conductance: ± 5% Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater) Turbidity: all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Revision Date: February 2009

Form FD 9000-24
GROUNDWATER SAMPLING LOG

SITE NAME: SELF IAMP	SITE LOCATION: LITHIA, FL	
WELL NO:	SAMPLE ID:	DATE: 2-6-14

PURGING DATA

WELL DIAMETER (inches): <input checked="" type="checkbox"/>	TUBING DIAMETER (inches): <input checked="" type="checkbox"/>	WELL SCREEN INTERVAL DEPTH: <input checked="" type="checkbox"/> feet to <input checked="" type="checkbox"/> feet	STATIC DEPTH TO WATER (feet): <input checked="" type="checkbox"/>	PURGE PUMP TYPE OR BAILER: <input checked="" type="checkbox"/>
WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH -- STATIC DEPTH TO WATER) X WELL CAPACITY (only fill out if applicable) = (<u> </u> feet -- <u> </u> feet) X <u> </u> gallons/foot = <u> </u> gallons				
EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME (only fill out if applicable) = <u> </u> gallons + (<u> </u> gallons/foot X <u> </u> feet) + <u> </u> gallons = <u> </u> gallons				
INITIAL PUMP OR TUBING DEPTH IN WELL (feet): <input checked="" type="checkbox"/>	FINAL PUMP OR TUBING DEPTH IN WELL (feet): <input checked="" type="checkbox"/>	PURGING INITIATED AT: <input checked="" type="checkbox"/>	PURGING ENDED AT: <input checked="" type="checkbox"/>	TOTAL VOLUME PURGED (gallons): <input checked="" type="checkbox"/>

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (circle units) μmhos/cm or μS/cm	DISSOLVED OXYGEN (circle units) mg/L or % saturation	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
FIELD BLANK											

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
 TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

PURGING EQUIPMENT CODES: B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; O = Other (Specify)

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: ANDREW BALLOON / ZACK PATTERSON	SAMPLER(S) SIGNATURE(S):	SAMPLING INITIATED AT: 11:30	SAMPLING ENDED AT: 11:45
PUMP OR TUBING DEPTH IN WELL (feet): <input checked="" type="checkbox"/>	TUBING MATERIAL CODE: T	FIELD-FILTERED: Y <input checked="" type="checkbox"/> N	FILTER SIZE: <u> </u> μm
FIELD DECONTAMINATION: PUMP Y <input checked="" type="checkbox"/> N Dedicated		TUBING Y <input checked="" type="checkbox"/> N Dedicated	
DUPLICATE: Y <input checked="" type="checkbox"/> N			

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION			INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE	SAMPLE PUMP FLOW RATE (mL per minute)
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH			

SEE COC FOR ANALYSIS

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; RFPF = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); O = Other (Specify)

NOTES: 1. The above do not constitute all of the information required by Chapter 62-160, F.A.C.
 2. STABILIZATION CRITERIA FOR RANGE OF VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3)
 pH: ± 0.2 units Temperature: ± 0.2 °C Specific Conductance: ± 5% Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2); optionally, ± 0.2 mg/L or ± 10% (whichever is greater) Turbidity: all readings ≤ 20 NTU; optionally ± 5 NTU or ± 10% (whichever is greater)

Revision Date: February 2009

Login Sample Receipt Checklist

Client: Hillsborough Co Public Utilities Dept

Job Number: 660-58967-1

Login Number: 58967

List Source: TestAmerica Tampa

List Number: 1

Creator: McNulty, Carol

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Hillsborough Co Public Utilities Dept

Job Number: 660-58967-1

Login Number: 58967

List Number: 1

Creator: Conner, Keaton

List Source: TestAmerica Savannah

List Creation: 02/08/14 09:06 AM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	