December 5, 2007

252513
JRM
12/28/07

Mr. John Morris, P.G.
Florida Department of Environmental Protection – Southwest District
13051 N. Telecom Parkway
Temple Terrace, Florida 33637

RE: Monitoring Well MW-11B Installation Report
Enterprise Recycling & Disposal Facility
Permit No. 177982-007-SO
HDR Project Number: 0-69055

[MONITOR WELL CONSTRUCTION DETAILS FILED SEPARATELY]

Dear Mr. Morris:

Detection monitoring well MW-11B has been installed as required by Specific Condition E.3 of the above referenced permit. Copies of the well completion report and well construction log for MW-11B are provided in Attachment 1. A map of the monitoring network is provided in Attachment 2.

Monitoring well MW-11B was sampled on November 5, 2007. At the time of sampling monitoring well MW-11 had insufficient water for sampling. Monitoring well MW-11B was sampled for the parameters listed in Specific Condition E.4 of the permit. Dibenzo(a,h)anthracene and Indeno(1,2,3-cd)pyrene were detected in MW-11B at levels above the Florida Groundwater Cleanup Target Levels. These two parameters were also detected in the equipment blank collected with the samples. The presence of these parameters in the equipment blank indicates that the values reported are not representative of actual groundwater quality. To further evaluate this issue, MW-11B will be sampled for Dibenzo(a,h)anthracene and Indeno(1,2,3-cd)pyrene along with the routine semiannual parameter list during the Second Semiannual 2007 sampling event scheduled to begin on December 17th.

Parameters reported at or outside groundwater standards are presented in Attachment 3. A table presenting parameters at or above the laboratory detection limit is presented in Attachment 4. Parameter monitoring Report forms (PMRs) and original laboratory data are presented in Attachments 5 and 6, respectively.

If you have any questions regarding this report, please contact me at (352) 682-0781.

Sincerely,

John D. Locklear, P.G.
Senior Project Manager

C \Environmental\Environmental\EnvDocs\Angelos Enterprise\07S1\07S1_letter doc

Xc Jeff Rogers, Angelo's
Andy Alipour, Pasco County
John Arnold

Attachment 1	Well Completion Report and Well Log
Attachment 2	Site Location Map
Attachment 3:	Analysis Results Compared to Groundwater Standards
Attachment 4	Groundwater Parameters At or Above the Laboratory Detection Limit
Attachment 5	Parameter Monitoring Report Forms
Attachment 6	Original Laboratory Data Including Chain-Of-Custody Forms

HDR Engineering, Inc

4140 NW 37th Place
Suite A
Gainesville, FL 32606-8153

Phone (352) 642-1100
Fax (352) 642-1101
www hdrinc com

ANALYSIS RESULTS COMPARED TO GROUNDWATER STANDARDS
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
NOVEMBER 2007

PARAMETER		DIBENZO (A,H) ANTHRA-CENE	INDENO (1,2,3-cd) PYRENE
STANDARD		0 005 µg/L***	0 05 µg/L***
Detection			
MW-11B	11/05/07	0 38	0 3
QAQC			
EQUBLK	11/05/07	0 34	0 26

LEGEND

- * =Primary Drinking Water Standard
- ** =Secondary Drinking Water Standard
- *** =Chapter 62-777-Groundwater Cleanup Target Level (GCTL)
- @ =Analysis Result is at Groundwater Standard
- - =Analysis Result is not at or outside Groundwater Standard
- NS =Not Sampled
- NM =Not Measured

Note:

This table displays analysis results which were reported at or outside Groundwater Standards
Analysis results notated with "@" indicate that the analysis result was reported at the Groundwater Standard
Analysis results which were reported above the laboratory detection limit (reporting limit), but not at or above the Groundwater Standard are not displayed in this table

PARAMETERS AT OR ABOVE THE LABORATORY DETECTION LIMIT
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
NOVEMBER 2007

PARAMETER		CONDUC-TIVITY (FIELD)	DISSOLVED OXYGEN (FIELD)	pH (FIELD)	REDOX POTENTIAL	TEMPER-ATURE (FIELD)	TURBIDITY (FIELD)	CHLORIDE	NITRATE NITROGEN	NITRATE/ NITRITE	TOTAL DISSOLVED SOLIDS	CHROMIUM	IRON	SODIUM	VANADIUM
STANDARD		(1)	(1)	6 5-8 5 S U **	(1)	(1)	(1)	250 mg/L**	10 mg/L*	10 mg/L*	500 mg/L**	100 µg/L*	300 µg/L**	160 mg/L*	49 µg/L***
UNITS		umhos/cm	ppm	S U	mV	deg C	NTU	mg/L	mg/L	mg/L	mg/L	µg/L	µg/L	mg/L	µg/L
Detection															
MW-11B	11/05/07	254	5 88	6 97	121 0	24 57	1 84	7 5	2 4	2 4	160	3 01 I	195	4 33	2 63 I

LEGEND

* =Primary Drinking Water Standard
** =Secondary Drinking Water Standard
*** =Chapter 62-777-Groundwater Cleanup Target Level (GCTL)
(1) =No Standard
\- =Not Analyzed

I = Value is between the Method Detection Level (MDL) and the Reporting Detection Level (RDL)
J = Estimated value
V = Analyte found in associated method blank
Q = Estimated value, analyte analyzed after acceptable holding time

PARAMETERS AT OR ABOVE THE LABORATORY DETECTION LIMIT
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
NOVEMBER 2007

PARAMETER		DICHLORO-DIFLUORO-METHANE	TRICHLORO-FLUORO-METHANE	BENZO (B) FLUORAN-THENE	BENZO (GHI) PERYLENE	BENZO (K) FLUORAN-THENE	DIBENZO (A,H) ANTHRA-CENE	INDENO (1,2,3-cd) PYRENE
STANDARD		1400 µg/L***	2100 µg/L***	0 05 µg/L***	210 µg/L***	0 5 µg/L***	0 005 µg/L***	0 05 µg/L***
UNITS		µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L
Detection								
MW-11B	11/05/07	0 71 I	2 6	0 023 I	0 13	0 023 I	0 38	0 30

LEGEND

*	=Primary Drinking Water Standard	I	= Value is between the Method Detection Level (MDL) and the Reporting Detection Level (RDL)
**	=Secondary Drinking Water Standard	J	= Estimated value
***	=Chapter 62-777-Groundwater Cleanup Target Level (GCTL)	V	= Analyte found in associated method blank
(1)	=No Standard	Q	= Estimated value, analyte analyzed after acceptable holding time
-	=Not Analyzed		

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 22593

Well Name: MW-11B

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 2:34:00 PM

Report Period: NOVEMBER 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
000094	CONDUCTIVITY (FIELD)	SP	No	EPA 120 1	11/05/07 2 34 00 PM	254	umhos/cm	
000400	pH (FIELD)	SP	No	EPA 1501	11/05/07 2 34 00 PM	6 97	pH Units	
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160 1	11/07/07 11 30 00 PM	160	mg/L	10mg/L
000010	TEMPERATURE (FIELD)	SP	No	EPA 170 1	11/05/07 2 34 00 PM	24 57	°C	
082078	TURBIDITY (FIELD)	SP	No	EPA 180 1	11/05/07 2 34 00 PM	1 84	NTU	
000630	NITRATE/NITRITE	SP	No	EPA 300	11/06/07 3 42 00 PM	2 4	mg/L	0 007mg/L
000940	CHLORIDE	SP	No	EPA 300 0	11/06/07 3 42 00 PM	7 5	mg/L	0 05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300 0	11/06/07 3 42 00 PM	2 4	mg/L	0 008mg/L
000615	NITRITE NITROGEN (TOTAL AS N)	SP	No	EPA 300 0	11/06/07 3 42 00 PM	<0 007	mg/L	0 007mg/L
000720	CYANIDE	SP	No	EPA 335 2	11/07/07 7 30 00 PM	<0 0054	mg/L	0 0054mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350 1	11/07/07 3 25 00 PM	<0 008	mg/L	0 008mg/L
000299	DISSOLVED OXYGEN (FIELD)	SP	No	EPA 360 1	11/05/07 2 34 00 PM	5 88	mg/L	
000745	TOTAL SULFIDE	SP	No	EPA 376 1	11/06/07 7 40 00 PM	<0 45	mg/L	0 45mg/L
001097	ANTIMONY	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 820	ug/L	0 820ug/L
001002	ARSENIC	SP	No	EPA 6020	11/08/07 4 14 00 PM	<1 10	ug/L	1 10ug/L
001007	BARIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	<5 00	ug/L	5 00ug/L
001012	BERYLLIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 730	ug/L	0 730ug/L
001027	CADMIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 820	ug/L	0 820ug/L
001034	CHROMIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	3 01 I	ug/L	0 690ug/L
001037	COBALT	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 500	ug/L	0 500ug/L
001042	COPPER	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 500	ug/L	0 500ug/L
001045	IRON	SP	No	EPA 6020	11/08/07 4 14 00 PM	195	ug/L	2 80ug/L
001051	LEAD	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 500	ug/L	0 500ug/L
001067	NICKEL	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 500	ug/L	0.500ug/L
001147	SELENIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	<3 10	ug/L	3 10ug/L
001077	SILVER	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 072	ug/L	0 072ug/L
000929	SODIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	4 33	mg/L	0 1 µg/L
001059	THALLIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	<0 200	ug/L	0 200ug/L
001102	TIN	SP	No	EPA 6020	11/08/07 4 14 00 PM	<5 30	ug/L	5 30ug/L
001087	VANADIUM	SP	No	EPA 6020	11/08/07 4 14 00 PM	2 63 I	ug/L	0 500ug/L
001092	ZINC	SP	No	EPA 6020	11/08/07 4 14 00 PM	<6 60	ug/L	6 60ug/L
071900	MERCURY	SP	No	EPA 7470A	11/13/07 7 46 00 AM	<0 009	ug/L	0 009ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	11/12/07 4 24 00 PM	<0 008	ug/L	0 008ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	11/12/07 4 24 00 PM	<0 010	ug/L	0 010ug/L
039360	4,4'-DDD	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0020	ug/L	0 0020ug/L
039365	4,4'-DDE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0019	ug/L	0 0019ug/L
039370	4,4'-DDT	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0014	ug/L	0 0014ug/L
039330	ALDRIN PQL @ 0.05 OK	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0071 0.002	ug/L	0 0071ug/L
039348	ALPHA CHLORDANE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0017	ug/L	0 0017ug/L
039337	ALPHA-BHC	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0018	ug/L	0 0018ug/L
039338	BETA-BHC	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0017	ug/L	0 0017ug/L
039350	CHLORDANE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 031	ug/L	0 031ug/L
034259	DELTA-BHC	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0014	ug/L	0 0014ug/L
039380	DIELDRIN	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0012	ug/L	0 0012ug/L
034361	ENDOSULFAN I	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0013	ug/L	0 0013ug/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 22593

Well Name: MW-11B

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 2:34:00 PM

Report Period: NOVEMBER 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
034356	ENDOSULFAN II	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0020	ug/L	0 0020ug/L
034351	ENDOSULFAN SULFATE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0025	ug/L	0 0025ug/L
039390	ENDRIN	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0012	ug/L	0 0012ug/L
034366	ENDRIN ALDEHYDE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0027	ug/L	0 0027ug/L NE
039810	GAMMA CHLORDANE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0019	ug/L	0 0019ug/L
039340	GAMMA-BHC (LINDANE)	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0034	ug/L	0 0034ug/L
039410	HEPTACHLOR	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0021	ug/L	0 0021ug/L
039420	HEPTACHLOR EPOXIDE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0021	ug/L	0 0021ug/L
039480	METHOXYCHLOR	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 0021	ug/L	0 0021ug/L
039400	TOXAPHENE	SP	No	EPA 8081A	11/09/07 3 39 00 AM	<0 090	ug/L	0 090ug/L
081297	PCB 1016/1242	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 057	ug/L	0 057ug/L
039488	PCB-1221	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 076	ug/L	0 076ug/L
039492	PCB-1232	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 21	ug/L	0 21ug/L
039500	PCB-1248	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 14	ug/L	0 14ug/L
039504	PCB-1254	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 46	ug/L	0 46ug/L
039508	PCB-1260	SP	No	EPA 8082	11/09/07 7 39 00 AM	<0 089	ug/L	0 089ug/L
039740	2,4,5-T	SP	No	EPA 8151A	11/09/07 1 18 00 AM	<0 11	ug/L	0 11ug/L
039730	2,4-D	SP	No	EPA 8151A	11/09/07 1 18 00 AM	<0 12	ug/L	0 12ug/L
030191	DINOSEB	SP	No	EPA 8151A	11/09/07 1 18 00 AM	<0 23	ug/L	0 23ug/L
039032	PENTACHLOROPHENOL	SP	No	EPA 8151A	11/09/07 1 18 00 AM	<0 13	ug/L	0 13ug/L
039760	SILVEX (2,4,5-TP)	SP	No	EPA 8151A	11/09/07 1 18 00 AM	<0 11	ug/L	0 11ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 24	ug/L	0 24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 27	ug/L	0 27ug/L
034516	1,1,2,2-TETRACHLOROETHANE PQL @ 2 OK	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 22	ug/L	0 22ug/L 0.2
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 33	ug/L	0 33ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 28	ug/L	0 28ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 40	ug/L	0 40ug/L
077168	1,1-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 35	ug/L	0 35ug/L NE
034551	1,2,4-TRICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 19	ug/L	0 19ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 33	ug/L	0 33ug/L
034531	1 2-DICHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 18	ug/L	0 18ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 33	ug/L	0 33ug/L
034566	1,3-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 27	ug/L	0 27ug/L
077173	1,3-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 19	ug/L	0 19ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 33	ug/L	0 33ug/L
077170	2,2-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 32	ug/L	0 32ug/L NE
077103	2-HEXANONE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 75	ug/L	0 75ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 97	ug/L	0 97ug/L
081552	ACETONE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 74	ug/L	0 74ug/L
076997	ACETONITRILE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<9 7	ug/L	9 7ug/L
034210	ACROLEIN PQL @ 20 OK	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<7 1 3.5	ug/L	7 1ug/L
034215	ACRYLONITRILE PQL @ 20 OK	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<1 9 0.06	ug/L	1 9ug/L
078109	ALLYL CHLORIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 35	ug/L	0 35ug/L
034030	BENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 32	ug/L	0 32ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 31	ug/L	0 31ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 22593

Well Name: MW-11B

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 2:34:00 PM

Report Period: NOVEMBER 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 19	ug/L	0 19ug/L
032104	BROMOFORM	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 28	ug/L	0 28ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 65	ug/L	0 65ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 30	ug/L	0 30ug/L
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 24	ug/L	0 24ug/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 27	ug/L	0 27ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 37	ug/L	0 37ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 22	ug/L	0 22ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 35	ug/L	0 35ug/L
081520	CHLOROPRENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 58	ug/L	0 58ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 18	ug/L	0 18ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 20	ug/L	0 20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 23	ug/L	0 23ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 15	ug/L	0 15ug/L
034668	DICHLORODIFLUOROMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	0 71 I	ug/L	0 63ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 32	ug/L	0 32ug/L
073570	ETHYLMETHACRYLATE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 48	ug/L	0 48ug/L
077033	ISOBUTYL ALCOHOL	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<19	ug/L	19ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 44	ug/L	0 44ug/L
081593	METHACRYLONITRILE PQL@10 OK	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<2 9	ug/L	2 9ug/L 0.7
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<2 5	ug/L	2 5ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 98	ug/L	0 98ug/L NE
081597	METHYL METHACRYLATE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 50	ug/L	0 50ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 19	ug/L	0 19ug/L
034696	NAPHTHALENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 43	ug/L	0 43ug/L
077135	O-XYLENES	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 21	ug/L	0 21ug/L
077007	PROPIONITRILE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<3 1	ug/L	3 1ug/L NE
077128	STYRENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 18	ug/L	0 18ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 47	ug/L	0 47ug/L
034010	TOLUENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 35	ug/L	0 35ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 39	ug/L	0 39ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 20	ug/L	0 20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 54	ug/L	0 54ug/L NE
039180	TRICHLOROETHENE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 26	ug/L	0 26ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	2 6	ug/L	0 45ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 42	ug/L	0 42ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 91	ug/L	0 91ug/L
081551	XYLENES	SP	No	EPA 8260B	11/07/07 2 43 00 AM	<0 60	ug/L	0 60ug/L
034391	HEXACHLOROBUTADIENE	SP	No	EPA 8260C	11/19/07 1 57 00 PM	<0 025	ug/L	0 025ug/L
073652	000-TRIETHYLPHOSPHOROTHIOATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L NE
077734	1,2,4,5-TETRACHLOROBENZENE (DIOXIN) PQL 18	SP OK	No	EPA 8270C	11/19/07 1 57 00 PM	<2 3	ug/L	2 3ug/L 2.1
073653	1,3,5-TRINITROBENZENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<4 0	ug/L	4 0ug/L
073599	1,4-NAPHTHOQUINONE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 2	ug/L	3 2ug/L NE
073600	1-NAPHTHYLAMINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 5	ug/L	3 5ug/L NE
077770	2,3,4,6-TETRACHLOROPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results	**Sampling Date/Time:** 11/05/07 2:34:00 PM
Facility GMS #:	**Report Period:** NOVEMBER 2007
Test Site ID #: 22593	**Well Purged:** YES
Well Name: MW-11B	**Well Type:** [ ] Background
	[ ] Intermediate
Classification of Ground Water: GII	[ ] Compliance
	[ ] Other
Ground Water Elevation (NGVD):	[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
077687	2,4,5-TRICHLOROPHENOL PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L 1
034621	2,4,6-TRICHLOROPHENOL PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<6 1	ug/L	6 1ug/L 3.2
034601	2,4-DICHLOROPHENOL PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<5 8	ug/L	5 8ug/L 0.3
034606	2,4-DIMETHYLPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<5 2	ug/L	5 2ug/L
034616	2,4-DINITROPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<5 7	ug/L	5 7ug/L
034611	2,4-DINITROTOLUENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 012	ug/L	0 012ug/L
077541	2,6-DICHLOROPHENOL PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L 0.2
034626	2,6-DINITROTOLUENE PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L 0.05
073501	2-ACETYLAMINOFLUORENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 2 NE	ug/L	3 2ug/L
034581	2-CHLORONAPHTHALENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L
034586	2-CHLOROPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<5 7	ug/L	5 7ug/L
077416	2-METHYLNAPHTHALENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 5	ug/L	2 5ug/L
073601	2-NAPHTHYLAMINE PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 6	ug/L	3 6ug/L 0.0003
034591	2-NITROPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<6 1	ug/L	6 1ug/L NE
977148	3 & 4-METHYL PHENOL PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<4 7	ug/L	4 7ug/L 3.5
034631	3,3'-DICHLOROBENZIDINE PQL 50 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 2	ug/L	3 2ug/L 0.08
082213	3,3'-DIMETHYLBENZIDINE PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 2	ug/L	2 2ug/L 0.004
073591	3-METHYLCHOLANTHRENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L NE
077581	4-AMINOBIPHENYL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 2 NE	ug/L	3 2ug/L
034636	4-BROMOPHENYL PHENYL ETHER	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
073529	4-CHLOROANILINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L
034641	4-CHLOROPHENYL PHENYL ETHER	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
034646	4-NITROPHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 6	ug/L	2 6ug/L
073622	5-NITRO-O-TOLUIDINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
073559	7,12DIMETHYLBENZ (A) ANTHRACENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 3	ug/L	2 3ug/L NE
034205	ACENAPHTHENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L
034200	ACENAPHTHYLENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 023	ug/L	0 023ug/L
081553	ACETOPHENONE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 3	ug/L	3 3ug/L
034220	ANTHRACENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 021	ug/L	0 021ug/L
034526	BENZO (A) ANTHRACENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 025	ug/L	0 025ug/L
034247	BENZO (A) PYRENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 019	ug/L	0 019ug/L
034230	BENZO (B) FLUORANTHENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	0 023 I	ug/L	0 021ug/L
034521	BENZO (GHI) PERYLENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	0 13	ug/L	0 071ug/L
034242	BENZO (K) FLUORANTHENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	0 023 I	ug/L	0 020ug/L
077147	BENZYL ALCOHOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L
034292	BENZYL BUTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 6	ug/L	3 6ug/L
034278	BIS (2-CHLOROETHOXY) METHANE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
034273	BIS (2-CHLOROETHYL) ETHER PQL @ 10 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L 0.03
034283	BIS (2-CHLOROISOPROPYL) ETHER PQL @ 10	SP OK	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L 0.5
039100	BIS (2-ETHYLHEXYL) PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 4	ug/L	3 4ug/L
039460	CHLOROBENZILATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 015	ug/L	0 015ug/L
034320	CHRYSENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 024	ug/L	0 024ug/L
073540	DIALLATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 021	ug/L	0.021ug/L
034556	DIBENZO (A,H) ANTHRACENE PQL @ 0.2 OK	SP	No	EPA 8270C	11/19/07 1 57 00 PM	0 38	ug/L	0 078ug/L 0.005
081302	DIBENZOFURAN	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 1	ug/L	3 1ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 22593

Well Name: MW-11B

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 2:34:00 PM

Report Period: NOVEMBER 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
034336	DIETHYL PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L
046314	DIMETHOATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 019	ug/L	0 019ug/L
034341	DIMETHYL PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 7	ug/L	3 7ug/L
039110	DI-n-BUTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L
034596	DI-n-OCTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 6	ug/L	3 6ug/L
081888	DISULFOTON	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 042	ug/L	0 042ug/L
039540	ETHYL PARATHION	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 017	ug/L	0 017ug/L
073571	ETHYLMETHANESULFONATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 0	ug/L	3 0ug/L NE
038462	FAMPHUR	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L
034376	FLUORANTHENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 024	ug/L	0 024ug/L
034381	FLUORENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L
039700	HEXACHLOROBENZENE (HCB)	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 027	ug/L	0 027ug/L
034386	HEXACHLOROCYCLOPENTADIENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<1 6	ug/L	1 6ug/L
034396	HEXACHLOROETHANE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 1	ug/L	2 1ug/L
073576	HEXACHLOROPROPENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<1 8	ug/L	1 8ug/L NE
034403	INDENO (1,2,3-cd) PYRENE PQL@0.2 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	0 30	ug/L	0 062ug/L 0.05
039430	ISODRIN	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L NE
034408	ISOPHORONE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L
073582	ISOSAFROLE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 1	ug/L	3 1ug/L NE
081281	KEPONE PQL@4, ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 5	ug/L	3 5ug/L 0.004
045622	M-DINITROBENZENE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 1	ug/L	3 1ug/L 0.7
073589	METHAPYRILENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<9 3	ug/L	9 3ug/L NE
073595	METHYL METHANESULFONATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 3	ug/L	2 3ug/L NE
039600	METHYL PARATHION	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 014	ug/L	0 014ug/L
078300	M-NITROANILINE PQL@50 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 3	ug/L	3 3ug/L 1.7
034447	NITROBENZENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L
073611	N-NITROSODIETHYLAMINE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L 0.0002
034438	N-NITROSODIMETHYLAMINE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<1 8	ug/L	1 8ug/L 0.0007
073609	N-NITROSODI-N-BUTYLAMINE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L 0.006
034428	N-NITROSODI-N-PROPYLAMINE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 4	ug/L	3 4ug/L 0.005
034433	N-NITROSODIPHENYLAMINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 5	ug/L	3 5ug/L
073613	N-NITROSOMETHYLETHALAMINE PQL@10	SP ok	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L 0.002
073619	N-NITROSOPIPERIDINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L NE
078206	N-NITROSOPYRROLIDINE PQL@10 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L 0.02
077152	O-CRESOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 4	ug/L	2 4ug/L
078142	O-NITROANILINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 7	ug/L	3 7ug/L
077142	O-TOLUIDINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
034452	P-CHLORO-M-CRESOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<6 3	ug/L	6 3ug/L
073558	P-DIMETHYLAMINO AZOBENZENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 9	ug/L	2 9ug/L NE
077793	PENTACHLOROBENZENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 5	ug/L	2 5ug/L
081316	PENTACHLORONITROBENZENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 019	ug/L	0 019ug/L
073626	PHENACETIN	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 2	ug/L	3 2ug/L NE
034461	PHENANTHRENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 029	ug/L	0 029ug/L
034694	PHENOL	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 6	ug/L	2 6ug/L
046313	PHORATE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 029	ug/L	0 029ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 22593

Well Name: MW-11B

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 2:34:00 PM

Report Period: NOVEMBER 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
030342	P-NITROANILINE PQL @ 50 ok	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<3 3	ug/L	3 3ug/L 1.7
073628	P-PHENYLENEDIAMINE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<7 3	ug/L	7.3ug/L
039080	PRONAMIDE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L
034469	PYRENE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<0 024	ug/L	0 024ug/L
077545	SAFROLE	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 7	ug/L	2 7ug/L NE
073553	THIONAZIN	SP	No	EPA 8270C	11/19/07 1 57 00 PM	<2 8	ug/L	2 8ug/L NE
046480	REDOX POTENTIAL (FIELD)	SP	No	SM2580B	11/05/07 2 34 00 PM	121 0	mV	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07IAE-EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 3:23:00 PM

Report Period: NOVEMBER 2007

Well Purged:

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160 1	11/07/07 11 30 00 PM	<10	mg/L	10mg/L
000630	NITRATE/NITRITE	SP	No	EPA 300	11/06/07 3 58 00 PM	0 083	mg/L	0 007mg/L
000940	CHLORIDE	SP	No	EPA 300 0	11/06/07 3 58 00 PM	0 85 I	mg/L	0 05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300 0	11/06/07 3 58 00 PM	0 083	mg/L	0 008mg/L
000615	NITRITE NITROGEN (TOTAL AS N)	SP	No	EPA 300 0	11/06/07 3 58 00 PM	<0 007	mg/L	0 007mg/L
000720	CYANIDE	SP	No	EPA 335 2	11/07/07 7 30 00 PM	<0 0054	mg/L	0 0054mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350 1	11/07/07 3 27 00 PM	<0 008	mg/L	0 008mg/L
000745	TOTAL SULFIDE	SP	No	EPA 376 1	11/06/07 7 40 00 PM	<0 45	mg/L	0 45mg/L
001097	ANTIMONY	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 820	ug/L	0 820ug/L
001002	ARSENIC	SP	No	EPA 6020	11/08/07 2 50 00 PM	<1 10	ug/L	1 10ug/L
001007	BARIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<5 00	ug/L	5 00ug/L
001012	BERYLLIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 730	ug/L	0 730ug/L
001027	CADMIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 820	ug/L	0 820ug/L
001034	CHROMIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	1 46 I	ug/L	0 690ug/L
001037	COBALT	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 500	ug/L	0 500ug/L
001042	COPPER	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 500	ug/L	0 500ug/L
001045	IRON	SP	No	EPA 6020	11/08/07 2 50 00 PM	<2 80	ug/L	2 80ug/L
001051	LEAD	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 500	ug/L	0 500ug/L
001067	NICKEL	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 500	ug/L	0 500ug/L
001147	SELENIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<3 10	ug/L	3 10ug/L
001077	SILVER	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 072	ug/L	0 072ug/L
000929	SODIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 1	mg/L	0 1 µg/L
001059	THALLIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 200	ug/L	0 200ug/L
001102	TIN	SP	No	EPA 6020	11/08/07 2 50 00 PM	<5 30	ug/L	5 30ug/L
001087	VANADIUM	SP	No	EPA 6020	11/08/07 2 50 00 PM	<0 500	ug/L	0 500ug/L
001092	ZINC	SP	No	EPA 6020	11/08/07 2 50 00 PM	<6 60	ug/L	6 60ug/L
071900	MERCURY	SP	No	EPA 7470A	11/13/07 7 24 00 AM	<0 009	ug/L	0 009ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	11/12/07 4 35 00 PM	<0 008	ug/L	0 008ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	11/12/07 4 35 00 PM	<0 010	ug/L	0 010ug/L
039360	4,4'-DDD	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0020	ug/L	0 0020ug/L
039365	4,4'-DDE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0019	ug/L	0 0019ug/L
039370	4,4'-DDT	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0014	ug/L	0 0014ug/L
039330	ALDRIN	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0071	ug/L	0 0071ug/L
039348	ALPHA CHLORDANE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0017	ug/L	0 0017ug/L
039337	ALPHA-BHC	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0018	ug/L	0 0018ug/L
039338	BETA-BHC	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0017	ug/L	0 0017ug/L
039350	CHLORDANE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 031	ug/L	0 031ug/L
034259	DELTA-BHC	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0014	ug/L	0 0014ug/L
039380	DIELDRIN	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0012	ug/L	0 0012ug/L
034361	ENDOSULFAN I	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0013	ug/L	0 0013ug/L
034356	ENDOSULFAN II	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0020	ug/L	0 0020ug/L
034351	ENDOSULFAN SULFATE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0025	ug/L	0 0025ug/L
039390	ENDRIN	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0012	ug/L	0 0012ug/L
034366	ENDRIN ALDEHYDE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0027	ug/L	0 0027ug/L
039810	GAMMA CHLORDANE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0019	ug/L	0 0019ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results | **Sampling Date/Time:** 11/05/07 3:23:00 PM

Facility GMS #: | **Report Period:** NOVEMBER 2007

Test Site ID #: | **Well Purged:**

Well Name: EQUBLK (07IAE-EQB)

Well Type: [ ] Background [ ] Intermediate [ ] Compliance [ ] Other [ ] Detection

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
039340	GAMMA-BHC (LINDANE)	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0034	ug/L	0 0034ug/L
039410	HEPTACHLOR	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0021	ug/L	0 0021ug/L
039420	HEPTACHLOR EPOXIDE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0021	ug/L	0 0021ug/L
039480	METHOXYCHLOR	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 0021	ug/L	0 0021ug/L
039400	TOXAPHENE	SP	No	EPA 8081A	11/09/07 4 03 00 AM	<0 090	ug/L	0 090ug/L
081297	PCB 1016/1242	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 057	ug/L	0 057ug/L
039488	PCB-1221	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 076	ug/L	0 076ug/L
039492	PCB-1232	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 21	ug/L	0 21ug/L
039500	PCB-1248	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 14	ug/L	0 14ug/L
039504	PCB-1254	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 46	ug/L	0 46ug/L
039508	PCB-1260	SP	No	EPA 8082	11/09/07 8 03 00 AM	<0 089	ug/L	0 089ug/L
039740	2,4,5-T	SP	No	EPA 8151A	11/09/07 1 51 00 AM	<0 11	ug/L	0 11ug/L
039730	2,4-D	SP	No	EPA 8151A	11/09/07 1 51 00 AM	<0 12	ug/L	0 12ug/L
030191	DINOSEB	SP	No	EPA 8151A	11/09/07 1 51 00 AM	<0 23	ug/L	0 23ug/L
039032	PENTACHLOROPHENOL	SP	No	EPA 8151A	11/09/07 1 51 00 AM	<0 13	ug/L	0 13ug/L
039760	SILVEX (2,4,5-TP)	SP	No	EPA 8151A	11/09/07 1 51 00 AM	<0 11	ug/L	0 11ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 24	ug/L	0 24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 27	ug/L	0 27ug/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 22	ug/L	0 22ug/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 33	ug/L	0 33ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 28	ug/L	0 28ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 40	ug/L	0 40ug/L
077168	1,1-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 35	ug/L	0 35ug/L
034551	1,2,4-TRICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 19	ug/L	0 19ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 33	ug/L	0 33ug/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 18	ug/L	0 18ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 33	ug/L	0 33ug/L
034566	1,3-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 27	ug/L	0 27ug/L
077173	1,3-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 19	ug/L	0 19ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 33	ug/L	0 33ug/L
077170	2,2-DICHLOROPROPANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 32	ug/L	0 32ug/L
077103	2-HEXANONE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 75	ug/L	0 75ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 97	ug/L	0 97ug/L
081552	ACETONE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 74	ug/L	0 74ug/L
076997	ACETONITRILE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<9 7	ug/L	9 7ug/L
034210	ACROLEIN	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<7 1	ug/L	7 1ug/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<1 9	ug/L	1 9ug/L
078109	ALLYL CHLORIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 35	ug/L	0 35ug/L
034030	BENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 32	ug/L	0.32ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 31	ug/L	0 31ug/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 19	ug/L	0 19ug/L
032104	BROMOFORM	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 28	ug/L	0 28ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 65	ug/L	0 65ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 30	ug/L	0 30ug/L
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 24	ug/L	0 24ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07IAE-EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 3:23:00 PM

Report Period: NOVEMBER 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
034301	CHLOROBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 27	ug/L	0 27ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 37	ug/L	0 37ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 22	ug/L	0 22ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 35	ug/L	0 35ug/L
081520	CHLOROPRENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 58	ug/L	0 58ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 18	ug/L	0 18ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 20	ug/L	0 20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 23	ug/L	0 23ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 15	ug/L	0 15ug/L
034668	DICHLORODIFLUOROMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 63	ug/L	0 63ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 32	ug/L	0 32ug/L
073570	ETHYLMETHACRYLATE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 48	ug/L	0 48ug/L
077033	ISOBUTYL ALCOHOL	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<19	ug/L	19ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 44	ug/L	0 44ug/L
081593	METHACRYLONITRILE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<2 9	ug/L	2 9ug/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<2 5	ug/L	2 5ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 98	ug/L	0 98ug/L
081597	METHYL METHACRYLATE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 50	ug/L	0 50ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 19	ug/L	0 19ug/L
034696	NAPHTHALENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 43	ug/L	0 43ug/L
077135	O-XYLENES	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 21	ug/L	0 21ug/L
077007	PROPIONITRILE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<3 1	ug/L	3 1ug/L
077128	STYRENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 18	ug/L	0 18ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 47	ug/L	0 47ug/L
034010	TOLUENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 35	ug/L	0 35ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 39	ug/L	0 39ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 20	ug/L	0 20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 54	ug/L	0 54ug/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 26	ug/L	0 26ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 45	ug/L	0 45ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 42	ug/L	0 42ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 91	ug/L	0 91ug/L
081551	XYLENES	SP	No	EPA 8260B	11/07/07 3 12 00 AM	<0 60	ug/L	0 60ug/L
034391	HEXACHLOROBUTADIENE	SP	No	EPA 8260C	11/07/07 3 12 00 AM	<0 025	ug/L	0 025ug/L
073652	000-TRIETHYLPHOSPHOROTHIOATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L
077734	1,2,4,5-TETRACHLOROBENZENE (DIOXIN)	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 3	ug/L	2 3ug/L
073653	1,3,5-TRINITROBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<4 0	ug/L	4 0ug/L
073599	1,4-NAPHTHOQUINONE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 2	ug/L	3 2ug/L
073600	1-NAPHTHYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 5	ug/L	3 5ug/L
077770	2,3,4,6-TETRACHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
077687	2,4,5-TRICHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
034621	2,4,6-TRICHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<6 1	ug/L	6 1ug/L
034601	2,4-DICHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<5 8	ug/L	5 8ug/L
034606	2,4-DIMETHYLPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<5 2	ug/L	5 2ug/L
034616	2,4-DINITROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<5 7	ug/L	5 7ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07IAE-EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 3:23:00 PM

Report Period: NOVEMBER 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
034611	2,4-DINITROTOLUENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 012	ug/L	0 012ug/L
077541	2,6-DICHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
034626	2,6-DINITROTOLUENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
073501	2-ACETYLAMINOFLUORENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 2	ug/L	3 2ug/L
034581	2-CHLORONAPHTHALENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034586	2-CHLOROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<5 7	ug/L	5 7ug/L
077416	2-METHYLNAPHTHALENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 5	ug/L	2 5ug/L
073601	2-NAPHTHYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 6	ug/L	3 6ug/L
034591	2-NITROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<6 1	ug/L	6 1ug/L
977148	3 & 4-METHYL PHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<4 7	ug/L	4 7ug/L
034631	3,3'-DICHLOROBENZIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 2	ug/L	3 2ug/L
082213	3,3'-DIMETHYLBENZIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 2	ug/L	2 2ug/L
073591	3-METHYLCHOLANTHRENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L
077581	4-AMINOBIPHENYL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 2	ug/L	3 2ug/L
034636	4-BROMOPHENYL PHENYL ETHER	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
073529	4-CHLOROANILINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
034641	4-CHLOROPHENYL PHENYL ETHER	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034646	4-NITROPHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 6	ug/L	2 6ug/L
073622	5-NITRO-O-TOLUIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
073559	7,12DIMETHYLBENZ (A) ANTHRACENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 3	ug/L	2 3ug/L
034205	ACENAPHTHENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
034200	ACENAPHTHYLENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 023	ug/L	0 023ug/L
081553	ACETOPHENONE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 3	ug/L	3 3ug/L
034220	ANTHRACENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 021	ug/L	0 021ug/L
034526	BENZO (A) ANTHRACENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 025	ug/L	0 025ug/L
034247	BENZO (A) PYRENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 019	ug/L	0 019ug/L
034230	BENZO (B) FLUORANTHENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 021	ug/L	0 021ug/L
034521	BENZO (GHI) PERYLENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	0 094 I	ug/L	0 071ug/L
034242	BENZO (K) FLUORANTHENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 020	ug/L	0 020ug/L
077147	BENZYL ALCOHOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034292	BENZYL BUTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 6	ug/L	3 6ug/L
034278	BIS (2-CHLOROETHOXY) METHANE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034273	BIS (2-CHLOROETHYL) ETHER	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
034283	BIS (2-CHLOROISOPROPYL) ETHER	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
039100	BIS (2-ETHYLHEXYL) PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 4	ug/L	3 4ug/L
039460	CHLOROBENZILATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 015	ug/L	0 015ug/L
034320	CHRYSENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 024	ug/L	0 024ug/L
073540	DIALLATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 021	ug/L	0 021ug/L
034556	DIBENZO (A,H) ANTHRACENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	0 34	ug/L	0 078ug/L
081302	DIBENZOFURAN	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 1	ug/L	3 1ug/L
034336	DIETHYL PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L
046314	DIMETHOATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 019	ug/L	0 019ug/L
034341	DIMETHYL PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21·00 PM	<3 7	ug/L	3 7ug/L
039110	DI-n-BUTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
034596	DI-n-OCTYL PHTHALATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 6	ug/L	3 6ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Sampling Date/Time: 11/05/07 3:23:00 PM

Facility GMS #:

Report Period: NOVEMBER 2007

Test Site ID #:

Well Purged:

Well Name: EQUBLK (07IAE-EQB)

Well Type: [ ] Background [ ] Intermediate [ ] Compliance [ ] Other [ ] Detection

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
081888	DISULFOTON	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 042	ug/L	0 042ug/L
039540	ETHYL PARATHION	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 017	ug/L	0 017ug/L
073571	ETHYLMETHANESULFONATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 0	ug/L	3 0ug/L
038462	FAMPHUR	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034376	FLUORANTHENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 024	ug/L	0 024ug/L
034381	FLUORENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
039700	HEXACHLOROBENZENE (HCB)	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 027	ug/L	0 027ug/L
034386	HEXACHLOROCYCLOPENTADIENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<1 6	ug/L	1 6ug/L
034396	HEXACHLOROETHANE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 1	ug/L	2 1ug/L
073576	HEXACHLOROPROPENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<1 8	ug/L	1 8ug/L
034403	INDENO (1,2,3-cd) PYRENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	0 26	ug/L	0 062ug/L
039430	ISODRIN	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2.7ug/L
034408	ISOPHORONE	SP	No	EPA 8270C	11/19/07 2 21.00 PM	<2 9	ug/L	2 9ug/L
073582	ISOSAFROLE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 1	ug/L	3 1ug/L
081281	KEPONE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 5	ug/L	3 5ug/L
045622	M-DINITROBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 1	ug/L	3 1ug/L
073589	METHAPYRILENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<9 3	ug/L	9 3ug/L
073595	METHYL METHANESULFONATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 3	ug/L	2 3ug/L
039600	METHYL PARATHION	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 014	ug/L	0 014ug/L
078300	M-NITROANILINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 3	ug/L	3 3ug/L
034447	NITROBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L
073611	N-NITROSODIETHYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
034438	N-NITROSODIMETHYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<1 8	ug/L	1 8ug/L
073609	N-NITROSODI-N-BUTYLAMINE	SP	No	EPA 8270C	11/19/07 2 21.00 PM	<2 9	ug/L	2 9ug/L
034428	N-NITROSODI-N-PROPYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 4	ug/L	3 4ug/L
034433	N-NITROSODIPHENYLAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 5	ug/L	3 5ug/L
073613	N-NITROSOMETHYLETHALAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
073619	N-NITROSOPIPERIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
078206	N-NITROSOPYRROLIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
077152	O-CRESOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 4	ug/L	2 4ug/L
078142	O-NITROANILINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 7	ug/L	3 7ug/L
077142	O-TOLUIDINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L
034452	P-CHLORO-M-CRESOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<6 3	ug/L	6 3ug/L
073558	P-DIMETHYLAMINO AZOBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 9	ug/L	2 9ug/L
077793	PENTACHLOROBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 5	ug/L	2 5ug/L
081316	PENTACHLORONITROBENZENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 019	ug/L	0 019ug/L
073626	PHENACETIN	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 2	ug/L	3 2ug/L
034461	PHENANTHRENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 029	ug/L	0 029ug/L
034694	PHENOL	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 6	ug/L	2 6ug/L
046313	PHORATE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 029	ug/L	0 029ug/L
030342	P-NITROANILINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<3 3	ug/L	3 3ug/L
073628	P-PHENYLENEDIAMINE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<7 3	ug/L	7 3ug/L
039080	PRONAMIDE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L
034469	PYRENE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<0 024	ug/L	0 024ug/L
077545	SAFROLE	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 7	ug/L	2 7ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07IAE-EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07 3:23:00 PM

Report Period: NOVEMBER 2007

Well Purged:

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
073553	THIONAZIN	SP	No	EPA 8270C	11/19/07 2 21 00 PM	<2 8	ug/L	2 8ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: TRIP (TB)

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07

Report Period: NOVEMBER 2007

Well Purged:

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
077562	1,1,1,2-TETRACHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 24	ug/L	0 24ug/L
034506	1,1,1-TRICHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 27	ug/L	0 27ug/L
034516	1,1,2,2-TETRACHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 22	ug/L	0 22ug/L
034511	1,1,2-TRICHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 33	ug/L	0 33ug/L
034496	1,1-DICHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 28	ug/L	0 28ug/L
034501	1,1-DICHLOROETHENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 40	ug/L	0 40ug/L
077168	1,1-DICHLOROPROPENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 35	ug/L	0 35ug/L
034551	1,2,4-TRICHLOROBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 19	ug/L	0 19ug/L
034536	1,2-DICHLOROBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 33	ug/L	0 33ug/L
034531	1,2-DICHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 18	ug/L	0 18ug/L
034541	1,2-DICHLOROPROPANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 33	ug/L	0 33ug/L
034566	1,3-DICHLOROBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 27	ug/L	0 27ug/L
077173	1,3-DICHLOROPROPANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 19	ug/L	0 19ug/L
034571	1,4-DICHLOROBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 33	ug/L	0 33ug/L
077170	2,2-DICHLOROPROPANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 32	ug/L	0 32ug/L
077103	2-HEXANONE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 75	ug/L	0 75ug/L
078133	4-METHYL-2-PENTANONE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 97	ug/L	0 97ug/L
081552	ACETONE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 74	ug/L	0 74ug/L
076997	ACETONITRILE		No	EPA 8260B	11/07/07 3 41 00 AM	<9 7	ug/L	9 7ug/L
034210	ACROLEIN		No	EPA 8260B	11/07/07 3 41 00 AM	<7 1	ug/L	7 1ug/L
034215	ACRYLONITRILE		No	EPA 8260B	11/07/07 3 41 00 AM	<1 9	ug/L	1 9ug/L
078109	ALLYL CHLORIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 35	ug/L	0 35ug/L
034030	BENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 32	ug/L	0 32ug/L
073085	BROMOCHLOROMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 31	ug/L	0 31ug/L
032101	BROMODICHLOROMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 19	ug/L	0 19ug/L
032104	BROMOFORM		No	EPA 8260B	11/07/07 3 41 00 AM	<0 28	ug/L	0 28ug/L
034413	BROMOMETHANE (METHYL BROMIDE)		No	EPA 8260B	11/07/07 3 41 00 AM	<0 65	ug/L	0 65ug/L
077041	CARBON DISULFIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 30	ug/L	0 30ug/L
032102	CARBON TETRACHLORIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 24	ug/L	0 24ug/L
034301	CHLOROBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 27	ug/L	0 27ug/L
034311	CHLOROETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 37	ug/L	0 37ug/L
032106	CHLOROFORM		No	EPA 8260B	11/07/07 3 41 00 AM	<0 22	ug/L	0 22ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)		No	EPA 8260B	11/07/07 3 41 00 AM	<0 35	ug/L	0 35ug/L
081520	CHLOROPRENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 58	ug/L	0 58ug/L
077093	CIS-1,2-DICHLOROETHYLENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 18	ug/L	0 18ug/L
034704	CIS-1,3-DICHLOROPROPENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 20	ug/L	0 20ug/L
032105	DIBROMOCHLOROMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 23	ug/L	0 23ug/L
046361	DIBROMOMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 15	ug/L	0 15ug/L
034668	DICHLORODIFLUOROMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 63	ug/L	0 63ug/L
034371	ETHYLBENZENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 32	ug/L	0 32ug/L
073570	ETHYLMETHACRYLATE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 48	ug/L	0 48ug/L
034391	HEXACHLOROBUTADIENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 27	ug/L	0 27ug/L
077033	ISOBUTYL ALCOHOL		No	EPA 8260B	11/07/07 3 41 00 AM	<19	ug/L	19ug/L
085795	M&P- XYLENES		No	EPA 8260B	11/07/07 3 41 00 AM	<0 44	ug/L	0 44ug/L
081593	METHACRYLONITRILE		No	EPA 8260B	11/07/07 3 41 00 AM	<2 9	ug/L	2 9ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: TRIP (TB)

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: 11/05/07

Report Period: NOVEMBER 2007

Well Purged:

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
081595	METHYL ETHYL KETONE		No	EPA 8260B	11/07/07 3 41 00 AM	<2 5	ug/L	2 5ug/L
077424	METHYL IODIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 98	ug/L	0 98ug/L
081597	METHYL METHACRYLATE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 50	ug/L	0 50ug/L
034423	METHYLENE CHLORIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 19	ug/L	0 19ug/L
034696	NAPHTHALENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 43	ug/L	0 43ug/L
077135	O-XYLENES		No	EPA 8260B	11/07/07 3 41 00 AM	<0 21	ug/L	0 21ug/L
077007	PROPIONITRILE		No	EPA 8260B	11/07/07 3 41 00 AM	<3 1	ug/L	3 1ug/L
077128	STYRENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 18	ug/L	0 18ug/L
034475	TETRACHLOROETHENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 47	ug/L	0 47ug/L
034010	TOLUENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 35	ug/L	0 35ug/L
034546	TRANS-1,2-DICHLOROETHENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 39	ug/L	0 39ug/L
034699	TRANS-1,3-DICHLOROPROPENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 20	ug/L	0 20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 54	ug/L	0 54ug/L
039180	TRICHLOROETHENE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 26	ug/L	0 26ug/L
034488	TRICHLOROFLUOROMETHANE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 45	ug/L	0 45ug/L
077057	VINYL ACETATE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 42	ug/L	0 42ug/L
039175	VINYL CHLORIDE		No	EPA 8260B	11/07/07 3 41 00 AM	<0 91	ug/L	0 91ug/L
081551	XYLENES		No	EPA 8260B	11/07/07 3 41 00 AM	<0 60	ug/L	0 60ug/L

* Attach Laboratory Reports

Environmental Conservation Laboratories, Inc.
10775 Central Port Drive
Orlando FL, 32824
Phone: 407.826.5314 FAX: 407.850.6945
www.encolabs com

Monday, November 19, 2007

HDR, Inc. (HD002)
Attn: John Locklear
4140 NW 37th Place, Suite A
Gainesville, FL 32606

RE: Project Number: 0-60365, Project Name/Desc: Angelo's Enterprise LF
ENCO Workorder: A706204

Dear John Locklear,

Enclosed is a copy of your laboratory report for test samples received by our laboratory on Tuesday, November 6, 2007.

Unless otherwise noted in an attached project narrative, all samples were received in acceptable condition and processed in accordance with the referenced methods/procedures. Results for these procedures apply only to the samples as submitted.

This data has been produced in accordance with NELAC standards (June, 2003). This report shall not be reproduced except in full, without the written approval of the Laboratory.

This report contains only those analyses performed by Environmental Conservation Laboratories. Data from outside organizations will be reported under separate cover.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

David M. Camacho

David Camacho For Marcia Colon
Project Manager

Enclosure(s)

CASE NARRATIVE

Date: November 27, 2007

Client: HDR, Inc.

Project #: 0-60365

Lab ID: A706204

Overview

All samples submitted were analyzed by Environmental Conservation Laboratories, Inc in accordance with the methods referenced in the laboratory report Any particular difficulties encountered during sample handling by Environmental Conservation Laboratories, Inc will be discussed in the QC Remarks section below.

Quality Control Remarks

8270 PAH SIM

Target analytes dibenzo (a,h) anthracene and indeno (1,2,3-cd)pyrene were detected in the equipment blank in addition to various samples associated with this work-order. The absence of these targets in the method blank suggests contamination may have occurred during sample collection. All laboratory control results met method criteria.

Other Comments

None

The analytical data presented in this report are consistent with the methods as referenced in the analytical report. Any exceptions or deviations are noted in the QC remarks section of this narrative. Should there be any questions regarding this package, please feel free to contact the undersigned for additional information.

Released By:
Environmental Conservation Laboratories, Inc.

Matthew Foti, Ph.D.
Laboratory Manager

LAB #			A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum		Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit		MW-11B·.07IAE-11B	EQB:·07IAE-EQB	TB	-	-	-

Volatile Organic Compounds by GCMS (Water)

Dichlorodifluoromethane	1.0	ug/L	0.71 [3]	<0.63 [6]	<0 63 [6]	-	-	-
Chloromethane	1.0	ug/L	<0.35 [6]	<0.35 [6]	<0.35 [6]	-	-	-
Vinyl chloride	1.0	ug/L	<0.91 [6]	<0.91 [6]	<0.91 [6]	-	-	-
Bromomethane	1.0	ug/L	<0.65 [6]	<0 65 [6]	<0.65 [6]	-	-	-
Chloroethane	1.0	ug/L	<0.37 [6]	<0 37 [6]	<0.37 [6]	-	-	-
Trichlorofluoromethane	1 0	ug/L	2.6	<0.45 [6]	<0.45 [6]	-	-	-
Acrolein	10	ug/L	<7.1 [6]	<7.1 [6]	<7.1 [6]	-	-	-
Acetone	5.0	ug/L	<0.74 [6]	<0 74 [6]	<0.74 [6]	-	-	-
1,1-Dichloroethene	1.0	ug/L	<0 40 [6]	<0.40 [6]	<0.40 [6]	-	-	-
3-Chloropropene	1.0	ug/L	<0.35 [6]	<0.35 [6]	<0.35 [6]	-	-	-
Acetonitrile	10	ug/L	<9.7 [6]	<9.7 [6]	<9.7 [6]	-	-	-
Iodomethane	3.0	ug/L	<0.98 [6]	<0 98 [6]	<0.98 [6]	-	-	-
Carbon disulfide	5 0	ug/L	<0 30 [6]	<0.30 [6]	<0.30 [6]	-	-	-
Methylene chloride	2 0	ug/L	<0.19 [6]	<0.19 [6]	<0 19 [6]	-	-	-
Acrylonitrile	5 0	ug/L	<1.9 [6]	<1.9 [6]	<1.9 [6]	-	-	-
trans-1,2-Dichloroethene	1.0	ug/L	<0.39 [6]	<0 39 [6]	<0.39 [6]	-	-	-
cis-1,2-Dichloroethene	1.0	ug/L	<0.18 [6]	<0.18 [6]	<0.18 [6]	-	-	-
1,1-Dichloroethane	1.0	ug/L	<0.28 [6]	<0 28 [6]	<0.28 [6]	-	-	-
Vinyl acetate	1 0	ug/L	<0.42 [6]	<0.42 [6]	<0.42 [6]	-	-	-
Chloroprene	1.0	ug/L	<0.58 [6]	<0.58 [6]	<0.58 [6]	-	-	-
2-Butanone	5.0	ug/L	<2.5 [6]	<2 5 [6]	<2.5 [6]	-	-	-
Propionitrile	10	ug/L	<3.1 [6]	<3.1 [6]	<3.1 [6]	-	-	-
2,2-Dichloropropane	1 0	ug/L	<0.32 [6]	<0.32 [6]	<0.32 [6]	-	-	-
Methacrylonitrile	10	ug/L	<2.9 [5] [6]	<2.9 [5] [6]	<2 9 [5] [6]	-	-	-
Chloroform	1.0	ug/L	<0.22 [6]	<0.22 [6]	<0.22 [6]	-	-	-
Bromochloromethane	1 0	ug/L	<0.31 [6]	<0 31 [6]	<0.31 [6]	-	-	-
1,1,1-Trichloroethane	1.0	ug/L	<0.27 [6]	<0.27 [6]	<0 27 [6]	-	-	-
1,1-Dichloropropene	1.0	ug/L	<0.35 [6]	<0.35 [6]	<0.35 [6]	-	-	-
Carbon tetrachloride	1.0	ug/L	<0.24 [6]	<0 24 [6]	<0.24 [6]	-	-	-
1,2-Dichloroethane	1.0	ug/L	<0.18 [6]	<0.18 [6]	<0.18 [6]	-	-	-
Benzene	1.0	ug/L	<0.32 [6]	<0.32 [6]	<0.32 [6]	-	-	-
Isobutyl alcohol	20	ug/L	<19 [5] [6]	<19 [5] [6]	<19 [5] [6]	-	-	-
Trichloroethene	1.0	ug/L	<0.26 [6]	<0.26 [6]	<0.26 [6]	-	-	-
1,2-Dichloropropane	1.0	ug/L	<0.33 [6]	<0.33 [6]	<0.33 [6]	-	-	-
Methyl Methacrylate	1 0	ug/L	<0.50 [6]	<0.50 [6]	<0.50 [6]	-	-	-
Bromodichloromethane	1 0	ug/L	<0.19 [6]	<0 19 [6]	<0.19 [6]	-	-	-
Dibromomethane	1 0	ug/L	<0 15 [6]	<0 15 [6]	<0.15 [6]	-	-	-
4-Methyl-2-pentanone	5.0	ug/L	<0 97 [6]	<0.97 [6]	<0.97 [6]	-	-	-
2-Hexanone	5 0	ug/L	<0.75 [6]	<0.75 [6]	<0.75 [6]	-	-	-
cis-1,3-Dichloropropene	1.0	ug/L	<0 20 [6]	<0.20 [6]	<0.20 [6]	-	-	-
Toluene	1.0	ug/L	<0.35 [6]	<0.35 [6]	<0 35 [6]	-	-	-
Ethyl Methacrylate	2 0	ug/L	<0.48 [6]	<0.48 [6]	<0.48 [6]	-	-	-
trans-1,3-Dichloropropene	1 0	ug/L	<0 20 [6]	<0 20 [6]	<0.20 [6]	-	-	-
1,1,2-Trichloroethane	1.0	ug/L	<0 33 [6]	<0.33 [6]	<0 33 [6]	-	-	-
1,3-Dichloropropane	1.0	ug/L	<0 19 [6]	<0.19 [6]	<0.19 [6]	-	-	-

www.encolabs com

LAB #		A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum	Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit	MW-11B··07IAE-11B	EQB::07IAE-EQB	TB	-	-	-
Volatile Organic Compounds by GCMS (continued)							
Tetrachloroethene	1.0 ug/L	<0.47 [6]	<0 47 [6]	<0.47 [6]	-	-	-
Dibromochloromethane	1.0 ug/L	<0.23 [6]	<0.23 [6]	<0.23 [6]	-	-	-
Chlorobenzene	1 0 ug/L	<0 27 [6]	<0 27 [6]	<0.27 [6]	-	-	-
1,1,1,2-Tetrachloroethane	1.0 ug/L	<0 24 [6]	<0 24 [6]	<0.24 [6]	-	-	-
Ethylbenzene	1.0 ug/L	<0 32 [6]	<0 32 [6]	<0 32 [6]	-	-	-
m,p-Xylenes	1.0 ug/L	<0.44 [6]	<0.44 [6]	<0.44 [6]	-	-	-
o-Xylene	1 0 ug/L	<0.21 [6]	<0.21 [6]	<0.21 [6]	-	-	-
Bromoform	1.0 ug/L	<0 28 [6]	<0 28 [6]	<0.28 [6]	-	-	-
Styrene	1 0 ug/L	<0 18 [6]	<0 18 [6]	<0.18 [6]	-	-	-
1,1,2,2-Tetrachloroethane	1 0 ug/L	<0 22 [6]	<0 22 [6]	<0 22 [6]	-	-	-
trans-1,4-Dichloro-2-butene	1.0 ug/L	<0.54 [6]	<0.54 [6]	<0.54 [6]	-	-	-
1,2,4-Trichlorobenzene	1.0 ug/L	<0.19 [6]	<0.19 [6]	<0.19 [6]	-	-	-
1,3-Dichlorobenzene	1.0 ug/L	<0 27 [6]	<0 27 [6]	<0 27 [6]	-	-	-
1,4-Dichlorobenzene	1.0 ug/L	<0.33 [6]	<0.33 [6]	<0.33 [6]	-	-	-
1,2-Dichlorobenzene	1.0 ug/L	<0.33 [6]	<0.33 [6]	<0 33 [6]	-	-	-
Naphthalene	1.0 ug/L	<0.43 [6]	<0.43 [6]	<0.43 [6]	-	-	-
Hexachlorobutadiene	1.0 ug/L	<0 27 [6]	<0 27 [6]	<0 27 [6]	-	-	-
Xylenes (Total)	1.0 ug/L	<0.60 [6]	<0.60 [6]	<0 60 [6]	-	-	-
Dibromofluoromethane	141 [surr]	94%	92%	95%	-	-	-
Toluene-d8	134 [surr]	81%	81%	83%	-	-	-
4-Bromofluorobenzene	147 [surr]	87%	84%	85%	-	-	-
Semivolatile Organic Compounds by GCMS SIM (Water)							
N-Nitrosodimethylamine	10 ug/L	<1.8 [6]	<1.8 [6]	-	-	-	-
N-Nitrosomethylethylamine	10 ug/L	<2 9 [6]	<2.9 [6]	-	-	-	-
Methyl Methanesulfonate	10 ug/L	<2.3 [6]	<2.3 [6]	-	-	-	-
N-Nitrosodiethylamine	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
Ethyl methanesulfonate	10 ug/L	<3.0 [6]	<3 0 [6]	-	-	-	-
Phenol	10 ug/L	<2.6 [6]	<2.6 [6]	-	-	-	-
Bis(2-chloroethyl)ether	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
2-Chlorophenol	10 ug/L	<5.7 [6]	<5.7 [6]	-	-	-	-
Benzyl alcohol	10 ug/L	<2.8 [6]	<2 8 [6]	-	-	-	-
2-Methylphenol	10 ug/L	<2.4 [6]	<2.4 [6]	-	-	-	-
Bis(2-chloroisopropyl)ether	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
Acetophenone	10 ug/L	<3.3 [6]	<3.3 [6]	-	-	-	-
3 & 4-Methylphenol	10 ug/L	<4.7 [6]	<4 7 [6]	-	-	-	-
N-Nitroso-di-n-propylamine	10 ug/L	<3.4 [6]	<3.4 [6]	-	-	-	-
N-Nitrosopyrrolidine	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
Hexachloroethane	10 ug/L	<2.1 [6]	<2.1 [6]	-	-	-	-
o-Toluidine	10 ug/L	<2.8 [6]	<2 8 [6]	-	-	-	-
Nitrobenzene	10 ug/L	<2 7 [6]	<2 7 [6]	-	-	-	-
N-Nitrosopiperidine	10 ug/L	<2 9 [6]	<2.9 [6]	-	-	-	-
Isophorone	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
2-Nitrophenol	10 ug/L	<6.1 [6]	<6.1 [6]	-	-	-	-
2,4-Dimethylphenol	10 ug/L	<5 2 [6]	<5 2 [6]	-	-	-	-

www.encolabs.com

LAB #		A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum	Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit	MW-11B·:07IAE-11B	EQB:·07IAE-EQB	TB	-	-	-
Semivolatile Organic Compounds by GCMS SIM (continued)							
Bis(2-chloroethoxy)methane	10 ug/L	<2 8 [6]	<2.8 [6]	-	-	-	-
O,O,O-Triethyl phosphorothioate	10 ug/L	<2.7 [6]	<2.7 [6]	-	-	-	-
2,4-Dichlorophenol	10 ug/L	<5.8 [6]	<5.8 [6]	-	-	-	-
4-Chloroaniline	10 ug/L	<3.0 [6]	<3 0 [6]	-	-	-	-
2,6-Dichlorophenol	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
Hexachloropropene	10 ug/L	<1 8 [6]	<1.8 [6]	-	-	-	-
Hexachlorobutadiene [SIM]	0.10 ug/L	<0.025 [6]	<0.025 [6]	-	-	-	-
N-Nitrosodi-n-butylamine	10 ug/L	<2.9 [6]	<2 9 [6]	-	-	-	-
1,4-Phenylenediamine	10 ug/L	<7.3 [6]	<7 3 [6]	-	-	-	-
4-Chloro-3-methylphenol	10 ug/L	<6.3 [6]	<6 3 [6]	-	-	-	-
Safrole	10 ug/L	<2.7 [6]	<2 7 [6]	-	-	-	-
2-Methylnaphthalene	10 ug/L	<2.5 [6]	<2 5 [6]	-	-	-	-
Hexachlorocyclopentadiene	10 ug/L	<1 6 [6]	<1 6 [6]	-	-	-	-
1,2,4,5-Tetrachlorobenzene	10 ug/L	<2.3 [6]	<2 3 [6]	-	-	-	-
2,4,6-Trichlorophenol	10 ug/L	<6.1 [6]	<6 1 [6]	-	-	-	-
2,4,5-Trichlorophenol	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
Isosafrole	10 ug/L.	<3 1 [6]	<3.1 [6]	-	-	-	-
2-Chloronaphthalene	10 ug/L	<2.8 [6]	<2 8 [6]	-	-	-	-
2-Nitroaniline	10 ug/L	<3.7 [6]	<3 7 [6]	-	-	-	-
1,4-Naphthoquinone	10 ug/L	<3.2 [6]	<3 2 [6]	-	-	-	-
Dimethylphthalate	10 ug/L	<3.7 [6]	<3.7 [6]	-	-	-	-
1,3-Dinitrobenzene	10 ug/L	<3 1 [6]	<3.1 [6]	-	-	-	-
2,6-Dinitrotoluene	10 ug/L	<2.8 [6]	<2.8 [6]	-	-	-	-
Acenaphthylene [SIM]	0.10 ug/L	<0.023 [6]	<0 023 [6]	-	-	-	-
3-Nitroaniline	10 ug/L	<3 3 [6]	<3.3 [6]	-	-	-	-
Acenaphthene	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
2,4-Dinitrophenol	10 ug/L	<5.7 [6]	<5.7 [6]	-	-	-	-
Pentachlorobenzene	10 ug/L	<2.5 [6]	<2.5 [6]	-	-	-	-
4-Nitrophenol	10 ug/L	<2 6 [6]	<2.6 [6]	-	-	-	-
Dibenzofuran	10 ug/L	<3.1 [6]	<3.1 [6]	-	-	-	-
2,4-Dinitrotoluene [SIM]	0.10 ug/L	<0.012 [6]	<0.012 [6]	-	-	-	-
2-Naphthylamine	10 ug/L	<3.6 [6]	<3.6 [6]	-	-	-	-
1-Naphthylamine	10 ug/L	<3.5 [6]	<3.5 [6]	-	-	-	-
2,3,4,6-Tetrachlorophenol	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
Diethylphthalate	10 ug/L	<2.7 [6]	<2.7 [6]	-	-	-	-
4-Chlorophenyl-phenylether	10 ug/L	<2.8 [6]	<2.8 [6]	-	-	-	-
Fluorene	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
Thionazin	10 ug/L	<2.8 [6]	<2.8 [6]	-	-	-	-
5-Nitro-o-toluidine	10 ug/L	<2.8 [6]	<2.8 [6]	-	-	-	-
4-Nitroaniline	10 ug/L	<3.3 [6]	<3.3 [6]	-	-	-	-
2-Methyl-4,6-dinitrophenol	10 ug/L	<7.2 [6]	<7.2 [6]	-	-	-	-
N-	10 ug/L	<3.5 [6]	<3.5 [6]	-	-	-	-
Diallate [SIM]	0.10 ug/L	<0.021 [6]	<0.021 [6]	-	-	-	-
Phorate [SIM]	0.10 ug/L	<0.029 [6]	<0.029 [6]	-	-	-	-
4-Bromophenyl-phenylether	10 ug/L	<2.8 [6]	<2.8 [6]	-	-	-	-

www.encolabs.com

LAB #		A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum	Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit	MW-11B·.07IAE-11B	EQB··07IAE-EQB	TB	-	-	-

Semivolatile Organic Compounds by GCMS SIM (continued)

Phenacetin	10 ug/L	<3.2 [6]	<3 2 [6]	-	-	-	-
1,3,5-Trinitrobenzene	10 ug/L	<4.0 [6]	<4.0 [6]	-	-	-	-
Hexachlorobenzene [SIM]	0.10 ug/L	<0.027 [6]	<0.027 [6]	-	-	-	-
Dimethoate [SIM]	0 10 ug/L	<0.019 [6]	<0.019 [6]	-	-	-	-
4-Aminobiphenyl	10 ug/L	<3 2 [6]	<3 2 [6]	-	-	-	-
Pronamide	10 ug/L	<2.7 [6]	<2.7 [6]	-	-	-	-
Pentachloronitrobenzene [SIM]	0.10 ug/L	<0 019 [6]	<0.019 [6]	-	-	-	-
Phenanthrene [SIM]	0.10 ug/L	<0.029 [6]	<0.029 [6]	-	-	-	-
Disulfoton [SIM]	0 10 ug/L	<0.042 [6]	<0 042 [6]	-	-	-	-
Anthracene [SIM]	0.10 ug/L	<0.021 [6]	<0.021 [6]	-	-	-	-
Methyl Parathion [SIM]	0.10 ug/L	<0.014 [6]	<0.014 [6]	-	-	-	-
Di-n-butylphthalate	10 ug/L	<3.0 [6]	<3.0 [6]	-	-	-	-
Parathion [SIM]	0 10 ug/L	<0.017 [6]	<0 017 [6]	-	-	-	-
Methapyrilene	10 ug/L	<9.3 [6]	<9 3 [6]	-	-	-	-
Isodrin	10 ug/L	<2.7 [6]	<2 7 [6]	-	-	-	-
Fluoranthene [SIM]	0.10 ug/L	<0 024 [6]	<0 024 [6]	-	-	-	-
Pyrene [SIM]	0.10 ug/L	<0.024 [6]	<0.024 [6]	-	-	-	-
Butylbenzylphthalate	10 ug/L	<3.6 [6]	<3 6 [6]	-	-	-	-
p-Dimethylaminoazobenzene	10 ug/L	<2.9 [6]	<2.9 [6]	-	-	-	-
Chlorobenzilate [SIM]	0.10 ug/L	<0.015 [6]	<0.015 [6]	-	-	-	-
Famphur	10 ug/L	<2.8 [6]	<2 8 [6]	-	-	-	-
3,3'-Dimethylbenzidine	10 ug/L	<2.2 [6]	<2 2 [6]	-	-	-	-
Kepone [SIM]	5.0 ug/L	<3.5 [6]	<3.5 [6]	-	-	-	-
2-Acetylaminofluorene	10 ug/L	<3.2 [6]	<3 2 [6]	-	-	-	-
3,3'-Dichlorobenzidine	10 ug/L	<3.2 [6]	<3.2 [6]	-	-	-	-
Benzo(a)anthracene [SIM]	0.10 ug/L	<0.025 [6]	<0.025 [6]	-	-	-	-
Bis(2-ethylhexyl)phthalate	10 ug/L	<3.4 [6]	<3.4 [6]	-	-	-	-
Chrysene [SIM]	0.10 ug/L	<0.024 [6]	<0.024 [6]	-	-	-	-
Di-n-octylphthalate	10 ug/L	<3.6 [6]	<3.6 [6]	-	-	-	-
7,12-Dimethylbenz(a)anthracene	10 ug/L	<2.3 [6]	<2.3 [6]	-	-	-	-
Benzo(b)fluoranthene [SIM]	0.10 ug/L	0 023 [3]	<0.021 [6]	-	-	-	-
Benzo(k)fluoranthene [SIM]	0.10 ug/L	0.023 [3]	<0.020 [6]	-	-	-	-
Benzo(a)pyrene [SIM]	0.10 ug/L	<0.019 [6]	<0.019 [6]	-	-	-	-
3-Methylcholanthrene	10 ug/L	<2.7 [6]	<2.7 [6]	-	-	-	-
Indeno(1,2,3-cd)pyrene [SIM]	0.10 ug/L	0.30	0 26	-	-	-	-
Dibenzo(a,h)anthracene [SIM]	0.10 ug/L	0.38	0.34	-	-	-	-
Benzo(g,h,i)perylene [SIM]	0.10 ug/L	0.13	0.094 [3]	-	-	-	-
2-Fluorophenol	74 [surr]	45%	56%	-	-	-	-
Phenol-d5	49 [surr]	28%	35%	-	-	-	-
Nitrobenzene-d5	119 [surr]	70%	82%	-	-	-	-
2-Fluorobiphenyl	115 [surr]	64%	74%	-	-	-	-
2,4,6-Tribromophenol	131 [surr]	78%	90%	-	-	-	-
Terphenyl-d14	130 [surr]	83%	88%	-	-	-	-

Organochlorine Pesticides by GC (Water)

www.encolabs.com

LAB #		A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum	Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit	MW-11B:.07IAE-11B	EQB:.07IAE-EQB	TB	-	-	-
Organochlorine Pesticides by GC (continued)							
alpha-BHC	0.050 ug/L	<0.0018 [6]	<0.0018 [6]	-	-	-	-
gamma-BHC	0.050 ug/L	<0 0034 [6]	<0 0034 [6]	-	-	-	-
beta-BHC	0 050 ug/L	<0.0017 [6]	<0.0017 [6]	-	-	-	-
delta-BHC	0.050 ug/L	<0.0014 [6]	<0.0014 [6]	-	-	-	-
Heptachlor	0.050 ug/L	<0.0021 [6]	<0.0021 [6]	-	-	-	-
Aldrin	0.050 ug/L	<0.0071 [6]	<0.0071 [6]	-	-	-	-
Heptachlor epoxide	0.050 ug/L	<0.0021 [6]	<0.0021 [6]	-	-	-	-
Chlordane-gamma	0.050 ug/L	<0.0019 [6]	<0.0019 [6]	-	-	-	-
Chlordane-alpha	0.050 ug/L	<0.0017 [6]	<0.0017 [6]	-	-	-	-
4,4'-DDE	0 050 ug/L	<0 0019 [6]	<0 0019 [6]	-	-	-	-
Endosulfan I	0 050 ug/L	<0.0013 [6]	<0.0013 [6]	-	-	-	-
Dieldrin	0.050 ug/L	<0.0012 [6]	<0.0012 [6]	-	-	-	-
Endrin	0.050 ug/L	<0.0012 [6]	<0.0012 [6]	-	-	-	-
4,4'-DDD	0.050 ug/L	<0.0020 [6]	<0.0020 [6]	-	-	-	-
Endosulfan II	0.050 ug/L	<0.0020 [6]	<0.0020 [6]	-	-	-	-
4,4'-DDT	0 050 ug/L	<0.0014 [6]	<0.0014 [6]	-	-	-	-
Endrin aldehyde	0.050 ug/L	<0.0027 [6]	<0.0027 [6]	-	-	-	-
Methoxychlor	0.050 ug/L	<0 0021 [6]	<0.0021 [6]	-	-	-	-
Endosulfan sulfate	0 050 ug/L	<0 0025 [6]	<0.0025 [6]	-	-	-	-
Chlordane (tech)	0.50 ug/L	<0.031 [6]	<0.031 [6]	-	-	-	-
Toxaphene	1.0 ug/L	<0.090 [6]	<0.090 [6]	-	-	-	-
2,4,5,6-TCMX	143 [surr]	140%	130%	-	-	-	-
Decachlorobiphenyl	130 [surr]	150%	130%	-	-	-	-
Polychlorinated Biphenyls by GC (Water)							
PCB-1016/1242	1.0 ug/L	<0.057 [6]	<0.057 [6]	-	-	-	-
PCB-1221	1.0 ug/L	<0.076 [6]	<0.076 [6]	-	-	-	-
PCB-1232	1.0 ug/L	<0 21 [6]	<0.21 [6]	-	-	-	-
PCB-1248	1.0 ug/L	<0.14 [6]	<0.14 [6]	-	-	-	-
PCB-1254	1 0 ug/L	<0.46 [6]	<0.46 [6]	-	-	-	-
PCB-1260	1 0 ug/L	<0.089 [6]	<0 089 [6]	-	-	-	-
Decachlorobiphenyl	130 [surr]	150%	130%	-	-	-	-
Chlorinated Herbicides by GC (Water)							
2,4-D	0.30 ug/L	<0.12 [6]	<0.12 [6]	-	-	-	-
Pentachlorophenol	0 30 ug/L	<0.13 [6]	<0.13 [6]	-	-	-	-
2,4,5-TP (Silvex)	0.30 ug/L	<0.11 [6]	<0.11 [6]	-	-	-	-
2,4,5-T	0.30 ug/L	<0.11 [6]	<0.11 [6]	-	-	-	-
Dinoseb	0.30 ug/L	<0.23 [6]	<0.23 [6]	-	-	-	-
2,4-DCAA	191 [surr]	160%	170%	-	-	-	-
Semivolatile Organic Compounds by GC (Water)							
1,2-Dibromoethane	0 02 ug/L	<0.010 [6]	<0.010 [6]	-	-	-	-
1,2-Dibromo-3-chloropropane	0.02 ug/L	<0.008 [6]	<0.008 [6]	-	-	-	-
1,3-Dichlorobenzene	150 [surr]	130%	120%	-	-	-	-

Metals by EPA 6000/7000 Series Methods (Water)

LAB #			A706204-01	A706204-02	A706204-03	-	-	-
MATRIX	Minimum		Ground Water	Ground Water	Ground Water	-	-	-
SAMPLE ID	Reporting Limit		MW-11B:.07IAE-11B	EQB::07IAE-EQB	TB	-	-	-
Metals by EPA 6000/7000 Series Methods (continued)								
Antimony	5	ug/L	<0.820 [6]	<0 820 [6]	-	-	-	-
Arsenic	10	ug/L	<1.10 [6]	<1 10 [6]	-	-	-	-
Barium	100	ug/L	<5 00 [6]	<5.00 [6]	-	-	-	-
Beryllium	1	ug/L	<0 730 [6]	<0 730 [6]	-	-	-	-
Cadmium	3	ug/L	<0 820 [6]	<0.820 [6]	-	-	-	-
Chromium	10	ug/L	3.01 [1] [3]	1.46 [1] [3]	-	-	-	-
Cobalt	10	ug/L	<0.500 [6]	<0.500 [6]	-	-	-	-
Copper	10	ug/L	<0 500 [6]	<0.500 [6]	-	-	-	-
Iron	50	ug/L	195	<2.80 [6]	-	-	-	-
Lead	5	ug/L	<0.500 [6]	<0.500 [6]	-	-	-	-
Mercury	0 20	ug/L	<0.009 [6]	<0.009 [6]	-	-	-	-
Nickel	10	ug/L	<0.500 [6]	<0.500 [6]	-	-	-	-
Selenium	10	ug/L	<3.10 [6]	<3.10 [6]	-	-	-	-
Silver	1	ug/L	<0.072 [6]	<0.072 [6]	-	-	-	-
Sodium	1000	ug/L	4330	<100 [6]	-	-	-	-
Thallium	1	ug/L	<0.200 [6]	<0.200 [6]	-	-	-	-
Tin	50.0	ug/L	<5.30 [6]	<5.30 [6]	-	-	-	-
Vanadium	10	ug/L	2 63 [3]	<0.500 [6]	-	-	-	-
Zinc	50	ug/L	<6.60 [6]	<6.60 [6]	-	-	-	-
Classical Chemistry Parameters (Water)								
Ammonia as N	0 020	mg/L	<0.008 [6]	<0.008 [6]	-	-	-	-
Chloride	1 0	mg/L	7.5 [1]	0.85 [1] [3]	-	-	-	-
Cyanide (total)	0 010	mg/L	<0.0054 [6]	<0.0054 [6]	-	-	-	-
Nitrate as N	0 050	mg/L	2.4	0.083	-	-	-	-
Nitrite as N	0 050	mg/L	<0 007 [6]	<0.007 [6]	-	-	-	-
Nitrate/Nitrite as N	0.050	mg/L	2.4	0.083	-	-	-	-
Sulfide	1 0	mg/L	<0.45 [6]	<0.45 [6]	-	-	-	-
Total Dissolved Solids	10	mg/L	160	<10 [6]	-	-	-	-
Field Parameters (Water)								
Specific Conductance (EC)	0.00	umhos/cm	254	-	-	-	-	-
Dissolved Oxygen	0 00	mg/L	5.88	-	-	-	-	-
pH		pH Units	6.97	-	-	-	-	-
Oxidation/Reduction Potential		mV	121.0	-	-	-	-	-
Temperature	0.00	°C	24 57	-	-	-	-	-
Turbidity	0 00	NTU	1.84	-	-	-	-	-

www.encolabs.com

Special Notes

[1]	V	=	Analyte is found in the associated blank as well as in the sample (CLP B-flag).
[2]	D	=	Data reported from a dilution
[3]	I	=	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
[4]	QM-	=	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
[5]	QV-	=	The associated continuing calibratoin verification standard exhibited low bias; the reported result should be considerred to be a minimum estimate.
[6]	U	=	Analyte included in the analysis, but not detected

LABORATORY CERTIFICATION SUMMARY

Analysis	Matrix	Cert ID	Cert Number
8011	Water	NELAC	E83182
8081A Appendix 2	Water	NELAC	E83182
8082 Appendix 2	Water	NELAC	E83182
8151A Appendix 2	Water	NELAC	E83182
8260B Appendix 2 FL	Water	NELAC	E83182
8270C Appendix 2 Scan-SIM	Water	NELAC	E83182
Ammonia 350.1	Water	NELAC	E83182
Antimony Total EPA 6020	Water	NELAC	E83182
Arsenic Total EPA 6020	Water	NELAC	E83182
Barium Total EPA 6020	Water	NELAC	E83182
Beryllium Total EPA 6020	Water	NELAC	E83182
Cadmium Total EPA 6020	Water	NELAC	E83182
Chloride 300	Water	NELAC	E83182
Chromium Total EPA 6020	Water	NELAC	E83182
Cobalt Total EPA 6020	Water	NELAC	E83182
Copper Total EPA 6020	Water	NELAC	E83182
Cyanide Total 335 2	Water	NELAC	E83182
Iron Total EPA 6020	Water	NELAC	E83182
Lead Total EPA 6020	Water	NELAC	E83182
Mercury Total EPA 7000	Water	NELAC	E83182
Nickel Total EPA 6020	Water	NELAC	E83182
Nitrate as N 300	Water	NELAC	E83182
Nitrite as N 300	Water	NELAC	E83182
Selenium Total EPA 6020	Water	NELAC	E83182
Silver Total EPA 6020	Water	NELAC	E83182
Sodium Total EPA 6020	Water	NELAC	E83182
Sulfide 376.1	Water	NELAC	E83182
TDS 160.1	Water	NELAC	E83182
Thallium Total EPA 6020	Water	NELAC	E83182
Tin Total EPA 6020	Water	NELAC	E83182
Vanadium Total EPA 6020	Water	NELAC	E83182
Zinc Total EPA 6020	Water	NELAC	E83182

www.encolabs.com

QSARF #A7K6204

ENVIRONMENTAL CONSERVATION LABORATORIES

4810 Executive Park Court, Suite 211
Jacksonville, Florida 32216-6069
Ph. (904) 296-3007 • Fax (904) 296-6210

10207 General Drive
Orlando, Florida 32824-8529
Ph. (407) 826-5314 • Fax (407) 850-6945

1015 Passport Way
Cary, North Carolina 27513
Ph. (919) 677-1669 • Fax (919) 677-9846

ENCO CompQAP No.: 960038G/0

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1

PROJECT REFERENCE	Angelos Enterprise LF
PROJECT NO.	0-60365
P.O. NUMBER	
PROJECT LOC (STATE)	FL
SAMPLER(S) NAME	DAN Lichtenwalter (352) 302-3516
CLIENT NAME	HDR inc.
CLIENT PROJECT MANAGER	K. Weitz
CLIENT ADDRESS (CITY, STATE, ZIP)	4140 NW 37TH PL Suite A G'ville FL 32606
MATRIX TYPE	SURFACE WATER / GROUND WATER / WASTEWATER / DRINKING WATER / SOIL/SOLID/SEDIMENT / NONAQUEOUS LIQUID / AIR / SLUDGE / OTHER
REQUIRED ANALYSIS	See Attached!
	☒ STANDARD REPORT DELIVERY
	☐ EXPEDITED REPORT DELIVERY (surcharge)
	Date Due ______

No.	Station ID	Date	Time	Grab	Comp	Sample Identification	Matrix	Number of Containers Submitted	Remarks
1	MW-11B	11/5/07	1434	✓		07IAE - 11B	Ground Water ✓	13	
2	EQB	↓	1523	✓		↓ - EQB	Other ✓	13	EQ Blank
3	TB	↓					Other ✓	2	Trip Blank
4									
5									
6									* MW-11 NOT
7									enough H_2O
8									to sample
9									D. L.
10									
11									
12									
13									
14									

SAMPLE KIT PREPARED BY: JACKSONVILLE / ☒ ORLANDO JF	DATE 10/26/06	TIME 13:00	RELINQUISHED BY (SIGNATURE) [signature]	DATE 10/26/06	TIME 13:00	RECEIVED BY (SIGNATURE) Dan Lichtenwalter	DATE 11/5/07 TIME 1200
RELINQUISHED BY (SIGNATURE) Dan Lichtenwalter	DATE 11/5/07	TIME 1845	RECEIVED BY (SIGNATURE)	DATE	TIME	RELINQUISHED BY (SIGNATURE)	DATE TIME
RECEIVED BY (SIGNATURE)	DATE	TIME	RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY (SIGNATURE)	DATE TIME
RECEIVED FOR LABORATORY BY (SIGNATURE) [signature] ☐ JACKSONVILLE ☒ ORLANDO	DATE 11/6/07	TIME 0910	CUSTODY INTACT ☒ YES ☐ NO	ENCO LOG NO. A7K6204	REMARKS: Shipped Greyhound from Gainesville to Orlando @ 1.7 °C G-H		