252513
GW
SW

JRM
10/25/07

ENTERPRISE CLASS III LANDFILL
AND RECYCLING FACILITY
SEMIANNUAL COMPLIANCE MONITORING REPORT

FIRST SEMIANNUAL 2007

DEP PERMIT NO. 177982-008-SC
DEP Due Date: July 15, 2007

Dept. of Environmental Protection

JUL 13 2007

Southwest District

Prepared by:

HDR ENGINEERING, INC.
200 W. FORSYTH STREET, SUITE 800
JACKSONVILLE, FL 32202-4321

July 2007



10/25/07

John D. Locklear, P.G.
Florida License No. 246

July 12, 2007

Mr. John Morris, P.G.
Florida Department of Environmental Protection – Southwest District
13051 N. Telecom Parkway
Temple Terrace, Florida 33637

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
JUL 13 2007
SOUTHWEST DISTRICT
TAMPA

RE: Compliance Monitoring Report – First Semiannual 2007
Enterprise Recycling & Disposal Facility
Permit No. 177982-008-SC and 177982-007-SO
HDR Project Number:

Dear Mr. Morris:

This report presents data from the semiannual sampling event at Angelo's Enterprise Recycling & Disposal Facility on May 4 and 7, 2007.

All groundwater wells, which require sampling, were sampled during this event for the parameters listed in Specific Condition 4.c. of the permit with the exception of MW-1 which had no access, MW-1B which was damaged, and MW-3A, MW-4A, MW-8, MW-9, and MW-10 which were dry. A minor permit modification application has been submitted to the Department addressing the relocation/replacement of monitoring wells MW-1 and MW-1B. Pond 1 was sampled and analyzed for the parameters listed in Specific Condition 8.b. of the permit. Quality Assurance/Quality Control samples were also collected.

As we discussed earlier this month, monitoring wells MW-4A, MW-8, MW-9 and MW-10 are surficial aquifer monitoring wells. Water levels within the surficial aquifer have declined in recent years and may not be laterally continuous in all areas. Each monitoring location with a dry surficial aquifer well has an existing Floridan aquifer well installed in a cluster. Groundwater samples were collected from each Floridan aquifer well as required by permit, therefore, the Floridan aquifer monitoring well represents the uppermost waterbearing unit. No additional well installation is required per our discussion.

Parameters reported at or outside groundwater standards are presented in Attachment 2.

If you have any questions regarding this report, please contact me at (352) 682-0781.

Sincerely,

John D. Locklear, P.G.
Senior Project Manager

C:\Environmental\Environmental\EnvDocs\Angelos Enterprise\07S1\07S1_letter.doc

Xc: Jeff Rogers, Angelo's
Andy Alipour, Pasco County

Attachment 1: Groundwater Elevation Data and Groundwater Contour Map
Attachment 2: Analysis Results Compared to Groundwater Standards
Attachment 3: Groundwater Parameters At or Above the Laboratory Detection Limit
Attachment 4: Parameter Monitoring Report Forms
Attachment 5: Original Laboratory Data Including Chain-Of-Custody Forms

DER Form # 17-522.900 (2)
Form Title: GROUNDWATER MONITORING REPORT
Effective Date:
DER Application Date:

Florida Department of Environmental Regulation
Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

GROUNDWATER MONITORING REPORT

Rule 17-522.600 (11)

Part I GENERAL INFORMATION

(1) Facility Name: Enterprise Class III Landfill and Recycling Facility
Address:
City: Zip:
Telephone Number:
(2) The GMS Identification Number:
(3) DER Permit Number:
(4) Authorized Representative Name: John D. Locklear, P.G., HDR Engineering, Inc.
Address: 200 W. Forsyth St., Suite 800
City: Jacksonville, Florida Zip: 32202-4321
Telephone Number: (904) 598-8900
(5) Type of Discharge: Landfill
(6) Method of Discharge: Groundwater

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 7/12/07 John D. Locklear

Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

Sample Organization CompQAP # DEP SOP 001/01
Analytical Lab CompQAP #/HRS Certification # E83182
CompQAP #/HRS Certification #
Lab Name: Environmental Conservation Laboratories, Inc.
Address: 10775 Central Point, Orlando, Florida 32824
Phone Number: (407) 826-5314

ATTACHMENT 1

GROUNDWATER ELEVATION DATA AND GROUNDWATER CONTOUR MAP

GROUNDWATER ELEVATION DATA
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
FIRST SEMIANNUAL 2007


WELL NAME	TOP OF CASING	CONTOUR MAP		TIME OF SAMPLING	
		DEPTH TO WATER	GROUNDWATER ELEVATION	DEPTH TO WATER	GROUNDWATER ELEVATION
	(NGVD,FT)	(FT)	(NGVD,FT)	(FT)	(NGVD,FT)
MW-1	98.78	34.10	64.68	NS	NS
MW-1B	174.48	111.53	62.95	NS	NS
MW-3B	84.80	22.70	62.10	21.70	63.10
MW-4B	100.87	37.71	63.16	37.83	63.04
MW-5A	86.74	19.76	66.98	19.76	66.98
MW-5B	85.70	22.76	62.94	22.76	62.94
MW-6	88.65	25.00	63.65	25.00	63.65
MW-7A	100.72	37.74	62.98	37.81	62.91
MW-7B	101.52	38.57	62.95	38.64	62.88
MW-8	100.10	NM	NM	NS	NS
MW-8B	108.45	45.44	63.01	45.50	62.95
MW-9	108.00	NM	NM	NS	NS
MW-9B	109.75	46.52	63.23	46.59	63.16
MW-10	111.62	NM	NM	NS	NS
MW-10B	110.00	47.76	62.24	47.70	62.30
MW-11	104.45	39.72	64.73	NS	NS
MW-12A	121.43	57.72	63.71	NS	NS
MW-12B	121.84	58.56	63.28	NS	NS
P-2	98.73	NM	NM	NS	NS
P-4	84.55	22.82	61.73	NS	NS
P-6	94.16	39.84	54.32	NS	NS
P-8	133.94	72.45	61.49	NS	NS
P-10	132.60	69.69	62.91	NS	NS
P-11	150.76	58.65	92.11	NS	NS


NGVD - National Geodetic Vertical Datum

NS - Not Sampled

NM - Not Measured

NA - Not Available





LEGEND

MW-1 MONITOR WELL LOCATION

GP-1 GASPROBE LOCATION

P-9 PIEZOMETER WELL LOCATION

SUPPLY WELL

NOTE: P-8, MW-10B and MW-3B not used in contouring. TOC elevations to be re-surveyed prior to second semiannual event

GROUNDWATER ELEVATIONS	
WELL	FT., NGVD
P-10	62.91
MW-1B	62.95
P-8	61.49
MW-12B	63.28
MW-10B	62.24
MW-9B	63.23
MW-8B	63.01
MW-7B	62.95
MW-5B	62.94
MW-4B	63.16
MW-3B	62.10

HDR

GROUNDWATER CONTOUR MAP – FLORIDAN AQUIFER
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
MAY 4, 2007

ATTACHMENT 2

ANALYSIS RESULTS COMPARED TO GROUNDWATER STANDARDS

ANALYSIS RESULTS COMPARED TO GROUNDWATER STANDARDS AND/OR GUIDANCE CONCENTRATIONS
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
FIRST SEMIANNUAL 2007

PARAMETER		pH (FIELD)	IRON
STANDARD		6.5-8.5 S.U.**	300 µg/L**
Det (Abandoned)			
MW-7B	5/7/2007	9.27	-
Detection			
MW-3B	5/4/2007	-	-
MW-4B	5/7/2007	-	-
MW-4B D	5/7/2007	NM	-
MW-5A	5/4/2007	5.11	725
MW-5B	5/4/2007	-	-
MW-6	5/4/2007	5.02	1530
MW-7A	5/7/2007	5.85	834
MW-8B	5/7/2007	-	-
MW-9B	5/7/2007	-	-
MW-10B	5/7/2007	-	-
Other, Water Supply			
Supply Well	5/7/2007	-	-
QAQC			
EQUBLK	5/7/2007	NM	-
TRIP1	5/7/2007	NM	NM
TRIP2	5/4/2007	NM	NM
Surface Water			
POND 1	5/7/2007	-	1700

LEGEND

* =Primary Drinking Water Standard
** =Secondary Drinking Water Standard
*** =Florida Groundwater Guidance Concentration
@ =Analysis Result is at Groundwater Standard or Florida Groundwater Guidance Concentration
\- =Analysis Result is not at or outside Groundwater Standard or Florida Groundwater Guidance Concentration
NS =Not Sampled
NM =Not Measured

Note:

This table displays analysis results which were reported at or outside Groundwater Standards or Florida Groundwater Guidance Concentrations. Analysis results notated with "@" indicate that the analysis result was reported at the Groundwater Standard or Florida Groundwater Guidance Concentration. Analysis results which were reported above the laboratory detection limit (reporting limit), but not at or above the Groundwater Standard or Florida Groundwater Guidance Concentration are not displayed in this table.

ATTACHMENT 3

GROUNDWATER PARAMETERS AT OR ABOVE THE LABORATORY DETECTION LIMIT

PARAMETERS AT OR ABOVE THE LABORATORY DETECTION LIMIT
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
FIRST SEMIANNUAL 2007

PARAMETER		CONDUC-TIVITY *(FIELD)*	DISSOLVED OXYGEN *(FIELD)*	GROUND-WATER *ELEVATION*	pH (FIELD)	TEMPER-ATURE *(FIELD)*	TURBIDITY (FIELD)	AMMONIA NITROGEN	CHLORIDE	NITRATE NITROGEN	TOTAL DISSOLVED SOLIDS	ANTIMONY	ARSENIC	BARIUM	CADMIUM
STANDARD UNITS		(1) umhos/cm	(1) ppm	(1) NGVD FT	6.5-8.5 S.U.** S.U.	(1) deg C	(1) NTU	2.8 mg/L*** mg/L	250 mg/L** mg/L	10 mg/L* mg/L	500 mg/L** mg/L	6 µg/L* µg/L	10 µg/L* µg/L	2000 µg/L* µg/L	5 µg/L* µg/L
Det (Abandoned)															
MW-7B	5/7/2007	183	0.91	39.4	9.27	24.55	5.84	0.29	4.2	1.0	72	<0.760	<0.980	<1.30	<0.300
Detection															
MW-3B	5/4/2007	302	2.84	21.7	7.29	25.69	1.78	0.004 I	4.2	0.50	190	<0.760	<0.980	<1.30	<0.300
MW-4B	5/7/2007	256	2.11	37.8	7.53	23.92	8.82	<0.003	4.2	0.44	170	<0.760	<0.980	<1.30	<0.300
MW-4B D	5/7/2007	-	-	-	-	-	-	<0.003	4.2	0.45	150	<0.760	<0.980	<1.30	<0.300
MW-5A	5/4/2007	81.0	5.89	20.8	5.11	24.49	13.0	<0.003	4.0	0.36	76	<0.760	<0.980	<1.30	0.412 I
MW-5B	5/4/2007	267	4.19	22.8	7.49	24.97	9.89	<0.003	4.0	0.76	160	<0.760	<0.980	<1.30	<0.300
MW-6	5/4/2007	98.0	5.23	25.6	5.02	25.94	11.2	<0.003	8.6	0.24	68	<0.760	<0.980	4.92 I	<0.300
MW-7A	5/7/2007	65.0	3.02	40.9	5.85	25.55	28.7	<0.003	3.2	0.34	78	<0.760	<0.980	<1.30	<0.300
MW-8B	5/7/2007	585	0.81	45.5	6.75	25.99	1.35	<0.003	5.0	0.14	340	<0.760	1.49 I	34.0 I	<0.300
MW-9B	5/7/2007	267	6.01	47.0	7.56	24.55	3.15	<0.003	5.9	1.5	160	<0.760	<0.980	<1.30	<0.300
MW-10B	5/7/2007	203	1.56	47.9	7.19	24.55	1.20	0.054	5.6	1.2	130	<0.760	<0.980	<1.30	<0.300
Other, Water Supply															
SUPPLY WELL	5/7/2007	265	4.19	-	7.61	24.05	0.910	<0.003	6.4	2.6	160	<0.760	<0.980	<1.30	<0.300
Surface Water															
POND 1	5/7/2007	252	7.53	-	8.44	29.44	98.1	0.005 I	5.3	0.21	190	0.771 I	3.39 I	33.2 I	<0.300

LEGEND

* =Primary Drinking Water Standard
** =Secondary Drinking Water Standard
*** =Florida Groundwater Guidance Concentration
(1) =No Standard
\- =Not Analyzed

I = Value is between the Method Detection Level (MDL) and the Reporting Detection Level (RDL)
J = Estimated value
B = Analyte found in associated method blank
Q = Estimated value; analyte analyzed after acceptable holding time

PARAMETERS AT OR ABOVE THE LABORATORY DETECTION LIMIT
ENTERPRISE CLASS III LANDFILL AND RECYCLING FACILITY
FIRST SEMIANNUAL 2007

PARAMETER		CHROMIUM	COPPER	IRON	LEAD	NICKEL	SILVER	SODIUM	VANADIUM	ZINC
STANDARD UNITS		100 µg/L* µg/L	1000 µg/L** µg/L	300 µg/L** µg/L	15 µg/L* µg/L	100 µg/L* µg/L	100 µg/L** µg/L	160 mg/L* mg/L	49 µg/L*** µg/L	5000 µg/L** µg/L
Det (Abandoned)										
MW-7B	5/7/2007	<1.20	<0.630	54.9	<0.170	0.780 I	<0.200	4.44	13.8	4.60 I
Detection										
MW-3B	5/4/2007	<1.20	<0.630	6.70	<0.170	<0.470	<0.200	4.65	2.38 I	2.45 I
MW-4B	5/7/2007	7.12 I	<0.630	90.6	<0.170	3.51 I	<0.200	5.07	2.97 I	6.58 I
MW-4B D	5/7/2007	7.13 I	<0.630	82.8	<0.170	3.62 I	<0.200	4.92	2.57 I	3.14 I
MW-5A	5/4/2007	2.16 I	<0.630	725	0.181 I	<0.470	1.07	4.84	0.796 I	10.6 I
MW-5B	5/4/2007	1.88 I	<0.630	78.6	<0.170	<0.470	<0.200	4.22	9.02 I	7.36 I
MW-6	5/4/2007	3.90 I	0.849 I	1530	1.39 I	0.602 I	<0.200	7.31	2.87 I	9.58 I
MW-7A	5/7/2007	8.50 I	<0.630	834	<0.170	3.37 I	<0.200	2.91	2.34 I	47.0 I
MW-8B	5/7/2007	<1.20	<0.630	245	<0.170	3.60 I	<0.200	5.38	<0.380	5.22 I
MW-9B	5/7/2007	6.82 I	<0.630	61.7	<0.170	3.41 I	<0.200	4.83	2.18 I	2.75 I
MW-10B	5/7/2007	<1.20	<0.630	212	<0.170	4.66 I	<0.200	6.11	1.45 I	5.84 I
Other, Water Supply										
SUPPLY WELL	5/7/2007	1.27 I	0.751 I	8.29 I	<0.170	<0.470	<0.200	5.85	3.31 I	56.9
Surface Water										
POND 1	5/7/2007	5.83 I	5.78 I	1700	2.19 I	<0.470	<0.200	4.75	11.9	46.0 I

LEGEND

*	=Primary Drinking Water Standard	I	= Value is between the Method Detection Level (MDL) and the Reporting Detection Level (RDL)
**	=Secondary Drinking Water Standard	J	= Estimated value
***	=Florida Groundwater Guidance Concentration	B	= Analyte found in associated method blank
(1)	=No Standard	Q	= Estimated value; analyte analyzed after acceptable holding time
-	=Not Analyzed		

ATTACHMENT 4

PARAMETER MONITORING REPORT FORMS

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21964

Well Name: MW-3B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.10

Sampling Date/Time: 5/4/2007 2:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	190	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/5/2007 1:42:00 PM	4.2	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/5/2007 1:42:00 PM	0.50	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/7/2007 6:38:00 PM	0.004 I	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.760	ug/L	0.760ug/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.980	ug/L	0.980ug/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<1.30	ug/L	1.30ug/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.810	ug/L	0.810ug/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.300	ug/L	0.300ug/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<1.20	ug/L	1.20ug/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.260	ug/L	0.260ug/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.630	ug/L	0.630ug/L
001045	IRON	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<6.70	ug/L	6.70ug/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.170	ug/L	0.170ug/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.470	ug/L	0.470ug/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<1.70	ug/L	1.70ug/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.200	ug/L	0.200ug/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	4.65	ug/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	<0.290	ug/L	0.290ug/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 1:17:00 AM	2.38 I	ug/L	0.380ug/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 1:17:00 AM	2.45 I	ug/L	1.90ug/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 8:37:00 AM	<0.11	ug/L	0.11ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/8/2007 4:23:00 PM	<0.004	ug/L	0.004ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/8/2007 4:23:00 PM	<0.004	ug/L	0.004ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.24	ug/L	0.24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.88	ug/L	0.88ug/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.20	ug/L	0.20ug/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.44	ug/L	0.44ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.60	ug/L	0.60ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.83	ug/L	0.83ug/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.34	ug/L	0.34ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.27	ug/L	0.27ug/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.94	ug/L	0.94ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.97	ug/L	0.97ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.24	ug/L	0.24ug/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<2.1	ug/L	2.1ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<1.6	ug/L	1.6ug/L
081552	ACETONE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<2.6	ug/L	2.6ug/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<1.7	ug/L	1.7ug/L
034030	BENZENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.48	ug/L	0.48ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.93	ug/L	0.93ug/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.22	ug/L	0.22ug/L
032104	BROMOFORM	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.48	ug/L	0.48ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.80	ug/L	0.80ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.97	ug/L	0.97ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21964

Well Name: MW-3B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.10

Sampling Date/Time: 5/4/2007 2:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.85	ug/L	0.85ug/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.21	ug/L	0.21ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.66	ug/L	0.66ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.89	ug/L	0.89ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.82	ug/L	0.82ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.75	ug/L	0.75ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.20	ug/L	0.20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.20	ug/L	0.20ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.42	ug/L	0.42ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.99	ug/L	0.99ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.55	ug/L	0.55ug/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<1.0	ug/L	1.0ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.81	ug/L	0.81ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<1.0	ug/L	1.0ug/L
077135	O-XYLENES	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.60	ug/L	0.60ug/L
077128	STYRENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.19	ug/L	0.19ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.65	ug/L	0.65ug/L
034010	TOLUENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.25	ug/L	0.25ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.83	ug/L	0.83ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.20	ug/L	0.20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.61	ug/L	0.61ug/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.71	ug/L	0.71ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.70	ug/L	0.70ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.20	ug/L	0.20ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.52	ug/L	0.52ug/L
081551	XYLENES	SP	No	EPA 8260B	5/9/2007 3:57:00 PM	<0.60	ug/L	0.60ug/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/4/2007 2:19:00 PM	302	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/4/2007 2:19:00 PM	2.84	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/4/2007 2:19:00 PM	21.7	Ft	Ft
000400	pH (FIELD)	SP	No	Field	5/4/2007 2:19:00 PM	7.29	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/4/2007 2:19:00 PM	25.69	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/4/2007 2:19:00 PM	1.78	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21965

Well Name: MW-4B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.04

Sampling Date/Time: 5/7/2007 5:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	170	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 3:14:00 PM	4.2	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 3:14:00 PM	0.44	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:06:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	7.12 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:16:00 AM	90.6	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:16:00 AM	3.51 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	5.07	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:16:00 AM	2.97 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:16:00 AM	6.58 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:13:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 3:13:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 3:13:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21965

Well Name: MW-4B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.04

Sampling Date/Time: 5/7/2007 5:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 2:28:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 5:17:00 PM	256	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 5:17:00 PM	2.11	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 5:17:00 PM	37.8	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 5:17:00 PM	7.53	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 5:17:00 PM	23.92	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 5:17:00 PM	8.82	NTU	

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21965

Well Name: MW-4B D (07S1AC34BDUP)

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.04

Sampling Date/Time: 5/7/2007 5:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	150	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 6:30:00 PM	4.2	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 6:30:00 PM	0.45	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:18:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	7.13 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 5:19:00 AM	82.8	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 5:19:00 AM	3.62 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	4.92	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 5:19:00 AM	2.57 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 5:19:00 AM	3.14 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:45:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 4:51:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 4:51:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21965

Well Name: MW-4B D (07S1AC34BDUP)

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.04

Sampling Date/Time: 5/7/2007 5:09:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 6:23:00 PM	<0.60	µg/L	0.60µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19573

Well Name: MW-5A

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 66.98

Sampling Date/Time: 5/4/2007 11:17:00 AM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	76	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/5/2007 2:00:00 PM	4.0	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/5/2007 2:00:00 PM	0.36	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/7/2007 6:44:00 PM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.760	ug/L	0.760ug/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.980	ug/L	0.980ug/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<1.30	ug/L	1.30ug/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.810	ug/L	0.810ug/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	0.412 I	ug/L	0.300ug/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	2.16 I	ug/L	1.20ug/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.260	ug/L	0.260ug/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.630	ug/L	0.630ug/L
001045	IRON	SP	No	EPA 6020	5/15/2007 1:23:00 AM	725	ug/L	6.70ug/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 1:23:00 AM	0.181 I	ug/L	0.170ug/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.470	ug/L	0.470ug/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<1.70	ug/L	1.70ug/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 1:23:00 AM	1.07	ug/L	0.200ug/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	4.84	ug/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	<0.290	ug/L	0.290ug/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 1:23:00 AM	0.796 I	ug/L	0.380ug/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 1:23:00 AM	10.6 I	ug/L	1.90ug/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 8:40:00 AM	<0.11	ug/L	0.11ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/8/2007 4:33:00 PM	<0.004	ug/L	0.004ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/8/2007 4:33:00 PM	<0.004	ug/L	0.004ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.24	ug/L	0.24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.88	ug/L	0.88ug/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.20	ug/L	0.20ug/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.44	ug/L	0.44ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.60	ug/L	0.60ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.83	ug/L	0.83ug/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.34	ug/L	0.34ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.27	ug/L	0.27ug/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.94	ug/L	0.94ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.97	ug/L	0.97ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.24	ug/L	0.24ug/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<2.1	ug/L	2.1ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<1.6	ug/L	1.6ug/L
081552	ACETONE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<2.6	ug/L	2.6ug/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<1.7	ug/L	1.7ug/L
034030	BENZENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.48	ug/L	0.48ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.93	ug/L	0.93ug/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.22	ug/L	0.22ug/L
032104	BROMOFORM	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.48	ug/L	0.48ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.80	ug/L	0.80ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.97	ug/L	0.97ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19573

Well Name: MW-5A

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 66.98

Sampling Date/Time: 5/4/2007 11:17:00 AM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.85	ug/L	0.85ug/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.21	ug/L	0.21ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.66	ug/L	0.66ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.89	ug/L	0.89ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.82	ug/L	0.82ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.75	ug/L	0.75ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.20	ug/L	0.20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.20	ug/L	0.20ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.42	ug/L	0.42ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.99	ug/L	0.99ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.55	ug/L	0.55ug/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<1.0	ug/L	1.0ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.81	ug/L	0.81ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<1.0	ug/L	1.0ug/L
077135	O-XYLENES	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.60	ug/L	0.60ug/L
077128	STYRENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.19	ug/L	0.19ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.65	ug/L	0.65ug/L
034010	TOLUENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.25	ug/L	0.25ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.83	ug/L	0.83ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.20	ug/L	0.20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.61	ug/L	0.61ug/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.71	ug/L	0.71ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.70	ug/L	0.70ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.20	ug/L	0.20ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.52	ug/L	0.52ug/L
081551	XYLENES	SP	No	EPA 8260B	5/9/2007 4:27:00 PM	<0.60	ug/L	0.60ug/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/4/2007 11:28:00 AM	81.0	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/4/2007 11:28:00 AM	5.89	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/4/2007 11:28:00 AM	20.8	Ft	Ft
000400	pH (FIELD)	SP	No	Field	5/4/2007 11:28:00 AM	5.11	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/4/2007 11:28:00 AM	24.49	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/4/2007 11:28:00 AM	13.0	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19574

Well Name: MW-5B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.94

Sampling Date/Time: 5/4/2007 12:12:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	160	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/5/2007 2:18:00 PM	4.0	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/5/2007 2:18:00 PM	0.76	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/7/2007 6:46:00 PM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.760	ug/L	0.760ug/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.980	ug/L	0.980ug/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<1.30	ug/L	1.30ug/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.810	ug/L	0.810ug/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.300	ug/L	0.300ug/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	1.88 I	ug/L	1.20ug/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.260	ug/L	0.260ug/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.630	ug/L	0.630ug/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:03:00 AM	78.6	ug/L	6.70ug/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.170	ug/L	0.170ug/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.470	ug/L	0.470ug/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<1.70	ug/L	1.70ug/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.200	ug/L	0.200ug/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	4.22	ug/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	<0.290	ug/L	0.290ug/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:03:00 AM	9.02 I	ug/L	0.380ug/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:03:00 AM	7.36 I	ug/L	1.90ug/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 8:50:00 AM	<0.11	ug/L	0.11ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/8/2007 4:44:00 PM	<0.004	ug/L	0.004ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/8/2007 4:44:00 PM	<0.004	ug/L	0.004ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.24	ug/L	0.24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.88	ug/L	0.88ug/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.20	ug/L	0.20ug/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.44	ug/L	0.44ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.60	ug/L	0.60ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.83	ug/L	0.83ug/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.34	ug/L	0.34ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.27	ug/L	0.27ug/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.94	ug/L	0.94ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.97	ug/L	0.97ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.24	ug/L	0.24ug/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<2.1	ug/L	2.1ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<1.6	ug/L	1.6ug/L
081552	ACETONE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<2.6	ug/L	2.6ug/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<1.7	ug/L	1.7ug/L
034030	BENZENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.48	ug/L	0.48ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.93	ug/L	0.93ug/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.22	ug/L	0.22ug/L
032104	BROMOFORM	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.48	ug/L	0.48ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.80	ug/L	0.80ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.97	ug/L	0.97ug/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19574

Well Name: MW-5B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.94

Sampling Date/Time: 5/4/2007 12:12:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.85	ug/L	0.85ug/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.21	ug/L	0.21ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.66	ug/L	0.66ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.89	ug/L	0.89ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.82	ug/L	0.82ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.75	ug/L	0.75ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.20	ug/L	0.20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.20	ug/L	0.20ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.42	ug/L	0.42ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.99	ug/L	0.99ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.55	ug/L	0.55ug/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<1.0	ug/L	1.0ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.81	ug/L	0.81ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<1.0	ug/L	1.0ug/L
077135	O-XYLENES	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.60	ug/L	0.60ug/L
077128	STYRENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.19	ug/L	0.19ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.65	ug/L	0.65ug/L
034010	TOLUENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.25	ug/L	0.25ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.83	ug/L	0.83ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.20	ug/L	0.20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.61	ug/L	0.61ug/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.71	ug/L	0.71ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.70	ug/L	0.70ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.20	ug/L	0.20ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.52	ug/L	0.52ug/L
081551	XYLENES	SP	No	EPA 8260B	5/9/2007 4:56:00 PM	<0.60	ug/L	0.60ug/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/4/2007 12:22:00 PM	267	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/4/2007 12:22:00 PM	4.19	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/4/2007 12:22:00 PM	22.8	Ft	Ft
000400	pH (FIELD)	SP	No	Field	5/4/2007 12:22:00 PM	7.49	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/4/2007 12:22:00 PM	24.97	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/4/2007 12:22:00 PM	9.89	NTU	

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19575

Well Name: MW-6

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.65

Sampling Date/Time: 5/4/2007 2:44:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	68	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/5/2007 2:36:00 PM	8.6	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/5/2007 2:36:00 PM	0.24	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/7/2007 6:47:00 PM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.760	ug/L	0.760ug/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.980	ug/L	0.980ug/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	4.92 I	ug/L	1.30ug/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.810	ug/L	0.810ug/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.300	ug/L	0.300ug/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	3.90 I	ug/L	1.20ug/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.260	ug/L	0.260ug/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:09:00 AM	0.849 I	ug/L	0.630ug/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:09:00 AM	1530	ug/L	6.70ug/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:09:00 AM	1.39 I	ug/L	0.170ug/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:09:00 AM	0.602 I	ug/L	0.470ug/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<1.70	ug/L	1.70ug/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.200	ug/L	0.200ug/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	7.31	ug/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	<0.290	ug/L	0.290ug/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:09:00 AM	2.87 I	ug/L	0.380ug/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:09:00 AM	9.58 I	ug/L	1.90ug/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 8:53:00 AM	<0.11	ug/L	0.11ug/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/8/2007 4:55:00 PM	<0.004	ug/L	0.004ug/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/8/2007 4:55:00 PM	<0.004	ug/L	0.004ug/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.24	ug/L	0.24ug/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.88	ug/L	0.88ug/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.20	ug/L	0.20ug/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.44	ug/L	0.44ug/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.60	ug/L	0.60ug/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.83	ug/L	0.83ug/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.34	ug/L	0.34ug/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.27	ug/L	0.27ug/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.94	ug/L	0.94ug/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.97	ug/L	0.97ug/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.24	ug/L	0.24ug/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<2.1	ug/L	2.1ug/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<1.6	ug/L	1.6ug/L
081552	ACETONE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<2.6	ug/L	2.6ug/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<1.7	ug/L	1.7ug/L
034030	BENZENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.48	ug/L	0.48ug/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.93	ug/L	0.93ug/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.22	ug/L	0.22ug/L
032104	BROMOFORM	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.48	ug/L	0.48ug/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.80	ug/L	0.80ug/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.97	ug/L	0.97ug/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19575

Well Name: MW-6

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.65

Sampling Date/Time: 5/4/2007 2:44:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.85	ug/L	0.85ug/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.21	ug/L	0.21ug/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.66	ug/L	0.66ug/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.89	ug/L	0.89ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.82	ug/L	0.82ug/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.75	ug/L	0.75ug/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.20	ug/L	0.20ug/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.20	ug/L	0.20ug/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.42	ug/L	0.42ug/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.99	ug/L	0.99ug/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.55	ug/L	0.55ug/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<1.0	ug/L	1.0ug/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.81	ug/L	0.81ug/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<1.0	ug/L	1.0ug/L
077135	O-XYLENES	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.60	ug/L	0.60ug/L
077128	STYRENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.19	ug/L	0.19ug/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.65	ug/L	0.65ug/L
034010	TOLUENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.25	ug/L	0.25ug/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.83	ug/L	0.83ug/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.20	ug/L	0.20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.61	ug/L	0.61ug/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.71	ug/L	0.71ug/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.70	ug/L	0.70ug/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.20	ug/L	0.20ug/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.52	ug/L	0.52ug/L
081551	XYLENES	SP	No	EPA 8260B	5/9/2007 5:26:00 PM	<0.60	ug/L	0.60ug/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/4/2007 2:53:00 PM	98.0	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/4/2007 2:53:00 PM	5.23	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/4/2007 2:53:00 PM	25.6	Ft	Ft
000400	pH (FIELD)	SP	No	Field	5/4/2007 2:53:00 PM	5.02	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/4/2007 2:53:00 PM	25.94	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/4/2007 2:53:00 PM	11.2	NTU	

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19576

Well Name: MW-7A

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.91

Sampling Date/Time: 5/7/2007 3:20:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	78	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 3:32:00 PM	3.2	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 3:32:00 PM	0.34	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:10:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	8.50 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:26:00 AM	834	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:26:00 AM	3.37 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	2.91	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:26:00 AM	2.34 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:26:00 AM	47.0 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:16:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 3:24:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 3:24:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19576

Well Name: MW-7A

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.91

Sampling Date/Time: 5/7/2007 3:20:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 2:57:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 3:47:00 PM	65.0	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 3:47:00 PM	3.02	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 3:47:00 PM	40.9	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 3:47:00 PM	5.85	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 3:47:00 PM	25.55	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 3:47:00 PM	28.7	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19577

Well Name: MW-7B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.88

Sampling Date/Time: 5/7/2007 1:44:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	72	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 3:50:00 PM	4.2	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 3:50:00 PM	1.0	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:11:00 AM	0.29	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<1.20	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:33:00 AM	54.9	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:33:00 AM	0.780 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	4.44	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:33:00 AM	13.8	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:33:00 AM	4.60 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:19:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 3:35:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 3:35:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterp[redacted] Class III Landfill and Recycl[redacted] Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 19577

Well Name: MW-7B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.88

Sampling Date/Time: 5/7/2007 1:44:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 3:27:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 1:53:00 PM	183	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 1:53:00 PM	0.91	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 1:53:00 PM	39.4	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 1:53:00 PM	9.27	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 1:53:00 PM	24.55	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 1:53:00 PM	5.84	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21323

Well Name: MW-8B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.95

Sampling Date/Time: 5/7/2007 1:02:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	340	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 4:08:00 PM	5.0	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 4:08:00 PM	0.14	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:12:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:39:00 AM	1.49 I	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	34.0 I	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<1.20	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:39:00 AM	245	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:39:00 AM	3.60 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	5.38	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:39:00 AM	<0.380	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:39:00 AM	5.22 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:29:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 3:46:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 3:46:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21323

Well Name: MW-8B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.95

Sampling Date/Time: 5/7/2007 1:02:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 3:56:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 1:10:00 PM	585	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 1:10:00 PM	0.81	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 1:10:00 PM	45.5	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 1:10:00 PM	6.75	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 1:10:00 PM	25.99	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 1:10:00 PM	1.35	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21324

Well Name: MW-9B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.16

Sampling Date/Time: 5/7/2007 12:18:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	160	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 4:25:00 PM	5.9	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 4:25:00 PM	1.5	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:13:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	6.82 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:49:00 AM	61.7	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:49:00 AM	3.41 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	4.83	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:49:00 AM	2.18 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:49:00 AM	2.75 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:32:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 3:56:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 3:56:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21324

Well Name: MW-9B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 63.16

Sampling Date/Time: 5/7/2007 12:18:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 4:25:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 12:25:00 PM	267	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 12:25:00 PM	6.01	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 12:25:00 PM	47.0	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 12:25:00 PM	7.56	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 12:25:00 PM	24.55	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 12:25:00 PM	3.15	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21325

Well Name: MW-10B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.30

Sampling Date/Time: 5/7/2007 11:15:00 AM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	130	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 5:37:00 PM	5.6	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 5:37:00 PM	1.2	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:14:00 AM	0.054	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<1.20	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.630	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 3:56:00 AM	212	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 3:56:00 AM	4.66 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	6.11	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 3:56:00 AM	1.45 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 3:56:00 AM	5.84 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:35:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 4:18:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 4:18:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21325

Well Name: MW-10B

Classification of Ground Water: GII

Ground Water Elevation (NGVD): 62.30

Sampling Date/Time: 5/7/2007 11:15:00 AM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type:
[ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[X] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 4:55:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 11:25:00 AM	203	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 11:25:00 AM	1.56	mg/L	
082545	GROUNDWATER ELEVATION	SP	No	Field	5/7/2007 11:25:00 AM	47.9	Ft	
000400	pH (FIELD)	SP	No	Field	5/7/2007 11:25:00 AM	7.19	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 11:25:00 AM	24.55	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 11:25:00 AM	1.20	NTU	

* Attach Laboratory Reports

Enterprise Class III Landfill and Recycling Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21326

Well Name: SUPPLY WELL

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007 5:55:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	160	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 6:12:00 PM	6.4	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 6:12:00 PM	2.6	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:17:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.760	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<1.30	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	1.27 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 5:12:00 AM	0.751 I	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 5:12:00 AM	8.29 I	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.170	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.470	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	5.85	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 5:12:00 AM	3.31 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 5:12:00 AM	56.9	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 9:42:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 4:40:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 4:40:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #: 21326

Well Name: SUPPLY WELL

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007 5:55:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 5:54:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	SP	No	Field	5/7/2007 5:55:00 PM	265	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	SP	No	Field	5/7/2007 5:55:00 PM	4.19	mg/L	
000400	pH (FIELD)	SP	No	Field	5/7/2007 5:55:00 PM	7.61	pH Units	
000010	TEMPERATURE (FIELD)	SP	No	Field	5/7/2007 5:55:00 PM	24.05	°C	
082078	TURBIDITY (FIELD)	SP	No	Field	5/7/2007 5:55:00 PM	0.910	NTU	

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: POND 1

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007 3:00:00 PM

Report Period: FIRST SEMIANNUAL 2007

Well Purged: YES

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	E	No	EPA 160.1	5/10/2007 5:50:00 PM	190	mg/L	10mg/L
000940	CHLORIDE	E	No	EPA 300.0	5/8/2007 5:54:00 PM	5.3	mg/L	0.05mg/L
000620	NITRATE NITROGEN	E	No	EPA 300.0	5/8/2007 5:54:00 PM	0.21	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	E	No	EPA 350.1	5/11/2007 10:15:00 AM	0.005 I	mg/L	0.003mg/L
001097	ANTIMONY	E	No	EPA 6020	5/15/2007 4:03:00 AM	0.771 I	µg/L	0.760µg/L
001002	ARSENIC	E	No	EPA 6020	5/15/2007 4:03:00 AM	3.39 I	µg/L	0.980µg/L
001007	BARIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	33.2 I	µg/L	1.30µg/L
001012	BERYLLIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	5.83 I	µg/L	1.20µg/L
001037	COBALT	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	E	No	EPA 6020	5/15/2007 4:03:00 AM	5.78 I	µg/L	0.630µg/L
001045	IRON	E	No	EPA 6020	5/15/2007 4:03:00 AM	1700	µg/L	6.70µg/L
001051	LEAD	E	No	EPA 6020	5/15/2007 4:03:00 AM	2.19 I	µg/L	0.170µg/L
001067	NICKEL	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.470	µg/L	0.470µg/L
001147	SELENIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	4.75	µg/L	0.016 mg/L
001059	THALLIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	E	No	EPA 6020	5/15/2007 4:03:00 AM	11.9	µg/L	0.380µg/L
001092	ZINC	E	No	EPA 6020	5/15/2007 4:03:00 AM	46.0 I	µg/L	1.90µg/L
071900	MERCURY	E	No	EPA 7470A	5/10/2007 9:38:00 AM	<0.11	µg/L	0.11µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	E	No	EPA 8011	5/11/2007 4:29:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	E	No	EPA 8011	5/11/2007 4:29:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recycl[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: **POND 1**

Classification of Ground Water: **GII**

Ground Water Elevation (NGVD):

Sampling Date/Time: **5/7/2007 3:00:00 PM**

Report Period: **FIRST SEMIANNUAL 2007**

Well Purged: **YES**

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	E	No	EPA 8260B	5/11/2007 5:24:00 PM	<0.60	µg/L	0.60µg/L
000094	CONDUCTIVITY (FIELD)	E	No	Field	5/7/2007 3:00:00 PM	252	umhos/cm	
000299	DISSOLVED OXYGEN (FIELD)	E	No	Field	5/7/2007 3:00:00 PM	7.53	mg/L	
000400	pH (FIELD)	E	No	Field	5/7/2007 3:00:00 PM	8.44	pH Units	
000010	TEMPERATURE (FIELD)	E	No	Field	5/7/2007 3:00:00 PM	29.44	°C	
082078	TURBIDITY (FIELD)	E	No	Field	5/7/2007 3:00:00 PM	98.1	NTU	

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07S1AC3EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007

Report Period: FIRST SEMIANNUAL 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
070300	TOTAL DISSOLVED SOLIDS	SP	No	EPA 160.1	5/10/2007 5:50:00 PM	<10	mg/L	10mg/L
000940	CHLORIDE	SP	No	EPA 300.0	5/8/2007 6:48:00 PM	0.71 I	mg/L	0.05mg/L
000620	NITRATE NITROGEN	SP	No	EPA 300.0	5/8/2007 6:48:00 PM	<0.008	mg/L	0.008mg/L
000610	AMMONIA NITROGEN	SP	No	EPA 350.1	5/11/2007 10:19:00 AM	<0.003	mg/L	0.003mg/L
001097	ANTIMONY	SP	No	EPA 6020	5/12/2007 6:19:00 AM	0.961 I	µg/L	0.760µg/L
001002	ARSENIC	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<0.980	µg/L	0.980µg/L
001007	BARIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	4.13 I	µg/L	1.30µg/L
001012	BERYLLIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<0.810	µg/L	0.810µg/L
001027	CADMIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<0.300	µg/L	0.300µg/L
001034	CHROMIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	6.50 I	µg/L	1.20µg/L
001037	COBALT	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<0.260	µg/L	0.260µg/L
001042	COPPER	SP	No	EPA 6020	5/15/2007 12:30:00 AM	6.76 I	µg/L	0.630µg/L
001045	IRON	SP	No	EPA 6020	5/15/2007 12:30:00 AM	82.0	µg/L	6.70µg/L
001051	LEAD	SP	No	EPA 6020	5/12/2007 6:19:00 AM	1.56 I	µg/L	0.170µg/L
001067	NICKEL	SP	No	EPA 6020	5/15/2007 12:30:00 AM	9.37 I	µg/L	0.470µg/L
001147	SELENIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<1.70	µg/L	1.70µg/L
001077	SILVER	SP	No	EPA 6020	5/15/2007 12:30:00 AM	<0.200	µg/L	0.200µg/L
000929	SODIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	0.141 I	µg/L	0.016 mg/L
001059	THALLIUM	SP	No	EPA 6020	5/12/2007 6:19:00 AM	<0.290	µg/L	0.290µg/L
001087	VANADIUM	SP	No	EPA 6020	5/15/2007 12:30:00 AM	4.04 I	µg/L	0.380µg/L
001092	ZINC	SP	No	EPA 6020	5/15/2007 12:30:00 AM	44.1 I	µg/L	1.90µg/L
071900	MERCURY	SP	No	EPA 7470A	5/10/2007 8:21:00 AM	0.056 I	µg/L	0.0µg/L
038437	1,2-DIBROMO-3-CHLOROPROPANE	SP	No	EPA 8011	5/11/2007 5:01:00 PM	<0.004	µg/L	0.004µg/L
077651	1,2-DIBROMOETHANE (EDB)	SP	No	EPA 8011	5/11/2007 5:01:00 PM	<0.004	µg/L	0.004µg/L
077562	1,1,1,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.97	µg/L	0.97µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: EQUBLK (07S1AC3EQB)

Classification of Ground Water: GII

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007

Report Period: FIRST SEMIANNUAL 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
032102	CARBON TETRACHLORIDE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.20	µg/L	0.20µg/L
039175	VINYL CHLORIDE	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES	SP	No	EPA 8260B	5/11/2007 6:52:00 PM	<0.60	µg/L	0.60µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: TRIP1 (07S1AC3TB1)

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/4/2007

Report Period: FIRST SEMIANNUAL 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
077562	1,1,1,2-TETRACHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.24	µg/L	0.24µg/L
034506	1,1,1-TRICHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.88	µg/L	0.88µg/L
034516	1,1,2,2-TETRACHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.20	µg/L	0.20µg/L
034511	1,1,2-TRICHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.44	µg/L	0.44µg/L
034496	1,1-DICHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.60	µg/L	0.60µg/L
034501	1,1-DICHLOROETHENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.83	µg/L	0.83µg/L
077443	1,2,3-TRICHLOROPROPANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.34	µg/L	0.34µg/L
034536	1,2-DICHLOROBENZENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.27	µg/L	0.27µg/L
034531	1,2-DICHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.94	µg/L	0.94µg/L
034541	1,2-DICHLOROPROPANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.97	µg/L	0.97µg/L
034571	1,4-DICHLOROBENZENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.24	µg/L	0.24µg/L
077103	2-HEXANONE		No	EPA 8260B	5/11/2007 7:22:00 PM	<2.1	µg/L	2.1µg/L
078133	4-METHYL-2-PENTANONE		No	EPA 8260B	5/11/2007 7:22:00 PM	<1.6	µg/L	1.6µg/L
081552	ACETONE		No	EPA 8260B	5/11/2007 7:22:00 PM	<2.6	µg/L	2.6µg/L
034215	ACRYLONITRILE		No	EPA 8260B	5/11/2007 7:22:00 PM	<1.7	µg/L	1.7µg/L
034030	BENZENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.48	µg/L	0.48µg/L
073085	BROMOCHLOROMETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.93	µg/L	0.93µg/L
032101	BROMODICHLOROMETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.22	µg/L	0.22µg/L
032104	BROMOFORM		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.48	µg/L	0.48µg/L
034413	BROMOMETHANE (METHYL BROMIDE)		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.80	µg/L	0.80µg/L
077041	CARBON DISULFIDE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.97	µg/L	0.97µg/L
032102	CARBON TETRACHLORIDE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.85	µg/L	0.85µg/L
034301	CHLOROBENZENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.21	µg/L	0.21µg/L
034311	CHLOROETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.66	µg/L	0.66µg/L
032106	CHLOROFORM		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.89	µg/L	0.89µg/L
034418	CHLOROMETHANE (METHYL CHLORIDE)		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.82	µg/L	0.82µg/L
077093	CIS-1,2-DICHLOROETHYLENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.75	µg/L	0.75µg/L
034704	CIS-1,3-DICHLOROPROPENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.20	µg/L	0.20µg/L
032105	DIBROMOCHLOROMETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.20	µg/L	0.20µg/L
046361	DIBROMOMETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.42	µg/L	0.42µg/L
034371	ETHYLBENZENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.99	µg/L	0.99µg/L
085795	M&P- XYLENES		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.55	µg/L	0.55µg/L
081595	METHYL ETHYL KETONE		No	EPA 8260B	5/11/2007 7:22:00 PM	<1.0	µg/L	1.0µg/L
077424	METHYL IODIDE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.81	µg/L	0.81µg/L
034423	METHYLENE CHLORIDE		No	EPA 8260B	5/11/2007 7:22:00 PM	<1.0	µg/L	1.0µg/L
077135	O-XYLENES		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.60	µg/L	0.60µg/L
077128	STYRENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.19	µg/L	0.19µg/L
034475	TETRACHLOROETHENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.65	µg/L	0.65µg/L
034010	TOLUENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.25	µg/L	0.25µg/L
034546	TRANS-1,2-DICHLOROETHENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.83	µg/L	0.83µg/L
034699	TRANS-1,3-DICHLOROPROPENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.20	µg/L	0.20µg/L
049263	TRANS-1,4-DICHLORO-2-BUTENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.61	µg/L	0.61µg/L
039180	TRICHLOROETHENE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.71	µg/L	0.71µg/L
034488	TRICHLOROFLUOROMETHANE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.70	µg/L	0.70µg/L
077057	VINYL ACETATE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.20	µg/L	0.20µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: TRIP1 (07S1AC3TB1)

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/4/2007

Report Period: FIRST SEMIANNUAL 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
039175	VINYL CHLORIDE		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.52	µg/L	0.52µg/L
081551	XYLENES		No	EPA 8260B	5/11/2007 7:22:00 PM	<0.60	µg/L	0.60µg/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: TRIP2 (07S1AC3TB2)

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: 5/7/2007

Report Period: FIRST SEMIANNUAL 2007

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
077562	1,1,1,2-TETRACHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.24	ug/L	0.24ug/L
034506	1,1,1-TRICHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.88	ug/L	0.88ug/L
034516	1,1,2,2-TETRACHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.20	ug/L	0.20ug/L
034511	1,1,2-TRICHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.44	ug/L	0.44ug/L
034496	1,1-DICHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.60	ug/L	0.60ug/L
034501	1,1-DICHLOROETHENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.83	ug/L	0.83ug/L
077443	1,2,3-TRICHLOROPROPANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.34	ug/L	0.34ug/L
034536	1,2-DICHLOROBENZENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.27	ug/L	0.27ug/L
034531	1,2-DICHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.94	ug/L	0.94ug/L
034541	1,2-DICHLOROPROPANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.97	ug/L	0.97ug/L
034571	1,4-DICHLOROBENZENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.24	ug/L	0.24ug/L
077103	2-HEXANONE		No	EPA 8260B	5/9/2007 5:55:00 PM	<2.1	ug/L	2.1ug/L
078133	4-METHYL-2-PENTANONE		No	EPA 8260B	5/9/2007 5:55:00 PM	<1.6	ug/L	1.6ug/L
081552	ACETONE		No	EPA 8260B	5/9/2007 5:55:00 PM	<2.6	ug/L	2.6ug/L
034215	ACRYLONITRILE		No	EPA 8260B	5/9/2007 5:55:00 PM	<1.7	ug/L	1.7ug/L
034030	BENZENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.48	ug/L	0.48ug/L
073085	BROMOCHLOROMETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.93	ug/L	0.93ug/L
032101	BROMODICHLOROMETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.22	ug/L	0.22ug/L
032104	BROMOFORM		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.48	ug/L	0.48ug/L
034413	BROMOMETHANE (METHYL BROMIDE)		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.80	ug/L	0.80ug/L
077041	CARBON DISULFIDE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.97	ug/L	0.97ug/L
032102	CARBON TETRACHLORIDE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.85	ug/L	0.85ug/L
034301	CHLOROBENZENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.21	ug/L	0.21ug/L
034311	CHLOROETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.66	ug/L	0.66ug/L
032106	CHLOROFORM		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.89	ug/L	0.89ug/L
034418	CHLOROMETHANE (METHYL CHLORIDE)		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.82	ug/L	0.82ug/L
077093	CIS-1,2-DICHLOROETHYLENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.75	ug/L	0.75ug/L
034704	CIS-1,3-DICHLOROPROPENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.20	ug/L	0.20ug/L
032105	DIBROMOCHLOROMETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.20	ug/L	0.20ug/L
046361	DIBROMOMETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.42	ug/L	0.42ug/L
034371	ETHYLBENZENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.99	ug/L	0.99ug/L
085795	M&P- XYLENES		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.55	ug/l	0.55ug/L
081595	METHYL ETHYL KETONE		No	EPA 8260B	5/9/2007 5:55:00 PM	<1.0	ug/L	1.0ug/L
077424	METHYL IODIDE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.81	ug/L	0.81ug/L
034423	METHYLENE CHLORIDE		No	EPA 8260B	5/9/2007 5:55:00 PM	<1.0	ug/L	1.0ug/L
077135	O-XYLENES		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.60	ug/L	0.60ug/L
077128	STYRENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.19	ug/L	0.19ug/L
034475	TETRACHLOROETHENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.65	ug/L	0.65ug/L
034010	TOLUENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.25	ug/L	0.25ug/L
034546	TRANS-1,2-DICHLOROETHENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.83	ug/L	0.83ug/L
034699	TRANS-1,3-DICHLOROPROPENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.20	ug/L	0.20ug/L
049263	TRANS-1,4-DICHLORO-2-BUTENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.61	ug/L	0.61ug/L
039180	TRICHLOROETHENE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.71	ug/L	0.71ug/L
034488	TRICHLOROFLUOROMETHANE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.70	ug/L	0.70ug/L
077057	VINYL ACETATE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.20	ug/L	0.20ug/L

* Attach Laboratory Reports

Enterp[redacted]e Class III Landfill and Recyc[redacted]g Facility
Parameter Monitoring Report

PART III Analytical Results

Facility GMS #:

Test Site ID #:

Well Name: **TRIP2** **(07S1AC3TB2)**

Classification of Ground Water:

Ground Water Elevation (NGVD):

Sampling Date/Time: **5/7/2007**

Report Period: **FIRST SEMIANNUAL 2007**

Well Purged:

Well Type: [ ] Background
[ ] Intermediate
[ ] Compliance
[ ] Other
[ ] Detection

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE/TIME	ANALYSIS RESULT *	UNITS	DETECTION LIMIT/UNITS
039175	VINYL CHLORIDE		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.52	ug/L	0.52ug/L
081551	XYLENES		No	EPA 8260B	5/9/2007 5:55:00 PM	<0.60	ug/L	0.60ug/L

* Attach Laboratory Reports

ATTACHMENT 5

ORIGINAL LABORATORY DATA INCLUDING CHAIN-OF-CUSTODY FORMS

Environmental Conservation Laboratories, Inc.
10775 Central Port Drive
Orlando FL, 32824
Phone: 407.826.5314 FAX: 407.850.6945

www.encolabs.com

Tuesday, May 15, 2007

HDR, Inc. (HD002)

Attn: HDR, Inc. (HD002)

2718 SW 92nd Drive

Gainesville, FL 32608

RE: Project Number: [none], Project Name/Desc: Angelo's Enterprise
ENCO Workorder: A702148

Dear HDR, Inc. (HD002),

Enclosed is a copy of your laboratory report for test samples received by our laboratory on Saturday, May 5, 2007.

Unless otherwise noted in an attached project narrative, all samples were received in acceptable condition and processed in accordance with the referenced methods/procedures. Results for these procedures apply only to the samples as submitted.

This data has been produced in accordance with NELAC standards (June, 2003). This report shall not be reproduced except in full, without the written approval of the Laboratory.

This report contains only those analyses performed by Environmental Conservation Laboratories. Data from outside organizations will be reported under separate cover.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Marcia C Colon

Marcia Colon For Ronald Wambles
Project Manager

Enclosure(s)

The total number of pages in this report, including this page is 45.

SAMPLE SUMMARY/LABORATORY CHRONICLE

Client ID: MW-3B **Lab ID:** A702148-01

Sampled: 05/04/07 14:19 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/11/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/06/07 14:19		05/05/07 11:20	5/5/2007 13:42
EPA 300.0	06/01/07		05/05/07 11:20	5/5/2007 13:42
EPA 350.1	06/01/07		05/04/07 15:14	5/7/2007 18:38
EPA 7470A	06/01/07		05/09/07 15:09	5/10/2007 08:37
EPA 8011	05/18/07	05/09/07 00:00	05/08/07 13:00	5/8/2007 16:23
EPA 8260B	05/18/07		05/09/07 12:58	5/9/2007 15:57
Field	05/04/07 14:33		05/04/07 14:19	5/4/2007 14:19
Field	05/05/07 14:19	05/05/07 14:19	05/04/07 14:19	5/4/2007 14:19
Field	05/06/07 14:19		05/04/07 14:19	5/4/2007 14:19

Client ID: MW-3B **Lab ID:** A702148-01RI

Sampled: 05/04/07 14:19 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	10/31/07	05/08/07 13:31	5/15/2007 01:17

Client ID: MW-5A **Lab ID:** A702148-02

Sampled: 05/04/07 11:28 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/11/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/06/07 11:28		05/05/07 11:20	5/5/2007 14:00
EPA 300.0	06/01/07		05/05/07 11:20	5/5/2007 14:00
EPA 350.1	06/01/07		05/04/07 15:14	5/7/2007 18:44
EPA 7470A	06/01/07		05/09/07 15:09	5/10/2007 08:40
EPA 8011	05/18/07	05/09/07 00:00	05/08/07 13:00	5/8/2007 16:33
EPA 8260B	05/18/07		05/09/07 12:58	5/9/2007 16:27
Field	05/04/07 11:42		05/04/07 11:28	5/4/2007 11:28
Field	05/05/07 11:28	05/05/07 11:28	05/04/07 11:28	5/4/2007 11:28
Field	05/06/07 11:28		05/04/07 11:28	5/4/2007 11:28

Client ID: MW-5A **Lab ID:** A702148-02R1

Sampled: 05/04/07 11:28 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	10/31/07	05/08/07 13:31	5/15/2007 01:23

Client ID: MW-5B **Lab ID:** A702148-03

Sampled: 05/04/07 12:22 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/11/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/06/07 12:22	05/05/07 11:20	5/5/2007 14:18
EPA 300.0	06/01/07	05/05/07 11:20	5/5/2007 14:18
EPA 350.1	06/01/07	05/04/07 15:14	5/7/2007 18:46
EPA 7470A	06/01/07	05/09/07 15:09	5/10/2007 08:50
EPA 8011	05/18/07 05/09/07 00:00	05/08/07 13:00	5/8/2007 16:44
EPA 8260B	05/18/07	05/09/07 12:58	5/9/2007 16:56
Field	05/04/07 12:36	05/04/07 12:22	5/4/2007 12:22
Field	05/05/07 12:22 05/05/07 12:22	05/04/07 12:22	5/4/2007 12:22
Field	05/06/07 12:22	05/04/07 12:22	5/4/2007 12:22

Client ID: MW-5B **Lab ID:** A702148-03R1

Sampled: 05/04/07 12:22 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	10/31/07	05/08/07 13:31	5/15/2007 03:03

Client ID: MW-6 **Lab ID:** A702148-04

Sampled: 05/04/07 14:53 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/11/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/06/07 14:53	05/05/07 11:20	5/5/2007 14:36
EPA 300.0	06/01/07	05/05/07 11:20	5/5/2007 14:36
EPA 350.1	06/01/07	05/04/07 15:14	5/7/2007 18:47
EPA 7470A	06/01/07	05/09/07 15:09	5/10/2007 08:53
EPA 8011	05/18/07 05/09/07 00:00	05/08/07 13:00	5/8/2007 16:55
EPA 8260B	05/18/07	05/09/07 12:58	5/9/2007 17:26
Field	05/04/07 15:07	05/04/07 14:53	5/4/2007 14:53
Field	05/05/07 14:53 05/05/07 14:53	05/04/07 14:53	5/4/2007 14:53
Field	05/06/07 14:53	05/04/07 14:53	5/4/2007 14:53

Client ID: MW-6 **Lab ID:** A702148-04RI

Sampled: 05/04/07 14:53 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	10/31/07	05/08/07 13:31	5/15/2007 03:09

Client ID: Trip Blank **Lab ID:** A702148-05

Sampled: 05/04/07 00:00 **Received:** 05/05/07 09:00

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 8260B	05/18/07	05/09/07 12:58	5/9/2007 17:55

SAMPLE DETECTION SUMMARY

Client ID: MW-3B	Lab ID: A702148-01			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Ammonia as N	0.004 I	0.020	mg/L	EPA 350.1
Chloride	4.2	1.0	mg/L	EPA 300.0
Depth to Water	21.7		Ft	Field
Dissolved Oxygen	2.84	0.00	mg/L	Field
Nitrate as N	0.50	0.050	mg/L	EPA 300.0
pH	7.29		pH Units	Field
Specific Conductance (EC)	302	0.00	umhos/cm	Field
Temperature	25.69	0.00	°C	Field
Total Dissolved Solids	190	10	mg/L	EPA 160.1
Turbidity	1.78	0.00	NTU	Field
Client ID: MW-3B	**Lab ID: A702148-01RE1**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Sodium	4650	1000	ug/L	EPA 6020
Vanadium	2.38 I	10.0	ug/L	EPA 6020
Zinc	2.45 I	50.0	ug/L	EPA 6020
Client ID: MW-5A	**Lab ID: A702148-02**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	4.0	1.0	mg/L	EPA 300.0
Depth to Water	20.8		Ft	Field
Dissolved Oxygen	5.89	0.00	mg/L	Field
Nitrate as N	0.36	0.050	mg/L	EPA 300.0
pH	5.11		pH Units	Field
Specific Conductance (EC)	81.0	0.00	umhos/cm	Field
Temperature	24.49	0.00	°C	Field
Total Dissolved Solids	76	10	mg/L	EPA 160.1
Turbidity	13.0	0.00	NTU	Field
Client ID: MW-5A	**Lab ID: A702148-02RE1**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Cadmium	0.412 I	1.00	ug/L	EPA 6020
Chromium	2.16 I	10.0	ug/L	EPA 6020
Iron	725	50.0	ug/L	EPA 6020
Lead	0.181 I	5.00	ug/L	EPA 6020
Silver	1.07	1.00	ug/L	EPA 6020
Sodium	4840	1000	ug/L	EPA 6020
Vanadium	0.796 I	10.0	ug/L	EPA 6020
Zinc	10.6 I	50.0	ug/L	EPA 6020
Client ID: MW-5B	**Lab ID: A702148-03**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	4.0	1.0	mg/L	EPA 300.0
Depth to Water	22.8		Ft	Field

Client ID: MW-5B	Lab ID: A702148-03			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Dissolved Oxygen	4.19	0.00	mg/L	Field
Nitrate as N	0.76	0.050	mg/L	EPA 300.0
pH	7.49		pH Units	Field
Specific Conductance (EC)	267	0.00	umhos/cm	Field
Temperature	24.97	0.00	°C	Field
Total Dissolved Solids	160	10	mg/L	EPA 160.1
Turbidity	9.89	0.00	NTU	Field

Client ID: MW-5B	Lab ID: A702148-03RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chromium	1.88 I	10.0	ug/L	EPA 6020
Iron	78.6	50.0	ug/L	EPA 6020
Sodium	4.22	1.00	mg/L	EPA 6020
Vanadium	9.02 I	10.0	ug/L	EPA 6020
Zinc	7.36 I	50.0	ug/L	EPA 6020

Client ID: MW-6	Lab ID: A702148-04			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	8.6	1.0	mg/L	EPA 300.0
Depth to Water	25.6		Ft	Field
Dissolved Oxygen	5.23	0.00	mg/L	Field
Nitrate as N	0.24	0.050	mg/L	EPA 300.0
pH	5.02		pH Units	Field
Specific Conductance (EC)	98.0	0.00	umhos/cm	Field
Temperature	25.94	0.00	°C	Field
Total Dissolved Solids	68	10	mg/L	EPA 160.1
Turbidity	11.2	0.00	NTU	Field

Client ID: MW-6	Lab ID: A702148-04RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Barium	4.92 I	100	ug/L	EPA 6020
Chromium	3.90 I	10.0	ug/L	EPA 6020
Copper	0.849 I	10.0	ug/L	EPA 6020
Iron	1530	50.0	ug/L	EPA 6020
Lead	1.39 I	5.00	ug/L	EPA 6020
Nickel	0.602 I	10.0	ug/L	EPA 6020
Sodium	7.31	1.00	mg/L	EPA 6020
Vanadium	2.87 I	10.0	ug/L	EPA 6020
Zinc	9.58 I	50.0	ug/L	EPA 6020

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-3B	Project:	Angelo's Enterprise
Lab #:	A702148-01	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane Page 2 OK	96-18-4	0.34 U	0.34 0.02	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile Page 20 OK	107-13-1	1.7 U	1.7 0.06	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81 NE	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

Environmental Conservation Laboratories, Inc.
10775 Central Port Drive
Orlando FL, 32824
Phone: 407.826.5314 FAX: 407.850.6945



www.encolabs.com

Thursday, June 28, 2007

HDR, Inc. (HD002)

Attn: John Locklear

2718 SW 92nd Drive

Gainesville, FL 32608

RE: Project Number: [none], Project Name/Desc: Angelo's Enterprise
ENCO Workorder: A702592

Dear John Locklear,

Enclosed is a copy of your laboratory report for test samples received by our laboratory on Tuesday, May 8, 2007.

Unless otherwise noted in an attached project narrative, all samples were received in acceptable condition and processed in accordance with the referenced methods/procedures. Results for these procedures apply only to the samples as submitted.

This data has been produced in accordance with NELAC standards (June, 2003). This report shall not be reproduced except in full, without the written approval of the Laboratory.

This report contains only those analyses performed by Environmental Conservation Laboratories. Data from outside organizations will be reported under separate cover.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Marcia Colon For Ronald Wambles

Project Manager

Enclosure(s)

The total number of pages in this report, including this page is 92.

SAMPLE SUMMARY/LABORATORY CHRONICLE

Client ID: MW-4B **Lab ID:** A702592-01

Sampled: 05/07/07 17:17 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 17:17	05/08/07 12:37	5/8/2007 15:14
EPA 300.0	06/04/07	05/08/07 12:37	5/8/2007 15:14
EPA 350.1	06/04/07	05/11/07 08:53	5/11/2007 10:06
EPA 7470A	06/04/07	05/09/07 15:09	5/10/2007 09:13
EPA 8011	05/21/07 05/12/07 00:00	05/11/07 10:25	5/11/2007 15:13
EPA 8260B	05/21/07	05/11/07 10:44	5/11/2007 14:28
Field	05/07/07 17:31	05/07/07 17:17	5/7/2007 17:17
Field	05/08/07 17:17 05/08/07 17:17	05/07/07 17:17	5/7/2007 17:17
Field	05/09/07 17:17	05/07/07 17:17	5/7/2007 17:17

Client ID: MW-4B **Lab ID:** A702592-01RE

Sampled: 05/07/07 17:17 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:16

Client ID: MW-7A **Lab ID:** A702592-02

Sampled: 05/07/07 15:47 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 15:47	05/08/07 12:37	5/8/2007 15:32
EPA 300.0	06/04/07	05/08/07 12:37	5/8/2007 15:32
EPA 350.1	06/04/07	05/11/07 08:53	5/11/2007 10:10
EPA 7470A	06/04/07	05/09/07 15:09	5/10/2007 09:16
EPA 8011	05/21/07 05/12/07 00:00	05/11/07 10:25	5/11/2007 15:24
EPA 8260B	05/21/07	05/11/07 10:44	5/11/2007 14:57
Field	05/07/07 16:01	05/07/07 15:47	5/7/2007 15:47
Field	05/08/07 15:47 05/08/07 15:47	05/07/07 15:47	5/7/2007 15:47
Field	05/09/07 15:47	05/07/07 15:47	5/7/2007 15:47

Client ID: MW-7A **Lab ID:** A702592-02RE

Sampled: 05/07/07 15:47 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:26

Client ID: MW-7B **Lab ID:** A702592-03

Sampled: 05/07/07 13:53 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 13:53		05/08/07 12:37	5/8/2007 15:50
EPA 300.0	06/04/07		05/08/07 12:37	5/8/2007 15:50
EPA 350.1	06/04/07		05/11/07 08:53	5/11/2007 10:11
EPA 7470A	06/04/07		05/09/07 15:09	5/10/2007 09:19
EPA 8011	05/21/07	05/12/07 00:00	05/11/07 10:25	5/11/2007 15:35
EPA 8260B	05/21/07		05/11/07 10:44	5/11/2007 15:27
Field	05/07/07 14:07		05/07/07 13:53	5/7/2007 13:53
Field	05/08/07 13:53	05/08/07 13:53	05/07/07 13:53	5/7/2007 13:53
Field	05/09/07 13:53		05/07/07 13:53	5/7/2007 13:53

Client ID: MW-7B **Lab ID:** A702592-03RE

Sampled: 05/07/07 13:53 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:33

Client ID: MW-8B **Lab ID:** A702592-04

Sampled: 05/07/07 13:10 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 13:10		05/08/07 12:37	5/8/2007 16:08
EPA 300.0	06/04/07		05/08/07 12:37	5/8/2007 16:08
EPA 350.1	06/04/07		05/11/07 08:53	5/11/2007 10:12
EPA 7470A	06/04/07		05/09/07 15:09	5/10/2007 09:29
EPA 8011	05/21/07	05/12/07 00:00	05/11/07 10:25	5/11/2007 15:46
EPA 8260B	05/21/07		05/11/07 10:44	5/11/2007 15:56
Field	05/07/07 13:24		05/07/07 13:10	5/7/2007 13:10
Field	05/08/07 13:10	05/08/07 13:10	05/07/07 13:10	5/7/2007 13:10
Field	05/09/07 13:10		05/07/07 13:10	5/7/2007 13:10

Client ID: MW-8B **Lab ID:** A702592-04RE

Sampled: 05/07/07 13:10 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:39

Client ID: MW-9B **Lab ID:** A702592-05

Sampled: 05/07/07 12:25 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 12:25		05/08/07 12:37	5/8/2007 16:25
EPA 300.0	06/04/07		05/08/07 12:37	5/8/2007 16:25
EPA 350.1	06/04/07		05/11/07 08:53	5/11/2007 10:13
EPA 7470A	06/04/07		05/09/07 15:09	5/10/2007 09:32
EPA 8011	05/21/07	05/12/07 00:00	05/11/07 10:25	5/11/2007 15:56
EPA 8260B	05/21/07		05/11/07 10:44	5/11/2007 16:25
Field	05/07/07 12:39		05/07/07 12:25	5/7/2007 12:25
Field	05/08/07 12:25	05/08/07 12:25	05/07/07 12:25	5/7/2007 12:25
Field	05/09/07 12:25		05/07/07 12:25	5/7/2007 12:25

Client ID: MW-9B **Lab ID:** A702592-05RE

Sampled: 05/07/07 12:25 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:49

Client ID: MW-10B **Lab ID:** A702592-06

Sampled: 05/07/07 11:25 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)			Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07			05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 11:25			05/08/07 12:37	5/8/2007 17:37
EPA 300.0	06/04/07			05/08/07 12:37	5/8/2007 17:37
EPA 350.1	06/04/07			05/11/07 08:53	5/11/2007 10:14
EPA 7470A	06/04/07			05/09/07 15:09	5/10/2007 09:35
EPA 8011	05/21/07	05/12/07	00:00	05/11/07 10:25	5/11/2007 16:18
EPA 8260B	05/21/07			05/11/07 10:44	5/11/2007 16:55
Field	05/07/07 11:39			05/07/07 11:25	5/7/2007 11:25
Field	05/08/07 11:25	05/08/07	11:25	05/07/07 11:25	5/7/2007 11:25
Field	05/09/07 11:25			05/07/07 11:25	5/7/2007 11:25

Client ID: MW-10B **Lab ID:** A702592-06RE

Sampled: 05/07/07 11:25 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 03:56

Client ID: POND 1 **Lab ID:** A702592-07

Sampled: 05/07/07 15:00 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 15:00		05/08/07 12:37	5/8/2007 17:54
EPA 300.0	06/04/07		05/08/07 12:37	5/8/2007 17:54
EPA 350.1	06/04/07		05/11/07 08:53	5/11/2007 10:15
EPA 7470A	06/04/07		05/09/07 15:09	5/10/2007 09:38
EPA 8011	05/21/07	05/12/07 00:00	05/11/07 10:25	5/11/2007 16:29
EPA 8260B	05/21/07		05/11/07 10:44	5/11/2007 17:24
Field	05/07/07 15:14		05/07/07 15:00	5/7/2007 15:00
Field	05/08/07 15:00	05/08/07 15:00	05/07/07 15:00	5/7/2007 15:00
Field	05/09/07 15:00		05/07/07 15:00	5/7/2007 15:00

Client ID: POND 1 **Lab ID:** A702592-07RE

Sampled: 05/07/07 15:00 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 04:03

Client ID: SUPPLY WELL **Lab ID:** A702592-08

Sampled: 05/07/07 17:55 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)		Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07		05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 17:55		05/08/07 12:37	5/8/2007 18:12
EPA 300.0	06/04/07		05/08/07 12:37	5/8/2007 18:12
EPA 350.1	06/04/07		05/11/07 08:53	5/11/2007 10:17
EPA 7470A	06/04/07		05/09/07 15:09	5/10/2007 09:42
EPA 8011	05/21/07	05/12/07 00:00	05/11/07 10:25	5/11/2007 16:40
EPA 8260B	05/21/07		05/11/07 10:44	5/11/2007 17:54
Field	05/07/07 18:09		05/07/07 17:55	5/7/2007 17:55
Field	05/08/07 17:55	05/08/07 17:55	05/07/07 17:55	5/7/2007 17:55
Field	05/09/07 17:55		05/07/07 17:55	5/7/2007 17:55

Client ID: SUPPLY WELL **Lab ID:** A702592-08RE
Sampled: 05/07/07 17:55 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 05:12

Client ID: DUPLICATE **Lab ID:** A702592-09
Sampled: 05/07/07 17:17 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 17:17	05/08/07 12:37	5/8/2007 18:30
EPA 300.0	06/04/07	05/08/07 12:37	5/8/2007 18:30
EPA 350.1	06/04/07	05/11/07 08:53	5/11/2007 10:18
EPA 7470A	06/04/07	05/09/07 15:09	5/10/2007 09:45
EPA 8011	05/21/07 05/12/07 00:00	05/11/07 10:25	5/11/2007 16:51
EPA 8260B	05/21/07	05/11/07 10:44	5/11/2007 18:23

Client ID: DUPLICATE **Lab ID:** A702592-09RE
Sampled: 05/07/07 17:17 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 05:19

Client ID: EQUIPMENT BLANK **Lab ID:** A702592-10
Sampled: 05/07/07 09:55 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 160.1	05/14/07	05/09/07 17:36	5/10/2007 17:50
EPA 300.0	05/09/07 09:55	05/08/07 12:37	5/8/2007 18:48
EPA 300.0	06/04/07	05/08/07 12:37	5/8/2007 18:48
EPA 350.1	06/04/07	05/11/07 08:53	5/11/2007 10:19
EPA 7470A	06/04/07	05/09/07 15:09	5/10/2007 08:21
EPA 8011	05/21/07 05/12/07 00:00	05/11/07 10:25	5/11/2007 17:01
EPA 8260B	05/21/07	05/11/07 10:44	5/11/2007 18:52

Client ID: EQUIPMENT BLANK **Lab ID:** A702592-10RE

Sampled: 05/07/07 09:55 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 6020	11/03/07	05/08/07 13:31	5/15/2007 00:30

Client ID: Trip Blank **Lab ID:** A702592-11

Sampled: 05/07/07 00:00 **Received:** 05/08/07 11:10

Parameter	Hold Date/Time(s)	Prep Date/Time(s)	Analysis Date/Time(s)
EPA 8260B	05/21/07	05/11/07 10:44	5/11/2007 19:22

www.encolabs.com

SAMPLE DETECTION SUMMARY

Client ID: MW-4B	Lab ID: A702592-01			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	4.2	1.0	mg/L	EPA 300.0
Depth to Water	37.8		Ft	Field
Dissolved Oxygen	2.11	0.00	mg/L	Field
Nitrate as N	0.44	0.050	mg/L	EPA 300.0
pH	7.53		pH Units	Field
Specific Conductance (EC)	256	0.00	umhos/cm	Field
Temperature	23.92	0.00	°C	Field
Total Dissolved Solids	170	10	mg/L	EPA 160.1
Turbidity	8.82	0.00	NTU	Field
Client ID: MW-4B	**Lab ID: A702592-01RE1**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chromium	7.12 I	10.0	ug/L	EPA 6020
Iron	90.6	50.0	ug/L	EPA 6020
Nickel	3.51 I	10.0	ug/L	EPA 6020
Sodium	5070	1000	ug/L	EPA 6020
Vanadium	2.97 I	10.0	ug/L	EPA 6020
Zinc	6.58 I	50.0	ug/L	EPA 6020
Client ID: MW-7A	**Lab ID: A702592-02**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	3.2	1.0	mg/L	EPA 300.0
Depth to Water	40.9		Ft	Field
Dissolved Oxygen	3.02	0.00	mg/L	Field
Nitrate as N	0.34	0.050	mg/L	EPA 300.0
pH	5.85		pH Units	Field
Specific Conductance (EC)	65.0	0.00	umhos/cm	Field
Temperature	25.55	0.00	°C	Field
Total Dissolved Solids	78	10	mg/L	EPA 160.1
Turbidity	28.7	0.00	NTU	Field
Client ID: MW-7A	**Lab ID: A702592-02RE1**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chromium	8.50 I	10.0	ug/L	EPA 6020
Iron	834	50.0	ug/L	EPA 6020
Nickel	3.37 I	10.0	ug/L	EPA 6020
Sodium	2910	1000	ug/L	EPA 6020
Vanadium	2.34 I	10.0	ug/L	EPA 6020
Zinc	47.0 I	50.0	ug/L	EPA 6020
Client ID: MW-7B	**Lab ID: A702592-03**			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Ammonia as N	0.29	0.020	mg/L	EPA 350.1
Chloride	4.2	1.0	mg/L	EPA 300.0

Client ID: MW-7B	Lab ID: A702592-03			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Depth to Water	39.4		Ft	Field
Dissolved Oxygen	0.91	0.00	mg/L	Field
Nitrate as N	1.0	0.050	mg/L	EPA 300.0
pH	9.27		pH Units	Field
Specific Conductance (EC)	183	0.00	umhos/cm	Field
Temperature	24.55	0.00	°C	Field
Total Dissolved Solids	72	10	mg/L	EPA 160.1
Turbidity	5.84	0.00	NTU	Field

Client ID: MW-7B	Lab ID: A702592-03RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Iron	54.9	50.0	ug/L	EPA 6020
Nickel	0.780 I	10.0	ug/L	EPA 6020
Sodium	4440	1000	ug/L	EPA 6020
Vanadium	13.8	10.0	ug/L	EPA 6020
Zinc	4.60 I	50.0	ug/L	EPA 6020

Client ID: MW-8B	Lab ID: A702592-04			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	5.0	1.0	mg/L	EPA 300.0
Depth to Water	45.5		Ft	Field
Dissolved Oxygen	0.81	0.00	mg/L	Field
Nitrate as N	0.14	0.050	mg/L	EPA 300.0
pH	6.75		pH Units	Field
Specific Conductance (EC)	585	0.00	umhos/cm	Field
Temperature	25.99	0.00	°C	Field
Total Dissolved Solids	340	10	mg/L	EPA 160.1
Turbidity	1.35	0.00	NTU	Field

Client ID: MW-8B	Lab ID: A702592-04RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Arsenic	1.49 I	10.0	ug/L	EPA 6020
Barium	34.0 I	100	ug/L	EPA 6020
Iron	245	50.0	ug/L	EPA 6020
Nickel	3.60 I	10.0	ug/L	EPA 6020
Sodium	5380	1000	ug/L	EPA 6020
Zinc	5.22 I	50.0	ug/L	EPA 6020

Client ID: MW-9B	Lab ID: A702592-05			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chloride	5.9	1.0	mg/L	EPA 300.0
Depth to Water	47.0		Ft	Field
Dissolved Oxygen	6.01	0.00	mg/L	Field
Nitrate as N	1.5	0.050	mg/L	EPA 300.0
pH	7.56		pH Units	Field
Specific Conductance (EC)	267	0.00	umhos/cm	Field

Client ID: MW-9B	Lab ID: A702592-05			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Temperature	24.55	0.00	°C	Field
Total Dissolved Solids	160	10	mg/L	EPA 160.1
Turbidity	3.15	0.00	NTU	Field

Client ID: MW-9B	Lab ID: A702592-05RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Chromium	6.82 I	10.0	ug/L	EPA 6020
Iron	61.7	50.0	ug/L	EPA 6020
Nickel	3.41 I	10.0	ug/L	EPA 6020
Sodium	4830	1000	ug/L	EPA 6020
Vanadium	2.18 I	10.0	ug/L	EPA 6020
Zinc	2.75 I	50.0	ug/L	EPA 6020

Client ID: MW-10B	Lab ID: A702592-06			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Ammonia as N	0.054	0.020	mg/L	EPA 350.1
Chloride	5.6	1.0	mg/L	EPA 300.0
Depth to Water	47.9		Ft	Field
Dissolved Oxygen	1.56	0.00	mg/L	Field
Nitrate as N	1.2	0.050	mg/L	EPA 300.0
pH	7.19		pH Units	Field
Specific Conductance (EC)	203	0.00	umhos/cm	Field
Temperature	24.55	0.00	°C	Field
Total Dissolved Solids	130	10	mg/L	EPA 160.1
Turbidity	1.20	0.00	NTU	Field

Client ID: MW-10B	Lab ID: A702592-06RE1			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Iron	212	50.0	ug/L	EPA 6020
Nickel	4.66 I	10.0	ug/L	EPA 6020
Sodium	6110	1000	ug/L	EPA 6020
Vanadium	1.45 I	10.0	ug/L	EPA 6020
Zinc	5.84 I	50.0	ug/L	EPA 6020

Client ID: POND 1	Lab ID: A702592-07			
Analyte	**Results/Qual**	**MRL**	**Units**	**Method**
Ammonia as N	0.005 I	0.020	mg/L	EPA 350.1
Chloride	5.3	1.0	mg/L	EPA 300.0
Dissolved Oxygen	7.53	0.00	mg/L	Field
Nitrate as N	0.21	0.050	mg/L	EPA 300.0
pH	8.44		pH Units	Field
Specific Conductance (EC)	252	0.00	umhos/cm	Field
Temperature	29.44	0.00	°C	Field
Total Dissolved Solids	190	10	mg/L	EPA 160.1
Turbidity	98.1	0.00	NTU	Field

Client ID: POND 1

Lab ID: A702592-07RE1

Analyte	Results/Qual	MRL	Units	Method
Antimony	0.771 I	5.00	ug/L	EPA 6020
Arsenic	3.39 I	10.0	ug/L	EPA 6020
Barium	33.2 I	100	ug/L	EPA 6020
Chromium	5.83 I	10.0	ug/L	EPA 6020
Copper	5.78 I	10.0	ug/L	EPA 6020
Iron	1700	50.0	ug/L	EPA 6020
Lead	2.19 I	5.00	ug/L	EPA 6020
Sodium	4750	1000	ug/L	EPA 6020
Vanadium	11.9	10.0	ug/L	EPA 6020
Zinc	46.0 I	50.0	ug/L	EPA 6020

Client ID: SUPPLY WELL

Lab ID: A702592-08

Analyte	Results/Qual	MRL	Units	Method
Chloride	6.4	1.0	mg/L	EPA 300.0
Dissolved Oxygen	4.19	0.00	mg/L	Field
Nitrate as N	2.6	0.050	mg/L	EPA 300.0
pH	7.61		pH Units	Field
Specific Conductance (EC)	265	0.00	umhos/cm	Field
Temperature	24.05	0.00	°C	Field
Total Dissolved Solids	160	10	mg/L	EPA 160.1
Turbidity	0.910	0.00	NTU	Field

Client ID: SUPPLY WELL

Lab ID: A702592-08RE1

Analyte	Results/Qual	MRL	Units	Method
Chromium	1.27 I	10.0	ug/L	EPA 6020
Copper	0.751 I	10.0	ug/L	EPA 6020
Iron	8.29 I	50.0	ug/L	EPA 6020
Sodium	5850	1000	ug/L	EPA 6020
Vanadium	3.31 I	10.0	ug/L	EPA 6020
Zinc	56.9	50.0	ug/L	EPA 6020

Client ID: DUPLICATE

Lab ID: A702592-09

Analyte	Results/Qual	MRL	Units	Method
Chloride	4.2	1.0	mg/L	EPA 300.0
Nitrate as N	0.45	0.050	mg/L	EPA 300.0
Total Dissolved Solids	150	10	mg/L	EPA 160.1

Client ID: DUPLICATE

Lab ID: A702592-09RE1

Analyte	Results/Qual	MRL	Units	Method
Chromium	7.13 I	10.0	ug/L	EPA 6020
Iron	82.8	50.0	ug/L	EPA 6020
Nickel	3.62 I	10.0	ug/L	EPA 6020
Sodium	4920	1000	ug/L	EPA 6020
Vanadium	2.57 I	10.0	ug/L	EPA 6020
Zinc	3.14 I	50.0	ug/L	EPA 6020

Client ID:	EQUIPMENT BLANK	Lab ID:	A702592-10			
Analyte		**Results/Qual**		**MRL**	**Units**	**Method**
Chloride		0.71	I	1.0	mg/L	EPA 300.0
Mercury		0.056	I	0.20	ug/L	EPA 7470A

Client ID:	EQUIPMENT BLANK	Lab ID:	A702592-10RE1			
Analyte		**Results/Qual**		**MRL**	**Units**	**Method**
Antimony		1.12	I	5.00	ug/L	EPA 6020
Barium		4.13	I	100	ug/L	EPA 6020
Chromium		6.50	I	10.0	ug/L	EPA 6020
Copper		6.76	I	10.0	ug/L	EPA 6020
Iron		82.0		50.0	ug/L	EPA 6020
Nickel		9.37	I	10.0	ug/L	EPA 6020
Sodium		141	I	1000	ug/L	EPA 6020
Vanadium		4.04	I	10.0	ug/L	EPA 6020
Zinc		44.1	I	50.0	ug/L	EPA 6020

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-3B	Project:	Angelo's Enterprise
Lab #:	A702148-01	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61 NE	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	68	50.0	137 %	64-133
Dibromofluoromethane	1868-53-7	59	50.0	117 %	66-137
Toluene-d8	2037-26-5	63	50.0	127 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-3B	Project:	Angelo's Enterprise
Lab #:	A702148-01	Work Order #:	A702148
Prep. Method:	EPA 504/8011	Matrix:	Water
Analyzed:	05/08/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E07022		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.38	0.500	77 %	42-141

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-3B
Lab #: A702148-01

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-3B
Lab #: A702148-01

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	**0.004** I	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E04016
Chloride	16887-00-6	**4.2**	0.05	1.0	mg/L	EPA 300.0	NA	7E05001
Nitrate as N	14797-55-8	**0.50**	0.008	0.050	mg/L	EPA 300.0	NA	7E05001
Total Dissolved Solids	NA	**190**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-3B
Lab #: A702148-01

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**21.7**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**2.84**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.29**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**302**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**25.69**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**1.78**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-3B
Lab #: A702148-01RE1

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	1.20	U	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	6.70	U	6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	0.470	U	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4650**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.38**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**2.45**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-4B	Project:	Angelo's Enterprise
Lab #:	A702592-01	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-4B	Project:	Angelo's Enterprise
Lab #:	A702592-01	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	41	50.0	83 %	64-133
Dibromofluoromethane	1868-53-7	47	50.0	94 %	66-137
Toluene-d8	2037-26-5	40	50.0	80 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-4B	Project:	Angelo's Enterprise
Lab #:	A702592-01	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.16	0.140	111 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-4B
Lab #: A702592-01

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-4B
Lab #: A702592-01

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**4.2**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**0.44**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**170**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-4B
Lab #: A702592-01

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**37.8**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**2.11**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.53**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**256**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**23.92**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**8.82**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-4B
Lab #: A702592-01RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**7.12**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**90.6**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**3.51**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**5070**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.97**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**6.58**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5A	Project:	Angelo's Enterprise
Lab #:	A702148-02	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5A	Project:	Angelo's Enterprise
Lab #:	A702148-02	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	56	50.0	112 %	64-133
Dibromofluoromethane	1868-53-7	47	50.0	94 %	66-137
Toluene-d8	2037-26-5	54	50.0	107 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5A	Project:	Angelo's Enterprise
Lab #:	A702148-02	Work Order #:	A702148
Prep. Method:	EPA 504/8011	Matrix:	Water
Analyzed:	05/08/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E07022		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.38	0.500	75 %	42-141

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5A
Lab #: A702148-02

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5A
Lab #: A702148-02

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E04016
Chloride	16887-00-6	**4.0**	0.05	1.0	mg/L	EPA 300.0	NA	7E05001
Nitrate as N	14797-55-8	**0.36**	0.008	0.050	mg/L	EPA 300.0	NA	7E05001
Total Dissolved Solids	NA	**76**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5A
Lab #: A702148-02

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**20.8**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**5.89**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**5.11**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**81.0**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.49**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**13.0**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5A
Lab #: A702148-02RE1

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	**0.412**	I	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**2.16**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**725**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	**0.181**	I	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	0.470	U	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	**1.07**		0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4.84**		0.0160	1.00	mg/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**0.796**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**10.6**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5B	Project:	Angelo's Enterprise
Lab #:	A702148-03	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5B	Project:	Angelo's Enterprise
Lab #:	A702148-03	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	58	50.0	116 %	64-133
Dibromofluoromethane	1868-53-7	50	50.0	100 %	66-137
Toluene-d8	2037-26-5	54	50.0	109 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-5B	Project:	Angelo's Enterprise
Lab #:	A702148-03	Work Order #:	A702148
Prep. Method:	EPA 504/8011	Matrix:	Water
Analyzed:	05/08/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E07022		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.39	0.500	79 %	42-141

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5B
Lab #: A702148-03

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5B
Lab #: A702148-03

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E04016
Chloride	16887-00-6	**4.0**	0.05	1.0	mg/L	EPA 300.0	NA	7E05001
Nitrate as N	14797-55-8	**0.76**	0.008	0.050	mg/L	EPA 300.0	NA	7E05001
Total Dissolved Solids	NA	**160**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5B
Lab #: A702148-03

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**22.8**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**4.19**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.49**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**267**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.97**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**9.89**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-5B
Lab #: A702148-03RE1

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**1.88**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**78.6**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	0.470	U	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4.22**		0.0160	1.00	mg/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**9.02**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**7.36**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-6	Project:	Angelo's Enterprise
Lab #:	A702148-04	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

ANALYTICAL REPORT

Sample ID:	MW-6	Project:	Angelo's Enterprise
Lab #:	A702148-04	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	60	50.0	120 %	64-133
Dibromofluoromethane	1868-53-7	49	50.0	99 %	66-137
Toluene-d8	2037-26-5	56	50.0	113 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-6	Project:	Angelo's Enterprise
Lab #:	A702148-04	Work Order #:	A702148
Prep. Method:	EPA 504/8011	Matrix:	Water
Analyzed:	05/08/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E07022		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.34	0.500	68 %	42-141

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-6
Lab #: A702148-04

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-6
Lab #: A702148-04

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E04016
Chloride	16887-00-6	**8.6**	0.05	1.0	mg/L	EPA 300.0	NA	7E05001
Nitrate as N	14797-55-8	**0.24**	0.008	0.050	mg/L	EPA 300.0	NA	7E05001
Total Dissolved Solids	NA	**68**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-6
Lab #: A702148-04

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**25.6**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**5.23**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**5.02**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**98.0**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**25.94**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**11.2**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-6
Lab #: A702148-04RE1

Project: Angelo's Enterprise
Work Order #: A702148
Matrix: Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	**4.92**	I	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**3.90**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	**0.849**	I	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**1530**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	**1.39**	I	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**0.602**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**7.31**		0.0160	1.00	mg/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.87**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**9.58**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7A	Project:	Angelo's Enterprise
Lab #:	A702592-02	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7A	Project:	Angelo's Enterprise
Lab #:	A702592-02	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	40	50.0	80 %	64-133
Dibromofluoromethane	1868-53-7	49	50.0	98 %	66-137
Toluene-d8	2037-26-5	39	50.0	78 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7A	Project:	Angelo's Enterprise
Lab #:	A702592-02	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.15	0.140	106 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7A
Lab #: A702592-02

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7A
Lab #: A702592-02

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**3.2**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**0.34**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**78**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7A
Lab #: A702592-02

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**40.9**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**3.02**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**5.85**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**65.0**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**25.55**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**28.7**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7A
Lab #: A702592-02RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**8.50**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**834**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**3.37**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**2910**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.34**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**47.0**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7B	Project:	Angelo's Enterprise
Lab #:	A702592-03	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7B	Project:	Angelo's Enterprise
Lab #:	A702592-03	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	42	50.0	84 %	64-133
Dibromofluoromethane	1868-53-7	49	50.0	99 %	66-137
Toluene-d8	2037-26-5	38	50.0	76 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-7B	Project:	Angelo's Enterprise
Lab #:	A702592-03	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.16	0.140	114 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7B
Lab #: A702592-03

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7B
Lab #: A702592-03

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	**0.29**	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**4.2**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**1.0**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**72**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7B
Lab #: A702592-03

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**39.4**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**0.91**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**9.27**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**183**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.55**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**5.84**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-7B
Lab #: A702592-03RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	1.20	U	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**54.9**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**0.780**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4440**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**13.8**		0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**4.60**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-8B	Project:	Angelo's Enterprise
Lab #:	A702592-04	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-8B	Project:	Angelo's Enterprise
Lab #:	A702592-04	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result		Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	40		50.0	80 %	64-133
Dibromofluoromethane	1868-53-7	47		50.0	95 %	66-137
Toluene-d8	2037-26-5	38	S-GC	50.0	75 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-8B	Project:	Angelo's Enterprise
Lab #:	A702592-04	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.16	0.140	116 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-8B
Lab #: A702592-04

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-8B
Lab #: A702592-04

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**5.0**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**0.14**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**340**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-8B
Lab #: A702592-04

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**45.5**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**0.81**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**6.75**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**585**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**25.99**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**1.35**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-8B
Lab #: A702592-04RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	**1.49**	I	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	**34.0**	I	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	1.20	U	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**245**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**3.60**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**5380**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	0.380	U	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**5.22**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-9B	Project:	Angelo's Enterprise
Lab #:	A702592-05	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-9B	Project:	Angelo's Enterprise
Lab #:	A702592-05	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result		Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	39		50.0	77 %	64-133
Dibromofluoromethane	1868-53-7	47		50.0	95 %	66-137
Toluene-d8	2037-26-5	37	S-GC	50.0	74 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-9B	Project:	Angelo's Enterprise
Lab #:	A702592-05	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.17	0.140	120 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-9B
Lab #: A702592-05

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11	U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-9B
Lab #: A702592-05

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**5.9**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**1.5**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**160**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-9B
Lab #: A702592-05

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**47.0**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**6.01**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.56**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**267**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.55**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**3.15**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-9B
Lab #: A702592-05RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**6.82**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**61.7**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**3.41**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4830**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.18**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**2.75**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-10B	Project:	Angelo's Enterprise
Lab #:	A702592-06	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-10B	Project:	Angelo's Enterprise
Lab #:	A702592-06	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result		Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	40		50.0	79 %	64-133
Dibromofluoromethane	1868-53-7	46		50.0	92 %	66-137
Toluene-d8	2037-26-5	37	S-GC	50.0	74 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	MW-10B	Project:	Angelo's Enterprise
Lab #:	A702592-06	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.16	0.140	115 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-10B
Lab #: A702592-06

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11	U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-10B
Lab #: A702592-06

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	**0.054**	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**5.6**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**1.2**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**130**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-10B
Lab #: A702592-06

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Depth to Water	NA	**47.9**			Ft	Field	NO PREP	6L18033
Dissolved Oxygen	NA	**1.56**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.19**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**203**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.55**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**1.20**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: MW-10B
Lab #: A702592-06RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	1.20	U	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**212**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**4.66**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**6110**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**1.45**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**5.84**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	SUPPLY WELL	Project:	Angelo's Enterprise
Lab #:	A702592-08	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	SUPPLY WELL	Project:	Angelo's Enterprise
Lab #:	A702592-08	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	41	50.0	82 %	64-133
Dibromofluoromethane	1868-53-7	49	50.0	98 %	66-137
Toluene-d8	2037-26-5	38	50.0	76 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	SUPPLY WELL	Project:	Angelo's Enterprise
Lab #:	A702592-08	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.17	0.140	118 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	SUPPLY WELL	Project:	Angelo's Enterprise
Lab #:	A702592-08	Work Order #:	A702592
		Matrix:	Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11	U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: SUPPLY WELL
Lab #: A702592-08

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**6.4**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**2.6**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**160**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: SUPPLY WELL
Lab #: A702592-08

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Field Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Dissolved Oxygen	NA	**4.19**	0.00	0.00	mg/L	Field	NO PREP	6L18033
pH	NA	**7.61**			pH Units	Field	NO PREP	6L18033
Specific Conductance (EC)	NA	**265**	0.00	0.00	umhos/cm	Field	NO PREP	6L18033
Temperature	NA	**24.05**	0.00	0.00	°C	Field	NO PREP	6L18033
Turbidity	NA	**0.910**	0.00	0.00	NTU	Field	NO PREP	6L18033

www.encolabs.com

ANALYTICAL REPORT

Sample ID: SUPPLY WELL
Lab #: A702592-08RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**1.27**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	**0.751**	I	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**8.29**	I	6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	0.470	U	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**5850**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**3.31**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**56.9**		1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	DUPLICATE	Project:	Angelo's Enterprise
Lab #:	A702592-09	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	DUPLICATE	Project:	Angelo's Enterprise
Lab #:	A702592-09	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result		Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	40		50.0	80 %	64-133
Dibromofluoromethane	1868-53-7	48		50.0	95 %	66-137
Toluene-d8	2037-26-5	37	S-GC	50.0	74 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	DUPLICATE	Project:	Angelo's Enterprise
Lab #:	A702592-09	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.17	0.140	122 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: DUPLICATE
Lab #: A702592-09

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	0.11 U	0.11	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: DUPLICATE
Lab #: A702592-09

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003 U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**4.2**	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	**0.45**	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	**150**	10	10	mg/L	EPA 160.1	NO PREP	7E09010

ANALYTICAL REPORT

Sample ID: DUPLICATE
Lab #: A702592-09RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	0.760	U	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	1.30	U	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**7.13**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	0.630	U	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**82.8**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**3.62**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**4920**		16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**2.57**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**3.14**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	EQUIPMENT BLANK	Project:	Angelo's Enterprise
Lab #:	A702592-10	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	EQUIPMENT BLANK	Project:	Angelo's Enterprise
Lab #:	A702592-10	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result		Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	39		50.0	77 %	64-133
Dibromofluoromethane	1868-53-7	47		50.0	94 %	66-137
Toluene-d8	2037-26-5	35	S-GC	50.0	71 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	EQUIPMENT BLANK	Project:	Angelo's Enterprise
Lab #:	A702592-10	Work Order #:	A702592
Prep. Method:	EPA 504/8011	Matrix:	Ground Water
Analyzed:	05/11/07 By: RSA	Unit:	ug/L
Anal. Method:	EPA 8011	Dilution Factor:	1
Anal. Batch:			
QC Batch:	7E11006		

Semivolatile Organic Compounds by GC

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,2-Dibromo-3-chloropropane	96-12-8	0.004 U	0.004	0.020	ug/L
1,2-Dibromoethane	106-93-4	0.004 U	0.004	0.020	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
1,3-Dichlorobenzene	541-73-1	0.19	0.140	136 %	83-150

www.encolabs.com

ANALYTICAL REPORT

Sample ID: EQUIPMENT BLANK
Lab #: A702592-10

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results	MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Mercury	7439-97-6	**0.056** I	0.0	0.20	ug/L	EPA 7470A	EPA 7470A	7E08007

www.encolabs.com

ANALYTICAL REPORT

Sample ID: EQUIPMENT BLANK
Lab #: A702592-10

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Classical Chemistry Parameters

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Ammonia as N	7664-41-7	0.003	U	0.003	0.020	mg/L	EPA 350.1	NO PREP	7E11001
Chloride	16887-00-6	**0.71**	I	0.05	1.0	mg/L	EPA 300.0	NA	7E08009
Nitrate as N	14797-55-8	0.008	U	0.008	0.050	mg/L	EPA 300.0	NA	7E08009
Total Dissolved Solids	NA	10	U	10	10	mg/L	EPA 160.1	NO PREP	7E09010

www.encolabs.com

ANALYTICAL REPORT

Sample ID: EQUIPMENT BLANK
Lab #: A702592-10RE1

Project: Angelo's Enterprise
Work Order #: A702592
Matrix: Ground Water

Metals by EPA 6000/7000 Series Methods

Parameter	CAS Number	Analytical Results		MDL	MRL	Units	Analysis Method	Prep Method	Analytical Batch
Antimony	7440-36-0	**1.12**	I	0.760	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Arsenic	7440-38-2	0.980	U	0.980	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Barium	7440-39-3	**4.13**	I	1.30	100	ug/L	EPA 6020	EPA 3005A	7E08005
Beryllium	7440-41-7	0.810	U	0.810	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Cadmium	7440-43-9	0.300	U	0.300	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Chromium	7440-47-3	**6.50**	I	1.20	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Cobalt	7440-48-4	0.260	U	0.260	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Copper	7440-50-8	**6.76**	I	0.630	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Iron	7439-89-6	**82.0**		6.70	50.0	ug/L	EPA 6020	EPA 3005A	7E08005
Lead	7439-92-1	0.170	U	0.170	5.00	ug/L	EPA 6020	EPA 3005A	7E08005
Nickel	7440-02-0	**9.37**	I	0.470	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Selenium	7782-49-2	1.70	U	1.70	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Silver	7440-22-4	0.200	U	0.200	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Sodium	7440-23-5	**141**	I	16.0	1000	ug/L	EPA 6020	EPA 3005A	7E08005
Thallium	7440-28-0	0.290	U	0.290	1.00	ug/L	EPA 6020	EPA 3005A	7E08005
Vanadium	7440-62-2	**4.04**	I	0.380	10.0	ug/L	EPA 6020	EPA 3005A	7E08005
Zinc	7440-66-6	**44.1**	I	1.90	50.0	ug/L	EPA 6020	EPA 3005A	7E08005

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	Trip Blank	Project:	Angelo's Enterprise
Lab #:	A702592-11	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	Trip Blank	Project:	Angelo's Enterprise
Lab #:	A702592-11	Work Order #:	A702592
Prep. Method:	EPA 5030B_MS	Matrix:	Ground Water
Analyzed:	05/11/07 By: kdm	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00871		
QC Batch:	7E11007		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	40	50.0	80 %	64-133
Dibromofluoromethane	1868-53-7	48	50.0	95 %	66-137
Toluene-d8	2037-26-5	36	50.0	73 %	76-125

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	Trip Blank	Project:	Angelo's Enterprise
Lab #:	A702148-05	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
1,1,1,2-Tetrachloroethane	630-20-6	0.24 U	0.24	1.0	ug/L
1,1,1-Trichloroethane	71-55-6	0.88 U	0.88	1.0	ug/L
1,1,2,2-Tetrachloroethane	79-34-5	0.20 U	0.20	0.20	ug/L
1,1,2-Trichloroethane	79-00-5	0.44 U	0.44	1.0	ug/L
1,1-Dichloroethane	75-34-3	0.60 U	0.60	1.0	ug/L
1,1-Dichloroethene	75-35-4	0.83 U	0.83	1.0	ug/L
1,2,3-Trichloropropane	96-18-4	0.34 U	0.34	1.0	ug/L
1,2-Dichlorobenzene	95-50-1	0.27 U	0.27	1.0	ug/L
1,2-Dichloroethane	107-06-2	0.94 U	0.94	1.0	ug/L
1,2-Dichloropropane	78-87-5	0.97 U	0.97	1.0	ug/L
1,4-Dichlorobenzene	106-46-7	0.24 U	0.24	1.0	ug/L
2-Butanone	78-93-3	1.0 U	1.0	5.0	ug/L
2-Hexanone	591-78-6	2.1 U	2.1	5.0	ug/L
4-Methyl-2-pentanone	108-10-1	1.6 U	1.6	5.0	ug/L
Acetone	67-64-1	2.6 U	2.6	5.0	ug/L
Acrylonitrile	107-13-1	1.7 U	1.7	2.0	ug/L
Benzene	71-43-2	0.48 U	0.48	1.0	ug/L
Bromochloromethane	74-97-5	0.93 U	0.93	1.0	ug/L
Bromodichloromethane	75-27-4	0.22 U	0.22	0.40	ug/L
Bromoform	75-25-2	0.48 U	0.48	1.0	ug/L
Bromomethane	74-83-9	0.80 U	0.80	1.0	ug/L
Carbon disulfide	75-15-0	0.97 U	0.97	5.0	ug/L
Carbon tetrachloride	56-23-5	0.85 U	0.85	1.0	ug/L
Chlorobenzene	108-90-7	0.21 U	0.21	1.0	ug/L
Chloroethane	75-00-3	0.66 U	0.66	1.0	ug/L
Chloroform	67-66-3	0.89 U	0.89	1.0	ug/L
Chloromethane	74-87-3	0.82 U	0.82	1.0	ug/L
cis-1,2-Dichloroethene	156-59-2	0.75 U	0.75	1.0	ug/L
cis-1,3-Dichloropropene	10061-01-5	0.20 U	0.20	0.20	ug/L
Dibromochloromethane	124-48-1	0.20 U	0.20	0.20	ug/L
Dibromomethane	74-95-3	0.42 U	0.42	1.0	ug/L
Ethylbenzene	100-41-4	0.99 U	0.99	1.0	ug/L
Iodomethane	74-88-4	0.81 U	0.81	3.0	ug/L
m,p-Xylenes	108-38-3/106-42-3	0.55 U	0.55	1.0	ug/L
Methylene chloride	75-09-2	1.0 U	1.0	2.0	ug/L
o-Xylene	95-47-6	0.60 U	0.60	1.0	ug/L

www.encolabs.com

ANALYTICAL REPORT

Sample ID:	Trip Blank	Project:	Angelo's Enterprise
Lab #:	A702148-05	Work Order #:	A702148
Prep. Method:	EPA 5030B_MS	Matrix:	Water
Analyzed:	05/09/07 By: kat	Unit:	ug/L
Anal. Method:	EPA 8260B	Dilution Factor:	1
Anal. Batch:	AA00858		
QC Batch:	7E09014		

Volatile Organic Compounds by GCMS

Parameter	CAS Number	Analytical Results	MDL	MRL	Units
Styrene	100-42-5	0.19 U	0.19	1.0	ug/L
Tetrachloroethene	127-18-4	0.65 U	0.65	1.0	ug/L
Toluene	108-88-3	0.25 U	0.25	1.0	ug/L
trans-1,2-Dichloroethene	156-60-5	0.83 U	0.83	1.0	ug/L
trans-1,3-Dichloropropene	10061-02-6	0.20 U	0.20	0.20	ug/L
trans-1,4-Dichloro-2-butene	110-57-6	0.61 U	0.61	1.0	ug/L
Trichloroethene	79-01-6	0.71 U	0.71	1.0	ug/L
Trichlorofluoromethane	75-69-4	0.70 U	0.70	1.0	ug/L
Vinyl acetate	108-05-4	0.20 U	0.20	1.0	ug/L
Vinyl chloride	75-01-4	0.52 U	0.52	1.0	ug/L
Xylenes (Total)	1330-20-7	0.60 U	0.60	1.0	ug/L

Surrogate Recovery		Result	Spike Level	% Recovery	% Recovery Limits
4-Bromofluorobenzene	460-00-4	67	50.0	134 %	64-133
Dibromofluoromethane	1868-53-7	58	50.0	115 %	66-137
Toluene-d8	2037-26-5	63	50.0	126 %	76-125

NOTES AND DEFINITIONS

I	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
U	Analyte included in the analysis, but not detected

LABORATORY CERTIFICATION SUMMARY

Analysis	Matrix	Cert ID	Cert Number
8011	Water	NELAC	E83182
8260B Appendix 1	Water	NELAC	E83182
Ammonia 350.1	Water	NELAC	E83182
Antimony Total EPA 6020	Water	NELAC	E83182
Arsenic Total EPA 6020	Water	NELAC	E83182
Barium Total EPA 6020	Water	NELAC	E83182
Beryllium Total EPA 6020	Water	NELAC	E83182
Cadmium Total EPA 6020	Water	NELAC	E83182
Chloride 300	Water	NELAC	E83182
Chromium Total EPA 6020	Water	NELAC	E83182
Cobalt Total EPA 6020	Water	NELAC	E83182
Copper Total EPA 6020	Water	NELAC	E83182
Iron Total EPA 6020	Water	NELAC	E83182
Lead Total EPA 6020	Water	NELAC	E83182
Mercury Total EPA 7470A	Water	NELAC	E83182
Nickel Total EPA 6020	Water	NELAC	E83182
Nitrate as N 300	Water	NELAC	E83182
Selenium Total EPA 6020	Water	NELAC	E83182
Silver Total EPA 6020	Water	NELAC	E83182
Sodium Total EPA 6020	Water	NELAC	E83182
TDS 160.1	Water	NELAC	E83182
Thallium Total EPA 6020	Water	NELAC	E83182
Vanadium Total EPA 6020	Water	NELAC	E83182
Zinc Total EPA 6020	Water	NELAC	E83182

NOTES AND DEFINITIONS

I	Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
S-GC	Surrogate recovery outside of control limits. The data was accepted based on valid recovery of the remaining surrogate.
U	Analyte included in the analysis, but not detected

LABORATORY CERTIFICATION SUMMARY

Analysis	Matrix	Cert ID	Cert Number
8011	Water	NELAC	E83182
8260B Appendix 1	Water	NELAC	E83182
Ammonia 350.1	Water	NELAC	E83182
Antimony Total EPA 6020	Water	NELAC	E83182
Arsenic Total EPA 6020	Water	NELAC	E83182
Barium Total EPA 6020	Water	NELAC	E83182
Beryllium Total EPA 6020	Water	NELAC	E83182
Cadmium Total EPA 6020	Water	NELAC	E83182
Chloride 300	Water	NELAC	E83182
Chromium Total EPA 6020	Water	NELAC	E83182
Cobalt Total EPA 6020	Water	NELAC	E83182
Copper Total EPA 6020	Water	NELAC	E83182
Iron Total EPA 6020	Water	NELAC	E83182
Lead Total EPA 6020	Water	NELAC	E83182
Mercury Total EPA 7470A	Water	NELAC	E83182
Nickel Total EPA 6020	Water	NELAC	E83182
Nitrate as N 300	Water	NELAC	E83182
Selenium Total EPA 6020	Water	NELAC	E83182
Silver Total EPA 6020	Water	NELAC	E83182
Sodium Total EPA 6020	Water	NELAC	E83182
TDS 160.1	Water	NELAC	E83182
Thallium Total EPA 6020	Water	NELAC	E83182
Vanadium Total EPA 6020	Water	NELAC	E83182
Zinc Total EPA 6020	Water	NELAC	E83182

FIELD LOG

PROJ #: _____ NAME: Dale Clayton

PROJECT NAME: Enterprise Road Landfill DATE: 5/4/02

PROJECT LOCATION: Dade City, FL

TIME	COMMENTS
0955	On site. Checked in with John @ Scale House. Moving to MW-5A.
1005	On location MW-5A, setting up decon station.
1025	Set up decon station and decon'ed WL probe, TAN DEP 500-001/01, FC 1000. Preparing to calibrate field meters.
1049	Calibrated field meters, see attached Calibration Log. Preparing to sample well MW-5A, see attached Groundwater Sampling Logs for well data, purge volume calculations and measurements, field parameter measurements and sample data for each well sampled during this event.
1134	Completed sampling MW-5A, decon'ed WL probe. Moving to MW-5B.
1224	Completed sampling MW-5B, decon'ed WL probe. Moving to MW-6.
1321	Purged well MW-6 dry, will move to next well while MW-6 recovers. Will return later and collect samples. Moving to MW-3B.
1427	Completed sampling MW-3B, decon'ed WL probe. Moving back to MW-6.
1510	Completed sampling MW-6, decon'ed WL probe. Measuring well water levels, see attached Well Water Level Log.
1610	Completed measuring well water levels, filling out COC.
1615	Completed COC, off site. Turned in well keys.
	5/7/02
0900	On site, checked in with Scale House and picked up well keys.
0903	Moving to MW-1B.
0915	On location MW-1B, setting up decon station.
0955	Set up decon station and decon'ed WL probe and SS ESP and collected EQE Samples. Preparing to calibrate field meters.

FIELD LOG

PROJ #: _____ NAME: Dale Clayton

PROJECT NAME: Enterprise Road Landfill DATE: 5/7/07

PROJECT LOCATION: Dade City, FL

TIME	COMMENTS
1035	Calibrated field meters, see attached Calibration Log. Preparing to sample well MW-10B.
1040	Well MW-10B is damaged from what appears to be a vehicle impact. Can't get pump past ~4' btoc due to a kink in well casing from impact. Moving to MW-10B.
1050	On location MW-10B, preparing to sample
1136	Completed sampling MW-10B, decon'ed SS ESP and WL probe. Moving to MW-9B.
1143	On location MW-9B, preparing to sample
1236	Completed sampling MW-9B, decon'ed SS ESP and WL probe. Moving to 8B.
1241	On location MW-8B, preparing to sample.
1318	Completed sampling MW-8B, decon'ed SS ESP and WL probe. Moving to MW-7B.
1403	Completed sampling MW-7B, decon'ed SS ESP and WL probe. Moving to MW-7A
1444	On well MW-7A, GW is extremely turbid. Will allow well to purge while I go sample Pond 1. Moving to Pond 1
~~1510~~	~~Returned to MW-7A~~
1500	Collected Pond 1 samples, see attached Surface Water Sampling Log, Pond 1.
1510	Returned to MW-7A, turbidity still @ 33 NTUs Continuing to purge.
1600	Completed sampling MW-7A, decon'ed WL probe and SS ESP. Moving to MW-4B.
1730	Completed sampling MW-4B, rinsing/packing
1745	up pump.
~~1750~~	Moving to Supply Well.
1755	Collected Supply Well sample. Packing up Equipment.
1805	Off site.

Well
Water Level
FIELD LOG

PROJ # _____ NAME: Dale Clayton

PROJECT NAME: Enterprise Road Landfill DATE: 5/4/07

PROJECT LOCATION: Dade City, FL

TIME	COMMENTS				
	Well #	wl (ft, below)	Well #	wl (ft, btoc)	
	MW-1	34.10'	MW-10	Dry	
**	MW-1B	111.53' Damaged	MW-10B	47.76'	
	MW-5A	19.76'	MW-11	39.72'	
	MW-5B	22.76'	P-2	No Access	***
	MW-6	25.00'	P-4	22.82'	
	MW-7A	37.74'	P-6	39.84'	
	MW-7B	38.57'	P-8	72.45'	
	MW-8	Dry	P-10	69.69'	
	MW-8B	45.44'	P-11	58.65'	*
	MW-9B	46.52'	MW-4A	Dry	
	MW-9	Dry	MW-4B	32.71'	
	MW-3A	Dry	MW-12A	52.72'	
	MW-3B	22.30'	MW-12B	55.56	
*	Had to cut lock, needs to be replaced.				
**	MW-1B has been damaged, protective cover can't be secured				
***	No access to P-2, is on top of a ~25' grassed mound with steep vertical walls.				

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-3B	SAMPLE ID: MW-3B	DATE: 5/4/07

PURGING DATA

21.70

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): ~~21.20~~	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (43.90 feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
1 Equip Vol = 0 gallons + (.0026 gallons/foot X 45' feet) + .125 gallons = .242 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~40'	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~40'	PURGING INITIATED AT: 1346	PURGING ENDED AT: 1408	TOTAL VOLUME PURGED (gallons): 1.26

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP (°C)	COND (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1404	1.44	1.44	.05	21.70'	7.25	25.90	.302	2.54	2.15	Clear	None
1406	.16	1.60	.08	21.70'	7.25	25.55	.302	2.54	1.36	Clear	None
1408	.16	1.76	.08	21.70'	7.29	25.69	.302	2.54	1.38	Clear	None
								No Stress			

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1409	SAMPLING ENDED AT: 1419
PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: Y N	FIELD-FILTERED: Y N Filtration Equipment Type:	FILTER SIZE: ____ µm	DUPLICATE: Y N

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-3B	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
1346: Attached PP to dedicated 1/4" PE tubing set @ ~40' BTOC and began purging @ .05 gpm.
1349: WL 21.70' @ .05 gpm, GW : clear
1403: WL 21.70' @ .05 gpm, drawdown : stable.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME:	Enterprise Road Landfill	SITE LOCATION:	Dade City, FL
WELL NO:	MW-4B	SAMPLE ID:	MW-4B / Duplicate
DATE:	5/7/07		

PURGING DATA

WELL DIAMETER (inches):	TUBING DIAMETER (inches):	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet):	PURGE PUMP TYPE OR BAILER:
2" PVC	3/8" PE		37.83	ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH − STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (59.52 feet − feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
1 Equip Vol = .02 gallons + (.006 gallons/foot X 60 feet) + .125 gallons = .505 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet):	FINAL PUMP OR TUBING DEPTH IN WELL (feet):	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):
~56'	~56'	1634	1709	8.34

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1704	7.24	7.24	.25	37.84	7.51	23.93	.256	2.19	16.4	Clear	None
1706	.5	7.74	.25	37.84	7.52	23.92	.256	2.15	4.3	Clear	None
1708	.5	8.24	.25	37.84	7.53	23.92	.256	2.11	8.52	Clear	None
									No Sheen		

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION:	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT:	SAMPLING ENDED AT:
H. L. Claytor, Colinas Group		1709	1717

PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute):	TUBING MATERIAL CODE:
~56'	VOC's <100 mL	PE

FIELD DECONTAMINATION: Y (N) — FIELD-FILTERED: Y (N) Filtration Equipment Type: — FILTER SIZE: ____ µm — DUPLICATE: Y (N)

SAMPLE ID CODE	SAMPLE CONTAINER SPECIFICATION # CONTAINERS	MATERIAL CODE	VOLUME	SAMPLE PRESERVATION PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-4B	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
1634: Inserted SS ESP and new 3/8" PE tubing to ~56' BTOC and began purging @ .25 gpm.
1639: WL 37.84' @ .25 gpm, GW is ~~straw~~ turbid.
1642: GW still turbid, reduced flow to .04 gpm.
1648: Turbidity is going up, increased flow to .15 gpm.
1652: Reduced flow to .25 gpm, turbidity @ 31 NTUs.
1700: WL 37.84' @ .25 gpm, drawdown is stable.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± 02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME	SITE LOCATION	
Enterprise Road Landfill	Dade City, FL	
WELL NO: MW-5A	SAMPLE ID: MW-5A	DATE: 5/4/07

PURGING DATA

WELL DIAMETER (inches)	TUBING DIAMETER (inches)	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet)	PURGE PUMP TYPE OR BAILER
2" PVC	.25" PE		19.76'	PP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (30.50' feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
Equip Vol = 0 gallons + (.0026 gallons/foot X 32' feet) + .125 gallons = .208 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet)	FINAL PUMP OR TUBING DEPTH IN WELL (feet)	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons)
~27'	~27'	1056	1116	.60

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1112											
1102	.52	.52	.02	20.26	5.19	24.69	.084	5.90	8.05	Clear	None
1114	.04	.56	.02	20.22	5.15	24.52	.082	5.96	10.13	Clear	None
1116	.04	.60	.02	20.27	5.11	24.49	.081	5.89	13.0	Clear	None
								No sheen			

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION	SAMPLER(S) SIGNATURE(S)	SAMPLING INITIATED AT:	SAMPLING ENDED AT:
H. L. Claytor, Colinas Group		1117	1128

PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute):	TUBING MATERIAL CODE:
~27'	VOC's <100 mL	PE

FIELD DECONTAMINATION: (Y) N We reuse only
FIELD-FILTERED: Y (N) FILTER SIZE: ____ µm
Filtration Equipment Type:
DUPLICATE: Y (N)

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-5A	1	PE	500 mL	None	NONE	---	Bicarb,Chloride, Nitrate Nitrite, TDS	PP
"	3	CG	40 mL	HCl	NONE	---	8260 – App I Low	RFPP
"	2	CG	40 mL	None	NONE	---	8011 (EDB/DBCP)	RFPP
"	1	PE	250 mL	H2SO4	NONE	---	Ammonia	PP
"	1	PE	250 mL	HNO3	NONE	---	Sb,Tl	PP
"	1	PE	250 mL	HNO3	NONE	---	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	PP

REMARKS:
1056: Inserted new 1/4" PE tubing to ~27' BTOC and began purging @ .03 gpm with a PP.
1100: WL 20.60' @ .08 gpm and drawing down. Reduced flow to .04 gpm. GW is clear.
1103: WL 20.62' @ .04 gpm, ~~drawdown is stabilizing~~
1105: WL 20.74' @ .04 gpm, still drawing down, reduced flow to .03 gpm.
1107: WL 20.75' @ .02 gpm. 1110: WL 20.76' @ .02 gpm, drawdown is stable

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME:	Enterprise Road Landfill	SITE LOCATION:	Dade City, FL
WELL NO:	MW-5B	SAMPLE ID:	MW-5B
DATE:	5/4/07		

PURGING DATA

WELL DIAMETER (inches):	TUBING DIAMETER (inches):	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet):	PURGE PUMP TYPE OR BAILER:
2" PVC	.25" PE		22.76	PP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)

= (51.00' feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)

Equip Vol = 0 gallons + (.0026 gallons/foot X 53' feet) + .125 gallons = .2628 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet):	FINAL PUMP OR TUBING DEPTH IN WELL (feet):	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):
~48'	~48'	1147	1211	1.92

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1203	1.6	1.6	.08	22.50	7.47	25.02	.267	4.32	11.70	Clear	None
1209	.16	1.76	.08	22.50	7.48	24.93	.267	4.23	10.23	Clear	None
1211	.16	1.92	.08	22.50	7.49	24.97	.263	4.19	9.59	Clear	None
								No Sheen			

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0005; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION:	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT:	SAMPLING ENDED AT:
H. L. Claytor, Colinas Group		1212	1222

PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute):	VOC's <100 mL	TUBING MATERIAL CODE:
~48'			PE

FIELD DECONTAMINATION: Y (N) We use pump only
FIELD-FILTERED: Y (N) Filtration Equipment Type: FILTER SIZE: ____ µm
DUPLICATE: Y (N)

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-5B	1	PE	500 mL	None	NONE	—	Bicarb, Chloride, Nitrate Nitrite, TDS	PP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	RFPP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	RFPP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	PP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	PP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	PP

REMARKS:
1147: Inserted new 1/4" PE tubing to ~48' btoc and began purging @ .08 gpm.
1151: wl 22.81' @ .08 gpm, GW is slightly turbid. Will purge until clear.
1206: wl 22.50' @ .08 gpm, GW is clear, drawdown is stable. DO is high @ 4.43 mg/L. Checked meter calibration, is ok.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3): pH: ± 0.2 units; Temperature: ± 0.2 degrees C, Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-6	SAMPLE ID: MW-6	DATE: 5/4/07

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): 25.00	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH − STATIC DEPTH TO WATER) X WELL CAPACITY
only fill out if applicable)
1 Well Vol = (30.50 feet − 25.00 feet) X .16 gallons/foot = .88 gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
26' = gallons + (gallons/foot X feet) + gallons = gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~~28.5~~	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~28.5	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1440	Pumped Dry		.02	25.56	5.02	25.94	.093	5.23	11.2	Clear	None

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1444	SAMPLING ENDED AT: 1453

PUMP OR TUBING DEPTH IN WELL (feet): ~28.5'	SAMPLE PUMP FLOW RATE (mL per minute):	VOC's <100 mL	TUBING MATERIAL CODE: PE

FIELD DECONTAMINATION: (Y) N Wipe only
FIELD-FILTERED: Y (N) Filtration Equipment Type:
FILTER SIZE: ____ µm
DUPLICATE: Y (N)

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
1238: Inserted new 1/4" PE tubing to ~26' stoc and began purging @ .02 gpm.
1244: WL 25.71' @ .02 gpm (slow as pump will go). Well is slowly drawing down. Lowered tubing to ~28' stoc.
1300: WL 26.84' @ .02 gpm. GW is clear. Well still drawing down. Well is going dry.
1310: Well has drawn down to 28.5' @ .02 gpm. Well has a 2' sump from 28.5 - 30.5' stoc. Well is dry. Will allow to recover sufficiently to collect samples.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME:	Enterprise Road Landfill	SITE LOCATION:	Dade City, FL	
WELL NO:	MW-7A	SAMPLE ID:	MW-7A	DATE: 5/7/07

PURGING DATA

WELL DIAMETER (inches):	TUBING DIAMETER (inches):	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet):	PURGE PUMP TYPE OR BAILER:
2" PVC	.25" PE		32.81'	PP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH - STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)

1 well Vol = (45.85' - 32.81' feet) X .16 gallons/foot = 1.2864 gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)

= gallons + (gallons/foot X feet) + gallons = gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet):	FINAL PUMP OR TUBING DEPTH IN WELL (feet):	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
			.04	40.90	5.85	25.55	.065	3.02	25.7	Slcloudy	
										Milky	Mone

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION:	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT:	SAMPLING ENDED AT:
H. L. Claytor, Colinas Group			1547

PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE

FIELD DECONTAMINATION: (Y) N
FIELD-FILTERED: Y (N) Filtration Equipment Type: FILTER SIZE: ____ µm
DUPLICATE: Y (N)

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-7A	1	PE	500 mL	None	NONE	---	Bicarb,Chloride, Nitrate Nitrite, TDS	PP
"	3	CG	40 mL	HCl	NONE	---	8260 – App I Low	RFPP
"	2	CG	40 mL	None	NONE	---	8011 (EDB/DBCP)	RFPP
"	1	PE	250 mL	H2SO4	NONE	---	Ammonia	PP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	PP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	PP

REMARKS:
1432: Inserted SS ESP and new 3/8" PE tubing to ~ 39' btoc and began purging @ .08 gpm.

1438: Well is drawing down @ .08 gpm, lowered pump to ~ 40' btoc. Reduced flow to .04 gpm. WL 40.20' btoc. Gw is ~~slightly~~ turbid. Will purge until clear.

1520: Well has drawn down to pump @ ~ 40.9' btoc. Pump will not go any deeper due to some sort of obstruction. Will collect sample.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes to sufficiently recover and sample well.
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units. Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-7B	SAMPLE ID: MW-7B	DATE: 5/7/02

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): ~~.25~~ 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): 38.64	PURGE PUMP TYPE OR BAILER: PP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (63.00' feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
Pump Vol = .02 gallons + (.006 gallons/foot X 65 feet) + .175 gallons = .535 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~60'	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~60'	PURGING INITIATED AT: 1332	PURGING ENDED AT: 1343	TOTAL VOLUME PURGED (gallons): 2.25

TIME	VOLUME PURGED (gallons)	CUMUL VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1339	1.75	1.75	.25	39.32	9.12	24.35	.175	.91	5.95	Clear	None
1341	.5	2.25	.25	39.36	9.23	24.40	.174	.89	6.34	Clear	None
1343	.5	2.25	.25	39.37	9.27	24.55	.183	.91	5.34	Clear	None
									No sheen		

Note: pH is traditionally very high in this well.

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1344	SAMPLING ENDED AT: 1353
PUMP OR TUBING DEPTH IN WELL (feet): ~60'	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: Y N	FIELD-FILTERED: Y N Filtration Equipment Type:	FILTER SIZE: ____ µm	DUPLICATE: Y N

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-7B	1	PE	500 mL	None	NONE	---	Bicarb,Chloride, Nitrate Nitrite, TDS	PP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	RFPP
"	2	CG	40 mL	None	NONE	---	8011 (EDB/DBCP)	RFPP
"	1	PE	250 mL	H2SO4	NONE	---	Ammonia	PP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	PP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	PP

REMARKS:
1332: Inserted SS ESP and new 3/8" PE tubing to ~60' Static water level purging @ .25 gpm.
1335: WL ~~39.80~~ 39.35' @ .25 gpm, GW is clear.
1337: WL 39.37 @ .25 gpm, drawdown is stable.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3): pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-8B	SAMPLE ID: MW-8B	DATE: 5/7/07

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" .5" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): 45.50	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH - STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (52.55 feet - feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
Equip Vol = .02 gallons + (.006 gallons/foot X 60 feet) + .125 gallons = .505 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~55'	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~55'	PURGING INITIATED AT: 1250	PURGING ENDED AT: 1301	TOTAL VOLUME PURGED (gallons): 2.25

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1257	1.75	1.75	.25	45.54	6.21	25.82	.591	1.03	1.65	Clear	None
1259	.5	2.25	.25	45.54	6.23	25.92	.593	.84	4.51	Clear	None
1301	.5	2.25	.25	45.54	6.25	25.99	.595	.81	1.35	Clear	None
									No Sheen		

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1302	SAMPLING ENDED AT: 1310
PUMP OR TUBING DEPTH IN WELL (feet): ~55'	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: (Y) N	FIELD-FILTERED: Y (N) FILTER SIZE: ____ µm Filtration Equipment Type:	DUPLICATE: Y (N)	

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-8B	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
1250: Inserted SS ESP and new 3/8" PE tubing to ~55' Stoc and began purging @ .25 gpm,
1254: WL 45.51' @ .25 gpm, GW is clear
1256: WL 45.54' @ .25 gpm, drawdown is stable.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings < 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-9B	SAMPLE ID: MW-9B	DATE: 5/7/07

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): 46.54	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH − STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)

= (50.00' feet − feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)

1 Equip Vol = .02 gallons + (.006 gallons/foot X 52' feet) + .125 gallons = .457 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~49'	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~49'	PURGING INITIATED AT: 1156	PURGING ENDED AT: 1217	TOTAL VOLUME PURGED (gallons): 5.25

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1213	4.25	4.25	.25	47.02	7.55	24.23	.267	6.17	4.85	Clear	None
1215	.5	4.25	.25	47.03	7.56	24.61	.267	6.10	4.55	Clear	None
1217	.5	5.25	.25	47.03	7.56	24.55	.267	6.01	3.15	Clear	None
								No sheen			

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1215	SAMPLING ENDED AT: 1225
PUMP OR TUBING DEPTH IN WELL (feet): ~49'	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: (Y) N	FIELD-FILTERED: Y (N) FILTER SIZE: ___ µm	DUPLICATE: Y (N)	

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-9B	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:

1156: Inserted SS ESP and new 3/8" PE tubing to ~49' btoc and began purging @ .25 gpm. GW is milky white. Will purge until clear.

1207: WL 47.03' @ .25 gpm, GW has cleared up. Drawdown is stable.

1211: WL 47.02' @ .25 gpm, DO is high @ 5.84 mg/L. Checked meter calibration, is OK.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME: Enterprise Road Landfill	SITE LOCATION: Dade City, FL	
WELL NO: MW-10B	SAMPLE ID: MW-10B	DATE: 5/7/07

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet): 47.20	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH − STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)
= (62.07' feet − feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)
1 equip vol = .02 gallons + (.006 gallons/foot X 64' feet) + .125 gallons = .529 gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): ~59'	FINAL PUMP OR TUBING DEPTH IN WELL (feet): ~59'	PURGING INITIATED AT: 1103	PURGING ENDED AT: 1114	TOTAL VOLUME PURGED (gallons): 2.25

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1110	1.75	1.75	.25	47.55	7.02	24.61	.203	1.51	1.90	Clear	None
1112	.5	2.25	.25	47.55	7.13	24.54	.203	1.51	1.53	Clear	None
1114	.5	2.75	.25	47.58	7.19	24.55	.203	1.56	1.20	Clear	None
								No stream			

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT: 1115	SAMPLING ENDED AT: 1125
PUMP OR TUBING DEPTH IN WELL (feet): ~59'	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: (Y) N	FIELD-FILTERED: Y (N) FILTER SIZE: ____ µm Filtering Equipment Type:	DUPLICATE: Y (N)	

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
MW-10B	1	PE	500 mL	None	NONE	---	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	---	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	---	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	---	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	---	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	---	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
1103: Inserted ~~well~~ SS ESP and new 3/8" PE tubing to ~59' btoc and began purging @ .25 gpm.
1107: WL 47.88' @ .25 gpm, GW is clear.
1109: WL 47.88' @ .25 gpm, drawdown is stable.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3): pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

GROUNDWATER SAMPLING LOG

SITE NAME:	Enterprise Road Landfill	SITE LOCATION:	Dade City, FL
WELL NO.	Supply Well	SAMPLE ID:	Supply Well
DATE:	5/7/07		

PURGING DATA

WELL DIAMETER (inches):	TUBING DIAMETER (inches):	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet):	PURGE PUMP TYPE OR BAILER:
4" SS	NA			Spigot

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable)

NA = (62.07' feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable)

NA = gallons + (gallons/foot X feet) + gallons = gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet):	FINAL PUMP OR TUBING DEPTH IN WELL (feet):	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP. (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1243	5	5	.25	—	7.61	24.00	.365	4.39	0.51	Clear	None
1245	5	55	.25	—	7.61	24.01	.365	4.27	0.90	Clear	None
1247	5	6	.25	—	7.61	24.02	.365	4.19	0.91	Clear	None
									No sheen		

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION:	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT:	SAMPLING ENDED AT:
H. L. Claytor, Colinas Group			1255

PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute):	VOC's <100 mL	TUBING MATERIAL CODE:
			PE

FIELD DECONTAMINATION: Y (N) | FIELD-FILTERED: Y (N) Filtration Equipment Type: | FILTER SIZE: ___ µm | DUPLICATE: Y (N)

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
Supply Well	1	PE	500 mL	None	NONE	—	Bicarb,Chloride, Nitrate Nitrite, TDS	Spigot
"	3	CG	40 mL	HCl	NONE	—	8260 – App I Low	Spigot
"	2	CG	40 mL	None	NONE	—	8011 (EDB/DBCP)	Spigot
"	1	PE	250 mL	H2SO4	NONE	—	Ammonia	Spigot
"	1	PE	250 mL	HNO3	NONE	—	Sb,Tl	Spigot
"	1	PE	250 mL	HNO3	NONE	—	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	Spigot

REMARKS:
Purged ~ 5 gallons from supply well lines prior to collecting samples. Collected samples from a spigot in between well head and storage tank.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units; Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

DEP-SOP-001/01
Form FD 9000-24

~~GROUNDWATER~~ SAMPLING LOG

Surface Water

SITE NAME: Enterprise Road Landfill		SITE LOCATION: Dade City, FL
~~WELL NO~~ Pond 1	SAMPLE ID: Pond 1	DATE: 5/7/07

PURGING DATA

WELL DIAMETER (inches): 2" PVC	TUBING DIAMETER (inches): 3/8" PE	WELL SCREEN INTERVAL DEPTH: feet to feet	STATIC DEPTH TO WATER (feet):	PURGE PUMP TYPE OR BAILER: ESP

WELL VOLUME PURGE: 1 WELL VOLUME = (TOTAL WELL DEPTH – STATIC DEPTH TO WATER) X WELL CAPACITY
(only fill out if applicable) NA = (feet – feet) X gallons/foot = gallons

EQUIPMENT VOLUME PURGE: 1 EQUIPMENT VOL. = PUMP VOLUME + (TUBING CAPACITY X TUBING LENGTH) + FLOW CELL VOLUME
(only fill out if applicable) NA = gallons + (gallons/foot X feet) + gallons = gallons

INITIAL PUMP OR TUBING DEPTH IN WELL (feet): NA	FINAL PUMP OR TUBING DEPTH IN WELL (feet):	PURGING INITIATED AT:	PURGING ENDED AT:	TOTAL VOLUME PURGED (gallons):

TIME	VOLUME PURGED (gallons)	CUMUL. VOLUME PURGED (gallons)	PURGE RATE (gpm)	DEPTH TO WATER (feet)	pH (standard units)	TEMP (°C)	COND. (mS/cm)	DISSOLVED OXYGEN (mg/L)	TURBIDITY (NTUs)	COLOR (describe)	ODOR (describe)
1500	—	—	—	—	8.44	29.44	1.252	7.53	98.1	Cloudy Tan	None

WELL CAPACITY (Gallons Per Foot): 0.75" = 0.02; 1" = 0.04; 1.25" = 0.06; 2" = 0.16; 3" = 0.37; 4" = 0.65; 5" = 1.02; 6" = 1.47; 12" = 5.88
TUBING INSIDE DIA. CAPACITY (Gal./Ft.): 1/8" = 0.0006; 3/16" = 0.0014; 1/4" = 0.0026; 5/16" = 0.004; 3/8" = 0.006; 1/2" = 0.010; 5/8" = 0.016

SAMPLING DATA

SAMPLED BY (PRINT) / AFFILIATION: H. L. Claytor, Colinas Group	SAMPLER(S) SIGNATURES:	SAMPLING INITIATED AT:	SAMPLING ENDED AT: 1500
PUMP OR TUBING DEPTH IN WELL (feet):	SAMPLE PUMP FLOW RATE (mL per minute): VOC's <100 mL	TUBING MATERIAL CODE: PE	
FIELD DECONTAMINATION: Y N	FIELD-FILTERED: Y N Filtration Equipment Type:	FILTER SIZE: µm	DUPLICATE: Y N

SAMPLE CONTAINER SPECIFICATION				SAMPLE PRESERVATION				
SAMPLE ID CODE	# CONTAINERS	MATERIAL CODE	VOLUME	PRESERVATIVE USED	TOTAL VOL ADDED IN FIELD (mL)	FINAL pH	INTENDED ANALYSIS AND/OR METHOD	SAMPLING EQUIPMENT CODE
	1	PE	500 mL	None	NONE	---	Bicarb,Chloride, Nitrate Nitrite, TDS	ESP
"	3	CG	40 mL	HCl	NONE	---	8260 – App I Low	ESP
"	2	CG	40 mL	None	NONE	---	8011 (EDB/DBCP)	ESP
"	1	PE	250 mL	H2SO4	NONE	---	Ammonia	ESP
"	1	PE	250 mL	HNO3	NONE	---	Sb,Tl	ESP
"	1	PE	250 mL	HNO3	NONE	---	Fe,Hg,As,Ba,Be, Cd,Cr,Co,Cu,Pb, Ni,Se,Ag,V, Zn,Na	ESP

REMARKS:
Collected surface water samples from standing water @ Southeast corner of Pond 1. Surface water was ~6" deep.

Notes: 1) Used a graduated 5 gallon bucket and timed to measure purge volumes
2) Packed samples on ice immediately upon collection

MATERIAL CODES: AG = Amber Glass; CG = Clear Glass; PE = Polyethylene; PP = Polypropylene; S = Silicone; T = Teflon; O = Other (Specify)

SAMPLING/PURGING EQUIPMENT CODES: APP = After Peristaltic Pump; B = Bailer; BP = Bladder Pump; ESP = Electric Submersible Pump; PP = Peristaltic Pump; RFPP = Reverse Flow Peristaltic Pump; SM = Straw Method (Tubing Gravity Drain); VT = Vacuum Trap; O = Other (Specify)y

Notes: 1. The above do not constitute all the information required by Chapter 62-160, F.A.C.
2. STABILIZATION CRITERIA FOR RANGE VARIATION OF LAST THREE CONSECUTIVE READINGS (SEE FS 2212, SECTION 3) pH: ± 0.2 units, Temperature: ± 0.2 degrees C; Specific Conductance: ± 5%; Dissolved Oxygen: all readings ≤ 20% saturation (see Table FS 2200-2), optionally, ± .02 mg/L or ± 10% (whichever is greater); Turbidity: all readings ≤ 20 NTU, optionally ± 5 NTU or ± 10% (whichever is greater)

ENVIRONMENTAL CONSERVATION LABORATORIES CHAIN-OF-CUSTODY RECORD

10775 Central Port Dr.
Orlando, FL 32824
(407) 826-5314 Fax (407) 850-6945

4810 Executive Park Court, Suite 211
Jacksonville, FL 32216-6069
(904) 296-3007 Fax (904) 296-6210

1015 Passport Way
Cary, NC 27513
(919) 677-1669 Fax (919) 677-9846

Client Name: HDR-Gainesville	Project Number:
Address:	Project Name/Desc: Angelo's Enterprise
City/ST/Zip: Gainesville, FL	PO # / Billing Info:
Tel: / Fax:	Reporting Contact: John Locklear
Sampler(s) Name, Affiliation (Print): Dale Clanton	Billing Contact:
Sampler(s) Signature:	Facility # (if required):

Requested Analyses

Preservation (See Codes) (Combine as necessary)

Requested Turnaround Times

Note : Rush requests subject to acceptance by the facility

X Standard

__ Expedited

Due __/__/__

Lab Workorder: A702146

Item #	Sample ID (Field Identification)	Collection Date	Collection Time	Comp / Grab	Matrix (see codes)	Total # of Containers	I	IH	I	IS	IN	IN	Sample Comments
	MW-3B	5/4/07	1419	G	GW	8	X	X	X	X	X		
	MW-5A		1128	G	GW	8	X	X	X	X	X		
	MW-5B		1222	G	GW	8	X	X	X	X	X		
	MW-6		1453	G	GW	8	X	X	X	X	X		

<-- Total # of Containers

Sample Kit Prepared By:	Date/Time: 4/5/07 10:55	Relinquished By:	Date/Time: 4/6/07 1055	Received By:	Date/Time: 4/6/07 1055		
Comments: Dry Wells - MW-3A, MW-4A, MW-8, MW-9, MW-10 No access MW-1		Relinquished By:	Date/Time:	Received By:	Date/Time: 5/5/07		
		Relinquished By:	Date/Time:	Received By:	Date/Time:		
		Cooler #'s & Temps on Receipt: C-5 2°C			Condition Upon Receipt: __ Acceptable __ Unacceptable		

Matrix : GW-Groundwater SO-Soil SE-Sediment SW-Surface Water WW-Wastewater A-Air O-Other (detail in comments)

Preservation: I-Ice H-HCl N-HNO3 S-H2SO4 NO-NaOH O-Other (detail in comments)

Note : All samples submitted to ENCO Labs are in accordance with the terms and conditions listed on the reverse of this form, unless prior written agreements exist

The total number of pages in this report, including this page is 1.

ENVIRONMENTAL CONSERVATION LABORATORIES CHAIN-OF-CUSTODY RECORD

10775 Central Port Dr.
Orlando, FL 32824
(407) 826-5314 Fax (407) 850-6945

4810 Executive Park Court, Suite 211
Jacksonville, FL 32216-6069
(904) 296-3007 Fax (904) 296-6210

1015 Passport Way
Cary, NC 27513
(919) 677-1669 Fax (919) 677-9846

Client Name: HDR-Gainesville
Address:
City/ST/Zip: Gainesville, FL
Tel: Fax:
Sampler(s) Name, Affiliation (Print): Dale Clayton
Sampler(s) Signature:

Project Number:
Project Name/Desc: Angelo's Enterprise
PO# / Billing Info:
Reporting Contact: John Locklear
Billing Contact:
Facility # (if required):

Requested Analyses

Item #	Sample ID (Field Identification)	Collection Date	Collection Time	Comp / Grab	Matrix (see codes)	Total # of Containers	Preservation (See Codes) (Combine as necessary)										Sample Comments
							I	IH	I	HS	IN	IN					
	MW-3B	5/4/07	1419	G	GW	8	X	X	X	X	X						
	MW-5A		1128	G	GW	8	X	X	X	X	X						
	MW-5B		1222	G	GW	8	X	X	X	X	X						
	MW-6		1453	G	GW	8	X	X	X	X	X						
							<-- Total # of Containers										

Requested Turnaround Times

Note : Rush requests subject to acceptance by the facility

X Standard
___ Expedited
Due ___/___/___

Lab Workorder: A702148

Sample Kit Prepared By	Date/Time	Relinquished By	Date/Time	Received By	Date/Time
	4/18/07 10:55		4/18/07 1055		4/18/07 1055
Comments: Dry Wells - MW-3A, MW-4A, MW-8, MW-9, MW-10 No access MW-1		Relinquished By	Date/Time	Received By	Date/Time
					5/5/07
		Relinquished By	Date/Time	Received By	Date/Time
		Cooler #'s & Temps on Receipt: C-5 2°C		Condition Upon Receipt: ___ Acceptable ___ Unacceptable	

Matrix : GW-Groundwater SO-Soil SE-Sediment SW-Surface Water WW-Wastewater A-Air O-Other (detail in comments)

Preservation: I-Ice H-HCl N-HNO3 S-H2SO4 NO-NaOH O-Other (detail in comments)

Note : All samples submitted to ENCO Labs are in accordance with the terms and conditions listed on the reverse of this form, unless prior written agreements exist

The total number of pages in this report, including this page is 1.

ENVIRONMENTAL CONSERVATION LABORATORIES CHAIN-OF-CUSTODY RECORD

ENCO
10775 Central Port Dr. Orlando, FL 32824 (407) 826-5314 Fax (407) 850-6945
4810 Executive Park Court, Suite 211 Jacksonville, FL 32216-6069 (904) 296-3007 Fax (904) 296-6210
1915 Passaro Way Cary, NC 27513 (919) 677-1669 Fax (919) 677-9558

Page 1 of 1

Client Name: HDR
Address: Gainesville FL
City/ST/Zip:
Tel: Fax:
Sampler(s) Name, Affiliation (Print): Dale Clayton
Sampler(s) Signature:
Project Number:
Project Name/Desc: Angelo's Enterprise
PO # / Billing Info:
Reporting Contact: John Locklear
Billing Contact:
Facility # (if req.-incl.):

Requested Analyses

Requested Turnaround Times

Note: Rush requests subject to acceptance by the facility

X Standard
__ Expedited
Due __/__/__

Lab Workorder: A702592 A702648

Preservation (Use Codes) (Combine as necessary)

Item #	Sample ID (Field Identification)	Collection Date	Collection Time	Comp / Grab	Matrix (see codes)	Type of Containers	H	IH	I	IS	IN	Sample Comments
	MW-4B	5/7/07	1717	G	GW	8	X	X	X	X	X	
	MW-7A		1547	G	GW	8	X	X	X	X	X	
	MW-7B		1353	G	GW	8	X	X	X	X	X	
	MW-8B		1310	G	GW	8	X	X	X	X	X	
	MW-9B		1225	G	GW	8	X	X	X	X	X	
	MW-10B		1125	G	GW	8	X	X	X	X	X	
	Pond 1		1500	G	SW	8	X	X	X	X	X	
	Supply Well		1255	G	GW	8	X	X	X	X	X	
	Duplicate		1717	G	GW	8	X	X	X	X	X	

<-- Total # of Containers

Sample Kit Prepared By: Dawn — Date/Time: 4/18/07 10:55
Comments:

Relinquished By: Dawn — Date/Time: 4/18/07 10:55
Relinquished By: [signature] — Date/Time: 5/7/07 1900
Relinquished By: — Date/Time:

Received By: [signature]
Received By: [signature] — Date/Time: 5/7 1900
Received By: Dawn — Date/Time: 5/8/07 11:10

Coolers & Temps on Receipt: 1-301 2°C

Condition Upon Receipt: ✓ Acceptable __ Unacceptable

Matrix: GW-Groundwater SO-Soil SE-Sediment SW-Surface Water WW-Wastewater A-Air O-Other (detail in comments)

Preservation: Ice H-HCl N-HNO3 S-H2SO4 NO-NaOH O-Other (detail in comments)

Note: All samples submitted to ENCO Labs are in accordance with the terms and conditions listed on the reverse of this form, unless prior written agreements exist.

ENVIRONMENTAL CONSERVATION LABORATORIES CHAIN-OF-CUSTODY RECORD

10775 Central Port Dr.
Orlando, FL 32824
(407) 826-5314 Fax (407) 850-6945

4810 Executive Park Court, Suite 211
Jacksonville, FL 32216-6069
(904) 296-3007 Fax (904) 296-6210

1015 Passport Way
Cary, NC 27513
(919) 677-1669 Fax (919) 677-9846

Client Name: HDR	Project Number:
Address: Gainesville FL	Project Name/Desc: Angelo's Enterprise
City/ST/Zip:	PO # / Billing Info:
Tel:	Fax:
Reporting Contact: John Locklear	
Sampler(s) Name, Affiliation (Print): Dale Clayton	Billing Contact:
Sampler(s) Signature:	Facility # (if required):

Requested Analyses

Requested Turnaround Times

Note : Rush requests subject to acceptance by the facility

X Standard

___ Expedited

Due ___/___/___

Lab Workorder A702592 5/10/07 A702148

Item #	Sample ID (Field Identification)	Collection Date	Collection Time	Comp / Grab	Matrix (see codes)	Total # of Containers	Preservation (See Codes) (Combine as necessary) H	IH	I	IS	IN	Sample Comments
	MW-4B	5/7/07	1717	G	GW	8	X	X	X	X	X	
	MW-7A		1547	G	GW	8	X	X	X	X	X	
	MW-7B		1353	G	GW	8	X	X	X	X	X	
	MW-8B		1310	G	GW	8	X	X	X	X	X	
	MW-9B		1225	G	GW	8	X	X	X	X	X	
	MW-10B		1125	G	GW	8	X	X	X	X	X	
	Pond 1		1500	G	SW	8	X	X	X	X	X	
	Supply Well		1755	G	GW	8	X	X	X	X	X	
	Duplicate		1717	G	GW	8	X	X	X	X	X	

<-- Total # of Containers

Sample Kit Prepared By:	Date/Time: 4/18/07 10:55	Relinquished By:	Date/Time: 4/18/07 10:55	Received By:	Date/Time: 4/18/07 1055
Comments:		Relinquished By:	Date/Time: 5/7/07 1900	Received By:	Date/Time: 5/7 1900
		Relinquished By:	Date/Time:	Received By:	Date/Time: 5/8/07 11:10

Cooler #'s & Temps on Receipt: L-301 2°C

Condition Upon Receipt: ✓ Acceptable ___ Unacceptable

Matrix : **GW**-Groundwater **SO**-Soil **SE**-Sediment **SW**-Surface Water **WW**-Wastewater **A**-Air **O**-Other (detail in comments)

Preservation: **I**-Ice **H**-HCl **N**-HNO3 **S**-H2SO4 **NO**-NaOH **O**-Other (detail in comments)

Note : All samples submitted to ENCO Labs are in accordance with the terms and conditions listed on the reverse of this form, unless prior written agreements exist