

SCS ENGINEERS

March 17, 2005
File No. 09201053.03

Mr. James N. Bradner, PE
Solid Waste Program Manager
Florida Department of Environmental Protection
3319 Maguire Boulevard Suite 232
Orlando, Florida 32803-3767

RECEIVED
MAR 21 2005
Central Dist - DEP

Subject: June 2001 Through November 2004 Biennial Report, Tomoka Farms Road Landfill, Volusia County, Florida, FDEP Permit Number S064-0078767-008 and S064-0078767-013

Dear Mr. Bradner:

On behalf of Volusia County Solid Waste Division (County), SCS Engineers (SCS) is pleased to provide the Central District of the Florida Department of Environmental Protection (FDEP) with two copies of the biennial report of the semi-annual water monitoring activities for the Tomoka Farms Road Landfill (the site), Volusia County, Florida. This report provides site background information, a summary of the monitoring program, groundwater flow assessment, a summary and interpretation of the data, and assessment of the monitoring program.

BACKGROUND

The North Class I Landfill cell operates under FDEP permit no. S064-0078767-008 and SO64-0078767-013. The Class III Landfill cell operates under FDEP permit no. SO64-00787-013. The South Class I cell is being closed under closure permit no. SF64-0078767-008. Specific conditions of the permits require that a report "be submitted to the FDEP by the Permittee summarizing and interpreting the water quality data and water level measurements collected during the past four years." The monitoring period discussed within this report includes eight semi-annual sampling events conducted from June 2001 to November 2004.

MONITORING PROGRAM SUMMARY

The monitoring program consists of surficial aquifer groundwater, Floridan aquifer groundwater, surface water monitoring, and leachate water quality monitoring. The following sections provide a summary of the current monitoring program for each media.

Groundwater

The groundwater monitoring system is described in Specific Conditions in the permits. Groundwater is monitored through Background and Compliance wells in the surficial and Floridan aquifers.

1W - B. env Gw 2004
-2004
✓
3-17-2005
3-21-2005



Mr. James N. Bradner, P.E.
March 17, 2005
Page 2

A construction detail summary for the 48 monitoring wells included in the monitoring systems is presented on Table 1 in Attachment A. Well locations for each monitored zone are shown Figure 1 included in Attachment B. The monitoring wells for each monitored zone are summarized below:

Zone 1-2 Wells	Zone 4 Wells
M05-B	B2-B
B1-B	B8-2
B5-B	B32
B8-1	B33-1
B11-B	B34-1
B33-2	B35-1
B34-2	B36
B35-2	B37-1
B37-2	B38-1
B38-2	B40-1
B39	B41-1
B40-2	B42-1
B41-2	B43-1
B42-2	B45-1
B43-2	B58-1
B44	B59-1
B45-2	B60
B58-2	B62-1
B59-2	B63-1
B61	B67
B62-2	B68
B63-2	B70-1
B64	B73-1
B65	
B66	
B70-2	
B71	
B72	
B73-2	
B74	
B75	

Mr. James N. Bradner, P.E.

March 17, 2005

Page 3

There are two Floridan monitoring wells at the site. The Floridan well locations are shown on Figure 1 included in Attachment B. The Floridan wells are identified as follows:

- FA-1B
- FA-2C

Groundwater samples are collected semi-annually and analyzed by an approved environmental laboratory for the parameters identified in the FDEP permits. The results of the laboratory analyses are summarized in tables in Attachment A. The monitoring data discussed in this biennial report (reporting period) include the following sampling periods:

- June 2001
- December 2001
- June 2002
- November 2002
- April 2003
- October 2003
- April 2004
- November 2004

Due to low groundwater conditions or well destruction, samples could not be obtained from the following monitoring wells:

- B8-1 (June 2001 and April 2004)
- B32 (June 2001)
- B33-2 (December 2001, November 2002, April 2003, and October 2003)
- B35-1 (November 2004)
- B59-1 (December 2001)
- B59-2 (April 2004 and November 2004)
- B60 (November 2004)
- B-61 (June 2001, December 2001, and June 2002)
- B62 (June 2001, December 2001, and June 2002)
- B62-1 (June 2001, December 2001, and June 2002)

The following wells were abandoned after November 2002 and therefore not sampled after the November 2002 sampling events:

- B58-1
- B58-2
- B67

Mr. James N. Bradner, P.E.
March 17, 2005
Page 4

The following wells were not installed and therefore not sampled prior to the November 2002 sampling events:

- B70-1
- B70-2
- B71
- B72
- B73-1
- B73-2
- B74
- B75

Surface Water

The surface water system is described in Specific Conditions in the permit. Surface water is monitored through the collection of surface water samples from the following eight sampling locations:

- SW-1
- SW-2
- SW-3
- SW-4
- SW-5
- SW-6
- SW-9
- SW-10

Surface water sampling locations are shown on Figure 1 in Attachment B.

Due to low surface water conditions samples could not be obtained from the following surface water sampling locations:

- SW-3 (June 2001, November 2002, and May 2004)
- SW-4 (June 2001 and May 2004)
- SW-6 (June 2002, October 2003, and May 2004)
- SW-9 (April 2003, October 2003, April 2004, and November 2004)
- SW-10 (October 2003, April 2004, and November 2004)

Leachate

Leachate monitoring is described in Specific Conditions in the permit. Leachate is monitored through the collection of leachate samples from the North Leachate Pond.

SEMI-ANNUAL QUALITY DATA SUMMARY

A summary of water quality data collected from the monitoring wells and surface water monitoring locations at the site is presented in the following sections. This summary includes groundwater and surface water quality data collected from these locations during the monitoring period. Information concerning groundwater and surface water quality data also was presented to the FDEP in the semi-annual water quality data monitoring reports.

Groundwater Quality Regulatory Exceedences and Trend Analysis

Attachment A includes summary tables of groundwater monitoring well water quality detections and exceedences compiled by SCS from laboratory analyses and previous semi-annual water quality data monitoring reports. Attachment C includes trend analyses charts compiled from the exceedences data tables. Trend analyses charts were developed for those leachate key indicator parameters and for those constituents with concentrations in excess of the FDEP groundwater standards or criteria.

Constituents detected in groundwater samples at concentrations above FDEP primary and secondary drinking water standards and FDEP Groundwater cleanup target levels include the following:

- ammonia
- benzene
- beryllium
- chloride
- iron
- nitrate
- pH
- sodium
- sulfate
- thallium
- total dissolved solids (TDS)
- vinyl chloride

Exceedences were detected in both background and detection monitoring wells. Discussions of the trends for those parameters that exceed the regulatory criteria from the eight sampling events during the monitoring period are provided below.

Ammonia – Although not a PDWS or SDWS, ammonia nitrogen was consistently detected above the GCTL of 2.8 milligrams per liter (mg/L) in surficial monitoring wells B-1B, B41-1, B43-1, B-61, B62-1, and B62-2. Surficial monitoring wells B-1B, B41-1, B43-1, and B-61

Mr. James N. Bradner, P.E.

March 17, 2005

Page 6

are in hydraulically down gradient locations at the site. Ammonia nitrogen was detected above the GCTL in surficial monitoring wells B-2B, B8-1, B35-2, B38-2, B40-2, B41-2, B42-2, and B68 at variable sampling periods. Surficial monitoring wells B8-1, B38-2, B40-2, B41-2, B42-2, and B68 are in down gradient and cross gradient locations at the site. Surficial monitoring wells B-2B and B35-2 are in up gradient locations at the site. No definitive trends were observed for ammonia concentrations for the monitoring wells. Ammonia was not detected above the GCTL in the Floridan monitoring wells.

Benzene – Benzene was consistently detected above the PDWS of $\mu\text{g/l}$ in surficial monitoring wells B-36, B37-1, B41-1, B43-1, B45-1, and B62-1. Surficial monitoring wells B37-1, B41-1, B43-1, B45-1, and B62-1 are in hydraulically down gradient and cross gradient locations at the site and surficial monitoring well B-36 is in an up gradient location at the site. A benzene concentration was detected above the PDWS of 1 $\mu\text{g/l}$ in surficial monitoring wells B41-2 for the sampling period in December 2001. Surficial monitoring well B41-2 is down gradient at the site. No benzene detection trends were observed for the reporting period. Benzene was not detected above the PDWS in the Floridan monitoring wells.

Beryllium – Beryllium was detected above the PDWS of 4 $\mu\text{g/l}$ in surficial monitoring well B58-2 during the June 2001 monitoring event. The beryllium concentrations in this well subsequently decreased to below detection levels and have remained below detection since December 2001. No beryllium detection trends were observed for the reporting period. Beryllium was not detected above the PDWS in the Floridan monitoring wells.

Chloride – Chloride was consistently detected above SDWS of 250 mg/L in surficial monitoring wells B45-1 and B62-1. Chloride was detected above the SDWS in surficial monitoring well B33-2 (June 2002 and November 2004), B37-1 (April 2003), B41-1 (June 2001 and April 2003), and B45-2 (April 2004). These wells are in down gradient and cross gradient locations at the site. There were no definitive trends in chloride concentrations observed for the reporting period. Chloride was not detected above the SDWS in the Floridan monitoring wells.

Iron – Iron was consistently detected above the SDWS of 300 $\mu\text{g/l}$ in all monitored surficial monitoring wells. These wells are in upgradient, cross gradient, and downgradient locations at the site. There were no definitive trends in iron concentrations observed during the reporting period. Iron was detected above the SDWS in the Floridan monitoring well FA-1B for the monitoring periods of April 2003, October 2003, April 2004, and November 2004. There is an upward trend in iron concentrations observed in the Floridan monitoring well FA-1B.

Nitrate – Nitrate historically has been below the PDWS of 10 mg/L in all monitored wells. However, nitrate was detected at a concentration that exceeded the PDWS in surficial monitoring well B34-1 (June 2002). The nitrate concentration in the monitored well

Mr. James N. Bradner, P.E.

March 17, 2005

Page 7

subsequently decreased to below the PDWS and has remained below the PDWS since November 2002. No nitrate detection trends were observed for the reporting period. Nitrate was not detected above the PDWS in the Floridan monitoring wells.

pH – The pH measurements consistently have been outside (below) the SDWS range of 6.5-8.5 in surficial monitoring B-1B, B11-B, B33-2, B35-1, B35-2, B37-1, B37-2, B38-1, B38-2, B-39, B40-1, B40-2, B41-1, B42-1, B42-2, B43-1, B44, B45-1, B45-2, B58-2, B59-1, B-60, B-65, B-68, B 70-1, B70-2, B71, B75, and M0-5B. The pH measurements have been outside (below) the SDWS range of 6.5-8.5 several times in surficial monitoring wells B2-B, B-5B, B8-1, B8-2, B33-1, B34-1, B34-2, B36, B41-2, B43-2, B58-1, B59-2, B62-1, B63-1, B62-2, B63-2, B64, B66, B67, B72, B73-1, B73-2, and B74. The pH measurements have been below the SDWS range of 6.5-8.5 in Floridan monitoring wells FA-1B and FA-2C (December 2001). The pH measurements have been above the SDWS range of 6.5-8.5 in Floridan monitoring well FA-2C (June 2001, June 2002, April 2003, October 2003, and November 2004). There are no significant decreases and increases in pH measurements observed during the reporting period for the monitoring wells.

Sodium – Sodium was consistently detected above the SDWS of 160 mg/L surficial monitoring wells B33-2, B37-1, B41-1, B45-1, and B62-2. These wells are in down gradient and cross gradient locations at the site. Sodium was detected above the PDWS in surficial monitoring well B-61 (October 2003). There was a decreasing trend in sodium concentrations for surficial monitoring well B37-1. No other definitive trends were observed for sodium concentrations for the other monitoring wells. Sodium was not detected above the SDWS in the Floridan monitoring wells.

Sulfate – Sulfate was detected above the SDWS of 250 mg/L in surficial monitoring wells B2-B (June 2001, December 2001, June 2002, April 2003, April 2004, and November 2004), B42-1 (June 2002, October 2003, April 2004, and November 2004), B42-2 (June 2001), B58-1 (November 2002), and B-61 (November 2002 and April 2003). Well B2-B is in an up gradient location at the site. Wells B42-1, B42-2, B58-1, and B61 are in down gradient locations at the site. There was a decreasing trend in sulfate concentrations for surficial monitoring well B-2B and an increasing trend in sulfate concentrations for surficial monitoring wells B42-1 and M05-B. No other definitive trends were observed for sulfate concentrations for the other monitoring wells. Sulfate was not detected above the SDWS in the Floridan monitoring wells.

Thallium – Thallium was detected above the PDWS of 2 µg/l in surficial monitoring well B45-1 (June 2001). Thallium was not detected above the PDWS in surficial monitoring well B45-1 since December 2001. Well B45-1 is in a down gradient location at the site. The thallium detection trends observed indicated a decrease in the thallium levels detected in most of the wells for the reporting period. Thallium was not detected above the PDWS in the Floridan monitoring wells.

TDS – Total dissolved solids (TDS) was consistently detected above the SDWS of 500 mg/L in surficial monitoring wells, B-2B, B-36, B37-1, B41-1, B41-2, B42-1, B43-1, B45-1, B59-1, B59-2, B-61, B62-1, B62-2, B-64, and B75. These wells are in up gradient, cross-gradient, and down gradient locations of the site. TDS concentrations were detected above the SDWS in surficial monitoring wells B-1B, B-5B, B33-2, B34-2, B38-2, B42-2, B43-2, B45-2, B58-1, B-60, B63-1, B65, B-66, B-67, B-68, and M0-5B at variable time periods. TDS was detected at a concentration that exceeded the SDWS in Floridan monitoring well FA-2C during the June 2002 and April 2003 monitoring events. The TDS concentrations in this monitored well subsequently decreased to below the SDWS since the October 2003 monitoring event. No significant TDS detection trends were observed for the reporting period.

Vinyl Chloride – Vinyl chloride was consistently detected above the PDWS of 1 µg/l in surficial monitoring wells B-36 and B37-2. Both wells are located in the southern side of the site. Surficial monitoring wells B-36 and B37-2 are in down gradient and cross gradient locations at the site. Vinyl chloride was also detected above the PDWS in surficial monitoring well B5-B (April 2004). There is an increasing trend in vinyl chloride concentrations observed for well B37-2 during the reporting period. Vinyl Chloride was not detected above the PDWS in the Floridan monitoring wells.

Surface Water Quality Regulatory Exceedences

Surface water quality data has been collected from eight surface water bodies at the site. Summary tables of the surface water monitoring samples SW-1 through SW-6, SW-9, and SW-10 are included in Attachment A. Surface water sampling locations are indicated on Figure 1 in Attachment B.

Several constituents were detected in concentrations above surface water criteria and surface water cleanup target levels during the monitoring period including the following:

- ammonia
- barium
- beryllium
- copper
- dissolved oxygen
- iron
- lead
- pH
- silver
- sodium
- total hardness
- turbidity

The maximum contaminant level (MCL) is defined in Chapter 62-302.530 Florida Administrative Code (FAC); however, the MCL requires a calculation based on hardness concentration for several compounds. The formulas used and the calculated MCL are shown on the surface water tables in Attachment A. Attachment C includes trend analyses charts compiled from the exceedences data tables. The following summarize the findings:

Ammonia – Ammonia concentrations were detected above the MCL of 0.02 mg/L in surface water sampling locations SW-1 through SW-6, SW-9, and SW-10 at various time periods through November 2002. Ammonia concentrations were also detected above the MCL in surface water sampling location SW-5 for the periods April 2003, October 2003, and May 2004. None of the other surface water sampling locations has detected ammonia concentrations above the MCL since April 2003. No definitive trends were observed for ammonia concentrations for the other surface water sampling locations.

Barium – Barium concentrations have consistently exceeded the calculated MCLs in surface water samples SW-2 through SW-6, SW-9, and SW-10 during the monitoring period. There were no definitive trends in barium concentrations observed during the reporting period.

Beryllium – Beryllium concentrations were detected above the MCL of 0.13 µg/l in surface water sampling locations SW-6, SW-9, and SW-10 at variable time periods. No beryllium concentrations have been detected above the MCL in surface water sampling locations since October 2003. No other definitive beryllium trends were observed during the monitoring period.

Copper – The copper concentration in surface water samples SW-1 was detected above the calculated MCL in December 2001. No other copper concentration in surface water samples was detected above the calculated MCL in any other sampling event. Copper concentration trends appear to be decreasing during the monitoring period.

Dissolved Oxygen – DO concentrations have been below the lower limit of greater than or equal to 5 mg/L in surface water samples SW-1 through SW-5, SW-9, and SW-10 at various times during the monitoring period. No DO concentrations have been below the lower limit in surface water samples since May 2004. DO trends were observed to be increasing since October 2003.

Iron – Iron concentrations have exceeded the MCL of 1000 µg/l in surface water samples SW-1, SW-2, SW-4, SW-5, SW-6, SW-9, and SW-10 at various times during the monitoring period. The concentrations have decreased to levels below the MCL since June 2002 in all surface water sample locations except SW-5 and SW-6. No definitive iron trends were observed during the monitoring period.

Mr. James N. Bradner, P.E.
March 17, 2005
Page 10

Lead – Lead concentrations in surface water sample SW-1 was detected above the calculated MCL in December 2001 and June 2002. Lead concentrations have subsequently decreased to below the MCL during the monitoring period. No definitive lead trends were observed during the monitoring period.

pH – pH measurements have been above the upper limit of 8.5 units in surface water sample locations SW-1, SW-2, and SW-5 at various times during the monitoring period. pH measurements have been below the lower limit of 6.5 units in surface water sample locations SW-3 and SW-5 at various times during the monitoring period. No definitive pH trends were observed during the monitoring period.

Silver – The silver concentration for SW-9 exceeded the MCL of 0.07 µg/l in December 2001. The concentrations have been below the MCL for all surface water sampling events since April 2002. Silver concentrations trends are observed to be decreasing.

Sodium – Sodium concentrations have consistently exceeded the calculated MCLs in surface water samples SW-2 through SW-6, SW-9, and SW-10 during the monitoring period. There were no definitive trends in sodium concentrations observed during the reporting period.

Total Hardness – Total hardness concentrations have consistently been below the lower limit of greater than or equal to 20 mg/L in surface water sample SW-1 during the monitoring period. No definitive total hardness trends were observed during the monitoring period.

Turbidity – Turbidity concentrations were detected above the calculated MCL in surface water sampling locations SW-2, SW-3, SW-5, and SW-9 at various time periods. No turbidity concentrations have been detected above the calculated MCL in surface water samples since April 2003. No definitive beryllium trends were observed during the monitoring period.

Leachate Water Quality Regulatory Exceedences

Leachate water quality data has been collected from one leachate monitoring location at the site. Leachate data was available for all of the eight reporting periods. A summary table of the leachate monitoring samples from the North Leachate Pond is included in Attachment A.

No constituents were detected in concentrations above 40 Code of Federal Regulations (CFR) Part 261.24 during the monitoring period.

SEMI-ANNUAL GROUNDWATER FLOW ASSESSMENT

Groundwater flow assessment activities were conducted for the shallow zone and deep zone surficial aquifer during each of the previous monitoring periods extending from June 2001 through November 2004. The assessment activities included the collection of groundwater

Mr. James N. Bradner, P.E.
March 17, 2005
Page 11

depth intervals, the calculation of groundwater elevations in the site wells, and plotting the data onto site figures depicting the estimated groundwater flow direction. Copies of the groundwater flow diagrams generated for each monitoring event are presented in Attachment B. The estimated groundwater flow direction during these periods in the shallow zone and deep zone surficial aquifer is to the north and east.

Groundwater flow rates were calculated in David N. Gomberg, Ph.D.'s, July 16, 2001, Tomoka Landfill: Biennial Evaluation of Monitoring Results. Site conditions have not changed since the July 2003 report.

Hydrographs depicting the groundwater elevations within each well for each sampling event over the monitoring period were generated and presented in Attachment C. The groundwater level calculations indicated higher groundwater table elevations in the December monitoring events and lower groundwater table elevations in the June monitoring events. This data is consistent with previous biennial reporting data.

APPROPRIATENESS OF MONITORING PROGRAM

The Tomoka Farms Road Landfill permit specifies the compliance monitoring protocol for groundwater wells, the surface water locations, leachate monitoring, and sampling frequency for the monitoring program. This protocol appears to adequately detect concentrations of parameters in the surficial aquifer and Floridan aquifer on the downgradient, cross-gradient, and upgradient sides of the landfill. The compliance monitoring protocol specified in the operating permit provides an appropriate monitoring program for the Tomoka Farms Road Landfill at this time.

Please contact us if you have any questions or comments regarding this correspondence.


Very truly yours,



K. Mark Tumlin
Senior Project Scientist
SCS ENGINEERS

KMT/LAP: keg
Attachments

cc: Joseph F. Grusauskas, Volusia County, Solid Waste
Susan M. Gaze, Volusia County, Solid Waste



Lee A. Powell, P.E.
Project Manager
SCS ENGINEERS

ATTACHMENT A

TABLES


TABLE 1. TOMOKA FARMS ROAD LANDFILL MONITORING WELL CONSTRUCTION DETAILS

Well ID	Date Constructed*	Well Type	Monitored Zone	Diameter (in.)	TOC Elevation (feet NGVD)**	Casing and Screen Characteristics			
						Bottom of Casing		Screen Interval	
						Depth (Feet BLS)	Elevation (Feet NGVD)	Depth Top/Bottom (Feet BLS)*	Elevation Top/Bottom (Feet NGVD)
B-1B	1987	Compliance	Zone 1-2	2	27.31	28	-1	28/33	-1/-6
B-2B	1994	Background	Zone 4	2	31.81	19	13	19/24	13/8
B-5B	1991	Compliance	Zone 1-2	2	32.66	18	15	18/23	15/10
B8-1	1987	I	Zone 1-2	2	33.02	43	-10	43/48	-10/-15
B8-2	1994	I	Zone 4	2	33.30	20	13	20/30	13/3
B-11B	1989	Background	Zone 1-2	2	30.63	4	27	4/14	27/17
B-32	1994	Background	Zone 4	2	30.51	20	11	20/30	11/1
B33-1	1991	Background	Zone 4	2	32.82	22	11	22/32	11/1
B33-2	1994	Background	Zone 1-2	2	32.10	5	27	5/15	27/17
B34-1	1994	Background	Zone 4	2	31.18	22	9	22/32	9/-1
B34-2	1994	Background	Zone 1-2	2	31.21	5	26	5/15	26/16
B35-1	1994	Background	Zone 4	2	29.29	22	7	22/32	7/-3
B35-2	1994	Background	Zone 1-2	2	29.36	5	24	5/15	24/14
B-36	1994	Compliance	Zone 4	2	29.27	23	6	23/33	6/-4
B37-1	1994	Compliance	Zone 4	2	28.59	27	2	27/37	2/-8
B37-2	1994	Compliance	Zone 1-2	2	28.72	5	24	5/15	24/14
B38-1	1994	Compliance	Zone 4	2	28.22	27	1	27/37	1/-9
B38-2	1994	Compliance	Zone 1-2	2	28.08	5	23	5/15	23/13
B-39	1994	Compliance	Zone 1-2	2	29.06	5	24	5/15	24/14
B40-1	1994	Compliance	Zone 4	2	27.64	18	10	18/28	10/0
B40-2	1994	Compliance	Zone 1-2	2	27.68	5	23	5/15	23/13
B41-1	1994	Compliance	Zone 4	2	29.14	27	2	27/37	2/-8
B41-2	1994	Compliance	Zone 1-2	2	29.26	5	24	5/15	24/14
B42-1	1994	Compliance	Zone 4	2	28.50	20	9	20/30	9/-1
B42-2	1994	Compliance	Zone 1-2	2	28.36	5	23	5/12	23/16
B43-1	1994	Compliance	Zone 3-4	2	28.07	17	11	17/27	11/1
B43-2	1994	Compliance	Zone 1-2	2	28.21	5	23	5/12	23/16
B-44	1994	Compliance	Zone 1-2	2	30.02	5	25	5/12	25/18
B45-1	1994	Compliance	Zone 4	2	30.24	25	5	25/35	5/-5
B45-2	1994	Compliance	Zone 1-2	2	30.31	5	25	5/15	25/15
B58-1	1994	Compliance	Zone 4	2	29.02	18	11	18/28	11/1
B58-2	1994	Compliance	Zone 1-2	2	29.57	5	25	5/12	25/18
B59-1	1994	Compliance	Zone 4	2	27.77	22	6	22/32	6/-4
B59-2	1994	Compliance	Zone 1-2	2	27.79	5	23	5/15	23/13
B-60	1994	Compliance	Zone 4	2	28.84	20	9	20/30	9/-1
B-61	2002	Compliance	Zone 1-2	2	39.82	15	25	15/25	25/15
B62-1	2002	Compliance	Zone 4	2	39.73	20	20	20/35	20/5
B62-2	2002	Compliance	Zone 1-2	2	39.71	11	29	11/18	29/22
B63-1	1994	Compliance	Zone 4	2	30.06	19	11	19/29	11/1
B63-2	1994	Compliance	Zone 1-2	2	30.42	5	25	5/12	25/18
B-64	1994	Compliance	Zone 1-2	2	28.19	5	23	5/12	23/16
B-65	1994	Compliance	Zone 1-2	2	28.04	5	23	5/15	23/13
B-66	1994	Compliance	Zone 1-2	2	31.27	5	26	5/15	26/16
B-67	1994	Compliance	Zone 4	2	30.22	18	12	18/28	12/2
B-68	1994	Compliance	Zone 4	2	29.73	20	10	20/30	10/0
FA-1B	1987	Background	Floridan	2	32.16	91	-59	91/92	-59/-60
FA-2C	1991	Compliance	Floridan	2	26.90	94	-67	94/100	-67/-73
MO-5B	1987	Compliance	Zone 1-2	2	29.24	27	2	27/32	2/-3


Notes:

1. BLS = Below land surface
 2. NGVD = National Geodetic Vertical Datum.
 3. TOC = top of casing.
 4. * = Information obtained from David N. Gomberg, Ph.D.'s July 16, 2001, Tomoka Landfill: Biennial Evaluation of Monitoring Results.
 5. ** = Information obtained from ELAB, Inc.'s January 2, 2003, Tomoka Farms Road Landfill Groundwater Monitoring Report.
- Revised April 2003.


Benzene Zone 1




Beryllium Zone 1




Chloride Zone 1




**Iron
Zone 1**




Ammonia Zone 1




Nitrate Zone 1







Sodium Zone 1




**Sulfate
Zone 1**




Thallium Zone 1




TDS
Zone 1



Vanadium Zone 1



Vinyl Chloride
Zone 1



B-74	---	---	---	---	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L
B-75	---	---	---	---	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L
M05-B	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B1-B	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B5-B	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B8-1	---	<10	<10	<10	<10	<0.26	---	<0.28	2-Hexanone (MBK) ³	280	µg/L
B11-B	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B33-2	<10	---	<10	---	---	---	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B34-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B35-2	<10	<10	<10	<10	<10	<0.26	<0.26	---	2-Hexanone (MBK) ³	280	µg/L
B37-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B38-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-39	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B40-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B41-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B42-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B43-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-44	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B45-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B58-2	<10	<10	<10	<10	---	---	---	---	2-Hexanone (MBK) ³	280	µg/L
B59-2	<10	<10	<10	<10	<10	<0.26	---	---	2-Hexanone (MBK) ³	280	µg/L
B-61	---	---	---	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B62-2	---	---	---	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B63-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-64	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-65	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-66	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B70-2					<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L
B-71					<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L

B-5-B	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B8-1	---	<10	<10	<10	<10	<0.91	---	<3.7	Acetone ³	700	µg/L
B11-B	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B33-2	<10	---	<10	---	---	---	<0.91	11	Acetone ³	700	µg/L
B34-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B35-2	<10	<10	<10	<10	<10	<0.91	<0.91	---	Acetone ³	700	µg/L
B37-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B38-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-39	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B40-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B41-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B42-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B43-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-44	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B45-2	<10	<10	<10	<10	<10	<0.91	17	<3.7	Acetone ³	700	µg/L
B58-2	<10	<10	<10	<10	---	---	---	---	Acetone ³	700	µg/L
B59-2	<10	<10	<10	<10	<10	<0.91	---	---	Acetone ³	700	µg/L
B-61	---	---	---	<10	70	2.8 I	<0.91	<3.7	Acetone ³	700	µg/L
B62-2	---	---	---	<10	100 I	<0.91	6.2 I	4.5 I	Acetone ³	700	µg/L
B63-2	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-64	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-65	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-66	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B70-2	---	---	---	---	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-71	---	---	---	---	<10	<0.91	12	<3.7	Acetone ³	700	µg/L
B-72	---	---	---	---	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B73-2	---	---	---	---	5.0 I	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-74	---	---	---	---	<10	<0.91	30	<3.7	Acetone ³	700	µg/L
B-75	---	---	---	---	<10	<0.91	46	<3.7	Acetone ³	700	µg/L
M05-B	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B1-B	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B5-B	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B8-1	---	<5.0	<5.0	<3.0	<3.0	<0.35	---	<0.40	Antimony ¹	6	µg/L
B11-B	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B33-2	<5.0	---	<5.0	---	---	---	0.55 I	0.63 I	Antimony ¹	6	µg/L
B34-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B35-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	---	Antimony ¹	6	µg/L
B37-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B38-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-39	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B40-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B41-2	<5.0	<5.0	<5.0	<3.0	0.6 I	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B42-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B43-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-44	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B45-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B58-2	<5.0	<5.0	<5.0	<3.0	---	---	---	---	Antimony ¹	6	µg/L
B59-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	---	---	Antimony ¹	6	µg/L
B-61	---	---	---	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B62-2	---	---	---	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B63-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-64	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-65	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-66	<5.0	<5.0	<5.0	<3.0	0.6 I	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B70-2	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-71	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-72	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B73-2	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-74	---	---	---	---	<3.0	<0.35	0.36 I	<0.40	Antimony ¹	6	µg/L
B-75	---	---	---	---	0.6 I	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
M05-B	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B1-B	<5.0	<5.0	3.8 I	<5.0	<10	<2.0	2.8 I	<2.8	Arsenic ¹	50	µg/L
B5-B	<5.0	<5.0	2.9 I	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B8-1	---	<5.0	<5.0	<5.0	<10	<2.0	<2.0	---	Arsenic ¹	50	µg/L
B11-B	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B33-2	<5.0	---	7.1	---	---	---	3.1 I	17	Arsenic ¹	50	µg/L
B34-2	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B35-2	<5.0	<5.0	5.1	<5.0	<10	2.7 I	<2.0	---	Arsenic ¹	50	µg/L
B37-2	<5.0	<5.0	5.3	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L

B38-2	<5.0	7.0	3.3 I	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ⁱ	50	µg/L
B-39	5.1	<5.0	4.3 I	<5.0	4.0 I	4.7 I	3.4 I	<2.8	Arsenic ⁱ	50	µg/L
B40-2	<5.0	<5.0	<5.0	<5.0	<10	<2.0	4.4 I	<2.8	Arsenic ⁱ	50	µg/L
B41-2	<5.0	<5.0	3.9 I	<5.0	<10	<2.0	<2.0	4.8 I	Arsenic ⁱ	50	µg/L
B42-2	<5.0	<5.0	<5.0	5.2	<10	<2.0	2.1 I	<2.8	Arsenic ⁱ	50	µg/L
B43-2	<5.0	<5.0	<5.0	<5.0	9.0 I	<2.0	2.5 I	<2.8	Arsenic ⁱ	50	µg/L
B-44	<5.0	<5.0	5.7	<5.0	<10	<2.0	<2.0	4.0 I	Arsenic ⁱ	50	µg/L
B45-2	<5.0	<5.0	11.0	<5.0	<10	<2.0	3.8 I	<2.8	Arsenic ⁱ	50	µg/L
B58-2	19.0	<5.0	<5.0	<5.0	---	---	---	---	Arsenic ⁱ	50	µg/L
B59-2	<5.0	<5.0	4.8 I	<5.0	<10	4.1 I	---	---	Arsenic ⁱ	50	µg/L
B-61	---	---	---	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ⁱ	50	µg/L
B62-2	---	---	---	<5.0	<10	2.6 I	2.3 I	13	Arsenic ⁱ	50	µg/L
B63-2	<5.0	<5.0	4.1 I	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ⁱ	50	µg/L
B-64	9.2	<5.0	3.1 I	<5.0	5 I	4.4 I	2.4 I	3.1 I	Arsenic ⁱ	50	µg/L
B-65	<5.0	<5.0	<5.0	<5.0	<10	<2.0	4.0 I	<2.8	Arsenic ⁱ	50	µg/L
B-66	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ⁱ	50	µg/L
B70-2	---	---	---	---	<10	2.9 I	2.4 I	<2.8	Arsenic ⁱ	50	µg/L
B-71	---	---	---	---	<10	2.6 I	2.8 I	<2.8	Arsenic ⁱ	50	µg/L
B-72	---	---	---	---	12	3.5 I	3.0 I	<2.8	Arsenic ⁱ	50	µg/L
B73-2	---	---	---	---	16	6.4 I	16	7.3 I	Arsenic ⁱ	50	µg/L
B-74	---	---	---	---	<10	<2.0	<2.0	2.8 I	Arsenic ⁱ	50	µg/L
B-75	---	---	---	---	6.0 I	4.4 I	4.5 I	3.1 I	Arsenic ⁱ	50	µg/L
M05-B	98	98	110	130	180	200	220	220	Barium ⁱ	2,000	µg/L
B1-B	180	160	190	190	240	290	270	240	Barium ⁱ	2,000	µg/L
B5-B	46	88	82	82	110	97	85	98	Barium ⁱ	2,000	µg/L
B8-1	---	24	15	24	23	20	---	23	Barium ⁱ	2,000	µg/L
B11-B	50	45	52	56	51	49	55	73	Barium ⁱ	2,000	µg/L
B33-2	100	---	180	---	---	---	130	160	Barium ⁱ	2,000	µg/L
B34-2	64	36	51	40	62	40	50	48	Barium ⁱ	2,000	µg/L
B35-2	55	51	64	61	69	78	48	---	Barium ⁱ	2,000	µg/L
B37-2	14	16	9.8 I	42	25	57	47	38	Barium ⁱ	2,000	µg/L
B38-2	27	33	51	38	37	34	29	38	Barium ⁱ	2,000	µg/L
B-39	39	25	26	26	30	26	29	24	Barium ⁱ	2,000	µg/L
B40-2	52	39	32	39	36	34	33	38	Barium ⁱ	2,000	µg/L
B41-2	68	67	62	75	71	48	50	76	Barium ⁱ	2,000	µg/L
B42-2	150	70	47	89	40	27	37	32	Barium ⁱ	2,000	µg/L
B43-2	36	21	17	18	15	9.7 I	11	9.5 I	Barium ⁱ	2,000	µg/L
B-44	24	15	24	11	13	8.9 I	15	4.8 I	Barium ⁱ	2,000	µg/L
B45-2	130	46	24	78	30	57	200	24	Barium ⁱ	2,000	µg/L

B58-2	61	77	70	67	---	---	---	---	Barium ¹	2,000	µg/L.
B59-2	88	93	51	76	71	82	---	---	Barium ¹	2,000	µg/L.
B-61	---	---	---	320	330	260	240	250	Barium ¹	2,000	µg/L.
B62-2	---	---	---	150	240	240	180	170	Barium ¹	2,000	µg/L.
B63-2	55	53	51	62	65	65	58	60	Barium ¹	2,000	µg/L.
B-64	64	180	130	150	170	220	230	220	Barium ¹	2,000	µg/L.
B-65	66	71	76	81	74	71	50	82	Barium ¹	2,000	µg/L.
B-66	51	42	30	41	26	22	25	23	Barium ¹	2,000	µg/L.
B70-2	---	---	---	---	22	19	8.5 I	23	Barium ¹	2,000	µg/L.
B-71	---	---	---	---	70	36	33	38	Barium ¹	2,000	µg/L.
B-72	---	---	---	---	38	29	41	44	Barium ¹	2,000	µg/L.
B73-2	---	---	---	---	65	56	62	52	Barium ¹	2,000	µg/L.
B-74	---	---	---	---	53	18	20	36	Barium ¹	2,000	µg/L.
B-75	---	---	---	---	28	26	21	24	Barium ¹	2,000	µg/L.
	6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS
MOS-B	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B1-B	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B5-B	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B8-1	0.50	0.50	0.50	0.50	0.50	0.16	0.12	Benzenec ¹	1	µg/L.	
B11-B	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B33-2	0.50		0.50				0.16	0.12	Benzene ¹	1	µg/L.
B34-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B35-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
B37-2	0.50	0.50	0.50	0.50	0.50	0.65	0.53	0.12	Benzene ¹	1	µg/L.
B38-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-39	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B40-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B41-2	0.50	1.30	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B42-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B43-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-44	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
B45-2	0.50	0.50	0.50	0.50	0.50	0.52	0.16	0.12	Benzene ¹	1	µg/L.
B58-2	0.50	0.50	0.50	0.50					Benzene ¹	1	µg/L.
B59-2	0.50	0.50	0.50	0.50	0.50	0.16			Benzene ¹	1	µg/L.
B-61				0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B62-2				0.50	0.80	0.82	0.80	0.12	Benzene ¹	1	µg/L.
B63-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-64	0.50	0.50	0.50	0.50	0.50	0.44	0.41	0.12	Benzene ¹	1	µg/L.
B-65	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
B-66	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B70-2					0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
B-71					0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-72					0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
B73-2					0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-74					0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L.
B-75					0.50	0.16	0.16	0.12	Benzenec ¹	1	µg/L.
MCL	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0			
	6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS
MOS-B	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B1-B	0.5	0.5	0.29	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B5-B	0.5	0.5	0.1	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B8-1	0.5	0.5	0.5	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B11-B	0.5	0.5	0.4	0.5	0.1	0.2	0.4	0.630	Beryllium ¹	4	µg/L.
B33-2	0.5		0.5				0.06	0.140	Beryllium ¹	4	µg/L.
B34-2	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B35-2	0.5	0.5	0.3	0.5	0.5	0.2	0.06		Beryllium ¹	4	µg/L.
B37-2	0.5	0.5	0.5	0.5	0.5	0.2	0.06	0.028	Beryllium ¹	4	µg/L.
B38-2	0.5	0.5	0.1	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B-39	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.083	Beryllium ¹	4	µg/L.
B40-2	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.059	Beryllium ¹	4	µg/L.
B41-2	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B42-2	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B43-2	0.5	0.5	0.5	0.5	0.3	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B-44	0.5	0.5	0.4	0.5	0.5	0.06	0.06	0.110	Beryllium ¹	4	µg/L.
B45-2	0.5	0.5	1.0	0.5	0.5	0.06	0.5	0.140	Beryllium ¹	4	µg/L.
B58-2	6.1	3.1	1.1	3.6					Beryllium ¹	4	µg/L.
B59-2	0.5	0.5	0.1	0.5	0.5	0.06			Beryllium ¹	4	µg/L.
B-61				0.5	0.5	0.06	0.06	0.270	Beryllium ¹	4	µg/L.
B62-2				0.5	0.5	0.1	0.06	0.088	Beryllium ¹	4	µg/L.
B63-2	0.5	0.5	0.1	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B-64	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.
B-65	0.5	0.5	0.2	0.5	0.5	0.06	0.06	0.028	Beryllium ¹	4	µg/L.

B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/l.
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/l.
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.24	---	<0.34	Cadmium ¹	5	µg/L
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B33-2	<1.0	---	<1.0	---	---	---	<0.24	<0.34	Cadmium ¹	5	µg/L
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	---	Cadmium ¹	5	µg/L
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	0.24	<0.34	Cadmium ¹	5	µg/L
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B43-2	<1.0	<1.0	<1.0	<1.0	0.6 I	0.24 I	<0.24	<0.34	Cadmium ¹	5	µg/L
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B45-2	<1.0	<1.0	<1.0	<10	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Cadmium ¹	5	µg/L
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	---	---	Cadmium ¹	5	µg/L
B-61	---	---	---	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B62-2	---	---	---	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B70-2	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-71	---	---	---	---	0.5 I	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-72	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B73-2	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-74	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-75	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
M05-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.25	---	<1.8	Carbon Disulfide ³	700	µg/L
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B33-2	<1.0	---	<1.0	---	---	---	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	---	Carbon Disulfide ³	700	µg/L
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B43-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B45-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Carbon Disulfide ³	700	µg/L
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	---	---	Carbon Disulfide ³	700	µg/L
B-61	---	---	---	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B62-2	---	---	---	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B70-2	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-71	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-72	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B73-2	---	---	---	---	0.3 I	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-74	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-75	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS	
M05-B	41	50	70	81	110	160	200	190 Chloride ²	250	mg/L	
B1-B	82	70	97	9.1	130	140	150	120 Chloride ²	250	mg/L	
B5-B	66	38	33	29	35	32	30	34 Chloride ²	250	mg/L	
B8-1		32	27	28	29	28		26 Chloride ²	250	mg/L	
B11-B	10	9	10	8	7.3	6.3	11	15 Chloride ²	250	mg/L	
B33-2	26		430				51	580 Chloride ²	250	mg/L	
B34-2	19	25	33	18	37	17	34	31 Chloride ²	250	mg/L	

B35-2	63	72	76	73	80	81	59	Chloride ²	250	mg/L	
B37-2	9.2	24	6	0.25	10.0	85	88	Chloride ²	250	mg/L	
B38-2	51	49	45	0.25	35	37	50	Chloride ²	250	mg/L	
B-39	9.9	11	10	11	13	5.3	13	Chloride ²	250	mg/L	
B40-2	56	22	28	24	20	17	17	Chloride ²	250	mg/L	
B41-2	61	42	57	51	49	42	64	Chloride ²	250	mg/L	
B42-2	80	44	29	120	57	22	68	Chloride ²	250	mg/L	
B43-2	46	16	44	16	17	4.70	47	Chloride ²	250	mg/L	
B-44	17	9	7	17	5.6	3.2	18	Chloride ²	250	mg/L	
B45-2	210	43	31	120	27	74	380	Chloride ²	250	mg/L	
B58-2	26	11	12	16				Chloride ²	250	mg/L	
B59-2	230	220	10	23	19	27		Chloride ²	250	mg/L	
B-61				94	84	60	54	Chloride ²	250	mg/L	
B62-2				89	190	140	190	Chloride ²	250	mg/L	
B63-2	41	25	14	24	28	36	32	Chloride ²	250	mg/L	
B-64	42	98	93	0.25	53	110	150	Chloride ²	250	mg/L	
B-65	55	32	48	55	50	52	39	Chloride ²	250	mg/L	
B-66	14	10	8	89	4.5	8.3	25	Chloride ²	250	mg/L	
B70-2					11	7.9	10	7.8	Chloride ²	250	mg/L
B-71					41	19	18	19	Chloride ²	250	mg/L
B-72					13	35	44	21	Chloride ²	250	mg/L
B73-2					19	26	39	12	Chloride ²	250	mg/L
B-74					14	1.9	18	16	Chloride ²	250	mg/L
B-75					19	9.6	13	39	Chloride ²	250	mg/L
MCL	250.0	250.0	250.0	250.0	250.0	250.0	250.0				
MOS-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B1-B	<1.0	<1.0	<1.0	<1.0	2.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.10	---	<0.15 Chlorobenzene ¹	100	µg/L	
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B33-2	<1.0	---	<1.0	---	---	---	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	2.50	0.81 I	<0.15 Chlorobenzene ¹	100	µg/L	
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B43-2	<1.0	<1.0	<1.0	<1.0	<1.0	0.18 I	<0.10	0.53 I Chlorobenzene ¹	100	µg/L	
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B45-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	<0.15 Chlorobenzene ¹	100	µg/L	
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	---	<0.15 Chlorobenzene ¹	100	µg/L	
B-61	---	---	---	<1.0	0.8 I	0.83 I	1.10	0.91 I Chlorobenzene ¹	100	µg/L	
B62-2	---	---	---	1.10	3.40	3.80	4.30	2.30 Chlorobenzene ¹	100	µg/L	
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	17	16	11 Chlorobenzene ¹	100	µg/L	
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B70-2	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-71	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-72	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B73-2	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-74	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
B-75	---	---	---	---	<1.0	<0.10	<0.10	<0.15 Chlorobenzene ¹	100	µg/L	
MOS-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B33-2	<1.0	---	<1.0	---	---	---	<0.16	<0.51 Chloroethane ³	12	µg/L	
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	---	12	µg/L	
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.31	<0.51 Chloroethane ³	12	µg/L	
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51 Chloroethane ³	12	µg/L	

B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B70-2	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-71	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-72	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B73-2	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-74	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
B-75	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ³	2.7	µg/L.
MOS-B	<5.0	<5.0	1.7 I	<5.0	1.0 I	1.2 I	1.4 I	1.4 I	Chromium ¹	100	µg/L.
B1-B	<5.0	<5.0	2.2 I	<5.0	1.0 I	1.1 I	1.4 I	0.65 I	Chromium ¹	100	µg/L.
B5-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.60	<0.60	<0.60	Chromium ¹	100	µg/L.
B8-I	---	<5.0	0.78 I	<5.0	<5.0	<0.60	---	<0.60	Chromium ¹	100	µg/L.
B11-B	<5.0	<5.0	3.1 I	<5.0	3.0 I	2.6 I	2.7 I	3.4 I	Chromium ¹	100	µg/L.
B33-2	<5.0	---	<1.0	---	---	---	12	16	Chromium ¹	100	µg/L.
B34-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.60	0.71 I	<0.60	Chromium ¹	100	µg/L.
B35-2	15	12	13	8.8	10	7.5	7.6	---	Chromium ¹	100	µg/L.
B37-2	<5.0	<5.0	1.4 I	<5.0	1.0 I	0.85 I	1.0 I	0.78 I	Chromium ¹	100	µg/L.
B38-2	<5.0	<5.0	1.5 I	<5.0	1.0 I	1.1 I	1.1 I	1.3 I	Chromium ¹	100	µg/L.
B-39	15	7.8	3.2 I	7.4	11	4.5 I	3.6 I	4.7 I	Chromium ¹	100	µg/L.
B40-2	12	<5.0	0.96 I	<5.0	2.0 I	1.1 I	1.8 I	7.8	Chromium ¹	100	µg/L.
B41-2	<5.0	<5.0	3.2 I	<5.0	2.0 I	1.5 I	1.3 I	2.0 I	Chromium ¹	100	µg/L.
B42-2	<5.0	<5.0	0.92 I	<5.0	2.0 I	0.95 I	2.2 I	1.1 I	Chromium ¹	100	µg/L.
B43-2	<5.0	<5.0	0.88 I	<5.0	4.0 I	1.0 I	<0.60	0.97 I	Chromium ¹	100	µg/L.
B-44	<5.0	<5.0	7.8	<5.0	5.9	4.1 I	3.2 I	3.5 I	Chromium ¹	100	µg/L.
B45-2	<5.0	<5.0	8.8	5.0	9.2	1.6 I	1.0 I	2.1 I	Chromium ¹	100	µg/L.
B58-2	12.0	<5.0	1.3 I	<5.0	---	---	---	---	Chromium ¹	100	µg/L.
B59-2	<5.0	<5.0	4.2 I	<5.0	2.0 I	1.0 I	---	---	Chromium ¹	100	µg/L.
B-61	---	---	---	<5.0	2.0 I	1.2 I	0.86 I	15	Chromium ¹	100	µg/L.
B62-2	---	---	---	<5.0	7.3	4.9 I	5.3	3.9 I	Chromium ¹	100	µg/L.
B63-2	<5.0	<5.0	1.4 I	<5.0	<5.0	<0.60	<0.60	<0.60	Chromium ¹	100	µg/L.
B-64	<5.0	<5.0	<5.0	<5.0	<5.0	<0.60	0.78 I	0.61 I	Chromium ¹	100	µg/L.
B-65	<5.0	<5.0	1.8 I	<5.0	2 I	1.8 I	1.8 I	1.7 I	Chromium ¹	100	µg/L.
B-66	<5.0	6.4	<5.0	<5.0	3.0 I	2.3 I	1.9 I	2.4 I	Chromium ¹	100	µg/L.
B70-2	---	---	---	---	6.6	4.8 I	2.8 I	2.4 I	Chromium ¹	100	µg/L.
B-71	---	---	---	---	3.0 I	6.1	4.5 I	4.8 I	Chromium ¹	100	µg/L.
B-72	---	---	---	---	3.0 I	3.6 I	5.8	2.3 I	Chromium ¹	100	µg/L.
B73-2	---	---	---	---	5.0	1.7 I	1.4 I	2.3 I	Chromium ¹	100	µg/L.
B-74	---	---	---	---	2.0 I	4.9 I	4.5 I	3.0 I	Chromium ¹	100	µg/L.
B-75	---	---	---	---	2 I	3.6 I	2.2 I	4.3 I	Chromium ¹	100	µg/L.
MOS-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	0.36 I	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B8-I	---	<1.0	<1.0	<1.0	<1.0	<0.15	---	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B33-2	<1.0	---	<1.0	---	---	---	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B37-2	<1.0	<1.0	<1.0	14.00	16	15	7.7	9.3	cis-1,2-Dichloroethene ¹	70	µg/L.
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B43-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B45-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	---	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B-61	---	---	---	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B62-2	---	---	---	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B70-2	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-71	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-72	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.

B73-2	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-74	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-75	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
MOS-B	<10	<10	3.5 I	<10	5.0 I	<1.5	<1.5	14	Cobalt ³	420	µg/L.
B1-B	<10	<10	7.3 I	<10	7.0 I	<1.5	<1.5	14.0	Cobalt ³	420	µg/L.
B5-B	<10	<10	5.3 I	<10	5.0 I	<1.5	<1.5	10 I	Cobalt ³	420	µg/L.
B8-1	---	<10	2.0 I	<10	3.0 I	<1.5	---	4.2 I	Cobalt ³	420	µg/L.
B11-B	<10	<10	<10	<10	<1.5	<1.5	<1.5	1.7 I	Cobalt ³	420	µg/L.
B33-2	<10	---	6.4 I	---	---	---	3.8 I	20	Cobalt ³	420	µg/L.
B34-2	<10	<10	<10	<10	2.0 I	<1.5	<1.5	10.0	Cobalt ³	420	µg/L.
B35-2	<10	<10	<10	<10	<1.5	<1.5	<1.5	---	Cobalt ³	420	µg/L.
B37-2	<10	<10	<10	<10	<1.5	<1.5	<1.5	3.4 I	Cobalt ³	420	µg/L.
B38-2	<10	<10	4.4 I	<10	1.0 I	<1.5	<1.5	5.5 I	Cobalt ³	420	µg/L.
B-39	<10	<10	<10	<10	<1.5	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B40-2	<10	<10	<10	<10	4.0 I	<1.5	<1.5	5.6 I	Cobalt ³	420	µg/L.
B41-2	<10	<10	3.2 I	<10	9.0 I	<1.5	<1.5	13	Cobalt ³	420	µg/L.
B42-2	<10	<10	<10	<10	4.0 I	<1.5	<1.5	4.7 I	Cobalt ³	420	µg/L.
B43-2	<10	<10	3.4 I	<10	6.0 I	<1.5	<1.5	4.7 I	Cobalt ³	420	µg/L.
B-44	<10	<10	<10	<10	<1.5	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B45-2	<10	<10	<10	<10	<1.5	<1.5	<1.5	2.1 I	Cobalt ³	420	µg/L.
B58-2	20	19	5.1 I	26	---	---	---	---	Cobalt ³	420	µg/L.
B59-2	<10	<10	4.5 I	<10	9.0 I	5.8 I	---	---	Cobalt ³	420	µg/L.
B-61	---	---	---	58	18	5.1 I	<1.5	17	Cobalt ³	420	µg/L.
B62-2	---	---	---	5.9	27	12	6.8 I	22	Cobalt ³	420	µg/L.
B63-2	<10	<10	2.0 I	<10	3.0 I	<1.5	<1.5	5.7 I	Cobalt ³	420	µg/L.
B-64	<10	14	<10	<10	3.0 I	<1.5	<1.5	15	Cobalt ³	420	µg/L.
B-65	<10	<10	<10	<10	5.0 I	<1.5	<1.5	8.0 I	Cobalt ³	420	µg/L.
B-66	<10	<10	<10	<10	1.0 I	<1.5	<1.5	4.1 I	Cobalt ³	420	µg/L.
B70-2	---	---	---	---	<10	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B-71	---	---	---	---	<10	<1.5	<1.5	2.3 I	Cobalt ³	420	µg/L.
B-72	---	---	---	---	<10	<1.5	<1.5	7.6 I	Cobalt ³	420	µg/L.
B73-2	---	---	---	---	2.0 I	<1.5	<1.5	9.8 I	Cobalt ³	420	µg/L.
B-74	---	---	---	---	3.0 I	<1.5	<1.5	5.3 I	Cobalt ³	420	µg/L.
B-75	---	---	---	---	5.0 I	<1.5	<1.5	11	Cobalt ³	420	µg/L.
MOS-B	<10	<10	<10	<10	2.0 I	0.78 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B1-B	<10	<10	<10	<10	1.0 I	2.3 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B5-B	<10	<10	<10	<10	3.0 I	<0.58	<0.58	<0.47	Copper ²	1,000	µg/L.
B8-1	---	<10	<10	<10	1.0 I	1.1 I	---	<0.47	Copper ²	1,000	µg/L.
B11-B	<10	<10	<10	<10	1.0 I	1.1 I	0.72 I	<0.47	Copper ²	1,000	µg/L.
B33-2	<10	---	<10	---	---	---	2.9 I	1.5 I	Copper ²	1,000	µg/L.
B34-2	<10	<10	<10	<10	1.0 I	1.2 I	1.5 I	<0.47	Copper ²	1,000	µg/L.
B35-2	<10	<10	1.5 I	<10	21	<0.58	<0.58	---	Copper ²	1,000	µg/L.
B37-2	<10	<10	<10	<10	1.0 I	<0.58	<0.58	<0.47	Copper ²	1,000	µg/L.
B38-2	<10	<10	<10	<10	2.0 I	0.93 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B-39	<10	<10	<10	<10	3.0 I	2.2 I	<0.58	0.53 I	Copper ²	1,000	µg/L.
B40-2	<10	<10	<10	<10	2.0 I	1.1 I	<0.58	1.3 I	Copper ²	1,000	µg/L.
B41-2	<10	<10	<10	<10	1.0 I	1.0 I	0.73 I	0.70 I	Copper ²	1,000	µg/L.
B42-2	<10	<10	<10	<10	1.0 I	1.3 I	<0.58	0.55 I	Copper ²	1,000	µg/L.
B43-2	<10	<10	<10	<10	3.0 I	0.89 I	1.1 I	<0.47	Copper ²	1,000	µg/L.
B-44	<10	17.0	<10	2.0 I	1.3 I	1.4 I	<0.47	Copper ²	1,000	µg/L.	
B45-2	<10	5.5 I	<10	2.0 I	1.4 I	<0.58	0.85 I	Copper ²	1,000	µg/L.	
B58-2	<10	<10	<10	---	---	---	---	---	Copper ²	1,000	µg/L.
B59-2	<10	<10	<10	<10	2.0 I	1.2 I	---	---	Copper ²	1,000	µg/L.
B-61	---	---	<10	<5.0	<0.58	<0.58	6.1	Copper ²	1,000	µg/L.	
B62-2	---	---	<10	1.0 I	<0.58	0.67 I	0.60 I	Copper ²	1,000	µg/L.	
B63-2	<10	1.5 I	<10	1.0 I	0.88 I	<0.58	<0.47	Copper ²	1,000	µg/L.	
B-64	<10	<10	<10	<10	1.0 I	0.76 I	<0.58	0.82 I	Copper ²	1,000	µg/L.
B-65	<10	<10	<10	<10	1.0 I	1.0 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B-66	<10	<10	<10	<10	<5.0	<0.58	0.92 I	130	Copper ²	1,000	µg/L.
B70-2	---	---	---	---	2.0 I	<0.58	<0.58	0.51 I	Copper ²	1,000	µg/L.
B-71	---	---	---	---	<5.0	<0.58	0.76 I	0.88 I	Copper ²	1,000	µg/L.
B-72	---	---	---	---	<5.0	<0.58	1.1 I	<0.47	Copper ²	1,000	µg/L.
B73-2	---	---	---	---	<5.0	0.90 I	0.92 I	<0.47	Copper ²	1,000	µg/L.
B-74	---	---	---	---	<5.0	0.73 I	2.7 I	0.72 I	Copper ²	1,000	µg/L.
B-75	---	---	---	---	<5.0	<0.58	1.3 I	6.2	Copper ²	1,000	µg/L.
MOS-B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L.
B1-B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L.
B5-B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L.
B8-1	---	<0.40	<0.40	<0.40	<0.40	<0.16	---	<0.19	Dibromochloromethane ³	0.4	µg/L.

B11-B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B33-2	<0.40	---	<0.40	---	---	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B34-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B35-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B37-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B38-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-39	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B40-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B41-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B42-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B43-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-44	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B45-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B58-2	<0.40	<0.40	<0.40	<0.40	---	---	---	---	Dibromochloromethane ³	0.4	µg/l.
B59-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	---	---	Dibromochloromethane ³	0.4	µg/l.
B-61	---	---	---	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B62-2	---	---	---	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B63-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-64	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-65	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-66	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B70-2	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-71	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-72	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B73-2	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-74	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
B-75	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/l.
M05-B	3.60	0.70	1.40	0.93	1.51	0.62	0.73	0.81	Dissolved Oxygen (Field)	NA	mg/L
B1-B	4.40	1.00	1.40	0.94	0.79	0.48	0.73	1.36	Dissolved Oxygen (Field)	NA	mg/L
B5-B	0.50	0.80	1.20	0.95	0.51	0.74	0.44	1.30	Dissolved Oxygen (Field)	NA	mg/L
B8-1	---	0.70	0.90	1.18	0.77	1.08	---	1.47	Dissolved Oxygen (Field)	NA	mg/L
B11-B	0.80	0.70	1.70	1.14	0.54	0.55	0.36	1.17	Dissolved Oxygen (Field)	NA	mg/L
B33-2	1.00	---	1.30	---	---	---	0.23	1.36	Dissolved Oxygen (Field)	NA	mg/L
B34-2	1.90	0.40	0.90	0.80	168	0.49	0.31	1.42	Dissolved Oxygen (Field)	NA	mg/L
B35-2	0.90	0.50	1.60	0.92	1.11	0.69	0.20	---	Dissolved Oxygen (Field)	NA	mg/L
B37-2	0.80	0.70	1.27	1.06	1.12	0.47	0.33	1.47	Dissolved Oxygen (Field)	NA	mg/L
B38-2	0.70	0.80	1.40	1.04	1.16	0.61	1.17	1.36	Dissolved Oxygen (Field)	NA	mg/L
B-39	1.90	0.80	1.50	1.31	0.96	0.66	0.49	1.21	Dissolved Oxygen (Field)	NA	mg/L
B40-2	4.30	0.80	1.90	2.12	0.66	0.76	0.78	1.37	Dissolved Oxygen (Field)	NA	mg/L
B41-2	1.70	0.70	0.50	0.77	0.83	0.63	0.85	1.26	Dissolved Oxygen (Field)	NA	mg/L
B42-2	2.10	0.90	0.90	1.10	0.67	0.68	0.37	1.41	Dissolved Oxygen (Field)	NA	mg/L
B43-2	1.60	0.50	1.70	1.18	0.64	0.77	0.27	1.40	Dissolved Oxygen (Field)	NA	mg/L
B-44	1.10	0.60	2.50	1.59	0.57	0.59	0.46	1.40	Dissolved Oxygen (Field)	NA	mg/L
B45-2	1.10	0.80	2.80	1.68	0.71	0.51	0.36	1.49	Dissolved Oxygen (Field)	NA	mg/L
B58-2	1.40	0.90	4.20	1.58	---	---	---	---	Dissolved Oxygen (Field)	NA	mg/L
B59-2	1.80	0.80	3.10	1.46	0.90	0.54	---	---	Dissolved Oxygen (Field)	NA	mg/L
B-61	---	---	---	1.24	4.45	2.57	0.36	1.41	Dissolved Oxygen (Field)	NA	mg/L
B62-2	---	---	---	0.95	0.98	0.38	0.34	1.38	Dissolved Oxygen (Field)	NA	mg/L
B63-2	0.80	0.70	1.60	0.99	0.88	1.47	0.22	1.42	Dissolved Oxygen (Field)	NA	mg/L
B-64	0.80	0.70	1.70	1.01	1.24	0.49	0.36	1.54	Dissolved Oxygen (Field)	NA	mg/L
B-65	1.50	0.60	1.70	0.75	1.39	0.64	0.49	1.47	Dissolved Oxygen (Field)	NA	mg/L
B-66	1.20	0.80	2.00	1.51	1.94	1.44	0.49	1.31	Dissolved Oxygen (Field)	NA	mg/L
B70-2	---	---	---	---	1.77	0.96	0.35	1.18	Dissolved Oxygen (Field)	NA	mg/L
B-71	---	---	---	---	1.15	0.22	0.33	1.37	Dissolved Oxygen (Field)	NA	mg/L
B-72	---	---	---	---	1.70	0.16	0.85	1.42	Dissolved Oxygen (Field)	NA	mg/L
B73-2	---	---	---	---	1.00	0.88	0.39	1.47	Dissolved Oxygen (Field)	NA	mg/L
B-74	---	---	---	---	1.28	1.79	1.73	1.42	Dissolved Oxygen (Field)	NA	mg/L
B-75	---	---	---	---	1.13	0.43	0.29	1.39	Dissolved Oxygen (Field)	NA	mg/L
M05-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.12	---	<0.20	Ethylbenzene ¹	700	µg/L
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B33-2	<1.0	---	<1.0	---	---	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	---	Ethylbenzene ¹	700	µg/L
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.27 I	Ethylbenzene ¹	700	µg/L
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.26 I	Ethylbenzene ¹	700	µg/L

B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B43-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B45-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Ethylbenzene ¹	700	µg/L.	
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	---	---	Ethylbenzene ¹	700	µg/L.	
B-61	---	---	---	---	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.
B62-2	---	---	---	---	<1.0	<1.0	<0.12	<0.12	0.26 I	Ethylbenzene ¹	700	µg/L.
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.28 I	Ethylbenzene ¹	700	µg/L.	
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B70-2	---	---	---	---	<1.0	<0.12	<0.12	0.45 I	Ethylbenzene ¹	700	µg/L.	
B-71	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-72	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B73-2	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-74	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
B-75	---	---	---	---	0.2 I	<0.12	<0.12	<0.20	Ethylbenzene ¹	700	µg/L.	
6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS		
MOS-B	5,000	5,800	8,400	9,800	11,000	15,000	18,000	16,000	Iron ²	300	µg/L.	
B1-B	18,000	16,000	17,000	18,000	23,000	24,000	24,000	23,000	Iron ²	300	µg/L.	
B5-B	2,500	14,000	15,000	18,000	17,000	17,000	16,000	Iron ²	300	µg/L.		
B8-1	290	440	1,800	2,200	37	39 I	39 I	Iron ²	300	µg/L.		
B11-B	3,900	3,400	3,400	4,500	3,200	3,100	3,900	6,200	Iron ²	300	µg/L.	
B33-2	8,500		11,000				10,000	30,000	Iron ²	300	µg/L.	
B34-2	6,800	900	9,900	5,600	12,000	280	1,900	5,500	Iron ²	300	µg/L.	
B35-2	7,600	5,900	9,800	9,000	8,500	8,000	6,300		Iron ²	300	µg/L.	
B37-2	13,000	11,000	5,800	28,000	8,100	36,000	22,000	12,000	Iron ²	300	µg/L.	
B38-2	7,000	7,400	2,800	12,000	14,000	8,500	3,400	12,000	Iron ²	300	µg/L.	
B-39	9,200	8,000	6,200	9,300	10,000	10,000	12,000	10,000	Iron ²	300	µg/L.	
B40-2	3,900	2,200	78	1,900	1,700	1,600	5,400	2,600	Iron ²	300	µg/L.	
B41-2	2,200	1,100	1,000	1,200	2,500	2,600	1,700	3,700	Iron ²	300	µg/L.	
B42-2	1,200	2,500	140	4,600	3,200	1,800	6,600	3,500	Iron ²	300	µg/L.	
B43-2	2,500	6,700	240	11,000	9,500	3,200	3,200	5,400	Iron ²	300	µg/L.	
B-44	12,000	3,100	26,000	4,800	1,200	770	1,600	15,000	Iron ²	300	µg/L.	
B45-2	61,000	13,000	32,000	34,000	7,800	21,000	89,000	17,000	Iron ²	300	µg/L.	
B58-2	20,000	11,000	3,000	16,000					Iron ²	300	µg/L.	
B59-2	8,300	8,200	5,200	6,500	3,700	6,200			Iron ²	300	µg/L.	
B-61				12,000	15,000	9,400	9,500	14,000	Iron ²	300	µg/L.	
B62-2				8,900	7,300	13,000	6,200	35,000	Iron ²	300	µg/L.	
B63-2	7,300	9,300	11,000	4,800	5,200	4,700	5,600	5,000	Iron ²	300	µg/L.	
B-64	20,000	50,000	36,000	38,000	47,000	58,000	64,000	57,000	Iron ²	300	µg/L.	
B-65	2,200	2,600	100	2,400	2,300	2,300	1,900	2,100	Iron ²	300	µg/L.	
B-66	820	1,400	150	710	560	510	560	300	Iron ²	300	µg/L.	
B70-2					5,800	7,400	3,100	9,300	Iron ²	300	µg/L.	
B-71					28,000	13,000	15,000	18,000	Iron ²	300	µg/L.	
B-72					11,000	9,200	8,900	6,500	Iron ²	300	µg/L.	
B73-2					17,000	20,000	14,000	6,500	Iron ²	300	µg/L.	
B-74					2,400	1,200	1,500	5,400	Iron ²	300	µg/L.	
B-75					1,000	1,500	1,900	2,300	Iron ²	300	µg/L.	
MCL	300.0	300.0	300.0	300.0	300.0	300.0	300.0	300.0				
MOS-B	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B1-B	<5.0	<5.0	2 I	<5.0	<5.0	3.2 I	<1.8	<2.2	Lead ¹	15	µg/L.	
B5-B	<5.0	<5.0	<5.0	<5.0	6.6	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B8-1	---	<5.0	<5.0	<5.0	<5.0	<1.8	---	<2.2	Lead ¹	15	µg/L.	
B11-B	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B33-2	<5.0	---	4.0 I	---	---	---	2.1 I	3.3 I	Lead ¹	15	µg/L.	
B34-2	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B35-2	<5.0	<5.0	2.3 I	<5.0	<5.0	<1.8	2.4 I	---	Lead ¹	15	µg/L.	
B37-2	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B38-2	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B-39	5.1	<5.0	<5.0	<5.0	2.0 I	2.5 I	2.4 I	<2.2	Lead ¹	15	µg/L.	
B40-2	<5.0	<5.0	<5.0	<5.0	3.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B41-2	<5.0	<5.0	<5.0	<5.0	<5.0	1.9 I	<1.8	<2.2	Lead ¹	15	µg/L.	
B42-2	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	3.5 I	<2.2	Lead ¹	15	µg/L.	
B43-2	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B-44	<5.0	<5.0	3.4 I	<5.0	3.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B45-2	<5.0	<5.0	4.2 I	<5.0	3.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B58-2	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Lead ¹	15	µg/L.	
B59-2	<5.0	<5.0	4.6 I	<5.0	3.0 I	<1.8	---	---	Lead ¹	15	µg/L.	
B-61	---	---	---	<5.0	<5.0	<1.8	<1.8	7.7 I	Lead ¹	15	µg/L.	
B62-2	---	---	---	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B63-2	<5.0	<5.0	<5.0	<5.0	4.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B-64	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B-65	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B-66	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.	
B70-2	---	---	---	---	2.0 I	2.5 I	<1.8	<2.2	Lead ¹	15	µg/L.	

B-71	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.
B-72	---	---	---	---	<5.0	<1.8	2.1 I	<2.2	Lead ¹	15	µg/L.
B73-2	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.
B-74	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.
B-75	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L.
MO5-B	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B1-B	<0.20	<0.20	<0.20	<0.20	<0.20	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B5-B	<0.20	<0.20	<0.20	<0.20	<0.20	0.038 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B8-1	---	<0.20	<0.20	<0.20	<0.20	0.046 I	---	<0.012	Mercury ¹	2	µg/L.
B11-B	<0.20	<0.20	<0.20	<0.20	<0.20	0.047 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B33-2	<0.20	---	<0.20	---	---	---	<0.036	0.019 I	Mercury ¹	2	µg/L.
B34-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B35-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.041 I	<0.036	---	Mercury ¹	2	µg/L.
B37-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B38-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-39	<0.20	<0.20	<0.20	<0.20	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B40-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.0540 I	<0.036	0.028 I	Mercury ¹	2	µg/L.
B41-2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B42-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.043 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B43-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.043 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-44	<0.20	<0.20	<0.20	<0.20	<0.20	0.047 I	<0.036	0.015 I	Mercury ¹	2	µg/L.
B45-2	<0.20	<0.20	0.057 I	<0.20	<0.20	0.051 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B58-2	<0.20	<0.20	<0.20	<0.20	---	---	---	---	Mercury ¹	2	µg/L.
B59-2	<0.20	<0.20	<0.20	<0.20	<0.20	0.039 I	---	---	Mercury ¹	2	µg/L.
B-61	---	---	---	<0.20	0.06 I	0.042 I	<0.036	0.040 I	Mercury ¹	2	µg/L.
B62-2	---	---	---	<0.20	<0.20	0.040 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B63-2	<0.20	<0.20	0.057 I	<0.20	<0.20	0.043 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-64	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B-65	<0.20	<0.20	<0.20	<0.20	<0.20	0.042 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-66	<0.20	<0.20	<0.20	<0.20	<0.20	0.040 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B70-2	---	---	---	---	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-71	---	---	---	---	<0.20	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B-72	---	---	---	---	<0.20	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B73-2	---	---	---	---	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-74	---	---	---	---	<0.20	0.050 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-75	---	---	---	---	<0.20	0.060 I	<0.036	0.014 I	Mercury ¹	2	µg/L.
MO5-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.

B1-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B5-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B8-1	---	<5.0	<5.0	<5.0	<5.0	<0.26	---	<2.0	Methylene Chloride ¹	5	µg/L.
B11-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B33-2	<5.0	---	<5.0	---	---	---	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B34-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B35-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	---	Methylene Chloride ¹	5	µg/L.
B37-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B38-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-39	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B40-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B41-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B42-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B43-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-44	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B45-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B58-2	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Methylene Chloride ¹	5	µg/L.
B59-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	---	---	Methylene Chloride ¹	5	µg/L.
B-61	---	---	---	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B62-2	---	---	---	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B63-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-64	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-65	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-66	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B70-2	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-71	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-72	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B73-2	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-74	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-75	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
MO5-B	<10	<10	<10	<10	<5.0	<2.0	<2.0	1.3 I	Nickel ¹	100	µg/L.
B1-B	<10	<10	1.7 I	<10	<5.0	2.4 I	<2.0	1.2 I	Nickel ¹	100	µg/L.
B5-B	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B8-1	---	<10	12	<10	<5.0	2.2 I	---	<1.0	Nickel ¹	100	µg/L.
B11-B	<10	<10	<10	<10	2.0 I	<2.0	<2.0	1.3 I	Nickel ¹	100	µg/L.
B33-2	<10	---	51	---	---	---	45	63	Nickel ¹	100	µg/L.
B34-2	<10	<10	<10	<10	10	2.3 I	5.9	1.5 I	Nickel ¹	100	µg/L.
B35-2	<10	<10	3.4 I	<10	2.0 I	2.0 I	<2.0	---	Nickel ¹	100	µg/L.

B37-2	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B38-2	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-39	<10	<10	1.6 I	<10	<5.0	<2.0	<2.0	1.2 I	Nickel ¹	100	µg/L.							
B40-2	<10	<10	<10	<10	<5.0	<2.0	<2.0	1.8 I	Nickel ¹	100	µg/L.							
B41-2	<10	<10	8.1 I	<10	2.0 I	2.4 I	<2.0	<1.0	Nickel ¹	100	µg/L.							
B42-2	<10	<10	<10	<10	<5.0	3.0 I	<2.0	<1.0	Nickel ¹	100	µg/L.							
B43-2	<10	<10	<10	<10	5.0 I	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-44	<10	<10	<10	<10	3.0 I	<2.0	2.1 I	<1.0	Nickel ¹	100	µg/L.							
B45-2	<10	<10	1.8 I	<10	2.0 I	<2.0	2.8 I	<1.0	Nickel ¹	100	µg/L.							
B58-2	45	40	10	47	---	---	---	---	Nickel ¹	100	µg/L.							
B59-2	<10	<10	3.9 I	<10	4 I	5.9	---	---	Nickel ¹	100	µg/L.							
B-61	---	---	---	<10	6.2	5.9	3.3 I	5.7	Nickel ¹	100	µg/L.							
B62-2	---	---	---	<10	10	9.3	13	5.8	Nickel ¹	100	µg/L.							
B63-2	<10	<10	2.6 I	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-64	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-65	<10	<10	<10	<10	<5.0	2.8 I	<2.0	2.1 I	Nickel ¹	100	µg/L.							
B-66	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B70-2	---	---	---	---	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-71	---	---	---	---	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.							
B-72	---	---	---	---	2.0 I	2.3 I	<2.0	2.5 I	Nickel ¹	100	µg/L.							
B73-2	---	---	---	---	<5.0	2.3 I	3.6 I	3.7 I	Nickel ¹	100	µg/L.							
B-74	---	---	---	---	2.0 I	2.2 I	<2.0	4.3 I	Nickel ¹	100	µg/L.							
B-75	---	---	---	---	<5.0	<2.0	<2.0	1.7 I	Nickel ¹	100	µg/L.							
6/20/2001		12/7/2001		6/28/2002		11/4/2002		4/14/2003		10/28/2003		4/28/2004		11/1/2004		PARAMETER	MCL	UNITS
MOS-B	1.4	0.82		0.6	0.92	1.8	0.97	1.1	0.98	Nitrogen Ammonia (As N) ³	2.8	mg/L.						
B1-B	11	11	10	12	13	17	15	13	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B5-B	0.33	0.34	0.22	0.28	0.29	0.29	0.28	0.22	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B8-1	13	3.2	2.50	1.3	2.9			3.0	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B11-B	0.36	0.5	0.470	0.49	0.49	0.48	0.45	0.36	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B33-2	0.36	0.56					7.4	6.7	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B34-2	0.15	0.35	0.11	2.2	0.19	0.22	0.24	2.1	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B35-2	2.4	1.6	2.2	5.0	2.5	2.2	2.8		Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B37-2	0.33	0.52	0.150	0.5	0.37	0.74	0.810	0.42	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B38-2	1.4	1.9	0.69	3.3	3.5	3.3	1.7	2.0	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-39	1.3	1.1	0.79	1.1	1.1	0.69	0.40	0.34	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B40-2	1.6	2.2	1.2	2.5	2.3	2.5	3.0	1.7	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B41-2	0.82	1.3	8.2	4.6	2.50	1.6	1.0	1.2	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B42-2	1.6	1.8	0.58	4.1	1.8	1.2	2.70	1.1	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B43-2	0.940	0.300	0.040	0.460	0.210	0.095	0.180	0.063	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-44	0.095	0.110	0.040	0.094	0.060	0.049	0.070	0.094	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B45-2	0.190	0.140	0.040	0.170	0.11	0.10	0.360	0.075	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B58-2	0.280	0.340	0.180	0.270					Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B59-2	0.24	0.36	0.13	0.26	0.18	0.27			Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-61				49	38	38	33	30	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B62-2				51	95	100	130	68	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B63-2	0.11	0.099	0.040	0.2	0.12	0.140	0.180	0.094	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-64	0.23	0.14	0.140	0.4	0.19	0.23	0.320	0.42	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-65	0.49	1.2	0.1	1.1	1.10	1.1	0.69	0.68	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-66	0.24	0.2	0.030	0.27	0.072	0.052	0.130	0.10	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B70-2					0.86	0.067	0.12	0.04	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-71					0.61	0.50	0.57	0.65	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-72					0.72	0.20	0.17	0.21	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B73-2					0.77	1.2	0.53	0.13	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-74					0.19	0.051	0.094	0.32	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
B-75					0.63	1.6	2.2	1.4	Nitrogen Ammonia (As N) ³	2.8	mg/L.							
MCL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8										
6/20/2001		12/7/2001		6/28/2002		11/4/2002		4/14/2003		10/28/2003		4/28/2004		11/1/2004		PARAMETER	MCL	UNITS
MOS-B	0.025	0.025	0.030	0.025	0.5	0.008	0.009	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B1-B	0.025	0.025	0.025	0.230	0.200	0.008	0.042	0.091	Nitrogen, Nitrate ¹	10	mg/L.							
B5-B	0.025	0.025	0.025	0.025	0.030	0.008	0.15	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B8-1	0.025	0.025	0.025	0.025	0.050	0.008		0.0	Nitrogen, Nitrate ¹	10	mg/L.							
B11-B	0.025	0.025	0.025	0.025	0.500	0.008	0.005	0.017	Nitrogen, Nitrate ¹	10	mg/L.							
B33-2	0.025		0.90				0.002	0.002	Nitrogen, Nitrate ¹	10	mg/L.							
B34-2	1.7	0.53	0.03	0.32	<0.10	0.78	0.15	0.067	Nitrogen, Nitrate ¹	10	mg/L.							
B35-2	0.025	0.025	0.020	0.080	0.025	0.008	0.230		Nitrogen, Nitrate ¹	10	mg/L.							
B37-2	0.025	0.025	0.025	0.025	0.025	0.49	0.005	0.019	Nitrogen, Nitrate ¹	10	mg/L.							
B38-2	0.025	0.025	0.070	0.025	0.025	0.008	0.087	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B-39	0.025	0.025	0.025	0.025	0.060	0.020	0.044	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B40-2	0.025	0.025	0.025	0.025	0.500	0.008	0.049	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B41-2	0.125	0.025	0.250	0.125	0.060	0.016	0.005	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B42-2	0.125	0.060	1.400	0.125	0.060	0.11	0.200	0.005	Nitrogen, Nitrate ¹	10	mg/L.							
B43-2	0.025	0.025	1.3	0.025	0.025	0.008	0.097	0.032	Nitrogen, Nitrate ¹	10	mg/L.							

B-44	0.025	0.170	5.0	0.025	0.660	0.710	0.0	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B45-2	0.025	0.310	0.670	0.025	0.030	0.008	0.038	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B58-2	0.070	0.025	1.100	0.025					Nitrogen, Nitrate ¹	10	mg/L	
B59-2	0.125	0.125	0.025	0.025	0.030	0.008			Nitrogen, Nitrate ¹	10	mg/L	
B-61				0.25	0.30	0.33	0.005	0.025	Nitrogen, Nitrate ¹	10	mg/L	
B62-2				0.250	0.600	0.160	0.005	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B63-2	0.025	0.025	0.300	0.025	0.070	0.008	0.039	0.028	Nitrogen, Nitrate ¹	10	mg/L	
B-64	0.025	0.500	0.250	0.025	0.025	0.008	0.140	0.009	Nitrogen, Nitrate ¹	10	mg/L	
B-65	0.025	0.025	0.120	0.025	0.500	0.008	0.022	0.005	Nitrogen, Nitrate ¹	10	mg/L	
B-66	0.03	0.13	0.360	0.125	0.50	0.12	0.005	0.330	Nitrogen, Nitrate ¹	10	mg/L	
B70-2					0.060	0.008	0.066	0.005	Nitrogen, Nitrate ¹	10	mg/L	
B-71					0.025	0.008	0.005	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B-72					0.025	0.008	0.030	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B73-2					0.060	0.008	0.005	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B-74					0.160	0.190	0.019	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B-75					0.025	0.008	0.005	0.002	Nitrogen, Nitrate ¹	10	mg/L	
MCI.	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0				
	6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS	
MOS-B	6.65	5.86	6.47	6.06	6.08	5.75	5.83	5.96	pH (Field) ²	6.5-8.5	Unit	
B1-B	6.83	5.49	5.90	6.24	6.26	6.09	6.21	5.82	pH (Field) ²	6.5-8.5	Unit	
B5-B	7.08	6.61	6.68	6.74	6.49	6.41	6.61	5.96	pH (Field) ²	6.5-8.5	Unit	
B8-1	5.60	6.91	6.53	6.73	6.52			6.14	pH (Field) ²	6.5-8.5	Unit	
B11-B	5.91	4.78	5.34	5.31	5.35	5.28	5.07	5.41	pH (Field) ²	6.5-8.5	Unit	
B33-2	6.78		6.49				6.46	6.19	pH (Field) ²	6.5-8.5	Unit	
B34-2	7.21	5.82	6.42	6.91	6.43	6.75	6.76	6.55	pH (Field) ²	6.5-8.5	Unit	
B35-2	5.98	4.87	5.14	5.33	5.04	5.00	5.00		pH (Field) ²	6.5-8.5	Unit	
B37-2	6.59	5.99	6.03	6.02	6.00	5.89	5.79	6.40	pH (Field) ²	6.5-8.5	Unit	
B38-2	6.45	5.79	6.19	5.96	5.84	5.91	6.03	5.61	pH (Field) ²	6.5-8.5	Unit	
B-39	6.07	4.94	5.60	4.90	4.83	4.73	4.55	4.07	pH (Field) ²	6.5-8.5	Unit	
B40-2	6.76	4.97	5.86	6.20	6.27	6.03	5.79	5.84	pH (Field) ²	6.5-8.5	Unit	
B41-2	6.86	5.57	6.59	6.71	6.71	6.59	6.65	6.38	pH (Field) ²	6.5-8.5	Unit	
B42-2	6.36	5.67	5.91	6.18	6.24	6.25	5.95	5.95	pH (Field) ²	6.5-8.5	Unit	
B43-2	7.00	5.28	6.67	6.33	6.25	6.10	6.16	6.29	pH (Field) ²	6.5-8.5	Unit	
B-44	5.97	5.34	6.67	5.52	5.31	5.25	5.28	5.25	pH (Field) ²	6.5-8.5	Unit	
B45-2	5.82	4.52	5.37	5.54	5.38	5.37	5.16	5.56	pH (Field) ²	6.5-8.5	Unit	
B58-2	5.83	5.24	5.34	4.31					pH (Field) ²	6.5-8.5	Unit	
B59-2	6.83	5.73	6.80	6.49	6.33	6.34			pH (Field) ²	6.5-8.5	Unit	
B-61					6.91	6.58	6.62	6.57	6.80	pH (Field) ²	6.5-8.5	Unit
B62-2					7.01	6.62	6.57	6.77	6.37	pH (Field) ²	6.5-8.5	Unit
B63-2	7.33	5.76	6.65	6.65	6.75	6.68	6.72	6.85	pH (Field) ²	6.5-8.5	Unit	
B-64	7.14	5.90	6.87	6.50	6.51	6.25	6.37	5.72	pH (Field) ²	6.5-8.5	Unit	
B-65	6.19	5.10	5.87	5.91	6.08	5.86	5.90	5.70	pH (Field) ²	6.5-8.5	Unit	
B-66	6.97	5.44	6.42	6.38	6.33	6.56	6.40	6.53	pH (Field) ²	6.5-8.5	Unit	
B70-2					5.43	5.33	5.20	5.25	pH (Field) ²	6.5-8.5	Unit	
B-71					4.97	4.95	5.33	5.86	pH (Field) ²	6.5-8.5	Unit	
B-72					6.30	6.11	6.36	6.76	pH (Field) ²	6.5-8.5	Unit	
B73-2					6.25	6.13	6.62	7.18	pH (Field) ²	6.5-8.5	Unit	
B-74					6.66	6.08	6.43	6.26	pH (Field) ²	6.5-8.5	Unit	

B-75	6.5	6.5	6.5	6.5	6.01	5.87	6.30	6.37	pH (Field) ²	6.5-8.5	Unit
MCL Low	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5			
MCL High	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5			
MO5-B	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B1-B	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B5-B	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B8-1	---	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B11-B	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B33-2	<5.0	4.8 I	---	---	---	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B34-2	<5.0	<5.0	<5.0	<5.0	<10	6.0 I	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B35-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B37-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B38-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-39	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B40-2	<5.0	4.5 I	---	---	---	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B41-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B42-2	<5.0	4.1 I	<5.0	<5.0	<10	<4.0	5.5 I	<4.0	<3.1	Selenium ¹	50 µg/L
B43-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-44	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B45-2	<5.0	2.9 I	---	---	---	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B58-2	<5.0	<5.0	<5.0	<5.0	---	---	---	---	---	Selenium ¹	50 µg/L
B59-2	<5.0	<5.0	<5.0	<5.0	4 I	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-61	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B62-2	---	---	---	5	3.0 I	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B63-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-64	<5.0	<5.0	4.3 I	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-65	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-66	<5.0	<5.0	4.0 I	<5.0	3.0 I	<4.0	<4.0	5.1 I	<3.1	Selenium ¹	50 µg/L
B70-2	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-71	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-72	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B73-2	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-74	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
B-75	---	---	---	---	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50 µg/L
MO5-B	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B1-B	<10	<10	1.9 I	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B5-B	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B8-1	---	<10	<10	<10	<5.0	<1.4	---	<0.93	Silver ²	100	µg/L
B11-B	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B33-2	<10	---	<10	---	---	---	<1.4	<0.93	Silver ²	100	µg/L
B34-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L

B35-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	---	Silver ²	100	µg/L
B37-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B38-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-39	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B40-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B41-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B42-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B43-2	<10	<10	<10	<10	5.0 I	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-44	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B45-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B58-2	<10	<10	<10	<10	---	---	---	---	Silver ²	100	µg/L
B59-2	<10	<10	<10	<10	1 I	<1.4	---	---	Silver ²	100	µg/L
B-61	---	---	---	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B62-2	---	---	---	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B63-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-64	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-65	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-66	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B70-2	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-71	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-72	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B73-2	---	---	---	---	<5.0	<1.4	1.4 I	<0.93	Silver ²	100	µg/L
B-74	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-75	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS	
MO5-B	25,000	26,000	28,000	29,000	34,000	40,000	47,000	54,000	Sodium ¹	160,000	µg/L
B1-B	58,000	51,000	56,000	61,000	73,000	79,000	69,000	57,000	Sodium ¹	160,000	µg/L
B5-B	45,000	46,000	43,000	36,000	47,000	38,000	32,000	44,000	Sodium ¹	160,000	µg/L
B8-I	31,000	28,000	28,000	28,000	27,000			29,000	Sodium ¹	160,000	µg/L
B11-B	11,000	10,000	10,000	10,000	8,400	8,400	11,000	16,000	Sodium ¹	160,000	µg/L
B33-2	21,000		300,000				340,000	440,000	Sodium ¹	160,000	µg/L
B34-2	12,000	12,000	36,000	14,000	32,000	10,000	16,000	20,000	Sodium ¹	160,000	µg/L
B35-2	48,000	49,000	48,000	45,000	47,000	49,000	39,000		Sodium ¹	160,000	µg/L
B37-2	8,000	12,000	6,500	32,000	11,000	46,000	45,000	16,000	Sodium ¹	160,000	µg/L
B38-2	30,000	28,000	32,000	29,000	32,000	28,000	27,000	29,000	Sodium ¹	160,000	µg/L
B-39	6,700	6,700	7,800	8,500	8,900	6,300	6,000	7,000	Sodium ¹	160,000	µg/L
B40-2	38,000	25,000	23,000	25,000	21,000	19,000	15,000	21,000	Sodium ¹	160,000	µg/L
B41-2	48,000	41,000	45,000	47,000	44,000	48,000	48,000	51,000	Sodium ¹	160,000	µg/L
B42-2	87,000	39,000	31,000	74,000	35,000	20,000	55,000	33,000	Sodium ¹	160,000	µg/L
B43-2	30,000	19,000	26,000	20,000	18,000	9,100	21,000	11,000	Sodium ¹	160,000	µg/L
B-44	13,000	7,000	6,300	10,000	6,800	4,300	9,000	7,400	Sodium ¹	160,000	µg/L
B45-2	35,000	13,000	13,000	25,000	11,000	16,000	46,000	17,000	Sodium ¹	160,000	µg/L
B58-2	16,000	12,000	16,000	17,000					Sodium ¹	160,000	µg/L
B59-2	100,000	99,000	15,000	30,000	16,000	20,000			Sodium ¹	160,000	µg/L
B-61				160,000	18,000	170,000	110,000	97,000	Sodium ¹	160,000	µg/L
B62-2				150,000	280,000	260,000	300,000	170,000	Sodium ¹	160,000	µg/L
B63-2	28,000	20,000	19,000	20,000	22,000	27,000	23,000	29,000	Sodium ¹	160,000	µg/L
B-64	34,000	83,000	70,000	68,000	72,000	92,000	95,000	88,000	Sodium ¹	160,000	µg/L
B-65	39,000	36,000	37,000	41,000	36,000	38,000	26,000	37,000	Sodium ¹	160,000	µg/L
B-66	26,000	8,200	12,000	14,000	5,400	5,100	14,000	13,000	Sodium ¹	160,000	µg/L
B70-2					8,700	8,200	4,600	8,600	Sodium ¹	160,000	µg/L
B-71					24,000	16,000	17,000	17,000	Sodium ¹	160,000	µg/L
B-72					12,000	17,000	19,000	22,000	Sodium ¹	160,000	µg/L
B73-2					18,000	16,000	33,000	13,000	Sodium ¹	160,000	µg/L
B-74					17,000	1,600	21,000	24,000	Sodium ¹	160,000	µg/L
B-75					18,000	21,000	16,000	35,000	Sodium ¹	160,000	µg/L
MCL	160000.0	160000.0	160000.0	160000.0	160000.0	160000.0	160000.0	160000.0			
MO5-B	497	904	663	800	982	1,143	1,308	1,234	Specific Conductance (Field)	NA	umho/cm
B1-B	901	988	643	1,040	1,338	1,392	1,411	1,297	Specific Conductance (Field)	NA	umho/cm
B5-B	778	696	907	750	858	879	856	919	Specific Conductance (Field)	NA	umho/cm
B8-I	---	487	558	451	497	511	---	620	Specific Conductance (Field)	NA	umho/cm
B11-B	171	156	299	185	216	200	191	278	Specific Conductance (Field)	NA	umho/cm
B33-2	394	---	997	---	---	---	3,201	4,122	Specific Conductance (Field)	NA	umho/cm
B34-2	680	580	498	770	597	713	1,018	919	Specific Conductance (Field)	NA	umho/cm
B35-2	398	432	435	300	359	394	345	---	Specific Conductance (Field)	NA	umho/cm
B37-2	297	352	241	420	264	663	720	531	Specific Conductance (Field)	NA	umho/cm
B38-2	407	421	662	600	528	529	632	638	Specific Conductance (Field)	NA	umho/cm
B-39	155	326	293	106	128	113	135	124	Specific Conductance (Field)	NA	umho/cm
B40-2	645	522	490	540	489	552	662	515	Specific Conductance (Field)	NA	umho/cm
B41-2	1,290	694	817	1,200	924	956	1,011	1,301	Specific Conductance (Field)	NA	umho/cm
B42-2	952	665	531	740	552	469	740	495	Specific Conductance (Field)	NA	umho/cm

B43-2	640	577	619	691	432	502	651	528	Specific Conductance (Field)	NA	umho/cm
B-44	179	178	301	190	110	110	133	247	Specific Conductance (Field)	NA	umho/cm
B45-2	780	313	345	455	179	371	1,282	512	Specific Conductance (Field)	NA	umho/cm
B58-2	290	384	319	269	---	---	---	---	Specific Conductance (Field)	NA	umho/cm
B59-2	1,220	947	574	680	691	774	---	---	Specific Conductance (Field)	NA	umho/cm
B-61	---	---	---	2,100	2,151	2,171	1,848	1,816	Specific Conductance (Field)	NA	umho/cm
B62-2	---	---	---	1,980	3,396	3,349	3,949	2,691	Specific Conductance (Field)	NA	umho/cm
B63-2	694	651	537	574	591	637	703	745	Specific Conductance (Field)	NA	umho/cm
B-64	675	1,050	770	1,190	1,216	1,661	1,752	1,839	Specific Conductance (Field)	NA	umho/cm
B-65	724	569	688	833	679	757	606	813	Specific Conductance (Field)	NA	umho/cm
B-66	714	492	593	577	353	363	413	459	Specific Conductance (Field)	NA	umho/cm
B70-2	---	---	---	---	122	128	112	157	Specific Conductance (Field)	NA	umho/cm
B-71	---	---	---	---	388	256	349	367	Specific Conductance (Field)	NA	umho/cm
B-72	---	---	---	---	359	398	468	647	Specific Conductance (Field)	NA	umho/cm
B73-2	---	---	---	---	458	422	745	647	Specific Conductance (Field)	NA	umho/cm
B-74	---	---	---	---	518	160	381	549	Specific Conductance (Field)	NA	umho/cm
B-75	---	---	---	---	636	850	840	1,041	Specific Conductance (Field)	NA	umho/cm
6/20/2001		12/7/2001		6/28/2002		11/4/2002		4/14/2003		10/28/2003	
4/28/2004		11/1/2004		PARAMETER		MCL		UNITS			
MOS-B	16	46	96	110	140	170	200	190	Sulfate ²	250	mg/L
B1-B	4.5	5.1	7.1	120	3.0	6.0	16	50	Sulfate ²	250	mg/L
B5-B	0.3	1.9	1.2	7.8	4.1	11	20	9.1	Sulfate ²	250	mg/L
B8-1	7.1	31	25	21	21	21	25	25	Sulfate ²	250	mg/L
B11-B	37	26	39	32	25	25	35	44	Sulfate ²	250	mg/L
B33-2	32	33					1.8	4.7	Sulfate ²	250	mg/L
B34-2	70	21	40	25	67	71	57	93	Sulfate ²	250	mg/L
B35-2	1.5	2.4	4.7	9.2	2.0	0.94	1.6	1.6	Sulfate ²	250	mg/L
B37-2	40	11	9.0	0.3	3.8	0.66	4.6	1.7	Sulfate ²	250	mg/L
B38-2	0.3	10	180	3.7	0.3	0	9.0	6.3	Sulfate ²	250	mg/L
B-39	7.3	7.3	15.0	3.5	2.5	23	17	11	Sulfate ²	250	mg/L
B40-2	78	48	92	23	14	4.2	0.90	11	Sulfate ²	250	mg/L
B41-2	150	12	78	9.4	60	14	45	130	Sulfate ²	250	mg/L
B42-2	350	130	88	98	73	28	56	53	Sulfate ²	250	mg/L
B43-2	8.7	8.4	20	0.51	7.6	0.5	22	0.45	Sulfate ²	250	mg/L
B-44	34	17	12	20	13	13	16	4.6	Sulfate ²	250	mg/L
B45-2	11	17	12	14	14	7.4	2.4	6	Sulfate ²	250	mg/L
B58-2	77	70	73	79					Sulfate ²	250	mg/L
B59-2	2.5	<2.5	86	160	130	110			Sulfate ²	250	mg/L
B-61			280	300	87	66	130		Sulfate ²	250	mg/L
B62-2			46	6.0	0.6	2.5	66		Sulfate ²	250	mg/L
B63-2	60	5.7	47	1.0	1	0.3	0	0.69	Sulfate ²	250	mg/L
B-64	5.7	1.4	17.0	1.8	0.2	0.1	0.5	5.2	Sulfate ²	250	mg/L
B-65	160	110	210	89	93	98	13	160	Sulfate ²	250	mg/L
B-66	220	93	58	2.9	31	22	52	7.7	Sulfate ²	250	mg/L
B70-2				0	27	23	38		Sulfate ²	250	mg/L
B-71				6.9	54	89	66		Sulfate ²	250	mg/L
B-72				0.5	11	12	74		Sulfate ²	250	mg/L
B73-2				0.42	36	47	70		Sulfate ²	250	mg/L
B-74				1	5.8	21	120		Sulfate ²	250	mg/L
B-75				0.84	77	42	25		Sulfate ²	250	mg/L
MCL	250.0	250.0	250.0	250.0	250.0	250.0	250.0	250.0			
MOS-B	23.2	23.1	24.1	22.7	22.3	22.5	22.2	22.8	Temperature (Field)	NA	Deg C
B1-B	23.1	23.6	22.3	22.9	22.5	23.0	22.2	23.3	Temperature (Field)	NA	Deg C
B5-B	23.0	23.9	23.9	26.1	22.5	24.0	22.5	23.9	Temperature (Field)	NA	Deg C
B8-1	---	25.1	24.9	25.0	24.4	25.6	---	26.1	Temperature (Field)	NA	Deg C
B11-B	24.5	23.2	25.1	25.3	21.7	25.0	21.5	24.3	Temperature (Field)	NA	Deg C
B33-2	24.1	---	24.9	---	---	---	24.9	23.8	Temperature (Field)	NA	Deg C
B34-2	23.1	22.5	22.6	26.4	21.6	24.2	20.5	24.0	Temperature (Field)	NA	Deg C
B35-2	24.2	23.7	24.7	26.0	22.0	25.5	20.8	---	Temperature (Field)	NA	Deg C
B37-2	25.6	22.3	26.1	25.5	21.2	24.3	21.4	24.6	Temperature (Field)	NA	Deg C
B38-2	24.3	21.8	25.5	23.8	20.7	23.3	20.2	23.6	Temperature (Field)	NA	Deg C
B-39	25.2	22.1	25.0	24.7	20.6	24.5	20.2	24.4	Temperature (Field)	NA	Deg C
B40-2	21.8	21.3	22.8	23.3	19.2	22.9	19.5	23.0	Temperature (Field)	NA	Deg C
B41-2	21.4	21.9	23.5	23.6	19.8	23.5	19.0	23.4	Temperature (Field)	NA	Deg C
B42-2	21.7	22.0	23.0	23.6	20.0	23.6	20.1	23.5	Temperature (Field)	NA	Deg C
B43-2	21.8	21.8	24.4	23.6	20.3	23.8	20.5	24.5	Temperature (Field)	NA	Deg C
B-44	23.0	21.0	24.2	24.0	20.0	22.9	20.0	23.6	Temperature (Field)	NA	Deg C
B45-2	22.5	21.6	24.6	23.2	20.4	23.3	20.5	23.7	Temperature (Field)	NA	Deg C
B58-2	22.0	24.3	25.1	25.7	---	---	---	---	Temperature (Field)	NA	Deg C
B59-2	24.0	23.8	25.6	26.0	21.7	24.5	---	---	Temperature (Field)	NA	Deg C
B-61	---	---	---	23.8	23.0	26.2	23.0	26.1	Temperature (Field)	NA	Deg C
B62-2	---	---	---	23.2	21.7	25.8	23.4	25.6	Temperature (Field)	NA	Deg C


B63-2	24.1	24.7	24.5	25.4	21.7	24.2	21.0	24.8	Temperature (Field)	NA	Deg C
B-64	24.9	21.8	25.3	25.2	21.0	24.1	20.5	24.2	Temperature (Field)	NA	Deg C
B-65	21.1	21.5	22.4	23.3	19.3	23.9	19.0	23.6	Temperature (Field)	NA	Deg C
B-66	25.1	23.1	25.9	25.0	21.2	25.2	20.8	25.1	Temperature (Field)	NA	Deg C
B70-2	---	---	---	---	21.3	25.0	21.7	25.6	Temperature (Field)	NA	Deg C
B-71	---	---	---	---	20.8	25.4	22.9	24.7	Temperature (Field)	NA	Deg C
B-72	---	---	---	---	21.6	25.5	21.5	24.7	Temperature (Field)	NA	Deg C
B73-2	---	---	---	---	21.2	24.8	22.5	25.2	Temperature (Field)	NA	Deg C
B-74	---	---	---	---	21.2	25.4	22.2	24.3	Temperature (Field)	NA	Deg C
B-75	---	---	---	---	21.4	24.9	22.2	24.3	Temperature (Field)	NA	Deg C
	6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS
MOS-B	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B1-B	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B5-B	0.5	0.5	0.6	0.5	0.5	0.3	0.1	0.1	Thallium [†]	2	µg/L
B8-1	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B11-B	0.5	0.5	0.7	0.5	0.5	0.3	0.1	0.1	Thallium [†]	2	µg/L
B33-2	0.5		0.5				0.4	0.1	Thallium [†]	2	µg/L
B34-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B35-2	0.5	0.5	0.5	0.5	0.5	0.4	0.6		Thallium [†]	2	µg/L
B37-2	0.5	0.5	0.8	0.5	0.5	0.3	0.5	0.1	Thallium [†]	2	µg/L
B38-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.3	Thallium [†]	2	µg/L
B-39	0.5	0.5	0.6	0.5	0.5	0.1	0.1	0.4	Thallium [†]	2	µg/L
B40-2	0.5	0.5	0.7	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B41-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B42-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B43-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-44	0.5	0.5	0.5	0.5	0.5	0.5	0.1	0.1	Thallium [†]	2	µg/L
B45-2	1.0	0.5	0.5	0.5	0.5	0.1	0.5	0.1	Thallium [†]	2	µg/L
B58-2	1.9	0.5	0.5	0.5					Thallium [†]	2	µg/L
B59-2	0.5	0.5	0.5	0.5	0.5	0.1			Thallium [†]	2	µg/L
B-61					0.5	0.5	0.1	0.1	Thallium [†]	2	µg/L
B62-2					0.5	0.5	0.1	0.1	Thallium [†]	2	µg/L
B63-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-64	0.5	0.5	0.7	0.5	0.5	0.1	0.5	0.2	Thallium [†]	2	µg/L
B-65	0.5	0.5	0.4	0.5	0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-66	0.5	0.5	1.1	0.5	0.5	0.1	0.1	0.2	Thallium [†]	2	µg/L
B70-2					0.5	0.3	0.1	0.1	Thallium [†]	2	µg/L
B-71					0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-72					0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B73-2					0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-74					0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
B-75					0.5	0.1	0.1	0.1	Thallium [†]	2	µg/L
MCL	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0			
MOS-B	<1.0	<1.0	0.2 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B1-B	<1.0	<1.0	0.3 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B5-B	<1.0	<1.0	0.4 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B8-1	---	<1.0	0.6 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B11-B	<1.0	<1.0	0.2 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B33-2	<1.0	---	<1.0	---	---	---	<0.10	<0.35	Toluene [†]	1,000	µg/L
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	0.22 I	<0.10	---	Toluene [†]	1,000	µg/L
B37-2	<1.0	<1.0	0.3 I	<1.0	0.5 I	1.2	0.41 I	<0.35	Toluene [†]	1,000	µg/L
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B-39	<1.0	<1.0	0.4 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B40-2	<1.0	<1.0	0.5 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B41-2	<1.0	<1.0	0.6 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B42-2	<1.0	<1.0	0.3 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B43-2	<1.0	1.50	0.4 I	<1.0	<1.0	0.83 I	<0.10	0.80 I	Toluene [†]	1,000	µg/L
B-44	<1.0	<1.0	0.3 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B45-2	<1.0	<1.0	0.4 I	<1.0	<1.0	0.21 I	0.25 I	<0.35	Toluene [†]	1,000	µg/L
B58-2	<1.0	<1.0	0.3 I	<1.0	---	---	---	---	Toluene [†]	1,000	µg/L
B59-2	<1.0	<1.0	0.3 I	<1.0	<1.0	<0.10	---	---	Toluene [†]	1,000	µg/L
B-61	---	---	---	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B62-2	---	---	---	<1.0	0.2 I	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B63-2	<1.0	<1.0	0.2 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B-64	<1.0	<1.0	0.4 I	<1.0	<1.0	0.11 I	<0.10	<0.35	Toluene [†]	1,000	µg/L
B-65	<1.0	<1.0	0.2 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B-66	<1.0	<1.0	0.4 I	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B70-2	---	---	---	---	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L
B-71	---	---	---	---	<1.0	<0.10	<0.10	0.37 I	Toluene [†]	1,000	µg/L
B-72	---	---	---	---	<1.0	<0.10	<0.10	<0.35	Toluene [†]	1,000	µg/L

B73-2	---	---	---	---	0.3 I	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L.
B-74	---	---	---	---	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L.
B-75	---	---	---	---	7.30	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L.
	6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS
MO5-B	360	390	700	510	1,400	950	1,000	1,000	Total Dissolved Solids ²	500	mg/L
B1-B	550	470	780	260	770	850	850	830	Total Dissolved Solids ²	500	mg/L
B5-B	400	480	680	380	530	550	530	550	Total Dissolved Solids ²	500	mg/L
B8-1	340	330	250	300	290			300	Total Dissolved Solids ²	500	mg/L
B11-B	130	130	170	110	130	140	140	160	Total Dissolved Solids ²	500	mg/L
B33-2	330		1,700				1,400	2,000	Total Dissolved Solids ²	500	mg/L
B34-2	400	490	380	490	380	460	600	560	Total Dissolved Solids ²	500	mg/L
B35-2	290	270	320	260	270	280	220		Total Dissolved Solids ²	500	mg/L
B37-2	210	160	120	300	180	390	410	280	Total Dissolved Solids ²	500	mg/L
B38-2	340	330	520	430	370	360	360	410	Total Dissolved Solids ²	500	mg/L
B-39	130	130	120	150	160	110	110	120	Total Dissolved Solids ²	500	mg/L
B40-2	430	430	410	400	400	410	370	400	Total Dissolved Solids ²	500	mg/L
B41-2	610	520	920	910	1,400	630	720	810	Total Dissolved Solids ²	500	mg/L
B42-2	530	460	410	740	400	320	460	360	Total Dissolved Solids ²	500	mg/L
B43-2	290	420	560	400	320	320	400	280	Total Dissolved Solids ²	500	mg/L
B-44	100	84	160	130	130	110	140	160	Total Dissolved Solids ²	500	mg/L
B45-2	540	210	220	300	170	320	880	240	Total Dissolved Solids ²	500	mg/L
B58-2	160	200	230	180					Total Dissolved Solids ²	500	mg/L
B59-2	560	770	510	540	530	520			Total Dissolved Solids ²	500	mg/L
B-61				1,600	1,500	1,200	1,000	960	Total Dissolved Solids ²	500	mg/L
B62-2				1,300	1,900	1,600	1,900	1,300	Total Dissolved Solids ²	500	mg/L
B63-2	460	350	260	360	350	370	360	360	Total Dissolved Solids ²	500	mg/L
B-64	380	710	580	640	710	990	1,000	1,000	Total Dissolved Solids ²	500	mg/L
B-65	460	530	630	390	520	550	390	590	Total Dissolved Solids ²	500	mg/L
B-66	410	390	340	780	260	230	290	240	Total Dissolved Solids ²	500	mg/L
B70-2					98	130	79	100	Total Dissolved Solids ²	500	mg/L
B-71					290	180	220	180	Total Dissolved Solids ²	500	mg/L
B-72					270	270	320	320	Total Dissolved Solids ²	500	mg/L
B73-2					380	360	470	350	Total Dissolved Solids ²	500	mg/L
B-74					350	130	260	320	Total Dissolved Solids ²	500	mg/L
B-75					520	710	710	650	Total Dissolved Solids ²	500	mg/L
MCL	500.0	500.0	500.0	500.0	500.0	500.0	500.0	500.0			
MO5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B1-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B5-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B8-1	---	<1.0	<1.0	<1.0	<1.0	<0.29	---	0.46 I	Total Xylenes ¹	10,000	µg/L
B11-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B33-2	<1.0	---	<1.0	---	---	---	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B34-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B35-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	---	Total Xylenes ¹	10,000	µg/L
B37-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B38-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-39	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B40-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B41-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B42-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B43-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-44	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	0.33 I	Total Xylenes ¹	10,000	µg/L
B45-2	<1.0	<1.0	<1.0	<1.0	<1.0	0.36 I	<0.29	0.35 I	Total Xylenes ¹	10,000	µg/L
B58-2	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Total Xylenes ¹	10,000	µg/L
B59-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	---	---	Total Xylenes ¹	10,000	µg/L
B-61	---	---	---	<1.0	<1.0	<0.29	---	<0.32	Total Xylenes ¹	10,000	µg/L
B62-2	---	---	---	<1.0	<1.0	0.51 I	0.48 I	0.37 I	Total Xylenes ¹	10,000	µg/L
B63-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-64	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-65	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-66	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B70-2	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-71	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-72	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B73-2	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-74	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-75	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
MO5-B	6.50	3.86	2.48	0.03	0.85	0.45	3.40	0.58	Turbidity (Field)	NA	NTU
B1-B	8.90	3.01	7.73	7.33	1.60	2.30	13	2.77	Turbidity (Field)	NA	NTU
B5-B	9.4	16.8	2.24	0.61	4.3	1.7	6.60	6.41	Turbidity (Field)	NA	NTU
B8-1	---	12.20	5.12	1.1	1.30	0.50	---	0.97	Turbidity (Field)	NA	NTU


B11-B	6.60	2.66	1.41	0.74	1.50	0.90	1.20	2.41	Turbidity (Field)	NA	NTU
B33-2	5.90	---	26.80	---	---	---	31.00	44.20	Turbidity (Field)	NA	NTU
B34-2	120	11.90	1.10	4.93	3.0	2.70	10.00	18.20	Turbidity (Field)	NA	NTU
B35-2	11	6.40	64.90	4.26	9.5	4.24	3.40	---	Turbidity (Field)	NA	NTU
B37-2	8.50	5.60	5.68	1.33	2.70	11.60	5.60	4.39	Turbidity (Field)	NA	NTU
B38-2	5.80	14	6.71	1.02	7.20	1.8	2.20	6.48	Turbidity (Field)	NA	NTU
B-39	140	20	16	14	15	4.6	6.20	5.83	Turbidity (Field)	NA	NTU
B40-2	30	7.33	6.91	15.80	8.1	5.70	13.00	14.80	Turbidity (Field)	NA	NTU
B41-2	5.00	<1.0	2.50	0.76	1.70	0.80	0.75	2.11	Turbidity (Field)	NA	NTU
B42-2	4.80	4.20	10.00	0.97	2.50	2.10	0.80	1.27	Turbidity (Field)	NA	NTU
B43-2	4.60	5.09	3.07	0.67	2.50	1.00	3.20	3.08	Turbidity (Field)	NA	NTU
B-44	10	12.60	192.00	8.51	31	19	10.00	5.45	Turbidity (Field)	NA	NTU
B45-2	7.40	16	121.00	13	95	19	2.10	6.86	Turbidity (Field)	NA	NTU
B58-2	7.70	3.72	3.90	5.91	---	---	---	---	Turbidity (Field)	NA	NTU
B59-2	4.90	2.18	396.00	13.30	9.30	5.20	---	---	Turbidity (Field)	NA	NTU
B-61	---	---	---	6.60	14.0	12.6	7.4	37.1	Turbidity (Field)	NA	NTU
B62-2	---	---	---	12	18	4.37	4.5	13.1	Turbidity (Field)	NA	NTU
B63-2	4.90	<1.0	22.60	0.41	6.20	6.30	2.80	7.52	Turbidity (Field)	NA	NTU
B-64	6	15	4.81	10.04	13	2.4	2.90	2.96	Turbidity (Field)	NA	NTU
B-65	9.90	1.49	4.81	0.95	0.85	0.30	2.20	1.01	Turbidity (Field)	NA	NTU
B-66	10	15.80	3.82	2.39	14	8.0	6.70	3.70	Turbidity (Field)	NA	NTU
B70-2	---	---	---	---	19	19	16.00	6.50	Turbidity (Field)	NA	NTU
B-71	---	---	---	---	16.00	2.50	3.50	4.51	Turbidity (Field)	NA	NTU
B-72	---	---	---	---	18	23	36	30.5	Turbidity (Field)	NA	NTU
B73-2	---	---	---	---	190	4.60	5.90	22.6	Turbidity (Field)	NA	NTU
B-74	---	---	---	---	6.90	37.00	5.50	5.77	Turbidity (Field)	NA	NTU
B-75	---	---	---	---	23	36	17	5.71	Turbidity (Field)	NA	NTU
6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS	
MO5-B	5.0	5.0	1.6	5.0	1.0	0.8	1.1	0.9	Vanadium ³	49	µg/L
B1-B	5.0	5.0	3.3	5.0	3.0	2.6	2.6	1.3	Vanadium ³	49	µg/L
B5-B	5.0	5.0	0.6	5.0	0.6	0.2	0.5	0.9	Vanadium ³	49	µg/L
B8-1	5.0	0.5	5.0	0.4	0.2	0.2	0.4	Vanadium ³	49	µg/L	
B11-B	23	24	15	14	14	14	14	15	Vanadium ³	49	µg/L
B33-2	14	38				8.0	25	Vanadium ³	49	µg/L	
B34-2	5.0	5.0	1.0	5.0	0.8	1.0	1.5	2.3	Vanadium ³	49	µg/L
B35-2	28	22	33	17	21	18	16	Vanadium ³	49	µg/L	
B37-2	5.0	5.0	3.6	5.0	2.0	2.3	3.0	2.4	Vanadium ³	49	µg/L
B38-2	5.0	5.0	2.2	5.0	2.0	1.6	1.2	2.1	Vanadium ³	49	µg/L
B-39	34	23	12	26	32	17	15	22	Vanadium ³	49	µg/L
B40-2	18	5.0	7.8	5.0	3	2.5	2.1	4.1	Vanadium ³	49	µg/L
B41-2	5	5.0	6.0	5.0	2	2.1	0.9	3.3	Vanadium ³	49	µg/L
B42-2	5.0	5.0	6.3	5.0	2.0	1.4	2.3	1.6	Vanadium ³	49	µg/L
B43-2	5.0	5.0	8.6	5.0	12	4.6	3.3	5.0	Vanadium ³	49	µg/L
B-44	5.0	5.0	34	5.0	9.0	6.1	3	20.0	Vanadium ³	49	µg/L
B45-2	5.0	5.0	31	17	19.0	9.0	10	6	Vanadium ³	49	µg/L
B58-2	43	5.0	4.8	5.0					Vanadium ³	49	µg/L
B59-2	5.0	5.0	10	5.0	2.0	2.4			Vanadium ³	49	µg/L
B-61				5.0	4.0	2.5	1.9	26	Vanadium ³	49	µg/L
B62-2				5.0	18	13	15	17	Vanadium ³	49	µg/L
B63-2	5.0	5.0	18	5.0	1.0	1.5	1	1.1	Vanadium ³	49	µg/L
B-64	5.0	5.0	1.7	5.0	1.0	0.8	1.7	1.6	Vanadium ³	49	µg/L
B-65	5.0	5.0	23	5.0	4.0	3.0	3	3.9	Vanadium ³	49	µg/L
B-66	5.0	15	7.7	5.0	8.0	9	5.7	12	Vanadium ³	49	µg/L
B70-2					15	13	6.0	6.0	Vanadium ³	49	µg/L
B-71					8.0	20	16	17	Vanadium ³	49	µg/L
B-72					7.0	5.0	6.8	2.5	Vanadium ³	49	µg/L
B73-2					12	4.7	2.9	3.0	Vanadium ³	49	µg/L
B-74					9.0	7.7	3.8	3.9	Vanadium ³	49	µg/L
B-75					5.0	5.3	3.8	7.4	Vanadium ³	49	µg/L
MCL	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0			
6/20/2001	12/7/2001	6/28/2002	11/4/2002	4/14/2003	10/28/2003	4/28/2004	11/1/2004	PARAMETER	MCL	UNITS	
MOS-B	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B1-B	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B5-B	0.50	0.50	0.50	0.50	0.50	0.07	1.3	0.22	Vinyl Chloride ¹	1	µg/L
B8-1		0.50	0.50	0.50	0.50	0.07		0.22	Vinyl Chloride ¹	1	µg/L
B11-B	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B33-2	0.50		0.50		0.50		0.07	0.22	Vinyl Chloride ¹	1	µg/L
B34-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B35-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B37-2	2.30	10	0.90	67	62	86	87	72	Vinyl Chloride ¹	1	µg/L
B38-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B-39	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L


B40-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B41-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B42-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B43-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-44	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B45-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B58-2	0.50	0.50	0.50	0.50					Vinyl Chloride ^b	1	µg/L
B59-2	0.50	0.50	0.50	0.50	0.50	0.07			Vinyl Chloride ^b	1	µg/L
B-61	0.50				0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B62-2	0.50				0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B63-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-64	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-65	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-66	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B70-2					0.50	0.07			Vinyl Chloride ^b	1	µg/L
B-71					0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-72					0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B73-2					0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-74					0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
B-75					0.50	0.07	0.07	0.22	Vinyl Chloride ^b	1	µg/L
MCL	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0			
MO5-B	<20	<20	<20	<20	<20	<2.3	71.0	<3.5	Zinc ^c	5,000	µg/L
B1-B	<20	<20	9.1 I	<20	<20	5.6 I	39	<3.5	Zinc ^c	5,000	µg/L
B5-B	200	<20	<20	<20	<20	5.6 I	8.0 I	<3.5	Zinc ^c	5,000	µg/L
B8-1	---	<20	12 I	<20	<20	2.3 I	---	6.5 I	Zinc ^c	5,000	µg/L
B11-B	<20	<20	<20	<20	<20	<2.3	<2.3	<3.5	Zinc ^c	5,000	µg/L
B33-2	<20	---	<20	---	---	---	9.2 I	12 I	Zinc ^c	5,000	µg/L
B34-2	<20	<20	<20	<20	9.0 I	<2.3	7.5 I	<3.5	Zinc ^c	5,000	µg/L
B35-2	<20	<20	<20	<20	<20	<2.3	4.2 I	---	Zinc ^c	5,000	µg/L
B37-2	20	20	12 I	<20	<20	3.5 I	<2.3	<3.5	Zinc ^c	5,000	µg/L
B38-2	<20	<20	22	<20	<20	<2.3	2.4 I	<3.5	Zinc ^c	5,000	µg/L
B-39	<20	<20	<20	<20	<20	4.8 I	4.0 I	<3.5	Zinc ^c	5,000	µg/L
B40-2	<20	<20	<20	<20	<20	<2.3	11 I	4.0 I	Zinc ^c	5,000	µg/L
B41-2	25	<20	<20	<20	<20	<2.3	3.0 I	<3.5	Zinc ^c	5,000	µg/L
B42-2	<20	<20	<20	<20	<20	<2.3	8.5 I	<3.5	Zinc ^c	5,000	µg/L
B43-2	23	<20	<20	<20	200	<2.3	3.8 I	4.9 I	Zinc ^c	5,000	µg/L
B-44	<20	<20	25	<20	<20	4.2 I	<2.3	5.5 I	Zinc ^c	5,000	µg/L
B45-2	<20	<20	21	<20	<20	6.7 I	<2.3	7.4 I	Zinc ^c	5,000	µg/L
B58-2	94	51	<20	55	---	---	---	---	Zinc ^c	5,000	µg/L
B59-2	21.0	<20	<20	<20	<20	2.5 I	---	---	Zinc ^c	5,000	µg/L
B-61	---	---	---	<20	<20	<2.3	18 I	13 I	Zinc ^c	5,000	µg/L
B62-2	---	---	---	<20	<20	4.8 I	<2.3	11 I	Zinc ^c	5,000	µg/L
B63-2	<20	<20	16 I	<20	<20	3.3 I	3.8 I	<3.5	Zinc ^c	5,000	µg/L
B-64	<20	<20	<20	<20	<20	<2.3	3.3 I	<3.5	Zinc ^c	5,000	µg/L
B-65	28	<20	<20	<20	<20	6.1 I	2.9 I	<3.5	Zinc ^c	5,000	µg/L
B-66	<20	<20	<20	<20	<20	4.8 I	<2.3	64	Zinc ^c	5,000	µg/L
B70-2	---	---	---	---	<20	<2.3	<2.3	7.1 I	Zinc ^c	5,000	µg/L
B-71	---	---	---	---	<20	7.0 I	22	<3.5	Zinc ^c	5,000	µg/L
B-72	---	---	---	---	<20	9.0 I	15 I	37	Zinc ^c	5,000	µg/L
B73-2	---	---	---	---	10 I	21	<2.3	<3.5	Zinc ^c	5,000	µg/L
B-74	---	---	---	---	<20	7.7 I	8.8 I	12 I	Zinc ^c	5,000	µg/L
B-75	---	---	---	---	---						

Benzene Zone 4




Beryllium Zone 4







Iron Zone 4




Ammonia Zone 4




Nitrate Zone 4







Sodium Zone 4




Sulfate Zone 4




Thallium Zone 4




TDS
Zone 4



Vanadium Zone 4



Vinyl Chloride
Zone 4



	6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B8-2	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B-32	---	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B33-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B34-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B35-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	---	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B-36	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B37-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B38-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B40-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B41-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L
B42-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.11	<0.11	<0.44	1,1,2,2-Tetrachloroethane ³	0.2	µg/L

B59-1	<10	---	<10	<10	<10	<0.29	---	---	2-Butanone (MEK) ³	4,200	µg/L.
B-60	<10	<10	<10	<10	<10	<0.29	<0.29	---	2-Butanone (MEK) ³	4,200	µg/L.
B62-1	---	---	---	<10	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
B63-1	<10	<10	<10	<10	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
B-67	<10	<10	<10	<10	---	---	---	---	2-Butanone (MEK) ³	4,200	µg/L.
B-68	<10	<10	<10	<10	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
B70-1	---	---	---	---	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
B73-1	---	---	---	---	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
FA-1B	<10	<10	<10	<10	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
FA-2C	<10	<10	<10	<10	<10	<0.29	<0.29	<1.8	2-Butanone (MEK) ³	4,200	µg/L.
B2-B	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B8-2	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B-32	---	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B33-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B34-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B35-1	<10	<10	<10	<10	<10	<0.26	<0.26	---	2-Hexanone (MBK) ³	280	µg/L.
B-36	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B37-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B38-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B40-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B41-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B42-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B43-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B45-1	<10	<10	<10	<10	<10	<0.26	<0.26	2.7 I	2-Hexanone (MBK) ³	280	µg/L.
B58-1	<10	<10	<10	<10	---	---	---	---	2-Hexanone (MBK) ³	280	µg/L.
B59-1	<10	---	<10	<10	<10	<0.26	---	---	2-Hexanone (MBK) ³	280	µg/L.
B-60	<10	<10	<10	<10	<10	<0.26	<0.26	---	2-Hexanone (MBK) ³	280	µg/L.
B62-1	---	---	---	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.
B63-1	<10	<10	<10	<10	<10	<0.26	<0.26	<0.28	2-Hexanone (MBK) ³	280	µg/L.

B45-1	22	<10	24	<10	60 I	<0.91	<0.91	6.0 I	Acetone ³	700	µg/L
B58-1	<10	<10	<10	<10	---	---	---	---	Acetone ³	700	µg/L
B59-1	<10	---	<10	<10	<10	<0.91	---	---	Acetone ³	700	µg/L
B-60	<10	<10	<10	<10	<10	<0.91	<0.91	---	Acetone ³	700	µg/L
B62-1	---	---	---	<10	100 I	<0.91	16	5.7 I	Acetone ³	700	µg/L
B63-1	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B-67	<10	<10	<10	<10	---	---	---	---	Acetone ³	700	µg/L
B-68	<10	<10	490	<10	6.0 I	<0.91	2.7 I	10	Acetone ³	700	µg/L
B70-1	---	---	---	---	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B73-1	---	---	---	---	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
FA-1B	<10	<10	<10	<10	<10	<0.91	3.0 I	<3.7	Acetone ³	700	µg/L
FA-2C	<10	<10	<10	<10	<10	<0.91	<0.91	<3.7	Acetone ³	700	µg/L
B2-B	<5.0	<5.0	<5.0	<3.0	0.6 I	1.3 I	<0.35	0.48 I	Antimony ¹	6	µg/L
B8-2	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-32	---	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B33-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B34-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B35-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	---	Antimony ¹	6	µg/L
B-36	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B37-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B38-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B40-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	0.40 I	<0.40	Antimony ¹	6	µg/L
B41-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B42-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B43-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B45-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B58-1	<5.0	<5.0	<5.0	<3.0	---	---	---	---	Antimony ¹	6	µg/L
B59-1	<5.0	---	<5.0	<3.0	<3.0	<0.35	---	---	Antimony ¹	6	µg/L
B-60	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	---	Antimony ¹	6	µg/L
B62-1	---	---	---	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B63-1	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B-67	<5.0	<5.0	<5.0	<3.0	---	---	---	---	Antimony ¹	6	µg/L
B-68	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B70-1	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B73-1	---	---	---	---	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
FA-1B	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
FA-2C	<5.0	<5.0	<5.0	<3.0	<3.0	<0.35	<0.35	<0.40	Antimony ¹	6	µg/L
B2-B	<5.0	9.4	5.6	14	8.1 I	5.9 I	<2.8	Arsenic ¹	50	µg/L	
B8-2	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B-32	---	7.8	4.0 I	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B33-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B34-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B35-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	---	Arsenic ¹	50	µg/L
B-36	<5.0	<5.0	<5.0	<5.0	<10	2.1 I	<2.0	<2.8	Arsenic ¹	50	µg/L
B37-1	<5.0	<5.0	<5.0	<5.0	<10	2.2 I	<2.0	<2.8	Arsenic ¹	50	µg/L
B38-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B40-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.80	Arsenic ¹	50	µg/L
B41-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B42-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	2.6 I	<2.8	Arsenic ¹	50	µg/L
B43-1	<5.0	3.3 I	<5.0	<10	<2.0	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B45-1	6.9	3.3 I	<5.0	<10	2.4 I	3.0 I	<2.8	Arsenic ¹	50	µg/L	
B58-1	<5.0	3.6 I	<5.0	<10	---	---	---	---	Arsenic ¹	50	µg/L
B59-1	22	---	<5.0	<5.0	<10	<2.0	---	---	Arsenic ¹	50	µg/L
B-60	<5.0	3.5 I	<5.0	<10	<2.0	2.5 I	---	---	Arsenic ¹	50	µg/L
B62-1	---	---	5.4	4.0 I	5.3 I	5.9 I	4.1 I	Arsenic ¹	50	µg/L	
B63-1	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B-67	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Arsenic ¹	50	µg/L
B-68	<5.0	3.2 I	<5.0	<10	<2.0	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B70-1	---	---	---	---	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B73-1	---	---	---	---	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
FA-1B	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
FA-2C	<5.0	<5.0	<5.0	<5.0	<10	<2.0	<2.0	<2.8	Arsenic ¹	50	µg/L
B2-B	71	58	49	73	37	34	91	61	Barium ¹	2,000	µg/L
B8-2	30	33	36	33	34	46	56	50	Barium ¹	2,000	µg/L
B-32	---	130	53	32	47	26	21	21	Barium ¹	2,000	µg/L
B33-1	36	36	37	35	35	31	34	27	Barium ¹	2,000	µg/L
B34-1	52	54	42	55	56	65	69	68	Barium ¹	2,000	µg/L
B35-1	82	89	85	76	86	79	88	---	Barium ¹	2,000	µg/L
B-36	97	97	96	110	120	120	110	100	Barium ¹	2,000	µg/L
B37-1	260	260	230	220	220	190	190	190	Barium ¹	2,000	µg/L
B38-1	41	45	46	48	57	58	68	68	Barium ¹	2,000	µg/L
B40-1	110	120	100	93	120	110	110	91	Barium ¹	2,000	µg/L
B41-1	95	100	100	100	140	150	180	150	Barium ¹	2,000	µg/L
B42-1	150	180	190	200	230	220	230	220	Barium ¹	2,000	µg/L
B43-1	300	280	190	320	240	220	260	230	Barium ¹	2,000	µg/L
B45-1	320	370	220	320	230	300	240	220	Barium ¹	2,000	µg/L
B58-1	60	57	50	120	---	---	---	---	Barium ¹	2,000	µg/L
B59-1	130	---	70	70	79	81	---	---	Barium ¹	2,000	µg/L
B-60	50	55	56	58	61	59	54	---	Barium ¹	2,000	µg/L
B62-1	---	---	---	1,100	1,200	1,000	1,100	800	Barium ¹	2,000	µg/L
B63-1	57	60	43	61	66	61	60	60	Barium ¹	2,000	µg/L
B-67	42	75	45	83	---	---	---	---	Barium ¹	2,000	µg/L
B-68	43	56	30	41	41	49	58	48	Barium ¹	2,000	µg/L
B70-1	---	---	---	---	13	9.3 I	12	11	Barium ¹	2,000	µg/L

B73-1	---	---	---	---	29	36	43	41	Barium ¹	2,000	µg/L
FA-1B	17	17	17	17	18	26	23	31	Barium ¹	2,000	µg/L
FA-2C	13	16	31	28	32	17	19	8.1 I	Barium ¹	2,000	µg/L
	6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B8-2	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B-32	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B33-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B34-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B35-1	0.50	0.50	0.50	0.50	0.50	0.16	0.34		Benzene ¹	1	µg/L
B-36	1.9	2.1	2.3	2.2	1.9	2.7	0.16	2.00	Benzene ¹	1	µg/L
B37-1	14	14	14	9.8	9.2	11	12	12	Benzene ¹	1	µg/L
B38-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B40-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B41-1	2	2.30	2.10	1.30	1.4	1.9	1.6	1.4	Benzene ¹	1	µg/L
B42-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B43-1	10	8.7	4.7	7.1	5.1	5.30	7.10	6.50	Benzene ¹	1	µg/L
B45-1	7	7.7	3.4	6.6	5.8	7.70	7.10	9.0	Benzene ¹	1	µg/L
B58-1	0.50	0.50	0.50	0.50					Benzene ¹	1	µg/L
B59-1	0.50		0.50	0.50	0.50	0.16			Benzene ¹	1	µg/L
B-60	0.50	0.50	0.50	0.50	0.50	0.16	0.16		Benzene ¹	1	µg/L
B62-1				1.2	0.80	1.3	1.5	2.0	Benzene ¹	1	µg/L
B63-1	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B-67	0.50	0.50	0.50	0.50					Benzene ¹	1	µg/L
B-68	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B70-1					0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
B73-1					0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
FA-1B	0.50	0.50	0.50	0.50	0.50	0.16	0.57	0.12	Benzene ¹	1	µg/L
FA-2C	0.50	0.50	0.50	0.50	0.50	0.16	0.16	0.12	Benzene ¹	1	µg/L
MCL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
	6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.0	Beryllium ¹	4	µg/L
B8-2	0.5	0.5	0.1	0.5	0.5	0.1	0.1	0.0	Beryllium ¹	4	µg/L
B-32	0.5	0.1	0.5	0.5	0.5	0.1	0.1	0.0	Beryllium ¹	4	µg/L
B33-1	0.5	0.5	0.6	0.5	0.2	0.4	0.2	0.2	Beryllium ¹	4	µg/L

FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.60	Bromomethane ³	9.8	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.60	Bromomethane ³	9.8	µg/L
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B-32	...	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	---	Cadmium ¹	5	µg/L
B-36	<1.0	<1.0	0.79 1	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	0.5 1	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B43-1	<1.0	<1.0	<1.0	<1.0	0.6 1	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B45-1	<1.0	1.1	<1.0	1.4	0.8 1	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Cadmium ¹	5	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.24	---	---	Cadmium ¹	5	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	---	Cadmium ¹	5	µg/L
B62-1	---	---	---	<1.0	1.7	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	0.29 1	<0.24	<0.34	Cadmium ¹	5	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Cadmium ¹	5	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B70-1	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B73-1	---	---	---	---	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
FA-2C	<1.0	<1.0	0.54 1	<1.0	<1.0	<0.24	<0.24	<0.34	Cadmium ¹	5	µg/L
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	---	Carbon Disulfide ³	700	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B45-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	1.40	1.00	Carbon Disulfide ³	700	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Carbon Disulfide ³	700	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.25	---	---	Carbon Disulfide ³	700	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	---	Carbon Disulfide ³	700	µg/L
B62-1	---	---	---	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Carbon Disulfide ³	700	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B70-1	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
B73-1	---	---	---	---	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.25	<0.25	<1.8	Carbon Disulfide ³	700	µg/L
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	21	14	10	11	7	37	82	32	Chloride ²	250	mg/L
B8-2	13	11	11	12	13	14	13	14	Chloride ²	250	mg/L
B-32	25	26	27	16	16	17	16	16	Chloride ²	250	mg/L
B33-1	40	39	42	34	31	32	29	29	Chloride ²	250	mg/L
B34-1	28	30	18	31	25	36	38	40	Chloride ²	250	mg/L
B35-1	57	66	52	53	59	59	67	67	Chloride ²	250	mg/L
B-36	190	190	200	220	230	230	240	22	Chloride ²	250	mg/L
B37-1	160	160	150	130	270	130	140	130	Chloride ²	250	mg/L
B38-1	27	29	30	33	37	42	53	53	Chloride ²	250	mg/L
B40-1	70	65	65	62	71	64	60	60	Chloride ²	250	mg/L
B41-1	250	240	240	210	260	250	250	220	Chloride ²	250	mg/L
B42-1	120	120	130	130	30	170	190	190	Chloride ²	250	mg/L
B43-1	66	65	79	58	75	69	79	79	Chloride ²	250	mg/L
B45-1	500	510	500	430	440	360	360	260	Chloride ²	250	mg/L
B58-1	21	24	18	35					Chloride ²	250	mg/L
B59-1	21		110	100	130	140			Chloride ²	250	mg/L
B-60	43	46	32	30	30	29	34		Chloride ²	250	mg/L

B62-1				640	670	570	590	470	Chloride ²	250	mg/L
B63-1	97	96	55	93	100	87	89	84	Chloride ²	250	mg/L
B-67	41	26	55	73					Chloride ²	250	mg/L
B-68	56	48	22	31	31	25	26	25	Chloride ²	250	mg/L
B70-1				16	17	19	15		Chloride ²	250	mg/L
B73-1				63	71	67	43		Chloride ²	250	mg/L
FA-1B	14	14	14	13	15	14	15	14	Chloride ²	250	mg/L
FA-2C	67	67	69	67	75	60	66	59	Chloride ²	250	mg/L
MCL	250	250	250	250	250	250	250	250			
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	0.68 I	---	Chlorobenzene ¹	100	µg/L
B-36	1.4	1.6	1.7	2.5	2.5	2.6	3.00	1.6	Chlorobenzene ¹	100	µg/L
B37-1	10	12	11	10	11	12	13	12	Chlorobenzene ¹	100	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	0.9 I	0.78 I	0.90 I	0.97 I	Chlorobenzene ¹	100	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B43-1	12	11	5.5	13	9.7	7.8	14	8.2	Chlorobenzene ¹	100	µg/L
B45-1	2.30	<1.0	<1.0	2.70	3.0	3.40	3.00	2.50	Chlorobenzene ¹	100	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chlorobenzene ¹	100	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.10	---	---	Chlorobenzene ¹	100	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	---	Chlorobenzene ¹	100	µg/L
B62-1	---	---	---	1.0	1.20	1.60	1.80	1.80	Chlorobenzene ¹	100	µg/L
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chlorobenzene ¹	100	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B70-1	---	---	---	---	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B73-1	---	---	---	---	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	0.65 I	<0.15	Chlorobenzene ¹	100	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.15	Chlorobenzene ¹	100	µg/L
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	---	Chloroethane ³	12	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	0.58 I	<0.51	Chloroethane ³	12	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B45-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloroethane ³	12	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.16	<0.16	---	Chloroethane ³	12	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.16	Chloroethane ³	12	µg/L
B62-1	---	---	---	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.23	Chloroethane ³	12	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloroethane ³	12	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B70-1	---	---	---	---	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
B73-1	---	---	---	---	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.51	Chloroethane ³	12	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.51	Chloroethane ³	12	µg/L
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	---	Chloroform ³	5.7	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L

B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B45-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloroform ³	5.7	µg/L			
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.28	---	---	Chloroform ³	5.7	µg/L			
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	---	Chloroform ³	5.7	µg/L			
B62-1	---	---	---	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.51	Chloroform ³	5.7	µg/L			
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloroform ³	5.7	µg/L			
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B70-1	---	---	---	---	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
B73-1	---	---	---	---	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.28	<0.28	<0.23	Chloroform ³	5.7	µg/L			
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.16	<0.16	<0.23	Chloroform ³	5.7	µg/L			
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B-36	<1.0	<1.0	<1.0	<1.0	2.50	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B45-1	<1.0	<1.0	0.81	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloromethane ¹	2.7	µg/L			
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.31	---	---	Chloromethane ¹	2.7	µg/L			
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	---	Chloromethane ¹	2.7	µg/L			
B62-1	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Chloromethane ¹	2.7	µg/L			
B-68	<1.0	1.40	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B70-1	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B73-1	---	---	---	---	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.31	<0.31	<0.50	Chloromethane ¹	2.7	µg/L			
B2-B	<5.0	<5.0	0.89	1	<5.0	1.01	<0.60	0.83	1	<0.60	Chromium ¹			
B8-2	<5.0	<5.0	0.98	1	<5.0	0.81	1.01	0.90	1	<0.60	Chromium ¹			
B-32	---	17	1.31	<5.0	8.7	2.41	1.81	0.93	1	Chromium ¹	100	µg/L		
B33-1	11.0	11.0	8.3	8.0	8.2	7.2	5.7	5.6	Chromium ¹	100	µg/L			
B34-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.60	<0.60	0.70	1	Chromium ¹	100	µg/L		
B35-1	<5.0	<5.0	2.61	<5.0	2.01	1.61	1.71	---	Chromium ¹	100	µg/L			
B-36	<5.0	<5.0	1.21	<5.0	1.01	<0.60	<0.60	0.75	1	Chromium ¹	100	µg/L		
B37-1	<5.0	<5.0	1.11	<5.0	1.01	<0.60	<0.60	0.74	1	Chromium ¹	100	µg/L		
B38-1	<5.0	<5.0	1.41	<5.0	0.81	0.62	1	0.91	1	<0.60	Chromium ¹	100	µg/L	
B40-1	<5.0	<5.0	1.11	<5.0	2.01	1.91	1.91	1.61	Chromium ¹	100	µg/L			
B41-1	<5.0	<5.0	4.01	<5.0	5.01	4.51	5.0	4.71	Chromium ¹	100	µg/L			
B42-1	<5.0	<5.0	1.51	<5.0	2.01	1.81	2.51	1.41	Chromium ¹	100	µg/L			
B43-1	<5.0	<5.0	0.78	1	<5.0	0.81	<0.60	<0.60	Chromium ¹	100	µg/L			
B45-1	<5.0	<5.0	2.11	<5.0	11	1.21	2.51	2.11	Chromium ¹	100	µg/L			
B58-1	<5.0	<5.0	1.01	<5.0	---	---	---	---	Chromium ¹	100	µg/L			
B59-1	25	---	1.01	<5.0	0.71	<0.60	---	---	Chromium ¹	100	µg/L			
B-60	<5.0	<5.0	0.95	1	<5.0	1.01	0.62	1	0.84	1	<0.60	Chromium ¹	100	µg/L
B62-1	---	---	---	15	5.01	3.81	4.91	8.4	Chromium ¹	100	µg/L			
B63-1	<5.0	<5.0	1.21	<5.0	1.01	0.70	1	0.82	1	<0.60	Chromium ¹	100	µg/L	
B-67	<5.0	<5.0	1.31	<5.0	---	---	---	---	Chromium ¹	100	µg/L			
B-68	<5.0	<5.0	2.01	<5.0	3.01	2.31	2.21	2.71	Chromium ¹	100	µg/L			
B70-1	---	---	---	---	2.01	1.21	1.21	1.21	Chromium ¹	100	µg/L			
B73-1	---	---	---	---	<5.0	<0.60	<0.60	<0.60	Chromium ¹	100	µg/L			
FA-1B	<5.0	<5.0	0.76	1	<5.0	<5.0	<0.60	<0.60	Chromium ¹	100	µg/L			
FA-2C	<5.0	<5.0	0.81	1	<5.0	0.81	<0.60	<0.60	1.21	Chromium ¹	100	µg/L		
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.15	cis-1,2-Dichloroethene ¹	70	µg/L			
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.15	cis-1,2-Dichloroethene ¹	70	µg/L			
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.15	cis-1,2-Dichloroethene ¹	70	µg/L			
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.15	cis-1,2-Dichloroethene ¹	70	µg/L			
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.15	cis-1,2-Dichloroethene ¹	70	µg/L			

B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B41-1	<1.0	<1.0	<1.0	<1.0	0.22 I	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B43-1	<1.0	<1.0	<1.0	<1.0	0.23 I	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B45-1	<1.0	<1.0	<1.0	<1.0	0.33 I	0.27 I	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.	
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	cis-1,2-Dichloroethene ¹	70	µg/L.	
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.15	---	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	---	cis-1,2-Dichloroethene ¹	70	µg/L.
B62-1	---	---	---	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	cis-1,2-Dichloroethene ¹	70	µg/L.	
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B70-1	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B73-1	---	---	---	---	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.15	<0.15	<0.17	cis-1,2-Dichloroethene ¹	70	µg/L.
B2-B	<10	15	8.7 I	<10	7.0 I	<1.5	<7.4	35	Cobalt ³	420	µg/L.
B8-2	<10	<10	<10	<10	<10	<1.5	<1.5	3.9 I	Cobalt ³	420	µg/L.
B-32	---	<10	2.5 I	<10	3.0 I	<1.5	<1.5	3.5 I	Cobalt ³	420	µg/L.
B33-1	<10	<10	<10	<10	<10	<1.5	<1.5	2.7 I	Cobalt ³	420	µg/L.
B34-1	<10	<10	<10	<10	7.0 I	<1.5	<1.5	5.6 I	Cobalt ³	420	µg/L.
B35-1	<10	<10	<10	<10	<10	<1.5	<1.5	---	Cobalt ³	420	µg/L.
B-36	<10	16	11	<10	15	<1.5	<1.5	18	Cobalt ³	420	µg/L.
B37-1	<10	40	27.0	12	21	2.9 I	<1.5	26	Cobalt ³	420	µg/L.
B38-1	<10	<10	<10	<10	<10	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B40-1	<10	<10	<10	<10	<10	<1.5	<1.5	1.8 I	Cobalt ³	420	µg/L.
B41-1	<10	18	6.9 I	<10	13	3.7 I	2.6 I	15	Cobalt ³	420	µg/L.
B42-1	<10	<10	<10	<10	3.0 I	<1.5	<1.5	11	Cobalt ³	420	µg/L.
B43-1	<10	<10	3.9 I	<10	<10	2.3 I	<1.5	4.7 I	Cobalt ³	420	µg/L.
B45-1	<10	23	6.1 I	<10	2 I	7.8 I	<1.5	10	Cobalt ³	420	µg/L.
B58-1	<10	<10	<10	<10	---	---	---	---	Cobalt ³	420	µg/L.
B59-1	---	4.3 I	<10	4.0 I	2.8 I	---	---	---	Cobalt ³	420	µg/L.
B-60	<10	<10	2.2 I	<10	2.0 I	<1.5	<1.5	---	Cobalt ³	420	µg/L.
B62-1	---	---	---	<10	24	23	16	26	Cobalt ³	420	µg/L.
B63-1	<10	<10	2.2 I	<10	4.0 I	1.6 I	<1.5	5.8 I	Cobalt ³	420	µg/L.
B-67	<10	<10	2.5 I	<10	---	---	---	---	Cobalt ³	420	µg/L.
B-68	<10	<10	4.8 I	<10	3.0 I	<1.5	<1.5	4.7 I	Cobalt ³	420	µg/L.
B70-1	---	---	---	---	<10	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B73-1	---	---	---	---	<10	<1.5	<1.5	4.4 I	Cobalt ³	420	µg/L.
FA-1B	<10	<10	2.7 I	<10	3.0 I	<1.5	<1.5	5.2 I	Cobalt ³	420	µg/L.
FA-2C	<10	<10	3.8 I	<10	5 I	<1.5	<1.5	<1.6	Cobalt ³	420	µg/L.
B2-B	<10	<10	1.9 I	<10	2.0 I	5.0	1.2 I	0.95 I	Copper ²	1,000	µg/L.
B8-2	<10	<10	<10	<10	<5.0	<0.58	0.86 I	<0.47	Copper ²	1,000	µg/L.
B-32	---	<10	0.94 I	<10	2.0 I	<0.58	0.64 I	0.54 I	Copper ²	1,000	µg/L.
B33-1	<10	<10	<10	<10	1.0 I	<0.58	<0.58	<0.47	Copper ²	1,000	µg/L.
B34-1	<10	<10	<10	<10	2.0 I	0.71 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B35-1	<10	<10	1.5 I	<10	1.0 I	<0.58	<0.58	---	Copper ²	1,000	µg/L.
B-36	<10	<10	<10	<10	1.0 I	<0.58	<0.58	<0.47	Copper ²	1,000	µg/L.
B37-1	<10	<10	<10	<10	2.0 I	<0.58	<0.58	0.54 I	Copper ²	1,000	µg/L.
B38-1	<10	<10	<10	<10	2.0 I	<0.58	<0.58	<0.47	Copper ²	1,000	µg/L.
B40-1	<10	<10	<10	<10	1.0 I	0.82 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B41-1	<10	<10	<10	<10	1.0 I	1.2 I	<0.58	0.50 I	Copper ²	1,000	µg/L.
B42-1	<10	<10	<10	<10	1.0 I	1.2 I	<0.58	0.59 I	Copper ²	1,000	µg/L.
B43-1	<10	<10	<10	<10	2.0 I	0.90 I	<0.58	0.69 I	Copper ²	1,000	µg/L.
B45-1	<10	<10	3.5 I	<10	<5.0	<0.58	<0.58	0.92 I	Copper ²	1,000	µg/L.
B58-1	<10	<10	<10	<10	---	---	---	---	Copper ²	1,000	µg/L.
B59-1	<10	---	<10	<10	1.0 I	1.2 I	---	---	Copper ²	1,000	µg/L.
B-60	<10	<10	<10	<10	1.0 I	0.77 I	<0.58	---	Copper ²	1,000	µg/L.
B62-1	---	---	---	<10	1.0 I	<0.58	<0.58	1.1 I	Copper ²	1,000	µg/L.
B63-1	<10	<10	2.4 I	<10	2.0 I	0.89 I	<0.58	<0.47	Copper ²	1,000	µg/L.
B-67	<10	<10	3.5 I	<10	---	---	---	---	Copper ²	1,000	µg/L.
B-68	<10	<10	2.3 I	<10	2.0 I	0.94 I	<0.58	1.2 I	Copper ²	1,000	µg/L.
B70-1	---	---	---	---	1.0 I	<0.58	0.85 I	0.54 I	Copper ²	1,000	µg/L.
B73-1	---	---	---	---	<5.0	0.67 I	0.70 I	<0.47	Copper ²	1,000	µg/L.
FA-1B	<10	<10	<10	<10	<5.0	0.96 I	1.8 I	<0.47	Copper ²	1,000	µg/L.

B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Ethybenzene ¹	700	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
B70-1	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
B73-1	---	---	---	---	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethybenzene ¹	700	µg/L
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	1,100	20	3,600	43	3,500	480	1,200	230	Iron ²	300	µg/L
B8-2	6,700	7,400	8,600	7,600	8,900	10,000	16,000	13,000	Iron ²	300	µg/L
B-32	13,000	5,600	4,700	5,200	3,600	3,500	3,300	Iron ²	300	µg/L	
B33-1	8,900	8,800	8,300	8,400	8,300	7,700	8,000	7,200	Iron ²	300	µg/L
B34-1	10,000	10,000	250	9,200	340	12,000	14,000	13,000	Iron ²	300	µg/L
B35-1	8,300	8,500	10,000	7,500	89,000	8,000	8,600	Iron ²	300	µg/L	
B-36	4,500	4,200	4,200	4,700	5,600	5,000	4,800	4,800	Iron ²	300	µg/L
B37-1	35,000	34,000	22,000	32,000	32,000	32,000	30,000	32,000	Iron ²	300	µg/L
B38-1	9,100	9,800	10,000	10,000	8,900	12,000	14,000	15,000	Iron ²	300	µg/L
B40-1	12,000	12,000	11,000	10,000	12,000	12,000	12,000	10,000	Iron ²	300	µg/L
B41-1	23,000	22,000	22,000	20,000	24,000	23,000	22,000	23,000	Iron ²	300	µg/L

B42-1	17,000	18,000	20,000	21,000	23,000	24,000	27,000	26,000	Iron ³	300	µg/L
B43-1	37,000	35,000	30,000	37,000	28,000	29,000	32,000	32,000	Iron ³	300	µg/L
B45-1	72,000	72,000	52,000	74,000	49,000	68,000	58,000	56,000	Iron ³	300	µg/L
B58-1	14,000	12,000	11,000	18,000					Iron ³	300	µg/L
B59-1	59,000		8,400	8,100	8,700	8,500			Iron ³	300	µg/L
B-60	2,900	2,900	8,000	8,200	8,200	7,800	6,500		Iron ³	300	µg/L
B62-1				88,000	89,000	65,000	65,000	50,000	Iron ³	300	µg/L
B63-1	3,700	3,600	3,800	4,200	3,900	3,500	3,700	3,400	Iron ³	300	µg/L
B-67	12,000	19,000	15,000	14,000					Iron ³	300	µg/L
B-68	8,600	12,000	8,200	12,000	11,000	12,000	14,000	23,000	Iron ³	300	µg/L
B70-1					2,500	2,000	2,600	2,600	Iron ³	300	µg/L
B73-1					8,000	9,800	12,000	11,000	Iron ³	300	µg/L
FA-1B	150	230	220	300	320	670	420	1,200	Iron ³	300	µg/L
FA-2C	58	42	72	75	74	34	110	47	Iron ³	300	µg/L
MCL	300	300	300	300	300	300	300	300			
B2-B	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B8-2	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B-32	---	14	2.0 II	<5.0	5.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B33-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B34-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B35-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	1.9 II	---	Lead ¹	15	µg/L
B-36	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B37-1	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B38-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B40-1	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B41-1	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B42-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B43-1	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B45-1	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B58-1	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Lead ¹	15	µg/L
B59-1	14	---	<5.0	<5.0	<5.0	<1.8	---	---	Lead ¹	15	µg/L
B-60	<5.0	<5.0	<5.0	<5.0	2.0 I	<1.8	<1.8	---	Lead ¹	15	µg/L
B62-1	---	---	---	5.0	2.0 I	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B63-1	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	1.9 II	<2.2	Lead ¹	15	µg/L
B-67	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Lead ¹	15	µg/L
B-68	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B70-1	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B73-1	---	---	---	---	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
FA-1B	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
FA-2C	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2	Lead ¹	15	µg/L
B2-B	<0.20	<0.20	<0.20	<0.20	<0.20	0.044 I	<0.036	<0.012	Mercury ¹	2	µg/L
B8-2	<0.20	<0.20	0.062 I	<0.20	<0.20	0.051 I	<0.036	<0.012	Mercury ¹	2	µg/L
B-32	---	<0.20	<0.20	<0.20	<0.20	0.049 I	<0.036	<0.012	Mercury ¹	2	µg/L
B33-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.051 I	<0.036	<0.012	Mercury ¹	2	µg/L
B34-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.051 I	<0.036	<0.012	Mercury ¹	2	µg/L

B45-1	0.430	0.530	0.190	0.410	0.400	0.380	0.490	0.380	Nitrogen Ammonia (As N) ³	2.8	mg/L
B58-1	0.14	0.21	0.13	0.21					Nitrogen Ammonia (As N) ³	2.8	mg/L
B59-1	0.10		0.160	0.27	0.19	0.20			Nitrogen Ammonia (As N) ³	2.8	mg/L
B-60	0.17	0.27	0.10	0.16	0.14	0.13	0.19		Nitrogen Ammonia (As N) ³	2.8	mg/L
B62-1				110	110	140	140	99	Nitrogen Ammonia (As N) ³	2.8	mg/L
B63-1	0.21	0.25	0.140	0.37	0.19	0.40	0.260	0.17	Nitrogen Ammonia (As N) ³	2.8	mg/L
B-67	0.250	0.410	0.180	0.290					Nitrogen Ammonia (As N) ³	2.8	mg/L
B-68	0.18	0.38	0.69	0.87	1.30	2.70	1.50	4.50	Nitrogen Ammonia (As N) ³	2.8	mg/L
B70-1					0.10	0.095	0.18	0.03	Nitrogen Ammonia (As N) ³	2.8	mg/L
B73-1					0.15	0.15	0.20	0.13	Nitrogen Ammonia (As N) ³	2.8	mg/L
FA-1B	0.45	0.46	0.38	0.43	0.41	0.55	0.35	0.52	Nitrogen Ammonia (As N) ³	2.8	mg/L
FA-2C	1.4	0.93	0.570	0.64	0.59	0.63	0.670	0.63	Nitrogen Ammonia (As N) ³	2.8	mg/L
MCL	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	Nitrogen Ammonia (As N) ³	2.8	mg/L
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	0.125	0.125	0.250	0.025	0.081	1.9	0.090	0.002	Nitrogen, Nitrate ¹	10	mg/L
B8-2	0.025	0.025	0.025	0.025	0.500	0.008	0.042	0.030	Nitrogen, Nitrate ¹	10	mg/L
B-32	0.360	0.025	0.500	0.060	0.008	0.005	0.002		Nitrogen, Nitrate ¹	10	mg/L
B33-1	0.025	0.025	0.025	0.025	0.500	0.008	0.037	0.002	Nitrogen, Nitrate ¹	10	mg/L
B34-1	0.025	0.025	36	0.025	3.0	0.008	0	0.005	Nitrogen, Nitrate ¹	10	mg/L
B35-1	0.025	0.025	0.040	0.025	0.025	0.008	0.076		Nitrogen, Nitrate ¹	10	mg/L
B-36	0.250	0.025	0.050	0.250	0.300	0.080	0.042	0.009	Nitrogen, Nitrate ¹	10	mg/L
B37-1	0.250	0.025	0.500	0.500	0.700	0.080	0.005	0.002	Nitrogen, Nitrate ¹	10	mg/L
B38-1	0.025	0.025	0.025	0.050	0.025	0.008	0.005	0.005	Nitrogen, Nitrate ¹	10	mg/L
B40-1	0.025	0.025	0.025	0.025	0.060	0.008	0.090	0.005	Nitrogen, Nitrate ¹	10	mg/L
B41-1	0.250	0.250	0.250	0.125	0.250	0.008	0.070	0.002	Nitrogen, Nitrate ¹	10	mg/L
B42-1	0.025	0.125	0.250	0.125	0.040	0.008	0.034	0.042	Nitrogen, Nitrate ¹	10	mg/L
B43-1	0.250	0.025	0.025	0.025	0.090	0.008	0.660	0.002	Nitrogen, Nitrate ¹	10	mg/L
B45-1	0.250	0.250	0.025	0.025	0.500	0.008	0.033	0.002	Nitrogen, Nitrate ¹	10	mg/L
B58-1	0.025	0.530	0.025	0.025					Nitrogen, Nitrate ¹	10	mg/L
B59-1	0.025		0.025	0.005	0.040	0.008			Nitrogen, Nitrate ¹	10	mg/L
B-60	0.025	0.050	0.025	0.025	0.025	0.008	0.005		Nitrogen, Nitrate ¹	10	mg/L

B62-1			0.600	0.600	0.080	0.009	0.002	Nitrogen, Nitrate ¹	10	mg/L	
B63-1	0.025	0.025	0.013	0.025	0.025	0.008	0.005	Nitrogen, Nitrate ¹	10	mg/L	
B-67	0.025	0.025	0.020	0.025				Nitrogen, Nitrate ¹	10	mg/L	
B-68	0.025	0.025	0.025	0.025	0.500	0.008	0.017	Nitrogen, Nitrate ¹	10	mg/L	
B70-1					0.500	0.008	0.005	0.077			
B73-1					0.025	0.008	0.150	0.002			
FA-1B	0.025	0.025	0.025	0.025	0.025	0.008	0.005	0.002			
FA-2C	0.025	0.025	0.025	0.025	0.079	0.008	0.005	0.002			
MCL	10,000	10,000	10,000	10,000	10,000	10,000	10,000	Nitrogen, Nitrate ¹	10	mg/L	
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	6.65	5.55	6.76	6.51	6.57	6.61	6.55	pH (Field) ²	6.5-8.5	Unit	
B8-2	6.69	5.36	6.87	6.31	6.24	5.86	5.90	pH (Field) ²	6.5-8.5	Unit	
B-32	6.97	6.86	6.57	7.00	6.75	6.91	7.39	pH (Field) ²	6.5-8.5	Unit	
B33-1	6.90	6.71	6.27	6.02	6.46	6.24	6.47	pH (Field) ²	6.5-8.5	Unit	
B34-1	7.23	5.77	6.81	6.56	6.68	6.48	6.54	pH (Field) ²	6.5-8.5	Unit	
B35-1	5.97	4.91	5.72	5.36	5.11	5.19	5.25	pH (Field) ²	6.5-8.5	Unit	
B-36	6.74	5.84	7.50	6.47	6.40	6.34	6.41	pH (Field) ²	6.5-8.5	Unit	
B37-1	6.81	5.91	6.33	6.36	6.36	6.35	6.45	pH (Field) ²	6.5-8.5	Unit	
B38-1	6.05	5.53	5.86	5.47	5.35	5.34	5.43	pH (Field) ²	6.5-8.5	Unit	
B40-1	6.19	4.96	5.93	5.83	5.65	5.31	5.15	pH (Field) ²	6.5-8.5	Unit	
B41-1	6.69	5.57	6.13	6.24	6.25	6.07	6.17	pH (Field) ²	6.5-8.5	Unit	
B42-1	6.32	5.42	5.70	5.84	5.81	5.56	5.60	pH (Field) ²	6.5-8.5	Unit	
B43-1	6.83	5.38	6.22	6.05	6.01	5.97	6.07	pH (Field) ²	6.5-8.5	Unit	
B45-1	6.46	5.36	5.12	6.10	5.92	5.97	6.08	pH (Field) ²	6.5-8.5	Unit	
B58-1	6.56	4.96	5.72	5.60				pH (Field) ²	6.5-8.5	Unit	
B59-1	7.22		6.45	6.21	6.39	6.41		pH (Field) ²	6.5-8.5	Unit	
B-60	7.00	5.96	6.17	6.20	5.96	5.96	6.19	pH (Field) ²	6.5-8.5	Unit	
B62-1				6.65	6.46	6.44	6.59	6.36	pH (Field) ²	6.5-8.5	Unit
B63-1	7.30	5.85	6.53	6.64	6.40	6.35	6.50	pH (Field) ²	6.5-8.5	Unit	
B-67	7.32	5.77	6.18	6.79				pH (Field) ²	6.5-8.5	Unit	
B-68	6.87	5.34	6.34	6.03	6.04	5.80	5.73	5.90	pH (Field) ²	6.5-8.5	Unit
B70-1					5.80	5.86	5.87	5.99	pH (Field) ²	6.5-8.5	Unit
B73-1					6.06	6.22	6.48	8.34	pH (Field) ²	6.5-8.5	Unit
FA-1B	7.63	5.27	7.51	7.16	6.95	7.04	7.12	6.54	pH (Field) ²	6.5-8.5	Unit
FA-2C	9.68	6.14	8.82	8.30	8.96	8.58	8.23	8.79	pH (Field) ²	6.5-8.5	Unit
MCL LOW	6.50	6.50	6.50	6.50	6.50	6.50	6.50				
MCL HIGH	8.50	8.50	8.50	8.50	8.50	8.50	8.50				
B2-B	<5.0	<5.0	4.71	<5.0	<10	4.81	<4.0	<3.1	Selenium ¹	50	µg/L
B8-2	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B-32	---	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B33-1	<5.0	<5.0	6	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B34-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B35-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	---	Selenium ¹	50	µg/L
B-36	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B37-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B38-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B40-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B41-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B42-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B43-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B45-1	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B58-1	<5.0	4.51	<5.0	---	---	---	---	---	Selenium ¹	50	µg/L
B59-1	22	---	<5.0	<5.0	<10	<4.0	---	---	Selenium ¹	50	µg/L
B-60	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	---	Selenium ¹	50	µg/L
B62-1	---	---	5.8	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B63-1	<5.0	3.41	<5.0	<10	<4.0	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B-67	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Selenium ¹	50	µg/L
B-68	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B70-1	---	---	---	---	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B73-1	---	---	---	---	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
FA-1B	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
FA-2C	<5.0	<5.0	<5.0	<5.0	<10	<4.0	<4.0	<3.1	Selenium ¹	50	µg/L
B2-B	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B8-2	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-32	---	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B33-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B34-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B35-1	<10	<10	<10	<10	<5.0	<1.4	<1.40	---	Silver ²	100	µg/L
B-36	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B37-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B38-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B40-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B41-1	<10	<10	1.81	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B42-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B43-1	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B45-1	<10	<10	1.31	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B58-1	<10	<10	<10	<10	---	---	---	---	Silver ²	100	µg/L
B59-1	<10	1.71	<10	<5.0	<1.4	---	---	---	Silver ²	100	µg/L
B-60	<10	<10	<10	<10	<5.0	<1.4	<1.4	---	Silver ²	100	µg/L
B62-1	---	---	---	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B63-1	<10	<10	<10	<10	1.01	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B-67	<10	<10	<10	<10	---	---	---	---	Silver ²	100	µg/L
B-68	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
B70-1	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L

B73-1	---	---	---	---	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
FA-1B	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
FA-2C	<10	<10	<10	<10	<5.0	<1.4	<1.4	<0.93	Silver ²	100	µg/L
	6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	17,000	9,600	11,000	11,000	3,000	6,700	29,000	13,000	Sodium ¹	160,000	µg/L
B8-2	20,000	20,000	19,000	20,000	18,000	22,000	22,000	23,000	Sodium ¹	160,000	µg/L
B-32	27,000	26,000	29,000	23,000	23,000	23,000	23,000	26,000	Sodium ¹	160,000	µg/L
B33-1	47,000	48,000	48,000	47,000	45,000	45,000	46,000	45,000	Sodium ¹	160,000	µg/L
B34-1	37,000	33,000	12,000	35,000	14,000	33,000	34,000	35,000	Sodium ¹	160,000	µg/L
B35-1	14,000	15,000	15,000	13,000	14,000	14,000	15,000	—	Sodium ¹	160,000	µg/L
B-36	99,000	96,000	94,000	100,000	110,000	110,000	100,000	100,000	Sodium ¹	160,000	µg/L
B37-1	280,000	270,000	240,000	220,000	210,000	200,000	180,000	180,000	Sodium ¹	160,000	µg/L
B38-1	19,000	20,000	22,000	21,000	21,000	23,000	26,000	28,000	Sodium ¹	160,000	µg/L
B40-1	46,000	45,000	46,000	41,000	46,000	46,000	44,000	46,000	Sodium ¹	160,000	µg/L
B41-1	190,000	190,000	170,000	150,000	190,000	190,000	160,000	170,000	Sodium ¹	160,000	µg/L
B42-1	65,000	68,000	78,000	80,000	87,000	98,000	110,000	110,000	Sodium ¹	160,000	µg/L
B43-1	110,000	110,000	110,000	98,000	91,000	110,000	100,000	100,000	Sodium ¹	160,000	µg/L
B45-1	300,000	320,000	120,000	310,000	220,000	320,000	280,000	270,000	Sodium ¹	160,000	µg/L
B58-1	29,000	28,000	27,000	54,000	—	—	—	—	Sodium ¹	160,000	µg/L
B59-1	25,000	—	78,000	78,000	78,000	90,000	—	—	Sodium ¹	160,000	µg/L
B-60	33,000	37,000	26,000	26,000	26,000	25,000	27,000	—	Sodium ¹	160,000	µg/L
B62-1	—	—	400,000	—	45,000	470,000	480,000	370,000	Sodium ¹	160,000	µg/L
B63-1	46,000	46,000	39,000	48,000	50,000	53,000	52,000	54,000	Sodium ¹	160,000	µg/L
B-67	32,000	26,000	41,000	44,000	—	—	—	—	Sodium ¹	160,000	µg/L
B-68	39,000	33,000	25,000	24,000	24,000	22,000	18,000	19,000	Sodium ¹	160,000	µg/L
B70-1	—	—	—	15,000	13,000	15,000	15,000	15,000	Sodium ¹	160,000	µg/L
B73-1	—	—	—	28,000	36,000	40,000	41,000	41,000	Sodium ¹	160,000	µg/L
FA-1B	9,600	10,000	11,000	10,000	9,900	9,900	9,300	11,000	Sodium ¹	160,000	µg/L
FA-2C	60,000	53,000	48,000	48,000	46,000	48,000	47,000	62,000	Sodium ¹	160,000	µg/L
MCL	160,000	160,000	160,000	160,000	160,000	160,000	160,000	160,000	—	—	—


B2-B	1,210	1,060	873	1,380	934	1,325	2,651	2,551	Specific Conductance (Field)	NA	umho/cm					
B8-2	382	305	525	331	358	457	521	452	Specific Conductance (Field)	NA	umho/cm					
B-32	---	88.6	299	413	358	364	359	465	Specific Conductance (Field)	NA	umho/cm					
B33-1	484	103	424	395	403	390	416	411	Specific Conductance (Field)	NA	umho/cm					
B34-1	483	468	487	530	688	634	659	650	Specific Conductance (Field)	NA	umho/cm					
B35-1	397	382	367	224	255	261	276	---	Specific Conductance (Field)	NA	umho/cm					
B-36	1,330	1,070	966	1,540	1,709	1,693	2,052	1,144	Specific Conductance (Field)	NA	umho/cm					
B37-1	2,430	1,830	1,077	2,310	2,255	2,342	2,390	2,509	Specific Conductance (Field)	NA	umho/cm					
B38-1	169	293	288	193	198	231	266	299	Specific Conductance (Field)	NA	umho/cm					
B40-1	468	430	451	445	501	486	579	445	Specific Conductance (Field)	NA	umho/cm					
B41-1	1,390	1,180	1,214	1,720	2,012	2,107	2,450	2,199	Specific Conductance (Field)	NA	umho/cm					
B42-1	753	840	814	1,025	1,159	1,275	1,390	1,364	Specific Conductance (Field)	NA	umho/cm					
B43-1	733	833	719	1,140	1,003	972	1,301	1,278	Specific Conductance (Field)	NA	umho/cm					
B45-1	2,480	1,730	694	2,200	2,293	2,456	2,237	2,372	Specific Conductance (Field)	NA	umho/cm					
B58-1	411	242	426	830	---	---	---	---	Specific Conductance (Field)	NA	umho/cm					
B59-1	929	---	730	880	990	1,024	---	---	Specific Conductance (Field)	NA	umho/cm					
B-60	436	478	564	460	503	540	522	---	Specific Conductance (Field)	NA	umho/cm					
B62-1	---	---	---	4,000	4,996	4,921	5,067	890	Specific Conductance (Field)	NA	umho/cm					
B63-1	796	736	596	610	727	712	706	770	Specific Conductance (Field)	NA	umho/cm					
B-67	618	710	611	800	---	---	---	---	Specific Conductance (Field)	NA	umho/cm					
B-68	695	548	637	500	603	610	527	870	Specific Conductance (Field)	NA	umho/cm					
B70-1	---	---	---	---	152	145	154	153	Specific Conductance (Field)	NA	umho/cm					
B73-1	---	---	---	---	394	523	650	730	Specific Conductance (Field)	NA	umho/cm					
FA-1B	613	968	420	525	464	545	551	669	Specific Conductance (Field)	NA	umho/cm					
FA-2C	493	944	869	630	663	472	571	588	Specific Conductance (Field)	NA	umho/cm					
6/19/2001		12/5/2001		6/28/2002		11/6/2002		4/14/2003		10/29/2003		4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	380	320	270	240	260	0	1,000	840	Sulfate ²	250	mg/L					
B8-2	60	77	88	75	74	120	160	130	Sulfate ²	250	mg/L					
B-32	6.3	6.8	2.6	2.1	3.0	2.8	7.8	7.8	Sulfate ²	250	mg/L					
B33-1	0.85	0.7	0.9	0.3	0.50	0.0	0.4	0.0	Sulfate ²	250	mg/L					
B34-1	27	36	46	46	74	76	84	86	Sulfate ²	250	mg/L					
B35-1	0.3	0.6	0.6	0.3	0.3	0.0	0.5	0.5	Sulfate ²	250	mg/L					
B-36	2.5	2.5	2.5	2.5	2.5	0.3	0.5	0.0	Sulfate ²	250	mg/L					
B37-1	2.5	2.5	5.0	5.0	5.0	0.3	0.5	0.5	Sulfate ²	250	mg/L					
B38-1	3.6	3.4	3.5	4.0	5.3	6.4	10.0	13	Sulfate ²	250	mg/L					
B40-1	89	84	75	66	92	87	89	80	Sulfate ²	250	mg/L					
B41-1	13	13	20	26	19	15	23	23	Sulfate ²	250	mg/L					
B42-1	190	220	280	240	62	360	400	390	Sulfate ²	250	mg/L					
B43-1	5.7	0.3	1.3	1.3	1.4	1.2	1.5	0.1	Sulfate ²	250	mg/L					
B45-1	2.5	2.5	0.5	5.0	5.0	0.0	0.5	0.5	Sulfate ²	250	mg/L					
B58-1	160	120	110	310					Sulfate ²	250	mg/L					
B59-1	230		77	60	84	60			Sulfate ²	250	mg/L					
B-60	13	2.3	130	110	130	140	98		Sulfate ²	250	mg/L					
B62-1				12	16	4.4	1.3	6	Sulfate ²	250	mg/L					
B63-1	0.3	1.0	0.6	0.3	0.3	0.0	0.0	0.0	Sulfate ²	250	mg/L					
B-67	42	120	18	46					Sulfate ²	250	mg/L					
B-68	11	29	12	26	21	12	6.3	0.70	Sulfate ²	250	mg/L					
B70-1					1	6.6	14	8.7	Sulfate ²	250	mg/L					
B73-1					1	0	0	1.9	Sulfate ²	250	mg/L					
FA-1B	0.3	0.3	0.3	0.3	0.3	0.0	0.2	0.2	Sulfate ²	250	mg/L					
FA-2C	0.69	0.3	0.4	0.3	0.50	1.3	0.1	0.63	Sulfate ²	250	mg/L					
MCL	250.00	250.00	250.00	250.00	250.00	250.00	250.00	250.00								
B2-B	25.5	24.5	26.2	26.0	22.0	25.5	23.4	25.5	Temperature (Field)	NA	Deg C					
B8-2	23.7	24.6	25.4	25.9	24.0	25.1	24.1	25.8	Temperature (Field)	NA	Deg C					
B-32	---	25.0	24.5	23.2	23.3	24.0	22.8	24.3	Temperature (Field)	NA	Deg C					
B33-1	23.0	25.4	24.0	22.4	23.1	23.2	22.4	23.6	Temperature (Field)	NA	Deg C					
B34-1	22.5	22.6	23.9	23.0	21.1	22.9	22.5	23.4	Temperature (Field)	NA	Deg C					
B35-1	23.5	23.0	23.4	23.5	22.5	23.8	22.8	---	Temperature (Field)	NA	Deg C					
B-36	23.6	22.8	22.8	23.0	22.0	23.1	21.8	23.3	Temperature (Field)	NA	Deg C					
B37-1	23.2	22.6	23.3	23.0	22.3	23.0	22.6	24.1	Temperature (Field)	NA	Deg C					
B38-1	22.8	21.7	23.0	22.0	21.7	22.3	21.9	22.6	Temperature (Field)	NA	Deg C					
B40-1	22.0	22.3	21.8	22.7	20.5	22.0	20.3	22.4	Temperature (Field)	NA	Deg C					
B41-1	21.9	22.4	22.8	22.5	21.9	22.3	21.8	22.4	Temperature (Field)	NA	Deg C					
B42-1	21.7	22.1	22.1	22.3	21.5	22.3	21.7	22.6	Temperature (Field)	NA	Deg C					
B43-1	21.9	21.8	22.7	22.8	21.5	22.6	21.7	23.1	Temperature (Field)	NA	Deg C					
B45-1	22.0	21.6	23.3	22.8	22.0	22.3	22.0	23.5	Temperature (Field)	NA	Deg C					
B58-1	23.8	24.2	23.7	24.4	---	---	---	---	Temperature (Field)	NA	Deg C					
B59-1	26.5	---	24.1	24.0	23.1	23.4	---	---	Temperature (Field)	NA	Deg C					
B-60	23.5	23.6	22.7	25.0	23.1	23.8	23.2	---	Temperature (Field)	NA	Deg C					
B62-1	---	---	---	23.5	23.5	24.2	23.6	24.9	Temperature (Field)	NA	Deg C					
B63-1	23.1	24.2	24.4	25.0	22.3	23.1	23.4	23.7	Temperature (Field)	NA	Deg C					

B-67	23.7	23.8	25.9	25.0	---	---	---	---	Temperature (Field)	NA	Deg C
B-68	25.4	24.0	24.8	25.9	23.3	24.6	24.0	26.8	Temperature (Field)	NA	Deg C
B70-1	---	---	---	---	22.5	23.3	22.2	24.4	Temperature (Field)	NA	Deg C
B73-1	---	---	---	---	22.3	23.2	22.6	24.1	Temperature (Field)	NA	Deg C
FA-1B	25.0	22.7	27.9	21.8	22.8	22.2	22.1	23.0	Temperature (Field)	NA	Deg C
FA-2C	23.0	22.8	23.4	22.2	23.0	22.8	23.3	22.2	Temperature (Field)	NA	Deg C
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	0.5	0.5	1.0	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B8-2	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B-32	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B33-1	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B34-1	0.5	0.5	0.5	0.5	0.5	0.3	0.1	0.1	Thallium ¹	2	µg/L
B35-1	0.5	0.5	0.5	0.5	0.5	0.4	0.8	—	Thallium ¹	2	µg/L
B-36	0.5	0.5	0.7	0.5	0.5	0.1	0.3	0.2	Thallium ¹	2	µg/L
B37-1	0.5	0.5	0.6	0.5	0.5	0.3	0.6	0.1	Thallium ¹	2	µg/L
B38-1	0.5	0.5	0.7	0.5	0.5	0.1	0.1	0.3	Thallium ¹	2	µg/L
B40-1	0.5	0.5	0.9	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B41-1	1.1	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B42-1	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B43-1	0.5	0.5	0.5	0.5	0.5	0.3	0.4	0.1	Thallium ¹	2	µg/L
B45-1	2.4	0.5	0.5	0.5	0.5	0.3	0.4	0.1	Thallium ¹	2	µg/L
B58-1	0.5	0.5	0.5	0.5	—	—	—	—	Thallium ¹	2	µg/L
B59-1	2.0	—	0.5	0.5	0.5	0.1	—	—	Thallium ¹	2	µg/L
B-60	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B62-1	—	—	—	0.5	0.5	0.1	0.4	0.1	Thallium ¹	2	µg/L
B63-1	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
B-67	0.5	0.5	0.5	0.5	—	—	—	—	Thallium ¹	2	µg/L
B-68	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.4	Thallium ¹	2	µg/L
B70-1	—	—	—	—	0.5	0.5	0.5	0.1	Thallium ¹	2	µg/L
B73-1	—	—	—	—	0.5	0.1	0.3	0.1	Thallium ¹	2	µg/L
FA-1B	0.5	0.5	0.5	0.5	0.5	0.1	0.1	0.1	Thallium ¹	2	µg/L
FA-2C	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.1	Thallium ¹	2	µg/L
MCL	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	Thallium¹	—	—
B2-B	<1.0	<1.0	0.41	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B8-2	<1.0	<1.0	0.21	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B34-1	<1.0	<1.0	0.41	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	0.161	<0.10	---	Toluene ¹	1,000	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.10	0.321	6.20	Toluene ¹	1,000	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	0.241	0.241	<0.35	Toluene ¹	1,000	µg/L
B38-1	<1.0	<1.0	0.31	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B40-1	<1.0	<1.0	0.21	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	0.121	0.141	<0.35	Toluene ¹	1,000	µg/L
B42-1	<1.0	<1.0	0.41	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	0.131	<0.10	0.371	Toluene ¹	1,000	µg/L
B45-1	<1.0	1.20	0.81	<1.0	<1.0	1.0	0.791	0.771	Toluene ¹	1,000	µg/L
B58-1	<1.0	<1.0	0.31	<1.0	<1.0	---	---	---	Toluene ¹	1,000	µg/L
B59-1	<1.0	---	0.21	<1.0	<1.0	<0.10	---	---	Toluene ¹	1,000	µg/L
B-60	<1.0	<1.0	0.41	<1.0	<1.0	<0.10	<0.10	<0.10	Toluene ¹	1,000	µg/L
B62-1	---	---	---	<1.0	0.21	<0.10	0.191	<0.35	Toluene ¹	1,000	µg/L
B63-1	<1.0	<1.0	0.51	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Toluene ¹	1,000	µg/L
B-68	<1.0	<1.0	0.61	<1.0	<1.0	0.121	<0.10	<0.35	Toluene ¹	1,000	µg/L
B70-1	---	---	---	---	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
B73-1	---	---	---	---	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
FA-1B	<1.0	<1.0	0.21	<1.0	<1.0	<0.10	<0.10	0.501	Toluene ¹	1,000	µg/L
FA-2C	<1.0	<1.0	0.61	<1.0	<1.0	<0.10	<0.10	<0.35	Toluene ¹	1,000	µg/L
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	1,000	1,000	660	830	750	990	2,200	2,000	Total Dissolved Solids ²	500	mg/L
B8-2	240	250	310	230	240	310	350	300	Total Dissolved Solids ²	500	mg/L
B-32	250	330	330	250	240	260	220	240	Total Dissolved Solids ²	500	mg/L
B33-1	430	410	470	370	400	370	380	320	Total Dissolved Solids ²	500	mg/L
B34-1	350	380	410	360	480	420	410	450	Total Dissolved Solids ²	500	mg/L
B35-1	250	240	300	180	230	250	240	—	Total Dissolved Solids ²	500	mg/L
B-36	1,200	930	960	1,000	1,200	1,100	1,200	1,100	Total Dissolved Solids ²	500	mg/L
B37-1	2,000	1,500	1,600	1,300	1,500	1,500	1,600	1,500	Total Dissolved Solids ²	500	mg/L
B38-1	110	120	130	130	120	150	180	190	Total Dissolved Solids ²	500	mg/L
B40-1	330	370	470	380	360	370	340	350	Total Dissolved Solids ²	500	mg/L
B41-1	850	1,000	1,400	1,200	2,200	1,300	1,200	1,200	Total Dissolved Solids ²	500	mg/L
B42-1	620	640	890	710	910	960	1,000	1,100	Total Dissolved Solids ²	500	mg/L
B43-1	610	740	990	670	580	600	610	540	Total Dissolved Solids ²	500	mg/L

B45-1	1,300	1,600	1,600	1,300	1,500	1,500	1,400	1,200	Total Dissolved Solids ²	500	mg/L
B58-1	290	330	340	560					Total Dissolved Solids ²	500	mg/L
B59-1	560		760	460	640	660			Total Dissolved Solids ²	500	mg/L
B-60	240	340	540	330	340	380	340		Total Dissolved Solids ²	500	mg/L
B62-1				2,500	2,600	2,500	2,400	2,000	Total Dissolved Solids ²	500	mg/L
B63-1	540	480	290	480	460	430	430	430	Total Dissolved Solids ²	500	mg/L
B-67	300	610	500	550					Total Dissolved Solids ²	500	mg/L
B-68	390	470	760	390	390	400	360	390	Total Dissolved Solids ²	500	mg/L
B70-1					120	110	120	110	Total Dissolved Solids ²	500	mg/L
B73-1					280	330	370	330	Total Dissolved Solids ²	500	mg/L
FA-1B	290	300	380	270	330	340	340	320	Total Dissolved Solids ²	500	mg/L
FA-2C	320	250	510	300	370	290	320	320	Total Dissolved Solids ²	500	mg/L
MCL	500	500	500	500	500	500	500	500			
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	---	Total Xylenes ¹	10,000	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	0.53 I	2.00	Total Xylenes ¹	10,000	µg/L
B37-1	<1.0	<1.0	<1.0	1.10	<1.0	0.93 I	<0.29	1.2	Total Xylenes ¹	10,000	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	0.51 I	Total Xylenes ¹	10,000	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B43-1	1.5	<1.0	<1.0	1.8	<1.0	0.98 I	3.4	1.1	Total Xylenes ¹	10,000	µg/L
B45-1	10	2.20	<1.0	12	<1.0	12	8.2	7.50	Total Xylenes ¹	10,000	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Total Xylenes ¹	10,000	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.29	---	---	Total Xylenes ¹	10,000	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	---	Total Xylenes ¹	10,000	µg/L
B62-1	---	---	---	<1.0	<1.0	<0.29	0.77 I	<0.32	Total Xylenes ¹	10,000	µg/L
B63-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B-67	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Total Xylenes ¹	10,000	µg/L
B-68	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B70-1	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B73-1	---	---	---	---	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
FA-1B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
FA-2C	<1.0	<1.0	<1.0	<1.0	<1.0	<0.29	<0.29	<0.32	Total Xylenes ¹	10,000	µg/L
B2-B	6.90	1.94	2.67	1.11	1.70	1.40	1.50	7.21	Turbidity (Field)	NA	NTU
B8-2	8.90	3.54	5.13	2.38	4.70	2.70	5.20	1.97	Turbidity (Field)	NA	NTU
B-32	---	340	103	16	200	28	22	15.8	Turbidity (Field)	NA	NTU
B33-1	21	13	60.00	10	6.9	5.2	13.00	2.06	Turbidity (Field)	NA	NTU
B34-1	6.90	2.13	37.00	0.59	8.10	2.20	19.00	3.00	Turbidity (Field)	NA	NTU
B35-1	21.00	4.40	9.67	19.80	8.30	7.0	11.00	---	Turbidity (Field)	NA	NTU
B-36	6.10	15.00	0.29	0.42	3.50	0.79	2.60	1.66	Turbidity (Field)	NA	NTU
B37-1	5.40	16	4.15	2.53	1.10	1.18	3.70	1.71	Turbidity (Field)	NA	NTU
B38-1	6.10	3.60	5.18	2.33	1.40	1.10	7.10	1.51	Turbidity (Field)	NA	NTU
B40-1	6.50	4.98	0.34	4.24	1.80	2.40	8.10	1.02	Turbidity (Field)	NA	NTU
B41-1	7.40	2.43	1.00	2.04	2.40	1.40	3.90	8.77	Turbidity (Field)	NA	NTU
B42-1	4.60	2.50	0.75	0.63	0.55	0.75	10.00	2.51	Turbidity (Field)	NA	NTU
B43-1	5.30	3.05	3.38	1.36	0.90	1.50	6.70	5.04	Turbidity (Field)	NA	NTU
B45-1	6.80	3.05	125.00	2.80	3.00	2.55	18.00	5.32	Turbidity (Field)	NA	NTU
B58-1	4.50	4.98	1.50	0.54	---	---	---	---	Turbidity (Field)	NA	NTU
B59-1	40	---	6.91	1.64	1.30	1.40	---	---	Turbidity (Field)	NA	NTU
B-60	4.50	<1.0	2.38	1.03	1.10	0.70	2.50	---	Turbidity (Field)	NA	NTU
B62-1	---	---	---	>999	24	19.2	19	12.1	Turbidity (Field)	NA	NTU
B63-1	6.50	<1.0	52.00	16.60	6.90	2.70	8.10	3.35	Turbidity (Field)	NA	NTU
B-67	4.80	1.27	22.60	2.03	---	---	---	---	Turbidity (Field)	NA	NTU
B-68	6.60	14.40	52.20	11	12.00	4.20	6.30	10.04	Turbidity (Field)	NA	NTU
B70-1	---	---	---	---	3.80	1.8	2.70	1.58	Turbidity (Field)	NA	NTU
B73-1	---	---	---	---	2.60	1.10	0.65	3.02	Turbidity (Field)	NA	NTU
FA-1B	6.60	1.14	3.50	<0.01	1.40	0.75	1.70	3.02	Turbidity (Field)	NA	NTU
FA-2C	5.60	5.27	2.56	<0.01	1.30	0.85	0.95	4.15	Turbidity (Field)	NA	NTU
6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS	
B2-B	5.0	5.0	2.9	5.0	2.0	6.7	1.8	1.3	Vanadium ³	49	µg/L
B8-2	5.0	5.0	0.8	5.0	0.8	1.4	0.8	0.8	Vanadium ³	49	µg/L
B-32	21	4.0	5.0	9.0	3	1.8	1.6	Vanadium ³	49	µg/L	
B33-1	15	14	13	11	12	10	8	8	Vanadium ³	49	µg/L
B34-1	5.0	5.0	1.4	5.0	1.0	0.4	0.8	0.9	Vanadium ³	49	µg/L
B35-1	5.0	5.0	2.4	5.0	2.0	2.0	1.9	1.9	Vanadium ³	49	µg/L

B-36	5.0	5.0	1.7	5.0	1.0	0.2	0.6	0.4	Vanadium ³	49	µg/L
B37-1	5.0	5.0	1.0	5.0	0.8	0.2	1.2	1.1	Vanadium ³	49	µg/L
B38-1	5.0	5.0	2.1	5.0	1.0	0.7	1.3	1.2	Vanadium ³	49	µg/L
B40-1	5.0	5.0	2.2	5.0	3.0	2.5	2.6	1.6	Vanadium ³	49	µg/L
B41-1	14	11	12	5.0	10	8	8.8	8.8	Vanadium ³	49	µg/L
B42-1	5.0	5.0	2.4	5.0	2.0	1.3	2.6	1.4	Vanadium ³	49	µg/L
B43-1	5.0	5.0	5.5	5.0	4.0	5.0	5.2	6.2	Vanadium ³	49	µg/L
B45-1	5.0	5.0	19	5.0	3.0	2.6	5	5.8	Vanadium ³	49	µg/L
B58-1	5.0	5.0	1.5	5.0	5	0.2			Vanadium ³	49	µg/L
B59-1	140		1.1	5.0					Vanadium ³	49	µg/L
B-60	5.0	5.0	0.9	5.0	1.0	0.2	0.2		Vanadium ³	49	µg/L
B62-1				22	2.0	1.3	3.0	9	Vanadium ³	49	µg/L
B63-1	5.0	5.0	1.6	5.0	0.4	0.7	1.3	0.4	Vanadium ³	49	µg/L
B-67	5.0	5.0	1.6	5.0					Vanadium ³	49	µg/L
B-68	5.0	5.0	2.9	5.0	3.0	3.0	2.8	4.1	Vanadium ³	49	µg/L
B70-1					2.0	0.8	0.7	1.0	Vanadium ³	49	µg/L
B73-1					0.5	0.2	0.2	0.4	Vanadium ³	49	µg/L
FA-1B	5.0	5.0	0.2	5.0	5.0	0.2	0.2	0.4	Vanadium ³	49	µg/L
FA-2C	5.0	5.0	0.7	5.0	5.0	0.2	0.2	0.4	Vanadium ³	49	µg/L
MCL	49.0	49.0	49.0	49.0	49.0	49.0	49.0	49.0	Vanadium ³	49	µg/L
	6/19/2001	12/5/2001	6/28/2002	11/6/2002	4/14/2003	10/29/2003	4/29/2004	11/5/2004	PARAMETER	MCL	UNITS
B2-B	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B8-2	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B-32	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B33-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B34-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B35-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B-36	26	38	7.5	2.8	1.4	8.8	2.90	16	Vinyl Chloride ¹	1	µg/L
B37-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B38-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B40-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B41-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B42-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B43-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B45-1	0.50	0.50	0.50	0.50	0.50	0.74	0.74	0.22	Vinyl Chloride ¹	1	µg/L
B58-1	0.50	0.50	0.50	0.50					Vinyl Chloride ¹	1	µg/L
B59-1	0.50		0.50	0.50	0.50	0.07			Vinyl Chloride ¹	1	µg/L
B-60	0.50	0.50	0.50	0.50	0.50	0.07	0.07		Vinyl Chloride ¹	1	µg/L
B62-1					0.50	0.50	0.07	0.07	Vinyl Chloride ¹	1	µg/L
B63-1	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B-67	0.50	0.50	0.50	0.50					Vinyl Chloride ¹	1	µg/L
B-68	0.50	0.50	0.50	0.50					Vinyl Chloride ¹	1	µg/L
B70-1					0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
B73-1					0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
FA-1B	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
FA-2C	0.50	0.50	0.50	0.50	0.50	0.07	0.07	0.22	Vinyl Chloride ¹	1	µg/L
MCL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
B2-B	46	<20	11 I	<20	9.0 I	3.9 I	<2.3	<3.5	Zinc ²	5,000	µg/L
B8-2	<20	<20	<20	<20	<20	4.7 I	29	<3.5	Zinc ²	5,000	µg/L
B-32	25	<20	<20	<20	8.0 I	4.9 I	<2.3	6.7 I	Zinc ²	5,000	µg/L
B33-1	<20	<20	<20	<20	3.0 I	12 I	4.3 I	Zinc ²	5,000	µg/L	
B34-1	<20	<20	<20	<20	<2.3	23.0	<3.5	Zinc ²	5,000	µg/L	
B35-1	<20	<20	17 I	<20	<20	<2.3	44.0	---	Zinc ²	5,000	µg/L
B-36	<20	<20	10 I	<20	<20	3.1 I	2.4 I	<3.5	Zinc ²	5,000	µg/L
B37-1	<20	<20	11 I	<20	<20	<2.3	25.0	5.9 I	Zinc ²	5,000	µg/L
B38-1	<20	<20	<20	<20	2.5 I	26.0	<3.5	Zinc ²	5,000	µg/L	
B40-1	<20	<20	<20	<20	10 I	4.0 I	4.1 I	3.8 I	Zinc ²	5,000	µg/L
B41-1	34	20	20	<20	<20	<2.3	3.0 I	4.7 I	Zinc ²	5,000	µg/L
B42-1	20	20	<20	<20	<20	4.7 I	71	<0.35	Zinc ²	5,000	µg/L
B43-1	<20	<20	<20	<20	<2.3	<2.3	<3.5	Zinc ²	5,000	µg/L	
B45-1	24	<20	22	<20	<20	<2.3	<2.3	<3.5	Zinc ²	5,000	µg/L
B58-1	23	<20	32	<20	---	---	---	---	Zinc ²	5,000	µg/L
B59-1	180	---	<20	<20	<20	2.3 I	---	---	Zinc ²	5,000	µg/L
B-60	26	<20	<20	<20	<20	<2.3	<2.3	---	Zinc ²	5,000	µg/L
B62-1	---	---	---	<20	<20	<2.3	9.0 I	7.9 I	Zinc ²	5,000	µg/L
B63-1	<20	<20	24.0	<20	<20	5.0 I	27	3.6 I	Zinc ²	5,000	µg/L
B-67	<20	<20	15 I	<20	---	---	---	---	Zinc ²	5,000	µg/L
B-68	<20	<20	<20	<20	<20	2.4 I	49	8.5 I	Zinc ²	5,000	µg/L
B70-1	---	---	---	---	<20	8.9 I	<2.3	<3.5	Zinc ²	5,000	µg/L
B73-1	---	---	---	---	<20	<2.3	<2.3	<3.5	Zinc ²	5,000	µg/L
FA-1B	<20	<20	<20	<20	<20	3.6 I	12 I	<3.5	Zinc ²	5,000	µg/L
FA-2C	<20	<20	<20	<20	<20	4.8 I	3.4 I	<3.5	Zinc ²	5,000	µg/L

Turbidity Surface Water



Tomoka Farms Road Landfill Volusia County, Florida

NORTH LEACHATE POND

PARAMETER	MCL	UNITS	DATE OF SAMPLE COLLECTION							
			Jun-01	Dec-01	Jun-02	Nov-02	Apr-03	Oct-03	Apr-04	Nov-04
Inorganic Parameters:										
Total Hardness as CaCO ₃	NA	mg/l	1,000	570	310	470	300	440	640	310
Total Dissolved Solids	NA	mg/l	1,800	1,200	1,000	720	750	1,200	2,400	1400
Chloride	NA	mg/l	230	340	290	190	150	270	670	340
Ammonia Nitrogen	NA	mg/l	33	0.23	2.6	25	3.7	14	21	7
Nitrate Nitrogen	NA	mg/l	<0.50	<0.50	<0.25	<0.050	0.21	1.3	3.7	2.60
Antimony	NA	ug/L	<5.0	<5.0	<5.0	<3.0	2.0 I	4.6	<0.35	3.70
Arsenic ¹	5,000	ug/L	36	29	11	12	11	17	32	26
Barium ¹	100,000	ug/l	20	<10	8.4 I	18	17	21	50	28
Beryllium	NA	ug/L	<1.0	<1.0	0.12 I	<1.0	<1.0	<0.12	<0.12	<0.056
Cadmium ¹	1000	ug/L	<1.0	<1.0	<1.0	<1.0	<1.0	<0.24	<0.24	<0.34
Chromium ¹	5,000	ug/L	13	<5.0	6.5	5.9	5.0 I	8.1	24	22.0
Cobalt	NA	ug/L	<10	<10	3.6 I	<10	4.0 I	6.1 I	8.7 I	12.0
Copper	NA	ug/L	<10	<10	<10	<10	<5.0	1.3 I	2.0 I	1.4 I
Iron	NA	ug/l	300	280	660	310	610	590	2,300	2500
Lead ¹	5,000	ug/L	<5.0	<5.0	<5.0	<5.0	<5.0	<1.8	<1.8	<2.2
Mercury ¹	200	ug/L	<0.10	<0.20	<0.20	<0.20	0.08 I	0.050 I	<0.036	0.026 I
Nickel	NA	ug/L	74	51	38	23	17	38	80	42
Selenium ¹	1000	ug/L	<5.0	<5.0	2.8 I	<5.0	<10	<4.0	<4.0	<3.1
Silver ¹	5,000	ug/L	<10	<10	<10	<10	<5.0	<1.4	1.6 I	<0.93
Sodium	NA	ug/L	590,000	400,000	220,000	190,000	140,000	280,000	510,000	320,000
Thallium	NA	ug/l	<1.0	<1.0	0.76 I	<1.0	<1.0	<0.25	<0.25	0.27 I
Vanadium	NA	ug/L	<10	<10	5.9 I	<10	6.0 I	7.3 I	16	9.5 I
Zinc	NA	ug/L	<20	<20	12 I	<20	8.0 I	9.4 I	16 I	8.4 I
Field Parameters:										
Dissolved Oxygen (Field)	NA	mg/l	2.10	7.50	6.1	10.26	9.28	7.32	3.04	9.03
pH (Field)	NA	Unit	9.11	9.30	13.98	8.12	8.53	8.03	7.76	7.97
Specific Conductance (Field)	NA	umho/cm	3,360	655	1,418	1,420	1,121	1,780	4,142	1165
Temperature (Field)	NA	Deg C	28.7	23.5	27.37	25.2	28.1	25.0	23.9	25.3
Turbidity (Field)	NA	NTU	4.3	55.2	11	48.9	27	14.6	50	25
Organic Parameters:										
Acetone	NA	ug/L	85	<10	<10	<10	<10	<0.91	<10	7.4 I
Carbon Disulfide	NA	ug/L	<1.0	<1.0	<1.0	<1.0	<1.0	3.6	<0.25	<0.50
Ethylbenzene	NA	ug/L	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.24	<0.20
Toluene	NA	ug/L	<1.0	<1.0	0.3 I	<1.0	<1.0	0.46 I	<0.20	<0.35

Notes:

MCL = Maximum Contamination Level.

NA = Not Available.

--- = Not Tested.

Shaded = Sample result above the MCL.

mg/l = milligrams per liter.

ug/l = micrograms per liter.

¹ Parameter MCL is 40 CFR Part 261.24.

FA-2C	<10	<10	<10	<10	<5.0	<0.58	0.96 I	1.4 I	Copper ²	1,000	µg/L
B2-B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B8-2	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B-32	---	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B33-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B34-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B35-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	---	Dibromochloromethane ³	0.4	µg/L
B-36	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B37-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B38-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B40-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B41-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B42-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B43-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B45-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B58-1	<0.40	<0.40	<0.40	<0.40	---	---	---	---	Dibromochloromethane ³	0.4	µg/L
B59-1	<0.40	---	<0.40	<0.40	<0.40	<0.16	---	---	Dibromochloromethane ³	0.4	µg/L
B-60	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	---	Dibromochloromethane ³	0.4	µg/L
B62-1	---	---	---	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B63-1	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B-67	<0.40	<0.40	<0.40	<0.40	---	---	---	---	Dibromochloromethane ³	0.4	µg/L
B-68	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B70-1	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B73-1	---	---	---	---	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
FA-1B	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
FA-2C	<0.40	<0.40	<0.40	<0.40	<0.40	<0.16	<0.16	<0.19	Dibromochloromethane ³	0.4	µg/L
B2-B	0.80	0.04	1.90	0.67	1.12	0.98	0.33	1.46	Dissolved Oxygen (Field)	NA	mg/L
B-82	0.90	0.40	1.30	0.97	0.70	0.65	0.32	1.36	Dissolved Oxygen (Field)	NA	mg/L
B-32	---	2.00	1.20	1.25	0.85	0.15	0.53	1.47	Dissolved Oxygen (Field)	NA	mg/L
B33-1	0.90	1.60	1.20	0.97	0.79	0.18	0.62	1.49	Dissolved Oxygen (Field)	NA	mg/L
B34-1	0.90	0.60	2.60	0.79	1.70	0.53	0.38	1.21	Dissolved Oxygen (Field)	NA	mg/L
B35-1	0.90	0.50	2.00	1.01	0.98	0.50	0.50	---	Dissolved Oxygen (Field)	NA	mg/L
B-36	2.10	0.60	1.80	1.04	1.15	0.35	0.22	1.28	Dissolved Oxygen (Field)	NA	mg/L
B37-1	0.50	0.50	1.20	1.14	0.96	0.62	0.31	1.47	Dissolved Oxygen (Field)	NA	mg/L
B38-1	0.60	0.60	1.70	<0.01	0.88	0.70	0.61	1.48	Dissolved Oxygen (Field)	NA	mg/L
B40-1	1.40	0.80	2.00	1.16	1.53	0.54	0.61	1.51	Dissolved Oxygen (Field)	NA	mg/L
B41-1	1.10	0.70	6.00	0.84	0.66	0.72	0.28	1.46	Dissolved Oxygen (Field)	NA	mg/L
B42-1	1.30	0.80	1.50	0.90	0.89	0.69	0.40	1.50	Dissolved Oxygen (Field)	NA	mg/L
B43-1	0.90	0.50	1.30	1.11	0.69	0.75	0.28	1.36	Dissolved Oxygen (Field)	NA	mg/L
B45-1	0.80	0.40	2.10	1.38	0.57	0.45	0.32	1.30	Dissolved Oxygen (Field)	NA	mg/L
B58-1	1.40	1.00	1.20	1.64	---	---	---	---	Dissolved Oxygen (Field)	NA	mg/L
B59-1	4.40	---	1.80	1.33	0.67	0.81	---	---	Dissolved Oxygen (Field)	NA	mg/L
B-60	1.20	0.70	1.40	1.56	0.82	0.56	0.50	---	Dissolved Oxygen (Field)	NA	mg/L
B62-1	---	---	---	0.30	0.94	0.48	0.22	1.41	Dissolved Oxygen (Field)	NA	mg/L
B63-1	0.90	0.80	1.20	1.07	1.13	1.33	0.32	1.26	Dissolved Oxygen (Field)	NA	mg/L
B-67	1.20	0.80	1.30	1.52	---	---	---	---	Dissolved Oxygen (Field)	NA	mg/L
B-68	1.10	0.50	3.00	0.84	0.75	0.54	0.36	1.36	Dissolved Oxygen (Field)	NA	mg/L
B70-1	---	---	---	---	1.51	0.54	0.39	1.20	Dissolved Oxygen (Field)	NA	mg/L
B73-1	---	---	---	---	0.65	0.65	0.86	1.46	Dissolved Oxygen (Field)	NA	mg/L
FA-1B	0.80	0.80	1.70	1.24	0.87	0.72	0.52	1.27	Dissolved Oxygen (Field)	NA	mg/L
FA-2C	4.40	1.00	1.30	1.48	0.73	0.21	0.39	1.31	Dissolved Oxygen (Field)	NA	mg/L
B2-B	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B8-2	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B-32	---	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B33-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B34-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B35-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	---	Ethylbenzene ⁴	700	µg/L
B-36	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.46 I	Ethylbenzene ⁴	700	µg/L
B37-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B38-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.28 I	Ethylbenzene ⁴	700	µg/L
B40-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B41-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.37 I	Ethylbenzene ⁴	700	µg/L
B42-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	0.23 I	Ethylbenzene ⁴	700	µg/L
B43-1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L
B45-1	<1.0	<1.0	0.9 I	<1.0	0.2 I	0.22 I	<0.12	0.42 I	Ethylbenzene ⁴	700	µg/L
B58-1	<1.0	<1.0	<1.0	<1.0	---	---	---	---	Ethylbenzene ⁴	700	µg/L
B59-1	<1.0	---	<1.0	<1.0	<1.0	<0.12	---	---	Ethylbenzene ⁴	700	µg/L
B-60	<1.0	<1.0	<1.0	<1.0	<1.0	<0.12	<0.12	---	Ethylbenzene ⁴	700	µg/L
B62-1	---	---	---	<1.0	<1.0	<0.12	<0.12	<0.20	Ethylbenzene ⁴	700	µg/L

B35-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	---	Mercury ¹	2	µg/L.
B-36	<0.20	<0.20	<0.20	<0.20	<0.20	0.045 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B37-1	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B38-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.045 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B40-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.050 I	<0.036	0.026 I	Mercury ¹	2	µg/L.
B41-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.064 I	<0.036	0.015 I	Mercury ¹	2	µg/L.
B42-1	<0.20	<0.20	<0.20	<0.20	<0.020	0.055 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B43-1	<0.20	<0.20	<1.0	<0.20	<0.20	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B45-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.052 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B58-1	<0.20	<0.20	<0.20	<0.20	---	---	---	---	Mercury ¹	2	µg/L.
B59-1	<0.20	---	<0.20	<0.20	<0.20	<0.036	---	---	Mercury ¹	2	µg/L.
B-60	<0.20	<0.20	<0.20	<0.20	<0.20	<0.036	<0.036	---	Mercury ¹	2	µg/L.
B62-1	---	---	---	<0.20	<0.20	0.056 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B63-1	<0.20	<0.20	<0.20	<0.20	<0.20	0.041 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B-67	<0.20	<0.20	<0.20	<0.20	---	---	---	---	Mercury ¹	2	µg/L.
B-68	<0.20	<0.20	<0.20	<0.20	<0.20	0.036 I	<0.036	0.014 I	Mercury ¹	2	µg/L.
B70-1	---	---	---	---	<0.20	0.040 I	<0.036	<0.012	Mercury ¹	2	µg/L.
B73-1	---	---	---	---	<0.20	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
FA-1B	<0.20	<0.20	<0.20	<0.20	0.06 I	0.039 I	<0.036	<0.012	Mercury ¹	2	µg/L.
FA-2C	<0.20	<0.20	<0.20	<0.20	0.07 I	<0.036	<0.036	<0.012	Mercury ¹	2	µg/L.
B2-B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B8-2	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-32	---	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B33-1	<5.0	<5.0	<5.0	<5.0	<5.0	0.49 I	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B34-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B35-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	---	Methylene Chloride ¹	5	µg/L.
B-36	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B37-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B38-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B40-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B41-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B42-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B43-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B45-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B58-1	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Methylene Chloride ¹	5	µg/L.
B59-1	<5.0	---	<5.0	<5.0	<5.0	<0.26	---	---	Methylene Chloride ¹	5	µg/L.
B-60	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	---	Methylene Chloride ¹	5	µg/L.
B62-1	---	---	---	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B63-1	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B-67	<5.0	<5.0	<5.0	<5.0	---	---	---	---	Methylene Chloride ¹	5	µg/L.
B-68	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B70-1	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B73-1	---	---	---	---	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
FA-1B	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
FA-2C	<5.0	<5.0	<5.0	<5.0	<5.0	<0.26	<0.26	<2.0	Methylene Chloride ¹	5	µg/L.
B2-B	<10	<10	4.0 I	<10	4.0 I	4.1 I	6.5	6.0	Nickel ¹	100	µg/L.
B8-2	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B-32	---	<10	2.3 I	<10	4.0 I	2.3 I	<2.0	<1.0	Nickel ¹	100	µg/L.
B33-1	<10	<10	<10	<10	<5.0	<2.0	2.4 I	<1.0	Nickel ¹	100	µg/L.
B34-1	<10	<10	1.7 I	<10	2.0 I	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B35-1	<10	<10	<10	<10	<5.0	<2.0	<2.0	---	Nickel ¹	100	µg/L.
B-36	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B37-1	<10	<10	<10	<10	2.0 I	2.2 I	<2.0	<1.0	Nickel ¹	100	µg/L.
B38-1	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B40-1	<10	<10	<10	<10	<5.0	2.1 I	<2.0	<1.0	Nickel ¹	100	µg/L.
B41-1	<10	<10	1.8 I	<10	2.0 I	<2.0	<2.0	1.1 I	Nickel ¹	100	µg/L.
B42-1	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B43-1	<10	<10	4.2 I	<10	3.0 I	<2.0	2.2 I	1.0 I	Nickel ¹	100	µg/L.
B45-1	<10	<10	1.6 I	<10	<5.0	2.2 I	2.1 I	<1.0	Nickel ¹	100	µg/L.
B58-1	<10	<10	1.6 I	<10	---	---	---	---	Nickel ¹	100	µg/L.
B59-1	<10	---	1.8 I	<10	<5.0	<2.0	---	---	Nickel ¹	100	µg/L.
B-60	<10	<10	<10	<10	<5.0	<2.0	<2.0	---	Nickel ¹	100	µg/L.
B62-1	---	---	21	27	20	23	14	---	Nickel ¹	100	µg/L.
B63-1	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B-67	<10	<10	<10	<10	---	---	---	---	Nickel ¹	100	µg/L.
B-68	<10	<10	1.6 I	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B70-1	---	---	---	---	2.0 I	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
B73-1	---	---	---	---	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
FA-1B	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
FA-2C	<10	<10	<10	<10	<5.0	<2.0	<2.0	<1.0	Nickel ¹	100	µg/L.
6/19/2001 12/5/2001 6/28/2002 11/6/2002 4/14/2003 10/29/2003 4/29/2004 11/5/2004 PARAMETER MCL UNITS											
B2-B	2.0	2.9	0.69	3.3	0.6	0.48	4.70	6.1	Nitrogen Ammonia (As N) ³	2.8	mg/L
B8-2	0.15	0.2	0.087	0.30	0.20	0.18	0.21	0.096	Nitrogen Ammonia (As N) ³	2.8	mg/L
B-32	0.180	0.130	0.15	0.190	0.120	0.140	0.140	0.092	Nitrogen Ammonia (As N) ³	2.8	mg/L
B33-1	0.34	0.37	0.28	0.32	0.33	0.30	0.30	0.23	Nitrogen Ammonia (As N) ³	2.8	mg/L
B34-1	0.14	0.2	0.054	0.29	0.56	0.13	0.160	0.10	Nitrogen Ammonia (As N) ³	2.8	mg/L
B35-1	0.19	0.25	0.130	0.34	0.20	0.19	0.210	0.10	Nitrogen Ammonia (As N) ³	2.8	mg/L
B-36	0.35	0.35	0.310	0.6	0.37	0.37	0.400	0.32	Nitrogen Ammonia (As N) ³	2.8	mg/L
B37-1	0.58	0.75	0.600	0.69	0.54	0.63	0.600	0.57	Nitrogen Ammonia (As N) ³	2.8	mg/L
B38-1	0.150	0.200	0.092	0.270	0.120	0.120	0.130	0.110	Nitrogen Ammonia (As N) ³	2.8	mg/L
B40-1	0.50	0.54	0.33	0.53	0.44	0.35	0.34	0.23	Nitrogen Ammonia (As N) ³	2.8	mg/L
B41-1	22	26	25	27	33	39	40	43	Nitrogen Ammonia (As N) ³	2.8	mg/L
B42-1	0.330	0.430	0.370	0.560	0.460	0.5	0.510	0.490	Nitrogen Ammonia (As N) ³	2.8	mg/L
B43-1	17	12	4.1	19	11	7.4	14	8.4	Nitrogen Ammonia (As N) ³	2.8	mg/L

ATTACHMENT B

FIGURES




Figure 1. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, June 2001




Figure 2. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, June 2001

SCS ENGINEERS




Figure 3. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, December 2001




Figure 4. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, December 2001




Figure 5. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, June 2002




Figure 6. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, June 2002




Figure 7. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, December 2002




Figure 8. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, December 2002




Figure 9. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, April 2003





Figure 10. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, April 2003






Figure 12. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, October 2003




Figure 13. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, June 2004




Figure 14. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, June 2004




Figure 15. Groundwater Elevation Contour Map, Aquifer Zone 1-2, Tomoka Farms Road Landfill, November 2004




Figure 16. Groundwater Elevation Contour Map, Aquifer Zone 4, Tomoka Farms Road Landfill, November 2004






Figure 1. Site Plan, Tomoka Farms Road Landfill.

ATTACHMENT C
GRAPHICAL TRENDS CHARTS


Benzene Zone 1




Beryllium Zone 1




Chloride Zone 1




**Iron
Zone 1**




Ammonia Zone 1




Nitrate
Zone 1




pH
Zone 1




Sodium Zone 1




**Sulfate
Zone 1**




Thallium Zone 1




TDS
Zone 1




Vanadium Zone 1




Vinyl Chloride
Zone 1




Benzene Zone 4




Beryllium Zone 4




Chloride Zone 4




Iron Zone 4




Ammonia Zone 4




Nitrate Zone 4




pH
Zone 4




Sodium Zone 4







TDS
Zone 4




Vanadium Zone 4




Vinyl Chloride Zone 4




Iron
Floridan




pH
Floridan




TDS
Floridan




Ammonia-Unionized Surface Water




Barium
Surface Water




Beryllium
Surface Water




Copper Surface Water




Dissolved Oxygen Surface Water




Iron
Surface Water




**Lead
Surface Water**




pH
Surface Water




Silver
Surface Water



Sodium Surface Water



Hardness
Surface Water



Turbidity
Surface Water

