

HILLSBOROUGH COUNTY

Florida

Office of the County Administrator
Daniel A. Kleman

BOARD OF COUNTY COMMISSIONERS

Dottie Berger
Phyllis Busansky
Joe Chillura
Chris Hart
Jim Norman
Ed Turanchik
Sandra Helen Wilson



December 2, 1996

Senior Assistant County Administrator
Patricia Bean

Assistant County Administrators
Edwin Hunzeker
Cretta Johnson
Jimmie Keel

GW results

PRIVATE WELLS
+
SURFACE WATER
SAMPLE RESULTS
FILED SEPARATELY

D.E.P.

DEC 06 1996

SOUTHERN DISTRICT
TAMPA

Ms. Allison Amram
Department of Environmental Protection
Waste Management Section
3804 Coconut Palm Drive
Tampa, Fl. 33619 8318

RE: Operating Permit No. SO29-256427 - Southeast County
Sanitary Landfill

Dear Ms. Amram:

Enclosed are the results of the routine water quality monitoring of the Southeast Landfill, for the period of August 1, 1996 through January 31, 1997 in accordance with Permit No. SO29-256247. Samples were collected by the Department of Solid Waste in August, 1996 and analyzed by Post, Buckley, Schuh and Jernigan, Inc.


In addition to the routine semi-annual monitoring parameters, monitor wells TH-57 and TH-58 were analyzed for the parameters listed in 62-701.510(8) (a) and (b).

A map showing site locations and a summary chart are also enclosed.

Allison Amram
December 2, 1996
Page two

If you have any questions or comments on this information, please call me at 276-2920.


Sincerely,



James G. Clayton,
Environmental Supervisor
Department of Solid Waste

Enclosures

xc: Chongman Lee , Department of Environmental Protection
Paul Schipfer, EPC
Matt Mathews, Department of Solid Waste
Irene Barnes, Southeast Hillsborough Civic Association
Thomas G. Smith, Department of Solid Waste, w/o enclosures
Greg Walk, General Manager Southeast Landfill
Sheree Henninger, Waste Management Southeast Landfill
Sarah Hill, Department of Solid Waste



Monitoring Wells and Surface Water Locations, Southeast County Landfill, Hillsborough County, Florida.

**Chemical Constituents Detected in the Groundwater Samples Collected at the
Southeast Landfill Groundwater Monitoring Wells
August 7, and 8, 1996**

GENERAL	Floridan Aquifer		Surficial Aquifer Wells						Private Wells			(MCL) STANDARD
PARAMETERS	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weeks	McBride	Barnes	F.A.C. 62-550
depth to water (feet)	96.12	94.11	5.39	26.75	23.98	9.02	19.59	28.46	-	-	-	NS
water table elevation (NGVD)	33.82	31.12	124.43	105.33	105.46	123.73	ND	ND	-	-	-	NS
conductivity (umhos/cm) (field)	434	376	266	154	199	181	171	383	525	346	412	NS
pH (field)	7.13	7.26	4.2	4.48	4.42	5.13	4.88	5.46	6.87	7.57	7.22	(6.5 - 8.5)**
total dissolved solids (mg/l)	256	218	166	84	110	90	96	202	292	200	244	500**
temperature (°C) in field	24.6	23.9	23.2	23.2	23.2	24.9	25.3	23.7	24.4	25	24.2	NS
turbidity (NTU)	0.103	<0.1	15	1.96	6.59	2.77	7.54	6.38	1.95	0.622	<0.1	NS
chloride (mg/l)	9.02	8.17	30.3	24.4	25.4	10.9	19.3	14.2	19.5	7.35	10.8	250**
nitrate (mg/l as N)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.04	0.08	0.08	10*
ammonia nitrogen (mg/l as N)	0.16	0.2	0.28	0.42	0.8	5.09	0.75	1.74	0.03	0.02	0.09	NS
dissolved oxygen (mg/l) (field)	1.4	0.67	0.9	1.95	1.21	1.4	1.63	2.21	2.58	3.01	2.3	NS
total alpha (pCi/l)	-	-	-	-	-	-	-	-	10.4	4.8	3.2	15*
radium 226 (pCi/l)	-	-	-	-	-	-	-	-	9.5	-	-	5*
	Floridan Aquifer		Surficial Aquifer Wells						Private Wells			(MCL) STANDARD
Metals: (mg/l)	TH-19	TH-40	TH-22	TH-28	TH-30	TH-38A	TH-57	TH-58	Weeks	McBride	Barnes	F.A.C. 62-550
iron	BDL	BDL	0.604	1.51	0.263	7.87	1.03	7.47	0.458	0.186	0.041	0.3**
copper	0.002	0.002	BDL	0.003	0.003	BDL	BDL	BDL	BDL	BDL	BDL	1**
barium	BDL	BDL	0.107	BDL	0.011	BDL	BDL	0.017	BDL	BDL	BDL	2*
arsenic	BDL	BLD	BDL	BDL	BDL	0.006	BDL	0.027	0.005	BDL	BDL	0.05
sodium	13.9	15	6.45	7.17	10.9	10.4	8.6	9.88	7.48	6.91	15.1	160*
zinc	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.17	0.093	0.083	5**
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994												
NS= NO STANDARD												
MCL= MAXIMUM CONTAMINANT LEVEL												
BDL= BELOW DETECTION LIMIT												
ND= NO SURVEY DATA AVAILABLE												
* DENOTES PRIMARY DRINKING WATER STANDARD												
** DENOTES SECONDARY DRINKING WATER STANDARD												
4.2 : EXCEEDS PRIMARY OR SECONDARY DRINKING WATER STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded and bold)												
NTU= NEPHELOMETRIC TURBIDITY UNITS												
pCi/l= PICOCURIES PER LITER												
µg/l= MICROGRAMS PER LITER												
mg/l= MILLIGRAMS PER LITER												
NOTE: a dash entry (-) indicates that the sample was not analyzed for this parameter												

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

DEP Form # 62-522.600(2)
Form Title <u>GROUND WATER MONITORING REPORT</u>
Effective Date _____
DEP Application No. _____

GROUND WATER MONITORING REPORT

Rule 62-522.600(11)

PART I GENERAL INFORMATION

- (1) Facility Name Southeast Landfill
Address P O Box 1110
City Tampa, Florida Zip 33601
Telephone Number (813) 272-5680
- (2) The GMS Identification Number 4029C30075
- (3) DEP Permit Number S029-158504
- (4) Authorized Representative Name Darvl H. Smith, Director, Department of Solid Waste
Address P O Box 1110
City Tampa, Florida Zip 33601
Telephone Number (813) 276-2900
- (5) Type of Discharge Groundwater - Potential Only
- (6) Method of Discharge Landfill

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 11/26/96

[Signature]
Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

- Sample Organization Comp QAP # 880891G
- Analytical Lab Comp QAP #/HRS Certification # 860044G
- *Comp QAP #/HRS Certification # _____
- Lab Name P.B.S.&J. Environmental Laboratory
- Address 3365 E. Colonial Dr., Orlando, FL 32807
- Phone Number (407) 277-4443

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 12:45:00 PM

Test Site ID #: 4029A12631

Report Period: 96/3

Well Name: TH-19

960814301

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD): 33.82

Depth to Water (ft.): 96.12

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	7.13	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	256	mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.6	DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	.103	ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	9.02	mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.16	mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.4	Og/L	Fld Og/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	2	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	13.9	mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	434	umhos/cm	Fld umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 10:37:00 AM

Test Site ID #: 4029A12634

Report Period: 96/3

Well Name: TH-22

960814304

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD): 124.43

Depth to Water (ft.): 5.39

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	4.2 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	166 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	15 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	30.3 mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.28 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.9 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	107 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	604 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.45 mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	.1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	266	umhos/cm	Fld umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 10:37:00 AM

Test Site ID #: 4029A12634

Report Period: 96/3

Well Name: TH-22-DUP

960814305

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD): 124.33

Depth to Water (ft.): 5.39

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	4.2	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	144	mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2	DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	12.6	ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	30.3	mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.3	mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.9	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	113	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	3	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	630	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	6.65	mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLORO BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	266	umhos/cm	Fld umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 8:17:00 AM

Test Site ID #: 4029A12636

Report Period: 96/3

Well Name: TH-28

960814306

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD): 105.33

Depth to Water (ft.): 26.75

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	4.48 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	84 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	1.96 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	24.4 mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.42 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.95 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	3 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	1510 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	7.17 mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLORO BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	.1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	154	umhos/cm	Fid umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 9:35:00 AM

Test Site ID #: 4029A14113

Report Period: 96/3

Well Name: TH-30

960814307

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

105.46

Depth to Water (ft.):

23.98

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	4.42 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	110 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.2 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	6.59 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	25.4 mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.8 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.21 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	11 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	3 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	263 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	10.9 mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	199	umhos/cm	Fld umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 11:30:00

Test Site ID #: 4029A14415

Report Period: 96/3

Well Name: TH-38-A

960814308

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

123.73

Depth to Water (ft.):

9.02

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	5.13	pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	90	mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	24.9	DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	2.77	ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	10.9	mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	5.09	mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.4	mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	6	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	7870	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	10.4	mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	181	umhos/cm	Fld umhos/cm

Facility GMS #: 4029C30075

Sample Date/Time: 8/7/96 10:05:00 AM

Test Site ID #: 4029A12632

Report Period: 96/3

Well Name: TH-40

960814309

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD):

31.12

Depth to Water (ft.):

94.4

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	7.26 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	218 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.9 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	< .1 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	8.17 mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.2 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	.67 mg/L	Fld mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	2 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	15 mg/L	.025 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLORO BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	376	umhos/cm	Fld umhos/cm

Facility GMS #:

Sample Date/Time: 8/7/96 8:35:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: TH-57

960814401

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD): *NA*Depth to Water (ft.): *19.59*

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	<i>4.88</i> pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	96 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	25.3 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	<i>7.54</i> ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	19.3 mg/L	.5 mg/L
720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5 ug/L	5 ug/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	.75 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	1.63 mg/L	Fld mg/L
745	SULFIDE	GRAB	N	EPA376.2	< .04 mg/L	.04 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA531.1	< 15 ug/L	15 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	<i>1030</i> ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	8.6 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1100	Tin	GRAB	N	EPA6010	< 50 ug/L	5 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
34205	Acenaphthylene	GRAB	N	EPA625	< 10 ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA625	< 10 ug/L	10 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .3 ug/L	.3 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .3 ug/L	.3 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .3 ug/L	.3 ug/L
39330	aldrin	GRAB	N	EPA8080	< .3 ug/L	.3 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .3 ug/L	.3 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39338	beta BHC	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39350	chlordanes	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39390	endrin	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .3	ug/L	.3 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< 25	ug/L	25 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 5	ug/L	5 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 50	ug/L	50 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
30191	Dinoseb	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77173	1,3-DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81582	1,4-DIOXANE	GRAB	N	EPA8260	< 500	ug/L	500 ug/L
77170	2,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 100	ug/L	100 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 200	ug/L	200 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34696	NAPHTHALENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73501	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34283	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73554	Isosafrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

Well Name: TH-57

960814401

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
73589	Methapyrilene	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73620	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73553	THIONAZIN	GRAB	N	EPA8270	< 5	ug/L	5 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	171	umhos/cm	Fld umhos/cm

Facility GMS #:

Sample Date/Time: 8/7/96 9:19:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: TH-58

960814404

Well Purged (Y/N): Y

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): NA

Depth to Water (ft.): 28.44

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
406	pH IN FIELD	GRAB	N	EPA150.1	5.45 pH UNITS	Fld pH UNITS
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	202 mg/L	* mg/L
10	TEMPERATURE IN FIELD	GRAB	N	EPA170.1	23.7 DEG C	Fld DEG C
82079	TURBIDITY	GRAB	N	EPA180.1	6.38 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	14.2 mg/L	.5 mg/L
720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5 ug/L	5 ug/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	1.74 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01 mg/L as N	.01 mg/L as N
300	DISSOLVED OXYGEN IN FIELD	GRAB	N	EPA360.1	2.21 mg/L	Fld mg/L
745	SULFIDE	GRAB	N	EPA376.2	< .04 mg/L	.04 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA531.1	< 15 ug/L	15 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	27 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	17 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	7470 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	9.88 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1100	Tin	GRAB	N	EPA6010	< 50 ug/L	5 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
34205	Acenaphthylene	GRAB	N	EPA625	< 10 ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA625	< 10 ug/L	10 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39330	aldrin	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .05 ug/L	.05 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39338	beta BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39350	chlordane	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39380	dieldrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< 10	ug/L	10 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 50	ug/L	50 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
30191	Dinoseb	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77173	1,3-DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81582	1,4-DIOXANE	GRAB	N	EPA8260	< 500	ug/L	500 ug/L
77170	2,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 100	ug/L	100 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2-DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 200	ug/L	200 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34696	NAPHTHALENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73501	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78300	3-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34283	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73554	Isosafrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
73589	Methapyrilene	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73620	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73553	THIONAZIN	GRAB	N	EPA8270	< 5	ug/L	5 ug/L
94	CONDUCTIVITY IN FIELD	GRAB	N	FIELD	383	umhos/cm	Fld umhos/cm

Facility GMS #:

Sample Date/Time: 8/8/96 8:08:00 A...

Test Site ID #:

Report Period: 96/3

Well Name: EQIP BLANK

960815701

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD):

☐ Intermediate

Depth to Water (ft.):

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 4 mg/L	* mg/L
82079	TURBIDITY	GRAB	N	EPA180.1	.13 ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2 ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	< .5 mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02 mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	.01 mg/L as N	.01 mg/L as N
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02 ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1 ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4 ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10 ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2 mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2 ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5 ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20 ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
1501	ALPHA, TOTAL	GRAB	N	EPA900.0	.9	pCi/L	.1 pCi/L
1502	ALPHA-counting error	GRAB	N	EPA900.0	.8	pCi/L	pCi/L

Facility GMS #:

Sample Date/Time: 8/7/96 11:08:00 A...

Test Site ID #:

Report Period: 96/3

Well Name: TRAVEL BLANK

960814310

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD): ~~NA~~

Depth to Water (ft.):

~~NA~~

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

Well Name: TRAVEL BLANK

960814310

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/9/96 8:45:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: TRAVEL BLANK

960816408

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD): NA

Depth to Water (ft.): NA

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units	Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1 ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5 ug/L	5 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1 ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2 ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8 ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6 ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20 ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1 ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5 ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10 ug/L	10 ug/L

Well Name: TRAVEL BLANK

960816408

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/9/96 8:47:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: EQIP BLANK

960816401

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
☐ Intermediate
☐ Compliance
☒ Other

Ground Water Elevation (NGVD): ~~NA~~Depth to Water (ft.): ~~NT~~

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
619	UNIONIZED AMMONIA NITROGEN	GRAB	N	CALC	< .02	mg/L as N	.02 mg/L as N
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	66	mg/L	* mg/L
530	TOTAL SUSPENDED SOLIDS	GRAB	N	EPA160.2	< 4	mg/L	* mg/L
82079	TURBIDITY	GRAB	N	EPA180.1	< .1	ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
625	TOTAL KJELDAHL NITROGEN	GRAB	N	EPA351.2	< .1	mg/L as N	.1 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
630	NITRATE + NITRITE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
600	TOTAL NITROGEN	GRAB	N	EPA353.2	< .1	mg/L as N	.1 mg/L as N
665	TOTAL PHOSPHORUS	GRAB	N	EPA365.4	< .02	mg/L as P	.02 mg/L as P
310	BIOCHEMICAL OXYGEN DEMAND	GRAB	N	EPA405.1	< 1	mg/L	1 mg/L
340	CHEMICAL OXYGEN DEMAND	GRAB	N	EPA410.2	< 1	mg/L	1 mg/L
680	TOTAL ORGANIC CARBON	GRAB	N	EPA415.1	< 1	mg/L as C	1 mg/L as C
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
916	CALCIUM-ICP METHOD	GRAB	N	EPA6010	< .1	mg/L	.1 mg/L
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
927	MAGNESIUM-ICP METHOD	GRAB	N	EPA6010	< .05	mg/L	.05 mg/L
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32230	CHLOROPHYLL-A	GRAB	N	SM 1000.G	< 1.5	mg/m3	1.5 mg/m3
46570	TOTAL HARDNESS	GRAB	N	SM2340B	< 6.62	mg/L CaCO	6.62 mg/L CaCO

Facility GMS #:

Sample Date/Time: 8/8/96

Test Site ID #:

Report Period: 96/3

Well Name: TRAVEL BLANK

960815708

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

- ☐ Background
- ☐ Intermediate
- ☐ Compliance
- ☒ Other

Ground Water Elevation (NGVD):

Depth to Water (ft.):

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L

Well Name: TRAVEL BLANK

960815708

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Facility GMS #:

Sample Date/Time: 8/7/96 11:50:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: PRE EQUIP BLANK

960814203

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type: ☐ Background

Ground Water Elevation (NGVD): NA

☐ Intermediate

Depth to Water (ft.): NA

☐ Compliance☒ Other

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	< 4	mg/L	* mg/L
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
425	BICARBONATES	GRAB	N	EPA310.1	2.37	mg/L	1 mg/L
940	CHLORIDE	GRAB	N	EPA325.2	< .5	mg/L	.5 mg/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l

Facility GMS #:

Sample Date/Time: 8/7/96 11:10:00 Am

Test Site ID #:

Report Period: 96/3

Well Name: EQIP BLANK

960814405

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD): NA

Depth to Water (ft.): NA

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
70300	TOTAL DISSOLVED SOLIDS	GRAB	N	EPA160.1	54	mg/L	* mg/L
82079	TURBIDITY	GRAB	N	EPA180.1	< .1	ntu	.1 ntu
71900	MERCURY	GRAB	N	EPA245.1	< .2	ug/L	.2 ug/L
940	CHLORIDE	GRAB	N	EPA325.2	< .5	mg/L	.5 mg/L
720	TOTAL CYANIDE	GRAB	N	EPA335.3	< 5	ug/L	5 ug/L
610	AMMONIA NITROGEN	GRAB	N	EPA350.1	< .02	mg/L as N	.02 mg/L as N
620	NITRATE	GRAB	N	EPA353.2	< .01	mg/L as N	.01 mg/L as N
745	SULFIDE	GRAB	N	EPA376.2	< .04	mg/L	.04 mg/L
38437	DIBROMOCHLOROPROPANE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
77651	ETHYLENE DIBROMIDE	GRAB	N	EPA504	< .02	ug/L	.02 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA531.1	< 15	ug/L	15 ug/L
1097	Antimony	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1002	Arsenic	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1007	Barium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1012	Beryllium	GRAB	N	EPA6010	< 1	ug/l	1 ug/l
1027	Cadmium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1034	Chromium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1037	Cobalt	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1042	Copper	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1045	IRON-ICP METHOD	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
1051	Lead	GRAB	N	EPA6010	< 4	ug/l	4 ug/l
1067	Nickel	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1147	Selenium	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
1077	Silver	GRAB	N	EPA6010	< 10	ug/l	10 ug/l
929	SODIUM-ICP METHOD	GRAB	N	EPA6010	< .2	mg/L	.2 mg/L
1059	Thallium	GRAB	N	EPA6010	< 2	ug/l	2 ug/l
1100	Tin	GRAB	N	EPA6010	< 50	ug/L	5 ug/L
985	Vanadium	GRAB	N	EPA6010	< 5	ug/l	5 ug/l
1092	Zinc	GRAB	N	EPA6010	< 20	ug/l	20 ug/l
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
34205	Acenaphthylene	GRAB	N	EPA625	< 10	ug/L	10 ug/L
34556	Dibenz(a,h)anthracene	GRAB	N	EPA625	< 10	ug/L	10 ug/L
39310	4,4'-DDD	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39365	4,4'-DDE	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39300	4,4'-DDT	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39330	aldrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39337	alpha BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39338	beta BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39350	chlordan	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34259	delta BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
39380	dieldrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34361	endosulfan I	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34356	endosulfan II	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34351	endosulfan sulfate	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39390	endrin	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
34366	endrin aldehyde	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39410	heptachlor	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39420	heptachlor epoxide	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39340	Lindane - gamma BHC	GRAB	N	EPA8080	< .05	ug/L	.05 ug/L
39480	methoxychlor	GRAB	N	EPA8080	< 10	ug/L	10 ug/L
34671	PCB-1016	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39488	PCB-1221	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39492	PCB-1232	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39496	PCB-1242	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39500	PCB-1248	GRAB	N	EPA8080	< 1	ug/L	.1 ug/L
39504	PCB-1254	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39508	PCB-1260	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
39400	toxaphene	GRAB	N	EPA8080	< 1	ug/L	1 ug/L
46314	DIMETHOATE (CYGON)	GRAB	N	EPA8141	< 50	ug/L	50 ug/L
81888	DISULFOTON	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46315	ETHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39600	METHYL PARATHION	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
46313	PHORATE	GRAB	N	EPA8141	< 5	ug/L	5 ug/L
39740	2,4,5-T	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39760	2,4,5-TP (Silvex)	GRAB	N	EPA8150	< .2	ug/L	.2 ug/L
39730	2,4-D	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
30191	Dinoseb	GRAB	N	EPA8150	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLORETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77173	1,3-DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81582	1,4-DIOXANE	GRAB	N	EPA8260	< 500	ug/L	500 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 100	ug/L	100 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 200	ug/L	200 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34696	NAPHTHALENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77734	1,2,4,5-Tetrachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34551	1,2,4-Trichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34536	1,2-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73653	1,3,5-Trinitrobenzene	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
34566	1,3-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34571	1,4-Dichlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73599	1,4-Naphthoquinone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73600	1-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77770	2,3,4,6-Tetrachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77687	2,4,5-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34621	2,4,6-Trichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34601	2,4-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34606	2,4-Dimethylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34616	2,4-Dinitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34611	2,4-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77541	2,6-Dichlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34626	2,6-Dinitrotoluene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73501	2-Acetylaminofluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34581	2-Chloronaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34586	2-Chlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77416	2-Methylnaphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78118	2-Naphthylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
78142	2-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34591	2-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34631	3,3'-Dichlorobenzidine	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34631	3,3'-Dimethylbenzidine	GRAB	N	EPA8270	< 200	ug/L	200 ug/L
73591	3-Methylcholanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
78300	3-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34657	4,6-Dinitro-2-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77581	4-Aminobiphenyl	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34636	4-Bromophenyl-phenyl-ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34452	4-Chloro-3-methylphenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34641	4-Chlorophenyl-phenyl ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73605	4-Nitroaniline	GRAB	N	EPA8270	< 50	ug/L	50 ug/L
34646	4-Nitrophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73622	5-Nitro-o-toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73559	7,12-Dimethylbenz(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34205	Acenaphthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81553	Acetophenone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34220	Anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34526	Benzo(a)anthracene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34247	Benzo(a)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34230	Benzo(b)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34521	Benzo(g,h,i)perylene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34242	Benzo(k)fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77147	Benzyl alcohol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34278	Bis(2-chloroethoxy)methane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34273	Bis(2-chloroethyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34283	Bis(2-chloroisopropyl)ether	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39100	Bis(2-ethylhexyl)phthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34292	Butylbenzylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39460	Chlorobenzilate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34320	Chrysene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39110	Di-n-butylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34596	Di-n-octylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73386	Diallate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81302	Dibenzofuran	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34336	Diethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34341	Dimethylphthalate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77579	Diphenylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73571	Ethyl methanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34862	Famphur	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
34376	Fluoranthene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34381	Fluorene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39700	Hexachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34391	Hexachlorobutadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34386	Hexachlorocyclopentadiene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34396	Hexachloroethane	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73576	Hexachloropropene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34403	Indeno(1,2,3-cd)pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39430	Isodrin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34408	Isophorone	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73554	Isosafrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81281	Kepone	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77151	m-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
*****	m-Dinitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73589	Methapyrilene	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
73595	Methylmethanesulfonate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34428	N-Nitroso-di-n-propylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L

Well Name: EQIP BLANK

960814405

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
73609	N-Nitrosodi-n-butylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73611	N-Nitrosodiethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34438	N-Nitrosodimethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39933	N-Nitrosodiphenylamine/Dipheny	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73613	N-Nitrosomethylethylamine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73619	N-Nitrosopiperidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73620	N-Nitrosopyrrolidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34696	Naphthalene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34447	Nitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73652	O,O,O-Triethylphosphorothioate	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77152	o-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77142	o-Toluidine	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
43558	p-(Dimethylamino)azobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73529	p-Chloroaniline	GRAB	N	EPA8270	< 20	ug/L	20 ug/L
77146	p-cresol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73628	p-Phenylenediamine	GRAB	N	EPA8270	< 2000	ug/L	2000 ug/L
77793	Pentachlorobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
81316	Pentachloronitrobenzene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39032	Pentachlorophenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73626	Phenacetin	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34461	Phenanthrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34694	Phenol	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
39080	Pronamide	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
34469	Pyrene	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
77545	Safrole	GRAB	N	EPA8270	< 10	ug/L	10 ug/L
73553	THIONAZIN	GRAB	N	EPA8270	< 5	ug/L	5 ug/L

Facility GMS #:

Sample Date/Time: 8/7/96 11:08:00 AM

Test Site ID #:

Report Period: 96/3

Well Name: TRIP BLANK

960814406

Well Purged (Y/N): N

Classification of Ground Water: G II

Well Type:

☐

Background

☐

Intermediate

☐

Compliance

☒

Other

Ground Water Elevation (NGVD): NA

Depth to Water (ft.): NA

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34418	CHLOROMETHANE	GRAB	N	EPA 524	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA 524	< 5	ug/L	5 ug/L
82587	ALLYL CHLORIDE	GRAB	N	EPA531.1	< 15	ug/L	15 ug/L
34475	TETRACHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
39180	TRICHLOROETHYLENE	GRAB	N	EPA624	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77562	1,1,1,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34506	1,1,1-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34516	1,1,2,2-TETRACHLOROETHANE	GRAB	N	EPA8260	< .2	ug/L	.2 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34511	1,1,2-TRICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34496	1,1-DICHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34501	1,1-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77443	1,2,3-TRICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34551	1,2,4-TRICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
38437	1,2-DIBROMO-3-CHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77651	1,2-DIBROMOETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34536	1,2-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34531	1,2-DICHLOROETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34541	1,2-DICHLOROPROPANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77173	1,3 DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34566	1,3-DICHLOROBENZENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34571	1,4-DICHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81582	1,4-DIOXANE	GRAB	N	EPA8260	< 500	ug/L	500 ug/L
77170	2,2 DICHLOROPROPANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
87520	2-CHLORO-1,3-BUTADIENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77103	2-HEXANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
78133	4-METHYL-2-PENTANONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81552	ACETONE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34215	ACETONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34210	ACROLEIN	GRAB	N	EPA8260	< 100	ug/L	100 ug/L

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
34215	ACRYLONITRILE	GRAB	N	EPA8260	< 8	ug/L	8 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78124	BENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73085	BROMOCHLOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32101	BROMODICHLOROMETHANE	GRAB	N	EPA8260	< .6	ug/L	.6 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32104	BROMOFORM	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34413	BROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77041	CARBON DISULFIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32102	CARBON TETRACHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34301	CHLOROBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34311	CHLOROETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
32106	CHLOROFORM	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34418	CHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77093	cis 1,2 DICHLOROETHYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34704	cis 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
32105	DIBROMOCHLOROMETHANE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
30217	DIBROMOMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34668	DICHLORODIFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
73570	ETHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34371	ETHYLBENZENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34391	HEXACHLOROBUTADIENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77424	IODOMETHANE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
77033	ISOBUTYL ALCOHOL	GRAB	N	EPA8260	< 200	ug/L	200 ug/L
77134	m-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
87593	METHACRYLONITRILE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34413	METHYL BROMIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
81595	METHYL ETHYL KETONE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77424	METHYL IODIDE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
81597	METHYL METHACRYLATE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34423	METHYLENE CHLORIDE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34696	NAPHTHALENE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77135	o-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77133	p-XYLENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77007	PROPIONITRILE	GRAB	N	EPA8260	< 40	ug/L	40 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
77128	STYRENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34475	TETRACHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
78131	TOLUENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L

Well Name: TRIP BLANK

960814406

STORET Code	Parameter	Sampling Method	Field Filtered Y/N	Analysis Method	Analysis Results/Units		Detection Limits/Units
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34699	trans 1,3-DICHLOROPROPENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
73547	trans 1,4-DICHLORO-2-BUTENE	GRAB	N	EPA8260	< 20	ug/L	20 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34546	trans-1,2-DICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39180	TRICHLOROETHENE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
34488	TRICHLOROFLUOROMETHANE	GRAB	N	EPA8260	< 5	ug/L	5 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
77057	VINYL ACETATE	GRAB	N	EPA8260	< 10	ug/L	10 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
39175	VINYL CHLORIDE	GRAB	N	EPA8260	< 1	ug/L	1 ug/L
81551	XYLENES	GRAB	N	EPA8260	< 1	ug/L	1 ug/L