

Betancourt, Amaury

From: George Townsend <george.townsend@cemex.com>
Sent: Thursday, June 18, 2015 12:39 PM
To: Betancourt, Amaury
Subject: Re: Solid Waste Additional Questions
Attachments: 20150305_120657.jpg; 20150305_135323.jpg; 20150305_135543.jpg; 20150305_135551.jpg; 20150305_135626.jpg; Fire Department Inspection_03182015.pdf; Fire Hydrant Inspection_06112015.pdf; IMG_1378.jpg; IMG_1377.jpg

Attached is a copy of the most recent fire inspections. Also attached are two photos of the tire fluff bay, taken today. Only photo number 135323 is alternative fuel, tire fluff. The other are of ashes and iron ore and the loader operator had not pushed the pile for the day. Photo number 120657 is ash and iron ore for line 1, which is not required to be under roof.



George Townsend
Environmental Manager - Brooksville South - United States of America
Office: (352) 799-7881 Fax: (352) 799-6088 Mobile: (352) 238-9102
Address: 10311 Cement Plant Road, Brooksville, FL 34601
e-Mail: george.townsend@cemex.com
www.cemexusa.com



Please consider the environment before printing this email

From: "Betancourt, Amaury" <Amaury.Betancourt@dep.state.fl.us>
To: George Townsend/US/Cemex@CEMEX
Cc: "Tafuni, Steven" <Steven.Tafuni@dep.state.fl.us>
Date: 06/15/2015 06:34 PM
Subject: Solid Waste Additional Questions

Hi George,

I hope you had a good weekend and are having a good week. As you know, I completed the air pollution inspection report, which I sent to you this morning.

I am finalizing the Brooksville – South inspection reports for Solid Waste (Waste Tire and Alternative Fuel) and I have two questions:

- (1.) Can you send me a copy of the most recent annual fire safety inspection for the waste tire processing facility?
- (2.) Can you send me photographs of the alternative fuel/materials (AFM) processing/receiving areas, showing that the fuels and materials are all under cover? See my attached photographs, which show some of the alternative fuel was overflowing out of the bunker/cover areas. If some of the photos are of materials that are

not regulated by the AFM solid waste permit (22787-004-SO/31), please explain.

Thank you,
Amaury

Amaury Betancourt, P.E.
Engineering Specialist
Florida Department of Environmental Protection (FDEP)
Southwest District Compliance Assurance Program
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926
Telephone: (813) 470-5905
Fax: (813) 470-5995
e-mail: amaury.betancourt@dep.state.fl.us

Please note: Florida has a very broad public records law. Most written communications to or from state officials regarding state business are public records available to the public and media upon request. Your e-mail communication may therefore be subject to public disclosure.

This email message and any attachments are for the sole use of the intended recipient(s) and contain confidential and/or privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message and any attachments. Thank you.



HONK BEFORE
YOU PROCEED
TOCAR LA
BOCINA ANTES
DE CONTINUAR

WARNING
FLAMMABLE MATERIAL
NO SMOKING OR
OPEN FLAMES

DANGER
FLAMMABLE MATERIAL
NO SMOKING OR
OPEN FLAMES





HONK BEFORE
YOU PROCEED
TOCAR LA
BOCINA ANTES
DE CONTINUAR





NO SLAG
LOW OIL
WILL SCALE

AXELAND
COND ASH



