



MANATEE COUNTY

RECEIVED GOVERNMENT
JAN 16 1997 Public Works Department

Department of Environmental Protection
SOUTHWEST DISTRICT

BY _____

January 9, 1997

Allison Amram, P.G., Environmental Specialist
Division of Waste Management
Department of Environmental Protection, South West District
3804 Coconut Palm Drive
Tampa, FL 33619

Re: ~~Manatee County, Lena Road Landfill~~
~~Semi-annual Ground Water Quality Monitoring Report~~
~~July - December 1996~~

Dear Ms. Amram:

Enclosed please find information regarding the above referenced subject. The report is submitted on DEP form 62-522.600(11). However part III, analytical results, of the form has been modified to allow data for each well to be entered on one sheet.

Chapter 62-550.310 and 62-550.320, F.A.C. were used to determine if collected samples tested below the maximum contaminant level (MCL). Parameters which tested above the MCL are listed on the attached Table I. All other parameters tested below their respective MCL. If you have any questions, or require additional information, please contact me at (941) 748-5543.

Sincerely,

Benjamin L. Alex

Benjamin L. Alex
Solid Waste Technical Coordinator

cc: Len Bramble, P.E., Director, Public Works
Dan Gray, Utilities Operations Manager *DGM*
Gus DiFonzo, Solid Waste Manager *MR*

DEP Form # 82-522.600(2)
Form Title <u>GROUND WATER MONITORING REPORT</u>
Effective Date _____
DEP Application No. _____

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

GROUND WATER MONITORING REPORT

Rule 62-522.600(11)

PART I GENERAL INFORMATION

- (1) Facility Name Lena Road Landfill - Manatee County Public Works
 Address Caller Service 25010
 City Bradenton, FL Zip 34206
 Telephone Number (941) 748-5543
- (2) The GMS Identification Number 4041C02025
- (3) DEP Permit Number S041-211176
- (4) Authorized Representative Name Len Bramble, P.E., Director
 Address 4410-66th Street West
 City Bradenton, FL Zip 34210
 Telephone Number (941) 792-8811
- (5) Type of Discharge N/A
- (6) Method of Discharge Unknown Lined Facility

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Date: 1/13/97


 Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

- Sample Organization Comp QAP # _____
- Analytical Lab Comp QAP #/HRS Certification # E84098 + 84183 (Drinking Water)
 *Comp QAP #/HRS Certification # 4043 - Lab # E54139
- Lab Name P. E. Lamoreaux & Associates, Inc.
- Address P. O. Box 6719, Lakeland, Florida
- Phone Number (941) 646-8526

Facility GMS No.:	4041C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	N/A	Report Period	2nd half 1996
Well Name	CW-5A	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	35.49		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	76.9 mg/l	1.0 mg/l
	Color Field				19-Nov-96	20 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	115 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	8.81 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	39.7 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.67 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	441 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.002 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	700 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	5.59 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	1.90 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	4041A13218	Report Period	2nd half 1996
Well Name	MW-6	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	32.56		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	10.5 mg/l	1.0 mg/l
	Color Field				19-Nov-96	30 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	37 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	5.72 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	8.79 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.13 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	124 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	13-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	0.02 mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.023 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.003 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	0.002 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	150 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	5.34 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	1.54 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	4041A15959	Report Period	2nd half 1996
Well Name	SMR-2	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Background
Ground Water Elevation (NGVD):	18.72		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	96.5 mg/l	1.0 mg/l
	Color Field				19-Nov-96	5 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	239 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	0.02 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	48.9 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.26 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	398 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	650 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	7.23 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	2.35 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	4041A15958	Report Period	2nd half 1996
Well Name	SMR-1	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Background
Ground Water Elevation (NGVD):	28.63		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	14.4 mg/l	1.0 mg/l
	Color Field				19-Nov-96	25 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	49 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	7.35 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	18.3 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.19 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	142 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.002 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	215 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	5.48 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	1.90 mg/L	

Facility GMS No.:	4041 C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	4041A15957	Report Period	2nd half 1996
Well Name	SA-8	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	16.17		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	51.3 mg/l	1.0 mg/l
	Color Field				19-Nov-96	10 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	261 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	38.3 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.29 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	276 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	0.14 mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	480 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	7.84 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	2.40 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 19, 1996
Test I.D. No.:	4041A15963	Report Period	2nd half 1996
Well Name	LR11-4	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	25.95		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	9.24 mg/l	1.0 mg/l
	Color Field				19-Nov-96	15 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	246 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	5.17 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	11.9 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.10 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	25-Nov-96	250 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	19-Nov-96	440 micromhos	
	pH	Bailer	NO	Fld. Para.	19-Nov-96	6.01 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	19-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	19-Nov-96	2.21 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 22, 1996
Test I.D. No.:	4041A15953	Report Period	2nd half 1996
Well Name	SA-4	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	15.59		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	67.7 mg/l	1.0 mg/l
	Color Field				22-Nov-96	<5 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	234 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	0.09 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	04-Dec-96	61.4 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.14 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	480 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.009 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	0.004 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.3 ug/l
49263	1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11 ug/l
34311	Chloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06 ug/l
85795	m,p-Xylenes	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12 ug/l
77135	o-Xylene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	22-Nov-96	625 micromhos	
	pH	Bailer	NO	Fld. Para.	22-Nov-96	7.35 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	22-Nov-96	23.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	22-Nov-96	1.84 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 22, 1996
Test I.D. No.:	4041AXXXXX	Report Period	2nd half 1996
Well Name	GC-1A	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	26.26		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS	
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	112 mg/l	1.0	mg/l
	Color Field				22-Nov-96	10 color units		
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	376 mg/l	1	mg/l
01045	Iron	Bailer	NO	EPA 200.7	17-Dec-96	17.6 mg/l	0.02	mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001	mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	54.4 mg/l	0.01	mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05	mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.19 mg/l	0.01	mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	600 mg/l	1	mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1	mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005	mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04	mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05	mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02	mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02	mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005	mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10	mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.011 mg/l	0.005	mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005	mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	0.019 mg/l	0.001	mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003	mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001	mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002	mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001	mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5	ug/l
81552	Acetone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	2.5	ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0	ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	10.0	ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0	ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5	ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1	ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.3	ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0	ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	5.0	ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5	ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1	ug/l
77128	Styrene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	1.0	ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.3	ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	10.0	ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.5	ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12	ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03	ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.13	ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.17	ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11	ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.1	ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08	ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12	ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03	ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06	ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	1.50	ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.03	ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08	ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06	ug/l
34030	Benzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.21	ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.19	ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.08	ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.05	ug/l
34010	Toluene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11	ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.10	ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.05	ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.14	ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.04	ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.06	ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11	ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.12	ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	04-Dec-96	BDL ug/l	0.11	ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	22-Nov-96	900 micromhos		
	pH	Bailer	NO	Fld. Para.	22-Nov-96	6.40 std. unts.		
	Temperature	Bailer	NO	Fld. Para.	22-Nov-96	22.5 celceus		
	Dissolved Oxygen	Bailer	NO	Fld. Para.	22-Nov-96	1.97 mg/L		

Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A15968	Report Period	2nd half 1996
Well Name	GC-5	Well Purged:	Yes
Classification of Ground Water:	G-11	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	27.97		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	24.5 mg/l	1.0 mg/l
	Color Field				20-Nov-96	55 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	212 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	2.46 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	13.6 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	1.50 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	308 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	420 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	6.37 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	25.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	1.14 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A13217	Report Period	2nd half 1996
Well Name	MW-5	Well Purged:	Yes
Classification of Ground Water:	G-11	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	31.10		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	17.2 mg/l	1.0 mg/l
	Color Field				20-Nov-96	60 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	154 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	2.46 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	12.4 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	3.38 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	224 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	13-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.029 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	0.002 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	310 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	6.12 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	1.21 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A12709	Report Period	2nd half 1996
Well Name	MW-2	Well Purged:	Yes
Classification of Ground Water:	G-11	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	31.57		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	36.8 mg/l	1.0 mg/l
	Color Field				20-Nov-96	40 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	7 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	2.61 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	25.3 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.24 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	195 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	295 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	4.66 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	0.94 mg/L	



Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A12710	Report Period	2nd half 1996
Well Name	MW-3	Well Purged:	Yes
Classification of Ground Water:	G-11	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	30.93		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	123 mg/l	1.0 mg/l
	Color Field				20-Nov-96	10 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	73 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	9.81 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	68.2 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.11 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	398 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.002 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	650 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	5.73 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	0.82 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A12708	Report Period	2nd half 1996
Well Name	MW-1	Well Purged:	Yes
Classification of Ground Water:	G-11	Well Type:	Background
Ground Water Elevation (NGVD):	31.90		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	67.0 mg/l	1.0 mg/l
	Color Field				20-Nov-96	15 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	20 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	6.56 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	0.0013 mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	18.0 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.40 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	210 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.004 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2- Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77100	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	275 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	4.80 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	25.0 celcius	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	0.25 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 20, 1996
Test I.D. No.:	4041A12730	Report Period:	2nd half 1996
Well Name:	CW-4	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Compliance
Ground Water Elevation (NGVD):	34.26		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	150 mg/l	1.0 mg/l
	Color Field				20-Nov-96	35 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	337 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	4.84 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	0.0015 mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	52.7 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	21-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.14 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	26-Nov-96	894 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	0.15 mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.025 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	03-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	02-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	20-Nov-96	1,225 micromhos	
	pH	Bailer	NO	Fld. Para.	20-Nov-96	6.47 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	20-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	20-Nov-96	1.66 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15964	Report Period	2nd half 1996
Well Name	LR11-5	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	29.37		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	17.5 mg/l	1.0 mg/l
	Color Field				18-Nov-96	25 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	161 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	4.47 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	9.55 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.24 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	336 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	320 micromhos	
	pH	Bailer	NO	Fld. Para.	18-Nov-96	5.90 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	1.61 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15956	Report Period	2nd half 1996
Well Name	SA-7	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	22.42		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS	
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	55.8 mg/l	1.0	mg/l
	Color Field				18-Nov-96	5 color units		
	Bicarbonate Alkalinity	Bailer	NO	2320 B	22-Nov-96	107 mg/l	1	mg/l
01045	Iron	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02	mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001	mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	39.4 mg/l	0.01	mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05	mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.23 mg/l	0.01	mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	370 mg/l	1	mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1	mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04	mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05	mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02	mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02	mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10	mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005	mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001	mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003	mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001	mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002	mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001	mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
81552	Acetone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	2.5	ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0	ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3	ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
77128	Styrene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.0	ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3	ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0	ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.13	ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.17	ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.50	ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
34030	Benzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.21	ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.19	ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05	ug/l
34010	Toluene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.10	ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05	ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.14	ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	465 micromhos		
	pH	Bailer	NO	Fld. Para.	18-Nov-96	7.29 std. unts.		
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.0 celceus		
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	2.08 mg/L		

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15962	Report Period	2nd half 1996
Well Name	LR11-3	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	25.78		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	18.0 mg/l	1.0 mg/l
	Color Field				18-Nov-96	5 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	12 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	1.26 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	18.3 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.05 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	198 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	135 micromhos	
	pH	Bailer	NO	Fld. Para.	18-Nov-96	4.90 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	2.07 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15955	Report Period	2nd half 1996
Well Name	SA-6	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	18.16		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	47.6 mg/l	1.0 mg/l
	Color Field				18-Nov-96	5.0 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	81 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	0.06 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	35.4 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.26 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	22-Nov-96	508 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	0.007 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	800 micromhos	
	pH	Bailer	NO	Fld. Para.	18-Nov-96	7.24 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	2.53 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15961	Report Period	2nd half 1996
Well Name	LR11-2	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	29.41		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS	
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	11.6 mg/l	1.0	mg/l
	Color Field				18-Nov-96	15 color units		
	Bicarbonate Alkalinity	Bailer	NO	2320 B	27-Nov-96	49 mg/l	1	mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	5.23 mg/l	0.02	mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001	mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	4.57 mg/l	0.01	mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05	mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.07 mg/l	0.01	mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	218 mg/l	1	mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1	mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04	mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05	mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02	mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02	mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10	mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005	mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005	mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.002 mg/l	0.001	mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003	mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001	mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002	mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001	mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
81552	Acetone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	2.5	ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0	ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3	ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	5.0	ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
77128	Styrene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.0	ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.3	ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	10.0	ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.5	ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.13	ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.17	ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.1	ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	1.50	ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.03	ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
34030	Benzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.21	ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.19	ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.08	ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05	ug/l
34010	Toluene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.10	ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.05	ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.14	ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.04	ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.06	ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.12	ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	27-Nov-96	BDL ug/l	0.11	ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	135 micromhos		
	pH	Bailer	NO	Fld. Para.	18-Nov-96	5.85 std. unts.		
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.0 celceus		
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	1.94 mg/L		

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15954	Report Period	2nd half 1996
Well Name	SA-5	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	19.35		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	63.7 mg/l	1.0 mg/l
	Color Field				18-Nov-96	5.0 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	22-Nov-96	224 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	0.04 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	57.6 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	0.23 mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.24 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	504 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	650 micromhos	
	pH	Bailer	NO	Fld. Para.	18-Nov-96	7.26 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	2.65 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 18, 1996
Test I.D. No.:	4041A15960	Report Period	2nd half 1996
Well Name	LR11-1	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	31.28		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	29.6 mg/l	1.0 mg/l
	Color Field				18-Nov-96	80 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	22-Nov-96	229 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	21-Nov-96	30.4 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	22-Nov-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	22-Nov-96	24.1 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	19-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.80 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	21-Nov-96	468 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	22-Nov-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	21-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	25-Nov-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	21-Nov-96	0.031 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	21-Nov-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	25-Nov-96	0.006 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	22-Nov-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	20-Nov-96	0.009 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	27-Nov-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	21-Nov-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	26-Nov-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	18-Nov-96	500 micromhos	
	pH	Bailer	NO	Fld. Para.	18-Nov-96	6.04 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	18-Nov-96	24.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	18-Nov-96	2.21 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A15969	Report Period	2nd half 1996
Well Name	GC-6	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Background
Ground Water Elevation (NGVD):	30.82		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	15.7 mg/l	1.0 mg/l
	Color Field				21-Nov-96	30 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	81 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	2.04 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	6.23 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.59 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	264 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	0.002 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	295 micromhos	
	pH	Bailer	NO	Fld. Para.	21-Nov-96	5.92 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	25.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	1.36 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A15967	Report Period (year/quarter)	2nd half 1996
Well Name	GC-4	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	26.18		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS	
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	20.5 mg/l	1.0	mg/l
	Color Field			EPA 110.2	21-Nov-96	10 color units		
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	193 mg/l	1	mg/l
01045	Iron	Bailer	NO	EPA 200.7	17-Dec-96	12.8 mg/l	0.02	mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001	mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	20.6 mg/l	0.01	mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05	mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.10 mg/l	0.01	mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	320 mg/l	1	mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1	mg/l
01027	Calcium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005	mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04	mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05	mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02	mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02	mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005	mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10	mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Dec-96	0.007 mg/l	0.005	mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005	mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	0.010 mg/l	0.001	mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003	mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	BDL mg/l	0.001	mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002	mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001	mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5	ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5	ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0	ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0	ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0	ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5	ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1	ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3	ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0	ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0	ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5	ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1	ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0	ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3	ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0	ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5	ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12	ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03	ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13	ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17	ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11	ug/l
34311	Chloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1	ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08	ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12	ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03	ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06	ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50	ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03	ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08	ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06	ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21	ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19	ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08	ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05	ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11	ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10	ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05	ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14	ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04	ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06	ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11	ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12	ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11	ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	425 micromhos		
	pH	Bailer	NO	Fld. Para.	21-Nov-96	6.37 std. unts.		
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	24.0 celceus		
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	1.37 mg/L		

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A15952	Report Period	2nd half 1996
Well Name	SA-3	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	16.88		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	24.9 mg/l	1.0 mg/l
	Color Field				21-Nov-96	85 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	315 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	0.29 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	30.1 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.19 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	426 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.031 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	0.002 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	600 micromhos	
	pH	Bailer	NO	Fld. Para.	21-Nov-96	7.15 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	3.20 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A15966	Report Period	2nd half 1996
Well Name	GC-3	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	28.28		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	23.5 mg/l	1.0 mg/l
	Color Field				21-Nov-96	35 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	249 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	6.50 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	20.3 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	22-Nov-96	0.12 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	354 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	0.007 mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	0.007 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	480 micromhos	
	pH	Bailer	NO	Fld. Para.	21-Nov-96	6.27 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	2.62 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A14817	Report Period	2nd half 1996
Well Name	SA-2	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	20.01		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	32.0 mg/l	1.0 mg/l
	Color Field				21-Nov-96	10 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	298 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	03-Dec-96	0.06 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	29.9 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.25 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	392 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	BDL mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	0.004 mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	550 micromhos	
	pH	Bailer	NO	Fld. Para.	21-Nov-96	7.14 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	24.5 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	2.10 mg/L	

Facility GMS No.:	4041C02025	Sampling Date:	November 21, 1996
Test I.D. No.:	4041A15965	Report Period	2nd half 1996
Well Name	GC-2	Well Purged:	Yes
Classification of Ground Water:	G-II	Well Type:	Detection/Compliance
Ground Water Elevation (NGVD):	30.60		

STORET CODE	PARAMETER MONITORED	SAMPLING METHOD	FIELD FILTERED	ANALYSIS METHOD	ANALYSIS DATE	ANALYSIS RESULTS	DETECTION LIMITS
00940	Chloride	Bailer	NO	EPA 325.2	27-Nov-96	30.5 mg/l	1.0 mg/l
	Color Field				21-Nov-96	30 color units	
	Bicarbonate Alkalinity	Bailer	NO	2320 B	02-Dec-96	151 mg/l	1 mg/l
01045	Iron	Bailer	NO	EPA 200.7	17-Dec-96	24.7 mg/l	0.02 mg/l
71900	Mercury	Bailer	NO	EPA 245.1	12-Dec-96	BDL mg/l	0.0001 mg/l
00929	Sodium	Bailer	NO	EPA 200.7	02-Dec-96	22.5 mg/l	0.01 mg/l
00630	Nitrate	Bailer	NO	EPA 353.2	22-Nov-96	BDL mg/l	0.05 mg/l
00610	Total Ammonia	Bailer	NO	EPA 350.1	25-Nov-96	0.18 mg/l	0.01 mg/l
70300	T.D.S.	Bailer	NO	EPA 160.1	27-Nov-96	378 mg/l	1 mg/l
01007	Barium	Bailer	NO	EPA 200.7	04-Dec-96	BDL mg/l	0.1 mg/l
01027	Cadmium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01034	Chromium	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.04 mg/l
01037	Cobalt	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.05 mg/l
01042	Copper	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01067	Nickel	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.02 mg/l
01077	Silver	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01087	Vanadium	Bailer	NO	EPA 200.7	03-Dec-96	BDL mg/l	0.10 mg/l
01092	Zinc	Bailer	NO	EPA 200.7	27-Nov-96	BDL mg/l	0.005 mg/l
01097	Antimony	Bailer	NO	EPA 204.2	12-Dec-96	BDL mg/l	0.005 mg/l
01002	Arsenic	Bailer	NO	EPA 206.2	10-Dec-96	0.066 mg/l	0.001 mg/l
01010	Beryllium	Bailer	NO	EPA 210.2	12-Dec-96	BDL mg/l	0.003 mg/l
01051	Lead	Bailer	NO	EPA 239.2	04-Dec-96	BDL mg/l	0.001 mg/l
01147	Selenium	Bailer	NO	EPA 270.2	05-Dec-96	BDL mg/l	0.002 mg/l
01059	Thallium	Bailer	NO	EPA 279.2	11-Dec-96	BDL mg/l	0.001 mg/l
77424	Iodomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
81552	Acetone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	2.5 ug/l
81309	Carbon Disulfide	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77057	Vinyl Acetate	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
81595	2-Butanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
73805	Bromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77093	CIS 1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34536	Dibromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
78133	4-Methyl-2-Pentanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77103	2-Hexanone	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	5.0 ug/l
77651	1,2-Dibromoethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
77562	1,1,1,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
77128	Styrene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.0 ug/l
77443	1,2,3-Trichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.3 ug/l
49263	T-1,4-Dichloro-2-Butene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	10.0 ug/l
38437	1,2-Dibromo-3-Chloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.5 ug/l
34516	1,1,2,2-Tetrachloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34566	1,4-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34536	1,2-Dichlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34418	Chloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.13 ug/l
39175	Vinyl Chloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.17 ug/l
34413	Bromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34311	Chlorethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.1 ug/l
34488	Trichlorofluoromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34501	1,1-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
34423	Dichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34546	Trans-1,2-Dichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34215	Acrylonitrile	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	1.50 ug/l
34496	1,1-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32106	Trichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.03 ug/l
34506	1,1,1-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34531	1,2-Dichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
34030	Benzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
32102	Carbon Tetrachloride	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.21 ug/l
34541	1,2-Dichloropropane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
39180	Trichloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.19 ug/l
32101	Bromodichloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.08 ug/l
34704	CIS-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34010	Toluene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
34699	Trans-1,3-Dichloropropene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34511	1,1,2-Trichloroethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.10 ug/l
32105	Dibromochloromethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.05 ug/l
34475	Tetrachloroethene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.14 ug/l
34301	Chlorobenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.04 ug/l
34371	Ethylbenzene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.06 ug/l
85795	M,P-Xylenes	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
32104	Tribromomethane	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.12 ug/l
77135	O-Xylene	Bailer	NO	EPA 8260	03-Dec-96	BDL ug/l	0.11 ug/l
	Specific Conductance	Bailer	NO	Fld. Para.	21-Nov-96	500 micromhos	
	pH	Bailer	NO	Fld. Para.	21-Nov-96	6.15 std. unts.	
	Temperature	Bailer	NO	Fld. Para.	21-Nov-96	25.0 celceus	
	Dissolved Oxygen	Bailer	NO	Fld. Para.	21-Nov-96	1.64 mg/L	

**TABLE I
LENA ROAD LANDFILL
GROUNDWATER SAMPLING, 2nd HALF 1996
PARAMETERS ABOVE MCL**

WELL	PARAMETER	MCL	TESTED VALUE
SA-3	Color	15	35
GC-4	Iron	0.3	12.8
	pH	6.5 - 8.5	6.37
GC-6	Iron	0.3	2.04
	pH	6.5 - 8.5	5.92
LRII-5	Iron	0.3	4.47
	pH	6.5 - 8.5	5.90
GC-2	Iron	0.3	6.15
	pH	6.5 - 8.5	24.7
	Color	15	30
GC-3	pH	6.5 - 8.5	6.27
SA-5	TDS	500	504
LRII-2	pH	6.5 - 8.5	5.85
	Iron	0.3	5.23
SA-6	TDS	500	508
LRII-3	Iron	0.3	1.26
	pH	6.5 - 8.5	4.90
GC-5	Iron	0.3	2.46
	pH	6.5 - 8.5	6.37
	Color	15	55

TABLE I (Con't)
LENA ROAD LANDFILL
GROUNDWATER SAMPLING, 2nd HALF 1996
PARAMETERS ABOVE MCL

WELL	PARAMETER	MCL	TESTED VALUE
LR11-1	Iron	0.3	30.4
	pH	6.5 - 8.5	6.04
	Color	15	80
MW-3	Iron	0.3	9.81
	pH	6.5 - 8.5	5.73
MW-2	Color	15	40
	Iron	0.3	2.61
	pH	6.5 - 8.5	4.66
MW-5	Color	15	60
	Iron	0.3	2.46
	pH	6.5 - 8.5	6.12
CW-5A	Color	15	20
	Iron	0.3	8.81
	pH	6.5 - 8.5	5.59
CW-4	Color	15	35
	Iron	0.3	4.84
	pH	6.5 - 8.5	6.47
	TDS	500	894
MW-1	Iron	0.3	6.56
	pH	6.5 - 8.5	4.80
LR11-4	Iron	0.3	5.17
	pH	6.5 - 8.5	6.01
SMR-1	Color	15	25
	Iron	0.3	7.35
	pH	6.5 - 8.5	5.48
MW-6	Color	15	30
	Iron	0.3	5.72
	pH	6.5 - 8.5	5.34
GC-1A	TDS	500	600
	Iron	0.3	17.6
	pH	6.5 - 8.5	6.4
SA-4	Iron	0.3	0.9
Leachate	Color	15	110
	Iron	0.3	3.30
	TDS	500	1,134

Notes:
Iron and TDS given in mg/l
pH given in standard units.
Color given in color units