

## Florida Department of Environmental Protection

Central District 3319 Maguire Boulevard, Suite 232 Orlando, Florida 32803-3767 Rick Scott Governor

Carlos Lopez-Cantera Lt. Governor

Jonathan P. Steverson Secretary

## REQUEST FOR ADDITIONAL INFORMATION

March 2, 2016

Michael Kaiser
Taft Recycling, Inc., Material Recovery Facility
375 West 7<sup>th</sup> Street
Orlando, Florida, 32824
michael.kaiser@progressive\_waste.com

Re: First Request for Additional Information (RAI)

Orange County – Solid Waste

Facility Name: Taft Recycling, Inc., Material Recovery Facility

Facility ID: 0173968

DEP Application No.: 0173968-011-WT-02, and 0173968-012-SO-31

## Dear Mr. Kaiser:

Thank you for your application for Solid Waste Transfer Station and Waste Tire Processing Facility for the above referenced Facility. The Department has assigned DEP Application Nos. 0173968-011-WT-02, and 0173968-012-SO-31 to the application. A Department staff review of the application and supporting documentation submitted on February 19, 2016, indicates the application is incomplete. Pursuant to the provisions of Rule 62-4.055, F.A.C., please provide the information listed below and refer to this correspondence in your response. The response to this correspondence must be signed, sealed, and dated by a registered Florida Professional Engineer.

- 1. The Application Section 5- Financial Assurance Cost Estimate, Table 1 Opinion of Probable Closure Costs lists a maximum storage capacity of 50,000 tons of recovered asphalt/concrete. Appendix H of the Operation Plan indicates that 2,500 cubic yards at an estimated 4,000 pounds per cubic yards (equivalent to 5,000 tons) will be managed at the facility. Please indicate which quantity is correct and revise either the Closure Cost estimate or Appendix H of the Operation Plan
- 2. Appendix H of the Operation Plan indicates that the recovered asphalt/concrete will be stored in the outside storage yard. The Operation flow chart included in Appendix B of the Operation plan indicates that recovered concrete, roofing tile, brick and concrete will be stored on the Class III waste tipping floor.
  - a. Which location is correct?
  - b. Is there enough space to store 50,000 tons of recovered asphalt/concrete?

Michael Kaiser Page 2 of 3 March 2, 2016

- 3. If recovered asphalt/concrete material will be stored at a location in the outside storage yard, please illustrate on the Site Plan where this material will be stored and managed.
- 4. Please revise the operation plan to describe how the asphalt/concrete material will be managed. If asphalt will be segregated and managed separately for beneficial use or reuse, please indicate this.
- 5. The Application Section 5 Financial Assurance Cost Estimate indicted that it is assumed that recovered asphalt/concrete materials will be accepted at the facility adjacent to TRI for no disposal cost. The previous detailed cost estimate dated February 16, 2011 assumed a typical Class III disposal rate would apply to disposal of this material. Please either provide a letter of agreement from the facility adjacent to TRI indicating the name of the business located at the facility and that they will in fact accept the maximum storage capacity of material at no disposal cost, or revise the cost estimate to include the typical Class III disposal rate for the maximum storage capacity of asphalt/concrete facility that is anticipated to be managed at the TRI facility.

In order for the Department to continue processing your application, please submit the requested information as soon as possible. The Department must receive a response within 90 days of the date of this letter, unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to Rule 62-4.055(1), F.A.C. and Section 120.60, F.S., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the application. You are encouraged to contact this office to discuss the items requested to assist you in developing a complete and adequate response.

Please submit the response in electronic format to **DEP\_CD@dep.state.fl.us**, with a copy to stephen.amirault@dep.state.fl.us. If the file is very large, you may post it to a folder on the Central District's office's ftp site at: **ftp://ftp.dep.state.fl.us/pub/incoming/Central\_District/**. After posting the document, send an e-mail to **DEP\_CD@dep.state.fl.us**, with a copy to <a href="mailto:stephen.amirault@dep.state.fl.us">stephen.amirault@dep.state.fl.us</a>, alerting us that it has been posted.

If you have any questions, please contact Stephen Amirault by telephone at 407-897-2942 or by e-mail at <a href="mailto:stephen.amirault@dep.state.fl.us.">stephen.amirault@dep.state.fl.us.</a>

Sincerely,

F. Thomas Lubozynski, P.Ē. Environmental Administrator

Permitting and WCU

Waste, Air, & Stormwater Permitting

F Thomas Tellogyus hi

Florida Department of Environmental Protection

Michael Kaiser Page 3 of 3 March 2, 2016

cc:

Mr. Michael Kaiser, Southeast Region Engineer, Taft Recycling Inc.: <a href="Michael.kaiser@progressivewaste.com">Michael.kaiser@progressivewaste.com</a>
Mr. John P. Smith, P.E., HSA Golden, Inc: <a href="mailto:jsmith@hsagolden.com">jsmith@hsagolden.com</a>
Nathan Hess – FDEP Central District, <a href="mailto:jsmith@hsagolden.com">jsmith@hsagolden.com</a>
Nathan Hess – FDEP Central District, <a href="mailto:jsmith@hsagolden.com">jsmith@hsagolden.com</a>
Gloria DePradine – FDEP Central District, <a href="mailto:gloriajean.depradine@dep.state.fl.us">Gloriajean.depradine@dep.state.fl.us</a>