
BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Assistant County Administrators
Bernardo Garcia
Carl S. Harness

December 19, 2003



Mr. John Morris, P.G.
Department of Environmental Protection
Solid Waste Section
3804 Coconut Palm Drive
Tampa, FL 33619-8318

Re: Southeast County Landfill Private Wells
Analytical Data Report – November 2003

Dear Mr. Morris:


The Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data report for the quarterly water quality monitoring of the four domestic supply wells in the vicinity of the Southeast County Landfill. Samples were collected on November 6, 2003 and analyzed by our contract laboratory, Elab, Inc. An analytical data summary table is enclosed for your review. The analytical results indicates that the water quality is within the Florida Primary and Secondary Drinking Water Standards (FAC Ch 62-550.310-.320) for the parameters tested, with the exception of iron in the Weeks and Barnes wells. However, the iron observed is considered within background or ambient concentrations.

Should you have any questions or require any additional information, please feel free to contact me directly at (813) 276-2944.

Sincerely,

David S. Adams 12/19/03

David S. Adams, P.G.
Environmental Manager
Solid Waste Management



Enclosures
xc: Patricia Berry, Solid Waste Management Department
Matt Mathews, Solid Waste Management Department
Ernest Ely, General Manager, Waste Management, Southeast Landfill
Larry Ruiz, Project Manager, SCS Engineers
Paul Schipfer, Environmental Protection Commission
Irene Barnes, Southeast Hillsborough Civic Association

Nov. 2003
SAMPLING
EVENT

BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Assistant County Administrators
Bernardo Garcia
Carl S. Harness

December 19, 2003

Mr. & Mrs. Harold Weeks
116 Wendel Ave.
Lithia, FL 33547

Subject: Analytical Data
Domestic Supply Well
116 Wendel Ave.

Dear Mr. & Mrs. Weeks:

The Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data for your domestic supply well which was sampled on November 6, 2003. Iron was observed at a concentration of 0.51 mg/l. This value exceeds the Florida Secondary Drinking Water Standard (FAC Ch 62-550.320) of 0.30 mg/l. All other parameters tested are within Florida Primary and Secondary Drinking Water Standards (FAC Ch 62-550.310-.320).

For health effects information you may call the Hillsborough County Health Department at (813) 307-8001. If you have any questions on the analysis, you may call me at 276-2920. Thank you for your permission to test this well.

Sincerely,

James G. Clayton

James G. Clayton
Environmental Supervisor
Solid Waste Management Department

JGC
Enclosures
xc: Irene Barnes, Southeast Hillsborough Civic Association
Cindy Morris, Hillsborough County Health Department

Analytical Results from Private Well Samples at the Southeast Landfill November 6, 2003

GENERAL (mg/l) PARAMETERS	Private Wells				(MCL) STANDARD F.A.C. 62-550
	Weeks	Holland	McBride	Barnes	
conductivity (umhos/cm) (field)	546	411	360	401	NS
pH (field)	7.05	7.26	7.7	7.6	(6.5 - 8.5)**
total dissolved solids (mg/l)	300	270	220	230	500**
temperature (°C) (field)	24.08	24.11	24.77	24.6	NS
turbidity (NTU) (field)	3.10	1.00	BDL	BDL	NS
chloride (mg/l)	24	20	7.2	8.2	250**
ammonia nitrogen (mg/l as N)	0.22	0.16	0.32	0.26	NS
nitrate (mg/l as N)	0.058	0.045	BDL	0.13	10*
dissolved oxygen (mg/l) (field)	5.42	0.04	0.09	1.58	NS
total alpha (pCi/l)	4.8	4.4	4.6	3.5	15*
radium 226 (pCi/l)	ND	ND	ND	ND	5*

	Private Wells				(MCL) STANDARD F.A.C. 62-550
Metals: (mg/l)	Weeks	Holland	McBride	Barnes	
iron	**0.51**	**1.6**	0.019	BDL	0.3**
chromium	BDL	BDL	BDL	BDL	0.2
copper	0.0026	0.002	0.004	0.0016	1**
barium	0.0049	0.0042	0.0037	0.0053	2*
arsenic	0.0038	BDL	BDL	BDL	0.05*
nickel	BDL	BDL	BDL	BDL	0.1*
lead	BDL	BDL	BDL	BDL	0.015*
sodium	8.4	5	8.2	15	160*
antimony	BDL	BDL	BDL	BDL	0.006*
thallium	BDL	BDL	BDL	BDL	0.002*
mercury	BDL	BDL	BDL	BDL	0.002
vanadium	0.1	0.45	BDL	0.83	49***
zinc	0.100	0.073	0.02	0.160	5**

Organics: (µg/l) E.P.A. Methods 8260 Organic Parameters Detected	Private Wells				(MCL) STANDARD F.A.C. 62-550
	Weeks	Holland	McBride	Barnes	
1,1-dichloroethene	BDL	BDL	BDL	BDL	7*

Notes: Reference Groundwater Guidance Concentrations, FDEP June 1994
NS=NO STANDARD
MCL=MAXIMUM CONTAMINANT LEVEL
BDL=BELOW DETECTION LIMIT
ND=NO SURVEY DATA AVAILABLE
*=DENOTES PRIMARY DRINKING WATER STANDARD
**=DENOTES SECONDARY DRINKING WATER STANDARD
0.51 EXCEEDS STANDARDS
NTU=NEPHELOMETRIC TURBIDITY UNITS
pCi/l=PICOCURIES PER LITER
ug/l=MICROGRAMS PER LITER
mg/l=MILLIGRAMS PER LITER

Prepared by: Jim Clayton
QC'd: Mike Townsel
FinalQC: David Adams, P.G.

BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Assistant County Administrators
Bernardo Garcia
Carl S. Harness

December 19, 2003

Mr. Tom Holland
121 Carter Road
Lithia, FL 33547

Subject: Analytical Data
Domestic Supply Well
121 Carter Road

Dear Mr. Holland:

The Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data for your domestic supply well which was sampled on November 6, 2003. Iron was observed at a concentration of 1.60 mg/l which is in exceedance of the Florida Secondary Drinking Water Standard (FAC Ch 62-550.320) of 0.30 mg/l. All other parameters are within Primary and Secondary Drinking Water Standards (FAC Ch 62-550.310-.320).

For health effects information you may call the Hillsborough County Health Department at (813) 307-8001. If you have any questions on the analysis, you may call me at 276-2920. Thank you for your permission to test this well.

Sincerely,

James G. Clayton

James G. Clayton
Environmental Supervisor
Solid Waste Management Department

JGC
Enclosures

xc: Irene Barnes, Southeast Hillsborough Civic Association
Cindy Morris, Hillsborough County Health Department

BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Assistant County Administrators
Bernardo Garcia
Carl S. Harness

December 19, 2003

Mr. Howard Barnes
P.O. Box 108
Lithia, FL 33547

Subject: Analytical Data
Domestic Supply Well
17502 County Road 672

Dear Mr. Barnes:

The Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data for your domestic supply well which was sampled on November 6, 2003. The parameters tested are within Florida Primary and Secondary Drinking Water Standards (FAC Ch 62-550.310-.320).

If you have any questions on the analysis, you may call me at 276-2920. Thank you for permission to test this well.

Sincerely,

James G. Clayton
Environmental Supervisor
Solid Waste Management Department

JGC
Enclosures

xc: Irene Barnes, Southeast Hillsborough Civic Association
Cindy Morris, Hillsborough County Health Department

BOARD OF COUNTY COMMISSIONERS
Kathy Castor
Pat Frank
Ken Hagan
Jim Norman
Jan K. Platt
Thomas Scott
Ronda Storms

Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

Assistant County Administrators
Bernardo Garcia
Carl S. Harness

December 19, 2003

Ms. Irene Barnes
Southeast Hillsborough Civic Association, Inc.
P.O. Box 108
Lithia, FL 33547

Subject: Domestic Supply Wells in the vicinity of the Southeast County Landfill:
Analytical Data

Dear Ms. Barnes:

The Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the analytical data of the four domestic supply wells in the vicinity of the Southeast County Landfill. The sampling was conducted on November 6, 2003.

If you or any member of SEHCA have any questions concerning the analyses, please call me at 276-2920, or David Adams at 276-2944.

Sincerely,

James G. Clayton

James G. Clayton
Environmental Supervisor
Solid Waste Management Department

JGC
Enclosures

xc: Cindy Morris, Hillsborough County Health Department

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-006

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 10:32:00 AM
Well/Sampling Point WACS:	Weeks	**Report Period:**	November 2003
Well/Sampling Point Name:	Weeks	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	FIELD								
	Conductivity	Grab	N	FLD	11/6/2003	546		umhos/c	
	Dissolved Oxygen	Grab	N	FLD	11/6/2003	5.42		mg/L	
	pH	Grab	N	FLD	11/6/2003	7.05		S.U.	
	Temperature	Grab	N	FLD	11/6/2003	24.08		deg C	
	Turbidity	Grab	N	FLD	11/6/2003	3.1		NTU	
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	493		µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/10/2003	300		mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	24		mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.058		mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.22		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	3.8	I	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	4.9	I	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	2.6	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	510		µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	8400		µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.45	I	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	100		µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/24/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/25/2003	0.25	U	µg/L	0.25

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-006

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 10:32:00 AM
Well/Sampling Point WACS:	Weeks	**Report Period:**	November 2003
Well/Sampling Point Name:	Weeks	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/18/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/18/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/20/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/20/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/20/2003	0.31	U	µg/L	0.31
73085	Bromochloromethane	Grab	N	SW8260	11/20/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/20/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/20/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/20/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/20/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/20/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/20/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/20/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/20/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/20/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/20/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/20/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/20/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/20/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/20/2003	0.26	U	µg/L	0.26

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-006

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 10:32:00 AM
Well/Sampling Point WACS:	Weeks	**Report Period:**	November 2003
Well/Sampling Point Name:	Weeks	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77424	Iodomethane	Grab	N	SW8260	11/20/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/20/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/20/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/20/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34010	Toluene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/20/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/20/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/20/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/20/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/20/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/20/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	4.8+/-1.3		pci/L	1.4

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-004

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:17:00 AM
Well/Sampling Point WACS:	Holland	**Report Period:**	November 2003
Well/Sampling Point Name:	Holland	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	FIELD								
	Conductivity	Grab	N	FLD	11/6/2003	411		umhos/c	
	Dissolved Oxygen	Grab	N	FLD	11/6/2003	0.04		mg/L	
	pH	Grab	N	FLD	11/6/2003	7.26		S.U.	
	Temperature	Grab	N	FLD	11/6/2003	24.11		deg C	
	Turbidity	Grab	N	FLD	11/6/2003	1.0		NTU	
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	368		µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/10/2003	270		mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	20		mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.045	I	mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.16		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	4.2	I	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	2.0	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	1600		µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	4.2	I	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	5000		µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.45	I	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	73		µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/24/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/25/2003	0.25	U	µg/L	0.25

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-004

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:17:00 AM
Well/Sampling Point WACS:	Holland	**Report Period:**	November 2003
Well/Sampling Point Name:	Holland	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/14/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/14/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/19/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/19/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
73085	Bromochloromethane	Grab	N	SW8260	11/19/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/19/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-004

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:17:00 AM
Well/Sampling Point WACS:	Holland	**Report Period:**	November 2003
Well/Sampling Point Name:	Holland	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77424	Iodomethane	Grab	N	SW8260	11/19/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/19/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34010	Toluene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/19/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/19/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	4.4+/-1.7		pci/L	1.6

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-005

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 12:32:00 PM
Well/Sampling Point WACS:	McBride	**Report Period:**	November 2003
Well/Sampling Point Name:	McBride	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	FIELD								
	Conductivity	Grab	N	FLD	11/6/2003	360		umhos/c	
	Dissolved Oxygen	Grab	N	FLD	11/6/2003	0.09		mg/L	
	pH	Grab	N	FLD	11/6/2003	7.70		S.U.	
	Temperature	Grab	N	FLD	11/6/2003	24.77		deg C	
	Turbidity	Grab	N	FLD	11/6/2003		U	NTU	
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	329		µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/10/2003	220		mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	7.2		mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.016	U	mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.32		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	3.7	I	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	4.0	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	19	I	µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	8200		µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.40	U	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	20		µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/24/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/25/2003	0.25	U	µg/L	0.25

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-005

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 12:32:00 PM
Well/Sampling Point WACS:	McBride	**Report Period:**	November 2003
Well/Sampling Point Name:	McBride	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/18/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/18/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/19/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/19/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
73085	Bromochloromethane	Grab	N	SW8260	11/19/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/19/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26


Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-005

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 12:32:00 PM
Well/Sampling Point WACS:	McBride	**Report Period:**	November 2003
Well/Sampling Point Name:	McBride	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77424	Iodomethane	Grab	N	SW8260	11/19/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/19/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34010	Toluene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/19/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/19/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	4.6+/-1.9		pci/L	2.2

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL



Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-003

REVISE

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:57:00 AM
Well/Sampling Point WACS:	Barnes	**Report Period:**	November 2003
Well/Sampling Point Name:	Barnes	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	FIELD								
	Conductivity	Grab	N	FLD	11/6/2003	401		umhos/c	
	Dissolved Oxygen	Grab	N	FLD	11/6/2003	1.58		mg/L	
	pH	Grab	N	FLD	11/6/2003	7.60			
	Temperature	Grab	N	FLD	11/6/2003	24.60		deg C	
	Turbidity	Grab	N	FLD	11/6/2003	<0.1		NTU	
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	359		µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/7/2003	230		mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	8.2		mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.13		mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.26		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	5.3	I	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	1.6	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	13	U	µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	15000		µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.83	I	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	160		µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/24/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/25/2003	0.25	U	µg/L	0.25

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-003

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:57:00 AM
Well/Sampling Point WACS:	Barnes	**Report Period:**	November 2003
Well/Sampling Point Name:	Barnes	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/14/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/14/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/19/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/19/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
73085	Bromochloromethane	Grab	N	SW8260	11/19/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/19/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-003

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 11:57:00 AM
Well/Sampling Point WACS:	Barnes	**Report Period:**	November 2003
Well/Sampling Point Name:	Barnes	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
77424	Iodomethane	Grab	N	SW8260	11/19/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/19/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34010	Toluene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/19/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/19/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	3.5+/-1.7		pci/L	1.9

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-002

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	DUP	**Report Period:**	November 2003
Well/Sampling Point Name:	DUP	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	355		µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/7/2003	240		mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	8.1		mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.14		mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.25		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	5.0	I	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	1.7	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	13	U	µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	15000		µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.40	U	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	160		µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/21/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/24/2003	0.25	U	µg/L	0.25
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/14/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/14/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/19/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/19/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-002

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	DUP	**Report Period:**	November 2003
Well/Sampling Point Name:	DUP	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
73085	Bromochloromethane	Grab	N	SW8260	11/19/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/19/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77424	Iodomethane	Grab	N	SW8260	11/19/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/19/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11


Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-002

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	DUP	**Report Period:**	November 2003
Well/Sampling Point Name:	DUP	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34010	Toluene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/19/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/19/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	2.6+/-1.5		pci/L	1.6

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL



Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-001

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	Equip Blank	**Report Period:**	November 2003
Well/Sampling Point Name:	Equip Blank	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	INORGANICS								
00095	Conductance, Specific	Grab	N	E120.1	11/7/2003	1.00	U	µmhos/c	1.00
70300	Solids, Total Dissolved	Grab	N	E160.1	11/7/2003	1.2	U	mg/L	1.2
00940	Chloride	Grab	N	E300.0	11/7/2003	0.16	I	mg/L	0.10
00620	Nitrogen, Nitrate	Grab	N	E300.0	11/7/2003	0.016	U	mg/L	0.016
00610	Nitrogen, Ammonia (As N)	Grab	N	E350.1	11/11/2003	0.096		mg/L	0.0040
	METALS								
01002	Arsenic	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01007	Barium	Grab	N	SW6010	11/12/2003	0.074	U	µg/L	0.074
01012	Beryllium	Grab	N	SW6010	11/12/2003	0.12	U	µg/L	0.12
01027	Cadmium	Grab	N	SW6010	11/12/2003	0.24	U	µg/L	0.24
01034	Chromium	Grab	N	SW6010	11/12/2003	0.60	U	µg/L	0.60
01037	Cobalt	Grab	N	SW6010	11/12/2003	1.5	U	µg/L	1.5
01042	Copper	Grab	N	SW6010	11/12/2003	1.0	I	µg/L	0.58
01045	Iron	Grab	N	SW6010	11/12/2003	13	U	µg/L	13
01051	Lead	Grab	N	SW6010	11/12/2003	1.8	U	µg/L	1.8
01067	Nickel	Grab	N	SW6010	11/12/2003	2.0	U	µg/L	2.0
01147	Selenium	Grab	N	SW6010	11/12/2003	4.0	U	µg/L	4.0
01077	Silver	Grab	N	SW6010	11/12/2003	1.4	U	µg/L	1.4
00929	Sodium	Grab	N	SW6010	11/12/2003	230	U	µg/L	230
01087	Vanadium	Grab	N	SW6010	11/12/2003	0.40	U	µg/L	0.40
01092	Zinc	Grab	N	SW6010	11/12/2003	2.3	U	µg/L	2.3
01097	Antimony	Grab	N	SW7041	11/21/2003	0.35	U	µg/L	0.35
71900	Mercury	Grab	N	SW7470	11/17/2003	0.036	U	µg/L	0.036
01059	Thallium	Grab	N	SW7841	11/24/2003	0.25	U	µg/L	0.25
	ORGANICS								
49146	1,2-Dibromo-3-chloropropane	Grab	N	SW8011	11/14/2003	0.0041	U	µg/L	0.0041
77651	Ethylene Dibromide	Grab	N	SW8011	11/14/2003	0.0038	U	µg/L	0.0038
81552	Acetone	Grab	N	SW8260	11/19/2003	0.91	U	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/19/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program

PARAMETER MONITORING REPORT

Ground Water (Rule 62-520.400,.420, .460)

Surface Water (Rule 62-302.500, .510, .503)

Leachate (Rule 62-701.510)

LAB Submission Number: F03110170

Sample Number: F03110170-001

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	Equip Blank	**Report Period:**	November 2003
Well/Sampling Point Name:	Equip Blank	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
73085	Bromochloromethane	Grab	N	SW8260	11/19/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/19/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/19/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/19/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/19/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/19/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77424	Iodomethane	Grab	N	SW8260	11/19/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/19/2003	0.21	U	µg/L	0.21
34423	Methylene chloride	Grab	N	SW8260	11/19/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/19/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/19/2003	0.11	U	µg/L	0.11

Data Qualifier Code Key:

I Analyte detected below quantitation limits

S Spike Recovery outside accepted recovery limits

U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-001

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 6:00:00 PM
Well/Sampling Point WACS:	Equip Blank	**Report Period:**	November 2003
Well/Sampling Point Name:	Equip Blank	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34010	Toluene	Grab	N	SW8260	11/19/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/19/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/19/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/19/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/19/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/19/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/19/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/19/2003	0.29	U	µg/L	0.29
	SUB								
01519	Alpha, Gross	Grab	N	E900.0	11/20/2003	<0.8+/-0.6		pci/L	0.80

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-007

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 8:30:00 AM
Well/Sampling Point WACS:	Travel Blank	**Report Period:**	November 2003
Well/Sampling Point Name:	Travel Blank	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
	ORGANICS								
81552	Acetone	Grab	N	SW8260	11/20/2003	2.0	I	µg/L	0.91
34215	Acrylonitrile	Grab	N	SW8260	11/20/2003	0.93	U	µg/L	0.93
34030	Benzene	Grab	N	SW8260	11/20/2003	0.31	U	µg/L	0.31
73085	Bromochloromethane	Grab	N	SW8260	11/20/2003	0.22	U	µg/L	0.22
32101	Bromodichloromethane	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
32104	Bromoform	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34413	Bromomethane	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
81595	2-Butanone	Grab	N	SW8260	11/20/2003	0.29	U	µg/L	0.29
77041	Carbon disulfide	Grab	N	SW8260	11/20/2003	0.25	U	µg/L	0.25
32102	Carbon tetrachloride	Grab	N	SW8260	11/20/2003	0.25	U	µg/L	0.25
34301	Chlorobenzene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34311	Chloroethane	Grab	N	SW8260	11/20/2003	0.16	U	µg/L	0.16
32106	Chloroform	Grab	N	SW8260	11/20/2003	0.28	U	µg/L	0.28
34418	Chloromethane	Grab	N	SW8260	11/20/2003	0.31	U	µg/L	0.31
32105	Dibromochloromethane	Grab	N	SW8260	11/20/2003	0.16	U	µg/L	0.16
77596	Dibromomethane	Grab	N	SW8260	11/20/2003	0.13	U	µg/L	0.13
77268	trans-1,4-Dichloro-2-butene	Grab	N	SW8260	11/20/2003	0.14	U	µg/L	0.14
34536	1,2-Dichlorobenzene	Grab	N	SW8260	11/20/2003	0.18	U	µg/L	0.18
34571	1,4-Dichlorobenzene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34496	1,1-Dichloroethane	Grab	N	SW8260	11/20/2003	0.30	U	µg/L	0.30
34531	1,2-Dichloroethane	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34501	1,1-Dichloroethene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
77093	cis-1,2-Dichloroethene	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34546	trans-1,2-Dichloroethene	Grab	N	SW8260	11/20/2003	0.17	U	µg/L	0.17
34541	1,2-Dichloropropane	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
34704	cis-1,3-Dichloropropene	Grab	N	SW8260	11/20/2003	0.070	U	µg/L	0.070
34699	trans-1,3-Dichloropropene	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34371	Ethylbenzene	Grab	N	SW8260	11/20/2003	0.12	U	µg/L	0.12
77103	2-Hexanone	Grab	N	SW8260	11/20/2003	0.26	U	µg/L	0.26
77424	Iodomethane	Grab	N	SW8260	11/20/2003	0.38	U	µg/L	0.38
81596	4-Methyl-2-pentanone	Grab	N	SW8260	11/20/2003	0.21	U	µg/L	0.21

Data Qualifier Code Key:
I Analyte detected below quantitation limits
U Not Detected Above the MDL
S Spike Recovery outside accepted recovery limits

Southeast Landfill Well Monitoring Program
PARAMETER MONITORING REPORT
Ground Water (Rule 62-520.400,.420, .460)
Surface Water (Rule 62-302.500, .510, .503)
Leachate (Rule 62-701.510)
LAB Submission Number: F03110170
Sample Number: F03110170-007

Facility WACS:	35435-006-SO	**Sample Date/Time:**	11/6/2003 8:30:00 AM
Well/Sampling Point WACS:	Travel Blank	**Report Period:**	November 2003
Well/Sampling Point Name:	Travel Blank	**Well Purged:**	YES
Classification of Groundwater:	G-II	**Well Type:**	Private
Ground Water Elevation: (NGVD):			

Storet Code	Parameter Monitored	Sampling Method	Filtered Y/N	Analysis Method	Analysis Date	Analysis Result	Q	Units	Detection Limits
34423	Methylene chloride	Grab	N	SW8260	11/20/2003	0.26	U	µg/L	0.26
77128	Styrene	Grab	N	SW8260	11/20/2003	0.17	U	µg/L	0.17
77562	1,1,1,2-Tetrachloroethane	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34516	1,1,2,2-Tetrachloroethane	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34475	Tetrachloroethene	Grab	N	SW8260	11/20/2003	0.11	U	µg/L	0.11
34010	Toluene	Grab	N	SW8260	11/20/2003	0.10	U	µg/L	0.10
34506	1,1,1-Trichloroethane	Grab	N	SW8260	11/20/2003	0.24	U	µg/L	0.24
34511	1,1,2-Trichloroethane	Grab	N	SW8260	11/20/2003	0.13	U	µg/L	0.13
39180	Trichloroethene	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
34488	Trichlorofluoromethane	Grab	N	SW8260	11/20/2003	0.32	U	µg/L	0.32
77443	1,2,3-Trichloropropane	Grab	N	SW8260	11/20/2003	0.30	U	µg/L	0.30
77057	Vinyl acetate	Grab	N	SW8260	11/20/2003	0.15	U	µg/L	0.15
39175	Vinyl chloride	Grab	N	SW8260	11/20/2003	0.14	U	µg/L	0.14
34020	Xylenes, Total	Grab	N	SW8260	11/20/2003	0.29	U	µg/L	0.29

Data Qualifier Code Key:
I Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits
U Not Detected Above the MDL