


41193

Dept. of Environmental
Protection



Hillsborough County
Florida

SEP 04 2008

GW

SW

PRIVATE WELLS

Southwest District

ANALYTICAL DATA REPORT

MAY 2008

SOUTHEAST COUNTY LANDFILL SITE
HILLSBOROUGH COUNTY, FLORIDA

Hillsborough County
Solid Waste Management Department
Management & Environmental Services Section
P.O. Box 1110
Tampa, Florida 33601

September 2, 2008

MARCH 2008 INITIAL EVENT @ NEW WELLS
TH-6A, TH-6B, TH-6C, TH-70, TH-71

SAMPLING LOGS NOT PROVIDED

ELEVATED TURBIDITY REPORTED @ 2/5 WEEKS
ELEVATED D.O. REPORTED @ 2/5 WEEKS

NO GW ELEVATIONS / NO CONTROL MAP FOR
THE MARCH 2008 EVENT

NO ELECTRONIC DATA FILES / NO REPORT FORMS

MAY 2008 ROUTINE EVENT
SPECIFIC CONDUCTIVITY @ TH-5B APPEARS TO
BE AN OUTLIER (LOW)


SAMPLING LOGS NOT PROVIDED

ELEVATED TURBIDITY REPORTED @ 7 OF 17 WEEKS
ELEVATED D.O. REPORTED @ 5 OF 17 WEEKS

NO SW ELEVATION PROVIDED FOR SMITH LAKE

NO ELECTRONIC DATA FILES / NO REPORT FORMS

↓
STAFF GAUGE IN SMITH LAKE AT "1D"
WAS REPLACED BY NEW STAFF GAUGE
@ "MINE CUT #1"



Hillsborough County
Florida

Office of the County Administrator
Patricia G. Bean

BOARD OF COUNTY COMMISSIONERS

Brian Blair
Rose V. Ferlita
Ken Hagan
Al Higginbotham
Jim Norman
Mark Sharpe
Kevin White

Deputy County Administrator
Wally Hill

Assistant County Administrators
Kenneth C. Griffin
Carl S. Harness
Manus J. O' Donnell

September 2, 2008

Mr. John Morris, P.G.
Department of Environmental Protection
Southwest District-Solid Waste Section
13051 Telecom Parkway
Temple Terrace, FL 33637

FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION
SEP - 4 2008
SOUTHWEST DISTRICT
TAMPA

**Re: Southeast County Landfill
Permit Nos. 35435-006-SO, 35435-007-SO
Analytical Data Report - May 2008**

Dear Mr. Morris:

In accordance with the above-referenced permits, the Hillsborough County Solid Waste Management Department (SWMD) is pleased to provide the May 2008 analytical data report (ADR) for the water quality monitoring conducted at the Southeast County Landfill (SCLF). The SWMD conducted three separate sampling events to address the permit required sampling activities. Sampling events were conducted on March 27, March 31, and May 19-22, 2008 by the SWMD Field Sampling Team.

Three new surficial aquifer detection wells were installed on March 18-19, 2008 as required under Southeast County Permit No. 35435-011-SC/01 for Section 9, Part E - Water Quality Monitoring Requirements, Specific Condition No. 3. These groundwater monitoring wells were designated as TH-69, TH-70, and TH-71, and the SWMD attempted to collect samples on March 27, 2008. However, it was observed that there was insufficient groundwater in TH-70 and TH-71 to collect representative samples utilizing our dedicated sampling equipment. A sample was collected from TH-69 on that date; however, the screen intervals for these three wells appeared to be too high for the seasonal groundwater elevations along the north side of Section 9.

After reviewing site conditions and speaking directly with you, as the appropriate representative of the Florida Department of Environmental Protection (FDEP), the SWMD and our engineering consultant, Jones Edmunds, proposed to install three deeper replacement wells with more appropriate screen intervals in order to obtain representative groundwater samples in the future. These wells were installed on May 15, 2008, and designated as TH-69A, TH-70A, and TH-71A.

Upon their installation, these three new wells have been observed to perform very well, and they will be sound down gradient detection monitoring wells for the future sampling events. The groundwater elevations observed support the position that the screen intervals are appropriately placed. There are differences in the elevations from the wells adjacent to one another, and a significant difference in the elevations observed in TH-71 and TH-71A compared to the other wells. Based on these observations, the groundwater elevation contour diagram was prepared without utilizing the data from these wells. The SWMD will continue to evaluate the groundwater elevations in this area before drawing any conclusions regarding these apparent differences in elevation.

The water quality observations and their overall impact to the future groundwater monitoring activities at the SCLF are discussed in parameter specific details herein.

FIELD PARAMETERS

pH

The surficial aquifer detection and background water quality monitoring wells continue to exhibit pH values below the SDWS acceptable range of 6.5 to 8.5 pH units. The pH values across the site range in value from 4.21 to 6.40 pH units. The pH at the site has historically been observed to be below the acceptable range.

The 1983 Ardaman and Associates, Inc. report titled Hydrogeologic Investigation, Southeast County Landfill, reported pH values ranging from 4.4 to 6.7 pH units in six wells on site. This data was collected prior to construction of the landfill, and supports the position that the pH values observed are consistent with the background water quality for the site. No unusual conditions or changes in the pH values within any of the detection or background monitoring wells or surface water sites were observed during this sampling event.

Turbidity

Turbidity values in the groundwater at the site remain consistent with the historical data set. The range of values observed in the surficial aquifer were 0.6 to 243 nephelometric turbidity units (NTU). It should be noted that recent earth work and construction activities have been occurring at the site, and may have influenced turbidity values near these specific areas. In accordance with the April 3, 2003 Approval of Corrective Action Plan letter from the Florida Department of Environmental Protection (FDEP), the SWMD has recorded turbidity data at the three sampling points along the tributary to Long Flat Creek after each significant rainfall event. Over the period of record from March 2008 to May 2008, turbidity measurements were observed below the compliance level of 29 NTU above the background (upstream) value. However, during this compliance sampling event, surface water locations Mine Cut #1 and Surface Site 3A exhibited turbidity levels of 364 and 60.2 NTU, respectively. Surface site 3A is the upstream location in the tributary to Long Flat Creek, and represents water quality entering the SCLF property. The downstream discharge Surface Site 3C2 was observed at 2.5 NTU indicating that the turbidity was significantly reduced between the upstream point and the discharge point.

GENERAL PARAMETERS

Radium 226

The Weeks' private supply well exhibited concentrations of radium 226 at 12.1 picocuries per liter (pCi/l), which is above the Primary Drinking Water Standard (PDWS) of 5 pCi/l. This supply well periodically exhibits radium 226 above the PDWS. No unusual conditions or changes in radium 226 values were observed during this sampling event, and the home owner has been appropriately notified of this condition. The detection of this radiological parameter in the Weeks' private supply well is not readily attributable to the landfill operations, and as previously discussed, is likely attributable to the past strip mining activities in the area.

Dissolved Oxygen

Dissolved oxygen was observed below the surface water standard of ≥ 5 mg/l in two of the four surface water sampling locations. Surface water sampling locations Surface Site 3A and Surface Site 3B2B exhibited concentrations of 3.66 mg/l and 4.11 mg/l. Again, the surface water sampling site 3A is the upstream location in the tributary to Long Flat Creek and is representative of water quality entering the SCLF site. The dissolved oxygen concentration observed at the discharge point 3C2 was 5.6 mg/l, which indicates the site is not discharging surface water low in dissolved oxygen.

Fecal Coliform

Three of the four surface water sampling locations exhibited concentrations of fecal coliform above the MCL of 800 colonies per 100 milliliter (col/100ml). Concentrations observed at surface water sampling points Mine Cu #1, 3B2B, and 3C2 were observed at 2,200, 12,000, and 4,200 col/100ml. The SWMD believes that the presence of coliform in the surface waters at these elevated concentrations is likely attributable to the numerous birds that frequent the landfill area on a daily basis.

METALS

Arsenic

Arsenic was observed above the PDWS of 0.01 mg/l in one surficial aquifer detection monitoring wells during this sampling event. Detection well TH-58 exhibited a concentration of 0.028 mg/l. The SWMD does not believe that the arsenic observed in this well is attributable to the buried waste within the landfill. The mobilization of arsenic and other metals in the anaerobic environments under the lined landfill has been discussed as a potential source of arsenic. The concentrations could also be naturally occurring within the soils surrounding this well and other localized areas at the site.

Iron

Iron concentrations in sixteen (16) of eighteen (18) surficial aquifer detection and background water quality monitoring wells were observed above the SDWS of 0.3 mg/l. The concentrations of iron ranged from 0.048 mg/l to 31 mg/l. The iron concentrations observed in the surficial aquifer wells across the site have historically been elevated in several areas. Several potential

sources for the elevated iron concentrations at the site have been discussed over the past few years, and there may be several factors contributing. However, the SWMD maintains the position that the source of the elevated iron in the surficial aquifer is not the buried wastes within the landfill.

Surface sampling sites 3A and 3B2B exhibited concentrations of iron above the surface water standard of 1 mg/l with concentrations of 4.8 mg/l and 1.4 mg/l. Private supply wells owned by Weeks and Holland exhibited levels of iron above the SDWS with concentrations of 0.58 mg/l and 1.7 mg/l, respectively. These wells consistently exhibit iron above the SDWS. No unusual changes in iron concentrations have been observed within any of the groundwater monitoring wells, surface water sampling locations, and private supply wells during this event.

VOLATILE ORGANIC CONSTITUENTS

Bis (2-ethylhexyl) phthalate

Bis (2-ethylhexyl) phthalate was observed exceeding the PDWS of 6 mg/l in two surficial aquifer detection monitoring wells during this sampling event. Detection wells TH-69 and TH-71 indicated concentrations of 8 mg/l and 15 mg/l, respectively. Additionally, one of the other new wells, TH-61A exhibited this constituent at a concentration below the PDWS. After careful review of the data, it appeared that the detections were only observed in the new groundwater monitoring wells that were recently installed and sampled in March 2008. The May 2008 sampling event did not confirm the presence of bis(2-ethylhexyl) phthalate in the groundwater. It should also be noted that this parameter has not been observed at the SCLF over the period of record.

CONCLUSIONS

Overall, the water quality at the Southeast County Landfill and surrounding areas remains consistent with the historical data set for the site. The groundwater within the surficial aquifer continues to exhibit concentrations of iron and pH values that are not within their applicable standards, but these constituents have been attributed to past mining activities and the landfill construction at the site. Arsenic concentrations exceeding the standard were observed in TH-58, but the water quality impacts at this location is believed to be a result of the mobilization of naturally occurring arsenic in the anaerobic environment under the landfill. Surface water quality exhibits some minor concerns with pH, dissolved oxygen, turbidity, iron, and fecal coliform. However these observations reflect the historical data set for the surface water sampling sites. The detections of coliform bacteria in the surface waters at the site is likely attributable to the numerous birds that frequent the landfill area on a daily basis. The Floridan aquifer monitoring wells continues to exhibit water quality within all applicable standards, and the private supply wells do not appear to exhibit any impacts attributable to the landfill.

Enclosed for your review is a detailed site location map, the data summary tables for the groundwater monitoring wells, the surface water sites, and the private supply wells. Additionally, this report provides the groundwater elevation data summary table, a surficial


Mr. John Morris, P.G.
September 2, 2008
Page 5

aquifer groundwater elevation and contour diagram, the required turbidity data summary table, copies of the letters sent to the owners of the private supply wells, and the complete laboratory analytical data report sheets. The next quarterly sampling event for the Southeast County Landfill site was conducted during the week of August, 25-29, 2008.

Should you have any questions, require any additional information, or would like to discuss the information provided within this submittal, please feel free to contact me at (813) 276-2944 or via e-mail at adamsds@hillsboroughcounty.org.

Sincerely,

David S. Adams 9/2/2008
David S. Adams, P.G.
Environmental Manager
Solid Waste Management



DSA/mdt
Enclosures

xc: Barry M. Boldissar, Director, SWMD, w/o enclosures
Patricia Berry, Section Manager, SWMD, w/o enclosures
Ernest Ely, Landfill Manager, WM, Southeast Landfill
Larry Ruiz, Project Manager, SWMD
Jason Timmons, Jones Edmunds
Chongman Lee, Florida Department of Environmental Protection
Andy Schipfer, Environmental Protection Commission
Irene Barnes, Southeast Hillsborough Civic Association

g:\enviro\projects\self\self adr 2-08.doc

Florida Department of Environmental Protection

Twin Towers Office Bldg. 2600 Blair Stone Road Tallahassee, Florida 32399-2400

DEP Form # 62-522.900(2)

Form Title Ground Water Monitoring Report

Effective Date _____

DEP Application No. _____

GROUND WATER MONITORING REPORT
Rule 62-522.600(11)

Dept. of Environmental Protection

SEP 04 2008


PART I GENERAL INFORMATION

- (1) Facility Name SOUTHEAST LANDFILL
Address 15960 C. R. 672
City LITHIA, FL Zip 33503
Telephone Number (813) 671-7707
- (2) The GMS Identification Number 4029C30075
- (3) DEP Permit Number 35435-006-SO & 35435-012-SO/MM
- (4) Authorized Representative Name BARRY M. BOLDISSAR, DIRECTOR, SOLID WASTE MANAGEMENT DEPT
Address P O BOX 1110
City TAMPA, FLORIDA Zip 33601
Telephone Number (813) 276-2900
- (5) Type of Discharge GROUNDWATER - POTENTIAL ONLY
- (6) Method of Discharge LANDFILL

Certification


I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Date: 9/2/08


Signature of Owner or Authorized Representative

PART II QUALITY ASSURANCE REQUIREMENTS

- Sample Organization TEST AMERICA LABORATORIES, INC. Comp QAP # _____
- Analytical Lab _____ Comp QAP # /HRS Certification # _____
- *Comp QAP # /HRS Certification # _____
- Lab Name TEST AMERICA LABORATORIES, INC.
- Address 6712 BENJAMIN ROAD, SUITE 100, TAMPA, FL 33634
- Phone Number (813) 885-7427



Site Map
Southeast County Landfill Facility, Hillsborough County, Florida

Analytical Results from Groundwater Monitoring Wells Located at the Southeast Landfill (Phases 1-6) May 19-22, 2008

GENERAL (mg/l) PARAMETERS	Floridan Aquifer		Surficial Aquifer Wells								(MCL) STANDARD
	TH-19	TH-40	TH-22A	TH-28A	TH-38B	TH-57	TH-58	TH-65	TH-66-A	TH-67	F.A.C. 62-550
well type	Background	Detection	Background	Detection	Background	Detection	Detection	Detection	Background	Detection	NA
conductivity (umhos/cm) (field)	218	206	157	128	57	117	254	157	131	380	NS
dissolved oxygen (mg/l) (field)	0.34	0.41	0.89	0.49	2.93	0.47	0.84	1.05	2.63	2.11	NS
pH (field)	7.12	7.42	4.21	4.85	5.48	4.90	5.41	5.38	6.00	6.30	(6.5 - 8.5)**
temperature (°C) (field)	23.71	23.5	22.59	25.53	26.33	25.19	24.80	24.06	24.40	23.7	NS
turbidity (NTU) (field)	0.0	0.5	6	10.2	243	1.5	1.9	1.2	35	0.6	NS
total dissolved solids (mg/l)	240	220	170	120	170	110	240	200	140	400	500**
chloride (mg/l)	8.8	9	22	44	6	39	52	13	16	69	250**
ammonia nitrogen (mg/l as N)	0.3	0.34	0.75	2.1	2.9	1.4	1.5	2.5	0.28	1.1	NS
nitrate (mg/l as N)	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10*
Metals: (mg/l)	Floridan Aquifer		Surficial Aquifer Wells								(MCL) STANDARD
	TH-19	TH-40	TH-22A	TH-28A	TH-38B	TH-57	TH-58	TH-65	TH-66-A	TH-67	F.A.C. 62-550
iron	BDL	BDL	0.40	2.7	3.9	0.48	6.1	4.1	1.7	12	0.3**
cadmium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.005*
chromium	BDL	BDL	0.0021	0.002	0.025	BDL	0.0028	0.0033	0.0026	BDL	0.2
copper	BDL	BDL	BDL	BDL	0.0048	BDL	BDL	BDL	BDL	0.003	1**
beryllium	BDL	BDL	BDL	BDL	0.00087	BDL	BDL	BDL	BDL	BDL	0.004*
barium	0.006	0.0056	0.053	0.0047	0.31	0.0067	0.013	0.0016	0.0085	0.0064	2*
cobalt	BDL	BDL	BDL	BDL	0.0025	BDL	BDL	0.0015	BDL	BDL	140***
arsenic	BDL	BDL	BDL	BDL	0.0068	BDL	0.028	0.0053	BDL	BDL	0.01*
lead	BDL	BDL	BDL	BDL	0.015	BDL	BDL	BDL	BDL	BDL	0.015*
nickel	BDL	BDL	BDL	BDL	0.017	BDL	BDL	BDL	BDL	BDL	0.1*
selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.05*
sodium	15	17	4.9	17	5.1	10	34	16	6.3	28	160*
mercury	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.002*
vanadium	BDL	BDL	0.0027	0.0026	0.022	BDL	0.0054	0.0035	0.0032	0.0039	49***
antimony	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.006*
zinc	BDL	BDL	BDL	BDL	0.013	BDL	BDL	BDL	BDL	BDL	5**
thallium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.002*
Organics: (µg/l) Organic Parameters Detected	Floridan Aquifer		Surficial Aquifer Wells								(MCL) STANDARD
	TH-19	TH-40	TH-22A	TH-28A	TH-38B	TH-57	TH-58	TH-65	TH-66-A	TH-67	F.A.C. 62-550
trichlorofluoromethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2100**
methylene chloride	BDL	BDL	0.19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5*
1,1-dichloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700***
bromomethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.8***
iodomethane	2.7	BDL	BDL	BDL	BDL	0.19	BDL	BDL	BDL	BDL	NS
ethylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700*
toluene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1000*
total xylenes	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	10000**
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994											
NS= NO STANDARD											
MCL= MAXIMUM CONTAMINANT LEVEL											
BDL= BELOW DETECTION LIMIT											
* = DENOTES PRIMARY DRINKING WATER STANDARD											
** = DENOTES SECONDARY DRINKING WATER STANDARD											
*** = STANDARDS, OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded and bold)											
4.21 : EXCEEDS STANDARDS											
NTU= NEPHELOMETRIC TURBIDITY UNITS											
µg/l= MICROGRAMS PER LITER											
mg/l= MILLIGRAMS PER LITER											
NGVD: National Geodetic Vertical Datum											

(Sections 7-8) May 19-22, 2008

NOTE: Reference Groundwater Guidance Concentrations. FDEP June 1994

NS= NO STANDARD

MCL= MAXIMUM CONTAMINANT LEVEL

BDL= BELOW DETECTION LIMIT

*= DENOTES PRIMARY DRINKING WATER STANDARD

**= DENOTES SECONDARY DRINKING WATER STANDARD

***= STANDARDS OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded/bold)

5.60 : EXCEEDS STANDARDS

NTU= NEPHELOMETRIC TURBIDITY UNITS

µg/l= MICROGRAMS PER LITER

mg/l= MILLIGRAMS PER LITER

Analytical Results from Groundwater Monitoring Wells and Piezometers Located at the Southeast Landfill March 27 and March 31, 2008


GENERAL (mg/l)		Surficial Aquifer Wells					(MCL) STANDARD
PARAMETERS		TH-61A	TH-66A	TH-69	TH-70	TH-71	F.A.C. 62-550
well type		Detection	Detection	Detection	Detection	Detection	NA
conductivity (umhos/cm) (field)		160	237	411	591	546	NS
dissolved oxygen (mg/l) (field)		2.65	2.6	2.01	0.53	1.07	NS
pH (field)		5.82	6.24	6.02	5.49	6.35	(6.5 - 8.5)**
temperature (°C) (field)		24.53	23.54	24.29	23.95	26.33	NS
turbidity (NTU) (field)		124.5	12.9	3.05	181.7	13.7	NS
total dissolved solids (mg/l)		110	120	240	360	380	500**
chloride (mg/l)		5.4	16	25	12	9.2	250**
sulfate (mg/l)		20	7.4	BDL	200	140	250**
sulfide (mg/l)		BDL	BDL	BDL	1.1	BDL	NS
bicarbonate alkalinity(as CaCO3)		44	86	180	25	130	NS
ammonia nitrogen (mg/l as N)		0.67	0.38	0.067	1.9	2.4	NS
total cyanide (mg/l)		BDL	BDL	BDL	0.012	BDL	0.2*
nitrate (mg/l as N)		BDL	BDL	BDL	BDL	BDL	10*
							(MCL) STANDARD
Metals: (mg/l)		TH-61A	TH-66A	TH-69	TH-70	TH-71	F.A.C. 62-550
iron		1.1	1.2	0.048	31	7.6	0.3**
cadmium		BDL	BDL	BDL	BDL	BDL	0.005*
calcium		17	30	40	57	49	NS
chromium		0.013	0.0029	BDL	0.0044	BDL	0.1*
copper		BDL	BDL	BDL	BDL	BDL	1**
barium		0.14	0.0095	0.0023	0.026	0.008	2*
beryllium		BDL	BDL	BDL	BDL	BDL	0.004*
cobalt		BDL	0.0016	BDL	0.0029	BDL	140***
arsenic		0.0013	0.003	0.0013	0.0057	0.0025	0.01*
lead		0.0084	0.00066	BDL	0.0023	BDL	0.015*
nickel		BDL	BDL	BDL	BDL	BDL	0.1*
magnesium		7.9	6.9	28	22	37	NS
potassium		0.75	6.8	0.64	1.1	1.9	NS
silver		BDL	BDL	BDL	BDL	BDL	0.1**
sodium		4.4	5.7	6	9.1	3.4	160*
selenium		0.00064	BDL	BDL	BDL	BDL	0.05*
mercury		BDL	BDL	0.00012	BDL	BDL	0.002*
vanadium		0.0071	BDL	BDL	BDL	BDL	49***
antimony		BDL	BDL	BDL	BDL	BDL	0.006*
tin		BDL	BDL	BDL	BDL	BDL	4.2***
zinc		0.0085	0.008	BDL	BDL	BDL	5**
thallium		BDL	BDL	BDL	BDL	BDL	0.002*
Organophosphorous							(MCL) STANDARD
Compunds(ug/l)		TH-61A	TH-66A	TH-69	TH-70	TH-71	F.A.C. 62-550
Dimethoate		BDL	BDL	BDL	0.2	BDL	
Organics: (µg/l)							(MCL) STANDARD
Organic Parameters Detected		TH-61A	TH-66A	TH-69	TH-70	TH-71	F.A.C. 62-550
benzene		BDL	BDL	BDL	BDL	BDL	1*
methylene chloride		BDL	BDL	BDL	BDL	BDL	5*
cis-1,2-dichloroethene		BDL	BDL	BDL	BDL	BDL	70*
bis (2-ethylhexyl) phthalate		1.8	BDL	8	BDL	15	6*
1,2-dichloroethane		BDL	BDL	BDL	BDL	BDL	3*
vinyl chloride		BDL	BDL	BDL	BDL	BDL	1*
1,1-dichloroethane		BDL	BDL	BDL	BDL	BDL	700***
NOTE: Reference Groundwater Guidance Concentrations, FDEP June 1994 NS= NO STANDARD MCL= MAXIMUM CONTAMINANT LEVEL BDL= BELOW DETECTION LIMIT *= DENOTES PRIMARY DRINKING WATER STANDARD **= DENOTES SECONDARY DRINKING WATER STANDARD ***= STANDARDS OR FLORIDA GUIDANCE CONCENTRATION MCL (shaded/bold)							
5.82		EXCEEDS STANDARDS					
NTU= NEPHELOMETRIC TURBIDITY UNITS µg/l= MICROGRAMS PER LITER mg/l= MILLIGRAMS PER LITER							

GROUNDWATER AND SURFACE WATER ELEVATIONS FOR

SOUTHEAST LANDFILL

May 20, 2008

Measuring Point I.D.	T.O.C. Elevations (NGVD)	5/20/2008 W.L. B.T.O.C.	W.L. (NGVD)	Time
P-4D	140.78	22.84	117.94	9:28 AM
P-4S	140.95	Dry	Dry	12:22 PM
P-5D	151.94	Dry	Dry	11:37 AM
P-6D-A	148.01	27.51	120.50	10:58 AM
P-7D	138.92	18.48	120.44	10:30 AM
P-8D	138.34	18.77	119.57	10:00 AM
P-11D	138.02	18.09	119.93	12:13 PM
P-12S	134.97	14.92	120.05	9:59 AM
P-13S	140.21	20.09	120.12	10:09 AM
P-14S	138.56	18.40	120.16	10:17 AM
P-15S	139.19	19.05	120.14	10:19 AM
P-16S	143.38	23.08	120.30	10:34 AM
P-16I	144.15	24.59	119.56	10:35 AM
P-16D	143.84	24.30	119.54	10:36 AM
P-17S	137.35	17.41	119.94	10:53 AM
P-17I	137.32	17.39	119.93	10:54 AM
P-17D	137.22	17.42	119.80	10:55 AM
P-18S	129.86	18.70	111.16	11:50 AM
TH-19*	130.27	117.43	12.84	10:44 AM
TH-20A	131.86	10.24	121.62	9:40 AM
TH-20B	132.57	11.23	121.34	9:41 AM
TH-22	128.82	5.83	122.99	12:27 PM
TH-22A	129.27	6.42	122.85	12:58 PM
TH-24A	128.23	Dry	Dry	9:58 AM
TH-26	125.65	12.35	113.30	11:57 AM
TH-28A	131.10	28.20	102.90	10:14 AM
TH-30	128.88	23.31	105.57	9:35 AM
TH-32	129.90	16.60	113.30	11:27 AM
TH-35	145.98	28.95	117.03	11:10 AM
TH-36A	152.70	33.61	119.09	10:40 AM
TH-38A	130.68	11.01	119.67	9:50 AM
TH-38B	131.81	14.25	117.56	9:54 AM
TH-40*	124.99	113.20	11.79	11:45 AM
TH-41*	125.00	118.20	6.80	11:47 AM
TH-42*	116.74	79.77	36.97	11:24 AM
TH-56A	131.69	15.70	115.99	11:55 AM
TH-57	128.36	20.14	108.22	11:17 AM
TH-58	127.88	28.16	99.72	9:40 AM
TH-61	138.73	18.20	120.53	10:06 AM
TH-61A	139.45	18.87	120.58	10:04 AM
TH-64	139.64	18.48	121.16	10:15 AM
TH-65	135.40	15.18	120.22	9:57 AM
TH-66	130.58	9.80	120.78	9:47 AM
TH-66A	130.66	10.26	120.40	9:48 AM
TH-67	129.51	7.47	122.04	9:43 AM
TH-68	140.01	16.93	123.08	10:27 AM
TH-69	145.56	26.37	119.19	9:14 AM
TH-69A	144.97	26.35	118.62	9:15 AM
TH-70	147.11	27.88	119.23	9:33 AM
TH-70A	146.63	27.88	118.75	9:32 AM
TH-71	147.61	21.79	125.82	9:23 AM
TH-71A	146.95	23.50	123.45	12:05 PM
SW-3A	3.0'=125.53'	0.01	122.54	12:19 PM
SW-3B2B	3.0'=97.97'	1.40	96.37	11:34 AM
SW-3C2	6.0'=92.33'	1.10	87.43	11:41 AM
Mine Cut #1	4.0'=122.14'	1.30	119.44	10:22 AM
Mine Cut #2	6.0'=123.47'	1.88	119.35	10:48 AM
Mine Cut #3	4.0'=112.27'	1.76	110.03	11:20 AM
Mine Cut #4	5.0'=97.54'	1.37	93.91	11:16 AM
NGVD = National Geodetic Vertical Datum				
T.O.C. = Top of Casing				
B.T.O.C. = Below Top of Casing				
* = Floridan Well				
ND = No Data				
W.L. = Water Level				



Southeast County Landfill
Groundwater Elevation Contour Diagram – May 2008

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	04/09/2008 1352	
Prep Method: 5030B			Date Prepared:	04/09/2008 1352	
Acetonitrile	75 U	ug/L	75	200	1.0
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrolein	3.8 U	ug/L	3.8	100	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5 U	ug/L	2.5	5.0	1.0
Chloroprene	2.5 U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39 U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36 U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31 U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5 U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
Iodomethane	2.5 U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31 U	ug/L	31	200	1.0
Methacrylonitrile	1.8 U	ug/L	1.8	100	1.0

MAR. 2008
INMAZ EVENT C
TH-61A 61A 61A
-7071

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits					
4-Bromofluorobenzene	61	J1	%	74 - 126		
Dibromofluoromethane	69	J1	%	70 - 130		
Toluene-d8 (Surr)	66	J1	%	77 - 122		

Method: 8270C

Date Analyzed: 04/08/2008 0234

Prep Method: 3520C

Date Prepared: 04/01/2008 1553

Acenaphthene	1.5	U	ug/L	1.5	10	1.0
Acenaphthylene	1.8	U	ug/L	1.8	10	1.0
Acetophenone	1.5	U	ug/L	1.5	10	1.0
2-Acetylaminofluorene	0.77	U	ug/L	0.77	10	1.0
4-Aminobiphenyl	0.81	U	ug/L	0.81	10	1.0
Anthracene	1.0	U	ug/L	1.0	10	1.0
Benzo[a]anthracene	1.6	U	ug/L	1.6	10	1.0
Benzo[k]fluoranthene	1.3	U	ug/L	1.3	10	1.0
Benzo[b]fluoranthene	1.6	U	ug/L	1.6	10	1.0
Benzo[g,h,i]perylene	1.1	U	ug/L	1.1	10	1.0
Benzo[a]pyrene	0.99	U	ug/L	0.99	4.0	1.0
Benzyl alcohol	2.9	U	ug/L	2.9	10	1.0
Bis(2-chloroethoxy)methane	2.0	U	ug/L	2.0	10	1.0
Bis(2-chloroethyl)ether	2.6	U	ug/L	2.6	10	1.0
m & p - Cresol	2.4	U	ug/L	2.4	10	1.0
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	2.1	10	1.0
Bis(2-ethylhexyl) phthalate	1.3	U	ug/L	1.3	6.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404

Date Received: 03/27/2008 1645

Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.7	U	ug/L	1.7	10	1.0
Butyl benzyl phthalate	1.2	U	ug/L	1.2	10	1.0
4-Chloroaniline	2.1	U	ug/L	2.1	20	1.0
1,3-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,4-Dichlorobenzene	1.2	U	ug/L	1.2	10	1.0
1,2-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
4-Chlorophenyl phenyl ether	1.8	U	ug/L	1.8	10	1.0
2-Chloronaphthalene	1.6	U	ug/L	1.6	10	1.0
Chrysene	1.2	U	ug/L	1.2	10	1.0
Dibenz(a,h)anthracene	1.0	U	ug/L	1.0	10	1.0
Di-n-butyl phthalate	2.5	U	ug/L	2.5	10	1.0
3,3'-Dichlorobenzidine	1.6	U	ug/L	1.6	20	1.0
3,3'-Dimethylbenzidine	14	U	ug/L	14	20	1.0
Diethyl phthalate	2.5	U	ug/L	2.5	10	1.0
p-Dimethylamino azobenzene	0.67	U	ug/L	0.67	10	1.0
7,12-Dimethylbenz(a)anthracene	0.92	U	ug/L	0.92	10	1.0
Dimethyl phthalate	2.5	U	ug/L	2.5	10	1.0
1,3-Dinitrobenzene	0.99	U	ug/L	0.99	10	1.0
2,4-Dinitrotoluene	0.91	U	ug/L	0.91	10	1.0
2,6-Dinitrotoluene	0.72	U	ug/L	0.72	10	1.0
Di-n-octyl phthalate	2.5	U	ug/L	2.5	10	1.0
N-Nitrosodi-n-propylamine	1.9	U	ug/L	1.9	10	1.0
Fluoranthene	1.2	U	ug/L	1.2	10	1.0
Fluorene	1.7	U	ug/L	1.7	10	1.0
Hexachlorobenzene	1.7	U	ug/L	1.7	4.0	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.0	U	ug/L	1.0	10	1.0
Hexachlorocyclopentadiene	1.2	U	ug/L	1.2	10	1.0
Hexachloroethane	0.85	U	ug/L	0.85	10	1.0
Indeno[1,2,3-cd]pyrene	1.2	U	ug/L	1.2	10	1.0
Isophorone	1.4	U	ug/L	1.4	10	1.0
Isosafrole	1.6	U	ug/L	1.6	10	1.0
Methapyrilene	1.1	U	ug/L	1.1	2000	1.0
3-Methylcholanthrene	0.56	U	ug/L	0.56	10	1.0
Methyl methanesulfonate	1.2	U	ug/L	1.2	10	1.0
2-Methylnaphthalene	1.6	U	ug/L	1.6	10	1.0
Naphthalene	1.3	U	ug/L	1.3	10	1.0
1,4-Naphthoquinone	1.1	U	ug/L	1.1	10	1.0
1-Naphthylamine	0.84	U	ug/L	0.84	10	1.0
2-Naphthylamine	1.0	U	ug/L	1.0	10	1.0
2-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
3-Nitroaniline	1.2	U	ug/L	1.2	50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
Nitrobenzene	1.9	U	ug/L	1.9	10	1.0
N-Nitrosodi-n-butylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodiethylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodimethylamine	2.4	U	ug/L	2.4	10	1.0
N-Nitrosomethylethylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosodiphenylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosopiperidine	0.87	U	ug/L	0.87	10	1.0
N-Nitrosopyrrolidine	1.2	U	ug/L	1.2	10	1.0
N-Nitro-o-toluidine	0.90	U	ug/L	0.90	10	1.0
Pentachlorobenzene	0.99	U	ug/L	0.99	10	1.0
Pentachloronitrobenzene	1.5	U	ug/L	1.5	10	1.0
Phenacetin	0.84	U	ug/L	0.84	10	1.0
Phenanthrene	1.3	U	ug/L	1.3	10	1.0
Pronamide	0.70	U	ug/L	0.70	10	1.0
Pyrene	1.2	U	ug/L	1.2	10	1.0
Safole, Total	1.2	U	ug/L	1.2	10	1.0
1,2,4,5-Tetrachlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,2,4-Trichlorobenzene	1.2	U	ug/L	1.2	10	1.0
2-Chlorophenol	2.1	U	ug/L	2.1	10	1.0
2-Methylphenol	2.3	U	ug/L	2.3	10	1.0
4-Nitrophenol	6.2	U	ug/L	6.2	50	1.0
2,4-Dichlorophenol	1.8	U	ug/L	1.8	10	1.0
2,6-Dichlorophenol	1.6	U	ug/L	1.6	10	1.0
2,4-Dimethylphenol	1.8	U	ug/L	1.8	10	1.0
4,6-Dinitro-2-methylphenol	1.5	U	ug/L	1.5	50	1.0
2,4-Dinitrophenol	6.2	U	ug/L	6.2	50	1.0
Pentachlorophenol	1.5	U	ug/L	1.5	15	1.0
Phenol	2.4	U	ug/L	2.4	10	1.0
2,4,5-Trichlorophenol	2.1	U	ug/L	2.1	10	1.0
2,4,6-Trichlorophenol	1.9	U	ug/L	1.9	10	1.0
2,3,4,6-Tetrachlorophenol	0.65	U	ug/L	0.65	10	1.0
2-Nitrophenol	1.2	U	ug/L	1.2	10	1.0
Diallate	1.4	U	ug/L	1.4	10	1.0
Ethyl methanesulfonate	1.3	U	ug/L	1.3	10	1.0
p-Phenylene diamine	3.1	U	ug/L	3.1	2000	1.0
o-Toluidine	1.2	U	ug/L	1.2	10	1.0
o,o',o"-Triethylphosphorothioate	1.8	U	ug/L	1.8	10	1.0
1,3,5-Trinitrobenzene	0.61	U	ug/L	0.61	10	1.0
4-Chloro-3-methylphenol	1.7	U	ug/L	1.7	10	1.0
Dibenzofuran	1.6	U	ug/L	1.6	10	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Hexachloropropene	0.66	U	ug/L	0.66	10	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	67		%		34 - 130	
2-Fluorobiphenyl	81		%		36 - 124	
Terphenyl-d14	42		%		14 - 148	
Phenol-d5	65		%		25 - 128	
2-Fluorophenol	63		%		29 - 121	
2,4,6-Tribromophenol	75		%		29 - 143	
Method: 8011				Date Analyzed: 03/31/2008 2057		
Prep Method: 8011				Date Prepared: 03/31/2008 1300		
1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087	U	ug/L	0.0087	0.020	1.0
Method: 8081A				Date Analyzed: 04/03/2008 0254		
Prep Method: 3510C				Date Prepared: 04/01/2008 1007		
4,4'-DDD	0.0041	U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055	U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032	U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018	U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027	U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057	U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014	U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034	U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033	U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030	U	ug/L	0.0030	0.010	1.0
Endrin	0.0031	U	ug/L	0.0031	0.010	1.0
Endrin aldehyde	0.0032	U	ug/L	0.0032	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075	U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026	U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031	U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031	U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061	U	ug/L	0.0061	0.050	1.0
Kepone	0.083	U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051	U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72	U	ug/L	0.72	3.0	1.0
Surrogate	Acceptance Limits					
DCB Decachlorobiphenyl	32		%		30 - 150	
Tetrachloro-m-xylene	49		%		30 - 150	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed:		04/04/2008	1142
Prep Method: 3510C			Date Prepared:		04/01/2008	1007
PCB-1016	0.26	U	ug/L	0.26	0.50	1.0
PCB-1221	0.15	U	ug/L	0.15	0.50	1.0
PCB-1232	0.38	U	ug/L	0.38	0.50	1.0
PCB-1242	0.077	U	ug/L	0.077	0.50	1.0
PCB-1248	0.070	U	ug/L	0.070	0.50	1.0
PCB-1254	0.12	U	ug/L	0.12	0.50	1.0
PCB-1260	0.10	U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl	46		%	30 - 150		
Tetrachloro-m-xylene	59		%	30 - 150		
Method: 8141A			Date Analyzed:		04/05/2008	1025
Prep Method: 3520C			Date Prepared:		04/02/2008	1249
Famphur	0.50	U	ug/L	0.50	2.0	1.0
Disulfoton	0.18	U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11	U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25	U	ug/L	0.25	1.0	1.0
Thionazin	0.25	U	ug/L	0.25	1.0	1.0
Phorate	0.20	U	ug/L	0.20	1.0	1.0
Dimethoate	0.20	I	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate	72		%	16 - 164		
Method: 8151A			Date Analyzed:		04/04/2008	0045
Prep Method: 8151A			Date Prepared:		04/01/2008	1255
2,4,5-T	0.020	U	ug/L	0.020	2.4	1.0
2,4-D	0.039	U	ug/L	0.039	12	1.0
Dinoseb	0.028	U	ug/L	0.028	1.2	1.0
Silvex (2,4,5-TP)	0.014	U	ug/L	0.014	2.4	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid	100		%	44 - 173		
Method: Total Recoverable-6010B			Date Analyzed:		04/07/2008	1011
Prep Method: 3005A			Date Prepared:		04/04/2008	1021
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.026		mg/L	0.0012	0.010	1.0
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	57		mg/L	0.085	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Cobalt	0.0029 I	mg/L	0.0016	0.010	1.0
Chromium	0.0044 I	mg/L	0.0017	0.010	1.0
Copper	0.0029 U	mg/L	0.0029	0.020	1.0
Nickel	0.0047 U	mg/L	0.0047	0.040	1.0
Iron	31	mg/L	0.022	0.050	1.0
Potassium	1.1	mg/L	0.19	1.0	1.0
Tin	0.0064 U	mg/L	0.0064	0.050	1.0
Magnesium	22	mg/L	0.11	0.50	1.0
Vanadium	0.0025 U	mg/L	0.0025	0.010	1.0
Zinc	0.0059 U	mg/L	0.0059	0.020	1.0
Sodium	9.1	mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed:	04/03/2008 0431	
Prep Method: 3005A			Date Prepared:	04/01/2008 1415	
Antimony	0.36 U	ug/L	0.36	2.5	1.0
Arsenic	5.7	ug/L	0.28	2.5	1.0
Lead	2.3	ug/L	0.15	1.5	1.0
Selenium	0.60 U	ug/L	0.60	2.5	1.0
Thallium	0.55 U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed:	04/08/2008 1432	
Prep Method: 7470A			Date Prepared:	04/07/2008 1540	
Mercury	0.000072 U	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed:	04/09/2008 0145	
Chloride	12	mg/L	2.0	5.0	1.0
Sulfate	200	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed:	04/09/2008 1341	
Ammonia	1.9	mg/L	0.0038	0.10	5.0
Method: 353.2			Date Analyzed:	03/28/2008 1431	
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed:	04/02/2008 1251	
Prep Method: SM 4500 CN C			Date Prepared:	04/01/2008 1200	
Cyanide, Total	0.012	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 03/31/2008 1052			
Field pH	5.49	SU			1.0
Field Temperature	23.95	Degrees C			1.0
Oxygen, Dissolved	0.53	mg/L			1.0
Specific Conductance	591	umhos/cm			1.0
Turbidity	181.7	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-70
Lab Sample ID: 660-21929-1

Date Sampled: 03/27/2008 1404
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO3	25	mg/L	1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	360	mg/L	5.0	5.0	1.0
Method: SM 4500 S2 F Sulfide	1.1	mg/L	1.0	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 04/09/2008 1412		
Prep Method: 5030B			Date Prepared: 04/09/2008 1412		
Acetonitrile	75 U	ug/L	75	200	1.0
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrolein	3.8 U	ug/L	3.8	100	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5 U	ug/L	2.5	5.0	1.0
Chloroprene	2.5 U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39 U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36 U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31 U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5 U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
Iodomethane	2.5 U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31 U	ug/L	31	200	1.0
Methacrylonitrile	1.8 U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5 U	ug/L	2.5	5.0	1.0
Propionitrile	7.2 U	ug/L	7.2	100	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18 U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5 U	ug/L	1.5	10	1.0
Vinyl chloride	0.50 U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50 U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits
4-Bromofluorobenzene	74 - 126
Dibromofluoromethane	70 - 130
Toluene-d8 (Surr)	77 - 122

Method: 8270C

Prep Method: 3520C

Date Analyzed: 04/08/2008 0254

Date Prepared: 04/01/2008 1553

Acenaphthene	1.5 U	ug/L	1.5	10	1.0
Acenaphthylene	1.8 U	ug/L	1.8	10	1.0
Acetophenone	1.5 U	ug/L	1.5	10	1.0
2-Acetylaminofluorene	0.77 U	ug/L	0.77	10	1.0
4-Aminobiphenyl	0.81 U	ug/L	0.81	10	1.0
Anthracene	1.0 U	ug/L	1.0	10	1.0
Benzo[a]anthracene	1.6 U	ug/L	1.6	10	1.0
Benzo[k]fluoranthene	1.3 U	ug/L	1.3	10	1.0
Benzo[b]fluoranthene	1.6 U	ug/L	1.6	10	1.0
Benzo[g,h,i]perylene	1.1 U	ug/L	1.1	10	1.0
Benzo[a]pyrene	0.99 U	ug/L	0.99	4.0	1.0
Benzyl alcohol	2.9 U	ug/L	2.9	10	1.0
Bis(2-chloroethoxy)methane	2.0 U	ug/L	2.0	10	1.0
Bis(2-chloroethyl)ether	2.6 U	ug/L	2.6	10	1.0
m & p - Cresol	2.4 U	ug/L	2.4	10	1.0
2,2'-oxybis(2-chloropropane)	2.1 U	ug/L	2.1	10	1.0
Bis(2-ethylhexyl) phthalate	1.8 I V	ug/L	1.3	6.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.7	U	ug/L	1.7	10	1.0
Butyl benzyl phthalate	1.2	U	ug/L	1.2	10	1.0
4-Chloroaniline	2.1	U	ug/L	2.1	20	1.0
1,3-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,4-Dichlorobenzene	1.2	U	ug/L	1.2	10	1.0
1,2-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
4-Chlorophenyl phenyl ether	1.8	U	ug/L	1.8	10	1.0
2-Chloronaphthalene	1.6	U	ug/L	1.6	10	1.0
Chrysene	1.2	U	ug/L	1.2	10	1.0
Dibenz(a,h)anthracene	1.0	U	ug/L	1.0	10	1.0
Di-n-butyl phthalate	2.5	U	ug/L	2.5	10	1.0
3,3'-Dichlorobenzidine	1.6	U	ug/L	1.6	20	1.0
3,3'-Dimethylbenzidine	14	U	ug/L	14	20	1.0
Diethyl phthalate	2.5	U	ug/L	2.5	10	1.0
p-Dimethylamino azobenzene	0.67	U	ug/L	0.67	10	1.0
7,12-Dimethylbenz(a)anthracene	0.92	U	ug/L	0.92	10	1.0
Dimethyl phthalate	2.5	U	ug/L	2.5	10	1.0
1,3-Dinitrobenzene	0.99	U	ug/L	0.99	10	1.0
2,4-Dinitrotoluene	0.91	U	ug/L	0.91	10	1.0
2,6-Dinitrotoluene	0.72	U	ug/L	0.72	10	1.0
Di-n-octyl phthalate	2.5	U	ug/L	2.5	10	1.0
N-Nitrosodi-n-propylamine	1.9	U	ug/L	1.9	10	1.0
Fluoranthene	1.2	U	ug/L	1.2	10	1.0
Fluorene	1.7	U	ug/L	1.7	10	1.0
Hexachlorobenzene	1.7	U	ug/L	1.7	4.0	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.0	U	ug/L	1.0	10	1.0
Hexachlorocyclopentadiene	1.2	U	ug/L	1.2	10	1.0
Hexachloroethane	0.85	U	ug/L	0.85	10	1.0
Indeno[1,2,3-cd]pyrene	1.2	U	ug/L	1.2	10	1.0
Isophorone	1.4	U	ug/L	1.4	10	1.0
Isosafrole	1.6	U	ug/L	1.6	10	1.0
Methapyrilene	1.1	U	ug/L	1.1	2000	1.0
3-Methylcholanthrene	0.56	U	ug/L	0.56	10	1.0
Methyl methanesulfonate	1.2	U	ug/L	1.2	10	1.0
2-Methylnaphthalene	1.6	U	ug/L	1.6	10	1.0
Naphthalene	1.3	U	ug/L	1.3	10	1.0
1,4-Naphthoquinone	1.1	U	ug/L	1.1	10	1.0
1-Naphthylamine	0.84	U	ug/L	0.84	10	1.0
2-Naphthylamine	1.0	U	ug/L	1.0	10	1.0
2-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
3-Nitroaniline	1.2	U	ug/L	1.2	50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035

Date Received: 03/27/2008 1645

Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Nitroaniline	1.4 U	ug/L	1.4	50	1.0
Nitrobenzene	1.9 U	ug/L	1.9	10	1.0
N-Nitrosodi-n-butylamine	1.5 U	ug/L	1.5	10	1.0
N-Nitrosodiethylamine	1.5 U	ug/L	1.5	10	1.0
N-Nitrosodimethylamine	2.4 U	ug/L	2.4	10	1.0
N-Nitrosomethylethylamine	1.6 U	ug/L	1.6	10	1.0
N-Nitrosodiphenylamine	1.6 U	ug/L	1.6	10	1.0
N-Nitrosopiperidine	0.87 U	ug/L	0.87	10	1.0
N-Nitrosopyrrolidine	1.2 U	ug/L	1.2	10	1.0
N-Nitro-o-toluidine	0.90 U	ug/L	0.90	10	1.0
Pentachlorobenzene	0.99 U	ug/L	0.99	10	1.0
Pentachloronitrobenzene	1.5 U	ug/L	1.5	10	1.0
Phenacetin	0.84 U	ug/L	0.84	10	1.0
Phenanthrene	1.3 U	ug/L	1.3	10	1.0
Pronamide	0.70 U	ug/L	0.70	10	1.0
Pyrene	1.2 U	ug/L	1.2	10	1.0
Safrrole, Total	1.2 U	ug/L	1.2	10	1.0
1,2,4,5-Tetrachlorobenzene	1.1 U	ug/L	1.1	10	1.0
1,2,4-Trichlorobenzene	1.2 U	ug/L	1.2	10	1.0
2-Chlorophenol	2.1 U	ug/L	2.1	10	1.0
2-Methylphenol	2.3 U	ug/L	2.3	10	1.0
4-Nitrophenol	6.2 U	ug/L	6.2	50	1.0
2,4-Dichlorophenol	1.8 U	ug/L	1.8	10	1.0
2,6-Dichlorophenol	1.6 U	ug/L	1.6	10	1.0
2,4-Dimethylphenol	1.8 U	ug/L	1.8	10	1.0
4,6-Dinitro-2-methylphenol	1.5 U	ug/L	1.5	50	1.0
2,4-Dinitrophenol	6.2 U	ug/L	6.2	50	1.0
Pentachlorophenol	1.5 U	ug/L	1.5	15	1.0
Phenol	2.4 U	ug/L	2.4	10	1.0
2,4,5-Trichlorophenol	2.1 U	ug/L	2.1	10	1.0
2,4,6-Trichlorophenol	1.9 U	ug/L	1.9	10	1.0
2,3,4,6-Tetrachlorophenol	0.65 U	ug/L	0.65	10	1.0
2-Nitrophenol	1.2 U	ug/L	1.2	10	1.0
Diallate	1.4 U	ug/L	1.4	10	1.0
Ethyl methanesulfonate	1.3 U	ug/L	1.3	10	1.0
p-Phenylene diamine	3.1 U	ug/L	3.1	2000	1.0
o-Toluidine	1.2 U	ug/L	1.2	10	1.0
o,o',o"-Triethylphosphorothioate	1.8 U	ug/L	1.8	10	1.0
1,3,5-Trinitrobenzene	0.61 U	ug/L	0.61	10	1.0
4-Chloro-3-methylphenol	1.7 U	ug/L	1.7	10	1.0
Dibenzofuran	1.6 U	ug/L	1.6	10	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Hexachloropropene	0.66 U	ug/L	0.66	10	1.0
Surrogate				Acceptance Limits	
Nitrobenzene-d5	78	%		34 - 130	
2-Fluorobiphenyl	80	%		36 - 124	
Terphenyl-d14	41	%		14 - 148	
Phenol-d5	57	%		25 - 128	
2-Fluorophenol	56	%		29 - 121	
2,4,6-Tribromophenol	70	%		29 - 143	
Method: 8011			Date Analyzed: 03/31/2008 2011		
Prep Method: 8011			Date Prepared: 03/31/2008 1300		
1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0088 U	ug/L	0.0088	0.020	1.0
Method: 8081A			Date Analyzed: 04/03/2008 0307		
Prep Method: 3510C			Date Prepared: 04/01/2008 1007		
4,4'-DDD	0.0041 U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055 U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032 U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018 U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028 U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027 U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057 U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028 U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014 U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034 U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033 U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030 U	ug/L	0.0030	0.010	1.0
Endrin	0.0031 U	ug/L	0.0031	0.010	1.0
Endrin aldehyde	0.0032 U	ug/L	0.0032	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075 U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026 U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031 U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031 U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061 U	ug/L	0.0061	0.050	1.0
Kepone	0.083 U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051 U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72 U	ug/L	0.72	3.0	1.0
Surrogate				Acceptance Limits	
DCB Decachlorobiphenyl	38	%		30 - 150	
Tetrachloro-m-xylene	55	%		30 - 150	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed: 04/04/2008 1156			
Prep Method: 3510C			Date Prepared: 04/01/2008 1007			
PCB-1016	0.26	U	ug/L	0.26	0.50	1.0
PCB-1221	0.15	U	ug/L	0.15	0.50	1.0
PCB-1232	0.38	U	ug/L	0.38	0.50	1.0
PCB-1242	0.077	U	ug/L	0.077	0.50	1.0
PCB-1248	0.070	U	ug/L	0.070	0.50	1.0
PCB-1254	0.12	U	ug/L	0.12	0.50	1.0
PCB-1260	0.10	U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl			44	%	30 - 150	
Tetrachloro-m-xylene			68	%	30 - 150	
Method: 8141A			Date Analyzed: 04/05/2008 1050			
Prep Method: 3520C			Date Prepared: 04/02/2008 1249			
Famphur	0.50	U	ug/L	0.50	2.0	1.0
Disulfoton	0.18	U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11	U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25	U	ug/L	0.25	1.0	1.0
Thionazin	0.25	U	ug/L	0.25	1.0	1.0
Phorate	0.20	U	ug/L	0.20	1.0	1.0
Dimethoate	0.12	U	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate			63	%	16 - 164	
Method: 8151A			Date Analyzed: 04/04/2008 0126			
Prep Method: 8151A			Date Prepared: 04/01/2008 1255			
2,4,5-T	0.021	U	ug/L	0.021	2.5	1.0
2,4-D	0.041	U	ug/L	0.041	13	1.0
Dinoseb	0.030	U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015	U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid			94	%	44 - 173	
Method: Total Recoverable-6010B			Date Analyzed: 04/07/2008 1017			
Prep Method: 3005A			Date Prepared: 04/04/2008 1021			
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.14		mg/L	0.0012	0.010	1.0
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	17		mg/L	0.085	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Cobalt	0.0016 U	mg/L	0.0016	0.010	1.0
Chromium	0.013	mg/L	0.0017	0.010	1.0
Copper	0.0029 U	mg/L	0.0029	0.020	1.0
Nickel	0.0047 U	mg/L	0.0047	0.040	1.0
Iron	1.1	mg/L	0.022	0.050	1.0
Potassium	0.75 I	mg/L	0.19	1.0	1.0
Tin	0.0064 U	mg/L	0.0064	0.050	1.0
Magnesium	7.9	mg/L	0.11	0.50	1.0
Vanadium	0.0071 I	mg/L	0.0025	0.010	1.0
Zinc	0.0085 I	mg/L	0.0059	0.020	1.0
Sodium	4.4	mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/03/2008 0438		
Prep Method: 3005A			Date Prepared: 04/01/2008 1415		
Antimony	0.36 U	ug/L	0.36	2.5	1.0
Arsenic	1.3 I	ug/L	0.28	2.5	1.0
Lead	8.4	ug/L	0.15	1.5	1.0
Selenium	0.64 I	ug/L	0.60	2.5	1.0
Thallium	0.55 U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1434		
Prep Method: 7470A			Date Prepared: 04/07/2008 1540		
Mercury	0.000072 U	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/09/2008 0157		
Chloride	5.4	mg/L	2.0	5.0	1.0
Sulfate	20	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1343		
Ammonia	0.67	mg/L	0.0015	0.040	2.0
Method: 353.2			Date Analyzed: 03/28/2008 1431		
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/02/2008 1251		
Prep Method: SM 4500 CN C			Date Prepared: 04/01/2008 1200		
Cyanide, Total	0.0050 U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	03/31/2008	1052	
Field pH	5.82	SU			1.0
Field Temperature	24.53	Degrees C			1.0
Oxygen, Dissolved	2.65	mg/L			1.0
Specific Conductance	160	umhos/cm			1.0
Turbidity	124.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-21929-2

Date Sampled: 03/27/2008 1035
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO ₃	44	mg/L	Date Analyzed: 04/07/2008 1520 1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	110	mg/L	Date Analyzed: 03/31/2008 1722 5.0	5.0	1.0
Method: SM 4500 S2 F Sulfide	1.0 U	mg/L	Date Analyzed: 03/31/2008 1400 1.0	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits		
4-Bromofluorobenzene	89	%	74 - 126
Dibromofluoromethane	104	%	70 - 130
Toluene-d8 (Surr)	101	%	77 - 122

Method: 8270C

Prep Method: 3520C

Date Analyzed: 04/08/2008 0355

Date Prepared: 04/01/2008 1553

Acenaphthene	1.5	U	ug/L	1.5	10	1.0
Acenaphthylene	1.8	U	ug/L	1.8	10	1.0
Acetophenone	1.5	U	ug/L	1.5	10	1.0
2-Acetylaminofluorene	0.77	U	ug/L	0.77	10	1.0
4-Aminobiphenyl	0.81	U	ug/L	0.81	10	1.0
Anthracene	1.0	U	ug/L	1.0	10	1.0
Benzo[a]anthracene	1.6	U	ug/L	1.6	10	1.0
Benzo[k]fluoranthene	1.3	U	ug/L	1.3	10	1.0
Benzo[b]fluoranthene	1.6	U	ug/L	1.6	10	1.0
Benzo[g,h,i]perylene	1.1	U	ug/L	1.1	10	1.0
Benzo[a]pyrene	0.99	U	ug/L	0.99	4.0	1.0
Benzyl alcohol	2.9	U	ug/L	2.9	10	1.0
Bis(2-chloroethoxy)methane	2.0	U	ug/L	2.0	10	1.0
Bis(2-chloroethyl)ether	2.6	U	ug/L	2.6	10	1.0
m & p - Cresol	2.4	U	ug/L	2.4	10	1.0
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	2.1	10	1.0
Bis(2-ethylhexyl) phthalate	1.3	U	ug/L	1.3	6.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.7	U	ug/L	1.7	10	1.0
Butyl benzyl phthalate	1.2	U	ug/L	1.2	10	1.0
4-Chloroaniline	2.1	U	ug/L	2.1	20	1.0
1,3-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,4-Dichlorobenzene	1.2	U	ug/L	1.2	10	1.0
1,2-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
4-Chlorophenyl phenyl ether	1.8	U	ug/L	1.8	10	1.0
2-Chloronaphthalene	1.6	U	ug/L	1.6	10	1.0
Chrysene	1.2	U	ug/L	1.2	10	1.0
Dibenz(a,h)anthracene	1.0	U	ug/L	1.0	10	1.0
Di-n-butyl phthalate	2.5	U	ug/L	2.5	10	1.0
3,3'-Dichlorobenzidine	1.6	U	ug/L	1.6	20	1.0
3,3'-Dimethylbenzidine	14	U	ug/L	14	20	1.0
Diethyl phthalate	2.5	U	ug/L	2.5	10	1.0
p-Dimethylamino azobenzene	0.67	U	ug/L	0.67	10	1.0
7,12-Dimethylbenz(a)anthracene	0.92	U	ug/L	0.92	10	1.0
Dimethyl phthalate	2.5	U	ug/L	2.5	10	1.0
1,3-Dinitrobenzene	0.99	U	ug/L	0.99	10	1.0
2,4-Dinitrotoluene	0.91	U	ug/L	0.91	10	1.0
2,6-Dinitrotoluene	0.72	U	ug/L	0.72	10	1.0
Di-n-octyl phthalate	2.5	U	ug/L	2.5	10	1.0
N-Nitrosodi-n-propylamine	1.9	U	ug/L	1.9	10	1.0
Fluoranthene	1.2	U	ug/L	1.2	10	1.0
Fluorene	1.7	U	ug/L	1.7	10	1.0
Hexachlorobenzene	1.7	U	ug/L	1.7	4.0	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.0	U	ug/L	1.0	10	1.0
Hexachlorocyclopentadiene	1.2	U	ug/L	1.2	10	1.0
Hexachloroethane	0.85	U	ug/L	0.85	10	1.0
Indeno[1,2,3-cd]pyrene	1.2	U	ug/L	1.2	10	1.0
Isophorone	1.4	U	ug/L	1.4	10	1.0
Isosafrole	1.6	U	ug/L	1.6	10	1.0
Methapyrilene	1.1	U	ug/L	1.1	2000	1.0
3-Methylcholanthrene	0.56	U	ug/L	0.56	10	1.0
Methyl methanesulfonate	1.2	U	ug/L	1.2	10	1.0
2-Methylnaphthalene	1.6	U	ug/L	1.6	10	1.0
Naphthalene	1.3	U	ug/L	1.3	10	1.0
1,4-Naphthoquinone	1.1	U	ug/L	1.1	10	1.0
1-Naphthylamine	0.84	U	ug/L	0.84	10	1.0
2-Naphthylamine	1.0	U	ug/L	1.0	10	1.0
2-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
3-Nitroaniline	1.2	U	ug/L	1.2	50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
Nitrobenzene	1.9	U	ug/L	1.9	10	1.0
N-Nitrosodi-n-butylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodiethylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodimethylamine	2.4	U	ug/L	2.4	10	1.0
N-Nitrosomethylethylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosodiphenylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosopiperidine	0.87	U	ug/L	0.87	10	1.0
N-Nitrosopyrrolidine	1.2	U	ug/L	1.2	10	1.0
N-Nitro-o-toluidine	0.90	U	ug/L	0.90	10	1.0
Pentachlorobenzene	0.99	U	ug/L	0.99	10	1.0
Pentachloronitrobenzene	1.5	U	ug/L	1.5	10	1.0
Phenacetin	0.84	U	ug/L	0.84	10	1.0
Phenanthrene	1.3	U	ug/L	1.3	10	1.0
Pronamide	0.70	U	ug/L	0.70	10	1.0
Pyrene	1.2	U	ug/L	1.2	10	1.0
Safrole, Total	1.2	U	ug/L	1.2	10	1.0
1,2,4,5-Tetrachlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,2,4-Trichlorobenzene	1.2	U	ug/L	1.2	10	1.0
2-Chlorophenol	2.1	U	ug/L	2.1	10	1.0
2-Methylphenol	2.3	U	ug/L	2.3	10	1.0
4-Nitrophenol	6.2	U	ug/L	6.2	50	1.0
2,4-Dichlorophenol	1.8	U	ug/L	1.8	10	1.0
2,6-Dichlorophenol	1.6	U	ug/L	1.6	10	1.0
2,4-Dimethylphenol	1.8	U	ug/L	1.8	10	1.0
4,6-Dinitro-2-methylphenol	1.5	U	ug/L	1.5	50	1.0
2,4-Dinitrophenol	6.2	U	ug/L	6.2	50	1.0
Pentachlorophenol	1.5	U	ug/L	1.5	15	1.0
Phenol	2.4	U	ug/L	2.4	10	1.0
2,4,5-Trichlorophenol	2.1	U	ug/L	2.1	10	1.0
2,4,6-Trichlorophenol	1.9	U	ug/L	1.9	10	1.0
2,3,4,6-Tetrachlorophenol	0.65	U	ug/L	0.65	10	1.0
2-Nitrophenol	1.2	U	ug/L	1.2	10	1.0
Diallate	1.4	U	ug/L	1.4	10	1.0
Ethyl methanesulfonate	1.3	U	ug/L	1.3	10	1.0
p-Phenylene diamine	3.1	U	ug/L	3.1	2000	1.0
o-Toluidine	1.2	U	ug/L	1.2	10	1.0
o,o',o"-Triethylphosphorothioate	1.8	U	ug/L	1.8	10	1.0
1,3,5-Trinitrobenzene	0.61	U	ug/L	0.61	10	1.0
4-Chloro-3-methylphenol	1.7	U	ug/L	1.7	10	1.0
Dibenzofuran	1.6	U	ug/L	1.6	10	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Hexachloropropene	0.66	U	ug/L	0.66	10	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	74		%		34 - 130	
2-Fluorobiphenyl	72		%		36 - 124	
Terphenyl-d14	34		%		14 - 148	
Phenol-d5	51		%		25 - 128	
2-Fluorophenol	52		%		29 - 121	
2,4,6-Tribromophenol	60		%		29 - 143	
Method: 8011				Date Analyzed: 03/31/2008 2143		
Prep Method: 8011				Date Prepared: 03/31/2008 1300		
1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	0.0099	0.020	1.0
Ethylene Dibromide	0.0086	U	ug/L	0.0086	0.020	1.0
Method: 8081A				Date Analyzed: 04/03/2008 0347		
Prep Method: 3510C				Date Prepared: 04/01/2008 1007		
Endrin aldehyde	0.0032	U	ug/L	0.0032	0.010	1.0
Method: 8081A				Date Analyzed: 04/07/2008 1659		
Prep Method: 3510C				Date Prepared: 04/01/2008 1007		
4,4'-DDD	0.0041	U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055	U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032	U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018	U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027	U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057	U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014	U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034	U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033	U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030	U	ug/L	0.0030	0.010	1.0
Endrin	0.0031	U	ug/L	0.0031	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075	U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026	U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031	U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031	U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061	U	ug/L	0.0061	0.050	1.0
Kepone	0.083	U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051	U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72	U	ug/L	0.72	3.0	1.0
Surrogate	Acceptance Limits					

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		04/08/2008 1628	
Prep Method: 5030B			Date Prepared:		04/08/2008 1628	
Acetonitrile	75	U	ug/L	75	200	1.0
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrolein	3.8	U	ug/L	3.8	100	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5	U	ug/L	2.5	5.0	1.0
Chloroprene	2.5	U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39	U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36	U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31	U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31	U	ug/L	31	200	1.0
Methacrylonitrile	1.8	U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
DCB Decachlorobiphenyl	53	%		30 - 150	
Tetrachloro-m-xylene	56	%		30 - 150	
Method: 8082			Date Analyzed: 04/04/2008 1303		
Prep Method: 3510C			Date Prepared: 04/01/2008 1007		
PCB-1016	0.26 U	ug/L	0.26	0.50	1.0
PCB-1221	0.15 U	ug/L	0.15	0.50	1.0
PCB-1232	0.38 U	ug/L	0.38	0.50	1.0
PCB-1242	0.077 U	ug/L	0.077	0.50	1.0
PCB-1248	0.070 U	ug/L	0.070	0.50	1.0
PCB-1254	0.12 U	ug/L	0.12	0.50	1.0
PCB-1260	0.10 U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits		
DCB Decachlorobiphenyl	57	%		30 - 150	
Tetrachloro-m-xylene	71	%		30 - 150	
Method: 8141A			Date Analyzed: 04/05/2008 1204		
Prep Method: 3520C			Date Prepared: 04/02/2008 1249		
Famphur	0.50 U	ug/L	0.50	2.0	1.0
Disulfoton	0.18 U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11 U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25 U	ug/L	0.25	1.0	1.0
Thionazin	0.25 U	ug/L	0.25	1.0	1.0
Phorate	0.20 U	ug/L	0.20	1.0	1.0
Dimethoate	0.12 U	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits		
Triphenylphosphate	68	%		16 - 164	
Method: 8151A			Date Analyzed: 04/04/2008 0328		
Prep Method: 8151A			Date Prepared: 04/01/2008 1255		
2,4,5-T	0.021 U	ug/L	0.021	2.5	1.0
2,4-D	0.041 U	ug/L	0.041	13	1.0
Dinoseb	0.030 U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015 U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits		
2,4-Dichlorophenylacetic acid	97	%		44 - 173	
Method: Total Recoverable-6010B			Date Analyzed: 04/07/2008 1034		
Prep Method: 3005A			Date Prepared: 04/04/2008 1021		
Silver	0.0019 U	mg/L	0.0019	0.010	1.0
Barium	0.0095 I	mg/L	0.0012	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	30		mg/L	0.085	0.50	1.0
Cobalt	0.0016	I	mg/L	0.0016	0.010	1.0
Chromium	0.0029	I	mg/L	0.0017	0.010	1.0
Copper	0.0029	U	mg/L	0.0029	0.020	1.0
Nickel	0.0047	U	mg/L	0.0047	0.040	1.0
Iron	1.2		mg/L	0.022	0.050	1.0
Potassium	6.8		mg/L	0.19	1.0	1.0
Tin	0.0064	U	mg/L	0.0064	0.050	1.0
Magnesium	6.9		mg/L	0.11	0.50	1.0
Vanadium	0.0025	U	mg/L	0.0025	0.010	1.0
Zinc	0.0080	I	mg/L	0.0059	0.020	1.0
Sodium	5.7		mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/03/2008 0458			
Prep Method: 3005A			Date Prepared: 04/01/2008 1415			
Antimony	0.36	U	ug/L	0.36	2.5	1.0
Arsenic	3.0		ug/L	0.28	2.5	1.0
Lead	0.66	I	ug/L	0.15	1.5	1.0
Selenium	0.60	U	ug/L	0.60	2.5	1.0
Thallium	0.55	U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1439			
Prep Method: 7470A			Date Prepared: 04/07/2008 1540			
Mercury	0.000072	U	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/09/2008 0235			
Chloride	16		mg/L	2.0	5.0	1.0
Sulfate	7.4		mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1148			
Ammonia	0.38		mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 03/28/2008 1431			
Nitrate as N	0.10	U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/02/2008 1251			
Prep Method: SM 4500 CN C			Date Prepared: 04/01/2008 1200			
Cyanide, Total	0.0050	U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	03/31/2008 1052		
Field pH	6.24	SU			1.0
Field Temperature	23.54	Degrees C			1.0
Oxygen, Dissolved	2.60	mg/L			1.0
Specific Conductance	237	umhos/cm			1.0
Turbidity	12.9	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-21929-5

Date Sampled: 03/27/2008 1027
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO ₃	86	mg/L	1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	120	mg/L	5.0	5.0	1.0
Method: SM 4500 S2 F Sulfide	1.0 U	mg/L	1.0	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	04/09/2008 1333		
Prep Method: 5030B			Date Prepared:	04/09/2008 1333		
Acetonitrile	75	U	ug/L	75	200	1.0
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrolein	3.8	U	ug/L	3.8	100	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5	U	ug/L	2.5	5.0	1.0
Chloroprene	2.5	U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39	U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36	U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31	U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31	U	ug/L	31	200	1.0
Methacrylonitrile	1.8	U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0

Surrogate

Acceptance Limits

4-Bromofluorobenzene	74	%	74 - 126
Dibromofluoromethane	83	%	70 - 130
Toluene-d8 (Surr)	84	%	77 - 122

Method: 8270C
Prep Method: 3520C

Date Analyzed: 04/08/2008 0415
Date Prepared: 04/01/2008 1553

Acenaphthene	1.5	U	ug/L	1.5	10	1.0
Acenaphthylene	1.8	U	ug/L	1.8	10	1.0
Acetophenone	1.5	U	ug/L	1.5	10	1.0
2-Acetylaminofluorene	0.77	U	ug/L	0.77	10	1.0
4-Aminobiphenyl	0.81	U	ug/L	0.81	10	1.0
Anthracene	1.0	U	ug/L	1.0	10	1.0
Benzo[a]anthracene	1.6	U	ug/L	1.6	10	1.0
Benzo[k]fluoranthene	1.3	U	ug/L	1.3	10	1.0
Benzo[b]fluoranthene	1.6	U	ug/L	1.6	10	1.0
Benzo[g,h,i]perylene	1.1	U	ug/L	1.1	10	1.0
Benzo[a]pyrene	0.99	U	ug/L	0.99	4.0	1.0
Benzyl alcohol	2.9	U	ug/L	2.9	10	1.0
Bis(2-chloroethoxy)methane	2.0	U	ug/L	2.0	10	1.0
Bis(2-chloroethyl)ether	2.6	U	ug/L	2.6	10	1.0
m & p - Cresol	2.4	U	ug/L	2.4	10	1.0
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	2.1	10	1.0
Bis(2-ethylhexyl) phthalate	1.3	U	ug/L	1.3	6.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP

Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000

Date Received: 03/27/2008 1645

Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.7	U	ug/L	1.7	10	1.0
Butyl benzyl phthalate	1.2	U	ug/L	1.2	10	1.0
4-Chloroaniline	2.1	U	ug/L	2.1	20	1.0
1,3-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,4-Dichlorobenzene	1.2	U	ug/L	1.2	10	1.0
1,2-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
4-Chlorophenyl phenyl ether	1.8	U	ug/L	1.8	10	1.0
2-Chloronaphthalene	1.6	U	ug/L	1.6	10	1.0
Chrysene	1.2	U	ug/L	1.2	10	1.0
Dibenz(a,h)anthracene	1.0	U	ug/L	1.0	10	1.0
Di-n-butyl phthalate	2.5	U	ug/L	2.5	10	1.0
3,3'-Dichlorobenzidine	1.6	U	ug/L	1.6	20	1.0
3,3'-Dimethylbenzidine	14	U	ug/L	14	20	1.0
Diethyl phthalate	2.5	U	ug/L	2.5	10	1.0
p-Dimethylamino azobenzene	0.67	U	ug/L	0.67	10	1.0
7,12-Dimethylbenz(a)anthracene	0.92	U	ug/L	0.92	10	1.0
Dimethyl phthalate	2.5	U	ug/L	2.5	10	1.0
1,3-Dinitrobenzene	0.99	U	ug/L	0.99	10	1.0
2,4-Dinitrotoluene	0.91	U	ug/L	0.91	10	1.0
2,6-Dinitrotoluene	0.72	U	ug/L	0.72	10	1.0
Di-n-octyl phthalate	2.5	U	ug/L	2.5	10	1.0
N-Nitrosodi-n-propylamine	1.9	U	ug/L	1.9	10	1.0
Fluoranthene	1.2	U	ug/L	1.2	10	1.0
Fluorene	1.7	U	ug/L	1.7	10	1.0
Hexachlorobenzene	1.7	U	ug/L	1.7	4.0	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.0	U	ug/L	1.0	10	1.0
Hexachlorocyclopentadiene	1.2	U	ug/L	1.2	10	1.0
Hexachloroethane	0.85	U	ug/L	0.85	10	1.0
Indeno[1,2,3-cd]pyrene	1.2	U	ug/L	1.2	10	1.0
Isophorone	1.4	U	ug/L	1.4	10	1.0
Isosafrole	1.6	U	ug/L	1.6	10	1.0
Methapyrilene	1.1	U	ug/L	1.1	2000	1.0
3-Methylcholanthrene	0.56	U	ug/L	0.56	10	1.0
Methyl methanesulfonate	1.2	U	ug/L	1.2	10	1.0
2-Methylnaphthalene	1.6	U	ug/L	1.6	10	1.0
Naphthalene	1.3	U	ug/L	1.3	10	1.0
1,4-Naphthoquinone	1.1	U	ug/L	1.1	10	1.0
1-Naphthylamine	0.84	U	ug/L	0.84	10	1.0
2-Naphthylamine	1.0	U	ug/L	1.0	10	1.0
2-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
3-Nitroaniline	1.2	U	ug/L	1.2	50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
Nitrobenzene	1.9	U	ug/L	1.9	10	1.0
N-Nitrosodi-n-butylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodiethylamine	1.5	U	ug/L	1.5	10	1.0
N-Nitrosodimethylamine	2.4	U	ug/L	2.4	10	1.0
N-Nitrosomethylethylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosodiphenylamine	1.6	U	ug/L	1.6	10	1.0
N-Nitrosopiperidine	0.87	U	ug/L	0.87	10	1.0
N-Nitrosopyrrolidine	1.2	U	ug/L	1.2	10	1.0
N-Nitro-o-toluidine	0.90	U	ug/L	0.90	10	1.0
Pentachlorobenzene	0.99	U	ug/L	0.99	10	1.0
Pentachloronitrobenzene	1.5	U	ug/L	1.5	10	1.0
Phenacetin	0.84	U	ug/L	0.84	10	1.0
Phenanthrene	1.3	U	ug/L	1.3	10	1.0
Pronamide	0.70	U	ug/L	0.70	10	1.0
Pyrene	1.2	U	ug/L	1.2	10	1.0
Safrole, Total	1.2	U	ug/L	1.2	10	1.0
1,2,4,5-Tetrachlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,2,4-Trichlorobenzene	1.2	U	ug/L	1.2	10	1.0
2-Chlorophenol	2.1	U	ug/L	2.1	10	1.0
2-Methylphenol	2.3	U	ug/L	2.3	10	1.0
4-Nitrophenol	6.2	U	ug/L	6.2	50	1.0
2,4-Dichlorophenol	1.8	U	ug/L	1.8	10	1.0
2,6-Dichlorophenol	1.6	U	ug/L	1.6	10	1.0
2,4-Dimethylphenol	1.8	U	ug/L	1.8	10	1.0
4,6-Dinitro-2-methylphenol	1.5	U	ug/L	1.5	50	1.0
2,4-Dinitrophenol	6.2	U	ug/L	6.2	50	1.0
Pentachlorophenol	1.5	U	ug/L	1.5	15	1.0
Phenol	2.4	U	ug/L	2.4	10	1.0
2,4,5-Trichlorophenol	2.1	U	ug/L	2.1	10	1.0
2,4,6-Trichlorophenol	1.9	U	ug/L	1.9	10	1.0
2,3,4,6-Tetrachlorophenol	0.65	U	ug/L	0.65	10	1.0
2-Nitrophenol	1.2	U	ug/L	1.2	10	1.0
Diallate	1.4	U	ug/L	1.4	10	1.0
Ethyl methanesulfonate	1.3	U	ug/L	1.3	10	1.0
p-Phenylene diamine	3.1	U	ug/L	3.1	2000	1.0
o-Toluidine	1.2	U	ug/L	1.2	10	1.0
o,o',o"-Triethylphosphorothioate	1.8	U	ug/L	1.8	10	1.0
1,3,5-Trinitrobenzene	0.61	U	ug/L	0.61	10	1.0
4-Chloro-3-methylphenol	1.7	U	ug/L	1.7	10	1.0
Dibenzofuran	1.6	U	ug/L	1.6	10	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Hexachloropropene	0.66 U	ug/L	0.66	10	1.0
Surrogate				Acceptance Limits	
Nitrobenzene-d5	78	%		34 - 130	
2-Fluorobiphenyl	75	%		36 - 124	
Terphenyl-d14	35	%		14 - 148	
Phenol-d5	53	%		25 - 128	
2-Fluorophenol	54	%		29 - 121	
2,4,6-Tribromophenol	60	%		29 - 143	
Method: 8011			Date Analyzed: 03/31/2008 2206		
Prep Method: 8011			Date Prepared: 03/31/2008 1300		
1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087 U	ug/L	0.0087	0.020	1.0
Method: 8081A			Date Analyzed: 04/03/2008 0401		
Prep Method: 3510C			Date Prepared: 04/01/2008 1007		
4,4'-DDD	0.0041 U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055 U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032 U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018 U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028 U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027 U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057 U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028 U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014 U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034 U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033 U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030 U	ug/L	0.0030	0.010	1.0
Endrin	0.0031 U	ug/L	0.0031	0.010	1.0
Endrin aldehyde	0.0032 U	ug/L	0.0032	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075 U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026 U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031 U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031 U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061 U	ug/L	0.0061	0.050	1.0
Kepone	0.083 U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051 U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72 U	ug/L	0.72	3.0	1.0
Surrogate				Acceptance Limits	
DCB Decachlorobiphenyl	45	%		30 - 150	
Tetrachloro-m-xylene	56	%		30 - 150	

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed:		04/04/2008	1222
Prep Method: 3510C			Date Prepared:		04/01/2008	1007
PCB-1016	0.26	U	ug/L	0.26	0.50	1.0
PCB-1221	0.15	U	ug/L	0.15	0.50	1.0
PCB-1232	0.38	U	ug/L	0.38	0.50	1.0
PCB-1242	0.077	U	ug/L	0.077	0.50	1.0
PCB-1248	0.070	U	ug/L	0.070	0.50	1.0
PCB-1254	0.12	U	ug/L	0.12	0.50	1.0
PCB-1260	0.10	U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl	32		%	30 - 150		
Tetrachloro-m-xylene	74		%	30 - 150		
Method: 8141A			Date Analyzed:		04/05/2008	1229
Prep Method: 3520C			Date Prepared:		04/02/2008	1249
Famphur	0.50	U	ug/L	0.50	2.0	1.0
Disulfoton	0.18	U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11	U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25	U	ug/L	0.25	1.0	1.0
Thionazin	0.25	U	ug/L	0.25	1.0	1.0
Phorate	0.20	U	ug/L	0.20	1.0	1.0
Dimethoate	0.12	U	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate	79		%	16 - 164		
Method: 8151A			Date Analyzed:		04/04/2008	0409
Prep Method: 8151A			Date Prepared:		04/01/2008	1255
2,4,5-T	0.021	U	ug/L	0.021	2.5	1.0
2,4-D	0.041	U	ug/L	0.041	13	1.0
Dinoseb	0.030	U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015	U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid	95		%	44 - 173		
Method: Total Recoverable-6010B			Date Analyzed:		04/07/2008	1040
Prep Method: 3005A			Date Prepared:		04/04/2008	1021
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.16		mg/L	0.0012	0.010	1.0
Beryllium	0.0010	I	mg/L	0.00074	0.0040	1.0
Cadmium	0.0066		mg/L	0.00071	0.0050	1.0
Calcium	30		mg/L	0.085	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Cobalt	0.0016 U	mg/L	0.0016	0.010	1.0
Chromium	0.033	mg/L	0.0017	0.010	1.0
Copper	0.0077 I	mg/L	0.0029	0.020	1.0
Nickel	0.0047 U	mg/L	0.0047	0.040	1.0
Iron	2.3	mg/L	0.022	0.050	1.0
Potassium	0.76 I	mg/L	0.19	1.0	1.0
Tin	0.0064 U	mg/L	0.0064	0.050	1.0
Magnesium	5.1	mg/L	0.11	0.50	1.0
Vanadium	0.024	mg/L	0.0025	0.010	1.0
Zinc	0.011 I	mg/L	0.0059	0.020	1.0
Sodium	8.3	mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/03/2008 0505		
Prep Method: 3005A			Date Prepared: 04/01/2008 1415		
Antimony	0.40 I	ug/L	0.36	2.5	1.0
Arsenic	2.2 I	ug/L	0.28	2.5	1.0
Lead	7.6	ug/L	0.15	1.5	1.0
Selenium	0.78 I	ug/L	0.60	2.5	1.0
Thallium	0.55 U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1441		
Prep Method: 7470A			Date Prepared: 04/07/2008 1540		
Mercury	0.00013 I	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/09/2008 0247		
Chloride	4.5 I	mg/L	2.0	5.0	1.0
Sulfate	39	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1159		
Ammonia	0.18	mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 03/28/2008 1431		
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/02/2008 1251		
Prep Method: SM 4500 CN C			Date Prepared: 04/01/2008 1200		
Cyanide, Total	0.0050 U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-21929-6

Date Sampled: 03/27/2008 0000
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO ₃	17	mg/L	Date Analyzed: 04/07/2008 1520 1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	130	mg/L	Date Analyzed: 03/31/2008 1724 5.0	5.0	1.0
Method: SM 4500 S ₂ F Sulfide	2.4	mg/L	Date Analyzed: 03/31/2008 1400 1.0	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 04/08/2008 1608		
Prep Method: 5030B			Date Prepared: 04/08/2008 1608		
Acetonitrile	75 U	ug/L	75	200	1.0
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrolein	3.8 U	ug/L	3.8	100	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5 U	ug/L	2.5	5.0	1.0
Chloroprene	2.5 U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39 U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36 U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31 U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5 U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
Iodomethane	2.5 U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31 U	ug/L	31	200	1.0
Methacrylonitrile	1.8 U	ug/L	1.8	100	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits		
4-Bromofluorobenzene	95	%	74 - 126
Dibromofluoromethane	109	%	70 - 130
Toluene-d8 (Surr)	106	%	77 - 122

Method: 8270C

Prep Method: 3520C

Date Analyzed: 04/08/2008 0435

Date Prepared: 04/01/2008 1553

Acenaphthene	1.5	U	ug/L	1.5	10	1.0
Acenaphthylene	1.8	U	ug/L	1.8	10	1.0
Acetophenone	1.5	U	ug/L	1.5	10	1.0
2-Acetylaminofluorene	0.77	U	ug/L	0.77	10	1.0
4-Aminobiphenyl	0.81	U	ug/L	0.81	10	1.0
Anthracene	1.0	U	ug/L	1.0	10	1.0
Benzo[a]anthracene	1.6	U	ug/L	1.6	10	1.0
Benzo[k]fluoranthene	1.3	U	ug/L	1.3	10	1.0
Benzo[b]fluoranthene	1.6	U	ug/L	1.6	10	1.0
Benzo[g,h,i]perylene	1.1	U	ug/L	1.1	10	1.0
Benzo[a]pyrene	0.99	U	ug/L	0.99	4.0	1.0
Benzyl alcohol	2.9	U	ug/L	2.9	10	1.0
Bis(2-chloroethoxy)methane	2.0	U	ug/L	2.0	10	1.0
Bis(2-chloroethyl)ether	2.6	U	ug/L	2.6	10	1.0
m & p - Cresol	2.4	U	ug/L	2.4	10	1.0
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	2.1	10	1.0
Bis(2-ethylhexyl) phthalate	1.3	U	ug/L	1.3	6.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.7	U	ug/L	1.7	10	1.0
Butyl benzyl phthalate	1.2	U	ug/L	1.2	10	1.0
4-Chloroaniline	2.1	U	ug/L	2.1	20	1.0
1,3-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
1,4-Dichlorobenzene	1.2	U	ug/L	1.2	10	1.0
1,2-Dichlorobenzene	1.1	U	ug/L	1.1	10	1.0
4-Chlorophenyl phenyl ether	1.8	U	ug/L	1.8	10	1.0
2-Chloronaphthalene	1.6	U	ug/L	1.6	10	1.0
Chrysene	1.2	U	ug/L	1.2	10	1.0
Dibenz(a,h)anthracene	1.0	U	ug/L	1.0	10	1.0
Di-n-butyl phthalate	2.5	U	ug/L	2.5	10	1.0
3,3'-Dichlorobenzidine	1.6	U	ug/L	1.6	20	1.0
3,3'-Dimethylbenzidine	14	U	ug/L	14	20	1.0
Diethyl phthalate	2.5	U	ug/L	2.5	10	1.0
p-Dimethylamino azobenzene	0.67	U	ug/L	0.67	10	1.0
7,12-Dimethylbenz(a)anthracene	0.92	U	ug/L	0.92	10	1.0
Dimethyl phthalate	2.5	U	ug/L	2.5	10	1.0
1,3-Dinitrobenzene	0.99	U	ug/L	0.99	10	1.0
2,4-Dinitrotoluene	0.91	U	ug/L	0.91	10	1.0
2,6-Dinitrotoluene	0.72	U	ug/L	0.72	10	1.0
Di-n-octyl phthalate	2.5	U	ug/L	2.5	10	1.0
N-Nitrosodi-n-propylamine	1.9	U	ug/L	1.9	10	1.0
Fluoranthene	1.2	U	ug/L	1.2	10	1.0
Fluorene	1.7	U	ug/L	1.7	10	1.0
Hexachlorobenzene	1.7	U	ug/L	1.7	4.0	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.0	U	ug/L	1.0	10	1.0
Hexachlorocyclopentadiene	1.2	U	ug/L	1.2	10	1.0
Hexachloroethane	0.85	U	ug/L	0.85	10	1.0
Indeno[1,2,3-cd]pyrene	1.2	U	ug/L	1.2	10	1.0
Isophorone	1.4	U	ug/L	1.4	10	1.0
Isosafrole	1.6	U	ug/L	1.6	10	1.0
Methapyrilene	1.1	U	ug/L	1.1	2000	1.0
3-Methylcholanthrene	0.56	U	ug/L	0.56	10	1.0
Methyl methanesulfonate	1.2	U	ug/L	1.2	10	1.0
2-Methylnaphthalene	1.6	U	ug/L	1.6	10	1.0
Naphthalene	1.3	U	ug/L	1.3	10	1.0
1,4-Naphthoquinone	1.1	U	ug/L	1.1	10	1.0
1-Naphthylamine	0.84	U	ug/L	0.84	10	1.0
2-Naphthylamine	1.0	U	ug/L	1.0	10	1.0
2-Nitroaniline	1.4	U	ug/L	1.4	50	1.0
3-Nitroaniline	1.2	U	ug/L	1.2	50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Nitroaniline	1.4 U	ug/L	1.4	50	1.0
Nitrobenzene	1.9 U	ug/L	1.9	10	1.0
N-Nitrosodi-n-butylamine	1.5 U	ug/L	1.5	10	1.0
N-Nitrosodiethylamine	1.5 U	ug/L	1.5	10	1.0
N-Nitrosodimethylamine	2.4 U	ug/L	2.4	10	1.0
N-Nitrosomethylethylamine	1.6 U	ug/L	1.6	10	1.0
N-Nitrosodiphenylamine	1.6 U	ug/L	1.6	10	1.0
N-Nitrosopiperidine	0.87 U	ug/L	0.87	10	1.0
N-Nitrosopyrrolidine	1.2 U	ug/L	1.2	10	1.0
N-Nitro-o-toluidine	0.90 U	ug/L	0.90	10	1.0
Pentachlorobenzene	0.99 U	ug/L	0.99	10	1.0
Pentachloronitrobenzene	1.5 U	ug/L	1.5	10	1.0
Phenacetin	0.84 U	ug/L	0.84	10	1.0
Phenanthrene	1.3 U	ug/L	1.3	10	1.0
Pronamide	0.70 U	ug/L	0.70	10	1.0
Pyrene	1.2 U	ug/L	1.2	10	1.0
Safrrole, Total	1.2 U	ug/L	1.2	10	1.0
1,2,4,5-Tetrachlorobenzene	1.1 U	ug/L	1.1	10	1.0
1,2,4-Trichlorobenzene	1.2 U	ug/L	1.2	10	1.0
2-Chlorophenol	2.1 U	ug/L	2.1	10	1.0
2-Methylphenol	2.3 U	ug/L	2.3	10	1.0
4-Nitrophenol	6.2 U	ug/L	6.2	50	1.0
2,4-Dichlorophenol	1.8 U	ug/L	1.8	10	1.0
2,6-Dichlorophenol	1.6 U	ug/L	1.6	10	1.0
2,4-Dimethylphenol	1.8 U	ug/L	1.8	10	1.0
4,6-Dinitro-2-methylphenol	1.5 U	ug/L	1.5	50	1.0
2,4-Dinitrophenol	6.2 U	ug/L	6.2	50	1.0
Pentachlorophenol	1.5 U	ug/L	1.5	15	1.0
Phenol	2.4 U	ug/L	2.4	10	1.0
2,4,5-Trichlorophenol	2.1 U	ug/L	2.1	10	1.0
2,4,6-Trichlorophenol	1.9 U	ug/L	1.9	10	1.0
2,3,4,6-Tetrachlorophenol	0.65 U	ug/L	0.65	10	1.0
2-Nitrophenol	1.2 U	ug/L	1.2	10	1.0
Diallate	1.4 U	ug/L	1.4	10	1.0
Ethyl methanesulfonate	1.3 U	ug/L	1.3	10	1.0
p-Phenylene diamine	3.1 U	ug/L	3.1	2000	1.0
o-Toluidine	1.2 U	ug/L	1.2	10	1.0
o,o',o"-Triethylphosphorothioate	1.8 U	ug/L	1.8	10	1.0
1,3,5-Trinitrobenzene	0.61 U	ug/L	0.61	10	1.0
4-Chloro-3-methylphenol	1.7 U	ug/L	1.7	10	1.0
Dibenzofuran	1.6 U	ug/L	1.6	10	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Hexachloropropene	0.66	U	ug/L	0.66	10	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	94		%		34 - 130	
2-Fluorobiphenyl	95		%		36 - 124	
Terphenyl-d14	101		%		14 - 148	
Phenol-d5	76		%		25 - 128	
2-Fluorophenol	78		%		29 - 121	
2,4,6-Tribromophenol	107		%		29 - 143	
Method: 8011	Date Analyzed: 03/31/2008 2230					
Prep Method: 8011	Date Prepared: 03/31/2008 1300					
1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0089	U	ug/L	0.0089	0.020	1.0
Method: 8081A	Date Analyzed: 04/03/2008 0414					
Prep Method: 3510C	Date Prepared: 04/01/2008 1007					
4,4'-DDD	0.0041	U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055	U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032	U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018	U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027	U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057	U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014	U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034	U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033	U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030	U	ug/L	0.0030	0.010	1.0
Endrin	0.0031	U	ug/L	0.0031	0.010	1.0
Endrin aldehyde	0.0032	U	ug/L	0.0032	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075	U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026	U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031	U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031	U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061	U	ug/L	0.0061	0.050	1.0
Kepone	0.083	U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051	U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72	U	ug/L	0.72	3.0	1.0
Surrogate	Acceptance Limits					
DCB Decachlorobiphenyl	128		%		30 - 150	
Tetrachloro-m-xylene	94		%		30 - 150	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed: 04/04/2008 1236			
Prep Method: 3510C			Date Prepared: 04/01/2008 1007			
PCB-1016	0.26	U	ug/L	0.26	0.50	1.0
PCB-1221	0.15	U	ug/L	0.15	0.50	1.0
PCB-1232	0.38	U	ug/L	0.38	0.50	1.0
PCB-1242	0.077	U	ug/L	0.077	0.50	1.0
PCB-1248	0.070	U	ug/L	0.070	0.50	1.0
PCB-1254	0.12	U	ug/L	0.12	0.50	1.0
PCB-1260	0.10	U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl	60		%	30 - 150		
Tetrachloro-m-xylene	73		%	30 - 150		
Method: 8141A			Date Analyzed: 04/05/2008 1254			
Prep Method: 3520C			Date Prepared: 04/02/2008 1249			
Famphur	0.50	U	ug/L	0.50	2.0	1.0
Disulfoton	0.18	U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11	U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25	U	ug/L	0.25	1.0	1.0
Thionazin	0.25	U	ug/L	0.25	1.0	1.0
Phorate	0.20	U	ug/L	0.20	1.0	1.0
Dimethoate	0.12	U	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate	94		%	16 - 164		
Method: 8151A			Date Analyzed: 04/04/2008 0450			
Prep Method: 8151A			Date Prepared: 04/01/2008 1255			
2,4,5-T	0.021	U	ug/L	0.021	2.5	1.0
2,4-D	0.041	U	ug/L	0.041	13	1.0
Dinoseb	0.030	U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015	U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid	102		%	44 - 173		
Method: Total Recoverable-6010B			Date Analyzed: 04/07/2008 1045			
Prep Method: 3005A			Date Prepared: 04/04/2008 1021			
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.0012	U	mg/L	0.0012	0.010	1.0
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	0.085	U	mg/L	0.085	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Cobalt	0.0016	U	mg/L	0.0016	0.010	1.0
Chromium	0.0017	U	mg/L	0.0017	0.010	1.0
Copper	0.0029	U	mg/L	0.0029	0.020	1.0
Nickel	0.0047	U	mg/L	0.0047	0.040	1.0
Iron	0.022	U	mg/L	0.022	0.050	1.0
Potassium	0.19	U	mg/L	0.19	1.0	1.0
Tin	0.0064	U	mg/L	0.0064	0.050	1.0
Magnesium	0.11	U	mg/L	0.11	0.50	1.0
Vanadium	0.0025	U	mg/L	0.0025	0.010	1.0
Zinc	0.0059	U	mg/L	0.0059	0.020	1.0
Sodium	0.31	U	mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/03/2008 0525			
Prep Method: 3005A			Date Prepared: 04/01/2008 1415			
Antimony	0.36	U	ug/L	0.36	2.5	1.0
Arsenic	0.28	U	ug/L	0.28	2.5	1.0
Lead	0.15	U	ug/L	0.15	1.5	1.0
Selenium	0.60	U	ug/L	0.60	2.5	1.0
Thallium	0.55	U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1443			
Prep Method: 7470A			Date Prepared: 04/07/2008 1540			
Mercury	0.000072	U	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/09/2008 0325			
Chloride	2.0	U	mg/L	2.0	5.0	1.0
Sulfate	2.0	U	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1353			
Ammonia	0.039		mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 03/28/2008 1431			
Nitrate as N	0.10	U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/02/2008 1251			
Prep Method: SM 4500 CN C			Date Prepared: 04/01/2008 1200			
Cyanide, Total	0.0050	U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-21929-7

Date Sampled: 03/27/2008 0930
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO ₃	1.1	mg/L	1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	5.0 U	mg/L	5.0	5.0	1.0
Method: SM 4500 S ₂ F Sulfide	1.0 U	mg/L	1.0	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-21929-8

Date Sampled: 03/27/2008 0925
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		04/08/2008 1548	
Prep Method: 5030B			Date Prepared:		04/08/2008 1548	
Acetonitrile	75	U	ug/L	75	200	1.0
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrolein	3.8	U	ug/L	3.8	100	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5	U	ug/L	2.5	5.0	1.0
Chloroprene	2.5	U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39	U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36	U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31	U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31	U	ug/L	31	200	1.0
Methacrylonitrile	1.8	U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-21929-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-21929-8

Date Sampled: 03/27/2008 0925
Date Received: 03/27/2008 1645
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	99		%	74 - 126		
Dibromofluoromethane	111		%	70 - 130		
Toluene-d8 (Surr)	108		%	77 - 122		

Client: Hillsborough County

Job Number: 660-21929-1

Lab Section	Qualifier	Description
GC/MS VOA		
	J1	Estimated value; value may not be accurate. Surrogate recovery outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
GC/MS Semi VOA		
	U	Indicates that the compound was analyzed for but not detected.
	V	Indicates the analyte was detected in both the sample and the associated method blank.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Client: Hillsborough County

Job Number: 660-21929-1

Lab Section	Qualifier	Description
General Chemistry		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		04/08/2008 1926	
Prep Method: 5030B			Date Prepared:		04/08/2008 1926	
Acetonitrile	75	U	ug/L	75	200	1.0
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrolein	3.8	U	ug/L	3.8	100	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5	U	ug/L	2.5	5.0	1.0
Chloroprene	2.5	U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39	U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36	U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31	U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31	U	ug/L	31	200	1.0
Methacrylonitrile	1.8	U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
Propionitrile	7.2	U	ug/L	7.2	100	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits		
4-Bromofluorobenzene	96	%	74 - 126
Dibromofluoromethane	108	%	70 - 130
Toluene-d8 (Surr)	104	%	77 - 122

Method: 8270C

Date Analyzed: 04/08/2008 1704

Prep Method: 3520C

Date Prepared: 04/04/2008 1139

Acenaphthene	1.6	U	ug/L	1.6	11	1.0
Acenaphthylene	1.9	U	ug/L	1.9	11	1.0
Acetophenone	1.6	U	ug/L	1.6	11	1.0
2-Acetylaminofluorene	0.81	U	ug/L	0.81	11	1.0
4-Aminobiphenyl	0.85	U	ug/L	0.85	11	1.0
Anthracene	1.1	U	ug/L	1.1	11	1.0
Benzo[a]anthracene	1.7	U	ug/L	1.7	11	1.0
Benzo[k]fluoranthene	1.4	U	ug/L	1.4	11	1.0
Benzo[b]fluoranthene	1.7	U	ug/L	1.7	11	1.0
Benzo[g,h,i]perylene	1.2	U	ug/L	1.2	11	1.0
Benzo[a]pyrene	1.0	U	ug/L	1.0	4.2	1.0
Benzyl alcohol	3.1	U	ug/L	3.1	11	1.0
Bis(2-chloroethoxy)methane	2.1	U	ug/L	2.1	11	1.0
Bis(2-chloroethyl)ether	2.7	U	ug/L	2.7	11	1.0
m & p - Cresol	2.5	U	ug/L	2.5	11	1.0
2,2'-oxybis(2-chloropropane)	2.2	U	ug/L	2.2	11	1.0
Bis(2-ethylhexyl) phthalate	8.0		ug/L	1.4	6.3	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.8 U	ug/L	1.8	11	1.0
Butyl benzyl phthalate	1.3 U	ug/L	1.3	11	1.0
4-Chloroaniline	2.2 U	ug/L	2.2	21	1.0
1,3-Dichlorobenzene	1.2 U	ug/L	1.2	11	1.0
1,4-Dichlorobenzene	1.3 U	ug/L	1.3	11	1.0
1,2-Dichlorobenzene	1.2 U	ug/L	1.2	11	1.0
4-Chlorophenyl phenyl ether	1.9 U	ug/L	1.9	11	1.0
2-Chloronaphthalene	1.7 U	ug/L	1.7	11	1.0
Chrysene	1.3 U	ug/L	1.3	11	1.0
Dibenz(a,h)anthracene	1.1 U	ug/L	1.1	11	1.0
Di-n-butyl phthalate	2.6 U	ug/L	2.6	11	1.0
3,3'-Dichlorobenzidine	1.7 U	ug/L	1.7	21	1.0
3,3'-Dimethylbenzidine	15 U	ug/L	15	21	1.0
Diethyl phthalate	2.6 U	ug/L	2.6	11	1.0
p-Dimethylamino azobenzene	0.71 U	ug/L	0.71	11	1.0
7,12-Dimethylbenz(a)anthracene	0.97 U	ug/L	0.97	11	1.0
Dimethyl phthalate	2.6 U	ug/L	2.6	11	1.0
1,3-Dinitrobenzene	1.0 U	ug/L	1.0	11	1.0
2,4-Dinitrotoluene	0.96 U	ug/L	0.96	11	1.0
2,6-Dinitrotoluene	0.76 U	ug/L	0.76	11	1.0
Di-n-octyl phthalate	2.6 U	ug/L	2.6	11	1.0
N-Nitrosodi-n-propylamine	2.0 U	ug/L	2.0	11	1.0
Fluoranthene	1.3 U	ug/L	1.3	11	1.0
Fluorene	1.8 U	ug/L	1.8	11	1.0
Hexachlorobenzene	1.8 U	ug/L	1.8	4.2	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.1 U	ug/L	1.1	11	1.0
Hexachlorocyclopentadiene	1.3 U	ug/L	1.3	11	1.0
Hexachloroethane	0.89 U	ug/L	0.89	11	1.0
Indeno[1,2,3-cd]pyrene	1.3 U	ug/L	1.3	11	1.0
Isophorone	1.5 U	ug/L	1.5	11	1.0
Isosafrole	1.7 U	ug/L	1.7	11	1.0
Methapyrilene	1.2 U	ug/L	1.2	2100	1.0
3-Methylcholanthrene	0.59 U	ug/L	0.59	11	1.0
Methyl methanesulfonate	1.3 U	ug/L	1.3	11	1.0
2-Methylnaphthalene	1.7 U	ug/L	1.7	11	1.0
Naphthalene	1.4 U	ug/L	1.4	11	1.0
1,4-Naphthoquinone	1.2 U	ug/L	1.2	11	1.0
1-Naphthylamine	0.88 U	ug/L	0.88	11	1.0
2-Naphthylamine	1.1 U	ug/L	1.1	11	1.0
2-Nitroaniline	1.5 U	ug/L	1.5	53	1.0
3-Nitroaniline	1.3 U	ug/L	1.3	53	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Nitroaniline	1.5 U	ug/L	1.5	53	1.0
Nitrobenzene	2.0 U	ug/L	2.0	11	1.0
N-Nitrosodi-n-butylamine	1.6 U	ug/L	1.6	11	1.0
N-Nitrosodiethylamine	1.6 U	ug/L	1.6	11	1.0
N-Nitrosodimethylamine	2.5 U	ug/L	2.5	11	1.0
N-Nitrosomethylethylamine	1.7 U	ug/L	1.7	11	1.0
N-Nitrosodiphenylamine	1.7 U	ug/L	1.7	11	1.0
N-Nitrosopiperidine	0.92 U	ug/L	0.92	11	1.0
N-Nitrosopyrrolidine	1.3 U	ug/L	1.3	11	1.0
N-Nitro-o-toluidine	0.95 U	ug/L	0.95	11	1.0
Pentachlorobenzene	1.0 U	ug/L	1.0	11	1.0
Pentachloronitrobenzene	1.6 U	ug/L	1.6	11	1.0
Phenacetin	0.88 U	ug/L	0.88	11	1.0
Phenanthrene	1.4 U	ug/L	1.4	11	1.0
Pronamide	0.74 U	ug/L	0.74	11	1.0
Pyrene	1.3 U	ug/L	1.3	11	1.0
Safrole, Total	1.3 U	ug/L	1.3	11	1.0
1,2,4,5-Tetrachlorobenzene	1.2 U	ug/L	1.2	11	1.0
1,2,4-Trichlorobenzene	1.3 U	ug/L	1.3	11	1.0
2-Chlorophenol	2.2 U	ug/L	2.2	11	1.0
2-Methylphenol	2.4 U	ug/L	2.4	11	1.0
4-Nitrophenol	6.5 U	ug/L	6.5	53	1.0
2,4-Dichlorophenol	1.9 U	ug/L	1.9	11	1.0
2,6-Dichlorophenol	1.7 U	ug/L	1.7	11	1.0
2,4-Dimethylphenol	1.9 U	ug/L	1.9	11	1.0
4,6-Dinitro-2-methylphenol	1.6 U	ug/L	1.6	53	1.0
2,4-Dinitrophenol	6.5 U	ug/L	6.5	53	1.0
Pentachlorophenol	1.6 U	ug/L	1.6	16	1.0
Phenol	2.5 U	ug/L	2.5	11	1.0
2,4,5-Trichlorophenol	2.2 U	ug/L	2.2	11	1.0
2,4,6-Trichlorophenol	2.0 U	ug/L	2.0	11	1.0
2,3,4,6-Tetrachlorophenol	0.68 U	ug/L	0.68	11	1.0
2-Nitrophenol	1.3 U	ug/L	1.3	11	1.0
Diallate	1.5 U	ug/L	1.5	11	1.0
Ethyl methanesulfonate	1.4 U	ug/L	1.4	11	1.0
p-Phenylene diamine	3.3 U	ug/L	3.3	2100	1.0
o-Toluidine	1.3 U	ug/L	1.3	11	1.0
o,o',o''-Triethylphosphorothioate	1.9 U	ug/L	1.9	11	1.0
1,3,5-Trinitrobenzene	0.64 U	ug/L	0.64	11	1.0
4-Chloro-3-methylphenol	1.8 U	ug/L	1.8	11	1.0
Dibenzofuran	1.7 U	ug/L	1.7	11	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Hexachloropropene	0.69	U	ug/L	0.69	11	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	75		%		34 - 130	
2-Fluorobiphenyl	67		%		36 - 124	
Terphenyl-d14	37		%		14 - 148	
Phenol-d5	67		%		25 - 128	
2-Fluorophenol	66		%		29 - 121	
2,4,6-Tribromophenol	84		%		29 - 143	
Method: 8011				Date Analyzed: 04/13/2008 2258		
Prep Method: 8011				Date Prepared: 04/13/2008 1430		
1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.021	1.0
Ethylene Dibromide	0.0090	U	ug/L	0.0090	0.021	1.0
Method: 8081A				Date Analyzed: 04/07/2008 1726		
Prep Method: 3510C				Date Prepared: 04/04/2008 1011		
4,4'-DDD	0.0043	U	ug/L	0.0043	0.011	1.0
4,4'-DDE	0.0058	U	ug/L	0.0058	0.011	1.0
4,4'-DDT	0.0033	U	ug/L	0.0033	0.011	1.0
Aldrin	0.0019	U	ug/L	0.0019	0.011	1.0
alpha-BHC	0.0029	U	ug/L	0.0029	0.011	1.0
beta-BHC	0.0028	U	ug/L	0.0028	0.011	1.0
Chlordane (technical)	0.060	U	ug/L	0.060	0.53	1.0
delta-BHC	0.0029	U	ug/L	0.0029	0.011	1.0
Dieldrin	0.0015	U	ug/L	0.0015	0.011	1.0
Endosulfan I	0.0036	U	ug/L	0.0036	0.011	1.0
Endosulfan II	0.0035	U	ug/L	0.0035	0.011	1.0
Endosulfan sulfate	0.0031	U	ug/L	0.0031	0.011	1.0
Endrin	0.0033	U	ug/L	0.0033	0.011	1.0
Endrin aldehyde	0.0034	U	ug/L	0.0034	0.011	1.0
Ethyl 4,4'-Dichlorobenzilate	0.079	U	ug/L	0.079	0.53	1.0
gamma-BHC (Lindane)	0.0027	U	ug/L	0.0027	0.011	1.0
Heptachlor	0.0032	U	ug/L	0.0032	0.011	1.0
Heptachlor epoxide	0.0033	U	ug/L	0.0033	0.011	1.0
Isodrin	0.0064	U	ug/L	0.0064	0.053	1.0
Kepone	0.087	U	ug/L	0.087	1.1	1.0
Methoxychlor	0.0053	U	ug/L	0.0053	0.011	1.0
Toxaphene	0.76	U	ug/L	0.76	3.2	1.0
Surrogate	Acceptance Limits					
DCB Decachlorobiphenyl	71		%		30 - 150	
Tetrachloro-m-xylene	73		%		30 - 150	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed:		04/07/2008	1900
Prep Method: 3510C			Date Prepared:		04/04/2008	1011
PCB-1016	0.27	U	ug/L	0.27	0.53	1.0
PCB-1221	0.16	U	ug/L	0.16	0.53	1.0
PCB-1232	0.40	U	ug/L	0.40	0.53	1.0
PCB-1242	0.081	U	ug/L	0.081	0.53	1.0
PCB-1248	0.074	U	ug/L	0.074	0.53	1.0
PCB-1254	0.13	U	ug/L	0.13	0.53	1.0
PCB-1260	0.11	U J3	ug/L	0.11	0.53	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl			46	%	30 - 150	
Tetrachloro-m-xylene			66	%	30 - 150	
Method: 8141A			Date Analyzed:		04/05/2008	1319
Prep Method: 3520C			Date Prepared:		04/02/2008	1249
Famphur	0.53	U	ug/L	0.53	2.1	1.0
Disulfoton	0.19	U	ug/L	0.19	2.1	1.0
Methyl parathion	0.12	U	ug/L	0.12	0.53	1.0
Ethyl Parathion	0.26	U	ug/L	0.26	1.1	1.0
Thionazin	0.26	U	ug/L	0.26	1.1	1.0
Phorate	0.21	U	ug/L	0.21	1.1	1.0
Dimethoate	0.13	U	ug/L	0.13	2.1	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate			61	%	16 - 164	
Method: 8151A			Date Analyzed:		04/04/2008	1941
Prep Method: 8151A			Date Prepared:		04/03/2008	1359
2,4,5-T	0.021	U	ug/L	0.021	2.5	1.0
2,4-D	0.041	U	ug/L	0.041	13	1.0
Dinoseb	0.030	U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015	U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid			96	%	44 - 173	
Method: Total Recoverable-6010B			Date Analyzed:		04/09/2008	1401
Prep Method: 3005A			Date Prepared:		04/09/2008	0549
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.0023	I	mg/L	0.0012	0.010	1.0
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	40		mg/L	0.085	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Cobalt	0.0016	U	mg/L	0.0016	0.010	1.0
Chromium	0.0017	U	mg/L	0.0017	0.010	1.0
Copper	0.0029	U	mg/L	0.0029	0.020	1.0
Nickel	0.0047	U	mg/L	0.0047	0.040	1.0
Iron	0.048	I	mg/L	0.022	0.050	1.0
Potassium	0.64	I	mg/L	0.19	1.0	1.0
Tin	0.0064	U	mg/L	0.0064	0.050	1.0
Magnesium	28		mg/L	0.11	0.50	1.0
Vanadium	0.0025	U	mg/L	0.0025	0.010	1.0
Zinc	0.0059	U	mg/L	0.0059	0.020	1.0
Sodium	6.0		mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/11/2008 1039			
Prep Method: 3005A			Date Prepared: 04/09/2008 1705			
Antimony	0.36	U	ug/L	0.36	2.5	1.0
Arsenic	1.3	I V	ug/L	0.28	2.5	1.0
Lead	0.15	U	ug/L	0.15	1.5	1.0
Selenium	0.60	U	ug/L	0.60	2.5	1.0
Thallium	0.55	U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1504			
Prep Method: 7470A			Date Prepared: 04/07/2008 1540			
Mercury	0.00012	I	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/11/2008 0219			
Chloride	25		mg/L	2.0	5.0	1.0
Sulfate	2.0	U	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1320			
Ammonia	0.067		mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 04/02/2008 1017			
Nitrate as N	0.10	U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/10/2008 1747			
Prep Method: SM 4500 CN C			Date Prepared: 04/09/2008 0830			
Cyanide, Total	0.0050	U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	04/02/2008 1334		
Field pH	6.02	SU			1.0
Field Temperature	24.29	Degrees C			1.0
Oxygen, Dissolved	2.01	mg/L			1.0
Specific Conductance	411	umhos/cm			1.0
Turbidity	3.05	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-69
Lab Sample ID: 660-22005-1

Date Sampled: 03/31/2008 1140
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO ₃	180	mg/L	1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	240	mg/L	5.0	5.0	1.0
Method: SM 4500 S2 F Sulfide	1.0 U	mg/L	1.0	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		04/08/2008 1907	
Prep Method: 5030B			Date Prepared:		04/08/2008 1907	
Acetonitrile	75	U	ug/L	75	200	1.0
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrolein	3.8	U	ug/L	3.8	100	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Chlorobromomethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Allyl chloride	2.5	U	ug/L	2.5	5.0	1.0
Chloroprene	2.5	U	ug/L	2.5	5.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
Dichlorodifluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
1,3-Dichloropropane	0.39	U	ug/L	0.39	1.0	1.0
2,2-Dichloropropane	0.36	U	ug/L	0.36	1.0	1.0
1,1-Dichloropropene	0.31	U	ug/L	0.31	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
Ethyl methacrylate	2.5	U	ug/L	2.5	5.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Isobutyl alcohol	31	U	ug/L	31	200	1.0
Methacrylonitrile	1.8	U	ug/L	1.8	100	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Methyl-2-pentanone (MIBK)	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
Methyl methacrylate	2.5 U	ug/L	2.5	5.0	1.0
Propionitrile	7.2 U	ug/L	7.2	100	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0
Trichlorofluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18 U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5 U	ug/L	1.5	10	1.0
Vinyl chloride	0.50 U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50 U	ug/L	0.50	3.0	1.0

Surrogate	Acceptance Limits
4-Bromofluorobenzene	95 % 74 - 126
Dibromofluoromethane	109 % 70 - 130
Toluene-d8 (Surr)	104 % 77 - 122

Method: 8270C

Prep Method: 3520C

Date Analyzed: 04/08/2008 1725
Date Prepared: 04/04/2008 1139

Acenaphthene	1.6 U	ug/L	1.6	11	1.0
Acenaphthylene	1.9 U	ug/L	1.9	11	1.0
Acetophenone	1.6 U	ug/L	1.6	11	1.0
2-Acetylaminofluorene	0.81 U	ug/L	0.81	11	1.0
4-Aminobiphenyl	0.85 U	ug/L	0.85	11	1.0
Anthracene	1.1 U	ug/L	1.1	11	1.0
Benzo[a]anthracene	1.7 U	ug/L	1.7	11	1.0
Benzo[k]fluoranthene	1.4 U	ug/L	1.4	11	1.0
Benzo[b]fluoranthene	1.7 U	ug/L	1.7	11	1.0
Benzo[g,h,i]perylene	1.2 U	ug/L	1.2	11	1.0
Benzo[a]pyrene	1.0 U	ug/L	1.0	4.2	1.0
Benzyl alcohol	3.1 U	ug/L	3.1	11	1.0
Bis(2-chloroethoxy)methane	2.1 U	ug/L	2.1	11	1.0
Bis(2-chloroethyl)ether	2.7 U	ug/L	2.7	11	1.0
m & p - Cresol	2.5 U	ug/L	2.5	11	1.0
2,2'-oxybis(2-chloropropane)	2.2 U	ug/L	2.2	11	1.0
Bis(2-ethylhexyl) phthalate	15 U	ug/L	1.4	6.3	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Bromophenyl phenyl ether	1.8	U	ug/L	1.8	11	1.0
Butyl benzyl phthalate	1.3	U	ug/L	1.3	11	1.0
4-Chloroaniline	2.2	U	ug/L	2.2	21	1.0
1,3-Dichlorobenzene	1.2	U	ug/L	1.2	11	1.0
1,4-Dichlorobenzene	1.3	U	ug/L	1.3	11	1.0
1,2-Dichlorobenzene	1.2	U	ug/L	1.2	11	1.0
4-Chlorophenyl phenyl ether	1.9	U	ug/L	1.9	11	1.0
2-Chloronaphthalene	1.7	U	ug/L	1.7	11	1.0
Chrysene	1.3	U	ug/L	1.3	11	1.0
Dibenz(a,h)anthracene	1.1	U	ug/L	1.1	11	1.0
Di-n-butyl phthalate	2.6	U	ug/L	2.6	11	1.0
3,3'-Dichlorobenzidine	1.7	U	ug/L	1.7	21	1.0
3,3'-Dimethylbenzidine	15	U	ug/L	15	21	1.0
Diethyl phthalate	2.6	U	ug/L	2.6	11	1.0
p-Dimethylamino azobenzene	0.71	U	ug/L	0.71	11	1.0
7,12-Dimethylbenz(a)anthracene	0.97	U	ug/L	0.97	11	1.0
Dimethyl phthalate	2.6	U	ug/L	2.6	11	1.0
1,3-Dinitrobenzene	1.0	U	ug/L	1.0	11	1.0
2,4-Dinitrotoluene	0.96	U	ug/L	0.96	11	1.0
2,6-Dinitrotoluene	0.76	U	ug/L	0.76	11	1.0
Di-n-octyl phthalate	2.6	U	ug/L	2.6	11	1.0
N-Nitrosodi-n-propylamine	2.0	U	ug/L	2.0	11	1.0
Fluoranthene	1.3	U	ug/L	1.3	11	1.0
Fluorene	1.8	U	ug/L	1.8	11	1.0
Hexachlorobenzene	1.8	U	ug/L	1.8	4.2	1.0
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1.1	U	ug/L	1.1	11	1.0
Hexachlorocyclopentadiene	1.3	U	ug/L	1.3	11	1.0
Hexachloroethane	0.89	U	ug/L	0.89	11	1.0
Indeno[1,2,3-cd]pyrene	1.3	U	ug/L	1.3	11	1.0
Isophorone	1.5	U	ug/L	1.5	11	1.0
Isosafrole	1.7	U	ug/L	1.7	11	1.0
Methapyrilene	1.2	U	ug/L	1.2	2100	1.0
3-Methylcholanthrene	0.59	U	ug/L	0.59	11	1.0
Methyl methanesulfonate	1.3	U	ug/L	1.3	11	1.0
2-Methylnaphthalene	1.7	U	ug/L	1.7	11	1.0
Naphthalene	1.4	U	ug/L	1.4	11	1.0
1,4-Naphthoquinone	1.2	U	ug/L	1.2	11	1.0
1-Naphthylamine	0.88	U	ug/L	0.88	11	1.0
2-Naphthylamine	1.1	U	ug/L	1.1	11	1.0
2-Nitroaniline	1.5	U	ug/L	1.5	53	1.0
3-Nitroaniline	1.3	U	ug/L	1.3	53	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
4-Nitroaniline	1.5	U	ug/L	1.5	53	1.0
Nitrobenzene	2.0	U	ug/L	2.0	11	1.0
N-Nitrosodi-n-butylamine	1.6	U	ug/L	1.6	11	1.0
N-Nitrosodiethylamine	1.6	U	ug/L	1.6	11	1.0
N-Nitrosodimethylamine	2.5	U	ug/L	2.5	11	1.0
N-Nitrosomethylethylamine	1.7	U	ug/L	1.7	11	1.0
N-Nitrosodiphenylamine	1.7	U	ug/L	1.7	11	1.0
N-Nitrosopiperidine	0.92	U	ug/L	0.92	11	1.0
N-Nitrosopyrrolidine	1.3	U	ug/L	1.3	11	1.0
N-Nitro-o-toluidine	0.95	U	ug/L	0.95	11	1.0
Pentachlorobenzene	1.0	U	ug/L	1.0	11	1.0
Pentachloronitrobenzene	1.6	U	ug/L	1.6	11	1.0
Phenacetin	0.88	U	ug/L	0.88	11	1.0
Phenanthrene	1.4	U	ug/L	1.4	11	1.0
Pronamide	0.74	U	ug/L	0.74	11	1.0
Pyrene	1.3	U	ug/L	1.3	11	1.0
Safrole, Total	1.3	U	ug/L	1.3	11	1.0
1,2,4,5-Tetrachlorobenzene	1.2	U	ug/L	1.2	11	1.0
1,2,4-Trichlorobenzene	1.3	U	ug/L	1.3	11	1.0
2-Chlorophenol	2.2	U	ug/L	2.2	11	1.0
2-Methylphenol	2.4	U	ug/L	2.4	11	1.0
4-Nitrophenol	6.5	U	ug/L	6.5	53	1.0
2,4-Dichlorophenol	1.9	U	ug/L	1.9	11	1.0
2,6-Dichlorophenol	1.7	U	ug/L	1.7	11	1.0
2,4-Dimethylphenol	1.9	U	ug/L	1.9	11	1.0
4,6-Dinitro-2-methylphenol	1.6	U	ug/L	1.6	53	1.0
2,4-Dinitrophenol	6.5	U	ug/L	6.5	53	1.0
Pentachlorophenol	1.6	U	ug/L	1.6	16	1.0
Phenol	2.5	U	ug/L	2.5	11	1.0
2,4,5-Trichlorophenol	2.2	U	ug/L	2.2	11	1.0
2,4,6-Trichlorophenol	2.0	U	ug/L	2.0	11	1.0
2,3,4,6-Tetrachlorophenol	0.68	U	ug/L	0.68	11	1.0
2-Nitrophenol	1.3	U	ug/L	1.3	11	1.0
Diallate	1.5	U	ug/L	1.5	11	1.0
Ethyl methanesulfonate	1.4	U	ug/L	1.4	11	1.0
p-Phenylene diamine	3.3	U	ug/L	3.3	2100	1.0
o-Toluidine	1.3	U	ug/L	1.3	11	1.0
o,o',o"-Triethylphosphorothioate	1.9	U	ug/L	1.9	11	1.0
1,3,5-Trinitrobenzene	0.64	U	ug/L	0.64	11	1.0
4-Chloro-3-methylphenol	1.8	U	ug/L	1.8	11	1.0
Dibenzofuran	1.7	U	ug/L	1.7	11	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Hexachloropropene	0.69	U	ug/L	0.69	11	1.0
Surrogate	Acceptance Limits					
Nitrobenzene-d5	62		%		34 - 130	
2-Fluorobiphenyl	60		%		36 - 124	
Terphenyl-d14	24		%		14 - 148	
Phenol-d5	52		%		25 - 128	
2-Fluorophenol	52		%		29 - 121	
2,4,6-Tribromophenol	61		%		29 - 143	
Method: 8011				Date Analyzed:	04/13/2008 2321	
Prep Method: 8011				Date Prepared:	04/13/2008 1430	
1,2-Dibromo-3-Chloropropane	0.0096	U	ug/L	0.0096	0.019	1.0
Ethylene Dibromide	0.0084	U	ug/L	0.0084	0.019	1.0
Method: 8081A				Date Analyzed:	04/07/2008 1739	
Prep Method: 3510C				Date Prepared:	04/04/2008 1011	
4,4'-DDD	0.0041	U	ug/L	0.0041	0.010	1.0
4,4'-DDE	0.0055	U	ug/L	0.0055	0.010	1.0
4,4'-DDT	0.0032	U	ug/L	0.0032	0.010	1.0
Aldrin	0.0018	U	ug/L	0.0018	0.010	1.0
alpha-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
beta-BHC	0.0027	U	ug/L	0.0027	0.010	1.0
Chlordane (technical)	0.057	U	ug/L	0.057	0.50	1.0
delta-BHC	0.0028	U	ug/L	0.0028	0.010	1.0
Dieldrin	0.0014	U	ug/L	0.0014	0.010	1.0
Endosulfan I	0.0034	U	ug/L	0.0034	0.010	1.0
Endosulfan II	0.0033	U	ug/L	0.0033	0.010	1.0
Endosulfan sulfate	0.0030	U	ug/L	0.0030	0.010	1.0
Endrin	0.0031	U	ug/L	0.0031	0.010	1.0
Endrin aldehyde	0.0032	U	ug/L	0.0032	0.010	1.0
Ethyl 4,4'-Dichlorobenzilate	0.075	U	ug/L	0.075	0.50	1.0
gamma-BHC (Lindane)	0.0026	U	ug/L	0.0026	0.010	1.0
Heptachlor	0.0031	U	ug/L	0.0031	0.010	1.0
Heptachlor epoxide	0.0031	U	ug/L	0.0031	0.010	1.0
Isodrin	0.0061	U	ug/L	0.0061	0.050	1.0
Kepone	0.083	U	ug/L	0.083	1.0	1.0
Methoxychlor	0.0051	U	ug/L	0.0051	0.010	1.0
Toxaphene	0.72	U	ug/L	0.72	3.0	1.0
Surrogate	Acceptance Limits					
DCB Decachlorobiphenyl	57		%		30 - 150	
Tetrachloro-m-xylene	63		%		30 - 150	

Client: Hillsborough County

Job Number: 660-22005-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Indicates that the compound was analyzed for but not detected.
GC/MS Semi VOA		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
GC Semi VOA		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	V	Indicates the analyte was detected in both the sample and the associated method blank.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8082			Date Analyzed:		04/07/2008 1941	
Prep Method: 3510C			Date Prepared:		04/04/2008 1011	
PCB-1016	0.26	U	ug/L	0.26	0.50	1.0
PCB-1221	0.15	U	ug/L	0.15	0.50	1.0
PCB-1232	0.38	U	ug/L	0.38	0.50	1.0
PCB-1242	0.077	U	ug/L	0.077	0.50	1.0
PCB-1248	0.070	U	ug/L	0.070	0.50	1.0
PCB-1254	0.12	U	ug/L	0.12	0.50	1.0
PCB-1260	0.10	U	ug/L	0.10	0.50	1.0
Surrogate			Acceptance Limits			
DCB Decachlorobiphenyl	37		%	30 - 150		
Tetrachloro-m-xylene	61		%	30 - 150		
Method: 8141A			Date Analyzed:		04/05/2008 1344	
Prep Method: 3520C			Date Prepared:		04/02/2008 1249	
Famphur	0.50	U	ug/L	0.50	2.0	1.0
Disulfoton	0.18	U	ug/L	0.18	2.0	1.0
Methyl parathion	0.11	U	ug/L	0.11	0.50	1.0
Ethyl Parathion	0.25	U	ug/L	0.25	1.0	1.0
Thionazin	0.25	U	ug/L	0.25	1.0	1.0
Phorate	0.20	U	ug/L	0.20	1.0	1.0
Dimethoate	0.12	U	ug/L	0.12	2.0	1.0
Surrogate			Acceptance Limits			
Triphenylphosphate	93		%	16 - 164		
Method: 8151A			Date Analyzed:		04/04/2008 2022	
Prep Method: 8151A			Date Prepared:		04/03/2008 1359	
2,4,5-T	0.021	U	ug/L	0.021	2.5	1.0
2,4-D	0.041	U	ug/L	0.041	13	1.0
Dinoseb	0.030	U	ug/L	0.030	1.3	1.0
Silvex (2,4,5-TP)	0.015	U	ug/L	0.015	2.5	1.0
Surrogate			Acceptance Limits			
2,4-Dichlorophenylacetic acid	95		%	44 - 173		
Method: Total Recoverable-6010B			Date Analyzed:		04/09/2008 1407	
Prep Method: 3005A			Date Prepared:		04/09/2008 0549	
Silver	0.0019	U	mg/L	0.0019	0.010	1.0
Barium	0.0080	I	mg/L	0.0012	0.010	1.0
Beryllium	0.00074	U	mg/L	0.00074	0.0040	1.0
Cadmium	0.00071	U	mg/L	0.00071	0.0050	1.0
Calcium	49		mg/L	0.085	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Cobalt	0.0016	U	mg/L	0.0016	0.010	1.0
Chromium	0.0017	U	mg/L	0.0017	0.010	1.0
Copper	0.0029	U	mg/L	0.0029	0.020	1.0
Nickel	0.0047	U	mg/L	0.0047	0.040	1.0
Iron	7.6		mg/L	0.022	0.050	1.0
Potassium	1.9		mg/L	0.19	1.0	1.0
Tin	0.0064	U	mg/L	0.0064	0.050	1.0
Magnesium	37		mg/L	0.11	0.50	1.0
Vanadium	0.0025	U	mg/L	0.0025	0.010	1.0
Zinc	0.0059	U	mg/L	0.0059	0.020	1.0
Sodium	3.4		mg/L	0.31	0.50	1.0
Method: Total Recoverable-6020			Date Analyzed: 04/11/2008 1045			
Prep Method: 3005A			Date Prepared: 04/09/2008 1705			
Antimony	0.36	U	ug/L	0.36	2.5	1.0
Arsenic	2.5	I V	ug/L	0.28	2.5	1.0
Lead	0.15	U	ug/L	0.15	1.5	1.0
Selenium	0.60	U	ug/L	0.60	2.5	1.0
Thallium	0.55	U	ug/L	0.55	1.0	1.0
Method: 7470A			Date Analyzed: 04/08/2008 1506			
Prep Method: 7470A			Date Prepared: 04/07/2008 1540			
Mercury	0.000072	U	mg/L	0.000072	0.00020	1.0
Method: 300.0			Date Analyzed: 04/11/2008 0232			
Chloride	9.2		mg/L	2.0	5.0	1.0
Sulfate	140		mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 04/09/2008 1413			
Ammonia	2.4		mg/L	0.0075	0.20	10
Method: 353.2			Date Analyzed: 04/02/2008 1017			
Nitrate as N	0.10	U	mg/L	0.10	0.50	1.0
Method: 4500-CN E			Date Analyzed: 04/10/2008 1747			
Prep Method: SM 4500 CN C			Date Prepared: 04/09/2008 0830			
Cyanide, Total	0.0050	U	mg/L	0.0050	0.010	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 04/02/2008 1334			
Field pH	6.35	SU			1.0
Field Temperature	26.33	Degrees C			1.0
Oxygen, Dissolved	1.07	mg/L			1.0
Specific Conductance	546	umhos/cm			1.0
Turbidity	13.7	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-22005-1

Client Sample ID: TH-71
Lab Sample ID: 660-22005-2

Date Sampled: 03/31/2008 1339
Date Received: 04/01/2008 0920
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2320B Bicarbonate Alkalinity as CaCO3	130	mg/L	1.0	1.0	1.0
Method: SM 2540C Total Dissolved Solids	380	mg/L	5.0	5.0	1.0
Method: SM 4500 S2 F Sulfide	1.0 U	mg/L	1.0	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-23049-1

Date Sampled: 05/20/2008 0945
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/01/2008 1729		
Prep Method: 5030B			Date Prepared:	06/01/2008 1729		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U J3	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.14	I	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.64	I	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-23049-1

Date Sampled: 05/20/2008 0945
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	77		%		70 - 119	
Dibromofluoromethane	93		%		83 - 123	
Toluene-d8 (Surr)	92		%		78 - 126	

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23049-2

Date Sampled: 05/20/2008 0950
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		06/01/2008 1801	
Prep Method: 5030B			Date Prepared:		06/01/2008 1801	
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U J3	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.25	I	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23049-2

Date Sampled: 05/20/2008 0950
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Bromofluorobenzene	79	%		70 - 119	
Dibromofluoromethane	93	%		83 - 123	
Toluene-d8 (Surr)	94	%		78 - 126	

Method: 8011

Date Analyzed: 05/29/2008 2231

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.0098 U	ug/L	0.0098	0.020	1.0
Ethylene Dibromide	0.0085 U	ug/L	0.0085	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/23/2008 2319

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	1.2 U	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Chromium	1.7 U	ug/L	1.7	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	39 U	ug/L	39	100	1.0
Sodium	0.35 I	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	2.5 U	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2234

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2119

Chloride	2.0 U	mg/L	2.0	5.0	1.0
----------	-------	------	-----	-----	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23049-2

Date Sampled: 05/20/2008 0950
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	0.0070 I	mg/L	Date Analyzed: 06/05/2008 1202 0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/22/2008 0818 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23049-2

Date Sampled: 05/20/2008 0950
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1103	
Total Dissolved Solids	5.0 U	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23049-3

Date Sampled: 05/20/2008 0000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/01/2008 1832		
Prep Method: 5030B			Date Prepared:	06/01/2008 1832		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U J3	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23049-3

Date Sampled: 05/20/2008 0000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits					
4-Bromofluorobenzene	74		%		70 - 119	
Dibromofluoromethane	91		%		83 - 123	
Toluene-d8 (Surr)	95		%		78 - 126	

Method: 8011

Date Analyzed: 05/29/2008 2255

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087	U	ug/L	0.0087	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/23/2008 2326

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	7.0	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	22		ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	8700		ug/L	39	100	1.0
Sodium	10		mg/L	0.15	0.50	1.0
Nickel	6.2	I	ug/L	4.7	40	1.0
Lead	19		ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.5	U	ug/L	2.5	5.0	1.0
Zinc	17	I	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2237

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2131

Chloride	39		mg/L	2.0	5.0	1.0
----------	----	--	------	-----	-----	-----

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23049-3

Date Sampled: 05/20/2008 0000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1			Date Analyzed: 06/05/2008 1433		
Ammonia	1.4	mg/L	0.0038	0.10	5.0
Method: 353.2			Date Analyzed: 05/22/2008 0818		
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23049-3

Date Sampled: 05/20/2008 0000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1101	
Total Dissolved Solids	110	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

MMN 2008
ROUTINE
SAMP. EVENT

Client Sample ID: TH-58
Lab Sample ID: 660-23049-4

Date Sampled: 05/20/2008 1000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/01/2008 1904		
Prep Method: 5030B			Date Prepared:	06/01/2008 1904		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U J3	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-58
Lab Sample ID: 660-23049-4

Date Sampled: 05/20/2008 1000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits				
4-Bromofluorobenzene	74	%		70 - 119	
Dibromofluoromethane	93	%		83 - 123	
Toluene-d8 (Surr)	91	%		78 - 126	

Method: 8011

Date Analyzed: 05/29/2008 2318

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0088 U	ug/L	0.0088	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/23/2008 2333

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	28	ug/L	4.8	10	1.0
Barium	13	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Chromium	2.8 I	ug/L	1.7	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	6100	ug/L	39	100	1.0
Sodium	34	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	5.4	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2240

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2144

Chloride	52	mg/L	2.0	5.0	1.0
----------	----	------	-----	-----	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-58
Lab Sample ID: 660-23049-4

Date Sampled: 05/20/2008 1000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	1.5	mg/L	Date Analyzed: 06/05/2008 1434 0.0038	0.10	5.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/22/2008 0818 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-58
Lab Sample ID: 660-23049-4

Date Sampled: 05/20/2008 1000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/21/2008 1304		
Field pH	5.41	SU			1.0
Field Temperature	24.80	Degrees C			1.0
Oxygen, Dissolved	0.84	mg/L			1.0
Specific Conductance	2.54	umhos/cm			1.0
Turbidity	1.9	NTU			1.0



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-58
Lab Sample ID: 660-23049-4

Date Sampled: 05/20/2008 1000
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1105	
Total Dissolved Solids	240	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-28A
Lab Sample ID: 660-23049-5

Date Sampled: 05/20/2008 1037
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		06/01/2008	1935
Prep Method: 5030B			Date Prepared:		06/01/2008	1935
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U J3	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-28A
Lab Sample ID: 660-23049-5

Date Sampled: 05/20/2008 1037
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate			Acceptance Limits			
4-Bromofluorobenzene	79		%	70 - 119		
Dibromofluoromethane	94		%	83 - 123		
Toluene-d8 (Surr)	92		%	78 - 126		

Method: 8011

Date Analyzed: 05/29/2008 2341

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.0096	U	ug/L	0.0096	0.019	1.0
Ethylene Dibromide	0.0084	U	ug/L	0.0084	0.019	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/23/2008 2340

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	4.7	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	2.0	I	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	2700		ug/L	39	100	1.0
Sodium	17		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.6	I	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2243

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2156

Chloride	44		mg/L	2.0	5.0	1.0
----------	----	--	------	-----	-----	-----

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-28A
Lab Sample ID: 660-23049-5

Date Sampled: 05/20/2008 1037
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1			Date Analyzed: 06/05/2008 1516		
Ammonia	2.1	mg/L	0.0075	0.20	10
Method: 353.2			Date Analyzed: 05/22/2008 0818		
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-28A
Lab Sample ID: 660-23049-5

Date Sampled: 05/20/2008 1037
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/21/2008 1304			
Field pH	4.85	SU			1.0
Field Temperature	25.53	Degrees C			1.0
Oxygen, Dissolved	0.49	mg/L			1.0
Specific Conductance	128	umhos/cm			1.0
Turbidity	10.2	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-28A
Lab Sample ID: 660-23049-5

Date Sampled: 05/20/2008 1037
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1105	
Total Dissolved Solids	120	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-57
Lab Sample ID: 660-23049-6

Date Sampled: 05/20/2008 1117
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/01/2008 1845		
Prep Method: 5030B			Date Prepared: 06/01/2008 1845		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U J3	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.19 U V	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096 U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-57
Lab Sample ID: 660-23049-6

Date Sampled: 05/20/2008 1117
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Result/Qualifier	Unit	MDL	PQL	Dilution
4-Bromofluorobenzene	79	%		70 - 119	
Dibromofluoromethane	97	%		83 - 123	
Toluene-d8 (Surr)	98	%		78 - 126	

Method: 8011

Date Analyzed: 05/30/2008 0004

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.011 U	ug/L	0.011	0.021	1.0
Ethylene Dibromide	0.0092 U	ug/L	0.0092	0.021	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/23/2008 2346

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	6.7 I	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Chromium	1.7 U	ug/L	1.7	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	480	ug/L	39	100	1.0
Sodium	10	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	2.5 U	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2246

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2209

Chloride	39	mg/L	2.0	5.0	1.0
----------	----	------	-----	-----	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-57
Lab Sample ID: 660-23049-6

Date Sampled: 05/20/2008 1117
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	1.4	mg/L	Date Analyzed: 06/05/2008 1440 0.0038	0.10	5.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/22/2008 0818 0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-57
Lab Sample ID: 660-23049-6

Date Sampled: 05/20/2008 1117
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/21/2008 1304		
Field pH	4.90	SU			1.0
Field Temperature	25.19	Degrees C			1.0
Oxygen, Dissolved	0.47	mg/L			1.0
Specific Conductance	117	umhos/cm			1.0
Turbidity	1.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-57
Lab Sample ID: 660-23049-6

Date Sampled: 05/20/2008 1117
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed: 05/23/2008 1106		
Total Dissolved Solids	110	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-40
Lab Sample ID: 660-23049-7

Date Sampled: 05/20/2008 1207
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/01/2008 1916		
Prep Method: 5030B			Date Prepared: 06/01/2008 1916		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U J3	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096 U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-40
Lab Sample ID: 660-23049-7

Date Sampled: 05/20/2008 1207
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate			Acceptance Limits			
4-Bromofluorobenzene	81	%			70 - 119	
Dibromofluoromethane	97	%			83 - 123	
Toluene-d8 (Surr)	98	%			78 - 126	

Method: 8011

Date Analyzed: 05/30/2008 0028

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0088	U	ug/L	0.0088	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/24/2008 0007

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	5.6	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	1.7	U	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	39	U	ug/L	39	100	1.0
Sodium	17		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.5	U	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2249

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2221

Chloride	9.0		mg/L	2.0	5.0	1.0
----------	-----	--	------	-----	-----	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-40
Lab Sample ID: 660-23049-7

Date Sampled: 05/20/2008 1207
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	0.34	mg/L	0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-40
Lab Sample ID: 660-23049-7

Date Sampled: 05/20/2008 1207
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/21/2008 1304		
Field pH	7.42	SU			1.0
Field Temperature	23.50	Degrees C			1.0
Oxygen, Dissolved	0.41	mg/L			1.0
Specific Conductance	206	umhos/cm			1.0
Turbidity	0.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-40
Lab Sample ID: 660-23049-7

Date Sampled: 05/20/2008 1207
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1107	
Total Dissolved Solids	220	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-22A
Lab Sample ID: 660-23049-8

Date Sampled: 05/20/2008 1258
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/01/2008 2038		
Prep Method: 5030B			Date Prepared: 06/01/2008 2038		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U J3	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.19 I	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-22A
Lab Sample ID: 660-23049-8

Date Sampled: 05/20/2008 1258
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate				Acceptance Limits		
4-Bromofluorobenzene	77		%	70 - 119		
Dibromofluoromethane	94		%	83 - 123		
Toluene-d8 (Surr)	93		%	78 - 126		

Method: 8011

Date Analyzed: 05/30/2008 0051

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.011	U	ug/L	0.011	0.021	1.0
Ethylene Dibromide	0.0092	U	ug/L	0.0092	0.021	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/24/2008 0014

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	53		ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	2.1	I	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	400		ug/L	39	100	1.0
Sodium	4.9		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.7	I	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2258

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2234

Chloride	22		mg/L	2.0	5.0	1.0
----------	----	--	------	-----	-----	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-22A
Lab Sample ID: 660-23049-8

Date Sampled: 05/20/2008 1258
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	0.75	mg/L	Date Analyzed: 06/05/2008 1441 0.0015	0.040	2.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/22/2008 0818 0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-22A
Lab Sample ID: 660-23049-8

Date Sampled: 05/20/2008 1258
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/21/2008 1304			
Field pH	4.21	SU			1.0
Field Temperature	22.59	Degrees C			1.0
Oxygen, Dissolved	0.89	mg/L			1.0
Specific Conductance	157	umhos/cm			1.0
Turbidity	6.0	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: TH-22A
Lab Sample ID: 660-23049-8

Date Sampled: 05/20/2008 1258
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1107	
Total Dissolved Solids	170	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: 69A
Lab Sample ID: 660-23049-9

Date Sampled: 05/20/2008 1330
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/01/2008 2327		
Prep Method: 5030B			Date Prepared: 06/01/2008 2327		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U J3	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.18 I	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: 69A
Lab Sample ID: 660-23049-9

Date Sampled: 05/20/2008 1330
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate			Acceptance Limits			
4-Bromofluorobenzene	87		%	70 - 119		
Dibromofluoromethane	105		%	83 - 123		
Toluene-d8 (Surr)	100		%	78 - 126		

Method: 8011

Date Analyzed: 05/30/2008 0114

Prep Method: 8011

Date Prepared: 05/29/2008 1330

1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	0.0099	0.020	1.0
Ethylene Dibromide	0.0086	U	ug/L	0.0086	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 05/24/2008 0021

Prep Method: 3005A

Date Prepared: 05/22/2008 1558

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	8.9	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	9.2	I	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	320		ug/L	39	100	1.0
Sodium	15		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	7.4		ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	4.7	I	ug/L	2.5	5.0	1.0
Zinc	13	I	ug/L	5.9	20	1.0

Method: 7470A

Date Analyzed: 05/30/2008 2312

Prep Method: 7470A

Date Prepared: 05/30/2008 1203

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Method: 300.0

Date Analyzed: 06/04/2008 2246

Chloride	12		mg/L	2.0	5.0	1.0
----------	----	--	------	-----	-----	-----

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: 69A
Lab Sample ID: 660-23049-9

Date Sampled: 05/20/2008 1330
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 350.1 Ammonia	5.1	mg/L	0.015	0.40	20
Method: 353.2 Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: 69A
Lab Sample ID: 660-23049-9

Date Sampled: 05/20/2008 1330
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/21/2008 1304			
Field pH	5.06	SU			1.0
Field Temperature	23.71	Degrees C			1.0
Oxygen, Dissolved	1.23	mg/L			1.0
Specific Conductance	137	umhos/cm			1.0
Turbidity	22.0	NTU			1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23049-1

Client Sample ID: 69A
Lab Sample ID: 660-23049-9

Date Sampled: 05/20/2008 1330
Date Received: 05/20/2008 1450
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1108	
Total Dissolved Solids	200	mg/L	5.0	5.0	1.0

DATA REPORTING QUALIFIERS

Client: Hillsborough County

Job Number: 660-23049-1

Lab Section	Qualifier	Description
GC/MS VOA		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
	V	Indicates the analyte was detected in both the sample and the associated method blank.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA		
	U	Indicates that the compound was analyzed for but not detected.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23079-1

Date Sampled: 05/21/2008 1005
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	05/28/2008 1310	
Prep Method: 5030B			Date Prepared:	05/28/2008 1310	
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Bromochloromethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
1,2-Dichlorobenzene	0.44 U	ug/L	0.44	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,4-Dichlorobenzene	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
4-Methyl-2-pentanone	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23079-1

Date Sampled: 05/21/2008 1005
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	108		%		74 - 126	
Dibromofluoromethane	95		%		70 - 130	
Toluene-d8 (Surr)	108		%		77 - 122	
Method: 8260B				Date Analyzed: 05/30/2008 0632		
Prep Method: 5030B				Date Prepared: 05/30/2008 0632		
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	98		%		74 - 126	
Dibromofluoromethane	80		%		70 - 130	
Toluene-d8 (Surr)	94		%		77 - 122	
Method: 8011				Date Analyzed: 06/03/2008 2036		
Prep Method: 8011				Date Prepared: 06/03/2008 1330		
1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087	U	ug/L	0.0087	0.020	1.0
Method: Total Recoverable-6020				Date Analyzed: 06/04/2008 1814		
Prep Method: 3005A				Date Prepared: 05/29/2008 1208		
Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	1.2	U	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	1.7	U	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	39	U	ug/L	39	100	1.0
Sodium	0.46	I	mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.5	U	ug/L	2.5	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23079-1

Date Sampled: 05/21/2008 1005
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Zinc	5.9	U	ug/L	5.9	20	1.0
Method: 7470A			Date Analyzed: 05/30/2008 2142			
Prep Method: 7470A			Date Prepared: 05/30/2008 1217			
Mercury	0.080	U	ug/L	0.080	0.20	1.0
Method: 300.0			Date Analyzed: 06/06/2008 2151			
Chloride	2.0	U	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 06/05/2008 1252			
Ammonia	0.019	I	mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 05/22/2008 0939			
Nitrate as N	0.10	U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23079-1

Date Sampled: 05/21/2008 1005
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/28/2008 1654	
Total Dissolved Solids	5.0 U	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-70A
Lab Sample ID: 660-23079-2

Date Sampled: 05/21/2008 1117
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 05/28/2008 1409		
Prep Method: 5030B			Date Prepared: 05/28/2008 1409		
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Bromochloromethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
1,2-Dichlorobenzene	0.44 U	ug/L	0.44	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,4-Dichlorobenzene	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
4-Methyl-2-pentanone	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-70A
Lab Sample ID: 660-23079-2

Date Sampled: 05/21/2008 1117
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichlorofluoromethane	2.5 U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18 U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5 U	ug/L	1.5	10	1.0
Vinyl chloride	0.50 U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50 U	ug/L	0.50	3.0	1.0
Surrogate				Acceptance Limits	
4-Bromofluorobenzene	107	%		74 - 126	
Dibromofluoromethane	96	%		70 - 130	
Toluene-d8 (Surr)	107	%		77 - 122	
Method: 8260B			Date Analyzed: 05/30/2008 0654		
Prep Method: 5030B			Date Prepared: 05/30/2008 0654		
Iodomethane	2.5 U	ug/L	2.5	5.0	1.0
Surrogate				Acceptance Limits	
4-Bromofluorobenzene	111	%		74 - 126	
Dibromofluoromethane	96	%		70 - 130	
Toluene-d8 (Surr)	105	%		77 - 122	
Method: 8011			Date Analyzed: 06/03/2008 1815		
Prep Method: 8011			Date Prepared: 06/03/2008 1330		
1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087 U	ug/L	0.0087	0.020	1.0
Method: Total Recoverable-6020			Date Analyzed: 06/04/2008 1821		
Prep Method: 3005A			Date Prepared: 05/29/2008 1208		
Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	7.3 I	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Chromium	2.6 I	ug/L	1.7	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	4300	ug/L	39	100	1.0
Sodium	7.2	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	2.5 U	ug/L	2.5	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-70A
Lab Sample ID: 660-23079-2

Date Sampled: 05/21/2008 1117
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Zinc	5.9 U	ug/L	5.9	20	1.0
Method: 7470A Prep Method: 7470A Date Analyzed: 05/30/2008 2150 Date Prepared: 05/30/2008 1217					
Mercury	0.080 U	ug/L	0.080	0.20	1.0
Method: 300.0 Date Analyzed: 06/06/2008 2204					
Chloride	14	mg/L	2.0	5.0	1.0
Method: 350.1 Date Analyzed: 06/05/2008 1445					
Ammonia	0.71	mg/L	0.0015	0.040	2.0
Method: 353.2 Date Analyzed: 05/22/2008 0939					
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-70A
Lab Sample ID: 660-23079-2

Date Sampled: 05/21/2008 1117
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/22/2008 1110			
Field pH	6.40	SU			1.0
Field Temperature	23.93	Degrees C			1.0
Oxygen, Dissolved	0.5	mg/L			1.0
Specific Conductance	166	umhos/cm			1.0
Turbidity	45.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-70A
Lab Sample ID: 660-23079-2

Date Sampled: 05/21/2008 1117
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/28/2008 1656	
Total Dissolved Solids	150	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-71A
Lab Sample ID: 660-23079-3

Date Sampled: 05/21/2008 1010
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 05/28/2008 1429		
Prep Method: 5030B			Date Prepared: 05/28/2008 1429		
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Bromochloromethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
1,2-Dichlorobenzene	0.44 U	ug/L	0.44	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,4-Dichlorobenzene	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
4-Methyl-2-pentanone	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-71A
Lab Sample ID: 660-23079-3

Date Sampled: 05/21/2008 1010
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	115		%		74 - 126	
Dibromofluoromethane	102		%		70 - 130	
Toluene-d8 (Surr)	112		%		77 - 122	
Method: 8260B	Date Analyzed: 06/02/2008 2009					
Prep Method: 5030B	Date Prepared: 06/02/2008 2009					
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	96		%		74 - 126	
Dibromofluoromethane	77		%		70 - 130	
Toluene-d8 (Surr)	85		%		77 - 122	
Method: 8011	Date Analyzed: 06/03/2008 1926					
Prep Method: 8011	Date Prepared: 06/03/2008 1330					
1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	0.0099	0.020	1.0
Ethylene Dibromide	0.0086	U	ug/L	0.0086	0.020	1.0
Method: Total Recoverable-6020	Date Analyzed: 06/04/2008 1827					
Prep Method: 3005A	Date Prepared: 05/29/2008 1208					
Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	31		ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	9.8	I	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	11000		ug/L	39	100	1.0
Sodium	3.6		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	3.6	I	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	6.8		ug/L	2.5	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-71A
Lab Sample ID: 660-23079-3

Date Sampled: 05/21/2008 1010
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Zinc	5.9 U	ug/L	5.9	20	1.0
Method: 7470A			Date Analyzed:	05/30/2008 2153	
Prep Method: 7470A			Date Prepared:	05/30/2008 1217	
Mercury	0.29	ug/L	0.080	0.20	1.0
Method: 300.0			Date Analyzed:	06/06/2008 2241	
Chloride	5.0 I	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed:	06/05/2008 1453	
Ammonia	1.5	mg/L	0.0038	0.10	5.0
Method: 353.2			Date Analyzed:	05/22/2008 0939	
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-71A
Lab Sample ID: 660-23079-3

Date Sampled: 05/21/2008 1010
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/22/2008 1110			
Field pH	6.28	SU			1.0
Field Temperature	22.38	Degrees C			1.0
Oxygen, Dissolved	0.20	mg/L			1.0
Specific Conductance	200	umhos/cm			1.0
Turbidity	128.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-71A
Lab Sample ID: 660-23079-3

Date Sampled: 05/21/2008 1010
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/28/2008 1658	
Total Dissolved Solids	230	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-36A
Lab Sample ID: 660-23079-4

Date Sampled: 05/21/2008 1414
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		05/28/2008	1528
Prep Method: 5030B			Date Prepared:		05/28/2008	1528
Acetone	9.9	U	ug/L	9.9	20	1.0
Acrylonitrile	1.2	U	ug/L	1.2	100	1.0
Benzene	0.50	U	ug/L	0.50	1.0	1.0
Styrene	0.98	U	ug/L	0.98	2.0	1.0
Bromodichloromethane	0.35	U	ug/L	0.35	1.0	1.0
Bromoform	0.58	U	ug/L	0.58	1.0	1.0
Bromomethane	2.5	U	ug/L	2.5	5.0	1.0
2-Butanone	8.4	U	ug/L	8.4	10	1.0
Carbon disulfide	0.85	U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42	U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63	U	ug/L	0.63	1.0	1.0
Bromochloromethane	0.58	U	ug/L	0.58	1.0	1.0
Chloroethane	2.5	U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90	U	ug/L	0.90	1.0	1.0
1,2-Dichlorobenzene	0.44	U	ug/L	0.44	1.0	1.0
Chloromethane	1.0	U	ug/L	1.0	4.0	1.0
Dibromochloromethane	0.34	U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41	U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5	U	ug/L	2.5	10	1.0
1,1-Dichloroethane	0.52	U	ug/L	0.52	1.0	1.0
1,4-Dichlorobenzene	0.52	U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57	U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45	U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65	U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44	U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52	U	ug/L	0.52	1.0	1.0
cis-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44	U	ug/L	0.44	1.0	1.0
2-Hexanone	4.4	U	ug/L	4.4	10	1.0
4-Methyl-2-pentanone	3.8	U	ug/L	3.8	10	1.0
Methylene Chloride	4.0	U	ug/L	4.0	5.0	1.0
1,1,2,2-Tetrachloroethane	0.15	U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63	U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50	U	ug/L	0.50	1.0	1.0
Toluene	0.51	U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46	U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47	U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50	U	ug/L	0.50	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-36A
Lab Sample ID: 660-23079-4

Date Sampled: 05/21/2008 1414
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	102		%		74 - 126	
Dibromofluoromethane	92		%		70 - 130	
Toluene-d8 (Surr)	104		%		77 - 122	
Method: 8260B	Date Analyzed: 06/02/2008 2032					
Prep Method: 5030B	Date Prepared: 06/02/2008 2032					
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	104		%		74 - 126	
Dibromofluoromethane	85		%		70 - 130	
Toluene-d8 (Surr)	96		%		77 - 122	
Method: 8011	Date Analyzed: 06/03/2008 2013					
Prep Method: 8011	Date Prepared: 06/03/2008 1330					
1,2-Dibromo-3-Chloropropane	0.0097	U	ug/L	0.0097	0.019	1.0
Ethylene Dibromide	0.0085	U	ug/L	0.0085	0.019	1.0
Method: Total Recoverable-6020	Date Analyzed: 06/04/2008 1834					
Prep Method: 3005A	Date Prepared: 05/29/2008 1208					
Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	8.9	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Chromium	2.2	I	ug/L	1.7	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	88	I	ug/L	39	100	1.0
Sodium	5.0		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	5.2		ug/L	2.5	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-36A
Lab Sample ID: 660-23079-4

Date Sampled: 05/21/2008 1414
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Zinc	5.9 U	ug/L	5.9	20	1.0
Method: 7470A			Date Analyzed: 05/30/2008 2156		
Prep Method: 7470A			Date Prepared: 05/30/2008 1217		
Mercury	0.080 U	ug/L	0.080	0.20	1.0
Method: 300.0			Date Analyzed: 06/06/2008 2254		
Chloride	7.6	mg/L	2.0	5.0	1.0
Method: 350.1			Date Analyzed: 06/05/2008 1302		
Ammonia	0.14	mg/L	0.00075	0.020	1.0
Method: 353.2			Date Analyzed: 05/22/2008 0939		
Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-36A
Lab Sample ID: 660-23079-4

Date Sampled: 05/21/2008 1414
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/22/2008 1110		
Field pH	5.60	SU			1.0
Field Temperature	25.84	Degrees C			1.0
Oxygen, Dissolved	0.58	mg/L			1.0
Specific Conductance	106	umhos/cm			1.0
Turbidity	7.8	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: TH-36A
Lab Sample ID: 660-23079-4

Date Sampled: 05/21/2008 1414
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/28/2008 1659	
Total Dissolved Solids	130	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Trip Blank
Lab Sample ID: 660-23079-7

Date Sampled: 05/21/2008 1530
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 05/28/2008 1250		
Prep Method: 5030B			Date Prepared: 05/28/2008 1250		
Acetone	9.9 U	ug/L	9.9	20	1.0
Acrylonitrile	1.2 U	ug/L	1.2	100	1.0
Benzene	0.50 U	ug/L	0.50	1.0	1.0
Styrene	0.98 U	ug/L	0.98	2.0	1.0
Bromodichloromethane	0.35 U	ug/L	0.35	1.0	1.0
Bromoform	0.58 U	ug/L	0.58	1.0	1.0
Bromomethane	2.5 U	ug/L	2.5	5.0	1.0
2-Butanone	8.4 U	ug/L	8.4	10	1.0
Carbon disulfide	0.85 U	ug/L	0.85	1.0	1.0
Carbon tetrachloride	0.42 U	ug/L	0.42	1.0	1.0
Chlorobenzene	0.63 U	ug/L	0.63	1.0	1.0
Bromochloromethane	0.58 U	ug/L	0.58	1.0	1.0
Chloroethane	2.5 U	ug/L	2.5	5.0	1.0
Trichloromethane	0.90 U	ug/L	0.90	1.0	1.0
1,2-Dichlorobenzene	0.44 U	ug/L	0.44	1.0	1.0
Chloromethane	1.0 U	ug/L	1.0	4.0	1.0
Dibromochloromethane	0.34 U	ug/L	0.34	1.0	1.0
Dibromomethane	0.41 U	ug/L	0.41	1.0	1.0
trans-1,4-Dichloro-2-butene	2.5 U	ug/L	2.5	10	1.0
1,1-Dichloroethane	0.52 U	ug/L	0.52	1.0	1.0
1,4-Dichlorobenzene	0.52 U	ug/L	0.52	1.0	1.0
1,2-Dichloroethane	0.57 U	ug/L	0.57	1.0	1.0
1,1-Dichloroethene	0.45 U	ug/L	0.45	1.0	1.0
cis-1,2-Dichloroethene	0.65 U	ug/L	0.65	1.0	1.0
trans-1,2-Dichloroethene	0.44 U	ug/L	0.44	1.0	1.0
1,2-Dichloropropane	0.52 U	ug/L	0.52	1.0	1.0
cis-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
trans-1,3-Dichloropropene	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.44 U	ug/L	0.44	1.0	1.0
2-Hexanone	4.4 U	ug/L	4.4	10	1.0
4-Methyl-2-pentanone	3.8 U	ug/L	3.8	10	1.0
Methylene Chloride	4.0 U	ug/L	4.0	5.0	1.0
1,1,2,2-Tetrachloroethane	0.15 U	ug/L	0.15	1.0	1.0
1,1,1,2-Tetrachloroethane	0.63 U	ug/L	0.63	1.0	1.0
Tetrachloroethene	0.50 U	ug/L	0.50	1.0	1.0
Toluene	0.51 U	ug/L	0.51	1.0	1.0
1,1,1-Trichloroethane	0.46 U	ug/L	0.46	1.0	1.0
1,1,2-Trichloroethane	0.47 U	ug/L	0.47	1.0	1.0
Trichloroethene	0.50 U	ug/L	0.50	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23079-1

Client Sample ID: Trip Blank
Lab Sample ID: 660-23079-7

Date Sampled: 05/21/2008 1530
Date Received: 05/21/2008 1530
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichlorofluoromethane	2.5	U	ug/L	2.5	5.0	1.0
1,2,3-Trichloropropane	0.18	U	ug/L	0.18	1.0	1.0
Vinyl acetate	1.5	U	ug/L	1.5	10	1.0
Vinyl chloride	0.50	U	ug/L	0.50	1.0	1.0
Xylenes, Total	0.50	U	ug/L	0.50	3.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	109		%		74 - 126	
Dibromofluoromethane	96		%		70 - 130	
Toluene-d8 (Surr)	109		%		77 - 122	
Method: 8260B				Date Analyzed: 06/02/2008 2139		
Prep Method: 5030B				Date Prepared: 06/02/2008 2139		
Iodomethane	2.5	U	ug/L	2.5	5.0	1.0
Surrogate	Acceptance Limits					
4-Bromofluorobenzene	107		%		74 - 126	
Dibromofluoromethane	92		%		70 - 130	
Toluene-d8 (Surr)	101		%		77 - 122	

DATA REPORTING QUALIFIERS

Client: Hillsborough County

Job Number: 660-23079-1

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Indicates that the compound was analyzed for but not detected.
GC Semi VOA		
	U	Indicates that the compound was analyzed for but not detected.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-19
Lab Sample ID: 660-23125-1

Date Sampled: 05/22/2008 1428
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/04/2008 1938		
Prep Method: 5030B			Date Prepared:	06/04/2008 1938		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	2.7	I J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-19
Lab Sample ID: 660-23125-1

Date Sampled: 05/22/2008 1428
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate				Acceptance Limits		
Dibromofluoromethane	93		%	83 - 123		
Toluene-d8 (Surr)	87		%	78 - 126		
4-Bromofluorobenzene	72		%	70 - 119		

Method: 8011

Date Analyzed: 06/03/2008 2059

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0088	U	ug/L	0.0088	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2217

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	6.0	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	39	U	ug/L	39	100	1.0
Sodium	15		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.5	U	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1058

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	1.7	U	ug/L	1.7	10	1.0
----------	-----	---	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1747

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-19
Lab Sample ID: 660-23125-1

Date Sampled: 05/22/2008 1428
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	8.8	mg/L	2.0	5.0	1.0
Method: 350.1 Ammonia	0.30	mg/L	0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-19
Lab Sample ID: 660-23125-1

Date Sampled: 05/22/2008 1428
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008	1213	
Field pH	7.12	SU			1.0
Field Temperature	23.71	Degrees C			1.0
Oxygen, Dissolved	0.34	mg/L			1.0
Specific Conductance	218	umhos/cm			1.0
Turbidity	0	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-19
Lab Sample ID: 660-23125-1

Date Sampled: 05/22/2008 1428
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1551	
Total Dissolved Solids	240	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-23125-2

Date Sampled: 05/22/2008 1221
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/04/2008 1744		
Prep Method: 5030B			Date Prepared:	06/04/2008 1744		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-23125-2

Date Sampled: 05/22/2008 1221
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits					
Dibromofluoromethane	92		%		83 - 123	
Toluene-d8 (Surr)	99		%		78 - 126	
4-Bromofluorobenzene	81		%		70 - 119	

Method: 8011

Date Analyzed: 06/03/2008 2123

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.010	U	ug/L	0.010	0.021	1.0
Ethylene Dibromide	0.0090	U	ug/L	0.0090	0.021	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2251

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	130		ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Copper	6.4	I	ug/L	2.9	20	1.0
Iron	2000		ug/L	39	100	1.0
Sodium	5.5		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	7.1		ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	11		ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1132

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	12		ug/L	1.7	10	1.0
----------	----	--	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1750

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-23125-2

Date Sampled: 05/22/2008 1221
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	5.4	mg/L	Date Analyzed: 06/09/2008 2201 2.0	5.0	1.0
Method: 350.1 Ammonia	0.63	mg/L	Date Analyzed: 06/05/2008 1457 0.0015	0.040	2.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-23125-2

Date Sampled: 05/22/2008 1221
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008 1213		
Field pH	5.16	SU			1.0
Field Temperature	24.45	Degrees C			1.0
Oxygen, Dissolved	2.24	mg/L			1.0
Specific Conductance	57	umhos/cm			1.0
Turbidity	37.1	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-61-A
Lab Sample ID: 660-23125-2

Date Sampled: 05/22/2008 1221
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1554	
Total Dissolved Solids	100	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23125-3

Date Sampled: 05/22/2008 1200
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:		06/04/2008 1700	
Prep Method: 5030B			Date Prepared:		06/04/2008 1700	
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23125-3

Date Sampled: 05/22/2008 1200
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits					
Dibromofluoromethane	90		%	83 - 123		
Toluene-d8 (Surr)	90		%	78 - 126		
4-Bromofluorobenzene	76		%	70 - 119		

Method: 8011

Prep Method: 8011

1,2-Dibromo-3-Chloropropane	0.0098	U	ug/L	0.0098	0.020	1.0
Ethylene Dibromide	0.0086	U	ug/L	0.0086	0.020	1.0

Date Analyzed: 06/03/2008 2146
Date Prepared: 06/03/2008 1330

Method: Total Recoverable-6020

Prep Method: 3005A

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	1.2	U	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	39	U	ug/L	39	100	1.0
Sodium	0.47	I	mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	2.5	U	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Date Analyzed: 06/04/2008 2258
Date Prepared: 05/27/2008 1846

Method: Total Recoverable-6020

Prep Method: 3005A

Chromium	1.7	U	ug/L	1.7	10	1.0
----------	-----	---	------	-----	----	-----

Date Analyzed: 06/05/2008 1139
Date Prepared: 05/27/2008 1846

Method: 7470A

Prep Method: 7470A

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

Date Analyzed: 06/04/2008 1753
Date Prepared: 06/03/2008 1641

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23125-3

Date Sampled: 05/22/2008 1200
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	2.0 U	mg/L	Date Analyzed: 06/09/2008 2213 2.0	5.0	1.0
Method: 350.1 Ammonia	0.022	mg/L	Date Analyzed: 06/05/2008 1348 0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Equipment Blank
Lab Sample ID: 660-23125-3

Date Sampled: 05/22/2008 1200
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1554	
Total Dissolved Solids	5.0 U	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-64
Lab Sample ID: 660-23125-4

Date Sampled: 05/22/2008 1305
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/04/2008 1804		
Prep Method: 5030B			Date Prepared:	06/04/2008 1804		
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-64
Lab Sample ID: 660-23125-4

Date Sampled: 05/22/2008 1305
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Result/Qualifier	Unit	MDL	PQL	Dilution
Dibromofluoromethane	92	%		83 - 123	
Toluene-d8 (Surr)	91	%		78 - 126	
4-Bromofluorobenzene	80	%		70 - 119	

Method: 8011

Date Analyzed: 06/03/2008 2210

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.0099 U	ug/L	0.0099	0.020	1.0
Ethylene Dibromide	0.0086 U	ug/L	0.0086	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2305

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	22	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Copper	30	ug/L	2.9	20	1.0
Iron	690	ug/L	39	100	1.0
Sodium	7.8	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	3.3 I	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1146

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	1.9 I	ug/L	1.7	10	1.0
----------	-------	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1756

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-64
Lab Sample ID: 660-23125-4

Date Sampled: 05/22/2008 1305
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	20	mg/L	Date Analyzed: 06/09/2008 2226 2.0	5.0	1.0
Method: 350.1 Ammonia	0.40	mg/L	Date Analyzed: 06/05/2008 1349 0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-64
Lab Sample ID: 660-23125-4

Date Sampled: 05/22/2008 1305
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed: 05/29/2008 1213			
Field pH	4.92	SU			1.0
Field Temperature	23.72	Degrees C			1.0
Oxygen, Dissolved	0.68	mg/L			1.0
Specific Conductance	141	umhos/cm			1.0
Turbidity	6.5	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-64
Lab Sample ID: 660-23125-4

Date Sampled: 05/22/2008 1305
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1555	
Total Dissolved Solids	180	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-65
Lab Sample ID: 660-23125-5

Date Sampled: 05/22/2008 1136
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/04/2008	1816	
Prep Method: 5030B			Date Prepared:	06/04/2008	1816	
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-65
Lab Sample ID: 660-23125-5

Date Sampled: 05/22/2008 1136
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits				
Dibromofluoromethane	98	%		83 - 123	
Toluene-d8 (Surr)	106	%		78 - 126	
4-Bromofluorobenzene	91	%		70 - 119	

Method: 8011	Date Analyzed: 06/03/2008 2233
Prep Method: 8011	Date Prepared: 06/03/2008 1330
1,2-Dibromo-3-Chloropropane	0.010 U ug/L 0.010 0.020 1.0
Ethylene Dibromide	0.0087 U ug/L 0.0087 0.020 1.0

Method: Total Recoverable-6020	Date Analyzed: 06/04/2008 2312
Prep Method: 3005A	Date Prepared: 05/27/2008 1846
Silver	1.9 U ug/L 1.9 10 1.0
Arsenic	5.3 I ug/L 4.8 10 1.0
Barium	1.6 I ug/L 1.2 10 1.0
Beryllium	0.74 U ug/L 0.74 4.0 1.0
Cadmium	0.71 U ug/L 0.71 5.0 1.0
Cobalt	1.5 I ug/L 1.4 10 1.0
Copper	2.9 U ug/L 2.9 20 1.0
Iron	4100 ug/L 39 100 1.0
Sodium	16 mg/L 0.15 0.50 1.0
Nickel	4.7 U ug/L 4.7 40 1.0
Lead	1.6 U ug/L 1.6 5.0 1.0
Antimony	2.9 U ug/L 2.9 6.0 1.0
Selenium	5.9 U ug/L 5.9 10 1.0
Thallium	0.50 U ug/L 0.50 1.0 1.0
Vanadium	3.5 I ug/L 2.5 5.0 1.0
Zinc	5.9 U ug/L 5.9 20 1.0

Method: Total Recoverable-6020	Date Analyzed: 06/05/2008 1152
Prep Method: 3005A	Date Prepared: 05/27/2008 1846
Chromium	3.3 I ug/L 1.7 10 1.0
Method: 7470A	Date Analyzed: 06/04/2008 1804
Prep Method: 7470A	Date Prepared: 06/03/2008 1641
Mercury	0.080 U ug/L 0.080 0.20 1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-65
Lab Sample ID: 660-23125-5

Date Sampled: 05/22/2008 1136
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	13	mg/L	Date Analyzed: 06/10/2008 0006 2.0	5.0	1.0
Method: 350.1 Ammonia	2.5	mg/L	Date Analyzed: 06/05/2008 1458 0.0038	0.10	5.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-65
Lab Sample ID: 660-23125-5

Date Sampled: 05/22/2008 1136
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008	1213	
Field pH	5.38	SU			1.0
Field Temperature	24.06	Degrees C			1.0
Oxygen, Dissolved	1.05	mg/L			1.0
Specific Conductance	157	umhos/cm			1.0
Turbidity	1.2	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-65
Lab Sample ID: 660-23125-5

Date Sampled: 05/22/2008 1136
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1556	
Total Dissolved Solids	200	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-68
Lab Sample ID: 660-23125-6

Date Sampled: 05/22/2008 1340
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/04/2008 1835			
Prep Method: 5030B			Date Prepared: 06/04/2008 1835			
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.15	I	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-68
Lab Sample ID: 660-23125-6

Date Sampled: 05/22/2008 1340
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.79 I	ug/L	0.36	2.0	1.0

Surrogate	Result/Qualifier	Unit	MDL	PQL	Dilution
Dibromofluoromethane	88	%		83 - 123	
Toluene-d8 (Surr)	91	%		78 - 126	
4-Bromofluorobenzene	82	%		70 - 119	

Method: 8011

Prep Method: 8011

Date Analyzed: 06/03/2008 2256
Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.021	1.0
Ethylene Dibromide	0.0091 U	ug/L	0.0091	0.021	1.0

Method: Total Recoverable-6020

Prep Method: 3005A

Date Analyzed: 06/04/2008 2332
Date Prepared: 05/27/2008 1846

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	19	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	1300	ug/L	39	100	1.0
Sodium	7.8	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	4.0 I	ug/L	2.5	5.0	1.0
Zinc	9.3 I	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Prep Method: 3005A

Date Analyzed: 06/05/2008 1213
Date Prepared: 05/27/2008 1846

Chromium	4.1 I	ug/L	1.7	10	1.0
----------	-------	------	-----	----	-----

Method: 7470A

Prep Method: 7470A

Date Analyzed: 06/04/2008 1807
Date Prepared: 06/03/2008 1641

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-68
Lab Sample ID: 660-23125-6

Date Sampled: 05/22/2008 1340
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	17	mg/L	Date Analyzed: 06/10/2008 0043 2.0	5.0	1.0
Method: 350.1 Ammonia	0.29	mg/L	Date Analyzed: 06/05/2008 1354 0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-68
Lab Sample ID: 660-23125-6

Date Sampled: 05/22/2008 1340
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008	1213	
Field pH	5.49	SU			1.0
Field Temperature	27.31	Degrees C			1.0
Oxygen, Dissolved	2.55	mg/L			1.0
Specific Conductance	184	umhos/cm			1.0
Turbidity	28.2	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-68
Lab Sample ID: 660-23125-6

Date Sampled: 05/22/2008 1340
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1557	
Total Dissolved Solids	270	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23125-7

Date Sampled: 05/22/2008 0000
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/04/2008 1848		
Prep Method: 5030B			Date Prepared: 06/04/2008 1848		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096 U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23125-7

Date Sampled: 05/22/2008 0000
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits				
Dibromofluoromethane	93	%	83 - 123		
Toluene-d8 (Surr)	97	%	78 - 126		
4-Bromofluorobenzene	82	%	70 - 119		

Method: 8011

Date Analyzed: 06/04/2008 0007

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.020	1.0
Ethylene Dibromide	0.0087 U	ug/L	0.0087	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2339

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	5.4 I	ug/L	4.8	10	1.0
Barium	1.6 I	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.6 I	ug/L	1.4	10	1.0
Copper	2.9 U	ug/L	2.9	20	1.0
Iron	4100	ug/L	39	100	1.0
Sodium	16	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	3.5 I	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1220

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	3.4 I	ug/L	1.7	10	1.0
----------	-------	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1810

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23125-7

Date Sampled: 05/22/2008 0000
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	13	mg/L	Date Analyzed: 06/10/2008 0056 2.0	5.0	1.0
Method: 350.1 Ammonia	2.9	mg/L	Date Analyzed: 06/05/2008 1520 0.0075	0.20	10
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Not Blank-DUP
Lab Sample ID: 660-23125-7

Date Sampled: 05/22/2008 0000
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1557	
Total Dissolved Solids	190	mg/L	5.0	5.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-38-B
Lab Sample ID: 660-23125-8

Date Sampled: 05/22/2008 1430
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed:	06/04/2008 1907	
Prep Method: 5030B			Date Prepared:	06/04/2008 1907	
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U J3	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096 U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-38-B
Lab Sample ID: 660-23125-8

Date Sampled: 05/22/2008 1430
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits					
Dibromofluoromethane	90		%		83 - 123	
Toluene-d8 (Surr)	88		%		78 - 126	
4-Bromofluorobenzene	80		%		70 - 119	

Method: 8011

Date Analyzed: 06/04/2008 0030

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.0099	U	ug/L	0.0099	0.020	1.0
Ethylene Dibromide	0.0086	U	ug/L	0.0086	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2346

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	6.8	I	ug/L	4.8	10	1.0
Barium	310		ug/L	1.2	10	1.0
Beryllium	0.87	I	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	2.5	I	ug/L	1.4	10	1.0
Copper	4.8	I	ug/L	2.9	20	1.0
Iron	3900		ug/L	39	100	1.0
Sodium	5.1		mg/L	0.15	0.50	1.0
Nickel	17	I	ug/L	4.7	40	1.0
Lead	15		ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	22		ug/L	2.5	5.0	1.0
Zinc	13	I	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1227

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	25		ug/L	1.7	10	1.0
----------	----	--	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1813

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-38-B
Lab Sample ID: 660-23125-8

Date Sampled: 05/22/2008 1430
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	6.0	mg/L	Date Analyzed: 06/10/2008 0108 2.0	5.0	1.0
Method: 350.1 Ammonia	2.9	mg/L	Date Analyzed: 06/05/2008 1504 0.0075	0.20	10
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-38-B
Lab Sample ID: 660-23125-8

Date Sampled: 05/22/2008 1430
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008 1213		
Field pH	5.48	SU			1.0
Field Temperature	26.33	Degrees C			1.0
Oxygen, Dissolved	2.93	mg/L			1.0
Specific Conductance	57	umhos/cm			1.0
Turbidity	243	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-38-B
Lab Sample ID: 660-23125-8

Date Sampled: 05/22/2008 1430
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1558	
Total Dissolved Solids	170	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-23125-9

Date Sampled: 05/22/2008 1111
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/04/2008 1919		
Prep Method: 5030B			Date Prepared: 06/04/2008 1919		
Acetone	1.8 U	ug/L	1.8	25	1.0
Acrylonitrile	2.5 U	ug/L	2.5	20	1.0
Benzene	0.18 U	ug/L	0.18	1.0	1.0
Bromoform	0.29 U	ug/L	0.29	1.0	1.0
Bromomethane	0.24 U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8 U	ug/L	1.8	10	1.0
Carbon disulfide	0.13 U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15 U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20 U	ug/L	0.20	1.0	1.0
Chloroethane	0.32 U	ug/L	0.32	1.0	1.0
Chloroform	0.094 U	ug/L	0.094	1.0	1.0
Chloromethane	0.26 U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17 U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24 U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28 U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18 U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17 U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18 U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10 U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28 U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11 U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14 U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16 U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7 U	ug/L	1.7	10	1.0
Iodomethane	0.063 U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096 U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2 U	ug/L	2.2	10	1.0
Styrene	0.18 U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16 U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19 U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28 U	ug/L	0.28	1.0	1.0
Toluene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58 U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19 U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13 U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18 U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21 U	ug/L	0.21	1.0	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-23125-9

Date Sampled: 05/22/2008 1111
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits					
Dibromofluoromethane	95		%		83 - 123	
Toluene-d8 (Surr)	98		%		78 - 126	
4-Bromofluorobenzene	85		%		70 - 119	

Method: 8011

Date Analyzed: 06/04/2008 0117

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.0098	U	ug/L	0.0098	0.020	1.0
Ethylene Dibromide	0.0085	U	ug/L	0.0085	0.020	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2353

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9	U	ug/L	1.9	10	1.0
Arsenic	4.8	U	ug/L	4.8	10	1.0
Barium	8.5	I	ug/L	1.2	10	1.0
Beryllium	0.74	U	ug/L	0.74	4.0	1.0
Cadmium	0.71	U	ug/L	0.71	5.0	1.0
Cobalt	1.4	U	ug/L	1.4	10	1.0
Copper	2.9	U	ug/L	2.9	20	1.0
Iron	1700		ug/L	39	100	1.0
Sodium	6.3		mg/L	0.15	0.50	1.0
Nickel	4.7	U	ug/L	4.7	40	1.0
Lead	1.6	U	ug/L	1.6	5.0	1.0
Antimony	2.9	U	ug/L	2.9	6.0	1.0
Selenium	5.9	U	ug/L	5.9	10	1.0
Thallium	0.50	U	ug/L	0.50	1.0	1.0
Vanadium	3.2	I	ug/L	2.5	5.0	1.0
Zinc	5.9	U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1233

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	2.6	I	ug/L	1.7	10	1.0
----------	-----	---	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1816

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080	U	ug/L	0.080	0.20	1.0
---------	-------	---	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-23125-9

Date Sampled: 05/22/2008 1111
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	16	mg/L	Date Analyzed: 06/10/2008 0121 2.0	5.0	1.0
Method: 350.1 Ammonia	0.28	mg/L	Date Analyzed: 06/05/2008 1358 0.00075	0.020	1.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	Date Analyzed: 05/23/2008 1215 0.10	0.50	1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-23125-9

Date Sampled: 05/22/2008 1111
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling					
Field pH	6.00	SU			1.0
Field Temperature	24.40	Degrees C			1.0
Oxygen, Dissolved	2.63	mg/L			1.0
Specific Conductance	131	umhos/cm			1.0
Turbidity	35.0	NTU			1.0

Date Analyzed: 05/29/2008 1213

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-66-A
Lab Sample ID: 660-23125-9

Date Sampled: 05/22/2008 1111
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1559	
Total Dissolved Solids	140	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-67
Lab Sample ID: 660-23125-10

Date Sampled: 05/22/2008 1023
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/04/2008 1951			
Prep Method: 5030B			Date Prepared: 06/04/2008 1951			
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.063	U	ug/L	0.063	5.0	1.0
Methylene Chloride	0.096	U	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-67
Lab Sample ID: 660-23125-10

Date Sampled: 05/22/2008 1023
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Trichloroethene	0.069 U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16 U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31 U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23 U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16 U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36 U	ug/L	0.36	2.0	1.0

Surrogate	Acceptance Limits				
Dibromofluoromethane	91	%	83 - 123		
Toluene-d8 (Surr)	93	%	78 - 126		
4-Bromofluorobenzene	79	%	70 - 119		

Method: 8011

Date Analyzed: 06/04/2008 0140

Prep Method: 8011

Date Prepared: 06/03/2008 1330

1,2-Dibromo-3-Chloropropane	0.010 U	ug/L	0.010	0.021	1.0
Ethylene Dibromide	0.0089 U	ug/L	0.0089	0.021	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/04/2008 2359

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Silver	1.9 U	ug/L	1.9	10	1.0
Arsenic	4.8 U	ug/L	4.8	10	1.0
Barium	6.4 I	ug/L	1.2	10	1.0
Beryllium	0.74 U	ug/L	0.74	4.0	1.0
Cadmium	0.71 U	ug/L	0.71	5.0	1.0
Cobalt	1.4 U	ug/L	1.4	10	1.0
Copper	3.0 I	ug/L	2.9	20	1.0
Iron	12000	ug/L	39	100	1.0
Sodium	28	mg/L	0.15	0.50	1.0
Nickel	4.7 U	ug/L	4.7	40	1.0
Lead	1.6 U	ug/L	1.6	5.0	1.0
Antimony	2.9 U	ug/L	2.9	6.0	1.0
Selenium	5.9 U	ug/L	5.9	10	1.0
Thallium	0.50 U	ug/L	0.50	1.0	1.0
Vanadium	3.9 I	ug/L	2.5	5.0	1.0
Zinc	5.9 U	ug/L	5.9	20	1.0

Method: Total Recoverable-6020

Date Analyzed: 06/05/2008 1240

Prep Method: 3005A

Date Prepared: 05/27/2008 1846

Chromium	1.7 U	ug/L	1.7	10	1.0
----------	-------	------	-----	----	-----

Method: 7470A

Date Analyzed: 06/04/2008 1819

Prep Method: 7470A

Date Prepared: 06/03/2008 1641

Mercury	0.080 U	ug/L	0.080	0.20	1.0
---------	---------	------	-------	------	-----

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-67
Lab Sample ID: 660-23125-10

Date Sampled: 05/22/2008 1023
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	MDL	PQL	Dilution
Method: 300.0 Chloride	69	mg/L	2.0	5.0	1.0
Method: 350.1 Ammonia	1.1	mg/L	0.0038	0.10	5.0
Method: 353.2 Nitrate as N	0.10 U	mg/L	0.10	0.50	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-67
Lab Sample ID: 660-23125-10

Date Sampled: 05/22/2008 1023
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	NONE	NONE	Dilution
Method: Field Sampling		Date Analyzed:	05/29/2008	1213	
Field pH	6.30	SU			1.0
Field Temperature	23.70	Degrees C			1.0
Oxygen, Dissolved	2.11	mg/L			1.0
Specific Conductance	380	umhos/cm			1.0
Turbidity	0.6	NTU			1.0

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: TH-67
Lab Sample ID: 660-23125-10

Date Sampled: 05/22/2008 1023
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier	Unit	PQL	PQL	Dilution
Method: SM 2540C			Date Analyzed:	05/23/2008 1559	
Total Dissolved Solids	400	mg/L	5.0	5.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-23125-11

Date Sampled: 05/22/2008 0945
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Method: 8260B			Date Analyzed: 06/04/2008 1713			
Prep Method: 5030B			Date Prepared: 06/04/2008 1713			
Acetone	1.8	U	ug/L	1.8	25	1.0
Acrylonitrile	2.5	U	ug/L	2.5	20	1.0
Benzene	0.18	U	ug/L	0.18	1.0	1.0
Bromoform	0.29	U	ug/L	0.29	1.0	1.0
Bromomethane	0.24	U	ug/L	0.24	1.0	1.0
2-Butanone (MEK)	1.8	U	ug/L	1.8	10	1.0
Carbon disulfide	0.13	U	ug/L	0.13	1.0	1.0
Carbon tetrachloride	0.15	U	ug/L	0.15	1.0	1.0
Chlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
Chlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
Chlorodibromomethane	0.20	U	ug/L	0.20	1.0	1.0
Chloroethane	0.32	U	ug/L	0.32	1.0	1.0
Chloroform	0.094	U	ug/L	0.094	1.0	1.0
Chloromethane	0.26	U	ug/L	0.26	1.0	1.0
cis-1,2-Dichloroethene	0.17	U	ug/L	0.17	1.0	1.0
cis-1,3-Dichloropropene	0.24	U	ug/L	0.24	1.0	1.0
Dibromomethane	0.28	U	ug/L	0.28	1.0	1.0
1,4-Dichlorobenzene	0.18	U	ug/L	0.18	1.0	1.0
1,2-Dichlorobenzene	0.17	U	ug/L	0.17	1.0	1.0
Dichlorobromomethane	0.18	U	ug/L	0.18	1.0	1.0
1,1-Dichloroethane	0.10	U	ug/L	0.10	1.0	1.0
1,2-Dichloroethane	0.28	U	ug/L	0.28	1.0	1.0
1,1-Dichloroethene	0.11	U	ug/L	0.11	1.0	1.0
1,2-Dichloropropane	0.14	U	ug/L	0.14	1.0	1.0
Ethylbenzene	0.16	U	ug/L	0.16	1.0	1.0
2-Hexanone	1.7	U	ug/L	1.7	10	1.0
Iodomethane	0.18	I	ug/L	0.063	5.0	1.0
Methylene Chloride	0.59	I	ug/L	0.096	5.0	1.0
4-Methyl-2-pentanone (MIBK)	2.2	U	ug/L	2.2	10	1.0
Styrene	0.18	U	ug/L	0.18	1.0	1.0
1,1,1,2-Tetrachloroethane	0.16	U	ug/L	0.16	1.0	1.0
1,1,2,2-Tetrachloroethane	0.19	U	ug/L	0.19	1.0	1.0
Tetrachloroethene	0.28	U	ug/L	0.28	1.0	1.0
Toluene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,4-Dichloro-2-butene	0.58	U	ug/L	0.58	2.0	1.0
trans-1,2-Dichloroethene	0.19	U	ug/L	0.19	1.0	1.0
trans-1,3-Dichloropropene	0.13	U	ug/L	0.13	1.0	1.0
1,1,1-Trichloroethane	0.18	U	ug/L	0.18	1.0	1.0
1,1,2-Trichloroethane	0.21	U	ug/L	0.21	1.0	1.0

Mr. Jim Clayton
Hillsborough County
Solid Waste Management Department
PO BOX 1110
24th Floor County Center
Tampa, FL 33601

Job Number: 660-23125-1

Client Sample ID: Travel Blank
Lab Sample ID: 660-23125-11

Date Sampled: 05/22/2008 0945
Date Received: 05/22/2008 1600
Client Matrix: Water

Analyte	Result/Qualifier		Unit	MDL	PQL	Dilution
Trichloroethene	0.069	U	ug/L	0.069	1.0	1.0
Trichlorofluoromethane	0.16	U	ug/L	0.16	1.0	1.0
1,2,3-Trichloropropane	0.31	U	ug/L	0.31	1.0	1.0
Vinyl acetate	0.23	U	ug/L	0.23	2.0	1.0
Vinyl chloride	0.16	U	ug/L	0.16	1.0	1.0
Xylenes, Total	0.36	U	ug/L	0.36	2.0	1.0
Surrogate	Acceptance Limits					
Dibromofluoromethane	92		%		83 - 123	
Toluene-d8 (Surr)	100		%		78 - 126	
4-Bromofluorobenzene	84		%		70 - 119	

DATA REPORTING QUALIFIERS

Client: Hillsborough County

Job Number: 660-23125-1

Lab Section	Qualifier	Description
GC/MS VOA		
	J3	Estimated value; value may not be accurate. Spike recovery or RPD outside of criteria.
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
GC Semi VOA		
	U	Indicates that the compound was analyzed for but not detected.
Metals		
	U	Indicates that the compound was analyzed for but not detected.
	I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
General Chemistry		
	U	Indicates that the compound was analyzed for but not detected.