



SEMI-ANNUAL GROUNDWATER AND SURFACE WATER MONITORING REPORT AUGUST 2016 EVENT

Trail Ridge Landfill

5110 U.S. Highway 301

Duval County, Baldwin, Florida 32234

WACS Facility ID 33628

FDEP Permit Number 0013493-025-SO-01

Submitted To: Florida Department of Environmental Protection
Northeast District Office
8800 Baymeadows Way West, Suite 100
Jacksonville, FL 32256-7590

Florida Department of Environmental Protection
Solid Waste Section
2600 Blair Stone Road, MS 4565
Tallahassee, FL 32399-2400

Submitted By: Golder Associates Inc.
3730 Chamblee Tucker Road
Atlanta, GA 30341

Distribution:

1 Copy – Florida Department of Environmental Protection Northeast District Office
1 Copy – Florida Department of Environmental Protection Solid Waste Section
1 Copy – Trail Ridge Landfill, Inc.
1 Copy – Waste Management of Florida
2 Copies – Golder Associates Inc.

October 2016

1302576-02

**A world of
capabilities
delivered locally**





October 27, 2016

1302576-02

Mr. Brian Durden
Florida Department of Environmental Protection
Northeast District Office
8800 Baymeadows Way West, Suite 100
Jacksonville, FL 32256-7590

**RE: SEMI-ANNUAL GROUNDWATER AND SURFACE WATER MONITORING REPORT
FOR THE AUGUST 2016 MONITORING EVENT
TRAIL RIDGE LANDFILL, DUVAL COUNTY, FLORIDA
PERMIT NO. 0013493-025-SO-01**

Dear Mr. Durden:

Golder Associates Inc. (Golder) has prepared this report summarizing the August 2016 semi-annual detection monitoring event for the Trail Ridge Landfill owned by the City of Jacksonville and operated by Trail Ridge Landfill, Inc. (a Waste Management Company) under Florida Department of Environmental Protection Permit Number 0013493-025-SO-01 and WACS Facility ID Number 33628. This semi-annual report is submitted in accordance with monitoring and reporting requirements of Chapters 62-160, 62-520, and 62-701 of the Florida Administrative Code (F.A.C.) and the Facility Permit. If you have any questions regarding this report please contact the undersigned at (770) 496-1893.

Sincerely,

GOLDER ASSOCIATES INC.

Lizmarie Steel, EIT
Staff Environmental Engineer

Robert M. Wojcik, PG
Associate and Senior Consultant

cc: Trail Ridge Landfill
Eric Parker, Waste Management of Florida
Rachel P. Kirkman, Golder Associates (electronic)
Seth Ramaley, Waste Management (electronic)

Golder Associates Inc.
3730 Chamblee Tucker Road
Atlanta, GA 30341 USA

Tel: (770) 496-1893 Fax: (770) 934-9476 www.golder.com



Golder Associates: Operations in Africa, Asia, Australasia, Europe, North America and South America

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation



Table of Contents

COVER LETTER

1.0	INTRODUCTION.....	1
2.0	BACKGROUND.....	2
2.1	Site Location and Description	2
2.2	Groundwater and Surface Water Monitoring Systems.....	2
3.0	DATA COLLECTION METHODS.....	3
3.1	Groundwater Elevation Measurements.....	3
3.2	Sample Collection and Analysis.....	3
4.0	GROUNDWATER FLOW RATE AND DIRECTION EVALUATION.....	4
4.1	Groundwater Elevations and Flow Direction.....	4
4.2	Horizontal Hydraulic Gradients	4
5.0	WATER QUALITY MONITORING RESULTS.....	5
5.1	Quality Assurance and Quality Control (QA/QC) Results.....	5
5.2	Laboratory Analysis Results.....	6
5.3	Field Parameter Measurement Results	6
6.0	COMPARISON TO ESTABLISHED STANDARDS	7
6.1	Groundwater.....	7
6.1.1	Established Standards	7
6.1.2	Comparison of Groundwater Data to Established Standards	7
6.2	Surface Water	8
6.2.1	Established Standards	8
6.2.2	Comparison of Surface Water Data to Established Standards.....	8
7.0	DISCUSSION AND RECOMMENDATIONS.....	9
8.0	PROFESSIONAL CERTIFICATION	10
9.0	REFERENCES.....	11



List of Tables

Table 1	Water Level Measurements
Table 2A	Summary of Groundwater Analytical Results – Shallow
Table 2B	Summary of Groundwater Analytical Results – Intermediate
Table 3	Summary of Surface Water Analytical Results
Table 4	Groundwater and Surface Water Field Parameter Summary
Table 5	Surface Water Quality Standard Calculations

List of Figures

Figure 1	Site Location
Figure 2	Site Layout and Sampling Locations
Figure 3	August 2016 Shallow Surficial Aquifer Potentiometric Map
Figure 4	August 2016 Intermediate Surficial Aquifer Potentiometric Map
Figure 5	August 2016 Deep Surficial Aquifer Potentiometric Map

List of Appendices

Appendix A	Instrument Calibration Field Records
Appendix B	Laboratory Analytical Reports, Chain of Custody Forms, Groundwater Collection Forms, and Well Development Forms
Appendix C	Hydraulic Gradient Calculations
Appendix D	ADaPT Data Package
Appendix E	Groundwater Monitoring Report Certification



1.0 INTRODUCTION

The Trail Ridge Landfill (Site) is owned by the City of Jacksonville and operated by Trail Ridge Landfill, Inc. (a Waste Management Company) in accordance with Florida Department of Environmental Protection (FDEP) Operation Permit Number 0013493-025-SO-01 issued June 16, 2014. The Site is an active municipal solid waste landfill that serves the City of Jacksonville, Duval County, and Northeast Florida.

Golder Associates Inc. (Golder) has been retained to report the results of semi-annual groundwater and surface water monitoring at the Site in accordance with the Water Quality Monitoring Plan (Appendix 3) of the referenced permit. This report presents the methods and findings of the second 2016 semi-annual groundwater and surface water monitoring event conducted on August 23 through August 24, 2016. The following sections include general information concerning the Site history and setting, an evaluation of surficial aquifer groundwater flow, and groundwater and surface water quality conditions at the Site. Laboratory analytical data are summarized, evaluated, and compared to historical data where appropriate.



2.0 BACKGROUND

2.1 Site Location and Description

The Site is located in the town of Baldwin approximately five miles southwest of the intersection of US-301 and I-10 in southwestern Duval County along the border with Baker County, Florida (Figure 1). The Facility is an active municipal solid waste landfill with a disposal area of approximately 144 acres that accepts waste from the City of Jacksonville and Duval County. The Facility operates a waste tire processing facility and active gas collection system, and the Facility design includes wetland mitigation, a stormwater management system, and environmental monitoring systems for groundwater, surface water, and methane gas.

2.2 Groundwater and Surface Water Monitoring Systems

Groundwater and surface water monitoring events are conducted concurrently on a semi-annual basis prior to March 30th and September 30th of each year. Figure 2 shows the Site layout and groundwater monitoring well and surface water sampling locations. The current Site groundwater monitoring system consists of twenty-two (22) groundwater monitoring wells screened at shallow (S) and intermediate (I) depths within the uppermost, surficial aquifer. These include:

- Thirteen (13) shallow wells: MWB-2(S), MWB-3(S), MWB-11(S), MWB-12(S), MWB-13(S), MWB-20(S), MWB-21(S), MWB-22(S), MWB-27(S), MWB-29(S), MWB-32(S), MWB-33(S), MWB-34(S)
- Nine (9) intermediate wells: MWB-2(I), MWB-3(I), MWB-11(IR), MWB-12(I), MWB-13(I), MWB-27(I), MWB-29(I), MWB-32(I), MWB-34(I)

In addition, the following wells installed within the surficial aquifer are used to monitor groundwater levels at the Site:

- One (1) shallow well: MWB-7(S)
- One (1) intermediate well: MWB-7(I)
- Seven (7) deep wells: MWB-7(D), MWB-12(D), MWB-27(D), MWB-29(D), MWB-31(D), MWB-32(D), and MWB-34(D)

Background wells MWB-2(S), MWB-3(S), MWB-2(I), and MWB-3(I) demonstrate background water quality for the facility due to their location upgradient from landfill waste. The remaining shallow and intermediate wells listed above are utilized for compliance or detection monitoring purposes associated with various phases of landfill development.

As indicated in the Site Permit, MWB-14(S), MWB-14(I), MWB-14(D), MWB-23(S), MWB-24(S), MWB-25(S), MWB-25(I), MWB-25(D), and MWB-26(S) are maintained but are not currently utilized for routine monitoring. The Site surface water monitoring system consists of two surface water monitoring locations: SW-1 and SW-3 (Figure 1).



3.0 DATA COLLECTION METHODS

3.1 Groundwater Elevation Measurements

ProTech field personnel measured water levels in Site monitoring wells on August 23, 2016 prior to purging and sampling activities in accordance with procedures described in the facility permit. Water levels were measured at active groundwater monitoring wells at the Site within a 24-hour period to evaluate static groundwater conditions across the entire Site. Field personnel opened the monitoring wells to allow groundwater levels to equilibrate to atmospheric conditions, and then measured the depth to groundwater to within 0.01 feet relative to the top of the inner PVC well casing using an electronic water level indicator. Golder calculated water table elevations at each well to evaluate the general direction of groundwater flow in the uppermost aquifer underlying the Site. The calculations were performed by taking the difference between the measured depth to groundwater and the top of casing elevation surveyed for each well. Table 1 provides a summary of groundwater elevation data collected during the August 2016 monitoring event.

3.2 Sample Collection and Analysis

Groundwater and surface water sampling was conducted in accordance with F.A.C. Chapter 62-160 and FDEP's Standard Operating Procedures for Field Activities (DEP-SOP-001/01). ProTech field personnel collected groundwater samples for laboratory analysis from the twenty-two monitoring wells listed in Section 2.2 between March 1 through 3, 2016. Groundwater monitoring wells were purged with dedicated QED bladder pumps with Teflon-lined tubing extending to the top of the well casing. Wells were purged using low-flow sampling methods; a minimum of one well volume was purged prior to stabilization for wells where the water table is located within the well screen. Field parameters including static water level, pH, specific conductance, temperature, turbidity, dissolved oxygen, oxidation-reduction potential and color/sheen (by observation) were recorded during purging and prior to sampling. Once purging was complete, ProTech field personnel collected groundwater samples from the dedicated pumps and tubing in laboratory-provided containers, and placed the samples in coolers with ice. Groundwater wells MWB-2(S) and MWB-13(S) were dry during the sampling event, thus samples were unable to be collected for these wells. On August 24, 2016, surface water samples were collected from two surface water monitoring points using a laboratory-provided container. Instrument calibration records (FD 9000-8) are included in Appendix A, and completed groundwater sampling logs (FD 9000-24) are provided along with the laboratory report in Appendix B.

TestAmerica –Savannah (TestAmerica), a Florida-certified laboratory (NELAP certification ID E87052), analyzed groundwater and surface water samples collected in August 2016 for the parameters identified in Section II and Section III, respectively, of the facility permit Water Quality Monitoring Plan.



4.0 GROUNDWATER FLOW RATE AND DIRECTION EVALUATION

4.1 Groundwater Elevations and Flow Direction

Golder calculated groundwater elevations based on water levels measured on August 23, 2016, and top of well casing elevations surveyed relative to the National Geodetic Vertical Datum (NGVD) (Table 1). Figures 3, 4, and 5 show shallow, intermediate, and deep potentiometric contours for the surficial aquifer, respectively. Groundwater flow beneath the Site in the uppermost aquifer is to the east at shallow, intermediate, and deep depths. The direction of groundwater flow is consistent with measurements from previous monitoring events.

4.2 Horizontal Hydraulic Gradients

Input parameters and hydraulic gradient calculations for the August 2016 monitoring event shallow, intermediate, and deep wells within the surficial aquifer are shown in Appendix C. The shallow average horizontal hydraulic gradient was calculated between the 140-foot potentiometric contour and MWB-22(S); the intermediate average horizontal hydraulic gradient was calculated between the 135-foot potentiometric contour and MWB-12(I); and the deep average horizontal hydraulic gradient was calculated between the 130-foot contour and MWB-12 (D). Gradients were calculated along a flow path oriented perpendicular to the potentiometric contours. The average Site hydraulic gradient, calculated as the mean of the shallow, intermediate, and deep hydraulic gradients is 0.010 ft/ft. The results are generally consistent with historical gradient values for the Site.



5.0 WATER QUALITY MONITORING RESULTS

5.1 Quality Assurance and Quality Control (QA/QC) Results

ProTech field personnel collected two field blanks during the August 2016 sampling event and submitted the samples with trip blanks in coolers containing volatile organic compound (VOC) samples to TestAmerica for analysis. The samples were received in good condition, properly preserved, and at proper temperatures. The laboratory provided additional QA/QC including analysis of method blanks, surrogates, laboratory control samples/laboratory control sample duplicates (LCS/LCSD), and matrix spike/matrix spike duplicates (MS/MSD). The laboratory did not qualify data based on field detections. The QA/QC results for the laboratory reports associated with groundwater and surface water monitoring points from TestAmerica Laboratory Report 680-129072-1 are summarized below:

- Several analytes were detected between method detection limits (MDLs) and practical quantitation limits (PQLs); these detections were qualified with an “I”.
- Orthophosphate was analyzed outside of holding time for SW-1 and SW-3; the analytes are qualified with an “H”.
- Re-analysis of Field Blank-1 was performed outside of holding time due to the analyst inadvertently adding spiking solution to the sample on the first extraction; analytes EDM and DBCP are qualified with an “H”.
- Surrogate compounds were inadvertently omitted during the extraction process for Field Blank-1. There was insufficient sample remaining to perform re-extraction and/or re-analysis.
- Surrogate recovery was biased high for MWB-20S; associated results were non-detect therefore no qualifications were required.
- LCS and LCSD were biased high for bromoform and bromomethane in batch 447885 and LCS was biased high for bromomethane in batch 448234; associated results were non-detect and qualified with a “UJ”.
- The % RPD for LCS/LCSD preparation batch 448234 recovered outside control limits for bromomethane, trichlorofluoromethane, and vinyl chloride; associated results were non-detect and qualified with a “UJ”.
- The surrogate recovery for the method blank associated with analytical batch 448234 was biased high. There were no detections in the method blank therefore no qualifications were required.



Other QA/QC issues were not identified; therefore, the remaining results from the August 2016 event are considered acceptable without qualification.

5.2 Laboratory Analysis Results

Tables 2A and 2B summarize laboratory analytical results for shallow and intermediate groundwater samples, respectively; Table 3 summarizes surface water samples. Copies of the laboratory analytical reports are provided in Appendix B. An electronic copy of the ADaPT software results is provided in Appendix D. Groundwater Monitoring Report Certification is included as Appendix E.

5.3 Field Parameter Measurement Results

Table 4 summarizes field parameter measurements for groundwater and surface water samples collected during this event. Original field forms with parameter measurements are included at the end of the laboratory report in Appendix B.

Groundwater field parameter readings and observations are consistent with those from previous semi-annual monitoring events. Historically, the average pH increases with depth between the shallow and intermediate zones of the aquifer. Turbidity values were lower than 12 nephelometric turbidity units (NTUs) with the exception of well MWB-29(I) and MWB-32(I), which had turbidity values of 17.22 NTU and 44.88 NTU respectively. Surface water field parameter readings and observations are comparable to historical surface water measurements.



6.0 COMPARISON TO ESTABLISHED STANDARDS

F.A.C. Chapter 62-701.510 and the facility permit require comparison of water quality monitoring data to water quality standards specified in F.A.C. Chapter 62-520 (Ground Water Classes, Standards, and Exemptions) and F.A.C. Chapter 62-302 (Surface Water Quality Standards). The following sections present a description of the established standards and comparison of results for groundwater and surface water.

6.1 Groundwater

6.1.1 Established Standards

F.A.C. Chapter 62-520 establishes classes and standards for groundwater. The primary maximum contaminant levels (MCLs) and secondary maximum contaminant levels (SMCLs) for parameters included in laboratory analysis are listed on Tables 2A and 2B. The only field parameter with an established drinking water standard under F.A.C. Rule 62-550.310 and 62.550.320 is pH, with an SMCL in the range of 6.5 to 8.5 Standard Units (S.U.). F.A.C. Chapter 62-520.420 indicates that “if the concentration for any constituent listed in subsection (1) above in the natural background quality of the groundwater is greater than the stated maximum, or in the case of pH is also less than the minimum, the representative natural background quality shall be the prevailing standard for Class G-I and Class G-II ground water.”

6.1.2 Comparison of Groundwater Data to Established Standards

The groundwater monitoring results from the August 2106 event met minimum criteria established under F.A.C. Chapter 62-520.400 and primary MCLs established under F.A.C. Chapter 62-550.310. SMCL exceedances were measured for iron and pH. These exceedances are summarized below.

Iron (SMCL 0.3 milligrams per liter (mg/L))

- Shallow wells: MWB-3(S), MWB-11(S), MWB-29(S), MWB-32(S), and MWB-34(S)
- Intermediate wells: MWB-2(I), MWB-3(I), MWB-11(IR), MWB-12(I), MWB-27(I), MWB-29(I), MWB-32(I), and MWB-34(I)

pH (SMCL 6.5 to 8.5 S.U.)

- Shallow wells: All measured background, compliance, and detection well values were below 6.5 S.U.
- Intermediate wells: All background, compliance, and detection well values were below 6.5 S.U.

The above SMCL exceedances have been historically detected and reported to FDEP; no new SMCL exceedances require reporting under F.A.C. Chapter 62-701.510. Iron and pH have also been detected in background wells at concentrations greater than (or, in the case of pH, less than) the associated SMCL.



These SMCL exceedances, therefore, appear to be related to natural subsurface conditions rather than landfill impacts.

6.2 Surface Water

6.2.1 Established Standards

Surface water analytical results were compared to Class I and Class III criteria. Standards for these two classes are provided in Table 3 for laboratory parameters and Table 4 for field parameters. In some cases, F.A.C. Chapter 62-302.530 requires calculations for Class I and III standards based on sample hardness. Table 5 provides equations and calculation results for analytes that require standard calculation, including cadmium, chromium, copper, lead, nickel, and zinc.

6.2.2 Comparison of Surface Water Data to Established Standards

The following detections exceeded Class I/III surface water quality standards (WQS) identified in Table 3 (laboratory parameters), Table 4 (field parameters), and/or Table 5 (calculated standards):

Mercury (Class I/III -0.012 ug/L)

- SW-3

pH (SMCL 6.5 to 8.5 S.U.)

- SW-1

All exceedances have been historically detected at surface water locations at comparable concentrations exceeding the applicable WQS, and likely does not represent a landfill impact. Ongoing efforts to reduce total suspended solids and metals concentrations have been successful. Only mercury exceeded applicable WQS during the August 2016 event. The Trail Ridge Landfill developed and submitted standard operating procedures (SOP) under separate cover that addresses remedial action for SW-3 exceedances. The Trail Ridge Landfill has initiated select activities from the SOP, including flocculation to reduce metals concentrations at the surface water location.



7.0 DISCUSSION AND RECOMMENDATIONS

Analyte detections and exceedances observed during this event for both groundwater and surface water are consistent with historical conditions and/or background water quality. No new exceedances require reporting under F.A.C. Chapter 62-701.510. Based on these findings, Golder recommends continued semi-annual detection monitoring in accordance with F.A.C. Chapter 62-701 and the facility permit. The next groundwater and surface water monitoring event should be conducted prior to March 30, 2017.

Elevated turbidity readings have been observed at well MWB-2(S) since the July 2014 semi-annual event. The well was unsuccessfully redeveloped in February 2015. During the S1 2016 event a 1 micron field filtered sample was collected in addition to the total metals sample, and Golder provided recommendations for improvement of the well, including the redevelopment of MWB-2(S) (according to the procedures in Section 4.0 of the FDEP Monitoring Well Design Construction Manual and outlined in the S1 2016 report) if turbidity remains elevated. MWB-2(S) was dry during the August 2016 sampling event and samples were not able to be collected, thus readings are unavailable. Pending results for the S1 2017 monitoring event for MWB-2(S), redevelopment of the well shall be re-evaluated.




8.0 PROFESSIONAL CERTIFICATION

I hereby certify that I have supervised the current field work and preparation of this report, in accordance with Chapter 62-701, Florida Solid Waste Management Facility Regulations. As a registered professional geologist, I certify that I am a qualified professional with knowledge and experience in water quality assessment. To the best of my knowledge, the information and laboratory data summarized in this report (including the applicable attachments) are true, accurate, complete, and in accordance with applicable State Rules and Regulations.

GOLDER ASSOCIATES INC.

Robert M. Wojcik, PG
Associate and Senior Consultant
Florida Professional Geologist No. 2257

October 27, 2016





9.0 REFERENCES

Florida Administrative Code (F.A.C.) Rules: 62-160, 62-302, 62-520, 62-550, 62-701, and 62-711.

Florida Department of Environmental Protection, DEP-SOP-001/01

Florida Department of Environmental Protection, Notice of Permit, June 16, 2014, Permit Number 0013493-025-SO-01.

TABLES

TABLE 1
Water Level Measurements
Trail Ridge Landfill, Jacksonville, Florida

Well ID	TOC Elevation	Screened Interval	Depth to Water	Groundwater Elevation
	(ft MSL)	(ft BTOC)	(ft BTOC)	(ft MSL)
Shallow Wells				
MWB-2(S)	146.64	10.00 to 20.00	DRY	<126.64
MWB-3(S)	154.38	10.00 to 20.00	10.38	144.00
MWB-7(S)	123.29	10.00 to 20.00	11.17	112.12
MWB-11(S)	120.81	9.50 to 19.50	DRY	<101.31
MWB-12(S)	124.63	14.50 to 24.50	11.73	112.90
MWB-13(S)	126.05	16.56 to 26.56	DRY	<99.49
MWB-20(S)	121.01	10.00 to 20.00	10.55	110.46
MWB-21(S)	122.84	13.00 to 18.00	11.34	111.50
MWB-22(S)	126.97	16.00 to 26.00	12.92	114.05
MWB-27(S)	128.42	10.50 to 15.50	10.09	118.33
MWB-29(S)	138.02	10.00 to 20.00	9.41	128.61
MWB-32(S)	124.64	14.90 to 19.90	10.65	113.99
MWB-33(S)	125.90	10.30 to 20.30	11.65	114.25
MWB-34(S)	125.78	13.36 to 18.36	10.57	115.21
Intermediate Wells				
MWB-2(I)	145.73	51.50 to 61.50	14.23	131.50
MWB-3(I)	151.86	52.00 to 62.00	16.18	135.68
MWB-7(I)	121.53	55.00 to 65.00	9.40	112.13
MWB-11(IR)	120.43	45.00 to 55.00	16.59	103.84
MWB-12(I)	124.62	61.50 to 71.50	11.65	112.97
MWB-13(I)	125.98	50.40 to 60.40	19.62	106.36
MWB-27(I)	128.63	52.50 to 62.50	11.47	117.16
MWB-29(I)	138.08	53.50 to 63.50	10.58	127.50
MWB-32(I)	124.79	54.56 to 64.56	11.54	113.25
MWB-34(I)	125.80	43.95 to 53.95	12.32	113.48
Deep Wells				
MWB-7(D)	121.65	107.00 to 117.00	5.80	115.85
MWB-12(D)	124.56	102.00 to 112.00	9.37	115.19
MWB-27(D)	128.88	110.00 to 110.00	11.85	117.03
MWB-29(D)	138.18	100.50 to 110.50	10.70	127.48
MWB-31(D)	156.15	119.00 to 129.00	21.16	134.99
MWB-32(D)	124.93	98.81 to 108.81	11.78	113.15
MWB-34(D)	125.92	90.78 to 100.78	12.54	113.38

Notes:

TOC - top of casing; ft BTOC - feet below top of casing; ft MSL - feet above mean sea level; NM - Not Measured

Depth to water measurements collected by ProTech on August 23, 2016. Top of casing elevations based on groundwater well survey data provided in October 2010 potentiometric maps (HDR Engineering).

**Summary of Groundwater Analytical Results - Shallow
Trail Ridge Landfill, Jacksonville, Florida**

Parameter	Unit	MCL	SMCL	MWB-2S	MWB-3S	MWB-11S	MWB-12S	MWB-13S	MWB-20S	MWB-21S
Laboratory Method EPA 8260										
1,1,1,2-Tetrachloroethane	ug/L			NA	< 0.37	< 0.37	< 0.37	NA	< 0.37	< 0.37
1,1,1-Trichloroethane	ug/L	200		NA	< 0.37	< 0.37	< 0.37	NA	< 0.37	< 0.37
1,1,2,2-Tetrachloroethane	ug/L			NA	< 0.62	< 0.62	< 0.62	NA	< 0.62	< 0.62
1,1,2-Trichloroethane	ug/L	5		NA	< 0.33	< 0.33	< 0.33	NA	< 0.33	< 0.33
1,1-Dichloroethane	ug/L			NA	< 0.38	< 0.38	< 0.38	NA	< 0.38	< 0.38
1,1-Dichloroethene	ug/L	7		NA	< 0.36	< 0.36	< 0.36	NA	< 0.36	< 0.36
1,2,3-Trichloropropane	ug/L			NA	< 0.39	< 0.39	< 0.39	NA	< 0.39	< 0.39
1,2-Dibromo-3-Chloropropane	ug/L	0.2		NA	< 1.1	< 1.1	< 1.1	NA	< 1.1	< 1.1
1,2-Dibromoethane	ug/L	0.02		NA	< 0.44	< 0.44	< 0.44	NA	< 0.44	< 0.44
1,2-Dichlorobenzene	ug/L	600		NA	< 0.37	< 0.37	< 0.37	NA	< 0.37	< 0.37
1,2-Dichloroethane	ug/L	3		NA	< 0.5	< 0.5	< 0.5	NA	< 0.5	< 0.5
1,2-Dichloropropane	ug/L	5		NA	< 0.67	< 0.67	< 0.67	NA	< 0.67	< 0.67
1,4-Dichlorobenzene	ug/L	75		NA	< 0.46	< 0.46	< 0.46	NA	< 0.46	< 0.46
2-Butanone	ug/L			NA	< 3.4	< 3.4	< 3.4	NA	< 3.4	< 3.4
2-Hexanone	ug/L			NA	< 2	< 2	< 2	NA	< 2	< 2
4-Methyl-2-pentanone	ug/L			NA	< 2.1	< 2.1	< 2.1	NA	< 2.1	< 2.1
Acetone	ug/L			NA	< 7	< 7	< 7	NA	< 7	< 7
Acrylonitrile	ug/L			NA	< 10	< 10	< 10	NA	< 10	< 10
Benzene	ug/L	1		NA	< 0.43	< 0.43	< 0.43	NA	< 0.43	< 0.43
Bromochloromethane	ug/L			NA	< 0.45	< 0.45	< 0.45	NA	< 0.45	< 0.45
Bromodichloromethane	ug/L			NA	< 0.44	< 0.44	< 0.44	NA	< 0.44	< 0.44
Bromoform	ug/L			NA	< 0.43	< 0.43	< 0.43	NA	< 0.43	< 0.43
Bromomethane	ug/L			NA	< 2.5	< 2.5	< 2.5	NA	< 2.5	< 2.5
Carbon disulfide	ug/L			NA	< 1	< 1	< 1	NA	< 1	< 1
Carbon tetrachloride	ug/L	3		NA	< 0.33	< 0.33	< 0.33	NA	< 0.33	< 0.33
Chlorobenzene	ug/L	100		NA	< 0.26	< 0.26	< 0.26	NA	< 0.26	< 0.26
Chloroethane	ug/L			NA	< 2.5	< 2.5	< 2.5	NA	< 2.5	< 2.5
Chloroform	ug/L			NA	< 0.5	< 0.5	< 0.5	NA	< 0.5	< 0.5
Chloromethane	ug/L			NA	< 0.4	< 0.4	< 0.4	NA	< 0.4	< 0.4
cis-1,2-Dichloroethene	ug/L	70		NA	< 0.41	< 0.41	< 0.41	NA	< 0.41	< 0.41
cis-1,3-Dichloropropene	ug/L			NA	< 0.4	< 0.4	< 0.4	NA	< 0.4	< 0.4
Dibromochloromethane	ug/L			NA	< 0.32	< 0.32	< 0.32	NA	< 0.32	< 0.32
Dibromomethane	ug/L			NA	< 0.35	< 0.35	< 0.35	NA	< 0.35	< 0.35
Ethylbenzene	ug/L	700		NA	< 0.33	< 0.33	< 0.33	NA	< 0.33	< 0.33
Iodomethane	ug/L			NA	< 5	< 5	< 5	NA	< 5	< 5
Methylene chloride	ug/L	5		NA	< 2.5	< 2.5	< 2.5	NA	< 2.5	< 2.5
Styrene	ug/L	100		NA	< 0.27	< 0.27	< 0.27	NA	< 0.27	< 0.27
Tetrachloroethene	ug/L	3		NA	< 0.74	< 0.74	< 0.74	NA	< 0.74	< 0.74
Toluene	ug/L	1000		NA	< 0.48	< 0.48	< 0.48	NA	< 0.48	< 0.48
trans-1,2-Dichloroethene	ug/L	100		NA	< 0.37	< 0.37	< 0.37	NA	< 0.37	< 0.37
trans-1,3-Dichloropropene	ug/L			NA	< 0.42	< 0.42	< 0.42	NA	< 0.42	< 0.42
trans-1,4-Dichloro-2-butene	ug/L			NA	< 0.51	< 0.51	< 0.51	NA	< 0.51	< 0.51
Trichloroethene	ug/L	3		NA	< 0.48	< 0.48	< 0.48	NA	< 0.48	< 0.48
Trichlorofluoromethane	ug/L			NA	< 0.42	< 0.42	< 0.42	NA	< 0.42	< 0.42
Vinyl acetate	ug/L			NA	< 0.81	< 0.81	< 0.81	NA	< 0.81	< 0.81
Vinyl chloride	ug/L	1		NA	< 0.5	< 0.5	< 0.5	NA	< 0.5	< 0.5
Xylenes, Total	ug/L	10000		NA	< 0.23	< 0.23	< 0.23	NA	< 0.23	< 0.23
Laboratory Method EPA 8011										
1,2-Dibromo-3-Chloropropane	ug/L	0.2		NA	< 0.0049	< 0.0048	< 0.0049	NA	< 0.0048	< 0.0049
1,2-Dibromoethane	ug/L	0.02		NA	< 0.0021	< 0.0021	< 0.0022	NA	< 0.0021	< 0.0022

Notes:

ug/L - micrograms per liter; mg/L - milligrams per liter; NA - not analyzed
MCL - Maximum Contaminant Level; SMCL - Secondary Contaminant Level (FDEP Chapter 62-550)
1 - Reported value between method detection limit and practical quantitation limit
Bold values indicate detections above the laboratory detection limit; Greyed cells indicate an MCL/SMCL exceedance.



**Summary of Groundwater Analytical Results - Shallow
Trail Ridge Landfill, Jacksonville, Florida**

Parameter	Unit	MCL	SMCL	MWB-22S	MWB-27S	MWB-29S	MWB-32S	MWB-33S	MWB-34S
Laboratory Method EPA 8260									
1,1,1,2-Tetrachloroethane	ug/L			< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37
1,1,1-Trichloroethane	ug/L	200		< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37
1,1,2,2-Tetrachloroethane	ug/L			< 0.62	< 0.62	< 0.62	< 0.62	< 0.62	< 0.62
1,1,2-Trichloroethane	ug/L	5		< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33
1,1-Dichloroethane	ug/L			< 0.38	< 0.38	< 0.38	< 0.38	< 0.38	< 0.38
1,1-Dichloroethene	ug/L	7		< 0.36	< 0.36	< 0.36	< 0.36	< 0.36	< 0.36
1,2,3-Trichloropropane	ug/L			< 0.39	< 0.39	< 0.39	< 0.39	< 0.39	< 0.39
1,2-Dibromo-3-Chloropropane	ug/L	0.2		< 1.1	< 1.1	< 1.1	< 1.1	< 1.1	< 1.1
1,2-Dibromoethane	ug/L	0.02		< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44
1,2-Dichlorobenzene	ug/L	600		< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37
1,2-Dichloroethane	ug/L	3		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
1,2-Dichloropropane	ug/L	5		< 0.67	< 0.67	< 0.67	< 0.67	< 0.67	< 0.67
1,4-Dichlorobenzene	ug/L	75		< 0.46	< 0.46	< 0.46	< 0.46	< 0.46	< 0.46
2-Butanone	ug/L			< 3.4	< 3.4	< 3.4	< 3.4	< 3.4	< 3.4
2-Hexanone	ug/L			< 2	< 2	< 2	< 2	< 2	< 2
4-Methyl-2-pentanone	ug/L			< 2.1	< 2.1	< 2.1	< 2.1	< 2.1	< 2.1
Acetone	ug/L			< 7	< 7	< 7	< 7	< 7	< 7
Acrylonitrile	ug/L			< 10	< 10	< 10	< 10	< 10	< 10
Benzene	ug/L	1		< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43
Bromochloromethane	ug/L			< 0.45	< 0.45	< 0.45	< 0.45	< 0.45	< 0.45
Bromodichloromethane	ug/L			< 0.44	< 0.44	< 0.44	< 0.44	< 0.44	< 0.44
Bromoform	ug/L			< 0.43	< 0.43	< 0.43	< 0.43	< 0.43	< 0.43
Bromomethane	ug/L			< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Carbon disulfide	ug/L			< 1	< 1	< 1	< 1	< 1	< 1
Carbon tetrachloride	ug/L	3		< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33
Chlorobenzene	ug/L	100		< 0.26	< 0.26	< 0.26	< 0.26	< 0.26	< 0.26
Chloroethane	ug/L			< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Chloroform	ug/L			< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Chloromethane	ug/L			< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
cis-1,2-Dichloroethene	ug/L	70		< 0.41	< 0.41	< 0.41	< 0.41	< 0.41	< 0.41
cis-1,3-Dichloropropene	ug/L			< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4
Dibromochloromethane	ug/L			< 0.32	< 0.32	< 0.32	< 0.32	< 0.32	< 0.32
Dibromomethane	ug/L			< 0.35	< 0.35	< 0.35	< 0.35	< 0.35	< 0.35
Ethylbenzene	ug/L	700		< 0.33	< 0.33	< 0.33	< 0.33	< 0.33	< 0.33
Iodomethane	ug/L			< 5	< 5	< 5	< 5	< 5	< 5
Methylene chloride	ug/L	5		< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Styrene	ug/L	100		< 0.27	< 0.27	< 0.27	< 0.27	< 0.27	< 0.27
Tetrachloroethene	ug/L	3		< 0.74	< 0.74	< 0.74	< 0.74	< 0.74	< 0.74
Toluene	ug/L	1000		< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48
trans-1,2-Dichloroethene	ug/L	100		< 0.37	< 0.37	< 0.37	< 0.37	< 0.37	< 0.37
trans-1,3-Dichloropropene	ug/L			< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42
trans-1,4-Dichloro-2-butene	ug/L			< 0.51	< 0.51	< 0.51	< 0.51	< 0.51	< 0.51
Trichloroethene	ug/L	3		< 0.48	< 0.48	< 0.48	< 0.48	< 0.48	< 0.48
Trichlorofluoromethane	ug/L			< 0.42	< 0.42	< 0.42	< 0.42	< 0.42	< 0.42
Vinyl acetate	ug/L			< 0.81	< 0.81	< 0.81	< 0.81	< 0.81	< 0.81
Vinyl chloride	ug/L	1		< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
Xylenes, Total	ug/L	10000		< 0.23	< 0.23	< 0.23	< 0.23	< 0.23	< 0.23
Laboratory Method EPA 8011									
1,2-Dibromo-3-Chloropropane	ug/L	0.2		< 0.0049	< 0.0048	< 0.0049	< 0.0049	< 0.0049	< 0.0049
1,2-Dibromoethane	ug/L	0.02		< 0.0021	< 0.0021	< 0.0022	< 0.0022	< 0.0021	< 0.0021

Notes:

ug/L - micrograms per liter; mg/L - milligrams per liter; NA - not analyzed
MCL - Maximum Contaminant Level; SMCL - Secondary Contaminant Level (FDEP Chapter 62-550)
1 - Reported value between method detection limit and practical quantitation limit
Bold values indicate detections above the laboratory detection limit; Greyed cells indicate an MCL/SMCL exceedance.



**Summary of Groundwater Analytical Results - Shallow
Trail Ridge Landfill, Jacksonville, Florida**

Parameter	Unit	MCL	SMCL	MWB-2S	MWB-3S	MWB-11S	MWB-12S	MWB-13S	MWB-20S	MWB-21S
Laboratory Method EPA 300.0										
Chloride	mg/L		250	NA	7.6	16	44	NA	280	25
Laboratory Method EPA 350.1										
Ammonia (N)	mg/L			NA	< 0.10	<0.10	0.22 I	NA	3.8	<0.10
Laboratory Method EPA 353.2 (Nitrate (N))										
Nitrate (N)	mg/L	10		NA	<0.010	0.018 I	0.038 I	NA	0.072	7.0
Laboratory Method EPA 6020										
Antimony	ug/L	6		NA	< 0.50	< 0.50	< 0.50	NA	< 0.50	0.50 I
Arsenic	ug/L	10		NA	< 1.5	< 1.5	< 1.5	NA	< 1.5	< 1.5
Barium	ug/L	2000		NA	15	68	5.8	NA	26	19
Beryllium	ug/L	4		NA	< 0.17	<0.17	< 0.17	NA	< 0.17	< 0.17
Cadmium	ug/L	5		NA	< 0.15	< 0.15	< 0.15	NA	< 0.15	< 0.15
Chromium	ug/L	100		NA	< 1.6	< 1.6	<1.6	NA	1.9 I	2.4 I
Cobalt	ug/L			NA	< 0.12	0.53	<0.12	NA	0.22 I	0.17 I
Copper	ug/L		1000	NA	< 1.7	< 1.7	<1.7	NA	< 1.7	4.8 I
Iron	ug/L		300	NA	2700	1400	200	NA	280	190
Lead	ug/L	15		NA	< 0.98	< 0.98	<0.98	NA	< 0.98	< 0.98
Nickel	ug/L	100		NA	< 1.9	< 1.9	< 1.9	NA	< 1.9	< 1.9
Selenium	ug/L	50		NA	< 1	< 1	2.4 I	NA	< 1	7.4
Silver	ug/L		100	NA	< 0.10	< 0.10	< 0.10	NA	< 0.10	< 0.10
Sodium	ug/L	160000		NA	4100	11000	25000	NA	120000	15000
Thallium	ug/L	2		NA	< 0.49	< 0.49	< 0.49	NA	< 0.49	< 0.49
Vanadium	ug/L			NA	< 3.8	< 3.8	15	NA	5.7 I	16
Zinc	ug/L		5000	NA	< 9.6	< 9.6	< 9.6	NA	< 9.6	< 9.6
Laboratory Method SM18 2540 C										
Total Dissolved Solids (TDS)	mg/L		500	NA	35	87	200	NA	560	210
Laboratory Method EPA 7470										
Mercury	ug/L	2		NA	< 0.080	< 0.080	< 0.080	NA	< 0.080	< 0.080

Notes:

ug/L - micrograms per liter; mg/L - milligrams per liter; NA - not analyzed
MCL - Maximum Contaminant Level; SMCL - Secondary Contaminant Level (FDEP Chapter 62-550)
I - Reported value between method detection limit and practical quantitation limit
Bold values indicate detections above the laboratory detection limit; Greyed cells indicate an MCL/SMCL exceedance.



**Summary of Groundwater Analytical Results - Shallow
Trail Ridge Landfill, Jacksonville, Florida**

Parameter	Unit	MCL	SMCL	MWB-22S	MWB-27S	MWB-29S	MWB-32S	MWB-33S	MWB-34S
Laboratory Method EPA 300.0									
Chloride	mg/L		250	10	33	17	12	6.8	21
Laboratory Method EPA 350.1									
Ammonia (N)	mg/L			0.11 I	1.1	0.35	0.68	0.72	1.1
Laboratory Method EPA 353.2 (Nitrate (N))									
Nitrate (N)	mg/L	10		<0.10	<0.10	0.037 I	<0.10	<0.10	0.099
Laboratory Method EPA 6020									
Antimony	ug/L	6		< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50
Arsenic	ug/L	10		< 1.5	< 1.5	< 1.5	< 1.5	< 1.5	< 1.5
Barium	ug/L	2000		4.8 I	7.5	20	27	8.3	6.8
Beryllium	ug/L	4		< 0.17	< 0.17	< 0.17	< 0.17	< 0.17	< 0.17
Cadmium	ug/L	5		< 0.15	< 0.15	< 0.15	< 0.15	< 0.15	< 0.15
Chromium	ug/L	100		< 1.6	1.7 I	< 1.6	< 1.6	< 1.6	1.7 I
Cobalt	ug/L			< 0.12	0.18 I	0.22 I	0.35 I	< 0.12	0.35 I
Copper	ug/L		1000	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	1.7 I
Iron	ug/L		300	120	250	420	790	130	430
Lead	ug/L	15		< 0.98	< 0.98	< 0.98	< 0.98	< 0.98	< 0.98
Nickel	ug/L	100		< 1.9	2.4 I	< 1.9	< 1.9	< 1.9	< 1.9
Selenium	ug/L	50		<1	<1	<1	< 1	<1	2.4 I
Silver	ug/L		100	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Sodium	ug/L	160000		9100	26000	13000	8400	4000	18000
Thallium	ug/L	2		< 0.49	< 0.49	< 0.49	< 0.49	< 0.49	< 0.49
Vanadium	ug/L			< 5.3	6.1 I	< 5.3	< 5.3	< 5.3	13
Zinc	ug/L		5000	< 9.6	< 9.6	< 9.6	< 9.6	< 9.6	10 I
Laboratory Method SM18 2540 C									
Residues- Filterable (TDS)	mg/L		500	180	160	84	99	120	220
Laboratory Method EPA 7470									
Mercury	ug/L	2		< 0.080	< 0.080	< 0.080	< 0.080	< 0.080	< 0.080

Notes:

ug/L - micrograms per liter; mg/L - milligrams per liter; NA - not analyzed
MCL - Maximum Contaminant Level; SMCL - Secondary Contaminant Level (FDEP Chapter 62-550)
I - Reported value between method detection limit and practical quantitation limit
Bold values indicate detections above the laboratory detection limit; Greyed cells indicate an MCL/SMCL exceedance.



**Summary of Groundwater Analytical Results - Intermediate
Trail Ridge Landfill, Jacksonville, Florida**

Parameter	Unit	MCL	SMCL	MWB2I	MWB3I	MWB11(IR)	MWB12I	MWB13I	MWB27I	MWB29I	MWB32I	MWB34I
Laboratory Method EPA 300.0												
Chloride	mg/L		250	6.2	6.1	5.1	5.0	5.0	5.2	5.8	5.0	5.2
Laboratory Method EPA 350.1												
Ammonia (N)	mg/L			< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10
Laboratory Method EPA 353.2 (Nitrate (N))												
Nitrate (N)	mg/L	10		< 0.01	< 0.01	0.018 I	< 0.01	< 0.01	0.018 I	< 0.01	< 0.01	< 0.01
Laboratory Method EPA 6020												
Iron	ug/L		300	320	860	440	350	290	440	410	380	380
Sodium	ug/L	160000		4300	3800	3100	3100	3000	3400	3900	3400	3400
Laboratory Method SM18 2540 C												
Total Dissolved Solids (TDS)	mg/L		500	38	51	56.0	85	54	63	41	47	47

Notes:

ug/L - micrograms per liter; mg/L - milligrams per liter; NA- Not analyzed

MCL - Maximum Contaminant Level; SMCL - Secondary Contaminant Level (FDEP Chapter 62-550)

I - Reported value between method detection limit and practical quantitation limit;

Bold values indicate detections above the laboratory detection limit; Greyed cells indicate an MCL/SMCL exceedance.

Table 3
Summary of Surface Water Analytical Results
Trail Ridge Landfill, Jacksonville, Florida

Parameter	Unit	ClassIWQS	ClassIIIWQS	SW-1	SW-3
Laboratory Method EPA 353.2 (Nitrate (N))					
Nitrate (N)	mg/L	10		< 0.010	0.35
Laboratory Method EPA 365.4					
Phosphorus- Total	mg/L			0.079 I	0.13
Laboratory Method EPA 6020					
Antimony	ug/L	14	4300	< 0.5	0.80 I
Arsenic	ug/L	10	50	< 1.5	2.3 I
Barium	ug/L	1000		19	41
Beryllium	ug/L	0.0077	0.13	< 0.17	< 0.17
Cadmium	ug/L	Calc	Calc	< 0.15	< 0.15
Chromium	ug/L	Calc	Calc	< 1.6	4.9 I
Cobalt	ug/L			< 0.12	0.63
Copper	ug/L	Calc	Calc	2.3 I	1.9 I
Iron	ug/L	1000	1000	300	600
Lead	ug/L	Calc	Calc	1.1 I	4.6
Nickel	ug/L	Calc	Calc	< 1.9	5.6
Selenium	ug/L	5	5	< 1.0	1.1 I
Silver	ug/L	0.07	0.07	< 0.1	< 0.1
Thallium	ug/L	1.7	6.3	< 0.49	< 0.49
Vanadium	ug/L			< 5.3	7.2 I
Zinc	ug/L	Calc	Calc	< 9.6	< 9.6
Laboratory Method EPA 1631					
Mercury	ug/L	0.012	0.012	0.0042	0.020
Laboratory Method FDEP DEP-SOP					
Ammonia- Un-ionized (NH ₃)	ug/L	20	20	< 0.017	0.0099
Laboratory Method SM18 10200 H					
Chlorophyll a	mg/L			25	7.2
Laboratory Method SM18 2340 B					
Hardness- Calculated	mg/L			87	150
Laboratory Method SM18 2540 C					
Residues- Filterable (TDS)	mg/L			140	420
Laboratory Method SM18 2540 D					
Residues- Nonfilterable (TSS)	mg/L			14	13
Laboratory Method SM18 5210 B					
BOD	mg/L			4.4	4.3
Laboratory Method SM18 5220 D					
Chemical Oxygen Demand	mg/L			43	82
Laboratory Method SM18 5310 C					
Carbon- Total Organic	mg/L			10	28
Laboratory Method SM18 9222 D (MF)					
Coliform Fecal	CFU/100 mL	800	800	480	420
Laboratory Method Total Nitrogen					
Nitrogen- Total	mg/L			0.93	4.5
Laboratory Method SM18 4500 P F					
Orthophosphate	mg/L			< 0.016 Q	< 0.016 Q

Notes:

ug/L = micrograms per liter; mg/L = milligrams per liter; I = Reported value between method detection limit and practical quantitation limit; Q=Sample held beyond the accepted holding time.

Calc. indicates standard calculated based on sample hardness (see Table 5 for calculated values and comparison).

Bold values indicate detections above the laboratory detection limit

WQS = Water Quality Standard, Class I (potable) and Class III (freshwater) (FDEP Chapter 62-302)

Greyed cell indicates a WQS exceedance.

Table 3
Summary of Surface Water Analytical Results
Trail Ridge Landfill, Jacksonville, Florida

Parameter	Unit	ClassIWQS	ClassIIWQS	SW-1	SW-3
Laboratory Method EPA 8011					
1,2-Dibromo-3-Chloropropane	ug/L			< 0.0049	< 0.0050
1,2-Dibromoethane	ug/L			< 0.0022	< 0.0022
Laboratory Method EPA 8260					
1,1,1,2-Tetrachloroethane	ug/L			< 0.37	< 0.37
1,1,1-Trichloroethane	ug/L			< 0.37	< 0.37
1,1,2,2-Tetrachloroethane	ug/L	0.17	10.8	< 0.62	< 0.62
1,1,2-Trichloroethane	ug/L			< 0.33	< 0.33
1,1-Dichloroethane	ug/L			< 0.38	< 0.38
1,1-Dichloroethene	ug/L	7	3.2	< 0.36	< 0.36
1,2,3-Trichloropropane	ug/L			< 0.39	< 0.39
1,2-Dibromo-3-Chloropropane	ug/L			< 1.1	< 1.1
1,2-Dibromoethane	ug/L			< 0.44	< 0.44
1,2-Dichlorobenzene	ug/L			< 0.37	< 0.37
1,2-Dichloroethane	ug/L			< 0.50	< 0.50
1,2-Dichloropropane	ug/L			< 0.67	< 0.67
1,4-Dichlorobenzene	ug/L			< 0.46	< 0.46
2-Butanone	ug/L			< 3.4	< 3.4
2-Hexanone	ug/L			< 2.0	< 2.0
4-Methyl-2-pentanone	ug/L			< 2.1	< 2.1
Acetone	ug/L			< 7.0	< 7.0
Acrylonitrile	ug/L			< 10	< 10
Benzene	ug/L	1.18	71.28	< 0.43	< 0.43
Bromochloromethane	ug/L			< 0.45	< 0.45
Bromodichloromethane	ug/L	0.27	22	< 0.32	< 0.32
Bromoform	ug/L	4.3	360	< 0.43	< 0.43
Bromomethane	ug/L			< 2.5	< 2.5
Carbon disulfide	ug/L			< 1.0	< 1.0
Carbon tetrachloride	ug/L	3	4.42	< 0.33	< 0.33
Chlorobenzene	ug/L			< 0.26	< 0.26
Chloroethane	ug/L			< 2.5	< 2.5
Chloroform	ug/L	5.67	470.8	< 0.50	< 0.50
Chloromethane	ug/L	5.67	470.8	< 0.40	< 0.40
cis-1,2-Dichloroethene	ug/L			< 0.41	< 0.41
cis-1,3-Dichloropropene	ug/L			< 0.40	< 0.40
Dibromochloromethane	ug/L	0.41	34	< 0.32	< 0.32
Dibromomethane	ug/L			< 0.35	< 0.35
Ethylbenzene	ug/L			< 0.33	< 0.33
Iodomethane	ug/L			< 5.0	< 5.0
Methylene chloride	ug/L	4.65	1580	< 2.5	< 2.5
Styrene	ug/L			< 0.27	< 0.27
Tetrachloroethene	ug/L	3	8.85	< 0.74	< 0.74
Toluene	ug/L			< 0.48	< 0.48
trans-1,2-Dichloroethene	ug/L			< 0.37	< 0.37
trans-1,3-Dichloropropene	ug/L			< 0.42	< 0.42
trans-1,4-Dichloro-2-butene	ug/L			< 0.51	< 0.51
Trichloroethene	ug/L	3	80.7	< 0.48	< 0.48
Trichlorofluoromethane	ug/L			< 0.42	< 0.42
Vinyl acetate	ug/L			< 0.81	< 0.81
Vinyl chloride	ug/L			< 0.50	< 0.50
Xylenes, Total	ug/L			< 0.23	< 0.23

Notes:

ug/L = micrograms per liter; mg/L = milligrams per liter; I = Reported value between method detection limit and practical quantitation limit

Table 3
Summary of Surface Water Analytical Results
Trail Ridge Landfill, Jacksonville, Florida

Parameter	Unit	ClassIWQS	ClassIIWQS	SW-1	SW-3
------------------	-------------	------------------	-------------------	-------------	-------------

Calc. indicates standard calculated based on sample hardness (see Table 5 for calculated values and comparison).
Bold values indicate detections above the laboratory detection limit
WQS = Water Quality Standard, Class I (potable) and Class III (freshwater) (FDEP Chapter 62-302)
Greyed cell indicates a WQS exceedance.

TABLE 4
Groundwater and Surface Water Field Parameter Summary
Trail Ridge Landfill, Jacksonville, Florida

Well ID	pH	Dissolved Oxygen	Specific Conductivity	Temperature	Turbidity	Color	Sheen
	(SU)	(mg/L)	(uS/cm)	(°C)	(NTU)	(by observation)	
Drinking Water SMCL:	6.5 to 8.5	--	--	--	--	--	--
Class I/III WQS:	Vary 1 Unit	<5.0	1,275 or 50%	--	29 > BG	--	--
Shallow Wells							
MWB-2(S)	NA	NA	NA	NA	NA	NA	NA
MWB-3(S)	4.55	0.2	61	25.7	3.81	None	None
MWB-11(S)	4.10	0.5	159	26.5	3.27	None	None
MWB-12(S)	5.65	1.4	296	27.3	11.96	Lt. Brown	None
MWB-13(S)	NA	NA	NA	NA	NA	NA	NA
MWB-20(S)	4.01	0.4	691	36.4	5.19	None	None
MWB-21(S)	4.96	0.3	265	27.1	4.02	Slit. Yellow	None
MWB-22(S)	5.87	0.2	274	27.2	3.08	None	None
MWB-27(S)	5.18	0.0	353	26.1	4.74	None	None
MWB-29(S)	4.44	0.0	101	28.7	1.98	None	None
MWB-32(S)	4.74	0.0	72	25.6	7.24	None	None
MWB-33(S)	5.48	0.2	163	26.8	3.83	Slit. Yellow	None
MWB-34(S)	5.88	0.0	283	26.4	4.56	None	None
Intermediate Wells							
MWB-2(I)	4.56	0.2	35	22.0	2.42	None	None
MWB-3(I)	4.62	0.1	41	23.1	2.52	None	None
MWB-11(IR)	4.71	0.0	38	25.7	4.87	None	None
MWB-12(I)	4.84	0.2	42	25.4	2.48	None	None
MWB-13(I)	5.06	0.2	40	27.2	4.04	None	None
MWB-27(I)	5.32	0.0	41	23.6	3.97	None	None
MWB-29(I)	4.93	0.0	31	26.1	17.22	None	None
MWB-32(I)	5.36	0.0	22	23.6	44.88	Whitish Tint	None
MWB-34(I)	5.07	0.0	23	26.3	8.24	None	None
Surface Water February 2015 Event							
SW-1	6.34	3.2	221	28.6	12.30	Slit. Yellow	None
SW-3	6.85	3.7	696	29.4	53.57	Brown	None

Notes:

SU - standard units; mg/L - milligrams per liter; uS/cm - microSiemens per centimeter ; NTU - nephelometric turbidity unit; BG - background level
 SMCL - secondary maximum contaminant level drinking water standard provided in F.A.C. Chapter 62-550
 Class I and III surface water quality standards provided in F.A.C. Chapter 62-302
 Grey cells indicate a WQS exceedance.
 Measurements collected by ProTech in August 2016.

TABLE 5
Surface Water Quality Standard Calculations
Trail Ridge Landfill, Jacksonville, Florida

Parameter	Units	WQS Class I & Class III	SW-1		SW-3		Total Hardness ¹ InH ²
			87		150		
			4.47		5.01		
			Result (total)	Standard	Result (total)	Standard	
Cadmium	ug/L	Measured $\leq e^{(0.7409[\ln H]-4.719)}$	< 0.15	0.2	< 0.15	0.4	
Chromium	ug/L	Measured $\leq e^{(0.819[\ln H]+0.6848)}$	< 1.6	77	4.9 I	120	
Copper	ug/L	Measured $\leq e^{(0.8545[\ln H]-1.702)}$	2.3 I	8.3	1.9 I	13	
Lead	ug/L	Measured $\leq e^{(1.273[\ln H]- 4.705)}$	1.1 I	2.7	4.6	5.3	
Nickel	ug/L	Measured $\leq e^{(0.846[\ln H]+0.0584)}$	< 1.9	46	5.6	74	
Zinc	ug/L	Measured $\leq e^{(0.8473[\ln H]+0.884)}$	< 9.6	106	< 9.6	169	

Notes:

ug/L - micrograms per liter

WQS - Water Quality Standard, Class I (potable), Class III (freshwater) provided in FDEP Chapter 62-302

*- According to FDEP Rule 62-302.530, if H is less than 25 than 25 shall be used in the calculations


¹ - Total measured total hardness (H) is reported in mg/L of CaCO3 in the Test America laboratory report

² - "ln H" means the natural logarithm of total hardness expressed as mg/L of CaCO3

I - result is qualified because the detection was between method detection limits and practical quantitation limits.

Bold values indicate detections above the laboratory detection limit; greyed cells indicate a WQS exceedance.


FIGURES



G:\Waste Management\1302576-01 Trail Ridge\1302576-01 Site Loc.dwg | Layout: 1302576-01 Site Loc.dwg | Modified: SPechnota 03/17/2016 7:42 AM | Plotted: SPechnota 10/13/2016


REFERENCES

USGS 7.5 MINUTE QUADRANGLE; MAXVILLE, FL 1970
(PHOTOINSPECTED 1984).



PROJECT		WASTE MANAGEMENT TRAIL RIDGE LANDFILL / JACKSONVILLE, FL	
TITLE			
SITE LOCATION			
PROJECT No.	130257602	FILE No.	1302576-01 Site Loc
DESIGN	-	SCALE	AS SHOWN
CADD	SEP	2016/10/05	1
CHECK	LS	2016/10/05	
REVIEW	RMW	2016/10/05	






LEGEND

- PHASE BOUNDARY
- ⊕ MONITORING WELL
- ⊕ PIEZOMETER
- (S) DESIGNATES A SHALLOW MONITORING WELL OR PIEZOMETER
- (I) DESIGNATES AN INTERMEDIATE MONITORING WELL OR PIEZOMETER
- (D) DESIGNATES A DEEP PIEZOMETER
- ▲ SW-1 SURFACE WATER MONITORING POINT

REFERENCES


1. BASE MAP PROVIDED BY WASTE MANAGEMENT, INC. OF FLORIDA, DATE OF PHOTOGRAPHY 01/12/11.
2. MONITORING WELLS, SURFACE WATER MONITORING POINTS AND SITE FEATURES FROM GROUNDWATER CONTOUR MAPS BY HDR ENGINEERING, INC., DATED 07/20/10.



PROJECT			
WASTE MANAGEMENT TRAIL RIDGE LANDFILL / JACKSONVILLE, FL			
TITLE			
SITE LAYOUT AND SAMPLING LOCATIONS			
PROJECT No.	130257602	FILE No.	1302576-02 Site-Sample Loc
DESIGN	-	SCALE	AS SHOWN
CADD	SEP	2016/10/05	FIGURE
CHECK	LS	2016/10/05	
REVIEW	RMW	2016/10/05	
			2




G:\Waste Management\1390141 Trail Ridge\1302576-02 Site-Sample Locations\ Modified: SP\choban 04/12/2016 12:28 PM | Printed: SP\choban 10/13/2016



- LEGEND**
- PHASE BOUNDARY
 - ⊕ SHALLOW MONITORING WELL
 - ⊕ SHALLOW PIEZOMETER
 - ▲ SW-1 SURFACE WATER MONITORING POINT
 - POTENTIOMETRIC CONTOUR (FT. MSL)
 - 112.12 GROUNDWATER ELEVATION (FT. MSL)

- NOTES**
1. WATER LEVELS MEASURED BY PROTECH ON AUGUST 23, 2016.
 2. PIEZOMETRIC WATER LEVEL ONLY.
 3. MWB-2S, MWB-13S, & MWB-11S WELLS NOT USED FOR POTENTIOMETRIC MAP.


- REFERENCES**
1. BASE MAP PROVIDED BY WASTE MANAGEMENT, INC. OF FLORIDA, DATE OF PHOTOGRAPHY 01/12/11.
 2. MONITORING WELLS, SURFACE WATER MONITORING POINTS AND SITE FEATURES FROM GROUNDWATER CONTOUR MAPS BY HDR ENGINEERING, INC., DATED 07/20/10.



PROJECT		WASTE MANAGEMENT TRAIL RIDGE LANDFILL / JACKSONVILLE, FL	
TITLE		SHALLOW SURFICIAL AQUIFER POTENTIOMETRIC MAP	
PROJECT No.	130257602	FILE No.	1302576-03 Shallow 2016-08
DESIGN	-	SCALE	AS SHOWN
CADD	SEP 2016/10/05	FIGURE	3
CHECK	LS 2016/10/05		
REVIEW	RMW 2016/10/05		



G:\Waste Management\11300141_Trail Ridge\Sum-Annual Pot Maps\2016-08\1302576-03 Shallow 2016-08.dwg | Layout: 1302576-03 Shallow 2016-08 | Modified: Sheetbld 10/05/2016 9:01 AM | Plotted: Sheetbld 10/05/2016



LEGEND


	PHASE BOUNDARY
	INTERMEDIATE MONITORING WELL
	INTERMEDIATE PIEZOMETER
	SW-1 SURFACE WATER MONITORING POINT
	POTENTIOMETRIC CONTOUR (FT. MSL)
112.13	GROUNDWATER ELEVATION (FT. MSL)

NOTES

1. WATER LEVELS MEASURED BY PROTECH ON AUGUST 23, 2016.
2. PIEZOMETRIC WATER LEVEL ONLY.

REFERENCES


1. BASE MAP PROVIDED BY WASTE MANAGEMENT, INC. OF FLORIDA, DATE OF PHOTOGRAPHY 01/12/11.
2. MONITORING WELLS, SURFACE WATER MONITORING POINTS AND SITE FEATURES FROM GROUNDWATER CONTOUR MAPS BY HDR ENGINEERING, INC., DATED 07/20/10.



PROJECT		WASTE MANAGEMENT TRAIL RIDGE LANDFILL / JACKSONVILLE, FL	
TITLE		INTERMEDIATE SURFICIAL AQUIFER POTENTIOMETRIC MAP	
PROJECT No.	130257602	FILE No.	1302576-04 Intermediate 2016-08
DESIGN	-	SCALE	AS SHOWN
CADD	SEP 2016/10/05	FIGURE	4
CHECK	LS 2016/10/05		
REVIEW	RMW 2016/10/05		



C:\Waste Management\1300141 Trail Ridge\Annual Pot Maps\2016-08\1302576-04 Intermediate 2016-08.dwg Layout: 1302576-04 Intermediate 2016-08.dwg Plotted: SPlcchda 10/05/2016



LEGEND


	PHASE BOUNDARY
	DEEP PIEZOMETER
	SURFACE WATER MONITORING POINT
	POTENTIOMETRIC CONTOUR (FT. MSL)
115.19	GROUNDWATER ELEVATION (FT. MSL)

NOTES

1. WATER LEVELS MEASURED BY PROTECH ON AUGUST 23, 2016.
2. PIEZOMETRIC WATER LEVEL ONLY.

REFERENCES

1. BASE MAP PROVIDED BY WASTE MANAGEMENT, INC. OF FLORIDA, DATE OF PHOTOGRAPHY 01/12/11.
2. MONITORING WELLS, SURFACE WATER MONITORING POINTS AND SITE FEATURES FROM GROUNDWATER CONTOUR MAPS BY HDR ENGINEERING, INC., DATED 07/20/10.



PROJECT		WASTE MANAGEMENT TRAIL RIDGE LANDFILL / JACKSONVILLE, FL	
TITLE		DEEP SURFICIAL AQUIFER POTENTIOMETRIC MAP	
PROJECT No.	130257602	FILE No.	1302576-05 Deep 2016-08
DESIGN	-	SCALE	AS SHOWN
CADD	SEP	2016/10/05	FIGURE
CHECK	LS	2016/10/05	5
REVIEW	RMW	2016/10/05	



G:\Waste Management\11380141_Trail Ridge\Annual Pot Maps\2016-08\1302576-05 Deep 2016-08.dwg | Layout: 1302576-05 Deep 2016-08.dwg | Modified: S:\Projects\10132016 10 13 AM | Plotted: S:\Projects\10202016

**APPENDIX A
INSTRUMENT CALIBRATION FIELD RECORDS
AND WELL DEVELOPMENT FORMS**

PROFESSIONAL TECHNICAL SUPPORT SERVICES, INC.

Atlanta (770) 723-9229
 Baton Rouge (504) 293-0136
 Jacksonville (904) 693-3177
 Houston (281) 441-7606
 Pittsburgh (412) 746-8823

FACILITY NAME: TRAIL RIDGE

DEPTH TO WATER
 MEASUREMENTS

DATE: 8-23-16

MONITORING LOCATION	DEPTH TO WATER (ft TOC)
MWB275	10.09
MWB295	9.41
MWB29I	10.58
MWB27I	11.47
MWB3I	16.18
MWB11I(R)	16.59
MWB13I	19.62
MWB12I	11.65
MWB125	11.73
MWB225	12.92
MWB135	DRY
MWB115	NA - WATER LEVEL IS BELOW DEDICATED PUMP
MWB205	10.55
MWB35	10.38
MWB25	DRY
MWB345	10.57
MWB335	11.65

MONITORING LOCATION	DEPTH TO WATER (ft TOC)
MWB215	11.34
MWB34I	12.32
MWB2I	14.23
MWB325	10.65
MWB32I	11.54
MWB12D	9.37
MWB235	17.65
MWB14I	13.61
MWB14D	13.65
MWB145	DRY
MWB245	8.81
MWB255	10.98
MWB25I	9.97
MWB25D	10.59
MWB265	10.00
MWB27D	11.85
MWB285	9.02



WELL CONDITION INSPECTION FORM

Site: TRAIL RIDGE Personnel: DAN ARNDT

Date: 8-23-16 Page 1 of 3

Well ID	Protective Casing	Well Casing	Label	Lock	Sample Equipment Type	General Turbidity	Well Yield	Comments/Observations *
MWB33	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	DEDICATED BLADDER PUMP	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB205	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB115	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB133	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	DRY WELL
MWB223	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB125	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB293	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB273	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB121	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB131	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	

* Note ponding water, weep holes, or any other information pertaining to well condition. Provide additional details on listed items. Return this form to Site Manager - FOR INTERNAL USE ONLY.



WELL CONDITION INSPECTION FORM

Site: TRAIL RIDGE Personnel: DAV ARMOUR

Date: 8-23-16 Page 2 of 3

Well ID	Protective Casing	Well Casing	Label	Lock	Sample Equipment Type	General Turbidity	Well Yield	Comments/Observations *
MWB11(K)	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	DEDICATED BLADDER PUMP	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB31	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB27I	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB29I	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB2I	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB34I	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB32I	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB21S	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB33S	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB34S	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	

* Note ponding water, weep holes, or any other information pertaining to well condition. Provide additional details on listed items. Return this form to Site Manager - FOR INTERNAL USE ONLY.



WELL CONDITION INSPECTION FORM

Site: TRAIL BRIDGE Personnel: DAN ARMSTRONG

Date: 8-23-14 Page 3 of 3

Well ID	Protective Casing	Well Casing	Label	Lock	Sample Equipment Type	General Turbidity	Well Yield	Comments/Observations *
MWB25	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	DEDICATED BLADDER PUMP	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	
MWB25	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Damaged	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	"	<input checked="" type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input checked="" type="checkbox"/> OK <input type="checkbox"/> Inadequate	DRY WELL
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	
	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Damaged	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Clear <input type="checkbox"/> Turbid	<input type="checkbox"/> OK <input type="checkbox"/> Inadequate	

* Note ponding water, weep holes, or any other information pertaining to well condition. Provide additional details on listed items. Return this form to Site Manager - FOR INTERNAL USE ONLY.

Table FS 2200-2
 Dissolved Oxygen Saturation

TEMP	D.O.	mg/L	TEMP	D.O.	mg/L	TEMP	D.O.	mg/L	TEMP	D.O.	mg/L
deg C	SAT.	20%	deg C	SAT.	20%	deg C	SAT.	20%	deg C	SAT.	20%
15.0	10.084	2.017	19.0	9.276	1.855	23.0	8.578	1.716	27.0	7.968	1.594
15.1	10.062	2.012	19.1	9.258	1.852	23.1	8.562	1.712	27.1	7.954	1.591
15.2	10.040	2.008	19.2	9.239	1.848	23.2	8.546	1.709	27.2	7.940	1.588
15.3	10.019	2.004	19.3	9.220	1.844	23.3	8.530	1.706	27.3	7.926	1.585
15.4	9.997	1.999	19.4	9.202	1.840	23.4	8.514	1.703	27.4	7.912	1.582
15.5	9.978	1.995	19.5	9.184	1.837	23.5	8.498	1.700	27.5	7.898	1.580
15.6	9.955	1.991	19.6	9.165	1.833	23.6	8.482	1.696	27.6	7.884	1.577
15.7	9.934	1.987	19.7	9.147	1.829	23.7	8.466	1.693	27.7	7.870	1.574
15.8	9.912	1.982	19.8	9.129	1.826	23.8	8.450	1.690	27.8	7.856	1.571
15.9	9.891	1.978	19.9	9.111	1.822	23.9	8.434	1.687	27.9	7.842	1.568
16.0	9.870	1.974	20.0	9.092	1.818	24.0	8.418	1.684	28.0	7.828	1.566
16.1	9.849	1.970	20.1	9.074	1.815	24.1	8.403	1.681	28.1	7.814	1.563
16.2	9.829	1.966	20.2	9.056	1.811	24.2	8.387	1.677	28.2	7.800	1.560
16.3	9.808	1.962	20.3	9.039	1.808	24.3	8.371	1.674	28.3	7.786	1.557
16.4	9.787	1.957	20.4	9.021	1.804	24.4	8.356	1.671	28.4	7.773	1.555
16.5	9.767	1.953	20.5	9.003	1.801	24.5	8.340	1.668	28.5	7.759	1.552
16.6	9.746	1.949	20.6	8.985	1.797	24.6	8.325	1.665	28.6	7.745	1.549
16.7	9.726	1.945	20.7	8.968	1.794	24.7	8.309	1.662	28.7	7.732	1.546
16.8	9.705	1.941	20.8	8.950	1.790	24.8	8.294	1.659	28.8	7.718	1.544
16.9	9.685	1.937	20.9	8.932	1.786	24.9	8.279	1.656	28.9	7.705	1.541
17.0	9.665	1.933	21.0	8.915	1.783	25.0	8.263	1.653	29.0	7.691	1.538
17.1	9.645	1.929	21.1	8.898	1.780	25.1	8.248	1.650	29.1	7.678	1.536
17.2	9.625	1.925	21.2	8.880	1.776	25.2	8.233	1.647	29.2	7.664	1.533
17.3	9.605	1.921	21.3	8.863	1.773	25.3	8.218	1.644	29.3	7.651	1.530
17.4	9.585	1.917	21.4	8.846	1.769	25.4	8.203	1.641	29.4	7.638	1.528
17.5	9.565	1.913	21.5	8.829	1.766	25.5	8.188	1.638	29.5	7.625	1.525
17.6	9.545	1.909	21.6	8.812	1.762	25.6	8.173	1.635	29.6	7.611	1.522
17.7	9.526	1.905	21.7	8.794	1.759	25.7	8.158	1.632	29.7	7.598	1.520
17.8	9.506	1.901	21.8	8.777	1.755	25.8	8.143	1.629	29.8	7.585	1.517
17.9	9.486	1.897	21.9	8.761	1.752	25.9	8.128	1.626	29.9	7.572	1.514
18.0	9.467	1.893	22.0	8.744	1.749	26.0	8.114	1.623	30.0	7.559	1.512
18.1	9.448	1.890	22.1	8.727	1.745	26.1	8.099	1.620	30.1	7.546	1.509
18.2	9.428	1.886	22.2	8.710	1.742	26.2	8.084	1.617	30.2	7.533	1.507
18.3	9.409	1.882	22.3	8.693	1.739	26.3	8.070	1.614	30.3	7.520	1.504
18.4	9.390	1.878	22.4	8.677	1.735	26.4	8.055	1.611	30.4	7.507	1.501
18.5	9.371	1.874	22.5	8.660	1.732	26.5	8.040	1.608	30.5	7.494	1.499
18.6	9.352	1.870	22.6	8.644	1.729	26.6	8.026	1.605	30.6	7.481	1.496
18.7	9.333	1.867	22.7	8.627	1.725	26.7	8.012	1.602	30.7	7.468	1.494
18.8	9.314	1.863	22.8	8.611	1.722	26.8	7.997	1.599	30.8	7.456	1.491
18.9	9.295	1.859	22.9	8.595	1.719	26.9	7.983	1.597	30.9	7.443	1.489

Derived using the formula in Standard Methods for the Examination of Water and Wastewater, Page 4-101, 18th Edition, 1992

APPENDIX B
LABORATORY ANALYTICAL REPORTS, CHAIN-OF-CUSTODY FORMS, AND
GROUNDWATER COLLECTION FORMS

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-129072-1
Client Project/Site: Trail Ridge Landfill

For:
Golder Associates Inc.
3730 Chamblee Tucker Road
Atlanta, Georgia 30341

Attn: Lizmarie Steel



Authorized for release by:
9/22/2016 5:10:48 PM

Lisa Harvey, Project Manager II
(912)354-7858 e.3221
lisa.harvey@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Case Narrative

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Job ID: 680-129072-1

Laboratory: TestAmerica Savannah

Narrative

Client: Golder Associates Inc.
Project: Trail Ridge Landfill
Report Number: 680-129072-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 8/24/2016 10:40 AM and 8/25/2016 9:17 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 7 coolers at receipt time were 1.4° C, 1.8° C, 2.3° C, 2.4° C, 2.6° C, 2.8° C and 3.3° C.

VOLATILE ORGANIC COMPOUNDS (GC-MS)

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), TRIP Blank - MW 129123 (680-129123-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), FIELD BLANK 01 129072 (680-129072-8), TRIP BLANK 129072 (680-129072-9), SW-1 (680-129123-11), SW-3 (680-129123-12) and TRIP Blank - SW 129123 (680-129123-13) were analyzed for Volatile Organic Compounds (GC-MS) in accordance with EPA SW-846 Method 8260B. The samples were analyzed on 08/31/2016 and 09/02/2016.

Method(s) 8260B: The continuing calibration verification (CCV) associated with batch 680-447885 recovered above the upper control limit for Iodomethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following sample is impacted: CCVIS 680-447885/3.

Method(s) 8260B: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 680-447885 recovered outside control limits for the following analytes: Bromoform, Bromomethane, and Iodomethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-447885.

Method(s) 8260B: The surrogate recovery for the blank associated with analytical batch 680-448234 was outside the upper control limits.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-448234.

Method(s) 8260B: The laboratory control sample (LCS) for analytical batch 680-448234 recovered outside control limits for bromomethane. This analyte was biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method(s) 8260B: The %RPD of the laboratory control sample (LCS) and laboratory control standard duplicate (LCSD) for preparation batch 680-448234 recovered outside control limits for the following analytes: Bromomethane, Trichlorofluoromethane and Vinyl chloride

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1,2-DIBROMOETHANE AND 1,2-DIBROMO-3-CHLOROPROPANE BY MICROEXTRACTION AND GAS CHROMATOGRAPHY

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), FIELD BLANK 01 129072 (680-129072-8), SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for 1,2-dibromoethane and 1,2-dibromo-3-chloropropane by microextraction and gas chromatography in accordance with EPA SW-846 Method 8011. The samples were prepared on 08/25/2016, 08/29/2016 and 09/13/2016 and analyzed on 08/26/2016, 08/29/2016 and 09/13/2016.

Case Narrative

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Job ID: 680-129072-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

Method(s) 8011: Surrogate compounds were inadvertently omitted during the extraction process for the following sample: 680-129072-8. There was insufficient sample remaining to perform re-extraction and/or re-analysis; therefore, the data have been reported and qualified.

Method(s) 8011: Surrogate recovery for the following sample was outside the upper control limit: 680-129072-2. This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8011: Re-analysis of the following sample was performed outside of the analytical holding time due to the analyst inadvertently adding spiking solution to the sample on the first extraction: 680-129072-8. Client notified 09/13/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICPMS)

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), MWB2I (680-129123-7), FIELD BLANK 01 129072 (680-129072-8), MWB34I (680-129123-8), MWB32I (680-129123-9), MWB12I (680-129072-10), MWB13I (680-129072-11), SW-1 (680-129123-11), MWB11I (R) (680-129072-12), SW-3 (680-129123-12), MWB3I (680-129072-13), MWB27I (680-129072-14) and MWB29I (680-129072-15) were analyzed for metals (ICPMS) in accordance with EPA SW-846 Method 6020A. The samples were prepared on 08/26/2016 and analyzed on 08/27/2016 and 08/29/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL MERCURY

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7) and FIELD BLANK 01 129072 (680-129072-8) were analyzed for total mercury in accordance with EPA SW-846 Methods 7470A. The samples were prepared on 08/26/2016 and analyzed on 08/27/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL DISSOLVED SOLIDS

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), MWB2I (680-129123-7), FIELD BLANK 01 129072 (680-129072-8), MWB34I (680-129123-8), MWB32I (680-129123-9), MWB12I (680-129072-10), MWB13I (680-129072-11), SW-1 (680-129123-11), MWB11I (R) (680-129072-12), SW-3 (680-129123-12), MWB3I (680-129072-13), MWB27I (680-129072-14) and MWB29I (680-129072-15) were analyzed for total dissolved solids in accordance with SM 2540C. The samples were analyzed on 08/24/2016 and 08/26/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL SUSPENDED SOLIDS

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total suspended solids in accordance with SM 2540D. The samples were analyzed on 08/25/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ANIONS BY ION CHROMATOGRAPHY (28 DAY)

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), MWB2I (680-129123-7), FIELD BLANK 01 129072 (680-129072-8), MWB34I (680-129123-8), MWB32I (680-129123-9), MWB12I (680-129072-10), MWB13I (680-129072-11), MWB11I (R) (680-129072-12), MWB3I (680-129072-13), MWB27I (680-129072-14) and MWB29I (680-129072-15) were analyzed for

Case Narrative

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Job ID: 680-129072-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

Anions by Ion Chromatography (28 Day) in accordance with EPA Method 300.0. The samples were analyzed on 09/01/2016, 09/02/2016 and 09/06/2016.

Sample MWB20S (680-129072-2)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

AMMONIA

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), MWB2I (680-129123-7), FIELD BLANK 01 129072 (680-129072-8), MWB34I (680-129123-8), MWB32I (680-129123-9), MWB12I (680-129072-10), MWB13I (680-129072-11), SW-1 (680-129123-11), MWB11I (R) (680-129072-12), SW-3 (680-129123-12), MWB3I (680-129072-13), MWB27I (680-129072-14) and MWB29I (680-129072-15) were analyzed for ammonia in accordance with EPA Method 350.1. The samples were analyzed on 08/25/2016, 08/26/2016 and 08/31/2016.

Sample MWB20S (680-129072-2)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL KJELDAHL NITROGEN (TKN)

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total kjeldahl nitrogen (TKN) in accordance with EPA Method 351.2. The samples were prepared on 09/01/2016 and analyzed on 09/02/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

NITRATE-NITRITE AS NITROGEN

Samples MWB3S (680-129072-1), MWB21S (680-129123-1), MWB20S (680-129072-2), MWB33S (680-129123-2), MWB11S (680-129072-3), MWB34S (680-129123-3), MWB22S (680-129072-4), FIELD BLANK 02 129123 (680-129123-4), MWB12S (680-129072-5), MWB29S (680-129072-6), MWB32S (680-129123-6), MWB27S (680-129072-7), MWB2I (680-129123-7), FIELD BLANK 01 129072 (680-129072-8), MWB34I (680-129123-8), MWB32I (680-129123-9), MWB12I (680-129072-10), MWB13I (680-129072-11), SW-1 (680-129123-11), MWB11I (R) (680-129072-12), SW-3 (680-129123-12), MWB3I (680-129072-13), MWB27I (680-129072-14) and MWB29I (680-129072-15) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 08/24/2016 and 08/25/2016.

Sample MWB21S (680-129072-1)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL PHOSPHORUS

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total phosphorus in accordance with EPA Method 365.4. The samples were prepared on 09/01/2016 and analyzed on 09/02/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ORTHOPHOSPHATE AS P

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for orthophosphate as P in accordance with SM 4500P F. The samples were analyzed on 08/26/2016.

Method(s) 4500 P F: The following samples were analyzed outside of analytical holding time since these samples were not logged in for Orthophosphate until after their holding times had expired: 680-129123-11 and 680-129123-12. Client was notified 08/26/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

BIOCHEMICAL OXYGEN DEMAND

Case Narrative

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Job ID: 680-129072-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for Biochemical Oxygen Demand in accordance with SM 5210B. The samples were analyzed on 08/25/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CHEMICAL OXYGEN DEMAND

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for chemical oxygen demand in accordance with SM 5220D. The samples were analyzed on 09/02/2016.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL NITROGEN BY CALCULATION

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total nitrogen by calculation in accordance with a calculated method. The samples were analyzed on 09/06/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL HARDNESS (AS CaCO₃) BY CALCULATION

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total hardness (as CaCO₃) by calculation in accordance with SM 2340B. The samples were analyzed on 09/06/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL ORGANIC CARBON

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for total organic carbon in accordance with SM 5310B. The samples were analyzed on 08/30/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

UNIONIZED AMMONIA

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for unionized ammonia in accordance with FL DEP SOP. The samples were analyzed on 09/06/2016.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

LOW LEVEL MERCURY

Samples SW-1 (680-129123-11) and SW-3 (680-129123-12) were analyzed for Low Level Mercury in accordance with EPA Method 1631. The samples were prepared on 08/26/2016 and analyzed on 08/30/2016.

Method(s) 1631E: The samples were received with labels already on the vials.

Method(s) 1631E: The following samples were diluted due to the nature of the sample matrix: 680-129123-11, 680-129123-12, 680-129123-S-12 MS and 680-129123-S-12 MSD. Elevated reporting limits (RLs) are provided. The samples appear to be dirty.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-129072-1	MWB3S	Water	08/23/16 12:01	08/24/16 10:40
680-129072-2	MWB20S	Water	08/23/16 11:25	08/24/16 10:40
680-129072-3	MWB11S	Water	08/23/16 10:53	08/24/16 10:40
680-129072-4	MWB22S	Water	08/23/16 08:50	08/24/16 10:40
680-129072-5	MWB12S	Water	08/23/16 08:16	08/24/16 10:40
680-129072-6	MWB29S	Water	08/23/16 11:45	08/24/16 10:40
680-129072-7	MWB27S	Water	08/23/16 10:20	08/24/16 10:40
680-129072-8	FIELD BLANK 01 129072	Water	08/23/16 13:20	08/24/16 10:40
680-129072-9	TRIP BLANK 129072	Water	08/23/16 00:00	08/24/16 10:40
680-129072-10	MWB12I	Water	08/23/16 07:45	08/24/16 10:40
680-129072-11	MWB13I	Water	08/23/16 09:26	08/24/16 10:40
680-129072-12	MWB11I (R)	Water	08/23/16 10:21	08/24/16 10:40
680-129072-13	MWB3I	Water	08/23/16 12:35	08/24/16 10:40
680-129072-14	MWB27I	Water	08/23/16 11:05	08/24/16 10:40
680-129072-15	MWB29I	Water	08/23/16 12:21	08/24/16 10:40
680-129123-1	MWB21S	Water	08/24/16 09:32	08/25/16 09:17
680-129123-2	MWB33S	Water	08/24/16 10:45	08/25/16 09:17
680-129123-3	MWB34S	Water	08/24/16 09:05	08/25/16 09:17
680-129123-4	FIELD BLANK 02 129123	Water	08/24/16 11:30	08/25/16 09:17
680-129123-5	TRIP Blank - MW 129123.	Water	08/24/16 00:00	08/25/16 09:17
680-129123-6	MWB32S	Water	08/24/16 10:50	08/25/16 09:17
680-129123-7	MWB2I	Water	08/24/16 10:06	08/25/16 09:17
680-129123-8	MWB34I	Water	08/24/16 09:48	08/25/16 09:17
680-129123-9	MWB32I	Water	08/24/16 11:58	08/25/16 09:17
680-129123-11	SW-1	Water	08/24/16 07:45	08/25/16 09:17
680-129123-12	SW-3	Water	08/24/16 08:15	08/25/16 09:17
680-129123-13	TRIP Blank - SW 129123	Water	08/24/16 00:00	08/25/16 09:17

Method Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL SAV
8011	EDB, DBCP, and 1,2,3-TCP (GC)	SW846	TAL SAV
300.0-1993 R2.1	Anions, Ion Chromatography	MCAWW	TAL SAV
1631E	Mercury, Low Level (CVAFS)	EPA	TAL PEN
2340B-2011	Total Hardness (as CaCO3) by calculation	SM	TAL SAV
6020A	Metals (ICP/MS)	SW846	TAL SAV
7470A	Mercury (CVAA)	SW846	TAL SAV
2540 D-2011	Total Suspended Solids (Dried at 103-105°C)	SM	TAL SAV
2540C-2011	Total Dissolved Solids (Dried at 180 °C)	SM	TAL SAV
350.1-1993 R2.0	Nitrogen, Ammonia	MCAWW	TAL SAV
351.2-1993 R2.0	Nitrogen, Total Nitrogen	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
365.4-1974	Phosphorus, Total	EPA	TAL SAV
4500 P F-2011	Orthophosphate, Automated Ascorbic Acid Method	SM	TAL SAV
5210B-2011	BOD, 5-Day	SM	TAL SAV
5220D-2011	Chemical Oxygen Demand	SM	TAL SAV
5310 B-2011	Organic Carbon, Total (TOC)	SM	TAL SAV
Total Nitrogen	Nitrogen, Total	EPA	TAL SAV
UnionizedNH3	Ammonia, Unionized	FL-DEP	TAL SAV
Field Sampling	Field Sampling	EPA	TAL SAV
9222D Fecal Coliform (Diversified)	General Sub Contract Method	NONE	
Chlorophyll a (ENCO)	General Sub Contract Method	NONE	ENCO

Protocol References:

- EPA = US Environmental Protection Agency
- FL-DEP = State Of Florida Department Of Environmental Protection, Florida Administrative Code.
- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- NONE = NONE
- SM = "Standard Methods For The Examination Of Water And Wastewater",
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

- = Diversified Environmental Laboratories, 3653 Regent Blvd. Suite 509, Jacksonville, FL 32224
- ENCO = ENCO-Orlando, 10775 Central Port Drive, Orlando, FL 32824, TEL (407)826-5314
- TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001
- TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Definitions/Glossary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.
J	Estimated value; value may not be accurate.

GC Semi VOA

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.
J	Estimated value; value may not be accurate.
Q	Sample held beyond the accepted holding time.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

General Chemistry

Qualifier	Qualifier Description
U	Indicates that the compound was analyzed for but not detected.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
Q	Sample held beyond the accepted holding time.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3S

Lab Sample ID: 680-129072-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	7.6		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	15		5.0	0.61	ug/L	1		6020A	Total Recoverable
Iron	2700		100	25	ug/L	1		6020A	Total Recoverable
Sodium	4.1		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	35		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.55				SU	1		Field Sampling	Total/NA
Field Temperature	25.7				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	61				umhos/cm	1		Field Sampling	Total/NA
Turbidity	3.81				NTU	1		Field Sampling	Total/NA
Water Level	144.00				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB20S

Lab Sample ID: 680-129072-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	280		5.0	2.0	mg/L	10		300.0-1993 R2.1	Total/NA
Barium	26		5.0	0.61	ug/L	1		6020A	Total Recoverable
Chromium	1.9	I	5.0	1.6	ug/L	1		6020A	Total Recoverable
Cobalt	0.22	I	0.50	0.12	ug/L	1		6020A	Total Recoverable
Iron	280		100	25	ug/L	1		6020A	Total Recoverable
Sodium	120		0.50	0.17	mg/L	1		6020A	Total Recoverable
Vanadium	5.7	I	10	5.3	ug/L	1		6020A	Total Recoverable
Total Dissolved Solids	560		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	3.8		0.50	0.20	mg/L	2		350.1-1993 R2.0	Total/NA
Nitrate as N	0.072		0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.01				SU	1		Field Sampling	Total/NA
Field Temperature	36.4				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.4				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	691				umhos/cm	1		Field Sampling	Total/NA
Turbidity	5.19				NTU	1		Field Sampling	Total/NA
Water Level	110.46				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB11S

Lab Sample ID: 680-129072-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	16		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	68		5.0	0.61	ug/L	1		6020A	Total Recoverable
Cobalt	0.53		0.50	0.12	ug/L	1		6020A	Total Recoverable

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB11S (Continued)

Lab Sample ID: 680-129072-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron	1400		100	25	ug/L	1		6020A	Total Recoverable
Sodium	11		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	87		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Nitrate as N	0.018	I	0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.10				SU	1		Field Sampling	Total/NA
Field Temperature	26.5				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.5				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	159				umhos/cm	1		Field Sampling	Total/NA
Turbidity	3.27				NTU	1		Field Sampling	Total/NA

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	10		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	4.8	I	5.0	0.61	ug/L	1		6020A	Total Recoverable
Iron	120		100	25	ug/L	1		6020A	Total Recoverable
Sodium	9.1		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	180		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	0.11	I	0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	5.87				SU	1		Field Sampling	Total/NA
Field Temperature	27.2				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	274				umhos/cm	1		Field Sampling	Total/NA
Turbidity	3.08				NTU	1		Field Sampling	Total/NA
Water Level	114.05				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB12S

Lab Sample ID: 680-129072-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	44		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	5.8		5.0	0.61	ug/L	1		6020A	Total Recoverable
Iron	200		100	25	ug/L	1		6020A	Total Recoverable
Selenium	2.4	I	2.5	1.0	ug/L	1		6020A	Total Recoverable
Sodium	25		0.50	0.17	mg/L	1		6020A	Total Recoverable
Vanadium	15		10	5.3	ug/L	1		6020A	Total Recoverable
Total Dissolved Solids	200		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	0.22	I	0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Nitrate as N	0.038	I	0.050	0.010	mg/L	1		353.2	Total/NA
Color	Lt Brown				PCU	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12S (Continued)

Lab Sample ID: 680-129072-5

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Field pH	5.65				SU	1		Field Sampling	Total/NA
Field Temperature	27.3				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	1.4				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	296				umhos/cm	1		Field Sampling	Total/NA
Turbidity	11.96				NTU	1		Field Sampling	Total/NA
Water Level	112.90				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB29S

Lab Sample ID: 680-129072-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	17		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	20		5.0	0.61	ug/L	1		6020A	Total Recoverable
Cobalt	0.22	I	0.50	0.12	ug/L	1		6020A	Total Recoverable
Iron	420		100	25	ug/L	1		6020A	Total Recoverable
Sodium	13		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	84		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	0.35		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Nitrate as N	0.037	I	0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.44				SU	1		Field Sampling	Total/NA
Field Temperature	28.7				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	101				umhos/cm	1		Field Sampling	Total/NA
Turbidity	1.98				NTU	1		Field Sampling	Total/NA
Water Level	128.61				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB27S

Lab Sample ID: 680-129072-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	33		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	7.5		5.0	0.61	ug/L	1		6020A	Total Recoverable
Chromium	1.7	I	5.0	1.6	ug/L	1		6020A	Total Recoverable
Cobalt	0.18	I	0.50	0.12	ug/L	1		6020A	Total Recoverable
Iron	250		100	25	ug/L	1		6020A	Total Recoverable
Nickel	2.4	I	5.0	1.9	ug/L	1		6020A	Total Recoverable
Sodium	26		0.50	0.17	mg/L	1		6020A	Total Recoverable
Vanadium	6.1	I	10	5.3	ug/L	1		6020A	Total Recoverable
Total Dissolved Solids	160		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	1.1		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27S (Continued)

Lab Sample ID: 680-129072-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Field pH	5.18				SU	1		Field Sampling	Total/NA
Field Temperature	26.1				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	353				umhos/cm	1		Field Sampling	Total/NA
Turbidity	4.74				NTU	1		Field Sampling	Total/NA
Water Level	118.33				ft	1		Field Sampling	Total/NA

Client Sample ID: FIELD BLANK 01 129072

Lab Sample ID: 680-129072-8

No Detections.

Client Sample ID: TRIP BLANK 129072

Lab Sample ID: 680-129072-9

No Detections.

Client Sample ID: MWB12I

Lab Sample ID: 680-129072-10

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.0		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	350		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.1		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	85		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.84				SU	1		Field Sampling	Total/NA
Field Temperature	25.4				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	42				umhos/cm	1		Field Sampling	Total/NA
Turbidity	2.48				NTU	1		Field Sampling	Total/NA
Water Level	112.97				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB13I

Lab Sample ID: 680-129072-11

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.0		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	290		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.0		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	54		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	5.06				SU	1		Field Sampling	Total/NA
Field Temperature	27.2				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	40				umhos/cm	1		Field Sampling	Total/NA
Turbidity	4.04				NTU	1		Field Sampling	Total/NA
Water Level	106.36				ft	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB111 (R)

Lab Sample ID: 680-129072-12

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.1		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	440		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.1		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	56		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Nitrate as N	0.018	I	0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.71				SU	1		Field Sampling	Total/NA
Field Temperature	25.7				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	38				umhos/cm	1		Field Sampling	Total/NA
Turbidity	4.87				NTU	1		Field Sampling	Total/NA
Water Level	103.84				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB31

Lab Sample ID: 680-129072-13

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.1		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	860		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.8		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	51		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.62				SU	1		Field Sampling	Total/NA
Field Temperature	23.1				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.1				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	41				umhos/cm	1		Field Sampling	Total/NA
Turbidity	2.52				NTU	1		Field Sampling	Total/NA
Water Level	135.68				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB271

Lab Sample ID: 680-129072-14

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.2		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	440		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.4		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	63		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Nitrate as N	0.018	I	0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	5.32				SU	1		Field Sampling	Total/NA
Field Temperature	23.6				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	41				umhos/cm	1		Field Sampling	Total/NA
Turbidity	3.97				NTU	1		Field Sampling	Total/NA
Water Level	117.16				ft	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB29I

Lab Sample ID: 680-129072-15

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.8		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	410		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.9		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	41		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.93				SU	1		Field Sampling	Total/NA
Field Temperature	26.1				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	31				umhos/cm	1		Field Sampling	Total/NA
Turbidity	17.22				NTU	1		Field Sampling	Total/NA
Water Level	127.50				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB21S

Lab Sample ID: 680-129123-1

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	25		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Antimony	0.50	I	5.0	0.50	ug/L	1		6020A	Total Recoverable
Barium	19		5.0	0.61	ug/L	1		6020A	Total Recoverable
Chromium	2.4	I	5.0	1.6	ug/L	1		6020A	Total Recoverable
Cobalt	0.17	I	0.50	0.12	ug/L	1		6020A	Total Recoverable
Copper	4.8	I	5.0	1.7	ug/L	1		6020A	Total Recoverable
Iron	190		100	25	ug/L	1		6020A	Total Recoverable
Selenium	7.4		2.5	1.0	ug/L	1		6020A	Total Recoverable
Sodium	15		0.50	0.17	mg/L	1		6020A	Total Recoverable
Vanadium	16		10	5.3	ug/L	1		6020A	Total Recoverable
Total Dissolved Solids	210		10	10	mg/L	1		2540C-2011	Total/NA
Nitrate as N	7.0		0.50	0.10	mg/L	10		353.2	Total/NA
Color	Slt Yellow				PCU	1		Field Sampling	Total/NA
Field pH	4.96				SU	1		Field Sampling	Total/NA
Field Temperature	27.1				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.3				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	265				umhos/cm	1		Field Sampling	Total/NA
Turbidity	4.02				NTU	1		Field Sampling	Total/NA
Water Level	111.53				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB33S

Lab Sample ID: 680-129123-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.8		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB33S (Continued)

Lab Sample ID: 680-129123-2

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Barium	8.3		5.0	0.61	ug/L	1		6020A	Total
Iron	130		100	25	ug/L	1		6020A	Total
Sodium	4.0		0.50	0.17	mg/L	1		6020A	Total
Total Dissolved Solids	120		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	0.72		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Color	Slt Yellow				PCU	1		Field Sampling	Total/NA
Field pH	5.48				SU	1		Field Sampling	Total/NA
Field Temperature	26.8				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	163				umhos/cm	1		Field Sampling	Total/NA
Turbidity	3.83				NTU	1		Field Sampling	Total/NA
Water Level	114.26				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB34S

Lab Sample ID: 680-129123-3

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	21		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	6.8		5.0	0.61	ug/L	1		6020A	Total
Chromium	1.7	I	5.0	1.6	ug/L	1		6020A	Total
Cobalt	0.35	I	0.50	0.12	ug/L	1		6020A	Total
Copper	1.7	I	5.0	1.7	ug/L	1		6020A	Total
Iron	430		100	25	ug/L	1		6020A	Total
Selenium	2.4	I	2.5	1.0	ug/L	1		6020A	Total
Sodium	18		0.50	0.17	mg/L	1		6020A	Total
Vanadium	13		10	5.3	ug/L	1		6020A	Total
Zinc	10	I	20	9.6	ug/L	1		6020A	Total
Total Dissolved Solids	220		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	1.1		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Nitrate as N	0.099		0.050	0.010	mg/L	1		353.2	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	5.88				SU	1		Field Sampling	Total/NA
Field Temperature	26.4				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	283				umhos/cm	1		Field Sampling	Total/NA
Turbidity	4.56				NTU	1		Field Sampling	Total/NA
Water Level	115.21				ft	1		Field Sampling	Total/NA

Client Sample ID: FIELD BLANK 02 129123

Lab Sample ID: 680-129123-4

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: FIELD BLANK 02 129123 (Continued)

Lab Sample ID: 680-129123-4

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Total Dissolved Solids	9.0		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Nitrate as N	0.025	I	0.050	0.010	mg/L	1		353.2	Total/NA

Client Sample ID: TRIP Blank - MW 129123.

Lab Sample ID: 680-129123-5

No Detections.

Client Sample ID: MWB32S

Lab Sample ID: 680-129123-6

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	12		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Barium	27		5.0	0.61	ug/L	1		6020A	Total Recoverable
Cobalt	0.35	I	0.50	0.12	ug/L	1		6020A	Total Recoverable
Iron	790		100	25	ug/L	1		6020A	Total Recoverable
Sodium	8.4		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	99		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	0.68		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.74				SU	1		Field Sampling	Total/NA
Field Temperature	25.6				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	72				umhos/cm	1		Field Sampling	Total/NA
Turbidity	7.24				NTU	1		Field Sampling	Total/NA
Water Level	114.02				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB2I

Lab Sample ID: 680-129123-7

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	6.2		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	320		100	25	ug/L	1		6020A	Total Recoverable
Sodium	4.3		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	38		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	4.56				SU	1		Field Sampling	Total/NA
Field Temperature	22.0				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	35				umhos/cm	1		Field Sampling	Total/NA
Turbidity	2.42				NTU	1		Field Sampling	Total/NA
Water Level	131.53				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB34I

Lab Sample ID: 680-129123-8

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.2		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34I (Continued)

Lab Sample ID: 680-129123-8

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron	380		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.4		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	47		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	None				PCU	1		Field Sampling	Total/NA
Field pH	5.07				SU	1		Field Sampling	Total/NA
Field Temperature	26.3				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	23				umhos/cm	1		Field Sampling	Total/NA
Turbidity	8.24				NTU	1		Field Sampling	Total/NA
Water Level	113.50				ft	1		Field Sampling	Total/NA

Client Sample ID: MWB32I

Lab Sample ID: 680-129123-9

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	5.0		0.50	0.20	mg/L	1		300.0-1993 R2.1	Total/NA
Iron	380		100	25	ug/L	1		6020A	Total Recoverable
Sodium	3.4		0.50	0.17	mg/L	1		6020A	Total Recoverable
Total Dissolved Solids	47		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Color	Whitish Tint				PCU	1		Field Sampling	Total/NA
Field pH	5.36				SU	1		Field Sampling	Total/NA
Field Temperature	23.6				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	0.0				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	22				umhos/cm	1		Field Sampling	Total/NA
Turbidity	44.88				NTU	1		Field Sampling	Total/NA
Water Level	113.27				ft	1		Field Sampling	Total/NA

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mercury	0.0042		0.0025	0.0010	ug/L	1		1631E	Total/NA
Hardness as calcium carbonate	87		3.3	3.3	mg/L	1		2340B-2011	Total/NA
Barium	19		5.0	0.61	ug/L	1		6020A	Total Recoverable
Copper	2.3	I	5.0	1.7	ug/L	1		6020A	Total Recoverable
Iron	300		100	25	ug/L	1		6020A	Total Recoverable
Lead	1.1	I	2.5	0.98	ug/L	1		6020A	Total Recoverable
Total Suspended Solids	14		4.0	4.0	mg/L	1		2540 D-2011	Total/NA
Total Dissolved Solids	140		5.0	5.0	mg/L	1		2540C-2011	Total/NA
Nitrogen, Kjeldahl	0.93		0.20	0.10	mg/L	1		351.2-1993 R2.0	Total/NA
Phosphorus	0.079	I	0.10	0.041	mg/L	1		365.4-1974	Total/NA
Biochemical Oxygen Demand	4.4		2.0	2.0	mg/L	1		5210B-2011	Total/NA
Chemical Oxygen Demand	43		10	5.0	mg/L	1		5220D-2011	Total/NA
Total Organic Carbon	10		1.0	0.50	mg/L	1		5310 B-2011	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-1 (Continued)

Lab Sample ID: 680-129123-11

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Nitrogen, Total	0.93		0.25	0.25	mg/L	1		Total Nitrogen	Total/NA
Color	Slit Yellow				PCU	1		Field Sampling	Total/NA
Field pH	6.34				SU	1		Field Sampling	Total/NA
Field Temperature	28.6				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	3.2				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA
Specific Conductance	221				umhos/cm	1		Field Sampling	Total/NA
Turbidity	12.30				NTU	1		Field Sampling	Total/NA

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Mercury	0.020		0.0050	0.0020	ug/L	1		1631E	Total/NA
Hardness as calcium carbonate	150		3.3	3.3	mg/L	1		2340B-2011	Total/NA
Antimony	0.80	I	5.0	0.50	ug/L	1		6020A	Total Recoverable
Arsenic	2.3	I	3.0	1.5	ug/L	1		6020A	Total Recoverable
Barium	41		5.0	0.61	ug/L	1		6020A	Total Recoverable
Chromium	4.9	I	5.0	1.6	ug/L	1		6020A	Total Recoverable
Cobalt	0.63		0.50	0.12	ug/L	1		6020A	Total Recoverable
Copper	1.9	I	5.0	1.7	ug/L	1		6020A	Total Recoverable
Iron	600		100	25	ug/L	1		6020A	Total Recoverable
Lead	4.6		2.5	0.98	ug/L	1		6020A	Total Recoverable
Nickel	5.6		5.0	1.9	ug/L	1		6020A	Total Recoverable
Selenium	1.1	I	2.5	1.0	ug/L	1		6020A	Total Recoverable
Vanadium	7.2	I	10	5.3	ug/L	1		6020A	Total Recoverable
Total Suspended Solids	13		2.0	2.0	mg/L	1		2540 D-2011	Total/NA
Total Dissolved Solids	420		10	10	mg/L	1		2540C-2011	Total/NA
Ammonia (as N)	1.5		0.25	0.10	mg/L	1		350.1-1993 R2.0	Total/NA
Nitrogen, Kjeldahl	3.8		0.20	0.10	mg/L	1		351.2-1993 R2.0	Total/NA
Nitrate as N	0.35		0.050	0.010	mg/L	1		353.2	Total/NA
Phosphorus	0.13		0.10	0.041	mg/L	1		365.4-1974	Total/NA
Biochemical Oxygen Demand	4.3		2.0	2.0	mg/L	1		5210B-2011	Total/NA
Chemical Oxygen Demand	82		10	5.0	mg/L	1		5220D-2011	Total/NA
Total Organic Carbon	28		1.0	0.50	mg/L	1		5310 B-2011	Total/NA
Nitrogen, Total	4.5		0.25	0.25	mg/L	1		Total Nitrogen	Total/NA
Unionized Ammonia	0.0099		0.000017	0.000017	mg/L	1		UnionizedNH3	Total/NA
Color	Brown				PCU	1		Field Sampling	Total/NA
Field pH	6.85				SU	1		Field Sampling	Total/NA
Field Temperature	29.4				Degrees C	1		Field Sampling	Total/NA
Oxygen, Dissolved	3.7				mg/L	1		Field Sampling	Total/NA
Sheen	No				NONE	1		Field Sampling	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah

Detection Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-3 (Continued)

Lab Sample ID: 680-129123-12

Analyte	Result	Qualifier	PQL	MDL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	696				umhos/cm	1		Field Sampling	Total/NA
Turbidity	53.57				NTU	1		Field Sampling	Total/NA

Client Sample ID: TRIP Blank - SW 129123

Lab Sample ID: 680-129123-13

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Savannah



Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3S

Lab Sample ID: 680-129072-1

Date Collected: 08/23/16 12:01

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 20:10	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 20:10	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 20:10	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 20:10	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 20:10	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 20:10	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 20:10	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 20:10	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 20:10	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 20:10	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 20:10	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 20:10	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 20:10	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 20:10	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 20:10	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 20:10	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 20:10	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 20:10	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 20:10	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 20:10	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 20:10	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 20:10	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 20:10	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 20:10	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 20:10	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 20:10	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 20:10	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 20:10	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 20:10	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 20:10	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 20:10	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 20:10	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:10	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 20:10	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 20:10	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 20:10	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 20:10	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 20:10	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 20:10	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:10	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 20:10	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 20:10	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 20:10	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 20:10	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 20:10	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 20:10	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 20:10	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3S

Lab Sample ID: 680-129072-1

Date Collected: 08/23/16 12:01

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		80 - 120		08/31/16 20:10	1
Dibromofluoromethane (Surr)	96		80 - 122		08/31/16 20:10	1
1,2-Dichloroethane-d4 (Surr)	89		73 - 131		08/31/16 20:10	1
Toluene-d8 (Surr)	103		80 - 120		08/31/16 20:10	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 15:40	1
EDB	0.0021	U	0.018	0.0021	ug/L		08/29/16 12:15	08/29/16 15:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	108		60 - 144	08/29/16 12:15	08/29/16 15:40	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.6		0.50	0.20	mg/L			09/02/16 06:45	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:26	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:26	1
Barium	15		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:26	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:26	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:26	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:26	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:26	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:26	1
Iron	2700		100	25	ug/L		08/26/16 09:17	08/27/16 02:26	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:26	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:26	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:26	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:26	1
Sodium	4.1		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:26	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:26	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:26	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:26	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 10:49	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	35		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/25/16 13:57	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:24	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 12:01	1
Field pH	4.55				SU			08/23/16 12:01	1
Field Temperature	25.7				Degrees C			08/23/16 12:01	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3S

Lab Sample ID: 680-129072-1

Date Collected: 08/23/16 12:01

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.2				mg/L			08/23/16 12:01	1
Sheen	No				NONE			08/23/16 12:01	1
Specific Conductance	61				umhos/cm			08/23/16 12:01	1
Turbidity	3.81				NTU			08/23/16 12:01	1
Water Level	144.00				ft			08/23/16 12:01	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB20S

Lab Sample ID: 680-129072-2

Date Collected: 08/23/16 11:25

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 19:48	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 19:48	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 19:48	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 19:48	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 19:48	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 19:48	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 19:48	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 19:48	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 19:48	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 19:48	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 19:48	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 19:48	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 19:48	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 19:48	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 19:48	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 19:48	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 19:48	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 19:48	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 19:48	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 19:48	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 19:48	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 19:48	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 19:48	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 19:48	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 19:48	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 19:48	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 19:48	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 19:48	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 19:48	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 19:48	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 19:48	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 19:48	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:48	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 19:48	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 19:48	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 19:48	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 19:48	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 19:48	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 19:48	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:48	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 19:48	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 19:48	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 19:48	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 19:48	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 19:48	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 19:48	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 19:48	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB20S

Lab Sample ID: 680-129072-2

Date Collected: 08/23/16 11:25

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 19:48	1
Dibromofluoromethane (Surr)	97		80 - 122		08/31/16 19:48	1
1,2-Dichloroethane-d4 (Surr)	88		73 - 131		08/31/16 19:48	1
Toluene-d8 (Surr)	104		80 - 120		08/31/16 19:48	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0048	U	0.017	0.0048	ug/L		08/25/16 13:18	08/26/16 13:15	1
EDB	0.0021	U	0.017	0.0021	ug/L		08/25/16 13:18	08/26/16 13:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	149	J	60 - 144	08/25/16 13:18	08/26/16 13:15	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	280		5.0	2.0	mg/L			09/06/16 14:50	10

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:32	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:32	1
Barium	26		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:32	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:32	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:32	1
Chromium	1.9	I	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:32	1
Cobalt	0.22	I	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:32	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:32	1
Iron	280		100	25	ug/L		08/26/16 09:17	08/27/16 02:32	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:32	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:32	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:32	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:32	1
Sodium	120		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:32	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:32	1
Vanadium	5.7	I	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:32	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:32	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:03	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	560		10	10	mg/L			08/24/16 13:52	1
Ammonia (as N)	3.8		0.50	0.20	mg/L			08/25/16 14:57	2
Nitrate as N	0.072		0.050	0.010	mg/L			08/24/16 13:26	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 11:25	1
Field pH	4.01				SU			08/23/16 11:25	1
Field Temperature	36.4				Degrees C			08/23/16 11:25	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB20S

Lab Sample ID: 680-129072-2

Date Collected: 08/23/16 11:25

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.4				mg/L			08/23/16 11:25	1
Sheen	No				NONE			08/23/16 11:25	1
Specific Conductance	691				umhos/cm			08/23/16 11:25	1
Turbidity	5.19				NTU			08/23/16 11:25	1
Water Level	110.46				ft			08/23/16 11:25	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB11S

Lab Sample ID: 680-129072-3

Date Collected: 08/23/16 10:53

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 21:40	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 21:40	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 21:40	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 21:40	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 21:40	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 21:40	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 21:40	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 21:40	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 21:40	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 21:40	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 21:40	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 21:40	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 21:40	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 21:40	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 21:40	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 21:40	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 21:40	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 21:40	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 21:40	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 21:40	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 21:40	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 21:40	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 21:40	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 21:40	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 21:40	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 21:40	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 21:40	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 21:40	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 21:40	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 21:40	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 21:40	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 21:40	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 21:40	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 21:40	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 21:40	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 21:40	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 21:40	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 21:40	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 21:40	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 21:40	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 21:40	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 21:40	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 21:40	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 21:40	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 21:40	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 21:40	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 21:40	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB11S

Lab Sample ID: 680-129072-3

Date Collected: 08/23/16 10:53

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		80 - 120		08/31/16 21:40	1
Dibromofluoromethane (Surr)	97		80 - 122		08/31/16 21:40	1
1,2-Dichloroethane-d4 (Surr)	88		73 - 131		08/31/16 21:40	1
Toluene-d8 (Surr)	105		80 - 120		08/31/16 21:40	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0048	U	0.017	0.0048	ug/L		08/25/16 13:18	08/26/16 13:05	1
EDB	0.0021	U	0.017	0.0021	ug/L		08/25/16 13:18	08/26/16 13:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	118		60 - 144	08/25/16 13:18	08/26/16 13:05	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16		0.50	0.20	mg/L			09/02/16 07:20	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:38	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:38	1
Barium	68		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:38	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:38	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:38	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:38	1
Cobalt	0.53		0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:38	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:38	1
Iron	1400		100	25	ug/L		08/26/16 09:17	08/27/16 02:38	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:38	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:38	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:38	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:38	1
Sodium	11		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:38	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:38	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:38	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:38	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:07	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	87		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 16:06	1
Nitrate as N	0.018	I	0.050	0.010	mg/L			08/24/16 13:27	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 10:53	1
Field pH	4.10				SU			08/23/16 10:53	1
Field Temperature	26.5				Degrees C			08/23/16 10:53	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB11S

Lab Sample ID: 680-129072-3

Date Collected: 08/23/16 10:53

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.5				mg/L			08/23/16 10:53	1
Sheen	No				NONE			08/23/16 10:53	1
Specific Conductance	159				umhos/cm			08/23/16 10:53	1
Turbidity	3.27				NTU			08/23/16 10:53	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Date Collected: 08/23/16 08:50

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 19:25	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 19:25	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 19:25	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 19:25	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 19:25	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 19:25	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 19:25	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 19:25	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 19:25	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 19:25	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 19:25	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 19:25	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 19:25	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 19:25	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 19:25	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 19:25	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 19:25	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 19:25	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 19:25	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 19:25	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 19:25	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 19:25	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 19:25	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 19:25	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 19:25	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 19:25	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 19:25	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 19:25	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 19:25	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 19:25	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 19:25	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 19:25	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:25	1
1,1,1,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 19:25	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 19:25	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 19:25	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 19:25	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 19:25	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 19:25	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:25	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 19:25	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 19:25	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 19:25	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 19:25	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 19:25	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 19:25	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 19:25	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Date Collected: 08/23/16 08:50

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		80 - 120		08/31/16 19:25	1
Dibromofluoromethane (Surr)	95		80 - 122		08/31/16 19:25	1
1,2-Dichloroethane-d4 (Surr)	88		73 - 131		08/31/16 19:25	1
Toluene-d8 (Surr)	105		80 - 120		08/31/16 19:25	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/25/16 13:18	08/26/16 12:55	1
EDB	0.0021	U	0.018	0.0021	ug/L		08/25/16 13:18	08/26/16 12:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	111		60 - 144	08/25/16 13:18	08/26/16 12:55	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10		0.50	0.20	mg/L			09/02/16 07:37	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:45	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:45	1
Barium	4.8	I	5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:45	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:45	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:45	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:45	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:45	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:45	1
Iron	120		100	25	ug/L		08/26/16 09:17	08/27/16 02:45	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:45	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:45	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:45	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:45	1
Sodium	9.1		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:45	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:45	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:45	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:45	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:12	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	180		10	10	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.11	I	0.25	0.10	mg/L			08/31/16 16:06	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:28	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 08:50	1
Field pH	5.87				SU			08/23/16 08:50	1
Field Temperature	27.2				Degrees C			08/23/16 08:50	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Date Collected: 08/23/16 08:50

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.2				mg/L			08/23/16 08:50	1
Sheen	No				NONE			08/23/16 08:50	1
Specific Conductance	274				umhos/cm			08/23/16 08:50	1
Turbidity	3.08				NTU			08/23/16 08:50	1
Water Level	114.05				ft			08/23/16 08:50	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12S

Lab Sample ID: 680-129072-5

Date Collected: 08/23/16 08:16

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 20:33	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 20:33	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 20:33	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 20:33	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 20:33	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 20:33	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 20:33	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 20:33	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 20:33	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 20:33	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 20:33	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 20:33	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 20:33	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 20:33	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 20:33	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 20:33	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 20:33	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 20:33	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 20:33	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 20:33	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 20:33	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 20:33	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 20:33	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 20:33	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 20:33	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 20:33	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 20:33	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 20:33	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 20:33	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 20:33	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 20:33	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 20:33	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:33	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 20:33	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 20:33	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 20:33	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 20:33	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 20:33	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 20:33	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:33	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 20:33	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 20:33	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 20:33	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 20:33	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 20:33	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 20:33	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 20:33	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12S

Lab Sample ID: 680-129072-5

Date Collected: 08/23/16 08:16

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 20:33	1
Dibromofluoromethane (Surr)	96		80 - 122		08/31/16 20:33	1
1,2-Dichloroethane-d4 (Surr)	89		73 - 131		08/31/16 20:33	1
Toluene-d8 (Surr)	105		80 - 120		08/31/16 20:33	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/25/16 13:18	08/26/16 12:46	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/25/16 13:18	08/26/16 12:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	135		60 - 144	08/25/16 13:18	08/26/16 12:46	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	44		0.50	0.20	mg/L			09/01/16 17:10	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:51	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:51	1
Barium	5.8		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:51	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:51	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:51	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:51	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:51	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:51	1
Iron	200		100	25	ug/L		08/26/16 09:17	08/27/16 02:51	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:51	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:51	1
Selenium	2.4	I	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:51	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:51	1
Sodium	25		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:51	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:51	1
Vanadium	15		10	5.3	ug/L		08/26/16 09:17	08/27/16 02:51	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:51	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:16	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	200		10	10	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.22	I	0.25	0.10	mg/L			08/26/16 09:37	1
Nitrate as N	0.038	I	0.050	0.010	mg/L			08/24/16 13:29	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Lt Brown				PCU			08/23/16 08:16	1
Field pH	5.65				SU			08/23/16 08:16	1
Field Temperature	27.3				Degrees C			08/23/16 08:16	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12S

Lab Sample ID: 680-129072-5

Date Collected: 08/23/16 08:16

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	1.4				mg/L			08/23/16 08:16	1
Sheen	No				NONE			08/23/16 08:16	1
Specific Conductance	296				umhos/cm			08/23/16 08:16	1
Turbidity	11.96				NTU			08/23/16 08:16	1
Water Level	112.90				ft			08/23/16 08:16	1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB29S

Lab Sample ID: 680-129072-6

Date Collected: 08/23/16 11:45

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 20:55	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 20:55	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 20:55	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 20:55	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 20:55	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 20:55	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 20:55	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 20:55	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 20:55	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 20:55	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 20:55	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 20:55	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 20:55	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 20:55	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 20:55	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 20:55	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 20:55	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 20:55	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 20:55	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 20:55	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 20:55	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 20:55	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 20:55	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 20:55	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 20:55	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 20:55	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 20:55	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 20:55	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 20:55	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 20:55	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 20:55	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 20:55	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:55	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 20:55	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 20:55	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 20:55	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 20:55	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 20:55	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 20:55	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 20:55	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 20:55	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 20:55	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 20:55	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 20:55	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 20:55	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 20:55	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 20:55	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB29S

Lab Sample ID: 680-129072-6

Date Collected: 08/23/16 11:45

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 20:55	1
Dibromofluoromethane (Surr)	97		80 - 122		08/31/16 20:55	1
1,2-Dichloroethane-d4 (Surr)	91		73 - 131		08/31/16 20:55	1
Toluene-d8 (Surr)	104		80 - 120		08/31/16 20:55	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/25/16 13:18	08/26/16 12:36	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/25/16 13:18	08/26/16 12:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	116		60 - 144	08/25/16 13:18	08/26/16 12:36	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17		0.50	0.20	mg/L			09/01/16 17:27	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:57	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:57	1
Barium	20		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:57	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:57	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:57	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:57	1
Cobalt	0.22	I	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:57	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:57	1
Iron	420		100	25	ug/L		08/26/16 09:17	08/27/16 02:57	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:57	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:57	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:57	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:57	1
Sodium	13		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:57	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:57	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:57	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:57	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:21	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	84		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.35		0.25	0.10	mg/L			08/26/16 09:37	1
Nitrate as N	0.037	I	0.050	0.010	mg/L			08/24/16 13:30	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 11:45	1
Field pH	4.44				SU			08/23/16 11:45	1
Field Temperature	28.7				Degrees C			08/23/16 11:45	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB29S

Lab Sample ID: 680-129072-6

Date Collected: 08/23/16 11:45

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.0				mg/L			08/23/16 11:45	1
Sheen	No				NONE			08/23/16 11:45	1
Specific Conductance	101				umhos/cm			08/23/16 11:45	1
Turbidity	1.98				NTU			08/23/16 11:45	1
Water Level	128.61				ft			08/23/16 11:45	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27S

Lab Sample ID: 680-129072-7

Date Collected: 08/23/16 10:20

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 21:18	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 21:18	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 21:18	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 21:18	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 21:18	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 21:18	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 21:18	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 21:18	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 21:18	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 21:18	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 21:18	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 21:18	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 21:18	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 21:18	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 21:18	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 21:18	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 21:18	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 21:18	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 21:18	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 21:18	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 21:18	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 21:18	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 21:18	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 21:18	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 21:18	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 21:18	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 21:18	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 21:18	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 21:18	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 21:18	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 21:18	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 21:18	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 21:18	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 21:18	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 21:18	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 21:18	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 21:18	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 21:18	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 21:18	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 21:18	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 21:18	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 21:18	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 21:18	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 21:18	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 21:18	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 21:18	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 21:18	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27S

Lab Sample ID: 680-129072-7

Date Collected: 08/23/16 10:20

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 21:18	1
Dibromofluoromethane (Surr)	96		80 - 122		08/31/16 21:18	1
1,2-Dichloroethane-d4 (Surr)	89		73 - 131		08/31/16 21:18	1
Toluene-d8 (Surr)	106		80 - 120		08/31/16 21:18	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0048	U	0.017	0.0048	ug/L		08/25/16 13:18	08/26/16 12:26	1
EDB	0.0021	U	0.017	0.0021	ug/L		08/25/16 13:18	08/26/16 12:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	131		60 - 144	08/25/16 13:18	08/26/16 12:26	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33		0.50	0.20	mg/L			09/01/16 17:45	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 03:03	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 03:03	1
Barium	7.5		5.0	0.61	ug/L		08/26/16 09:17	08/27/16 03:03	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 03:03	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 03:03	1
Chromium	1.7	I	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 03:03	1
Cobalt	0.18	I	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 03:03	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 03:03	1
Iron	250		100	25	ug/L		08/26/16 09:17	08/27/16 03:03	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 03:03	1
Nickel	2.4	I	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 03:03	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 03:03	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 03:03	1
Sodium	26		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:03	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 03:03	1
Vanadium	6.1	I	10	5.3	ug/L		08/26/16 09:17	08/27/16 03:03	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 03:03	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	160		10	10	mg/L			08/24/16 13:52	1
Ammonia (as N)	1.1		0.25	0.10	mg/L			08/26/16 09:37	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:32	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 10:20	1
Field pH	5.18				SU			08/23/16 10:20	1
Field Temperature	26.1				Degrees C			08/23/16 10:20	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27S

Lab Sample ID: 680-129072-7

Date Collected: 08/23/16 10:20

Matrix: Water

Date Received: 08/24/16 10:40

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.0				mg/L			08/23/16 10:20	1
Sheen	No				NONE			08/23/16 10:20	1
Specific Conductance	353				umhos/cm			08/23/16 10:20	1
Turbidity	4.74				NTU			08/23/16 10:20	1
Water Level	118.33				ft			08/23/16 10:20	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: FIELD BLANK 01 129072

Lab Sample ID: 680-129072-8

Date Collected: 08/23/16 13:20

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 19:03	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 19:03	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 19:03	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 19:03	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 19:03	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 19:03	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 19:03	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 19:03	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 19:03	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 19:03	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 19:03	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 19:03	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 19:03	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 19:03	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 19:03	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 19:03	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 19:03	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 19:03	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 19:03	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 19:03	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 19:03	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 19:03	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 19:03	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 19:03	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 19:03	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 19:03	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 19:03	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 19:03	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 19:03	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 19:03	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 19:03	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 19:03	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:03	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 19:03	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 19:03	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 19:03	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 19:03	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 19:03	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 19:03	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 19:03	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 19:03	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 19:03	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 19:03	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 19:03	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 19:03	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 19:03	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 19:03	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: FIELD BLANK 01 129072

Lab Sample ID: 680-129072-8

Date Collected: 08/23/16 13:20

Matrix: Water

Date Received: 08/24/16 10:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 19:03	1
Dibromofluoromethane (Surr)	96		80 - 122		08/31/16 19:03	1
1,2-Dichloroethane-d4 (Surr)	87		73 - 131		08/31/16 19:03	1
Toluene-d8 (Surr)	104		80 - 120		08/31/16 19:03	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U Q	0.018	0.0049	ug/L		09/13/16 11:45	09/13/16 15:30	1
EDB	0.0021	U Q	0.018	0.0021	ug/L		09/13/16 11:45	09/13/16 15:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	102		60 - 144	09/13/16 11:45	09/13/16 15:30	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/01/16 18:02	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 03:09	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 03:09	1
Barium	0.61	U	5.0	0.61	ug/L		08/26/16 09:17	08/27/16 03:09	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 03:09	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 03:09	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 03:09	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 03:09	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 03:09	1
Iron	25	U	100	25	ug/L		08/26/16 09:17	08/27/16 03:09	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 03:09	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 03:09	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 03:09	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 03:09	1
Sodium	0.17	U	0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:09	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 03:09	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 03:09	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 03:09	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 11:39	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5.0	U	5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:45	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:33	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP BLANK 129072

Lab Sample ID: 680-129072-9

Date Collected: 08/23/16 00:00

Matrix: Water

Date Received: 08/24/16 10:40

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 18:41	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 18:41	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 18:41	1
Bromoform	0.43	U J	1.0	0.43	ug/L			08/31/16 18:41	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			08/31/16 18:41	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 18:41	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 18:41	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 18:41	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 18:41	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 18:41	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 18:41	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 18:41	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 18:41	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 18:41	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 18:41	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 18:41	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 18:41	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 18:41	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 18:41	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 18:41	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 18:41	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 18:41	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 18:41	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 18:41	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 18:41	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 18:41	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 18:41	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 18:41	1
Iodomethane	5.0	U J	10	5.0	ug/L			08/31/16 18:41	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 18:41	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 18:41	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 18:41	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 18:41	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 18:41	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 18:41	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 18:41	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 18:41	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 18:41	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 18:41	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 18:41	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 18:41	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 18:41	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 18:41	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 18:41	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 18:41	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 18:41	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 18:41	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP BLANK 129072

Lab Sample ID: 680-129072-9

Date Collected: 08/23/16 00:00

Matrix: Water

Date Received: 08/24/16 10:40

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
4-Bromofluorobenzene (Surr)	94		80 - 120		08/31/16 18:41	1
Dibromofluoromethane (Surr)	95		80 - 122		08/31/16 18:41	1
1,2-Dichloroethane-d4 (Surr)	87		73 - 131		08/31/16 18:41	1
Toluene-d8 (Surr)	104		80 - 120		08/31/16 18:41	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12I

Lab Sample ID: 680-129072-10

Date Collected: 08/23/16 07:45

Matrix: Water

Date Received: 08/24/16 10:40

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.0		0.50	0.20	mg/L			09/01/16 18:20	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	350		100	25	ug/L		08/26/16 09:17	08/27/16 03:28	1
Sodium	3.1		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:28	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	85		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:45	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:34	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 07:45	1
Field pH	4.84				SU			08/23/16 07:45	1
Field Temperature	25.4				Degrees C			08/23/16 07:45	1
Oxygen, Dissolved	0.2				mg/L			08/23/16 07:45	1
Sheen	No				NONE			08/23/16 07:45	1
Specific Conductance	42				umhos/cm			08/23/16 07:45	1
Turbidity	2.48				NTU			08/23/16 07:45	1
Water Level	112.97				ft			08/23/16 07:45	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB13I

Lab Sample ID: 680-129072-11

Date Collected: 08/23/16 09:26

Matrix: Water

Date Received: 08/24/16 10:40

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.0		0.50	0.20	mg/L			09/01/16 19:12	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	290		100	25	ug/L		08/26/16 09:17	08/27/16 03:34	1
Sodium	3.0		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:34	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	54		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:45	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:38	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 09:26	1
Field pH	5.06				SU			08/23/16 09:26	1
Field Temperature	27.2				Degrees C			08/23/16 09:26	1
Oxygen, Dissolved	0.2				mg/L			08/23/16 09:26	1
Sheen	No				NONE			08/23/16 09:26	1
Specific Conductance	40				umhos/cm			08/23/16 09:26	1
Turbidity	4.04				NTU			08/23/16 09:26	1
Water Level	106.36				ft			08/23/16 09:26	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB11I (R)

Lab Sample ID: 680-129072-12

Date Collected: 08/23/16 10:21

Matrix: Water

Date Received: 08/24/16 10:40

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.1		0.50	0.20	mg/L			09/01/16 19:29	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	440		100	25	ug/L		08/26/16 09:17	08/27/16 03:41	1
Sodium	3.1		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:41	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	56		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:45	1
Nitrate as N	0.018	I	0.050	0.010	mg/L			08/24/16 13:39	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 10:21	1
Field pH	4.71				SU			08/23/16 10:21	1
Field Temperature	25.7				Degrees C			08/23/16 10:21	1
Oxygen, Dissolved	0.0				mg/L			08/23/16 10:21	1
Sheen	No				NONE			08/23/16 10:21	1
Specific Conductance	38				umhos/cm			08/23/16 10:21	1
Turbidity	4.87				NTU			08/23/16 10:21	1
Water Level	103.84				ft			08/23/16 10:21	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3I
Date Collected: 08/23/16 12:35
Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-13
Matrix: Water

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.1		0.50	0.20	mg/L			09/01/16 19:47	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	860		100	25	ug/L		08/26/16 09:17	08/27/16 03:47	1
Sodium	3.8		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:47	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	51		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:27	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:40	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 12:35	1
Field pH	4.62				SU			08/23/16 12:35	1
Field Temperature	23.1				Degrees C			08/23/16 12:35	1
Oxygen, Dissolved	0.1				mg/L			08/23/16 12:35	1
Sheen	No				NONE			08/23/16 12:35	1
Specific Conductance	41				umhos/cm			08/23/16 12:35	1
Turbidity	2.52				NTU			08/23/16 12:35	1
Water Level	135.68				ft			08/23/16 12:35	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27I

Lab Sample ID: 680-129072-14

Date Collected: 08/23/16 11:05

Matrix: Water

Date Received: 08/24/16 10:40

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.2		0.50	0.20	mg/L			09/01/16 20:04	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	440		100	25	ug/L		08/26/16 09:17	08/27/16 03:53	1
Sodium	3.4		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:53	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	63		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:37	1
Nitrate as N	0.018	I	0.050	0.010	mg/L			08/24/16 14:08	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 11:05	1
Field pH	5.32				SU			08/23/16 11:05	1
Field Temperature	23.6				Degrees C			08/23/16 11:05	1
Oxygen, Dissolved	0.0				mg/L			08/23/16 11:05	1
Sheen	No				NONE			08/23/16 11:05	1
Specific Conductance	41				umhos/cm			08/23/16 11:05	1
Turbidity	3.97				NTU			08/23/16 11:05	1
Water Level	117.16				ft			08/23/16 11:05	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB29I

Lab Sample ID: 680-129072-15

Date Collected: 08/23/16 12:21

Matrix: Water

Date Received: 08/24/16 10:40

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.8		0.50	0.20	mg/L			09/01/16 21:14	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	410		100	25	ug/L		08/26/16 09:17	08/27/16 03:59	1
Sodium	3.9		0.50	0.17	mg/L		08/26/16 09:17	08/27/16 03:59	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	41		5.0	5.0	mg/L			08/24/16 13:52	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:27	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 14:11	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/23/16 12:21	1
Field pH	4.93				SU			08/23/16 12:21	1
Field Temperature	26.1				Degrees C			08/23/16 12:21	1
Oxygen, Dissolved	0.0				mg/L			08/23/16 12:21	1
Sheen	No				NONE			08/23/16 12:21	1
Specific Conductance	31				umhos/cm			08/23/16 12:21	1
Turbidity	17.22				NTU			08/23/16 12:21	1
Water Level	127.50				ft			08/23/16 12:21	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21S

Lab Sample ID: 680-129123-1

Date Collected: 08/24/16 09:32

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 14:53	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 14:53	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 14:53	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 14:53	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 14:53	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 14:53	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 14:53	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 14:53	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 14:53	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 14:53	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 14:53	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 14:53	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 14:53	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 14:53	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 14:53	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 14:53	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 14:53	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 14:53	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 14:53	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 14:53	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 14:53	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 14:53	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 14:53	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 14:53	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 14:53	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 14:53	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 14:53	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 14:53	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 14:53	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 14:53	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 14:53	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 14:53	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 14:53	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 14:53	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 14:53	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 14:53	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 14:53	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 14:53	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 14:53	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 14:53	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 14:53	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 14:53	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 14:53	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 14:53	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 14:53	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 14:53	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 14:53	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21S

Lab Sample ID: 680-129123-1

Date Collected: 08/24/16 09:32

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	89		80 - 120		09/02/16 14:53	1
Dibromofluoromethane (Surr)	98		80 - 122		09/02/16 14:53	1
1,2-Dichloroethane-d4 (Surr)	86		73 - 131		09/02/16 14:53	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 14:53	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 15:50	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/29/16 12:15	08/29/16 15:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	99		60 - 144	08/29/16 12:15	08/29/16 15:50	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25		0.50	0.20	mg/L			09/01/16 23:31	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	I	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 17:46	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 17:46	1
Barium	19		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 17:46	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 17:46	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 17:46	1
Chromium	2.4	I	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 17:46	1
Cobalt	0.17	I	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 17:46	1
Copper	4.8	I	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 17:46	1
Iron	190		100	25	ug/L		08/26/16 14:19	08/29/16 17:46	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 17:46	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 17:46	1
Selenium	7.4		2.5	1.0	ug/L		08/26/16 14:19	08/29/16 17:46	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 17:46	1
Sodium	15		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 17:46	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 17:46	1
Vanadium	16		10	5.3	ug/L		08/26/16 14:19	08/29/16 17:46	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 17:46	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 14:24	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	210		10	10	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 16:06	1
Nitrate as N	7.0		0.50	0.10	mg/L			08/25/16 12:49	10

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Slt Yellow Tint				PCU			08/24/16 09:32	1
Field pH	4.96				SU			08/24/16 09:32	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21S

Lab Sample ID: 680-129123-1

Date Collected: 08/24/16 09:32

Matrix: Water

Date Received: 08/25/16 09:17

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field Temperature	27.1				Degrees C			08/24/16 09:32	1
Oxygen, Dissolved	0.3				mg/L			08/24/16 09:32	1
Sheen	No				NONE			08/24/16 09:32	1
Specific Conductance	265				umhos/cm			08/24/16 09:32	1
Turbidity	4.02				NTU			08/24/16 09:32	1
Water Level	111.53				ft			08/24/16 09:32	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB33S

Lab Sample ID: 680-129123-2

Date Collected: 08/24/16 10:45

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 15:13	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 15:13	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 15:13	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 15:13	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 15:13	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 15:13	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 15:13	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 15:13	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 15:13	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 15:13	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 15:13	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 15:13	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 15:13	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 15:13	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 15:13	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 15:13	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 15:13	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 15:13	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 15:13	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 15:13	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 15:13	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 15:13	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 15:13	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 15:13	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 15:13	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 15:13	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 15:13	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 15:13	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 15:13	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 15:13	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 15:13	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 15:13	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:13	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 15:13	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 15:13	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 15:13	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 15:13	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 15:13	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 15:13	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:13	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 15:13	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 15:13	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 15:13	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 15:13	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 15:13	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 15:13	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 15:13	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB33S

Lab Sample ID: 680-129123-2

Date Collected: 08/24/16 10:45

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		80 - 120		09/02/16 15:13	1
Dibromofluoromethane (Surr)	99		80 - 122		09/02/16 15:13	1
1,2-Dichloroethane-d4 (Surr)	89		73 - 131		09/02/16 15:13	1
Toluene-d8 (Surr)	101		80 - 120		09/02/16 15:13	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 15:11	1
EDB	0.0021	U	0.018	0.0021	ug/L		08/29/16 12:15	08/29/16 15:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	107		60 - 144	08/29/16 12:15	08/29/16 15:11	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.8		0.50	0.20	mg/L			09/02/16 00:23	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 17:52	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 17:52	1
Barium	8.3		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 17:52	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 17:52	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 17:52	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 17:52	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 17:52	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 17:52	1
Iron	130		100	25	ug/L		08/26/16 14:19	08/29/16 17:52	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 17:52	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 17:52	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 17:52	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 17:52	1
Sodium	4.0		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 17:52	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 17:52	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 14:19	08/29/16 17:52	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 17:52	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 14:29	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	120		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.72		0.25	0.10	mg/L			08/31/16 16:13	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 12:53	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Slt Yellow Tint				PCU			08/24/16 10:45	1
Field pH	5.48				SU			08/24/16 10:45	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB33S

Lab Sample ID: 680-129123-2

Date Collected: 08/24/16 10:45

Matrix: Water

Date Received: 08/25/16 09:17

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Field Temperature	26.8				Degrees C			08/24/16 10:45	1
Oxygen, Dissolved	0.2				mg/L			08/24/16 10:45	1
Sheen	No				NONE			08/24/16 10:45	1
Specific Conductance	163				umhos/cm			08/24/16 10:45	1
Turbidity	3.83				NTU			08/24/16 10:45	1
Water Level	114.26				ft			08/24/16 10:45	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34S

Lab Sample ID: 680-129123-3

Date Collected: 08/24/16 09:05

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 15:34	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 15:34	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 15:34	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 15:34	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 15:34	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 15:34	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 15:34	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 15:34	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 15:34	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 15:34	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 15:34	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 15:34	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 15:34	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 15:34	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 15:34	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 15:34	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 15:34	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 15:34	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 15:34	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 15:34	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 15:34	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 15:34	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 15:34	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 15:34	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 15:34	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 15:34	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 15:34	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 15:34	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 15:34	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 15:34	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 15:34	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 15:34	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:34	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 15:34	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 15:34	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 15:34	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 15:34	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 15:34	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 15:34	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:34	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 15:34	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 15:34	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 15:34	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 15:34	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 15:34	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 15:34	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 15:34	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34S

Lab Sample ID: 680-129123-3

Date Collected: 08/24/16 09:05

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		80 - 120		09/02/16 15:34	1
Dibromofluoromethane (Surr)	98		80 - 122		09/02/16 15:34	1
1,2-Dichloroethane-d4 (Surr)	85		73 - 131		09/02/16 15:34	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 15:34	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 16:00	1
EDB	0.0021	U	0.018	0.0021	ug/L		08/29/16 12:15	08/29/16 16:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	97		60 - 144	08/29/16 12:15	08/29/16 16:00	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21		0.50	0.20	mg/L			09/02/16 00:40	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 17:58	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 17:58	1
Barium	6.8		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 17:58	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 17:58	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 17:58	1
Chromium	1.7	I	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 17:58	1
Cobalt	0.35	I	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 17:58	1
Copper	1.7	I	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 17:58	1
Iron	430		100	25	ug/L		08/26/16 14:19	08/29/16 17:58	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 17:58	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 17:58	1
Selenium	2.4	I	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 17:58	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 17:58	1
Sodium	18		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 17:58	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 17:58	1
Vanadium	13		10	5.3	ug/L		08/26/16 14:19	08/29/16 17:58	1
Zinc	10	I	20	9.6	ug/L		08/26/16 14:19	08/29/16 17:58	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 14:33	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	220		10	10	mg/L			08/26/16 10:03	1
Ammonia (as N)	1.1		0.25	0.10	mg/L			08/31/16 15:07	1
Nitrate as N	0.099		0.050	0.010	mg/L			08/25/16 12:54	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/24/16 09:05	1
Field pH	5.88				SU			08/24/16 09:05	1
Field Temperature	26.4				Degrees C			08/24/16 09:05	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34S

Lab Sample ID: 680-129123-3

Date Collected: 08/24/16 09:05

Matrix: Water

Date Received: 08/25/16 09:17

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.0				mg/L			08/24/16 09:05	1
Sheen	No				NONE			08/24/16 09:05	1
Specific Conductance	283				umhos/cm			08/24/16 09:05	1
Turbidity	4.56				NTU			08/24/16 09:05	1
Water Level	115.21				ft			08/24/16 09:05	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: FIELD BLANK 02 129123

Lab Sample ID: 680-129123-4

Date Collected: 08/24/16 11:30

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 12:29	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 12:29	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 12:29	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 12:29	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 12:29	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 12:29	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 12:29	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 12:29	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 12:29	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 12:29	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 12:29	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 12:29	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 12:29	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 12:29	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 12:29	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 12:29	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 12:29	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 12:29	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 12:29	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 12:29	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 12:29	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 12:29	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 12:29	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 12:29	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 12:29	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 12:29	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 12:29	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 12:29	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 12:29	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 12:29	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 12:29	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 12:29	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 12:29	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 12:29	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 12:29	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 12:29	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 12:29	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 12:29	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 12:29	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 12:29	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 12:29	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 12:29	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 12:29	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 12:29	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 12:29	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 12:29	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 12:29	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: FIELD BLANK 02 129123

Lab Sample ID: 680-129123-4

Date Collected: 08/24/16 11:30

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		80 - 120		09/02/16 12:29	1
Dibromofluoromethane (Surr)	101		80 - 122		09/02/16 12:29	1
1,2-Dichloroethane-d4 (Surr)	91		73 - 131		09/02/16 12:29	1
Toluene-d8 (Surr)	82		80 - 120		09/02/16 12:29	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0048	U	0.017	0.0048	ug/L		08/29/16 12:15	08/29/16 16:10	1
EDB	0.0021	U	0.017	0.0021	ug/L		08/29/16 12:15	08/29/16 16:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	122		60 - 144	08/29/16 12:15	08/29/16 16:10	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/02/16 00:58	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 18:04	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 18:04	1
Barium	0.61	U	5.0	0.61	ug/L		08/26/16 14:19	08/29/16 18:04	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 18:04	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 18:04	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 18:04	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 18:04	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 18:04	1
Iron	25	U	100	25	ug/L		08/26/16 14:19	08/29/16 18:04	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 18:04	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 18:04	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 18:04	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 18:04	1
Sodium	0.17	U	0.50	0.17	mg/L		08/26/16 14:19	08/29/16 18:04	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 18:04	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 14:19	08/29/16 18:04	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 18:04	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 14:38	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	9.0		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 15:07	1
Nitrate as N	0.025	I	0.050	0.010	mg/L			08/25/16 12:56	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP Blank - MW 129123.

Lab Sample ID: 680-129123-5

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 11:48	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 11:48	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 11:48	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 11:48	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 11:48	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 11:48	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 11:48	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 11:48	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 11:48	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 11:48	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 11:48	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 11:48	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 11:48	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 11:48	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 11:48	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 11:48	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 11:48	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 11:48	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 11:48	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 11:48	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 11:48	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 11:48	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 11:48	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 11:48	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 11:48	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 11:48	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 11:48	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 11:48	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 11:48	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 11:48	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 11:48	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 11:48	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 11:48	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 11:48	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 11:48	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 11:48	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 11:48	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 11:48	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 11:48	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 11:48	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 11:48	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 11:48	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 11:48	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 11:48	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 11:48	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 11:48	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 11:48	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP Blank - MW 129123.

Lab Sample ID: 680-129123-5

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
4-Bromofluorobenzene (Surr)	89		80 - 120		09/02/16 11:48	1
Dibromofluoromethane (Surr)	99		80 - 122		09/02/16 11:48	1
1,2-Dichloroethane-d4 (Surr)	86		73 - 131		09/02/16 11:48	1
Toluene-d8 (Surr)	101		80 - 120		09/02/16 11:48	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB32S

Lab Sample ID: 680-129123-6

Date Collected: 08/24/16 10:50

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 15:54	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 15:54	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 15:54	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 15:54	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 15:54	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 15:54	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 15:54	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 15:54	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 15:54	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 15:54	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 15:54	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 15:54	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 15:54	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 15:54	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 15:54	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 15:54	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 15:54	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 15:54	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 15:54	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 15:54	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 15:54	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 15:54	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 15:54	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 15:54	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 15:54	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 15:54	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 15:54	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 15:54	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 15:54	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 15:54	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 15:54	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 15:54	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:54	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 15:54	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 15:54	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 15:54	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 15:54	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 15:54	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 15:54	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 15:54	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 15:54	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 15:54	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 15:54	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 15:54	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 15:54	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 15:54	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 15:54	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB32S

Lab Sample ID: 680-129123-6

Date Collected: 08/24/16 10:50

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		80 - 120		09/02/16 15:54	1
Dibromofluoromethane (Surr)	101		80 - 122		09/02/16 15:54	1
1,2-Dichloroethane-d4 (Surr)	95		73 - 131		09/02/16 15:54	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 15:54	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 16:20	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/29/16 12:15	08/29/16 16:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	103		60 - 144	08/29/16 12:15	08/29/16 16:20	1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		0.50	0.20	mg/L			09/02/16 01:15	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 18:23	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 18:23	1
Barium	27		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 18:23	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 18:23	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 18:23	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 18:23	1
Cobalt	0.35	I	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 18:23	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 18:23	1
Iron	790		100	25	ug/L		08/26/16 14:19	08/29/16 18:23	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 18:23	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 18:23	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 18:23	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 18:23	1
Sodium	8.4		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 18:23	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 18:23	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 14:19	08/29/16 18:23	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 18:23	1

Method: 7470A - Mercury (CVAA)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 14:42	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	99		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.68		0.25	0.10	mg/L			08/31/16 15:07	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 12:57	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/24/16 10:50	1
Field pH	4.74				SU			08/24/16 10:50	1
Field Temperature	25.6				Degrees C			08/24/16 10:50	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB32S

Lab Sample ID: 680-129123-6

Date Collected: 08/24/16 10:50

Matrix: Water

Date Received: 08/25/16 09:17

Method: Field Sampling - Field Sampling (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oxygen, Dissolved	0.0				mg/L			08/24/16 10:50	1
Sheen	No				NONE			08/24/16 10:50	1
Specific Conductance	72				umhos/cm			08/24/16 10:50	1
Turbidity	7.24				NTU			08/24/16 10:50	1
Water Level	114.02				ft			08/24/16 10:50	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21
Date Collected: 08/24/16 10:06
Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-7
Matrix: Water

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.2		0.50	0.20	mg/L			09/02/16 01:33	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	320		100	25	ug/L		08/26/16 14:19	08/29/16 18:29	1
Sodium	4.3		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 18:29	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	38		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 15:07	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 12:58	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/24/16 10:06	1
Field pH	4.56				SU			08/24/16 10:06	1
Field Temperature	22.0				Degrees C			08/24/16 10:06	1
Oxygen, Dissolved	0.2				mg/L			08/24/16 10:06	1
Sheen	No				NONE			08/24/16 10:06	1
Specific Conductance	35				umhos/cm			08/24/16 10:06	1
Turbidity	2.42				NTU			08/24/16 10:06	1
Water Level	131.53				ft			08/24/16 10:06	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34I

Lab Sample ID: 680-129123-8

Date Collected: 08/24/16 09:48

Matrix: Water

Date Received: 08/25/16 09:17

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.2		0.50	0.20	mg/L			09/02/16 01:50	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	380		100	25	ug/L		08/26/16 14:19	08/29/16 18:36	1
Sodium	3.4		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 18:36	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	47		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 15:07	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 13:00	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	None				PCU			08/24/16 09:48	1
Field pH	5.07				SU			08/24/16 09:48	1
Field Temperature	26.3				Degrees C			08/24/16 09:48	1
Oxygen, Dissolved	0.0				mg/L			08/24/16 09:48	1
Sheen	No				NONE			08/24/16 09:48	1
Specific Conductance	23				umhos/cm			08/24/16 09:48	1
Turbidity	8.24				NTU			08/24/16 09:48	1
Water Level	113.50				ft			08/24/16 09:48	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB32I

Lab Sample ID: 680-129123-9

Date Collected: 08/24/16 11:58

Matrix: Water

Date Received: 08/25/16 09:17

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5.0		0.50	0.20	mg/L			09/02/16 02:07	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	380		100	25	ug/L		08/26/16 14:19	08/29/16 18:42	1
Sodium	3.4		0.50	0.17	mg/L		08/26/16 14:19	08/29/16 18:42	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	47		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 16:06	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 13:02	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Whitish				PCU			08/24/16 11:58	1
	Tint								
Field pH	5.36				SU			08/24/16 11:58	1
Field Temperature	23.6				Degrees C			08/24/16 11:58	1
Oxygen, Dissolved	0.0				mg/L			08/24/16 11:58	1
Sheen	No				NONE			08/24/16 11:58	1
Specific Conductance	22				umhos/cm			08/24/16 11:58	1
Turbidity	44.88				NTU			08/24/16 11:58	1
Water Level	113.27				ft			08/24/16 11:58	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Date Collected: 08/24/16 07:45

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 16:15	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 16:15	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 16:15	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 16:15	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 16:15	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 16:15	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 16:15	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 16:15	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 16:15	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 16:15	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 16:15	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 16:15	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 16:15	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 16:15	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 16:15	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 16:15	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 16:15	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 16:15	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 16:15	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 16:15	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 16:15	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 16:15	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 16:15	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 16:15	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 16:15	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 16:15	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 16:15	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 16:15	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 16:15	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 16:15	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 16:15	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 16:15	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 16:15	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 16:15	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 16:15	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 16:15	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 16:15	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 16:15	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 16:15	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 16:15	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 16:15	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 16:15	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 16:15	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 16:15	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 16:15	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 16:15	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 16:15	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Date Collected: 08/24/16 07:45

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		80 - 120		09/02/16 16:15	1
Dibromofluoromethane (Surr)	98		80 - 122		09/02/16 16:15	1
1,2-Dichloroethane-d4 (Surr)	97		73 - 131		09/02/16 16:15	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 16:15	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0049	U	0.018	0.0049	ug/L		08/29/16 12:15	08/29/16 16:30	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/29/16 12:15	08/29/16 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	107		60 - 144	08/29/16 12:15	08/29/16 16:30	1

Method: 1631E - Mercury, Low Level (CVAFS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0042		0.0025	0.0010	ug/L		08/26/16 15:50	08/30/16 09:39	1

Method: 2340B-2011 - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	87		3.3	3.3	mg/L			09/06/16 09:50	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 18:48	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 18:48	1
Barium	19		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 18:48	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 18:48	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 18:48	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 18:48	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 18:48	1
Copper	2.3	I	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 18:48	1
Iron	300		100	25	ug/L		08/26/16 14:19	08/29/16 18:48	1
Lead	1.1	I	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 18:48	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 18:48	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 18:48	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 18:48	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 18:48	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 14:19	08/29/16 18:48	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 18:48	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	14		4.0	4.0	mg/L			08/25/16 14:17	1
Total Dissolved Solids	140		5.0	5.0	mg/L			08/26/16 10:03	1
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 15:07	1
Nitrogen, Kjeldahl	0.93		0.20	0.10	mg/L		09/01/16 16:01	09/02/16 13:51	1
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 13:03	1
Phosphorus	0.079	I	0.10	0.041	mg/L		09/01/16 16:01	09/02/16 13:51	1
Orthophosphate	0.016	U Q	0.050	0.016	mg/L			08/26/16 11:33	1
Biochemical Oxygen Demand	4.4		2.0	2.0	mg/L			08/25/16 15:56	1
Chemical Oxygen Demand	43		10	5.0	mg/L			09/02/16 10:26	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Date Collected: 08/24/16 07:45

Matrix: Water

Date Received: 08/25/16 09:17

General Chemistry (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	10		1.0	0.50	mg/L			08/30/16 05:53	1
Nitrogen, Total	0.93		0.25	0.25	mg/L			09/06/16 09:02	1
Unionized Ammonia	0.000017	U	0.000017	0.000017	mg/L			09/06/16 08:59	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Slt Yellow				PCU			08/24/16 07:45	1
	Tint								
Field pH	6.34				SU			08/24/16 07:45	1
Field Temperature	28.6				Degrees C			08/24/16 07:45	1
Oxygen, Dissolved	3.2				mg/L			08/24/16 07:45	1
Sheen	No				NONE			08/24/16 07:45	1
Specific Conductance	221				umhos/cm			08/24/16 07:45	1
Turbidity	12.30				NTU			08/24/16 07:45	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Date Collected: 08/24/16 08:15

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 16:35	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 16:35	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 16:35	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 16:35	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 16:35	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 16:35	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 16:35	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 16:35	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 16:35	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 16:35	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 16:35	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 16:35	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 16:35	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 16:35	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 16:35	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 16:35	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 16:35	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 16:35	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 16:35	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 16:35	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 16:35	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 16:35	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 16:35	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 16:35	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 16:35	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 16:35	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 16:35	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 16:35	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 16:35	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 16:35	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 16:35	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 16:35	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 16:35	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 16:35	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 16:35	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 16:35	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 16:35	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 16:35	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 16:35	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 16:35	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 16:35	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 16:35	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 16:35	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 16:35	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 16:35	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 16:35	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 16:35	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Date Collected: 08/24/16 08:15

Matrix: Water

Date Received: 08/25/16 09:17

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		80 - 120		09/02/16 16:35	1
Dibromofluoromethane (Surr)	95		80 - 122		09/02/16 16:35	1
1,2-Dichloroethane-d4 (Surr)	97		73 - 131		09/02/16 16:35	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 16:35	1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0050	U	0.018	0.0050	ug/L		08/29/16 12:15	08/29/16 17:49	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/29/16 12:15	08/29/16 17:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Pentachloroethane	108		60 - 144	08/29/16 12:15	08/29/16 17:49	1

Method: 1631E - Mercury, Low Level (CVAFS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.020		0.0050	0.0020	ug/L		08/26/16 15:50	08/30/16 09:48	1

Method: 2340B-2011 - Total Hardness (as CaCO3) by calculation

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	150		3.3	3.3	mg/L			09/06/16 09:50	1

Method: 6020A - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.80	I	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 18:54	1
Arsenic	2.3	I	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 18:54	1
Barium	41		5.0	0.61	ug/L		08/26/16 14:19	08/29/16 18:54	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 18:54	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 18:54	1
Chromium	4.9	I	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 18:54	1
Cobalt	0.63		0.50	0.12	ug/L		08/26/16 14:19	08/29/16 18:54	1
Copper	1.9	I	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 18:54	1
Iron	600		100	25	ug/L		08/26/16 14:19	08/29/16 18:54	1
Lead	4.6		2.5	0.98	ug/L		08/26/16 14:19	08/29/16 18:54	1
Nickel	5.6		5.0	1.9	ug/L		08/26/16 14:19	08/29/16 18:54	1
Selenium	1.1	I	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 18:54	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 18:54	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 18:54	1
Vanadium	7.2	I	10	5.3	ug/L		08/26/16 14:19	08/29/16 18:54	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 18:54	1

General Chemistry

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	13		2.0	2.0	mg/L			08/25/16 14:17	1
Total Dissolved Solids	420		10	10	mg/L			08/26/16 10:03	1
Ammonia (as N)	1.5		0.25	0.10	mg/L			08/31/16 15:07	1
Nitrogen, Kjeldahl	3.8		0.20	0.10	mg/L		09/01/16 16:01	09/02/16 14:04	1
Nitrate as N	0.35		0.050	0.010	mg/L			08/25/16 12:59	1
Phosphorus	0.13		0.10	0.041	mg/L		09/01/16 16:01	09/02/16 14:04	1
Orthophosphate	0.016	U Q	0.050	0.016	mg/L			08/26/16 11:33	1
Biochemical Oxygen Demand	4.3		2.0	2.0	mg/L			08/25/16 16:03	1
Chemical Oxygen Demand	82		10	5.0	mg/L			09/02/16 10:26	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Date Collected: 08/24/16 08:15

Matrix: Water

Date Received: 08/25/16 09:17

General Chemistry (Continued)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	28		1.0	0.50	mg/L			08/30/16 06:09	1
Nitrogen, Total	4.5		0.25	0.25	mg/L			09/06/16 09:02	1
Un-ionized Ammonia	0.0099		0.000017	0.000017	mg/L			09/06/16 08:59	1

Method: Field Sampling - Field Sampling

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Color	Brown				PCU			08/24/16 08:15	1
Field pH	6.85				SU			08/24/16 08:15	1
Field Temperature	29.4				Degrees C			08/24/16 08:15	1
Oxygen, Dissolved	3.7				mg/L			08/24/16 08:15	1
Sheen	No				NONE			08/24/16 08:15	1
Specific Conductance	696				umhos/cm			08/24/16 08:15	1
Turbidity	53.57				NTU			08/24/16 08:15	1

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP Blank - SW 129123

Lab Sample ID: 680-129123-13

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			09/02/16 12:50	1
Acrylonitrile	10	U	20	10	ug/L			09/02/16 12:50	1
Benzene	0.43	U	1.0	0.43	ug/L			09/02/16 12:50	1
Bromoform	0.43	U	1.0	0.43	ug/L			09/02/16 12:50	1
Bromomethane	2.5	U J	5.0	2.5	ug/L			09/02/16 12:50	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			09/02/16 12:50	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			09/02/16 12:50	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			09/02/16 12:50	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			09/02/16 12:50	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			09/02/16 12:50	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			09/02/16 12:50	1
Chloroethane	2.5	U	5.0	2.5	ug/L			09/02/16 12:50	1
Chloroform	0.50	U	1.0	0.50	ug/L			09/02/16 12:50	1
Chloromethane	0.40	U	1.0	0.40	ug/L			09/02/16 12:50	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			09/02/16 12:50	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			09/02/16 12:50	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			09/02/16 12:50	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			09/02/16 12:50	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			09/02/16 12:50	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			09/02/16 12:50	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			09/02/16 12:50	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			09/02/16 12:50	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 12:50	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 12:50	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 12:50	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 12:50	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 12:50	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 12:50	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 12:50	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 12:50	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 12:50	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 12:50	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 12:50	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 12:50	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 12:50	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 12:50	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 12:50	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 12:50	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 12:50	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 12:50	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 12:50	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 12:50	1
Trichlorofluoromethane	0.42	U J	1.0	0.42	ug/L			09/02/16 12:50	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 12:50	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 12:50	1
Vinyl chloride	0.50	U J	1.0	0.50	ug/L			09/02/16 12:50	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 12:50	1

TestAmerica Savannah

Client Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP Blank - SW 129123

Lab Sample ID: 680-129123-13

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
4-Bromofluorobenzene (Surr)	87		80 - 120		09/02/16 12:50	1
Dibromofluoromethane (Surr)	99		80 - 122		09/02/16 12:50	1
1,2-Dichloroethane-d4 (Surr)	86		73 - 131		09/02/16 12:50	1
Toluene-d8 (Surr)	100		80 - 120		09/02/16 12:50	1

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-447885/11

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	7.0	U	10	7.0	ug/L			08/31/16 18:18	1
Acrylonitrile	10	U	20	10	ug/L			08/31/16 18:18	1
Benzene	0.43	U	1.0	0.43	ug/L			08/31/16 18:18	1
Bromoform	0.43	U	1.0	0.43	ug/L			08/31/16 18:18	1
Bromomethane	2.5	U	5.0	2.5	ug/L			08/31/16 18:18	1
2-Butanone (MEK)	3.4	U	10	3.4	ug/L			08/31/16 18:18	1
Carbon disulfide	1.0	U	2.0	1.0	ug/L			08/31/16 18:18	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			08/31/16 18:18	1
Chlorobenzene	0.26	U	1.0	0.26	ug/L			08/31/16 18:18	1
Chlorobromomethane	0.45	U	1.0	0.45	ug/L			08/31/16 18:18	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			08/31/16 18:18	1
Chloroethane	2.5	U	5.0	2.5	ug/L			08/31/16 18:18	1
Chloroform	0.50	U	1.0	0.50	ug/L			08/31/16 18:18	1
Chloromethane	0.40	U	1.0	0.40	ug/L			08/31/16 18:18	1
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L			08/31/16 18:18	1
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L			08/31/16 18:18	1
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L			08/31/16 18:18	1
Dibromomethane	0.35	U	1.0	0.35	ug/L			08/31/16 18:18	1
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L			08/31/16 18:18	1
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L			08/31/16 18:18	1
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L			08/31/16 18:18	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			08/31/16 18:18	1
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			08/31/16 18:18	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			08/31/16 18:18	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			08/31/16 18:18	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			08/31/16 18:18	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			08/31/16 18:18	1
2-Hexanone	2.0	U	10	2.0	ug/L			08/31/16 18:18	1
Iodomethane	5.0	U	10	5.0	ug/L			08/31/16 18:18	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			08/31/16 18:18	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			08/31/16 18:18	1
Styrene	0.27	U	1.0	0.27	ug/L			08/31/16 18:18	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 18:18	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			08/31/16 18:18	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			08/31/16 18:18	1
Toluene	0.48	U	1.0	0.48	ug/L			08/31/16 18:18	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			08/31/16 18:18	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			08/31/16 18:18	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			08/31/16 18:18	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			08/31/16 18:18	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			08/31/16 18:18	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			08/31/16 18:18	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			08/31/16 18:18	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			08/31/16 18:18	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			08/31/16 18:18	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			08/31/16 18:18	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			08/31/16 18:18	1

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-447885/11

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	96		80 - 120		08/31/16 18:18	1
Dibromofluoromethane (Surr)	94		80 - 122		08/31/16 18:18	1
1,2-Dichloroethane-d4 (Surr)	87		73 - 131		08/31/16 18:18	1
Toluene-d8 (Surr)	105		80 - 120		08/31/16 18:18	1

Lab Sample ID: LCS 680-447885/4

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
Acetone	250	232		ug/L		93	68 - 132
Benzene	50.0	45.8		ug/L		92	80 - 120
Bromoform	50.0	62.7	J	ug/L		125	52 - 122
Bromomethane	50.0	84.2	J	ug/L		168	43 - 146
2-Butanone (MEK)	250	223		ug/L		89	79 - 125
Carbon disulfide	50.0	47.3		ug/L		95	77 - 129
Carbon tetrachloride	50.0	51.6		ug/L		103	67 - 125
Chlorobenzene	50.0	49.9		ug/L		100	80 - 120
Chlorobromomethane	50.0	50.3		ug/L		101	80 - 120
Chlorodibromomethane	50.0	50.9		ug/L		102	68 - 120
Chloroethane	50.0	47.9		ug/L		96	48 - 145
Chloroform	50.0	46.2		ug/L		92	80 - 120
Chloromethane	50.0	50.2		ug/L		100	76 - 149
cis-1,2-Dichloroethene	50.0	47.0		ug/L		94	80 - 120
cis-1,3-Dichloropropene	50.0	47.9		ug/L		96	80 - 129
1,2-Dibromo-3-Chloropropane	50.0	47.9		ug/L		96	74 - 120
Dibromomethane	50.0	45.1		ug/L		90	80 - 120
1,2-Dichlorobenzene	50.0	44.8		ug/L		90	80 - 120
1,4-Dichlorobenzene	50.0	47.8		ug/L		96	80 - 120
Dichlorobromomethane	50.0	45.8		ug/L		92	80 - 120
1,1-Dichloroethane	50.0	44.9		ug/L		90	80 - 120
1,2-Dichloroethane	50.0	43.3		ug/L		87	72 - 128
1,1-Dichloroethene	50.0	51.1		ug/L		102	80 - 120
1,2-Dichloropropane	50.0	45.5		ug/L		91	80 - 120
Ethylbenzene	50.0	51.3		ug/L		103	80 - 120
Ethylene Dibromide	50.0	46.0		ug/L		92	75 - 126
2-Hexanone	250	210		ug/L		84	80 - 131
Methylene Chloride	50.0	48.4		ug/L		97	80 - 120
4-Methyl-2-pentanone (MIBK)	250	211		ug/L		85	80 - 134
Styrene	50.0	53.0		ug/L		106	80 - 126
1,1,1,2-Tetrachloroethane	50.0	55.3		ug/L		111	73 - 124
1,1,1,2,2-Tetrachloroethane	50.0	45.5		ug/L		91	76 - 126
Tetrachloroethene	50.0	53.7		ug/L		107	71 - 123
Toluene	50.0	49.0		ug/L		98	80 - 120
trans-1,2-Dichloroethene	50.0	49.1		ug/L		98	80 - 120
trans-1,3-Dichloropropene	50.0	47.2		ug/L		94	80 - 128
1,1,1-Trichloroethane	50.0	49.8		ug/L		100	80 - 120
1,1,2-Trichloroethane	50.0	43.2		ug/L		86	80 - 120

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-447885/4

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Trichloroethene	50.0	51.5		ug/L		103	80 - 120
Trichlorofluoromethane	50.0	56.3		ug/L		113	58 - 127
1,2,3-Trichloropropane	50.0	48.1		ug/L		96	78 - 128
Vinyl acetate	100	96.2		ug/L		96	74 - 156
Vinyl chloride	50.0	48.7		ug/L		97	80 - 129
Xylenes, Total	100	102		ug/L		102	80 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	93		80 - 120
Dibromofluoromethane (Surr)	96		80 - 122
1,2-Dichloroethane-d4 (Surr)	89		73 - 131
Toluene-d8 (Surr)	104		80 - 120

Lab Sample ID: LCSD 680-447885/21

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	250	229		ug/L		91	68 - 132	1	30
Benzene	50.0	46.5		ug/L		93	80 - 120	2	20
Bromoform	50.0	64.1	J	ug/L		128	52 - 122	2	20
Bromomethane	50.0	75.8	J	ug/L		152	43 - 146	11	20
2-Butanone (MEK)	250	225		ug/L		90	79 - 125	1	20
Carbon disulfide	50.0	45.1		ug/L		90	77 - 129	5	20
Carbon tetrachloride	50.0	50.5		ug/L		101	67 - 125	2	20
Chlorobenzene	50.0	51.0		ug/L		102	80 - 120	2	20
Chlorobromomethane	50.0	53.7		ug/L		107	80 - 120	6	20
Chlorodibromomethane	50.0	54.9		ug/L		110	68 - 120	8	20
Chloroethane	50.0	47.5		ug/L		95	48 - 145	1	20
Chloroform	50.0	49.2		ug/L		98	80 - 120	6	20
Chloromethane	50.0	45.8		ug/L		92	76 - 149	9	30
cis-1,2-Dichloroethene	50.0	46.7		ug/L		93	80 - 120	1	20
cis-1,3-Dichloropropene	50.0	48.0		ug/L		96	80 - 129	0	20
1,2-Dibromo-3-Chloropropane	50.0	46.2		ug/L		92	74 - 120	4	20
Dibromomethane	50.0	49.4		ug/L		99	80 - 120	9	20
1,2-Dichlorobenzene	50.0	45.3		ug/L		91	80 - 120	1	20
1,4-Dichlorobenzene	50.0	47.8		ug/L		96	80 - 120	0	20
Dichlorobromomethane	50.0	48.9		ug/L		98	80 - 120	7	20
1,1-Dichloroethane	50.0	45.7		ug/L		91	80 - 120	2	20
1,2-Dichloroethane	50.0	46.8		ug/L		94	72 - 128	8	50
1,1-Dichloroethene	50.0	49.9		ug/L		100	80 - 120	2	20
1,2-Dichloropropane	50.0	46.2		ug/L		92	80 - 120	2	20
Ethylbenzene	50.0	50.5		ug/L		101	80 - 120	2	20
Ethylene Dibromide	50.0	50.7		ug/L		101	75 - 126	10	20
2-Hexanone	250	209		ug/L		83	80 - 131	1	20
Methylene Chloride	50.0	50.9		ug/L		102	80 - 120	5	20
4-Methyl-2-pentanone (MIBK)	250	217		ug/L		87	80 - 134	3	20
Styrene	50.0	54.2		ug/L		108	80 - 126	2	20

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-447885/21

Matrix: Water

Analysis Batch: 447885

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	Limit
							Limits	RPD		
1,1,1,2-Tetrachloroethane	50.0	56.7		ug/L		113	73 - 124	3	20	
1,1,2,2-Tetrachloroethane	50.0	46.4		ug/L		93	76 - 126	2	20	
Tetrachloroethene	50.0	54.2		ug/L		108	71 - 123	1	20	
Toluene	50.0	50.0		ug/L		100	80 - 120	2	20	
trans-1,2-Dichloroethene	50.0	48.6		ug/L		97	80 - 120	1	20	
trans-1,3-Dichloropropene	50.0	48.1		ug/L		96	80 - 128	2	30	
1,1,1-Trichloroethane	50.0	49.7		ug/L		99	80 - 120	0	20	
1,1,2-Trichloroethane	50.0	46.6		ug/L		93	80 - 120	7	20	
Trichloroethene	50.0	53.7		ug/L		107	80 - 120	4	20	
Trichlorofluoromethane	50.0	54.2		ug/L		108	58 - 127	4	20	
1,2,3-Trichloropropane	50.0	48.5		ug/L		97	78 - 128	1	30	
Vinyl acetate	100	85.1		ug/L		85	74 - 156	12	20	
Vinyl chloride	50.0	43.4		ug/L		87	80 - 129	12	20	
Xylenes, Total	100	101		ug/L		101	80 - 120	1	20	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	92		80 - 120
Dibromofluoromethane (Surr)	102		80 - 122
1,2-Dichloroethane-d4 (Surr)	98		73 - 131
Toluene-d8 (Surr)	104		80 - 120

Lab Sample ID: MB 680-448234/7

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acetone	7.0	U	10	7.0	ug/L		09/02/16 11:07	1	
Acrylonitrile	10	U	20	10	ug/L		09/02/16 11:07	1	
Benzene	0.43	U	1.0	0.43	ug/L		09/02/16 11:07	1	
Bromoform	0.43	U	1.0	0.43	ug/L		09/02/16 11:07	1	
Bromomethane	2.5	U	5.0	2.5	ug/L		09/02/16 11:07	1	
2-Butanone (MEK)	3.4	U	10	3.4	ug/L		09/02/16 11:07	1	
Carbon disulfide	1.0	U	2.0	1.0	ug/L		09/02/16 11:07	1	
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L		09/02/16 11:07	1	
Chlorobenzene	0.26	U	1.0	0.26	ug/L		09/02/16 11:07	1	
Chlorobromomethane	0.45	U	1.0	0.45	ug/L		09/02/16 11:07	1	
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L		09/02/16 11:07	1	
Chloroethane	2.5	U	5.0	2.5	ug/L		09/02/16 11:07	1	
Chloroform	0.50	U	1.0	0.50	ug/L		09/02/16 11:07	1	
Chloromethane	0.40	U	1.0	0.40	ug/L		09/02/16 11:07	1	
cis-1,2-Dichloroethene	0.41	U	1.0	0.41	ug/L		09/02/16 11:07	1	
cis-1,3-Dichloropropene	0.40	U	1.0	0.40	ug/L		09/02/16 11:07	1	
1,2-Dibromo-3-Chloropropane	1.1	U	5.0	1.1	ug/L		09/02/16 11:07	1	
Dibromomethane	0.35	U	1.0	0.35	ug/L		09/02/16 11:07	1	
1,2-Dichlorobenzene	0.37	U	1.0	0.37	ug/L		09/02/16 11:07	1	
1,4-Dichlorobenzene	0.46	U	1.0	0.46	ug/L		09/02/16 11:07	1	
Dichlorobromomethane	0.44	U	1.0	0.44	ug/L		09/02/16 11:07	1	
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L		09/02/16 11:07	1	

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 680-448234/7

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,2-Dichloroethane	0.50	U	1.0	0.50	ug/L			09/02/16 11:07	1
1,1-Dichloroethene	0.36	U	1.0	0.36	ug/L			09/02/16 11:07	1
1,2-Dichloropropane	0.67	U	1.0	0.67	ug/L			09/02/16 11:07	1
Ethylbenzene	0.33	U	1.0	0.33	ug/L			09/02/16 11:07	1
Ethylene Dibromide	0.44	U	1.0	0.44	ug/L			09/02/16 11:07	1
2-Hexanone	2.0	U	10	2.0	ug/L			09/02/16 11:07	1
Iodomethane	5.0	U	10	5.0	ug/L			09/02/16 11:07	1
Methylene Chloride	2.5	U	5.0	2.5	ug/L			09/02/16 11:07	1
4-Methyl-2-pentanone (MIBK)	2.1	U	10	2.1	ug/L			09/02/16 11:07	1
Styrene	0.27	U	1.0	0.27	ug/L			09/02/16 11:07	1
1,1,1,2-Tetrachloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 11:07	1
1,1,2,2-Tetrachloroethane	0.62	U	1.0	0.62	ug/L			09/02/16 11:07	1
Tetrachloroethene	0.74	U	1.0	0.74	ug/L			09/02/16 11:07	1
Toluene	0.48	U	1.0	0.48	ug/L			09/02/16 11:07	1
trans-1,4-Dichloro-2-butene	0.51	U	2.0	0.51	ug/L			09/02/16 11:07	1
trans-1,2-Dichloroethene	0.37	U	1.0	0.37	ug/L			09/02/16 11:07	1
trans-1,3-Dichloropropene	0.42	U	1.0	0.42	ug/L			09/02/16 11:07	1
1,1,1-Trichloroethane	0.37	U	1.0	0.37	ug/L			09/02/16 11:07	1
1,1,2-Trichloroethane	0.33	U	1.0	0.33	ug/L			09/02/16 11:07	1
Trichloroethene	0.48	U	1.0	0.48	ug/L			09/02/16 11:07	1
Trichlorofluoromethane	0.42	U	1.0	0.42	ug/L			09/02/16 11:07	1
1,2,3-Trichloropropane	0.39	U	1.0	0.39	ug/L			09/02/16 11:07	1
Vinyl acetate	0.81	U	2.0	0.81	ug/L			09/02/16 11:07	1
Vinyl chloride	0.50	U	1.0	0.50	ug/L			09/02/16 11:07	1
Xylenes, Total	0.23	U	1.0	0.23	ug/L			09/02/16 11:07	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
4-Bromofluorobenzene (Surr)	89		80 - 120		09/02/16 11:07	1
Dibromofluoromethane (Surr)	126	J	80 - 122		09/02/16 11:07	1
1,2-Dichloroethane-d4 (Surr)	115		73 - 131		09/02/16 11:07	1
Toluene-d8 (Surr)	99		80 - 120		09/02/16 11:07	1

Lab Sample ID: LCS 680-448234/4

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acetone	250	216		ug/L		86	68 - 132
Benzene	50.0	49.1		ug/L		98	80 - 120
Bromoform	50.0	55.9		ug/L		112	52 - 122
Bromomethane	50.0	77.2	J	ug/L		154	43 - 146
2-Butanone (MEK)	250	237		ug/L		95	79 - 125
Carbon disulfide	50.0	48.4		ug/L		97	77 - 129
Carbon tetrachloride	50.0	48.9		ug/L		98	67 - 125
Chlorobenzene	50.0	51.8		ug/L		104	80 - 120
Chlorobromomethane	50.0	52.7		ug/L		105	80 - 120
Chlorodibromomethane	50.0	57.0		ug/L		114	68 - 120
Chloroethane	50.0	64.2		ug/L		128	48 - 145

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-448234/4

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloroform	50.0	47.6		ug/L		95	80 - 120
Chloromethane	50.0	49.9		ug/L		100	76 - 149
cis-1,2-Dichloroethene	50.0	46.4		ug/L		93	80 - 120
cis-1,3-Dichloropropene	50.0	53.2		ug/L		106	80 - 129
1,2-Dibromo-3-Chloropropane	50.0	49.0		ug/L		98	74 - 120
Dibromomethane	50.0	49.6		ug/L		99	80 - 120
1,2-Dichlorobenzene	50.0	49.3		ug/L		99	80 - 120
1,4-Dichlorobenzene	50.0	49.5		ug/L		99	80 - 120
Dichlorobromomethane	50.0	52.7		ug/L		105	80 - 120
1,1-Dichloroethane	50.0	46.0		ug/L		92	80 - 120
1,2-Dichloroethane	50.0	46.0		ug/L		92	72 - 128
1,1-Dichloroethene	50.0	40.3		ug/L		81	80 - 120
1,2-Dichloropropane	50.0	49.8		ug/L		100	80 - 120
Ethylbenzene	50.0	50.7		ug/L		101	80 - 120
Ethylene Dibromide	50.0	54.8		ug/L		110	75 - 126
2-Hexanone	250	228		ug/L		91	80 - 131
Methylene Chloride	50.0	50.3		ug/L		101	80 - 120
4-Methyl-2-pentanone (MIBK)	250	225		ug/L		90	80 - 134
Styrene	50.0	50.2		ug/L		100	80 - 126
1,1,1,2-Tetrachloroethane	50.0	55.0		ug/L		110	73 - 124
1,1,2,2-Tetrachloroethane	50.0	55.8		ug/L		112	76 - 126
Tetrachloroethene	50.0	53.1		ug/L		106	71 - 123
Toluene	50.0	49.4		ug/L		99	80 - 120
trans-1,2-Dichloroethene	50.0	49.7		ug/L		99	80 - 120
trans-1,3-Dichloropropene	50.0	49.9		ug/L		100	80 - 128
1,1,1-Trichloroethane	50.0	45.6		ug/L		91	80 - 120
1,1,2-Trichloroethane	50.0	49.7		ug/L		99	80 - 120
Trichloroethene	50.0	52.5		ug/L		105	80 - 120
Trichlorofluoromethane	50.0	57.9		ug/L		116	58 - 127
1,2,3-Trichloropropane	50.0	56.4		ug/L		113	78 - 128
Vinyl acetate	100	91.0		ug/L		91	74 - 156
Vinyl chloride	50.0	53.9		ug/L		108	80 - 129
Xylenes, Total	100	101		ug/L		101	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	91		80 - 120
Dibromofluoromethane (Surr)	103		80 - 122
1,2-Dichloroethane-d4 (Surr)	91		73 - 131
Toluene-d8 (Surr)	99		80 - 120

Lab Sample ID: LCSD 680-448234/28

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Acetone	250	267		ug/L		107	68 - 132	21	30
Benzene	50.0	48.9		ug/L		98	80 - 120	0	20
Bromoform	50.0	49.2		ug/L		98	52 - 122	13	20

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 680-448234/28

Matrix: Water

Analysis Batch: 448234

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Bromomethane	50.0	44.2	J	ug/L		88	43 - 146	54	20
2-Butanone (MEK)	250	266		ug/L		106	79 - 125	11	20
Carbon disulfide	50.0	46.0		ug/L		92	77 - 129	5	20
Carbon tetrachloride	50.0	46.6		ug/L		93	67 - 125	5	20
Chlorobenzene	50.0	50.8		ug/L		102	80 - 120	2	20
Chlorobromomethane	50.0	50.9		ug/L		102	80 - 120	4	20
Chlorodibromomethane	50.0	52.5		ug/L		105	68 - 120	8	20
Chloroethane	50.0	58.2		ug/L		116	48 - 145	10	20
Chloroform	50.0	49.3		ug/L		99	80 - 120	3	20
Chloromethane	50.0	38.1		ug/L		76	76 - 149	27	30
cis-1,2-Dichloroethene	50.0	48.9		ug/L		98	80 - 120	5	20
cis-1,3-Dichloropropene	50.0	51.2		ug/L		102	80 - 129	4	20
1,2-Dibromo-3-Chloropropane	50.0	46.8		ug/L		94	74 - 120	5	20
Dibromomethane	50.0	52.4		ug/L		105	80 - 120	5	20
1,2-Dichlorobenzene	50.0	50.2		ug/L		100	80 - 120	2	20
1,4-Dichlorobenzene	50.0	49.3		ug/L		99	80 - 120	0	20
Dichlorobromomethane	50.0	52.1		ug/L		104	80 - 120	1	20
1,1-Dichloroethane	50.0	48.7		ug/L		97	80 - 120	6	20
1,2-Dichloroethane	50.0	51.2		ug/L		102	72 - 128	11	50
1,1-Dichloroethene	50.0	44.1		ug/L		88	80 - 120	9	20
1,2-Dichloropropane	50.0	50.9		ug/L		102	80 - 120	2	20
Ethylbenzene	50.0	50.5		ug/L		101	80 - 120	0	20
Ethylene Dibromide	50.0	50.9		ug/L		102	75 - 126	7	20
2-Hexanone	250	249		ug/L		100	80 - 131	9	20
Methylene Chloride	50.0	49.4		ug/L		99	80 - 120	2	20
4-Methyl-2-pentanone (MIBK)	250	260		ug/L		104	80 - 134	14	20
Styrene	50.0	52.3		ug/L		105	80 - 126	4	20
1,1,1,2-Tetrachloroethane	50.0	52.6		ug/L		105	73 - 124	4	20
1,1,1,2,2-Tetrachloroethane	50.0	47.0		ug/L		94	76 - 126	17	20
Tetrachloroethene	50.0	47.8		ug/L		96	71 - 123	10	20
Toluene	50.0	49.4		ug/L		99	80 - 120	0	20
trans-1,2-Dichloroethene	50.0	47.0		ug/L		94	80 - 120	6	20
trans-1,3-Dichloropropene	50.0	50.9		ug/L		102	80 - 128	2	30
1,1,1-Trichloroethane	50.0	47.5		ug/L		95	80 - 120	4	20
1,1,2-Trichloroethane	50.0	50.1		ug/L		100	80 - 120	1	20
Trichloroethene	50.0	49.5		ug/L		99	80 - 120	6	20
Trichlorofluoromethane	50.0	44.9	J	ug/L		90	58 - 127	25	20
1,2,3-Trichloropropane	50.0	46.8		ug/L		94	78 - 128	19	30
Vinyl acetate	100	97.4		ug/L		97	74 - 156	7	20
Vinyl chloride	50.0	42.4	J	ug/L		85	80 - 129	24	20
Xylenes, Total	100	97.6		ug/L		98	80 - 120	4	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	104		80 - 120
Dibromofluoromethane (Surr)	101		80 - 122
1,2-Dichloroethane-d4 (Surr)	101		73 - 131
Toluene-d8 (Surr)	99		80 - 120

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC)

Lab Sample ID: MB 680-447230/3-A
Matrix: Water
Analysis Batch: 447342

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 447230

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0050	U	0.018	0.0050	ug/L		08/25/16 13:18	08/26/16 11:27	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/25/16 13:18	08/26/16 11:27	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Pentachloroethane	137		60 - 144				08/25/16 13:18	08/26/16 11:27	1

Lab Sample ID: LCS 680-447230/4-A
Matrix: Water
Analysis Batch: 447342

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 447230

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
DBCP	0.100	0.0935		ug/L		93	70 - 148
EDB	0.100	0.0892		ug/L		89	66 - 126
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Pentachloroethane	110		60 - 144				

Lab Sample ID: MB 680-447592/3-A
Matrix: Water
Analysis Batch: 447616

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 447592

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DBCP	0.0050	U	0.018	0.0050	ug/L		08/29/16 12:15	08/29/16 14:41	1
EDB	0.0022	U	0.018	0.0022	ug/L		08/29/16 12:15	08/29/16 14:41	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Pentachloroethane	121		60 - 144				08/29/16 12:15	08/29/16 14:41	1

Lab Sample ID: LCS 680-447592/4-A
Matrix: Water
Analysis Batch: 447616

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 447592

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
DBCP	0.100	0.0865		ug/L		86	70 - 148
EDB	0.100	0.0851		ug/L		85	66 - 126
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Pentachloroethane	95		60 - 144				

Lab Sample ID: 680-129123-2 MS
Matrix: Water
Analysis Batch: 447616

Client Sample ID: MWB33S
Prep Type: Total/NA
Prep Batch: 447592

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
DBCP	0.0049	U	0.0962	0.0773		ug/L		80	70 - 148
EDB	0.0021	U	0.0962	0.0763		ug/L		79	66 - 126

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 8011 - EDB, DBCP, and 1,2,3-TCP (GC) (Continued)

Lab Sample ID: 680-129123-2 MS
Matrix: Water
Analysis Batch: 447616

Client Sample ID: MWB33S
Prep Type: Total/NA
Prep Batch: 447592

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
Pentachloroethane	92		60 - 144

Lab Sample ID: 680-129123-2 MSD
Matrix: Water
Analysis Batch: 447616

Client Sample ID: MWB33S
Prep Type: Total/NA
Prep Batch: 447592

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD MSD		Unit	D	%Rec	%Rec.		RPD	Limit
				Result	Qualifier				Limits	RPD		
DBCP	0.0049	U	0.0978	0.0896		ug/L		92	70 - 148	15	30	
EDB	0.0021	U	0.0978	0.0818		ug/L		84	66 - 126	7	30	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
Pentachloroethane	103		60 - 144

Lab Sample ID: MB 680-449426/3-A
Matrix: Water
Analysis Batch: 449448

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 449426

Analyte	MB MB		PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
DBCP	0.0050	U	0.018	0.0050	ug/L		09/13/16 11:45	09/13/16 14:01	1
EDB	0.0022	U	0.018	0.0022	ug/L		09/13/16 11:45	09/13/16 14:01	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Pentachloroethane	100		60 - 144	09/13/16 11:45	09/13/16 14:01	1

Lab Sample ID: LCS 680-449426/4-A
Matrix: Water
Analysis Batch: 449448

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 449426

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec.	
		Result	Qualifier				Limits	
DBCP	0.100	0.0922		ug/L		92	70 - 148	
EDB	0.100	0.0859		ug/L		86	66 - 126	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Pentachloroethane	107		60 - 144

Lab Sample ID: LLCS 680-449426/5-A
Matrix: Water
Analysis Batch: 449448

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 449426

Analyte	Spike Added	LLCS LLCS		Unit	D	%Rec	%Rec.	
		Result	Qualifier				Limits	
DBCP	0.0179	0.0168	I	ug/L		94	60 - 140	
EDB	0.0179	0.0157	I	ug/L		88	60 - 140	

Surrogate	LLCS LLCS		Limits
	%Recovery	Qualifier	
Pentachloroethane	91		60 - 144

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography

Lab Sample ID: MB 680-448165/37
Matrix: Water
Analysis Batch: 448165

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/01/16 22:38	1

Lab Sample ID: LCS 680-448165/38
Matrix: Water
Analysis Batch: 448165

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.71		mg/L		97	90 - 110

Lab Sample ID: LCSD 680-448165/39
Matrix: Water
Analysis Batch: 448165

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.71		mg/L		97	90 - 110	0	15

Lab Sample ID: 680-129123-1 MS
Matrix: Water
Analysis Batch: 448165

Client Sample ID: MWB21S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25		10.0	35.3		mg/L		100	80 - 120

Lab Sample ID: 680-129123-1 MSD
Matrix: Water
Analysis Batch: 448165

Client Sample ID: MWB21S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25		10.0	35.2		mg/L		100	80 - 120	0	15

Lab Sample ID: MB 680-448168/36
Matrix: Water
Analysis Batch: 448168

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/01/16 22:55	1

Lab Sample ID: LCS 680-448168/37
Matrix: Water
Analysis Batch: 448168

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.96		mg/L		100	90 - 110

Lab Sample ID: LCSD 680-448168/38
Matrix: Water
Analysis Batch: 448168

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.96		mg/L		100	90 - 110	0	15

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Lab Sample ID: MB 680-448169/2
Matrix: Water
Analysis Batch: 448169

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/01/16 09:02	1

Lab Sample ID: LCS 680-448169/3
Matrix: Water
Analysis Batch: 448169

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.77		mg/L		98	90 - 110

Lab Sample ID: LCSD 680-448169/4
Matrix: Water
Analysis Batch: 448169

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.78		mg/L		98	90 - 110	0	15

Lab Sample ID: 680-129072-14 MS
Matrix: Water
Analysis Batch: 448169

Client Sample ID: MWB271
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	5.2		10.0	15.3		mg/L		101	80 - 120

Lab Sample ID: 680-129072-14 MSD
Matrix: Water
Analysis Batch: 448169

Client Sample ID: MWB271
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	5.2		10.0	15.3		mg/L		101	80 - 120	0	15

Lab Sample ID: 680-129072-14 DU
Matrix: Water
Analysis Batch: 448169

Client Sample ID: MWB271
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Chloride	5.2			5.20		mg/L		0.1	15

Lab Sample ID: MB 680-448341/2
Matrix: Water
Analysis Batch: 448341

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.20	U	0.50	0.20	mg/L			09/06/16 09:54	1

Lab Sample ID: LCS 680-448341/3
Matrix: Water
Analysis Batch: 448341

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	9.86		mg/L		99	90 - 110

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 300.0-1993 R2.1 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 680-448341/4
Matrix: Water
Analysis Batch: 448341

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	10.0	9.88		mg/L		99	90 - 110	0	15

Method: 1631E - Mercury, Low Level (CVAFS)

Lab Sample ID: MB 400-320726/1-A
Matrix: Water
Analysis Batch: 320825

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 320726

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.00020	U	0.00050	0.00020	ug/L		08/30/16 08:44	08/30/16 09:14	1

Lab Sample ID: LCS 400-320726/2-A
Matrix: Water
Analysis Batch: 320825

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 320726

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00500	0.00501		ug/L		100	79 - 121

Lab Sample ID: LCSD 400-320726/3-A
Matrix: Water
Analysis Batch: 320825

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 320726

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	0.00500	0.00479		ug/L		96	79 - 121	4	20

Lab Sample ID: 680-129123-12 MS
Matrix: Water
Analysis Batch: 320825

Client Sample ID: SW-3
Prep Type: Total/NA
Prep Batch: 320726

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.020		0.0500	0.0664		ug/L		92	71 - 125

Lab Sample ID: 680-129123-12 MSD
Matrix: Water
Analysis Batch: 320825

Client Sample ID: SW-3
Prep Type: Total/NA
Prep Batch: 320726

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	0.020		0.0500	0.0659		ug/L		91	71 - 125	1	24

Method: 2340B-2011 - Total Hardness (as CaCO3) by calculation

Lab Sample ID: MB 680-448362/1
Matrix: Water
Analysis Batch: 448362

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	3.3	U	3.3	3.3	mg/L			09/06/16 09:50	1

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 680-447329/1-A

Matrix: Water

Analysis Batch: 447535

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 447329

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 09:17	08/27/16 02:14	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 09:17	08/27/16 02:14	1
Barium	0.61	U	5.0	0.61	ug/L		08/26/16 09:17	08/27/16 02:14	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 09:17	08/27/16 02:14	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 09:17	08/27/16 02:14	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 09:17	08/27/16 02:14	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 09:17	08/27/16 02:14	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 09:17	08/27/16 02:14	1
Iron	25	U	100	25	ug/L		08/26/16 09:17	08/27/16 02:14	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 09:17	08/27/16 02:14	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 09:17	08/27/16 02:14	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 09:17	08/27/16 02:14	1
Sodium	0.17	U	0.50	0.17	mg/L		08/26/16 09:17	08/27/16 02:14	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 09:17	08/27/16 02:14	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 09:17	08/27/16 02:14	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 09:17	08/27/16 02:14	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 09:17	08/27/16 02:14	1

Lab Sample ID: LCS 680-447329/2-A

Matrix: Water

Analysis Batch: 447535

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 447329

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Antimony	50.0	50.9		ug/L		102	75 - 125
Arsenic	100	102		ug/L		102	75 - 125
Barium	100	96.2		ug/L		96	75 - 125
Beryllium	50.0	52.4		ug/L		105	75 - 125
Cadmium	50.0	51.4		ug/L		103	75 - 125
Chromium	100	96.3		ug/L		96	75 - 125
Cobalt	50.0	51.5		ug/L		103	75 - 125
Copper	100	100		ug/L		100	75 - 125
Iron	5000	4810		ug/L		96	75 - 125
Lead	500	469		ug/L		94	75 - 125
Nickel	100	99.2		ug/L		99	75 - 125
Selenium	100	99.2		ug/L		99	75 - 125
Sodium	5.00	4.87		mg/L		97	75 - 125
Silver	50.0	51.3		ug/L		103	75 - 125
Thallium	40.0	39.0		ug/L		98	75 - 125
Vanadium	100	96.1		ug/L		96	75 - 125
Zinc	100	103		ug/L		103	75 - 125

Lab Sample ID: MB 680-447420/1-A

Matrix: Water

Analysis Batch: 447715

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 447420

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	0.50	U	5.0	0.50	ug/L		08/26/16 14:19	08/29/16 15:54	1
Arsenic	1.5	U	3.0	1.5	ug/L		08/26/16 14:19	08/29/16 15:54	1

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 6020A - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 680-447420/1-A
Matrix: Water
Analysis Batch: 447715

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 447420

Analyte	MB	MB	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Barium	0.61	U	5.0	0.61	ug/L		08/26/16 14:19	08/29/16 15:54	1
Beryllium	0.17	U	0.50	0.17	ug/L		08/26/16 14:19	08/29/16 15:54	1
Cadmium	0.15	U	0.50	0.15	ug/L		08/26/16 14:19	08/29/16 15:54	1
Chromium	1.6	U	5.0	1.6	ug/L		08/26/16 14:19	08/29/16 15:54	1
Cobalt	0.12	U	0.50	0.12	ug/L		08/26/16 14:19	08/29/16 15:54	1
Copper	1.7	U	5.0	1.7	ug/L		08/26/16 14:19	08/29/16 15:54	1
Iron	25	U	100	25	ug/L		08/26/16 14:19	08/29/16 15:54	1
Lead	0.98	U	2.5	0.98	ug/L		08/26/16 14:19	08/29/16 15:54	1
Nickel	1.9	U	5.0	1.9	ug/L		08/26/16 14:19	08/29/16 15:54	1
Selenium	1.0	U	2.5	1.0	ug/L		08/26/16 14:19	08/29/16 15:54	1
Sodium	0.17	U	0.50	0.17	mg/L		08/26/16 14:19	08/29/16 15:54	1
Silver	0.10	U	1.0	0.10	ug/L		08/26/16 14:19	08/29/16 15:54	1
Thallium	0.49	U	1.0	0.49	ug/L		08/26/16 14:19	08/29/16 15:54	1
Vanadium	5.3	U	10	5.3	ug/L		08/26/16 14:19	08/29/16 15:54	1
Zinc	9.6	U	20	9.6	ug/L		08/26/16 14:19	08/29/16 15:54	1

Lab Sample ID: LCS 680-447420/2-A
Matrix: Water
Analysis Batch: 447715

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 447420

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Antimony	50.0	49.9		ug/L		100	75 - 125
Arsenic	100	108		ug/L		108	75 - 125
Barium	100	95.9		ug/L		96	75 - 125
Beryllium	50.0	51.8		ug/L		104	75 - 125
Cadmium	50.0	50.4		ug/L		101	75 - 125
Calcium	5.00	4.97		mg/L		99	75 - 125
Chromium	100	105		ug/L		105	75 - 125
Cobalt	50.0	53.8		ug/L		108	75 - 125
Copper	100	107		ug/L		107	75 - 125
Iron	5000	4740		ug/L		95	75 - 125
Lead	500	488		ug/L		98	75 - 125
Magnesium	5.00	4.92		mg/L		98	75 - 125
Nickel	100	105		ug/L		105	75 - 125
Selenium	100	96.8		ug/L		97	75 - 125
Sodium	5.00	4.98		mg/L		100	75 - 125
Silver	50.0	52.6		ug/L		105	75 - 125
Thallium	40.0	37.8		ug/L		94	75 - 125
Vanadium	100	103		ug/L		103	75 - 125
Zinc	100	99.3		ug/L		99	75 - 125

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 680-447341/1-A
Matrix: Water
Analysis Batch: 447575

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 447341

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 09:56	08/27/16 10:41	1

Lab Sample ID: LCS 680-447341/2-A
Matrix: Water
Analysis Batch: 447575

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 447341

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	2.50	2.50		ug/L		100	80 - 120

Lab Sample ID: 680-129072-1 MS
Matrix: Water
Analysis Batch: 447575

Client Sample ID: MWB3S
Prep Type: Total/NA
Prep Batch: 447341

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.080	U	1.00	0.978		ug/L		98	80 - 120

Lab Sample ID: 680-129072-1 MSD
Matrix: Water
Analysis Batch: 447575

Client Sample ID: MWB3S
Prep Type: Total/NA
Prep Batch: 447341

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Mercury	0.080	U	1.00	0.980		ug/L		98	80 - 120	0	20

Lab Sample ID: MB 680-447349/1-A
Matrix: Water
Analysis Batch: 447575

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 447349

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.080	U	0.20	0.080	ug/L		08/26/16 10:26	08/27/16 12:46	1

Lab Sample ID: LCS 680-447349/2-A
Matrix: Water
Analysis Batch: 447575

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 447349

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	2.50	2.54		ug/L		102	80 - 120

Method: 2540 D-2011 - Total Suspended Solids (Dried at 103-105°C)

Lab Sample ID: MB 680-447248/1
Matrix: Water
Analysis Batch: 447248

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	1.0	U	1.0	1.0	mg/L			08/25/16 14:17	1

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 2540 D-2011 - Total Suspended Solids (Dried at 103-105°C) (Continued)

Lab Sample ID: LCS 680-447248/2

Matrix: Water

Analysis Batch: 447248

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Suspended Solids	20.0	16.0		mg/L		80	80 - 120

Lab Sample ID: LCSD 680-447248/3

Matrix: Water

Analysis Batch: 447248

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Total Suspended Solids	20.0	17.0		mg/L		85	80 - 120	6	25

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 680-447089/1

Matrix: Water

Analysis Batch: 447089

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5.0	U	5.0	5.0	mg/L			08/24/16 13:52	1

Lab Sample ID: LCS 680-447089/2

Matrix: Water

Analysis Batch: 447089

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	59.0	52.0		mg/L		88	80 - 120

Lab Sample ID: LCSD 680-447089/3

Matrix: Water

Analysis Batch: 447089

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Total Dissolved Solids	59.0	52.0		mg/L		88	80 - 120	0	25

Lab Sample ID: 680-129072-2 DU

Matrix: Water

Analysis Batch: 447089

Client Sample ID: MWB20S

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	560		544		mg/L		2	5

Lab Sample ID: 680-129072-7 DU

Matrix: Water

Analysis Batch: 447089

Client Sample ID: MWB27S

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	160		162		mg/L		3	5

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 2540C-2011 - Total Dissolved Solids (Dried at 180 °C) (Continued)

Lab Sample ID: MB 680-447345/1
Matrix: Water
Analysis Batch: 447345

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	5.0	U	5.0	5.0	mg/L			08/26/16 10:03	1

Lab Sample ID: LCS 680-447345/2
Matrix: Water
Analysis Batch: 447345

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	59.0	57.0		mg/L		97	80 - 120

Lab Sample ID: LCSD 680-447345/3
Matrix: Water
Analysis Batch: 447345

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Total Dissolved Solids	59.0	59.0		mg/L		100	80 - 120	3	25

Lab Sample ID: 680-129123-1 DU
Matrix: Water
Analysis Batch: 447345

Client Sample ID: MWB21S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	210		200		mg/L		3	5

Lab Sample ID: 680-129123-3 DU
Matrix: Water
Analysis Batch: 447345

Client Sample ID: MWB34S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	220		218		mg/L		0	5

Method: 350.1-1993 R2.0 - Nitrogen, Ammonia

Lab Sample ID: MB 680-447307/6
Matrix: Water
Analysis Batch: 447307

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/25/16 14:06	1

Lab Sample ID: LCS 680-447307/5
Matrix: Water
Analysis Batch: 447307

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	1.00	1.05		mg/L		105	90 - 110

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 350.1-1993 R2.0 - Nitrogen, Ammonia (Continued)

Lab Sample ID: 680-129072-1 MS
Matrix: Water
Analysis Batch: 447307

Client Sample ID: MWB3S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	0.10	U	1.00	1.05		mg/L		105	90 - 110

Lab Sample ID: 680-129072-1 MSD
Matrix: Water
Analysis Batch: 447307

Client Sample ID: MWB3S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia (as N)	0.10	U	1.00	1.05		mg/L		105	90 - 110	0	30

Lab Sample ID: MB 680-447397/3
Matrix: Water
Analysis Batch: 447397

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/26/16 09:14	1

Lab Sample ID: LCS 680-447397/2
Matrix: Water
Analysis Batch: 447397

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	1.00	1.04		mg/L		104	90 - 110

Lab Sample ID: LCSD 680-447397/4
Matrix: Water
Analysis Batch: 447397

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia (as N)	1.00	1.04		mg/L		104	90 - 110	0	30

Lab Sample ID: MB 680-448007/11
Matrix: Water
Analysis Batch: 448007

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia (as N)	0.10	U	0.25	0.10	mg/L			08/31/16 15:16	1

Lab Sample ID: LCS 680-448007/10
Matrix: Water
Analysis Batch: 448007

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	1.00	1.06		mg/L		106	90 - 110

Lab Sample ID: LCSD 680-448007/12
Matrix: Water
Analysis Batch: 448007

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia (as N)	1.00	1.08		mg/L		108	90 - 110	1	30

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Lab Sample ID: 680-129072-3 MS
Matrix: Water
Analysis Batch: 448007

Client Sample ID: MWB11S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	0.10	U	1.00	1.00		mg/L		100	90 - 110

Lab Sample ID: 680-129072-3 MSD
Matrix: Water
Analysis Batch: 448007

Client Sample ID: MWB11S
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia (as N)	0.10	U	1.00	1.01		mg/L		101	90 - 110	1	30

Lab Sample ID: 680-129123-9 MS
Matrix: Water
Analysis Batch: 448007

Client Sample ID: MWB32I
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Ammonia (as N)	0.10	U	1.00	1.02		mg/L		102	90 - 110

Lab Sample ID: 680-129123-9 MSD
Matrix: Water
Analysis Batch: 448007

Client Sample ID: MWB32I
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ammonia (as N)	0.10	U	1.00	1.02		mg/L		102	90 - 110	0	30

Method: 351.2-1993 R2.0 - Nitrogen, Total Nitrogen

Lab Sample ID: MB 680-448158/10-A
Matrix: Water
Analysis Batch: 448283

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 448158

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrogen, Kjeldahl	0.10	U	0.20	0.10	mg/L		09/01/16 16:01	09/02/16 13:49	1

Lab Sample ID: LCS 680-448158/11-A
Matrix: Water
Analysis Batch: 448283

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 448158

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrogen, Kjeldahl	2.00	2.14		mg/L		107	75 - 125

Lab Sample ID: 680-129123-11 MS
Matrix: Water
Analysis Batch: 448283

Client Sample ID: SW-1
Prep Type: Total/NA
Prep Batch: 448158

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrogen, Kjeldahl	0.93		2.00	2.86		mg/L		97	75 - 125

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 351.2-1993 R2.0 - Nitrogen, Total Nitrogen (Continued)

Lab Sample ID: 680-129123-11 MSD
Matrix: Water
Analysis Batch: 448283

Client Sample ID: SW-1
Prep Type: Total/NA
Prep Batch: 448158

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrogen, Kjeldahl	0.93		2.00	2.84		mg/L		96	75 - 125	1	40

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-447118/13
Matrix: Water
Analysis Batch: 447118

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 13:09	1

Lab Sample ID: MB 680-447118/57
Matrix: Water
Analysis Batch: 447118

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/24/16 14:07	1

Lab Sample ID: LCS 680-447118/16
Matrix: Water
Analysis Batch: 447118

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate Nitrite as N	1.00	0.995		mg/L		100	90 - 110
Nitrite as N	0.500	0.499		mg/L		100	90 - 110

Lab Sample ID: LCS 680-447118/56
Matrix: Water
Analysis Batch: 447118

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate Nitrite as N	1.00	1.02		mg/L		102	90 - 110
Nitrite as N	0.500	0.498		mg/L		100	90 - 110

Lab Sample ID: 680-129072-14 MS
Matrix: Water
Analysis Batch: 447118

Client Sample ID: MWB271
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate Nitrite as N	0.018	I	1.00	1.03		mg/L		101	90 - 110
Nitrite as N	0.010	U	0.500	0.505		mg/L		101	90 - 110

Lab Sample ID: 680-129072-14 MSD
Matrix: Water
Analysis Batch: 447118

Client Sample ID: MWB271
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate Nitrite as N	0.018	I	1.00	1.03		mg/L		102	90 - 110	1	10
Nitrite as N	0.010	U	0.500	0.506		mg/L		101	90 - 110	0	10

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 353.2 - Nitrogen, Nitrate-Nitrite (Continued)

Lab Sample ID: 680-129072-15 DU
Matrix: Water
Analysis Batch: 447118

Client Sample ID: MWB29I
Prep Type: Total/NA

Analyte	Sample		DU		Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Nitrate as N	0.010	U	0.010	U	mg/L		NC	30

Lab Sample ID: MB 680-447246/12
Matrix: Water
Analysis Batch: 447246

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 12:36	1

Lab Sample ID: MB 680-447246/44
Matrix: Water
Analysis Batch: 447246

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB		PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	0.010	U	0.050	0.010	mg/L			08/25/16 13:16	1

Lab Sample ID: LCS 680-447246/11
Matrix: Water
Analysis Batch: 447246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite as N	0.500	0.494		mg/L		99	90 - 110

Lab Sample ID: LCS 680-447246/45
Matrix: Water
Analysis Batch: 447246

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrite as N	0.500	0.492		mg/L		98	90 - 110

Method: 365.4-1974 - Phosphorus, Total

Lab Sample ID: MB 680-448158/10-A
Matrix: Water
Analysis Batch: 448282

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 448158

Analyte	MB		PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Phosphorus	0.041	U	0.10	0.041	mg/L		09/01/16 16:01	09/02/16 13:49	1

Lab Sample ID: LCS 680-448158/11-A
Matrix: Water
Analysis Batch: 448282

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 448158

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 365.4-1974 - Phosphorus, Total (Continued)

Lab Sample ID: 680-129123-11 MS

Matrix: Water

Analysis Batch: 448282

Client Sample ID: SW-1

Prep Type: Total/NA

Prep Batch: 448158

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Phosphorus	0.079	I	2.00	2.05		mg/L		99	60 - 140

Lab Sample ID: 680-129123-11 MSD

Matrix: Water

Analysis Batch: 448282

Client Sample ID: SW-1

Prep Type: Total/NA

Prep Batch: 448158

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Phosphorus	0.079	I	2.00	2.10		mg/L		101	60 - 140	2	40

Method: 4500 P F-2011 - Orthophosphate, Automated Ascorbic Acid Method

Lab Sample ID: MB 680-447440/21

Matrix: Water

Analysis Batch: 447440

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Orthophosphate	0.016	U	0.050	0.016	mg/L			08/26/16 11:34	1

Lab Sample ID: LCS 680-447440/20

Matrix: Water

Analysis Batch: 447440

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Orthophosphate	1.20	1.22		mg/L		101	90 - 110

Method: 5210B-2011 - BOD, 5-Day

Lab Sample ID: USB 680-447453/1

Matrix: Water

Analysis Batch: 447453

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	USB Result	USB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biochemical Oxygen Demand	2.0	U	2.0	2.0	mg/L			08/25/16 14:06	1

Lab Sample ID: LCS 680-447453/2

Matrix: Water

Analysis Batch: 447453

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Biochemical Oxygen Demand	198	183		mg/L		92	85 - 115

Lab Sample ID: LCSD 680-447453/3

Matrix: Water

Analysis Batch: 447453

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Biochemical Oxygen Demand	198	186		mg/L		94	85 - 115	2	30

TestAmerica Savannah

QC Sample Results

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Method: 5220D-2011 - Chemical Oxygen Demand

Lab Sample ID: MB 680-448255/3
Matrix: Water
Analysis Batch: 448255

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	5.0	U	10	5.0	mg/L			09/02/16 10:26	1

Lab Sample ID: LCS 680-448255/4
Matrix: Water
Analysis Batch: 448255

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chemical Oxygen Demand	50.0	53.4		mg/L		107	90 - 110

Method: 5310 B-2011 - Organic Carbon, Total (TOC)

Lab Sample ID: MB 680-447760/2
Matrix: Water
Analysis Batch: 447760

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	PQL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	0.50	U	1.0	0.50	mg/L			08/30/16 03:43	1

Lab Sample ID: LCS 680-447760/3
Matrix: Water
Analysis Batch: 447760

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	20.0	19.7		mg/L		99	80 - 120

Lab Sample ID: LCSD 680-447760/4
Matrix: Water
Analysis Batch: 447760

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Total Organic Carbon	20.0	19.9		mg/L		100	80 - 120	1	25

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

GC/MS VOA

Analysis Batch: 447885

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	8260B	
680-129072-2	MWB20S	Total/NA	Water	8260B	
680-129072-3	MWB11S	Total/NA	Water	8260B	
680-129072-4	MWB22S	Total/NA	Water	8260B	
680-129072-5	MWB12S	Total/NA	Water	8260B	
680-129072-6	MWB29S	Total/NA	Water	8260B	
680-129072-7	MWB27S	Total/NA	Water	8260B	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	8260B	
680-129072-9	TRIP BLANK 129072	Total/NA	Water	8260B	
MB 680-447885/11	Method Blank	Total/NA	Water	8260B	
LCS 680-447885/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-447885/21	Lab Control Sample Dup	Total/NA	Water	8260B	

Analysis Batch: 448234

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	8260B	
680-129123-2	MWB33S	Total/NA	Water	8260B	
680-129123-3	MWB34S	Total/NA	Water	8260B	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	8260B	
680-129123-5	TRIP Blank - MW 129123.	Total/NA	Water	8260B	
680-129123-6	MWB32S	Total/NA	Water	8260B	
680-129123-11	SW-1	Total/NA	Water	8260B	
680-129123-12	SW-3	Total/NA	Water	8260B	
680-129123-13	TRIP Blank - SW 129123	Total/NA	Water	8260B	
MB 680-448234/7	Method Blank	Total/NA	Water	8260B	
LCS 680-448234/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 680-448234/28	Lab Control Sample Dup	Total/NA	Water	8260B	

GC Semi VOA

Prep Batch: 447230

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-2	MWB20S	Total/NA	Water	8011	
680-129072-3	MWB11S	Total/NA	Water	8011	
680-129072-4	MWB22S	Total/NA	Water	8011	
680-129072-5	MWB12S	Total/NA	Water	8011	
680-129072-6	MWB29S	Total/NA	Water	8011	
680-129072-7	MWB27S	Total/NA	Water	8011	
MB 680-447230/3-A	Method Blank	Total/NA	Water	8011	
LCS 680-447230/4-A	Lab Control Sample	Total/NA	Water	8011	

Analysis Batch: 447342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-2	MWB20S	Total/NA	Water	8011	447230
680-129072-3	MWB11S	Total/NA	Water	8011	447230
680-129072-4	MWB22S	Total/NA	Water	8011	447230
680-129072-5	MWB12S	Total/NA	Water	8011	447230
680-129072-6	MWB29S	Total/NA	Water	8011	447230
680-129072-7	MWB27S	Total/NA	Water	8011	447230
MB 680-447230/3-A	Method Blank	Total/NA	Water	8011	447230

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

GC Semi VOA (Continued)

Analysis Batch: 447342 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-447230/4-A	Lab Control Sample	Total/NA	Water	8011	447230

Prep Batch: 447592

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	8011	
680-129123-1	MWB21S	Total/NA	Water	8011	
680-129123-2	MWB33S	Total/NA	Water	8011	
680-129123-3	MWB34S	Total/NA	Water	8011	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	8011	
680-129123-6	MWB32S	Total/NA	Water	8011	
680-129123-11	SW-1	Total/NA	Water	8011	
680-129123-12	SW-3	Total/NA	Water	8011	
MB 680-447592/3-A	Method Blank	Total/NA	Water	8011	
LCS 680-447592/4-A	Lab Control Sample	Total/NA	Water	8011	
680-129123-2 MS	MWB33S	Total/NA	Water	8011	
680-129123-2 MSD	MWB33S	Total/NA	Water	8011	

Analysis Batch: 447616

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	8011	447592
680-129123-1	MWB21S	Total/NA	Water	8011	447592
680-129123-2	MWB33S	Total/NA	Water	8011	447592
680-129123-3	MWB34S	Total/NA	Water	8011	447592
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	8011	447592
680-129123-6	MWB32S	Total/NA	Water	8011	447592
680-129123-11	SW-1	Total/NA	Water	8011	447592
680-129123-12	SW-3	Total/NA	Water	8011	447592
MB 680-447592/3-A	Method Blank	Total/NA	Water	8011	447592
LCS 680-447592/4-A	Lab Control Sample	Total/NA	Water	8011	447592
680-129123-2 MS	MWB33S	Total/NA	Water	8011	447592
680-129123-2 MSD	MWB33S	Total/NA	Water	8011	447592

Prep Batch: 449426

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	8011	
MB 680-449426/3-A	Method Blank	Total/NA	Water	8011	
LCS 680-449426/4-A	Lab Control Sample	Total/NA	Water	8011	
LLCS 680-449426/5-A	Lab Control Sample	Total/NA	Water	8011	

Analysis Batch: 449448

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	8011	449426
MB 680-449426/3-A	Method Blank	Total/NA	Water	8011	449426
LCS 680-449426/4-A	Lab Control Sample	Total/NA	Water	8011	449426
LLCS 680-449426/5-A	Lab Control Sample	Total/NA	Water	8011	449426

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

HPLC/IC

Analysis Batch: 448165

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	300.0-1993 R2.1	
680-129123-2	MWB33S	Total/NA	Water	300.0-1993 R2.1	
680-129123-3	MWB34S	Total/NA	Water	300.0-1993 R2.1	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	300.0-1993 R2.1	
680-129123-6	MWB32S	Total/NA	Water	300.0-1993 R2.1	
680-129123-7	MWB2I	Total/NA	Water	300.0-1993 R2.1	
680-129123-8	MWB34I	Total/NA	Water	300.0-1993 R2.1	
680-129123-9	MWB32I	Total/NA	Water	300.0-1993 R2.1	
MB 680-448165/37	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-448165/38	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-448165/39	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-129123-1 MS	MWB21S	Total/NA	Water	300.0-1993 R2.1	
680-129123-1 MSD	MWB21S	Total/NA	Water	300.0-1993 R2.1	

Analysis Batch: 448168

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	300.0-1993 R2.1	
680-129072-3	MWB11S	Total/NA	Water	300.0-1993 R2.1	
680-129072-4	MWB22S	Total/NA	Water	300.0-1993 R2.1	
MB 680-448168/36	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-448168/37	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-448168/38	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	

Analysis Batch: 448169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-5	MWB12S	Total/NA	Water	300.0-1993 R2.1	
680-129072-6	MWB29S	Total/NA	Water	300.0-1993 R2.1	
680-129072-7	MWB27S	Total/NA	Water	300.0-1993 R2.1	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	300.0-1993 R2.1	
680-129072-10	MWB12I	Total/NA	Water	300.0-1993 R2.1	
680-129072-11	MWB13I	Total/NA	Water	300.0-1993 R2.1	
680-129072-12	MWB11I (R)	Total/NA	Water	300.0-1993 R2.1	
680-129072-13	MWB3I	Total/NA	Water	300.0-1993 R2.1	
680-129072-14	MWB27I	Total/NA	Water	300.0-1993 R2.1	
680-129072-15	MWB29I	Total/NA	Water	300.0-1993 R2.1	
MB 680-448169/2	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-448169/3	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-448169/4	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	
680-129072-14 MS	MWB27I	Total/NA	Water	300.0-1993 R2.1	
680-129072-14 MSD	MWB27I	Total/NA	Water	300.0-1993 R2.1	
680-129072-14 DU	MWB27I	Total/NA	Water	300.0-1993 R2.1	

Analysis Batch: 448341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-2	MWB20S	Total/NA	Water	300.0-1993 R2.1	
MB 680-448341/2	Method Blank	Total/NA	Water	300.0-1993 R2.1	
LCS 680-448341/3	Lab Control Sample	Total/NA	Water	300.0-1993 R2.1	
LCSD 680-448341/4	Lab Control Sample Dup	Total/NA	Water	300.0-1993 R2.1	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Metals

Prep Batch: 320726

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	1631E	
680-129123-12	SW-3	Total/NA	Water	1631E	
MB 400-320726/1-A	Method Blank	Total/NA	Water	1631E	
LCS 400-320726/2-A	Lab Control Sample	Total/NA	Water	1631E	
LCS 400-320726/3-A	Lab Control Sample Dup	Total/NA	Water	1631E	
680-129123-12 MS	SW-3	Total/NA	Water	1631E	
680-129123-12 MSD	SW-3	Total/NA	Water	1631E	

Analysis Batch: 320825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	1631E	320726
680-129123-12	SW-3	Total/NA	Water	1631E	320726
MB 400-320726/1-A	Method Blank	Total/NA	Water	1631E	320726
LCS 400-320726/2-A	Lab Control Sample	Total/NA	Water	1631E	320726
LCS 400-320726/3-A	Lab Control Sample Dup	Total/NA	Water	1631E	320726
680-129123-12 MS	SW-3	Total/NA	Water	1631E	320726
680-129123-12 MSD	SW-3	Total/NA	Water	1631E	320726

Prep Batch: 447329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total Recoverable	Water	3005A	
680-129072-2	MWB20S	Total Recoverable	Water	3005A	
680-129072-3	MWB11S	Total Recoverable	Water	3005A	
680-129072-4	MWB22S	Total Recoverable	Water	3005A	
680-129072-5	MWB12S	Total Recoverable	Water	3005A	
680-129072-6	MWB29S	Total Recoverable	Water	3005A	
680-129072-7	MWB27S	Total Recoverable	Water	3005A	
680-129072-8	FIELD BLANK 01 129072	Total Recoverable	Water	3005A	
680-129072-10	MWB12I	Total Recoverable	Water	3005A	
680-129072-11	MWB13I	Total Recoverable	Water	3005A	
680-129072-12	MWB11I (R)	Total Recoverable	Water	3005A	
680-129072-13	MWB3I	Total Recoverable	Water	3005A	
680-129072-14	MWB27I	Total Recoverable	Water	3005A	
680-129072-15	MWB29I	Total Recoverable	Water	3005A	
MB 680-447329/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-447329/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Prep Batch: 447341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	7470A	
680-129072-2	MWB20S	Total/NA	Water	7470A	
680-129072-3	MWB11S	Total/NA	Water	7470A	
680-129072-4	MWB22S	Total/NA	Water	7470A	
680-129072-5	MWB12S	Total/NA	Water	7470A	
680-129072-6	MWB29S	Total/NA	Water	7470A	
680-129072-7	MWB27S	Total/NA	Water	7470A	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	7470A	
MB 680-447341/1-A	Method Blank	Total/NA	Water	7470A	
LCS 680-447341/2-A	Lab Control Sample	Total/NA	Water	7470A	
680-129072-1 MS	MWB3S	Total/NA	Water	7470A	
680-129072-1 MSD	MWB3S	Total/NA	Water	7470A	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Prep Batch: 447349

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	7470A	
680-129123-2	MWB33S	Total/NA	Water	7470A	
680-129123-3	MWB34S	Total/NA	Water	7470A	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	7470A	
680-129123-6	MWB32S	Total/NA	Water	7470A	
MB 680-447349/1-A	Method Blank	Total/NA	Water	7470A	
LCS 680-447349/2-A	Lab Control Sample	Total/NA	Water	7470A	

Prep Batch: 447420

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total Recoverable	Water	3005A	
680-129123-2	MWB33S	Total Recoverable	Water	3005A	
680-129123-3	MWB34S	Total Recoverable	Water	3005A	
680-129123-4	FIELD BLANK 02 129123	Total Recoverable	Water	3005A	
680-129123-6	MWB32S	Total Recoverable	Water	3005A	
680-129123-7	MWB2I	Total Recoverable	Water	3005A	
680-129123-8	MWB34I	Total Recoverable	Water	3005A	
680-129123-9	MWB32I	Total Recoverable	Water	3005A	
680-129123-11	SW-1	Total Recoverable	Water	3005A	
680-129123-12	SW-3	Total Recoverable	Water	3005A	
MB 680-447420/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 680-447420/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

Analysis Batch: 447535

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total Recoverable	Water	6020A	447329
680-129072-2	MWB20S	Total Recoverable	Water	6020A	447329
680-129072-3	MWB11S	Total Recoverable	Water	6020A	447329
680-129072-4	MWB22S	Total Recoverable	Water	6020A	447329
680-129072-5	MWB12S	Total Recoverable	Water	6020A	447329
680-129072-6	MWB29S	Total Recoverable	Water	6020A	447329
680-129072-7	MWB27S	Total Recoverable	Water	6020A	447329
680-129072-8	FIELD BLANK 01 129072	Total Recoverable	Water	6020A	447329
680-129072-10	MWB12I	Total Recoverable	Water	6020A	447329
680-129072-11	MWB13I	Total Recoverable	Water	6020A	447329
680-129072-12	MWB11I (R)	Total Recoverable	Water	6020A	447329
680-129072-13	MWB3I	Total Recoverable	Water	6020A	447329
680-129072-14	MWB27I	Total Recoverable	Water	6020A	447329
680-129072-15	MWB29I	Total Recoverable	Water	6020A	447329
MB 680-447329/1-A	Method Blank	Total Recoverable	Water	6020A	447329
LCS 680-447329/2-A	Lab Control Sample	Total Recoverable	Water	6020A	447329

Analysis Batch: 447575

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	7470A	447341
680-129072-2	MWB20S	Total/NA	Water	7470A	447341
680-129072-3	MWB11S	Total/NA	Water	7470A	447341
680-129072-4	MWB22S	Total/NA	Water	7470A	447341
680-129072-5	MWB12S	Total/NA	Water	7470A	447341
680-129072-6	MWB29S	Total/NA	Water	7470A	447341
680-129072-7	MWB27S	Total/NA	Water	7470A	447341
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	7470A	447341
680-129123-1	MWB21S	Total/NA	Water	7470A	447349

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Metals (Continued)

Analysis Batch: 447575 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-2	MWB33S	Total/NA	Water	7470A	447349
680-129123-3	MWB34S	Total/NA	Water	7470A	447349
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	7470A	447349
680-129123-6	MWB32S	Total/NA	Water	7470A	447349
MB 680-447341/1-A	Method Blank	Total/NA	Water	7470A	447341
MB 680-447349/1-A	Method Blank	Total/NA	Water	7470A	447349
LCS 680-447341/2-A	Lab Control Sample	Total/NA	Water	7470A	447341
LCS 680-447349/2-A	Lab Control Sample	Total/NA	Water	7470A	447349
680-129072-1 MS	MWB3S	Total/NA	Water	7470A	447341
680-129072-1 MSD	MWB3S	Total/NA	Water	7470A	447341

Analysis Batch: 447715

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total Recoverable	Water	6020A	447420
680-129123-2	MWB33S	Total Recoverable	Water	6020A	447420
680-129123-3	MWB34S	Total Recoverable	Water	6020A	447420
680-129123-4	FIELD BLANK 02 129123	Total Recoverable	Water	6020A	447420
680-129123-6	MWB32S	Total Recoverable	Water	6020A	447420
680-129123-7	MWB2I	Total Recoverable	Water	6020A	447420
680-129123-8	MWB34I	Total Recoverable	Water	6020A	447420
680-129123-9	MWB32I	Total Recoverable	Water	6020A	447420
680-129123-11	SW-1	Total Recoverable	Water	6020A	447420
680-129123-12	SW-3	Total Recoverable	Water	6020A	447420
MB 680-447420/1-A	Method Blank	Total Recoverable	Water	6020A	447420
LCS 680-447420/2-A	Lab Control Sample	Total Recoverable	Water	6020A	447420

Analysis Batch: 448362

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	2340B-2011	
680-129123-12	SW-3	Total/NA	Water	2340B-2011	
MB 680-448362/1	Method Blank	Total/NA	Water	2340B-2011	

General Chemistry

Analysis Batch: 447089

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	2540C-2011	
680-129072-2	MWB20S	Total/NA	Water	2540C-2011	
680-129072-3	MWB11S	Total/NA	Water	2540C-2011	
680-129072-4	MWB22S	Total/NA	Water	2540C-2011	
680-129072-5	MWB12S	Total/NA	Water	2540C-2011	
680-129072-6	MWB29S	Total/NA	Water	2540C-2011	
680-129072-7	MWB27S	Total/NA	Water	2540C-2011	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	2540C-2011	
680-129072-10	MWB12I	Total/NA	Water	2540C-2011	
680-129072-11	MWB13I	Total/NA	Water	2540C-2011	
680-129072-12	MWB11I (R)	Total/NA	Water	2540C-2011	
680-129072-13	MWB3I	Total/NA	Water	2540C-2011	
680-129072-14	MWB27I	Total/NA	Water	2540C-2011	
680-129072-15	MWB29I	Total/NA	Water	2540C-2011	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

General Chemistry (Continued)

Analysis Batch: 447089 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-447089/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-447089/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCS 680-447089/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-129072-2 DU	MWB20S	Total/NA	Water	2540C-2011	
680-129072-7 DU	MWB27S	Total/NA	Water	2540C-2011	

Analysis Batch: 447118

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	353.2	
680-129072-2	MWB20S	Total/NA	Water	353.2	
680-129072-3	MWB11S	Total/NA	Water	353.2	
680-129072-4	MWB22S	Total/NA	Water	353.2	
680-129072-5	MWB12S	Total/NA	Water	353.2	
680-129072-6	MWB29S	Total/NA	Water	353.2	
680-129072-7	MWB27S	Total/NA	Water	353.2	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	353.2	
680-129072-10	MWB12I	Total/NA	Water	353.2	
680-129072-11	MWB13I	Total/NA	Water	353.2	
680-129072-12	MWB11I (R)	Total/NA	Water	353.2	
680-129072-13	MWB3I	Total/NA	Water	353.2	
680-129072-14	MWB27I	Total/NA	Water	353.2	
680-129072-15	MWB29I	Total/NA	Water	353.2	
MB 680-447118/13	Method Blank	Total/NA	Water	353.2	
MB 680-447118/57	Method Blank	Total/NA	Water	353.2	
LCS 680-447118/16	Lab Control Sample	Total/NA	Water	353.2	
LCS 680-447118/56	Lab Control Sample	Total/NA	Water	353.2	
680-129072-14 MS	MWB27I	Total/NA	Water	353.2	
680-129072-14 MSD	MWB27I	Total/NA	Water	353.2	
680-129072-15 DU	MWB29I	Total/NA	Water	353.2	

Analysis Batch: 447246

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	353.2	
680-129123-2	MWB33S	Total/NA	Water	353.2	
680-129123-3	MWB34S	Total/NA	Water	353.2	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	353.2	
680-129123-6	MWB32S	Total/NA	Water	353.2	
680-129123-7	MWB2I	Total/NA	Water	353.2	
680-129123-8	MWB34I	Total/NA	Water	353.2	
680-129123-9	MWB32I	Total/NA	Water	353.2	
680-129123-11	SW-1	Total/NA	Water	353.2	
680-129123-12	SW-3	Total/NA	Water	353.2	
MB 680-447246/12	Method Blank	Total/NA	Water	353.2	
MB 680-447246/44	Method Blank	Total/NA	Water	353.2	
LCS 680-447246/11	Lab Control Sample	Total/NA	Water	353.2	
LCS 680-447246/45	Lab Control Sample	Total/NA	Water	353.2	

Analysis Batch: 447248

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	2540 D-2011	
680-129123-12	SW-3	Total/NA	Water	2540 D-2011	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

General Chemistry (Continued)

Analysis Batch: 447248 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-447248/1	Method Blank	Total/NA	Water	2540 D-2011	
LCS 680-447248/2	Lab Control Sample	Total/NA	Water	2540 D-2011	
LCSD 680-447248/3	Lab Control Sample Dup	Total/NA	Water	2540 D-2011	

Analysis Batch: 447307

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	350.1-1993 R2.0	
680-129072-2	MWB20S	Total/NA	Water	350.1-1993 R2.0	
MB 680-447307/6	Method Blank	Total/NA	Water	350.1-1993 R2.0	
LCS 680-447307/5	Lab Control Sample	Total/NA	Water	350.1-1993 R2.0	
680-129072-1 MS	MWB3S	Total/NA	Water	350.1-1993 R2.0	
680-129072-1 MSD	MWB3S	Total/NA	Water	350.1-1993 R2.0	

Analysis Batch: 447345

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	2540C-2011	
680-129123-2	MWB33S	Total/NA	Water	2540C-2011	
680-129123-3	MWB34S	Total/NA	Water	2540C-2011	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	2540C-2011	
680-129123-6	MWB32S	Total/NA	Water	2540C-2011	
680-129123-7	MWB2I	Total/NA	Water	2540C-2011	
680-129123-8	MWB34I	Total/NA	Water	2540C-2011	
680-129123-9	MWB32I	Total/NA	Water	2540C-2011	
680-129123-11	SW-1	Total/NA	Water	2540C-2011	
680-129123-12	SW-3	Total/NA	Water	2540C-2011	
MB 680-447345/1	Method Blank	Total/NA	Water	2540C-2011	
LCS 680-447345/2	Lab Control Sample	Total/NA	Water	2540C-2011	
LCSD 680-447345/3	Lab Control Sample Dup	Total/NA	Water	2540C-2011	
680-129123-1 DU	MWB21S	Total/NA	Water	2540C-2011	
680-129123-3 DU	MWB34S	Total/NA	Water	2540C-2011	

Analysis Batch: 447397

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-5	MWB12S	Total/NA	Water	350.1-1993 R2.0	
680-129072-6	MWB29S	Total/NA	Water	350.1-1993 R2.0	
680-129072-7	MWB27S	Total/NA	Water	350.1-1993 R2.0	
680-129072-8	FIELD BLANK 01 129072	Total/NA	Water	350.1-1993 R2.0	
680-129072-10	MWB12I	Total/NA	Water	350.1-1993 R2.0	
680-129072-11	MWB13I	Total/NA	Water	350.1-1993 R2.0	
680-129072-12	MWB11I (R)	Total/NA	Water	350.1-1993 R2.0	
680-129072-13	MWB3I	Total/NA	Water	350.1-1993 R2.0	
680-129072-14	MWB27I	Total/NA	Water	350.1-1993 R2.0	
680-129072-15	MWB29I	Total/NA	Water	350.1-1993 R2.0	
MB 680-447397/3	Method Blank	Total/NA	Water	350.1-1993 R2.0	
LCS 680-447397/2	Lab Control Sample	Total/NA	Water	350.1-1993 R2.0	
LCSD 680-447397/4	Lab Control Sample Dup	Total/NA	Water	350.1-1993 R2.0	

Analysis Batch: 447440

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	4500 P F-2011	
680-129123-12	SW-3	Total/NA	Water	4500 P F-2011	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

General Chemistry (Continued)

Analysis Batch: 447440 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 680-447440/21	Method Blank	Total/NA	Water	4500 P F-2011	
LCS 680-447440/20	Lab Control Sample	Total/NA	Water	4500 P F-2011	

Analysis Batch: 447453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	5210B-2011	
680-129123-12	SW-3	Total/NA	Water	5210B-2011	
USB 680-447453/1	Method Blank	Total/NA	Water	5210B-2011	
LCS 680-447453/2	Lab Control Sample	Total/NA	Water	5210B-2011	
LCSD 680-447453/3	Lab Control Sample Dup	Total/NA	Water	5210B-2011	

Analysis Batch: 447760

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	5310 B-2011	
680-129123-12	SW-3	Total/NA	Water	5310 B-2011	
MB 680-447760/2	Method Blank	Total/NA	Water	5310 B-2011	
LCS 680-447760/3	Lab Control Sample	Total/NA	Water	5310 B-2011	
LCSD 680-447760/4	Lab Control Sample Dup	Total/NA	Water	5310 B-2011	

Analysis Batch: 448007

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-3	MWB11S	Total/NA	Water	350.1-1993 R2.0	
680-129072-4	MWB22S	Total/NA	Water	350.1-1993 R2.0	
680-129123-1	MWB21S	Total/NA	Water	350.1-1993 R2.0	
680-129123-2	MWB33S	Total/NA	Water	350.1-1993 R2.0	
680-129123-3	MWB34S	Total/NA	Water	350.1-1993 R2.0	
680-129123-4	FIELD BLANK 02 129123	Total/NA	Water	350.1-1993 R2.0	
680-129123-6	MWB32S	Total/NA	Water	350.1-1993 R2.0	
680-129123-7	MWB2I	Total/NA	Water	350.1-1993 R2.0	
680-129123-8	MWB34I	Total/NA	Water	350.1-1993 R2.0	
680-129123-9	MWB32I	Total/NA	Water	350.1-1993 R2.0	
680-129123-11	SW-1	Total/NA	Water	350.1-1993 R2.0	
680-129123-12	SW-3	Total/NA	Water	350.1-1993 R2.0	
MB 680-448007/11	Method Blank	Total/NA	Water	350.1-1993 R2.0	
LCS 680-448007/10	Lab Control Sample	Total/NA	Water	350.1-1993 R2.0	
LCSD 680-448007/12	Lab Control Sample Dup	Total/NA	Water	350.1-1993 R2.0	
680-129072-3 MS	MWB11S	Total/NA	Water	350.1-1993 R2.0	
680-129072-3 MSD	MWB11S	Total/NA	Water	350.1-1993 R2.0	
680-129123-9 MS	MWB32I	Total/NA	Water	350.1-1993 R2.0	
680-129123-9 MSD	MWB32I	Total/NA	Water	350.1-1993 R2.0	

Prep Batch: 448158

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	Digestion	
680-129123-12	SW-3	Total/NA	Water	Digestion	
MB 680-448158/10-A	Method Blank	Total/NA	Water	Digestion	
LCS 680-448158/11-A	Lab Control Sample	Total/NA	Water	Digestion	
680-129123-11 MS	SW-1	Total/NA	Water	Digestion	
680-129123-11 MSD	SW-1	Total/NA	Water	Digestion	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

General Chemistry (Continued)

Analysis Batch: 448255

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	5220D-2011	
680-129123-12	SW-3	Total/NA	Water	5220D-2011	
MB 680-448255/3	Method Blank	Total/NA	Water	5220D-2011	
LCS 680-448255/4	Lab Control Sample	Total/NA	Water	5220D-2011	

Analysis Batch: 448282

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	365.4-1974	448158
680-129123-12	SW-3	Total/NA	Water	365.4-1974	448158
MB 680-448158/10-A	Method Blank	Total/NA	Water	365.4-1974	448158
LCS 680-448158/11-A	Lab Control Sample	Total/NA	Water	365.4-1974	448158
680-129123-11 MS	SW-1	Total/NA	Water	365.4-1974	448158
680-129123-11 MSD	SW-1	Total/NA	Water	365.4-1974	448158

Analysis Batch: 448283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	351.2-1993 R2.0	448158
680-129123-12	SW-3	Total/NA	Water	351.2-1993 R2.0	448158
MB 680-448158/10-A	Method Blank	Total/NA	Water	351.2-1993 R2.0	448158
LCS 680-448158/11-A	Lab Control Sample	Total/NA	Water	351.2-1993 R2.0	448158
680-129123-11 MS	SW-1	Total/NA	Water	351.2-1993 R2.0	448158
680-129123-11 MSD	SW-1	Total/NA	Water	351.2-1993 R2.0	448158

Analysis Batch: 448348

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	UnionizedNH3	
680-129123-12	SW-3	Total/NA	Water	UnionizedNH3	

Analysis Batch: 448352

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-11	SW-1	Total/NA	Water	Total Nitrogen	
680-129123-12	SW-3	Total/NA	Water	Total Nitrogen	

Field Service / Mobile Lab

Analysis Batch: 447568

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129072-1	MWB3S	Total/NA	Water	Field Sampling	
680-129072-2	MWB20S	Total/NA	Water	Field Sampling	
680-129072-3	MWB11S	Total/NA	Water	Field Sampling	
680-129072-4	MWB22S	Total/NA	Water	Field Sampling	
680-129072-5	MWB12S	Total/NA	Water	Field Sampling	
680-129072-6	MWB29S	Total/NA	Water	Field Sampling	
680-129072-7	MWB27S	Total/NA	Water	Field Sampling	
680-129072-10	MWB12I	Total/NA	Water	Field Sampling	
680-129072-11	MWB13I	Total/NA	Water	Field Sampling	
680-129072-12	MWB11I (R)	Total/NA	Water	Field Sampling	
680-129072-13	MWB3I	Total/NA	Water	Field Sampling	
680-129072-14	MWB27I	Total/NA	Water	Field Sampling	
680-129072-15	MWB29I	Total/NA	Water	Field Sampling	

TestAmerica Savannah

QC Association Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Field Service / Mobile Lab (Continued)

Analysis Batch: 447568 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-129123-1	MWB21S	Total/NA	Water	Field Sampling	
680-129123-2	MWB33S	Total/NA	Water	Field Sampling	
680-129123-3	MWB34S	Total/NA	Water	Field Sampling	
680-129123-6	MWB32S	Total/NA	Water	Field Sampling	
680-129123-7	MWB2I	Total/NA	Water	Field Sampling	
680-129123-8	MWB34I	Total/NA	Water	Field Sampling	
680-129123-9	MWB32I	Total/NA	Water	Field Sampling	
680-129123-11	SW-1	Total/NA	Water	Field Sampling	
680-129123-12	SW-3	Total/NA	Water	Field Sampling	

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB3S

Date Collected: 08/23/16 12:01

Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 20:10	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			35.9 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 15:40	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448168	09/02/16 06:45	JRJ	TAL SAV
		Instrument ID: CICH								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:26	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 10:49	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447307	08/25/16 13:57	CRW	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:24	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 12:01	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB20S

Date Collected: 08/23/16 11:25

Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 19:48	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			36.2 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV
Total/NA	Analysis	8011		1			447342	08/26/16 13:15	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		10	5 mL	5 mL	448341	09/06/16 14:50	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:32	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:03	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB20S

Lab Sample ID: 680-129072-2

Date Collected: 08/23/16 11:25

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	350.1-1993 R2.0		2	2 mL	2 mL	447307	08/25/16 14:57	CRW	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:26	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 11:25	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB11S

Lab Sample ID: 680-129072-3

Date Collected: 08/23/16 10:53

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 21:40	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			36.3 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV
Total/NA	Analysis	8011		1			447342	08/26/16 13:05	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448168	09/02/16 07:20	JRJ	TAL SAV
		Instrument ID: CICH								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:38	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:07	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 16:06	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:27	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 10:53	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Date Collected: 08/23/16 08:50

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 19:25	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			36 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB22S

Lab Sample ID: 680-129072-4

Date Collected: 08/23/16 08:50

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8011		1			447342	08/26/16 12:55	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448168	09/02/16 07:37	JRJ	TAL SAV
		Instrument ID: CICH								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:45	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:12	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 16:06	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:28	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 08:50	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB12S

Lab Sample ID: 680-129072-5

Date Collected: 08/23/16 08:16

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 20:33	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			35.8 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV
Total/NA	Analysis	8011		1			447342	08/26/16 12:46	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 17:10	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:51	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:16	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:37	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:29	GRX	TAL SAV
		Instrument ID: LACHAT2								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB12S

Date Collected: 08/23/16 08:16
Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 08:16	KEE	TAL SAV
Instrument ID: NOEQUIP										

Client Sample ID: MWB29S

Date Collected: 08/23/16 11:45
Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 20:55	CEJ	TAL SAV
Instrument ID: CMSP2										
Total/NA	Prep	8011			35.6 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV
Total/NA	Analysis	8011		1			447342	08/26/16 12:36	LBH	TAL SAV
Instrument ID: CSGX										
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 17:27	JRJ	TAL SAV
Instrument ID: CICL										
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 02:57	BWR	TAL SAV
Instrument ID: ICPMSB										
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:21	BCB	TAL SAV
Instrument ID: LEEMAN2										
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:37	ALS	TAL SAV
Instrument ID: KONELAB1										
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:30	GRX	TAL SAV
Instrument ID: LACHAT2										
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 11:45	KEE	TAL SAV
Instrument ID: NOEQUIP										

Client Sample ID: MWB27S

Date Collected: 08/23/16 10:20
Date Received: 08/24/16 10:40

Lab Sample ID: 680-129072-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 21:18	CEJ	TAL SAV
Instrument ID: CMSP2										
Total/NA	Prep	8011			36.3 mL	2 mL	447230	08/25/16 13:18	LBH	TAL SAV
Total/NA	Analysis	8011		1			447342	08/26/16 12:26	LBH	TAL SAV
Instrument ID: CSGX										
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 17:45	JRJ	TAL SAV
Instrument ID: CICL										
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB27S

Lab Sample ID: 680-129072-7

Date Collected: 08/23/16 10:20

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:03	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:34	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:37	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:32	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 10:20	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: FIELD BLANK 01 129072

Lab Sample ID: 680-129072-8

Date Collected: 08/23/16 13:20

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 19:03	CEJ	TAL SAV
		Instrument ID: CMSP2								
Total/NA	Prep	8011			35.9 mL	2 mL	449426	09/13/16 11:45	LBH	TAL SAV
Total/NA	Analysis	8011		1			449448	09/13/16 15:30	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 18:02	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:09	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447341	08/26/16 09:56	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 11:39	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:45	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:33	GRX	TAL SAV
		Instrument ID: LACHAT2								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: TRIP BLANK 129072

Lab Sample ID: 680-129072-9

Date Collected: 08/23/16 00:00

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	447885	08/31/16 18:41	CEJ	TAL SAV
Instrument ID: CMSP2										

Client Sample ID: MWB12I

Lab Sample ID: 680-129072-10

Date Collected: 08/23/16 07:45

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 18:20	JRJ	TAL SAV
Instrument ID: CICL										
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:28	BWR	TAL SAV
Instrument ID: ICPMSB										
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:45	ALS	TAL SAV
Instrument ID: KONELAB1										
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:34	GRX	TAL SAV
Instrument ID: LACHAT2										
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 07:45	KEE	TAL SAV
Instrument ID: NOEQUIP										

Client Sample ID: MWB13I

Lab Sample ID: 680-129072-11

Date Collected: 08/23/16 09:26

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 19:12	JRJ	TAL SAV
Instrument ID: CICL										
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:34	BWR	TAL SAV
Instrument ID: ICPMSB										
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:45	ALS	TAL SAV
Instrument ID: KONELAB1										
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:38	GRX	TAL SAV
Instrument ID: LACHAT2										
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 09:26	KEE	TAL SAV
Instrument ID: NOEQUIP										

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB111 (R)

Lab Sample ID: 680-129072-12

Date Collected: 08/23/16 10:21

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 19:29	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:41	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:45	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:39	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 10:21	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB31

Lab Sample ID: 680-129072-13

Date Collected: 08/23/16 12:35

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 19:47	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:47	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:27	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 13:40	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 12:35	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB271

Lab Sample ID: 680-129072-14

Date Collected: 08/23/16 11:05

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 20:04	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:53	BWR	TAL SAV
		Instrument ID: ICPMSB								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB271

Lab Sample ID: 680-129072-14

Date Collected: 08/23/16 11:05

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:37	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 14:08	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 11:05	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB291

Lab Sample ID: 680-129072-15

Date Collected: 08/23/16 12:21

Matrix: Water

Date Received: 08/24/16 10:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448169	09/01/16 21:14	JRJ	TAL SAV
		Instrument ID: CICL								
Total Recoverable	Prep	3005A			50 mL	250 mL	447329	08/26/16 09:17	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447535	08/27/16 03:59	BWR	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447089	08/24/16 13:52	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	447397	08/26/16 09:27	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447118	08/24/16 14:11	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/23/16 12:21	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB21S

Lab Sample ID: 680-129123-1

Date Collected: 08/24/16 09:32

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 14:53	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			35.8 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 15:50	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/01/16 23:31	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 17:46	BJB	TAL SAV
		Instrument ID: ICPMSB								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21S

Date Collected: 08/24/16 09:32

Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	7470A			50 mL	50 mL	447349	08/26/16 10:26	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 14:24	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 16:06	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		10	2 mL	2 mL	447246	08/25/16 12:49	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 09:32	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB33S

Date Collected: 08/24/16 10:45

Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 15:13	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			36 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 15:11	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 00:23	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 17:52	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447349	08/26/16 10:26	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 14:29	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 16:13	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:53	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 10:45	KEE	TAL SAV
		Instrument ID: NOEQUIP								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB34S

Lab Sample ID: 680-129123-3

Date Collected: 08/24/16 09:05

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 15:34	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			35.9 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 16:00	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 00:40	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 17:58	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447349	08/26/16 10:26	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 14:33	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:54	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 09:05	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: FIELD BLANK 02 129123

Lab Sample ID: 680-129123-4

Date Collected: 08/24/16 11:30

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 12:29	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			36.6 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 16:10	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 00:58	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:04	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Prep	7470A			50 mL	50 mL	447349	08/26/16 10:26	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 14:38	BCB	TAL SAV
		Instrument ID: LEEMAN2								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:56	GRX	TAL SAV
Instrument ID: LACHAT2										

Client Sample ID: TRIP Blank - MW 129123.

Lab Sample ID: 680-129123-5

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 11:48	CMB	TAL SAV
Instrument ID: CMSA2										

Client Sample ID: MWB32S

Lab Sample ID: 680-129123-6

Date Collected: 08/24/16 10:50

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 15:54	CMB	TAL SAV
Instrument ID: CMSA2										
Total/NA	Prep	8011			35.5 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 16:20	LBH	TAL SAV
Instrument ID: CSGX										
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 01:15	JRJ	TAL SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:23	BJB	TAL SAV
Instrument ID: ICPMSB										
Total/NA	Prep	7470A			50 mL	50 mL	447349	08/26/16 10:26	BCB	TAL SAV
Total/NA	Analysis	7470A		1			447575	08/27/16 14:42	BCB	TAL SAV
Instrument ID: LEEMAN2										
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
Instrument ID: NOEQUIP										
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
Instrument ID: KONELAB1										
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:57	GRX	TAL SAV
Instrument ID: LACHAT2										
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 10:50	KEE	TAL SAV
Instrument ID: NOEQUIP										

Client Sample ID: MWB2I

Lab Sample ID: 680-129123-7

Date Collected: 08/24/16 10:06

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 01:33	JRJ	TAL SAV
Instrument ID: CICK										
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB21

Date Collected: 08/24/16 10:06

Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:29	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:58	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 10:06	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB341

Date Collected: 08/24/16 09:48

Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 01:50	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:36	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 13:00	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 09:48	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: MWB321

Date Collected: 08/24/16 11:58

Date Received: 08/25/16 09:17

Lab Sample ID: 680-129123-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0-1993 R2.1		1	5 mL	5 mL	448165	09/02/16 02:07	JRJ	TAL SAV
		Instrument ID: CICK								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:42	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: MWB321

Lab Sample ID: 680-129123-9

Date Collected: 08/24/16 11:58

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 16:06	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 13:02	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 11:58	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Date Collected: 08/24/16 07:45

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 16:15	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			35.8 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 16:30	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Prep	1631E			8 mL	40 mL	320726	08/26/16 15:50	VLC	TAL PEN
Total/NA	Analysis	1631E		1			320825	08/30/16 09:39	VLC	TAL PEN
		Instrument ID: HYDRA								
Total/NA	Analysis	2340B-2011		1			448362	09/06/16 09:50	BCB	TAL SAV
		Instrument ID: ICPMSB								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:48	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540 D-2011		1	250 mL	1000 mL	447248	08/25/16 14:17	JCM	TAL SAV
		Instrument ID: NoEquip								
Total/NA	Analysis	2540C-2011		1	100 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Prep	Digestion			20 mL	20 mL	448158	09/01/16 16:01	CRW	TAL SAV
Total/NA	Analysis	351.2-1993 R2.0		1			448283	09/02/16 13:51	JER	TAL SAV
		Instrument ID: LACHAT3								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 13:03	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Prep	Digestion			20 mL	20 mL	448158	09/01/16 16:01	CRW	TAL SAV
Total/NA	Analysis	365.4-1974		1	2 mL	2 mL	448282	09/02/16 13:51	JER	TAL SAV
		Instrument ID: LACHAT3								
Total/NA	Analysis	4500 P F-2011		1	2 mL	2 mL	447440	08/26/16 11:33	GRX	TAL SAV
		Instrument ID: KONELAB2								
Total/NA	Analysis	5210B-2011		1			447453	08/25/16 15:56	OLB	TAL SAV
		Instrument ID: NOEQUIP								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-1

Lab Sample ID: 680-129123-11

Date Collected: 08/24/16 07:45

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	5220D-2011		1	2 mL	2 mL	448255	09/02/16 10:26	JER	TAL SAV
		Instrument ID: SPC7								
Total/NA	Analysis	5310 B-2011		1	40 mL	40 mL	447760	08/30/16 05:53	KLD	TAL SAV
		Instrument ID: TOC7								
Total/NA	Analysis	Total Nitrogen		1			448352	09/06/16 09:02	JER	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	UnionizedNH3		1			448348	09/06/16 08:59	JER	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 07:45	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Date Collected: 08/24/16 08:15

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 16:35	CMB	TAL SAV
		Instrument ID: CMSA2								
Total/NA	Prep	8011			35.3 mL	2 mL	447592	08/29/16 12:15	LBH	TAL SAV
Total/NA	Analysis	8011		1			447616	08/29/16 17:49	LBH	TAL SAV
		Instrument ID: CSGX								
Total/NA	Prep	1631E			4 mL	40 mL	320726	08/26/16 15:50	VLC	TAL PEN
Total/NA	Analysis	1631E		1			320825	08/30/16 09:48	VLC	TAL PEN
		Instrument ID: HYDRA								
Total/NA	Analysis	2340B-2011		1			448362	09/06/16 09:50	BCB	TAL SAV
		Instrument ID: ICPMSB								
Total Recoverable	Prep	3005A			50 mL	250 mL	447420	08/26/16 14:19	AJR	TAL SAV
Total Recoverable	Analysis	6020A		1			447715	08/29/16 18:54	BJB	TAL SAV
		Instrument ID: ICPMSB								
Total/NA	Analysis	2540 D-2011		1	500 mL	1000 mL	447248	08/25/16 14:17	JCM	TAL SAV
		Instrument ID: NoEquip								
Total/NA	Analysis	2540C-2011		1	50 mL	100 mL	447345	08/26/16 10:03	LAF	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	350.1-1993 R2.0		1	2 mL	2 mL	448007	08/31/16 15:07	ALS	TAL SAV
		Instrument ID: KONELAB1								
Total/NA	Prep	Digestion			20 mL	20 mL	448158	09/01/16 16:01	CRW	TAL SAV
Total/NA	Analysis	351.2-1993 R2.0		1			448283	09/02/16 14:04	JER	TAL SAV
		Instrument ID: LACHAT3								
Total/NA	Analysis	353.2		1	2 mL	2 mL	447246	08/25/16 12:59	GRX	TAL SAV
		Instrument ID: LACHAT2								
Total/NA	Prep	Digestion			20 mL	20 mL	448158	09/01/16 16:01	CRW	TAL SAV
Total/NA	Analysis	365.4-1974		1	2 mL	2 mL	448282	09/02/16 14:04	JER	TAL SAV
		Instrument ID: LACHAT3								

TestAmerica Savannah

Lab Chronicle

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Client Sample ID: SW-3

Lab Sample ID: 680-129123-12

Date Collected: 08/24/16 08:15

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	4500 P F-2011		1	2 mL	2 mL	447440	08/26/16 11:33	GRX	TAL SAV
		Instrument ID: KONELAB2								
Total/NA	Analysis	5210B-2011		1			447453	08/25/16 16:03	OLB	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	5220D-2011		1	2 mL	2 mL	448255	09/02/16 10:26	JER	TAL SAV
		Instrument ID: SPC7								
Total/NA	Analysis	5310 B-2011		1	40 mL	40 mL	447760	08/30/16 06:09	KLD	TAL SAV
		Instrument ID: TOC7								
Total/NA	Analysis	Total Nitrogen		1			448352	09/06/16 09:02	JER	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	UnionizedNH3		1			448348	09/06/16 08:59	JER	TAL SAV
		Instrument ID: NOEQUIP								
Total/NA	Analysis	Field Sampling		1			447568	08/24/16 08:15	KEE	TAL SAV
		Instrument ID: NOEQUIP								

Client Sample ID: TRIP Blank - SW 129123

Lab Sample ID: 680-129123-13

Date Collected: 08/24/16 00:00

Matrix: Water

Date Received: 08/25/16 09:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	448234	09/02/16 12:50	CMB	TAL SAV
		Instrument ID: CMSA2								

Laboratory References:

- = Diversified Environmental Laboratories, 3653 Regent Blvd. Suite 509, Jacksonville, FL 32224
- ENCO = ENCO-Orlando, 10775 Central Port Drive, Orlando, FL 32824, TEL (407)826-5314
- TAL PEN = TestAmerica Pensacola, 3355 McLemore Drive, Pensacola, FL 32514, TEL (850)474-1001
- TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

Chain of Custody Record

Client Information Shannon George Golden Associates Inc. 3730 Chamblee Tucker Road Atlanta, GA, 30341 Phone 770-496-1893(Tel) Email sgeorge@golder.com Project Name Trail Ridge Landfill/Trail Ridge SA Event Desc. Semi-Annual Gro Site Florida		Lab P/M Harvey, Lisa M E-Mail lisa.harvey@testamericainc.com Carmer Tracking No(s) 640-52650-13477 1 Page 1 of 3 Job #	
Due Date Requested: TAT Requested (days): PO # PO105298.22 WO # Project # 64005280 SSOV#		Analysis Requested 2540C - Total Dissolved Solids 6020 - 7470 - Appendix I Metals + Fe, Na, Hg 350.1 - Ammonia (as N) 8260B - Appendix I VOCs 300 ORGFM, 28D - Chloride 353.2 - Nitrate 8011 - EDB/BCP 6020 - Iron, Sodium	
Sample Identification MWB35 MWB205 MWB115 MWB135 MWB225 MWB125 MWB295 MWB275 FIELD BLANK 01 TRIP		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) 6020 - Total Dissolved Solids 350.1 - Ammonia (as N) 8260B - Appendix I VOCs 300 ORGFM, 28D - Chloride 353.2 - Nitrate 8011 - EDB/BCP 6020 - Iron, Sodium	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Type (C=Comp, G=grab) G G G G G G G G G		Matrix (W=water, S=solid, O=wastewater, B=soil, M=sludge, A=air) W W W W W W W W W	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-23 8-23 8-23 8-23 8-23 8-23		Sample Time 12:01 11:25 10:53 - 08:50 08:10 11:45 10:20 13:20 -	
Sample Date 8-23 8-23 8-			

Chain of Custody Record


Client Information Client Contact: Shannon George Company: Golder Associates, Inc. Address: 3730 Chamblee Tucker Road City: Atlanta State: GA, Zip: 30341 Phone: 770-496-1893(Tel) Email: sgeorge@golder.com Project Name: Trail Ridge Landfill/Trail Ridge SA Event Desc. Semi-Annual Gro Site: Florida		Lab P/N: Harvey, Lisa M E-Mail: lisa.harvey@testamericainc.com Due Date Requested: TAT Requested (days): PO #: PO105288 22 W/O #: Project #: 64006280 SSON#:		Sampler: DAN ARMOUR Phone: 225-907-7060 Carmer Tracking Note(s)		COC No: 640-52650-13477 2 Page: Page 2 of 3 Job #	
Analysis Requested 2640C - Total Dissolved Solids 6020 - 7470 - Appendix I Metals + Fe, Na, Hg 350.1 - Ammonia (as N) 8260B - Appendix I VOCs 300.0RGM_28D - Chloride 8011 - EDB/DBCP 6020 - Iron, Sodium		Preservation Codes: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		Special Instructions/Note: Total Number of containers:		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:	
Sample Identification MWB12I MWB13I MWB11I (R) MWB3I MWB27I MWB29I	Sample Date 8-23 8-23 8-23 8-23 8-23 8-23	Sample Time 0745 0926 1021 1235 1105 1221	Sample Type (C=Comp, G=grab) G G G G G G	Matrix (W=Water, S=Soil, O=Organic, L=Leachate, A=Air) W W W W W W	Field Filtered Sample (Yes or No) N N N N N N	Performance (MSD, Yes or No) N N N N N N	Analysis Requested 2640C - Total Dissolved Solids 6020 - 7470 - Appendix I Metals + Fe, Na, Hg 350.1 - Ammonia (as N) 8260B - Appendix I VOCs 300.0RGM_28D - Chloride 8011 - EDB/DBCP 6020 - Iron, Sodium
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Deliverable Requested: I, II, III, IV, Other (specify)		Empty Kit Relinquished by Relinquished by Relinquished by Relinquished by		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements:	
Date/Time: 8-23-16 / 1830 Date/Time:		Date/Time:		Date/Time:		Date/Time:	
Company: PRO-TECH Company:		Company:		Company:		Company:	
Received by: [Signature] Reported by: [Signature]		Received by: [Signature] Reported by: [Signature]		Received by: [Signature] Reported by: [Signature]		Received by: [Signature] Reported by: [Signature]	
Custody Seal Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Other Remarks:		Date/Time: 10/22/2016	



Chain of Custody Record

TestAmerica Tallahassee
2846 Industrial Plaza Drive
Tallahassee, FL 32301
Phone (850) 878-3994 Fax (850) 878-9504

Client Information Client Contact: Shannon George Company: Golder Associates, Inc. Address: 3730 Chamblee Tucker Road City: Atlanta State, Zip: GA, 30341 Phone: 770-496-1893(Tel) Email: sgeorge@golder.com Project Name: Trail Ridge Landfill/Trail Ridge SA Event Desc: Semi-Annual Groundwater Monitoring Site: Florida		Lab PIR: Harvey, Lisa M E-Mail: lisa.harvey@testamericainc.com Carrier Tracking No(s): 640-52650-13477 2 Page: Page 2 of 3 Job #:	
Due Date Requested: TAT Requested (days): PO #: PO105298-22 WO #:		Analysis Requested 2540C - Total Dissolved Solids 6020 - 7470 - Appendix I Metals + Fe, Na, Hg 350.1 - Ammonia (as N) 8260B - Appendix I VOCs 300.09FM 28D - Chloride 363.2 - Nitrate 8011 - EDB/DBCP 6020 - Iron, Sodium	
Sample Identification MWB21S MWB33S MWB34S FIELD BLANK 02 TRIP MWB2LS MWB32S		Field Filtered Sample (Yes or No) Matrix (Water, Solid, Other) Sample Type (C=comp, G=grab) Sample Date Sample Time Matrix MWB21S: G, W, N MWB33S: G, W, N MWB34S: G, W, N FIELD BLANK 02: G, W, N TRIP: G, W, N MWB2LS: G, W, N MWB32S: G, W, N	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samp.) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	
Deliverable Requested I, II, III, IV, Other (specify)		Special Instructions/GC Requirements:	
Empty Kit Relinquished by:		Method of Shipment:	
Relinquished by: [Signature] Date/Time: 8-24-16 / 1800 Company: Pro-Tech		Relinquished by: [Signature] Date/Time: 8-24-16 / 2117 Company: [Signature]	
Relinquished by:		Relinquished by:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: 24/20/14/19 (CF) 25/12/4/11.8/12.2/0	



680-129123 Chain of Custody



TestAmerica Tallahassee
 2846 Industrial Plaza Drive
 Tallahassee, FL 32301
 Phone (850) 878-3994 Fax (850) 878-9504

Chain of Custody Record

TestAmerica
 THE LEADER IN ENVIRONMENTAL TESTING

Client Information
 Client Contact: **Shannon George**
 Company: **Goldier Associates Inc**
 Address: **3730 Chamblee Tucker Road**
 City: **Atlanta**
 State, Zip: **GA, 30341**
 Phone: **770-496-1893(Tel)**
 Email: **sggeorge@golder.com**
 Project Name: **Trail Ridge Landfill/Trail Ridge SA Event Desc Semi-Annual Groundwater**
 Site: **Florida**

Sampler: **DAN ARMOUR**
 Lab PM: **Harvey, Lisa M**
 Phone: **335-907-1060**
 E-Mail: **lisa.harvey@testamericainc.com**

COC No: **640-52650-13477 3**
 Carrier Tracking No(s):
 Page **3** of **3**
 Job #:

Analysis Requested

Due Date Requested:
 TAT Requested (days):
 PO #: **PO105298:22**
 WO #:
 Project #: **64005280**
 SSOW#:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Newwater, Sewage, On-wastewater, Effluent, AAR)	Field Filtered Sample (Yes or No)	Performance (MS/SP, COS, etc)	Analysis Requested	Total Number of Containers	Special Instructions/Note:
MWB2I	8-24	1056	G	W	N	N	300 ORGM_28D - Chloride		
MWB34I	8-24	0948	G	W	N	N	300 ORGM_28D - Chloride		
MWB32I	8-24	1158	G	W	N	N	300 ORGM_28D - Chloride		

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Radiological

Deliverable Requested: I, II, III, IV, Other (specify)

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Empty Kit Relinquished by: _____ Date: _____
Relinquished by: _____ Date/Time: **8-24-16 / 1800** Company: **Pro-Tek**
Relinquished by: _____ Date/Time: _____ Company: _____
Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seal Intact: Yes No **Custody Seal No.:** _____

Special Instructions/QC Requirements:

Method of Shipment: _____
Received by: _____ Date/Time: **8/25/16 08:17** Company: **Saw**
Received by: _____ Date/Time: **8/20/16 1:47** Company: **Pro-Tek**
Received by: _____ Date/Time: **8/24/16 1:18** Company: **Pro-Tek**



Chain of Custody Record

Client Information Client Contact: Shannon George Company: Golder Associates Inc Address: 3730 Chamblee Tucker Road City: Atlanta State, Zip: GA, 30341 Phone: 770-496-1893(Tel) Email: sgeorge@golder.com Project Name: Trail Ridge Landfill Site: Florida		Lab P/M: Harvey, Lisa M E-Mail: lisa.harvey@testamericainc.com Camer Tracking No(s): COC No: 640-52651-13478.1 Page: Page 1 of 1 Job #:	
Due Date Requested: TAT Requested (days): PO #: PO105298-4 WO #: Project #: 64005280 SSCW#		Analysis Requested 351.2, 356.1, Nitrogen, Total SUBCONTRACT - SM 10200H-Chlorophyll a (ENCO) 5210B - Biochemical Oxygen Demand 2540C, 2540D 5220D - Chemical Oxygen Demand 6020 - App I Metals /240B - Hardness SUBCONTRACT - SM9222D-Fecal Coliform (Diversified Env) 350.1 - Ammonia / Un-ionized Ammonia 8260B - Appendix I VOCs SM6310 TOC, B - Total Organic Carbon 933.2 - Nitrate 8011 - EDB/DBCP Total Number of Containers:	
Sample Identification Sample Date: 8-24 Sample Time: 0745 Sample Date: 8-24 Sample Time: 0815 Sample Date: 8-24 Sample Time: - Matrix (W=Water, S=Sediment, O=Soil, L=Leachate, T=Tissue, A=Air) W W W		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - ph 4.5 Z - other (specify)	
Sample Identification Sample Date: 8-24 Sample Time: 0745 Sample Date: 8-24 Sample Time: 0815 Sample Date: 8-24 Sample Time: - Matrix (W=Water, S=Sediment, O=Soil, L=Leachate, T=Tissue, A=Air) W W W		Special Instructions/Note: 1631E - Mercury 351.2, 356.1, Nitrogen, Total SUBCONTRACT - SM 10200H-Chlorophyll a (ENCO) 5210B - Biochemical Oxygen Demand 2540C, 2540D 5220D - Chemical Oxygen Demand 6020 - App I Metals /240B - Hardness SUBCONTRACT - SM9222D-Fecal Coliform (Diversified Env) 350.1 - Ammonia / Un-ionized Ammonia 8260B - Appendix I VOCs SM6310 TOC, B - Total Organic Carbon 933.2 - Nitrate 8011 - EDB/DBCP Total Number of Containers:	
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)			
Empty Kit Relinquished by: [Signature] Relinquished by: [Signature] Relinquished by: [Signature] Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Custody Seal No:			
Date/Time: 8-24-16 / 1800 Date/Time:		Date/Time: 8/25/16 0917 Date/Time:	
Company: PRS-TECH Company:		Company: Saw Company:	
Date/Time: 8-24-16 / 1800 Date/Time:		Date/Time: 8/24/2016 / 11:19 (CF) Date/Time: 2.8/24/18 / 2.3 °C	



Login Sample Receipt Checklist

Client: Golder Associates Inc.

Job Number: 680-129072-1

Login Number: 129072

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Login Sample Receipt Checklist

Client: Golder Associates Inc.

Job Number: 680-129072-1

Login Number: 129123

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Golder Associates Inc.

Job Number: 680-129072-1

Login Number: 129123

List Source: TestAmerica Pensacola

List Number: 2

List Creation: 08/26/16 12:32 PM

Creator: Chambers, Cheryle A

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.9°C IR5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Certification Summary

Client: Golder Associates Inc.
Project/Site: Trail Ridge Landfill

TestAmerica Job ID: 680-129072-1

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.


Authority	Program	EPA Region	Certification ID	Expiration Date
Florida	NELAP	4	E87052	06-30-17

Laboratory: TestAmerica Pensacola

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Alabama	State Program	4	40150	06-30-17
Arizona	State Program	9	AZ0710	01-11-17
Arkansas DEQ	State Program	6	88-0689	09-01-16 *
California	ELAP	9	2510	03-31-18
Florida	NELAP	4	E81010	06-30-17
Georgia	State Program	4	N/A	06-30-17
Illinois	NELAP	5	200041	10-09-16
Iowa	State Program	7	367	07-31-16 *
Kansas	NELAP	7	E-10253	10-31-16
Kentucky (UST)	State Program	4	53	06-30-17
Kentucky (WW)	State Program	4	98030	12-31-16
Louisiana	NELAP	6	30976	06-30-17
Maryland	State Program	3	233	09-30-17
Massachusetts	State Program	1	M-FL094	06-30-17
Michigan	State Program	5	9912	05-06-17
New Jersey	NELAP	2	FL006	06-30-17
North Carolina (WW/SW)	State Program	4	314	12-31-16
Oklahoma	State Program	6	9810	08-31-17
Pennsylvania	NELAP	3	68-00467	01-31-17
Rhode Island	State Program	1	LAO00307	12-30-16
South Carolina	State Program	4	96026	06-30-16 *
Tennessee	State Program	4	TN02907	06-30-17
Texas	NELAP	6	T104704286-16-10	09-30-17
USDA	Federal		P330-16-00172	05-24-19
Virginia	NELAP	3	460166	06-14-17
Washington	State Program	10	C915	05-15-17
West Virginia DEP	State Program	3	136	06-30-17

* Certification renewal pending - certification considered valid.



Diversified Environmental Laboratories, Inc.

Lisa Harvey
Test America
5102 LaRoche Ave.
Savannah, GA 31404

August 25, 2016

Re: DELI Project Number: **160824.01**
Client PO Number: **68016760**
Client Project Description: **Trail Ridge Landfill**

Dear Mrs. Harvey:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date/Time Collected	Date/Time Received
36122	SW-1	08/24/16 07:45	08/24/16 10:15
36123	SW-3	08/24/16 08:15	08/24/16 10:15

If you have any questions or comments concerning this laboratory report, please do not hesitate to contact us.

Sincerely,

Franklin A. Risk, Jr.
Laboratory Director

Enclosures

This laboratory report consists of a cover page, case narrative page and report page. There may be multiple pages of each. The pages are numbered accordingly. The report may also contain chain of custody forms, project log in forms, QA/QC reports and client worksheets if applicable. The results herein relate only to the items tested or to the samples as received by the laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. All samples will be disposed of within 30 days of receipt, unless a written request to retain the samples longer is received. All samples referenced in this laboratory report are considered to be environmental samples. The case narrative will contain comments and or notes regarding the samples and analyses.

Cover Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Website www.delilab.com



Diversified Environmental Laboratories, Inc

Case Narrative

August 25, 2016

Test America
Lisa Harvey

Re: DELI Project Number: **160824.01**
Client Project Description: **Trail Ridge Landfill**

Enclosed is the case narrative for the above referenced project:

There is nothing to report in the case narrative section of this laboratory report.

Unless otherwise noted and where applicable:

These samples were received at the proper temperature and with the proper preservation. The samples were analyzed as received, unless otherwise noted. All results in the Quality Control section are labeled appropriately. All results meet the requirements of the NELAP standards, unless otherwise noted. Footnotes are given at the end of the report.


Narrative Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Website www.delilab.com



Diversified Environmental Laboratories, Inc.

Report of Laboratory Analysis

DELI Project Number
160824.01

Test America

Project Description
Trail Ridge Landfill


Report Date: August 25, 2016

DELI Sample Number 36122
 Sample Designation SW-1

Matrix Non Potable Water
 Date/Time Collected 08/24/16 07:45

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Prep Date/Time	Analyst	Analysis Date/Time
Coliform, Fecal	SM 9222 D	480		cfu/100mL	20	20	20		ADA	08/24/16 10:30





Diversified Environmental Laboratories, Inc.

Report of Laboratory Analysis

DELI Project Number
160824.01

Test America

Project Description
Trail Ridge Landfill

Report Date: August 25, 2016

DELI Sample Number 36123
Sample Designation SW-3

Matrix Non Potable Water
Date/Time Collected 08/24/16 08:15

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Prep Date/Time	Analyst	Analysis Date/Time
Coliform, Fecal	SM 9222 D	420		cfu/100mL	20	20	20		ADA	08/24/16 10:30



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Diversified Environmental Laboratories, Inc.

Report of Laboratory Analysis

DELI Project Number
160824.01

Test America

Project Description
Trail Ridge Landfill

Report Date: August 25, 2016

Footnotes

DF	Dilution Factor
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MB	Method Blank
MDL	Minimum Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NA	Not Applicable
ND	Not Detected/None Detected
PQL	Practical Quantification Limit
RPD	Relative Percent Deviation
U,D1	U=Compound analyzed for, but not detected. D1=Dilution needed due to matrix interference or foamy matrix.





Quality Control Data

Date Printed: August 25, 2016

QCData for Project Number 160824.01

Page QC-1 of 1

Batch No: **B12162**

Associated Samples

TestCode: **Coli Fec (MF) 9222D**

36122, 36123

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- %RPD %Rec	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- %RPD %Rec	Sample Dup %RPD	QC Limit %RPD	Qualifiers
<i>Parent Sample Number</i>												36122		
Coliform, Fecal	<1 U											0	91	
<i>Parent Sample Number</i>														
Coliform, Fecal	<1 U												91	

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RPD

Footnotes

U Compound analyzed for, but not detected.

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@dellab.com
Website www.dellab.com

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Project Login Form

DELI Project Number: 160824.01 Client Name: Test America
 Date Received: 08/24/16 Received by: JMD PLF Completed by: JMD

Courier/Shipper Information:
 Client DEL, Inc. Other (describe) Petty Co

Type & Number of Shipping Containers:

#	Shipping Container Description	Crushed Ice	Cooler/Ice Temp. C	Sample Cont. Temp. C	Note: If thermal preservation was used / required, pick a sample container from each cooler and use the IR gun to measure the sample temperature.
1	<u>Cooler</u> Box Other:	<u>Yes</u> No	<u>0-6</u>	<u>2.8</u>	
2	Cooler Box Other:	Yes No			
3	Cooler Box Other:	Yes No			
4	Cooler Box Other:	Yes No			
5	Cooler Box Other:	Yes No			

Therm Inv. #: 0364 IR Gun Inv. #: 0332

Other Information Checklist:		YES	NO	NA
1	Were custody seals used for shipping containers(s)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2	If Yes, were the custody seals intact? If no, see comments below.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
3	Were custody seals used for sample containers(s)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	If Yes, were the custody seals intact? If no, see comments below.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5	Did custody papers accompany samples? (such as COC, specifics, etc.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	Were the custody papers properly filled out?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	Were the sample containers received in good condition? (If no, see comments)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	Were the sample container labels properly filled out? (date, time, preservation, etc.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	Were the labels on the sample containers and custody papers consistent?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	Were the samples in the correct containers for analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	Were the correct preservations used for each sample container according to analysis?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	Were the samples received within the appropriate holding times?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13	Were pH preservation checks made?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14	Were the sample containers provided by DEL, Inc.?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15	Was this a sample kit provided by DEL, Inc.? If Yes, DEL, Inc. Kit #: <u>NA</u>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
16	Were the VOA vials free of headspace? (No bubbles present)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Are the samples acceptable for analysis? Yes If yes, proceed with login. If no, notify client immediately and list rejection reasons in comments area below. Also, please take any needed further action for rejected sample(s).

Container Preservation Check:

Note: VOA vials will not be checked for pH at sample login. The testing laboratory will perform that check during analysis. The pH of microbiological samples will not be checked, due to the risk of contamination. The pH of Oil & Grease samples will not be checked during sample login, due to the potential loss of product.

Sample Number	Parameters	Cooler/ Container #	pH upon receipt	Was a preservative added after pH check?	If Yes, which preservative was added? (Incl. Vol.)	Preservative Lot #	New pH value	Sample container size & type?
<u>36122</u>	<u>Fecal Coliform</u>	<u>1</u>	<u>-</u>	<u>Yes / <u>No</u></u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>100ml P w/ sterile pH</u>
<u>-36123</u>				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				
				<u>Yes / No</u>				

P = Plastic; G = Glass; AG = Amber Glass; TL = Teflon Lid; WM = Wide Mouth

Comments:



ENCO Laboratories

Accurate. Timely. Responsive. Innovative.

10775 Central Port Drive

Orlando FL, 32824

Phone: 407.826.5314 FAX: 407.850.6945

Wednesday, August 31, 2016

Test America - Savannah (TE023)

Attn: Lisa Harvey

5102 LaRoche Avenue

Savannah, GA 31404

RE: Laboratory Results for

Project Number: 680-129123, Project Name/Desc: Test America

ENCO Workorder(s): AZ05939

Dear Lisa Harvey,

Enclosed is a copy of your laboratory report for test samples received by our laboratory on Thursday, August 25, 2016.

Unless otherwise noted in an attached project narrative, all samples were received in acceptable condition and processed in accordance with the referenced methods/procedures. Results for these procedures apply only to the samples as submitted.

The analytical results contained in this report are in compliance with NELAC standards, except as noted in the project narrative. This report shall not be reproduced except in full, without the written approval of the Laboratory.

This report contains only those analyses performed by Environmental Conservation Laboratories. Unless otherwise noted, all analyses were performed at ENCO Orlando. Data from outside organizations will be reported under separate cover.

If you have any questions or require further information, please do not hesitate to contact me.

Sincerely,

Carlene S Pasipanki For David Camacho

Project Manager

Enclosure(s)

ANALYTICAL RESULTS

Description: SW-1	Lab Sample ID: AZ05939-01	Received: 08/25/16 09:35
Matrix: Water	Sampled: 08/24/16 07:45	Work Order: AZ05939
Project: Test America -	Sampled By:	

Classical Chemistry Parameters

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	POL	Batch	Method	Analyzed	By	Notes
Chlorophyll a [42617-16-3]^	25		mg/m3	1	0.50	0.50	6H25036	SM 10200H-2001	08/30/16 14:16	M1N	

Description: SW-3	Lab Sample ID: AZ05939-02	Received: 08/25/16 09:35
Matrix: Water	Sampled: 08/24/16 08:15	Work Order: AZ05939
Project: Test America -	Sampled By:	

Classical Chemistry Parameters

^ - ENCO Orlando certified analyte [NELAC E83182]

Analyte [CAS Number]	Results	Flag	Units	DF	MDL	POL	Batch	Method	Analyzed	By	Notes
Chlorophyll a [42617-16-3]^	7.2		mg/m3	1	0.50	0.50	6H25036	SM 10200H-2001	08/30/16 14:16	M1N	

QUALITY CONTROL DATA

Classical Chemistry Parameters - Quality Control

Batch 6H25036 - NO PREP

Blank (6H25036-BLK1) Prepared: 08/25/2016 14:00 Analyzed: 08/30/2016 14:16

Analyte	Result	Flag	POL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chlorophyll a	0.50	U	0.50	mg/m3							

Duplicate (6H25036-DUP1) Prepared: 08/25/2016 14:00 Analyzed: 08/30/2016 14:16

Source: AZ05939-01

Analyte	Result	Flag	POL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Chlorophyll a	25		0.50	mg/m3		25			0	25	



www.encolabs.com

FLAGS/NOTES AND DEFINITIONS

- PQL** PQL: Practical Quantitation Limit.
- B** Results are based upon membrane filter colony counts that are outside the method indicated ideal range.
- I** The reported value is between the laboratory method detection limit (MDL) and the practical quantitation limit (PQL).
- J** Estimated value.
- K** Off-scale low; Actual value is known to be less than the value given.
- L** Off-scale high; Actual value is known to be greater than value given.
- M** Presence of analyte is verified but not quantified; the actual value is less than the MRL but greater than the MDL.
- N** Presumptive evidence of presence of material.
- O** Sampled, but analysis lost or not performed.
- Q** Sample exceeded the accepted holding time.
- T** Value reported is less than the laboratory method detection limit. The value is reported for informational purposes only and shall not be used in statistical analysis.
- U** Indicates that the compound was analyzed for but not detected.
- V** Indicates that the analyte was detected in both the sample and the associated method blank.
- Y** The laboratory analysis was from an improperly preserved sample. The data may not be accurate.
- Z** Too many colonies were present (TNTC); the numeric value represents the filtration volume.
- ?** Data are rejected and should not be used. Some or all of the quality control data for the analyte were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
- *** Not reported due to interference.

APPENDIX C
HYDRAULIC GRADIENT CALCULATIONS

Appendix C
Hydraulic Gradient Calculations
Trail Ridge Landfill, Jacksonville, Florida
FDEP Permit 0013493-025-SO-01 / WACS Facility ID 33628

Made by: DH
Checked by: LDH
Reviewed by: LS

Purpose: To determine groundwater flow direction and calculate horizontal hydraulic gradients for shallow, intermediate, and deep portions of the surficial aquifer at the Trail Ridge Landfill.

Method for Determination of Horizontal Hydraulic Gradient:

$$i = \frac{\Delta h}{\Delta s} = \frac{GWE_A - GWE_B}{\underline{AB}}$$

Where:

- i Hydraulic gradient (dimensionless)
- Δh Difference of hydraulic head
- Δs Horizontal distance between two points
- $GWE_{A, B}$ Groundwater elevation of points A and B (in feet)
- AB The horizontal distance between points A and B (in feet), where AB is perpendicular to potentiometric contours

Using the following groundwater elevation data:

	GWE_A	GWE_B
Shallow	140' contour	MWB-22(S)
Intermediate	135' contour	MWB-12(I)
Deep	130' contour	MWB-12 (D)

Appendix C
Hydraulic Gradient Calculations
Trail Ridge Landfill, Jacksonville, Florida
FDEP Permit 0013493-025-SO-01 / WACS Facility ID 33628

Made by: DH
Checked by: LDH
Reviewed by: LS

Goal: Calculate the hydraulic gradient for the surficial aquifer - shallow depth

Condition: Static

$$i = \frac{\Delta h}{\Delta s} = \frac{GWE_A - GWE_B}{AB}$$

Shallow gradient:

$$i = \frac{140' \text{ contour} - MWB-22(S)}{2720} = \frac{140' - 114.05'}{2720}$$

$i = 0.010 \text{ ft/ft}$

Intermediate gradient:

$$i = \frac{135' \text{ contour} - MWB-12(I)}{2820} = \frac{135' - 112.97'}{2820}$$

$i = 0.008 \text{ ft/ft}$

Deep gradient:

$$i = \frac{130' \text{ contour} - MWB-12 (D)}{2190} = \frac{130' - 115.19'}{2190}$$

$i = 0.007 \text{ ft/ft}$

Average gradient:

$i = 0.008 \text{ ft/ft}$

Appendix C
Hydraulic Gradient Calculations
Trail Ridge Landfill, Jacksonville, Florida
FDEP Permit 0013493-025-SO-01 / WACS Facility ID 33628

Made by: DH
Checked by: LDH
Reviewed by: LS

Horizontal Hydraulic Gradients:

Shallow horizontal gradient is	0.010	ft/ft
Intermediate horizontal gradient is	0.008	ft/ft
Deep horizontal gradient is	0.007	ft/ft
Average horizontal gradient is	0.008	ft/ft

Groundwater Flow Direction:

Groundwater flow is to the east moving perpendicular to potentiometric contours from high to low hydraulic head values.

**APPENDIX D
ADAPT DATA PACKAGE
(NOT INCLUDED IN PDF)**

APPENDIX E
GROUNDWATER MONITORING REPORT CERTIFICATION



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

DEP Form #: 62-701.900(31), F.A.C.
Form Title: Water Quality Monitoring Certification
Effective Date: January 6, 2010
Incorporated in Rule 62-701.510(9), F.A.C.

WATER QUALITY MONITORING CERTIFICATION


PART I GENERAL INFORMATION

- (1) Facility Name Trail Ridge Landfill, Inc.
Address 5110 U.S. Highway 301
City Baldwin, FL Zip 32234 County Duval
Telephone Number (850) 474-8846
- (2) WACS Facility ID 33628
- (3) DEP Permit Number 0013495-025-SO-01
- (4) Authorized Representative's Name Eric Parker Title Env. Protection Manager
Address 5110 U.S. Highway 301
City Baldwin, FL Zip 32234 County Duval
Telephone Number (904) 289-9100 Ex. 212
Email address (if available) EParker1@wm.com

CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submission of false information including the possibility of fine and imprisonment.

10/31/2016
(Date)


(Owner or Authorized Representative's Signature)

PART II QUALITY ASSURANCE REQUIREMENTS

- Sampling Organization Professional Tech. Support Services (ProTech)
Analytical Lab NELAC / HRS Certification # Florida E87052
Lab Name TestAmerica Laboratories, Inc. / TestAmerica Savannah
Address 5102 LaRoche Avenue, Savannah, GA 31404
Phone Number (912) 354-7858
Email address (if available) lisa.harvey@testamaricainc.com