

# Florida Department of

# **Environmental Protection**

#### **Inspection Checklist**

## **FACILITY INFORMATION:**

Facility Name: PASCO COUNTY RESOURCE RECOVERY

On-Site Inspection Start Date: 04/28/2017
On-Site Inspection End Date: 04/28/2017

**WACS No.:** 45799

Facility Street Address: 14230 HAYS ROAD

City: SPRING HILL

County Name: PASCO

**Zip:** 34610

#### **INSPECTION PARTICIPANTS:**

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Rachel D Tift, Inspector

Other Participants: Melissa Madden, Environmental Consultant; Diana Felix, Permitting; Gary Ackerman,

Operator

#### **INSPECTION TYPE:**

Routine Operation Inspection for WPF - Waste To Energy Facility

Routine Operation Inspection for Landfill - Class III

Routine Operation Inspection for Landfill - WTE Ash Monofill

Routine Operation Inspection for Landfill - Class I

Routine Operation Inspection for WPF - Waste Tire Processing Facility

### ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

1.0 - SECTION 1.0 - FILE REVIEW

2.0 - SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

9.0 - SECTION 9.0 - WASTE TIRE FACILITIES

12.0 - SECTION 12.0 - WTE FACILITIES

# 1.0 - SECTION 1.0 - FILE REVIEW

## Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	FILE REVIEW (Pre- or Post-Inspection, as appropriate.)	Ok	Not Ok	Unk	N/A
1.1	For landfills and C&D disposal facilities, does the facility have a current plan for the method and sequence of filling wastes? 62-701.500(2)(f) for landfills; 62-701.730(7)(a) for C&D debris sites	~			
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK)  Waste reports (annually) 62-701.500(4)  Annual estimate of remaining life 62-701.500(13)(c)	>			
1.3	Is gas monitoring being performed as required by the permit? 62-701.500(9), 62-701.530(2)	>			
1.4	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)(c)	>			
1.5	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? 62-701.510(2) for landfills; 62-701.730(8) and 62-701.730(10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.	>			
1.6	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) and (4); 62-701.730(4)(c) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.			>	
1.7	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.600(6)(b), 62-701.730(9)(e)				~
1.8	Is financial assurance adequate? 62-701.630 for landfills; 62-701.710(7)(a) and 62-701.710(1)(d)1. for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.	>			
1.9	Are cost estimates current and adjusted every year? 62-701.630(4) for landfills; 62-701.710(7)(a) and 62-701.710(1)(d)1. for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(b) and 62-713.600(6)(c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	>			
1.10	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by February 1st of each year? 62-701.730(12)				~
1.11	For C&D recycling facilities with no disposal, is an Annual Report for the recycling facility submitted to the Department by February 1st of each year? 62-701.710(8)(b)				~
1.12	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				~
1.13	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				~

## 2.0 - SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

# Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18))	Ok	Not Ok	Unk	N/A
2.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility. 62-701.300(1)(a)	~			
2.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	>			
2.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12)  100 feet from potable water wells (except on-site)?  50 feet from water bodies?	>			
2.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	>			
2.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	>			
2.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	>			
2.6	Are the following unauthorized wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK)  Hazardous waste 62-701.300(4)  Biomedical waste 62-701.300(6)  Yard trash 62-701.300(8)(c)  Whole waste tires 62-701.300(8)(e)  Regulated asbestos waste 62-701.520(3), 62-701.730(19)  Used oil and oily wastes, except as exempted 62-701.300(11)  PCB wastes 62-701.300(5)  Lead-acid batteries 62-701.300(8)(a)  White goods 62-701.300(8)(d)  Liquids 62-701.300(10)  CCA treated wood 62-701.300(14)	<b>&gt;</b>			
2.7 Item	Are only permitted waste types disposed at facility? 62-701.340(2), 62-701.500(6)(a), 62-701.500(2)(c)  LANDFILL OPERATION AND MAINTENANCE	<b>✓</b> Ok	Not	Unk	N/A
No.	Is there a trained operator on-site at Class I and III landfills when receiving wastes? 62-701.500(1)	83	Ok		
		>			
2.9	Is there at least one trained spotter at each working face when receiving wastes at Class I and III landfills? 62-701.500(1)	~			

Item No.	LANDFILL OPERATION AND MAINTENANCE	Ok	Not Ok	Unk	N/A
2.10	Are the following records or plans current and available on-site? (Check any that are Not OK)  Training Plan 62-701.320(15)(a)  Operating Plan 62-701.500(2)				
	Waste weight records 62-701.500(4)  Precipitation records 62-701.500(8)(g)  Load-checking program records 62-701.500(6)(a)  Training records 62-701.320(15)(a)  Operation record 62-701.500(3)  Quantity of leachate 62-701.500(8)(f)	>			
2.11	Is the operation plan substantially followed? 62-701.500(2)	~			
2.12	Is incoming waste weighed? 62-701.500(4)(a) and 62-701.500(2)(d)	~			
2.13	Is the method and sequence of filling waste according to plans? 62-701.500(2)(f)	~			
2.14	Is access properly controlled to prevent unauthorized waste disposal? 62-701.500(5)	~			
2.15	Is waste compacted as required? 62-701.500(7)(a)	~			
2.16	Are the working face and side slopes above ground graded to a slope no greater than 3 feet horizontal to 1 foot vertical rise? 62-701.500(7)(c)	>			
2.17	Is a narrow working face practiced? 62-701.500(7)(d)	^			
2.18	Is the frequency, amount and quality of initial cover, as required? 62-701.500(7)(e)	٧			
2.19	Is the frequency, amount and quality of intermediate cover, as required? 62-701.500(7)(f)	٧			
2.20	Is litter controlled and are litter control devices maintained? 62-701.500(7)(i) and 62-701.500(11)(f)	٧			
2.21	Is erosion control adequate? 62-701.500(7)(j)	٧			
2.22	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) and 62-701.500(8)(h)	>			
2.23	Is leachate disposed of or treated as required? 62-701.500(8)(b), 62-701.500(8)(c) and 62-701.500(8)(d)	٨			
2.24	If leachate recirculation is practiced at the facility, is it done in accordance with Department requirements and the Operation Plan? 62-701.400(5)				<b>&gt;</b>
2.25	Is gas controlled to not cause objectionable odors beyond the property boundary? 62-701.530(3)(b)	>			
2.26	Is gas controlled to not allow combustible gas concentrations to exceed specified limits? 62-701.530(3)(a)	٧			
2.27	Are gas vents intact and functioning properly? 62-701.500(9), 62-701.530(1)(a)3	~			
2.28	Is mixing of leachate and stormwater prevented or minimized? 62-701.500(10), 62-701.400(9)(b)	>			
2.29	Is stormwater management system maintained and operated as required? 62-701.500(10)	>			
2.30	Is there sufficient operating equipment? 62-701.500(11)(a)	~			
2.31	Is there sufficient reserve equipment (or other arrangements)? 62-701.500(11)(b)	~			
2.32	Are communication facilities adequate? 62-701.500(11)(c)	~			
2.33	Are approved dust control methods adequate? 62-701.500(11)(d)	>			

Item No.	LANDFILL OPERATION AND MAINTENANCE	Ok	Not Ok	Unk	N/A
		~			
2.34	Are fire protection and fire fighting capabilities adequate and operational? 62-701.500(11)(e)	~			
2.35	Are there required signs for operational directions and public information? 62-701.500(11)(g)	~			
2.36	Are all-weather access roads and inside perimeter roads properly maintained? 62-701.500(12)	~			
2.37	Are groundwater wells intact and properly maintained? 62-701.510(2)(b), 62-701.620(8)	~			
2.38	Are all additional specific conditions (not otherwise addressed above) in the permit, Department order, or certification, if any, being followed? 62-701.320(1), 403.161, F.S.			٧	

## 9.0 - SECTION 9.0 - WASTE TIRE FACILITIES

## Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18))	Ok	Not Ok	Unk	N/A
9.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	~			
9.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	٧			
9.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12)				
	<ul><li>100 feet from potable water wells (except on-site)?</li><li>50 feet from water bodies?</li></ul>	<b>&gt;</b>			
9.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event) 62-701.300(2)(d)	>			
9.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	>			
9.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	٧			
Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE	Ok	Not Ok	Unk	N/A
9.6	If the facility accepts tires from the public, is a sign posted at the facility entrance stating operating hours, cost of disposal and site rules? 62-711.540(1)(a)	~			
9.7	Are operations involving the use of open flames conducted no closer than 25 feet of a waste tire pile? 62-711.540(1)(b)	~			
9.8	If the facility accepts tires from the public, is an attendant always present on site when the site is open for business? 62-711.540(1)(c)	~			
9.9	Are fire protection services assured through notification to local fire protection authorities? 62-711.540(1)(d)	>			
9.10	Is an annual fire safety survey conducted? 62-711.540(1)(d)	~			
9.11	Is a copy of the annual fire safety report made part of the next quarterly report? 62-711.540(1)(d)	<b>&gt;</b>			
9.12	Does the facility have an Emergency Preparedness Manual (EPM) on-site? 62-711.540(1)(e)	>			
9.13	Does the EPM contain the following information? (Check all that are Not OK)  Contact names and numbers 62-711.540(1)(e)1  List of emergency response equipment and locations on-site 62-711.540(1)(e)2  Procedures to be followed in the event of a fire 62-711.540(1)(e)3	>			
9.14	Is the operator at the facility maintaining records of the quantity of waste tires received at the site, stored at the site, and shipped from the site? 62-711.540(1)(g) and 62-711.400(5)	>			
9.15	If the operator of the site is not the owner of the property, has written authorization been obtained from the property owner to operate the facility? 62-711.540(1)(h)				~
9.16	Is adequate communications equipment available at the site? 62-711.540(1)(i)	~			

WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE	Ok	Not	Unk	N/A
	O.K	Ok	<b>3</b> 1	14,71
Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j)	>			
WASTE TIRE FACILITY - STORAGE INDOORS	Ok	Not Ok	Unk	N/A
Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)				>
Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(a)				~
Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)				>
Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)				>
Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)				>
If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62-711.540(2)(e)				>
If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a fire rating of not less than six hours and do steel columns have one-hour fireproofing? If the top of storage exceeds 20 feet in height, do columns and their connections with other structural members have two-hour fireproofing? 62-711.540(2)(f)				>
Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)				>
WASTE TIRE FACILITY - STORAGE OUTDOORS	Ok	Not Ok	Unk	N/A
Is the waste tire site operated within 200 feet from a body of water? 62-711.540(3)(a)	~			
Does the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)	~			
Does the waste tire pile have an area less than 10,000 sq. ft? 62-711.540(3)(b)	>			
Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b)	>			
Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)	>			
Is there unobstructed access to the fire lane? 62-711.540(3)(c)	>			
Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)	~			
Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(f)	>			
Is the site bermed or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(e)	>			
Are residuals contained on-site and disposed of in a permitted solid waste management facility or properly recycled? 62-711.540(5)	~			
Does the waste tire site qualify for the exceptions to the technical and operational standards as allowed by rule? 62-711.540(6)	>			
WASTE TIRE FACILITY - COLLECTION CENTER	Ok	Not Ok	Unk	N/A
Are no more than 1,500 tires at the collection center at any one time? 62-711.550(1)(a)				>
Are all waste tires, which are not used tires, removed from site yearly for recycling, processing, or disposal? 62-711.550(1)(b)				>
	health and welfare? 62-711.540(1)(i)  WASTE TIRE FACILITY - STORAGE INDOORS  Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)  Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b)  Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)  Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)  If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62-711.540(2)(e)  If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a fire rating of not less than six hours and do steel columns have one-hour fireproofing? If the top of storage exceeds 20 feet in height, do columns and their connections with other structural members have two-hour fireproofing? Per 11.540(2)(f)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)  WASTE TIRE FACILITY - STORAGE OUTDOORS  Is the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)  Does the waste tire pile have an area less than 10,000 sq. ft? 62-711.540(3)(b)  Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b)  Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(d)  Are residuals contained on-site and dispose	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(i)  WASTE TIRE FACILITY - STORAGE INDOORS  OK  Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)  Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)  Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)  If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62-711.540(2)(e)  If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a fire taing of not less than as knows and os steel columns have one-hour fireproofing? 11 the top of storage exceeds 20 feet in height, do columns and their connections with other structural members have two-hour fireproofing? 62-711.540(2)(f)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)  WASTE TIRE FACILITY - STORAGE OUTDOORS  Ok  Is the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)  Does the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)  Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d)  Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d)	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-71.540(1)(1)  WASTE TIRE FACILITY - STORAGE INDOORS  Ok Not Ok  Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)  Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-71.540(2)(c)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-71.540(2)(c)  Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)  If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have a fire rating of not less than sk hours and do steel columns have one-hour freproofing? If the top of storage exceeds 20 feet in helpid to columns and their connections with other structural members have two-hour fleproofing? 62-71.540(2)(f)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)  WASTE TIRE FACILITY - STORAGE OUTDOORS  Ok Not Ok  Is the waste tire site operated within 200 feet from a body of water? 62-711.540(3)(b)  Does the waste tire pile have a width less than 15 feet? 62-711.540(3)(b)  Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)  Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)  Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(d)  Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(d)  Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(d)  WASTE TIRE FACILITY - COLLECTION CENTER  Are all wa	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(i)  WASTE TIRE FACILITY - STORAGE INDOORS  Ok  Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)  Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)  Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)  Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)  Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-  711.540(2)(c)  If waste tires are stored over 15 feet high, do walls between adjucent warehouse areas and between manufacturing and warehouse areas have at less at a four-hour fire rating? 62-711.540(2)(e)  If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a five rating of not less than isk hours and do steel columns have one-hour fire proofing? If the top of storage sceede 20 feet in height, do owalls between manufacturing and warehouse areas have a five rating of not less than isk hours and do steel columns have one-hour fire proofing? If the opp of storage sceede 20 feet in height, do owalls between manufacturing and warehouse areas have a five rating of not less than isk hours and do steel columns have one-hour fire rating? 62-711.540(2)(e)  If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a five rating of not less than isk hours and do steel columns have one-hour fire rating? 62-711.540(2)(e)  WASTE TIRE FACILITY - STORAGE OUTDOORS  Ok  Not  Ok  Not  Ok  Not  Ok  She waste fire site operated within 200 feet from a body of water? 62-711.540(3)(a)  Oes the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)  Is there a 50 feet wide fire lane around the permeter of t

#### 12.0 - SECTION 12.0 - WTE FACILITIES

### Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18))	Ok	Not Ok	Unk	N/A
12.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	~			
12.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	~			
12.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12)  100 feet from potable water wells (except on-site)?  50 feet from water bodies?	~			
12.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	~			
12.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	~			
12.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	~			
12.6	Are the following unauthorized wastes or special wastes properly managed? (Check any that are Not OK)  Lead-acid batteries, mercury-containing switches and lamps in WTEs 62-701.300(9)  CCA treated wood 62-701.300(14)	~			
Item No.	WTE FACILITY OPERATION AND MAINTENANCE	Ok	Not Ok	Unk	N/A
12.7	WTE facility in compliance with all permit conditions, site certification conditions, Department order, or certification, if any, and applicable requirements? 62-701.320(1), 403.161, F.S.	V			

#### **COMMENTS:**

- 1.5 During the April 2016 sampling event, the two wells downgradient of the Class III landfill (4MW-21 and 4MW-22) did not contain sufficient water to allow sample collection. Please conduct an evaluation of the adequacy of these wells to allow sample collections during dry season conditions. Please also conduct an evaluation of the adequacy of proposed well 4MW-23, based on the construction details provided, to allow sample collection during dry season conditions. Note that the Technical Report for the Class I Landfill is due by 3/31/2018 (2nd Half 2015 2nd Half 2017), and the Technical Report for the Class III Landfill is due by 11/22/2018 (2nd Half 2015 1st Half 2018).
- 1.6 Groundwater monitoring data was reviewed for groundwater standard exceedances, completeness, and quality assurance/quality control (QA/QC); however, a review of historical data trending was not performed. The November 2016 groundwater event reported an exceedance of the nitrate standard at well 2MW-17S. Please note that the facility has the opportunity to conduct a re-sampling event to confirm results that exceed groundwater standards.
- 1.8 The financial assurance adequately meets the funding requirements. Please continue to work with the Financial Assurance Working Group to address the other deficiencies noted in the most recent financial assurance review (5/4/2017).
- 2.10 Please note that leachate generation reports are required to be submitted quarterly by January 15th,

April 15th, July 15th and October 15th each year. The leachate generation reports for Q4 2016 and Q1 2017 were provided on 5/9/2017.

- 2.11 During the inspection, a pile of screened overs (not usable) from the ash reuse project appeared to have been stored in the Class I area for an extended period. Operator indicated that this material would be relocated to A4. The RDD permit has expired, and the location for processing of ash for beneficial re-use is not currently addressed in the Class I operations plan. Please work with Tallahassee permitting staff to update the operations plan to include this activity.
- 2.22 The A2 Primary Liner sump blockage was discussed with the Tallahassee Solid Waste Section. It was agreed that conversion of the sideslope cleanout riser in the vicinity of the plugged sump into a permanent leachate pumping configuration was the most prudent course of action. Pasco County Utilities is in the administrative process of approving a Task Order for an environmental engineering service provider to design the conversion. The facility anticipates that construction of the conversion will be completed by the end of the year.
- 2.37 Not all monitoring wells were observed during this inspection. Monitoring well 4MW-21 was found unlocked but was locked during the inspection. The cap of monitoring well 2MW-26S was found in disrepair. Photos were provided following the inspection on 5/9/2017 showing that the cap was repaired and the well locked.
- 2.38 Please clarify whether the report submitted by Tim Townsend on 8/14/2014 was intended to be the Final Report referenced in Specific Condition C.6.b. of the Solid Waste Research Development and Demonstration Permit No 26254-004-SO-21. It is unclear if this permit needs to be renewed as the project status is unknown. A review of the Department files indicates that quarterly reports and groundwater data associated with this project were not been submitted in accordance with Specific Conditions C.6.a., C.6.c., and D.7.
- 9.14 Please note that waste tire processing reports are required to be submitted quarterly by January 20th, April 20th, July 20th and October 20th each year. The waste tire processing reports for Q4 2016 and Q1 2017 were provided on 5/9/2017.

#### **ATTACHMENTS:**

WTE Overview



Class I Overview



# WTE Ash Monofill Overview



WTPF Overview



Class III Overview



Signed:		
Rachel D Tift	Inspector	
PRINCIPAL INSPECTOR NAME	PRINCIPAL INSPECTOR TITLE	
Rachel lift	DEP	05/18/2017
PRINCIPAL INSPECTOR SIGNATURE	ORGANIZATION	DATE
Melissa Madden	Environmental Consultant	
INSPECTOR NAME	INSPECTOR TITLE	
NO SIGNATURE REQUIRED	DEP	
INSPECTOR SIGNATURE	ORGANIZATION	_
Diana Felix	Permitting	
INSPECTOR NAME	INSPECTOR TITLE	
NO SIGNATURE REQUIRED	DEP	
INSPECTOR SIGNATURE	ORGANIZATION	_
Gary Ackerman	Operator	
REPRESENTATIVE NAME	REPRESENTATIVE TITLE	
NO SIGNATURE REQUIRED	Pasco County	
REPRESENTATIVE SIGNATURE	ORGANIZATION	_
NOTE: By signing this document, the Site Rep Report and is not admitting to the accuracy of areas of concern.		
Report Approvers:		
Approver: Steve Tafuni	Inspection Approval Date: 05/22/2	017