

## 41193\_201702\_swlidd

"2270143", "EPA  
 6010", "2270143", "E84589", "7440235", "Sodium", "0.042", "mg/L", "U", "0.042", "TRG", "1",,,  
 "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/10/2017  
 11:00:00", "AQUEOUS-Groundwater", "MB", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 13:14:00", "TOT", "1938", "5002", "Yes",,, "T1702409"  
 "2270144", "EPA  
 6010", "2270144", "E84589", "7440235", "Sodium", "59", "mg/L", "0.042", "SPK", "1",,"118",,  
 "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/10/2017  
 11:00:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 13:18:00", "TOT", "1938", "5002", "Yes", "50",,"T1702409"  
 "2270156", "EPA  
 6010", "2270156", "E84589", "7440235", "Sodium", "0.042", "mg/L", "U", "0.042", "TRG", "1",,,  
 "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/10/2017  
 11:00:00", "AQUEOUS-Groundwater", "MB", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 13:17:00", "TOT", "1939", "5005", "Yes",,, "T1702409"  
 "2270157", "EPA  
 6010", "2270157", "E84589", "7440235", "Sodium", "60", "mg/L", "0.042", "SPK", "1",,"120",,  
 "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/10/2017  
 11:00:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:12:00", "TOT", "1939", "5005", "Yes", "50",,"T1702409"  
 "2270293", "EPA 350.1", "2270293", "E84589", "1515", "Ammonia  
 (N)", "0.02", "mg/L", "U", "0.02", "TRG", "1",,, "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/10/2017 14:50:00", "AQUEOUS-Groundwater", "MB", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes",,, "T1702409"  
 "2270294", "EPA 350.1", "2270294", "E84589", "1515", "Ammonia  
 (N)", "0.52", "mg/L", "0.02", "SPK", "1", "104", "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/10/2017 14:50:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "5",,"T1702409"  
 "2273416", "EPA 350.1", "2273416", "E84589", "1515", "Ammonia  
 (N)", "0.02", "mg/L", "U", "0.02", "TRG", "1",,, "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/15/2017 11:44:00", "AQUEOUS-Groundwater", "MB", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017  
 11:44:00", "TOT", "7077", "5606", "Yes",,, "T1702409"  
 "2273417", "EPA 350.1", "2273417", "E84589", "1515", "Ammonia  
 (N)", "0.54", "mg/L", "0.02", "SPK", "1", "109", "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/15/2017 11:44:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017  
 11:44:00", "TOT", "7077", "5606", "Yes", "5",,"T1702409"  
 "2274175", "SM 2540 C", "2274175", "E84589", "1705", "Residues- Filterable  
 (TDS)", "10", "mg/L", "U", "10", "TRG", "1",,, "10", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/15/2017 17:54:00", "AQUEOUS-Groundwater", "MB", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes",,, "T1702409"  
 "2274176", "SM 2540 C", "2274176", "E84589", "1705", "Residues- Filterable  
 (TDS)", "610", "mg/L", "10", "SPK", "1", "93", "10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/15/2017 17:54:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "660",,"T1702409"  
 "2274177", "SM 2540 C", "2274177", "E84589", "1705", "Residues- Filterable  
 (TDS)", "310", "mg/L", "12", "TRG", "1.25", "1", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 14:45:00", "AQUEOUS-Groundwater", "DUP", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes",,, "T1702409"  
 "2275590", "SM18 4500-Cl-  
 E", "2275590", "E84589", "16887006", "Chloride", "2.6", "mg/L", "U", "2.6", "TRG", "1",,, "5.  
 0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/16/2017  
 16:13:00", "AQUEOUS-Groundwater", "MB", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 16:13:00", "02/16/2017 16:13:00", "TOT", "7120", "5972", "Yes",,, "T1702409"  
 "2275591", "SM18 4500-Cl-  
 E", "2275591", "E84589", "16887006", "Chloride", "53", "mg/L", "2.6", "SPK", "1",,"105",,"5  
 .0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/16/2017

41193\_201702\_SWldd

16:13:00", "AQUEOUS-Groundwater", "LCS", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
16:13:00", "02/16/2017 16:13:00", "TOT", "7120", "5972", "Yes", "50", "T1702409"  
"TH-79 Dup", "EPA 350.1", "T1702409008", "E84589", "1515", "Ammonia  
(N)", "37", "mg/L", "0.25", "TRG", "10", "1.00", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
LF)", "02/08/2017 11:13:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017  
11:44:00", "TOT", "7077", "5606", "Yes", "T1702409"  
"TH-79 Dup", "EPA  
6010", "T1702409008", "E84589", "7440235", "Sodium", "700", "mg/L", "0.42", "TRG", "10", "2.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
11:13:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
11:00:00", "02/13/2017 16:43:00", "TOT", "1939", "5005", "Yes", "T1702409"  
"TH-79 Dup", "SM 2540 C", "T1702409008", "E84589", "1705", "Residues- Filterable  
(TDS)", "2600", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
(PICNIC LF)", "02/08/2017 11:13:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
"TH-79 Dup", "SM18 4500-Cl-  
E", "T1702409008", "E84589", "16887006", "Chloride", "1100", "mg/L", "68", "TRG", "26.6667",  
"130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
11:13:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
17:26:00", "02/16/2017 17:26:00", "TOT", "7120", "5972", "Yes", "T1702409"  
"Field Blank", "EPA 350.1", "T1702409001", "E84589", "1515", "Ammonia  
(N)", "0.07", "mg/L", "I", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF  
(PICNIC LF)", "02/08/2017 10:35:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
"Field Blank", "EPA  
6010", "T1702409001", "E84589", "7440235", "Sodium", "0.19", "mg/L", "I", "0.042", "TRG", "1",  
"0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
10:35:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
11:00:00", "02/13/2017 15:16:00", "TOT", "1938", "5002", "Yes", "T1702409"  
"Field Blank", "SM 2540 C", "T1702409001", "E84589", "1705", "Residues- Filterable  
(TDS)", "12", "mg/L", "U", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
(PICNIC LF)", "02/08/2017 10:35:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
"Field Blank", "SM18 4500-Cl-  
E", "T1702409001", "E84589", "16887006", "Chloride", "2.6", "mg/L", "I", "2.6", "TRG", "1", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
10:35:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
16:23:00", "02/16/2017 16:23:00", "TOT", "7120", "5972", "Yes", "T1702409"  
"Field BlankMS", "SM18 4500-Cl-  
E", "T1702409001MS", "E84589", "16887006", "Chloride", "55", "mg/L", "2.6", "SPK", "1", "10  
4", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
10:35:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
16:24:00", "02/16/2017 16:24:00", "TOT", "7120", "5972", "Yes", "50", "T1702409"  
"Field BlankMSD", "SM18 4500-Cl-  
E", "T1702409001MSD", "E84589", "16887006", "Chloride", "53", "mg/L", "2.6", "SPK", "1", "1  
02", "2", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
10:35:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
16:25:00", "02/16/2017 16:25:00", "TOT", "7120", "5972", "Yes", "50", "T1702409"  
"T1702153022", "EPA  
6010", "T1702153022", "E84589", "7440235", "Sodium", "0.042", "mg/L", "U", "0.042", "TRG", "1",  
"0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
09:44:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
11:00:00", "02/13/2017 13:26:00", "TOT", "1938", "5002", "Yes", "T1702409"  
"T1702153022MS", "EPA  
6010", "T1702153022MS", "E84589", "7440235", "Sodium", "58", "mg/L", "0.042", "SPK", "1", "116",  
"0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
09:44:00", "AQUEOUS-Groundwater", "MS", "T1702409", "3010", "RES", "YES", "02/10/2017  
11:00:00", "02/13/2017 13:30:00", "TOT", "1938", "5002", "Yes", "50", "T1702409"  
"T1702153022MSD", "EPA

```

41193_201702_swldd
6010", "T1702153022MSD", "E84589", "7440235", "Sodium", "59", "mg/L", "0.042", "SPK", "1",,
"118", "2", "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017
09:44:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "3010", "RES", "YES", "02/10/2017
11:00:00", "02/13/2017 13:34:00", "TOT", "1938", "5002", "Yes", "50", "T1702409"
"T1702153027", "SM 2540 C", "T1702153027", "E84589", "1705", "Residues- Filterable
(TDS)", "300", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/08/2017 14:45:00", "AQUEOUS-Groundwater", "N", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017
17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"
"T1702153030", "SM18 4500-Cl-
E", "T1702153030", "E84589", "16887006", "Chloride", "870", "mg/L", "68", "TRG", "26.6667",
,,, "130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017
00:00:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017
17:22:00", "02/16/2017 17:22:00", "TOT", "7120", "5972", "Yes", "T1702409"
"T1702153030MS", "SM18 4500-Cl-
E", "T1702153030MS", "E84589", "16887006", "Chloride", "860", "mg/L", "68", "SPK", "26.6667
", "-4", "130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017
00:00:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No Prep", "RES", "YES", "02/16/2017
17:23:00", "02/16/2017 17:23:00", "TOT", "7120", "5972", "Yes", "50", "T1702409"
"T1702153030MSD", "SM18 4500-Cl-
E", "T1702153030MSD", "E84589", "16887006", "Chloride", "820", "mg/L", "68", "SPK", "26.666
7", "-88", "5", "130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017
00:00:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No Prep", "RES", "YES", "02/16/2017
17:24:00", "02/16/2017 17:24:00", "TOT", "7120", "5972", "Yes", "50", "T1702409"
"T1702153034MS", "EPA 350.1", "T1702153034MS", "E84589", "1515", "Ammonia
(N)", "1.0", "mg/L", "0.02", "SPK", "1", "100", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/09/2017 15:25:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017
11:44:00", "TOT", "7077", "5606", "Yes", "1", "T1702409"
"T1702153034MSD", "EPA 350.1", "T1702153034MSD", "E84589", "1515", "Ammonia
(N)", "1.0", "mg/L", "0.02", "SPK", "1", "101", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/09/2017 15:25:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017
11:44:00", "TOT", "7077", "5606", "Yes", "1", "T1702409"
"T1702296002", "EPA 350.1", "T1702296002", "E84589", "1515", "Ammonia
(N)", "0.025", "mg/L", "U", "0.025", "TRG", "1", "92", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/07/2017 15:20:00", "AQUEOUS-Groundwater", "N", "T1702409", "No
Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017
14:50:00", "TOT", "7008", "5023", "Yes", "1", "T1702409"
"T1702296002MS", "EPA 350.1", "T1702296002MS", "E84589", "1515", "Ammonia
(N)", "0.92", "mg/L", "0.02", "SPK", "1", "92", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/07/2017 15:20:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No
Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017
14:50:00", "TOT", "7008", "5023", "Yes", "1", "T1702409"
"T1702296002MSD", "EPA 350.1", "T1702296002MSD", "E84589", "1515", "Ammonia
(N)", "0.90", "mg/L", "0.02", "SPK", "1", "90", "2", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/07/2017 15:20:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No
Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017
14:50:00", "TOT", "7008", "5023", "Yes", "1", "T1702409"
"T1702458002", "EPA 350.1", "T1702458002", "E84589", "1515", "Ammonia
(N)", "0.03", "mg/L", "I", "0.02", "TRG", "1", "90", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/09/2017 07:00:00", "AQUEOUS-Groundwater", "N", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017
11:44:00", "TOT", "7077", "5606", "Yes", "1", "T1702409"
"T1702458002MS", "EPA 350.1", "T1702458002MS", "E84589", "1515", "Ammonia
(N)", "1.1", "mg/L", "0.02", "SPK", "1", "102", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/09/2017 07:00:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017
11:44:00", "TOT", "7077", "5606", "Yes", "1", "T1702409"
"T1702458002MSD", "EPA 350.1", "T1702458002MSD", "E84589", "1515", "Ammonia
(N)", "1.0", "mg/L", "0.02", "SPK", "1", "101", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF
(PICNIC LF)", "02/09/2017 07:00:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No
Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017

```

## 41193\_201702\_swl1dd

11:44:00", "TOT", "7077", "5606", "Yes", "1", "T1702409"  
 "TH-20B", "EPA 350.1", "T1702409005", "E84589", "1515", "Ammonia  
 (N)", "1.2", "mg/L", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/08/2017 13:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
 "TH-20B", "EPA  
 6010", "T1702409005", "E84589", "7440235", "Sodium", "31", "mg/L", "0.042", "TRG", "1", "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:16:00", "TOT", "1939", "5005", "Yes", "T1702409"  
 "TH-20B", "SM 2540 C", "T1702409005", "E84589", "1705", "Residues- Filterable  
 (TDS)", "230", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 13:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-20B", "SM18 4500-Cl-  
 E", "T1702409005", "E84589", "16887006", "Chloride", "83", "mg/L", "2.6", "TRG", "1", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 16:28:00", "02/16/2017 16:28:00", "TOT", "7120", "5972", "Yes", "T1702409"  
 "TH-20BMS", "EPA  
 6010", "T1702409005MS", "E84589", "7440235", "Sodium", "89", "mg/L", "0.042", "SPK", "1", "115", "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:12:00", "AQUEOUS-Groundwater", "MS", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:20:00", "TOT", "1939", "5005", "Yes", "50", "T1702409"  
 "TH-20BMSD", "EPA  
 6010", "T1702409005MSD", "E84589", "7440235", "Sodium", "90", "mg/L", "0.042", "SPK", "1", "116", "1", "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:12:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:24:00", "TOT", "1939", "5005", "Yes", "50", "T1702409"  
 "TH-38B", "EPA 350.1", "T1702409006", "E84589", "1515", "Ammonia  
 (N)", "1.4", "mg/L", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/08/2017 13:41:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
 "TH-38B", "EPA  
 6010", "T1702409006", "E84589", "7440235", "Sodium", "3.6", "mg/L", "0.042", "TRG", "1", "0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:41:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:28:00", "TOT", "1939", "5005", "Yes", "T1702409"  
 "TH-38B", "SM 2540 C", "T1702409006", "E84589", "1705", "Residues- Filterable  
 (TDS)", "57", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/08/2017 13:41:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-38B", "SM18 4500-Cl-  
 E", "T1702409006", "E84589", "16887006", "Chloride", "8.2", "mg/L", "2.6", "TRG", "1", "5.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 13:41:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 16:28:00", "02/16/2017 16:28:00", "TOT", "7120", "5972", "Yes", "T1702409"  
 "TH-38BDUP", "SM 2540 C", "T1702409006DUP", "E84589", "1705", "Residues- Filterable  
 (TDS)", "55", "mg/L", "12", "TRG", "1.25", "4", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 13:41:00", "AQUEOUS-Groundwater", "DUP", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-66A", "EPA 350.1", "T1702409002", "E84589", "1515", "Ammonia  
 (N)", "0.50", "mg/L", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 09:45:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
 "TH-66A", "EPA  
 6010", "T1702409002", "E84589", "7440235", "Sodium", "21", "mg/L", "0.042", "TRG", "1", "

## 41193\_201702\_swlidd

0.20", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 09:45:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 15:20:00", "TOT", "1938", "5002", "Yes", "T1702409"  
 "TH-66A", "SM 2540 C", "T1702409002", "E84589", "1705", "Residues- Filterable  
 (TDS)", "300", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 09:45:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-66A", "SM18 4500-Cl-  
 E", "T1702409002", "E84589", "16887006", "Chloride", "78", "mg/L", "2.6", "TRG", "1", "5.  
 0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 09:45:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 16:26:00", "02/16/2017 16:26:00", "TOT", "7120", "5972", "Yes", "T1702409"  
 "TH-67", "EPA 350.1", "T1702409004", "E84589", "1515", "Ammonia  
 (N)", "14", "mg/L", "0.12", "TRG", "5", "0.50", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/08/2017 12:03:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
 "TH-67", "EPA  
 6010", "T1702409004", "E84589", "7440235", "Sodium", "330", "mg/L", "0.42", "TRG", "10", "2.0",  
 "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 12:03:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 15:40:00", "TOT", "1938", "5002", "Yes", "T1702409"  
 "TH-67", "SM 2540 C", "T1702409004", "E84589", "1705", "Residues- Filterable  
 (TDS)", "2000", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 12:03:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-67", "SM18 4500-Cl-  
 E", "T1702409004", "E84589", "16887006", "Chloride", "990", "mg/L", "68", "TRG", "26.6667",  
 "130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 12:03:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 17:25:00", "02/16/2017 17:25:00", "TOT", "7120", "5972", "Yes", "T1702409"  
 "TH-71A", "EPA 350.1", "T1702409007", "E84589", "1515", "Ammonia  
 (N)", "1.8", "mg/L", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF (PICNIC  
 LF)", "02/08/2017 14:04:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"  
 "TH-71A", "EPA  
 6010", "T1702409007", "E84589", "7440235", "Sodium", "41", "mg/L", "0.042", "TRG", "1", "0.20",  
 "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 14:04:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017  
 11:00:00", "02/13/2017 16:32:00", "TOT", "1939", "5005", "Yes", "T1702409"  
 "TH-71A", "SM 2540 C", "T1702409007", "E84589", "1705", "Residues- Filterable  
 (TDS)", "790", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 14:04:00", "AQUEOUS-Groundwater", "N", "T1702409", "No  
 Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017  
 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"  
 "TH-71A", "SM18 4500-Cl-  
 E", "T1702409007", "E84589", "16887006", "Chloride", "290", "mg/L", "13", "TRG", "5", "25  
 ", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017  
 14:04:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017  
 17:05:00", "02/16/2017 17:05:00", "TOT", "7120", "5972", "Yes", "T1702409"  
 "TH-71AMS", "EPA 350.1", "T1702409007MS", "E84589", "1515", "Ammonia  
 (N)", "2.6", "mg/L", "0.02", "SPK", "1", "79", "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 14:04:00", "AQUEOUS-Groundwater", "MS", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "1", "T1702409"  
 "TH-71AMSD", "EPA 350.1", "T1702409007MSD", "E84589", "1515", "Ammonia  
 (N)", "2.6", "mg/L", "0.02", "SPK", "1", "82", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF  
 (PICNIC LF)", "02/08/2017 14:04:00", "AQUEOUS-Groundwater", "MSD", "T1702409", "No  
 Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017  
 14:50:00", "TOT", "7008", "5023", "Yes", "1", "T1702409"

41193\_201702\_SWldd

"TH-79", "EPA 350.1", "T1702409003", "E84589", "1515", "Ammonia (N)", "35", "mg/L", "0.25", "TRG", "10", "1.00", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017 11:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/10/2017 14:50:00", "02/10/2017 14:50:00", "TOT", "7008", "5023", "Yes", "T1702409"

"TH-79", "EPA 6010", "T1702409003", "E84589", "7440235", "Sodium", "650", "mg/L", "0.42", "TRG", "10", "2.0", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017 11:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "3010", "RES", "YES", "02/10/2017 11:00:00", "02/13/2017 15:31:00", "TOT", "1938", "5002", "Yes", "T1702409"

"TH-79", "SM 2540 C", "T1702409003", "E84589", "1705", "Residues- Filterable (TDS)", "2700", "mg/L", "12", "TRG", "1.25", "12", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017 11:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/15/2017 17:54:00", "02/15/2017 17:54:00", "TOT", "7094", "5749", "Yes", "T1702409"

"TH-79", "SM18 4500-Cl- E", "T1702409003", "E84589", "16887006", "Chloride", "1200", "mg/L", "68", "TRG", "26.6667", "130", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/08/2017 11:12:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/16/2017 17:24:00", "02/16/2017 17:24:00", "TOT", "7120", "5972", "Yes", "T1702409"

"T1702153034", "EPA 350.1", "T1702153034", "E84589", "1515", "Ammonia (N)", "0.02", "mg/L", "U", "0.02", "TRG", "1", "0.10", "41193", "SOUTHEAST COUNTY SLF (PICNIC LF)", "02/09/2017 15:25:00", "AQUEOUS-Groundwater", "N", "T1702409", "No Prep", "RES", "YES", "02/15/2017 11:44:00", "02/15/2017 11:44:00", "TOT", "7077", "5606", "Yes", "T1702409"