

8-16-16

ILE # _____
 Street Barnes Ln. No 3053 Cottondale, FL Occupant Merrifield Recycled Oil
 Owner or Agent James Merrifield 32431 Phone # 850-209-2336
 Construction Metal Roof Metal Stories 1
 Occupancy Recycling Square Footage _____ Occupant Load _____

Fire Hazards	Good	Bad	None	Fire Protection	Good	Bad	None
Heating Systems	✓			Sprinklers/F.D. Connections			✓
Clearances	✓			Standpipes/Fire Pump			✓
Flue Pipe Fit into Flue	✓			Fire Alarm Systems			✓
Storage Explosives			✓	Fire Doors			✓
Storage Inflammables	✓			Smoke Detectors/Sya			✓
Storage Area	✓			Aisles			✓
				Halls			✓
Condition of				Stairwells/Vertical Openings			✓
Fuses/Circuit Breakers	✓			Automatic Hood Systems			✓
Electric Wiring	✓			Fire Extinguishers			
Electric Appliances			✓	Location of Cutoffs			
Fire Walls			✓	Sprinklers			
Vent Ducts			✓	Gas			
Rubbish/Housekeeping	✓			Electric			
Illuminated Exit Signs			✓				
Emergency Lighting			✓				
Air Conditioning System			✓	Days given to remedy			
Gas Appliances			✓	Date Re-inspected			
Exits/Exit Doors	✓			Days Extension			
FIRE EXTINGUISHERS	✓			Remedied: [] Yes [] No			
<u>Serviced 8-16</u>				Liability Notice Served			
Number of Exits	2 per area			Date Remedied			
Number of Units of Exits				Inspector <u>SEAN H. COLLINS</u>			
Travel Distance to Exit(s)	Less than 75'			<u>FL LIC # 102361 / 850-526-1002</u>			
Lightweight Truss Sign <u>W Reg.</u>				Occupant <u>J. M. J.</u>			

Remarks:

No violations noted

