

Florida Department of

Environmental Protection

Inspection Checklist

FACILITY INFORMATION:

Facility Name: CONSOLIDATED TIRE PROCESSING, LLC

On-Site Inspection Start Date: 08/15/2017
On-Site Inspection End Date: 08/15/2017

WACS No.: 100465

Facility Street Address: 3100 S RIDGEWOOD AVE, UNIT # 190

City: SOUTH DAYTONA

County Name: VOLUSIA

Zip: 32119

INSPECTION PARTICIPANTS:

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Philip N. Kane, Inspector

Other Participants: Brian Dailey, Inspector; Max Meseroll, Owner

INSPECTION TYPE:

Routine Operation Inspection for WPF - Waste Tire Processing Facility

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

1.0 - SECTION 1.0 - FILE REVIEW

9.0 - SECTION 9.0 - WASTE TIRE FACILITIES

1.0 - SECTION 1.0 - FILE REVIEW

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	FILE REVIEW (Pre- or Post-Inspection, as appropriate.)	Ok	Not Ok	Unk	N/A
1.1	For landfills and C&D disposal facilities, does the facility have a current plan for the method and sequence of filling wastes? 62-701.500(2)(f) for landfills; 62-701.730(7)(a) for C&D debris sites				~
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK) Waste reports (annually) 62-701.500(4) Annual estimate of remaining life 62-701.500(13)(c)				¥
1.3	Is gas monitoring being performed as required by the permit? 62-701.500(9), 62-701.530(2)				~
1.4	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)(c)				~
1.5	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? 62-701.510(2) for landfills; 62-701.730(8) and 62-701.730(10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.				~
1.6	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) and (4); 62-701.730(4)(c) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.				~
1.7	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.600(6)(b), 62-701.730(9)(e)				~
1.8	Is financial assurance adequate? 62-701.630 for landfills; 62-701.710(7)(a) and 62-701.710(1)(d)1. for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.	>			
1.9	Are cost estimates current and adjusted every year? 62-701.630(4) for landfills; 62-701.710(7)(a) and 62-701.710(1)(d)1. for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(b) and 62-713.600(6)(c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	>			
1.10	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by February 1st of each year? 62-701.730(12)				~
1.11	For C&D recycling facilities with no disposal, is an Annual Report for the recycling facility submitted to the Department by February 1st of each year? 62-701.710(8)(b)				~
1.12	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				~
1.13	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				~

9.0 - SECTION 9.0 - WASTE TIRE FACILITIES

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18))	Ok	Not Ok	Unk	N/A
9.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	~			
9.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	٧			
9.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12)				
	100 feet from potable water wells (except on-site)?50 feet from water bodies?	>			
9.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event) 62-701.300(2)(d)	~			
9.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	٧			
9.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	٧			
Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE	Ok	Not Ok	Unk	N/A
9.6	If the facility accepts tires from the public, is a sign posted at the facility entrance stating operating hours, cost of disposal and site rules? 62-711.540(1)(a)	~			
9.7	Are operations involving the use of open flames conducted no closer than 25 feet of a waste tire pile? 62-711.540(1)(b)				~
9.8	If the facility accepts tires from the public, is an attendant always present on site when the site is open for business? 62-711.540(1)(c)	>			
9.9	Are fire protection services assured through notification to local fire protection authorities? 62-711.540(1)(d)	>			
9.10	Is an annual fire safety survey conducted? 62-711.540(1)(d)	~			
9.11	Is a copy of the annual fire safety report made part of the next quarterly report? 62-711.540(1)(d)	~			
9.12	Does the facility have an Emergency Preparedness Manual (EPM) on-site? 62-711.540(1)(e)	٧			
9.13	Does the EPM contain the following information? (Check all that are Not OK) Contact names and numbers 62-711.540(1)(e)1 List of emergency response equipment and locations on-site 62-711.540(1)(e)2 Procedures to be followed in the event of a fire 62-711.540(1)(e)3	>			
9.14	Is the operator at the facility maintaining records of the quantity of waste tires received at the site, stored at the site, and shipped from the site? 62-711.540(1)(g) and 62-711.400(5)	٧			
9.15	If the operator of the site is not the owner of the property, has written authorization been obtained from the property owner to operate the facility? 62-711.540(1)(h)	٧			
9.16	Is adequate communications equipment available at the site? 62-711.540(1)(i)	>			

WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE	Ok	Not	Unk	N/A
		OK		
Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j)	>			
WASTE TIRE FACILITY - STORAGE INDOORS	Ok	Not Ok	Unk	N/A
Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)	~			
Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(a)	~			
Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)	>			
Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)	~			
Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)	٧			
If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62-711.540(2)(e)	٧			
If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a fire rating of not less than six hours and do steel columns have one-hour fireproofing? If the top of storage exceeds 20 feet in height, do columns and their connections with other structural members have two-hour fireproofing? 62-711.540(2)(f)	٧			
Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)	٧			
WASTE TIRE FACILITY - STORAGE OUTDOORS	Ok	Not Ok	Unk	N/A
Is the waste tire site operated within 200 feet from a body of water? 62-711.540(3)(a)				>
Does the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)				>
Does the waste tire pile have an area less than 10,000 sq. ft? 62-711.540(3)(b)				٧
Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b)				>
Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)				>
Is there unobstructed access to the fire lane? 62-711.540(3)(c)				>
Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)				>
Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(f)				>
Is the site bermed or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(e)				>
Are residuals contained on-site and disposed of in a permitted solid waste management facility or properly recycled? 62-711.540(5)				>
Does the waste tire site qualify for the exceptions to the technical and operational standards as allowed by rule? 62-711.540(6)				>
WASTE TIRE FACILITY - COLLECTION CENTER	Ok	Not Ok	Unk	N/A
Are no more than 1,500 tires at the collection center at any one time? 62-711.550(1)(a)				>
Are all waste tires, which are not used tires, removed from site yearly for recycling, processing, or disposal? 62-711.550(1)(b)				>
	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j) WASTE TIRE FACILITY - STORAGE INDOORS Are waste tire piles more than 50 feet in width? 62-711.540(2)(a) Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c) Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(c) If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62-711.540(2)(c) If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a fire rating of not less than six hours and do steel columns have one-hour fireproofing? If the top of storage exceeds 20 feet in height, do columns and their connections with other structural members have two-hour fireproofing? 62-711.540(2)(f) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h) WASTE TIRE FACILITY - STORAGE OUTDOORS Is the waste tire pile have a width less than 50 feet? 62-711.540(3)(b) Does the waste tire pile have a height less than 10,000 sq. ft? 62-711.540(3)(b) Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b) Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d) Is the residual or or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(d) Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(d) The site is the enterior of the waste tire site qualify for the exceptions to the technical and	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(i) WASTE TIRE FACILITY - STORAGE INDOORS Ok Are waste tire piles more than 50 feet in width? 62-711.540(2)(a) Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(b) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(d) If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have a fir eating? 62-711.540(2)(e) If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have as fir eating of not less than as knours and os sele oloumns have one-hour fireproofing? 1f the top of storage exceeds 20 feet in height, do columns and their connections with other structural wemembers have two-hour fireproofing? 62-711.540(2)(f) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h) WASTE TIRE FACILITY - STORAGE OUTDOORS Ok Is the waste tire pile have a width less than 50 feet? 62-711.540(3)(b) Does the waste tire pile have a width less than 50 feet? 62-711.540(3)(b) Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b) Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d) Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d) Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d) Is the site kept free of grass, underbrush, and other potentially fiammable vegetation? 62-711.540(3)(d) Are residuals contained o	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62:711.540(1)(1) WASTE TIRE FACILITY - STORAGE INDOORS Ok Are waste tire piles along a wall more than 25 feet in width? 62:711.540(2)(a) Are widths of main asiles between piles less than 8 feet? 62:711.540(2)(b) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62:711.540(2)(c) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62:711.540(2)(c) Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62: 711.540(2)(c) If waste tires are stored up to 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have a fire rating of not less than sk hours and do steel columns have one-hour freproding? If the up of storage exceeds 20 feet in height, do columns and their comnections with other structural members have two-hour fleproding? 62:711.540(2)(f) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62:711.540(2)(h) WASTE TIRE FACILITY - STORAGE OUTDOORS Ok Not Ok Is the waste tire site operated within 200 feet from a body of water? 62:711.540(3)(b) Does the waste tire pile have a width less than 15 feet? 62:711.540(3)(b) Does the waste tire pile have a height less than 15 feet? 62:711.540(3)(b) Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62:711.540(3)(c) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62:711.540(3)(c) Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62:711.540(3)(c) Is the site berned or given other adequate protection to prevent liquid runoff from entering water bodies? 62:711.540(3)(c) Is the site berned or given other adequate protection to prevent liquid runoff from entering w	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfair? 62:711.540(1)(1) WASTE TIRE FACILITY - STORAGE INDOORS Ok Not Ok Are waste tire piles more than 50 feet in width? 62:711.540(2)(a) Are waste tire piles along a wall more than 25 feet in width? 62:711.540(2)(a) Are widths of main aisles between piles less than 8 feet? 62:711.540(2)(b) Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62:711.540(2)(c) Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62:711.540(2)(c) Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62:711.540(2)(c) If waste tires are stored over 15 feet high, do walls between adjacent warehouse areas and between manufacturing and warehouse areas have at least a four-hour fire rating? 62:711.540(2)(c) If waste tires are stored over 15 feet high, do walls between manufacturing and warehouse areas have a five star of controlled through and warehouse areas have a five star of the structural members have two-hour fire proofing? 62:711.540(2)(c) WASTE TIRE FACILITY - STORAGE OUTDOORS Ok Not Ok Is the waste lite site operated within 200 feet from a body of water? 62:711.540(3)(a) Does the waste tire pile have a width less than 50 feet? 62:711.540(3)(b) Does the waste tire pile have a height less than 15 feet? 62:711.540(3)(b) Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62:711.540(3)(c) Is there a so feet wide fire lane around the perimeter of the waste tire pile? 62:711.540(3)(c) Is there a so feet wide fire lane around the perimeter of the waste tire pile? 62:711.540(3)(c) Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62:711.540(3)(c) Is the sets kept free of grass, underbrush, and other potentially flammable vegetation? 62:711.540(3)(c) Is the set waste tire pile have a height less than 15 fe

COMMENTS:

Permit 0310464-002-WT expires 03/09/2022.
Approximately 8900 tires were onsite. Allowed 10,000 tires indoor storage. The facility was well maintained.
The facility is now called Firenza Global, LLC.

Signea:	
Philip N. Kane	Inspector
PRINCIPAL INSPECTOR NAME	PRINCIPAL INSPECTOR TITLE
mir and Very sell N	
Philip N. Kons, El B.	DEP 09/05/2017
PRINCIPAL INSPECTOR SIGNATUR	RE ORGANIZATION DATE
Brian Dailey	Inspector
REPRESENTATIVE NAME	REPRESENTATIVE TITLE
NO SIGNATURE REQUIRED	EDED
REPRESENTATIVE SIGNATURE	FDEP ORGANIZATION
areas of concern.	uracy of any of the items identified by the Department as "Not Ok" or
Max Meseroll	<u>Owner</u>
REPRESENTATIVE NAME	REPRESENTATIVE TITLE
NO SIGNATURE REQUIRED	Consolidated Tire Processing
REPRESENTATIVE SIGNATURE	ORGANIZATION
, , ,	Site Representative only acknowledges receipt of this Inspection uracy of any of the items identified by the Department as "Not Ok" or
Report Approvers:	
Approver: Sirena Davila	Inspection Approval Date: 09/06/2017