

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.6	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	512		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	11.08		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	8.54		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	21.44		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	7.58		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.95	0.32	ug/L	I

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15831
 WACS Testsite Name: SW-2
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	5.6	5	ug/L	I
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.051	0.05	ug/L	I
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	1000	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	50	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	170	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	2	2	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	4.5	2.3	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	330	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	4.7	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	47	7.5	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	1.1	0.25	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	15	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15831
WACS Testsite Name: SW-2
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:00:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	2	2	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:25:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.87	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	2.6	0.33	ug/L	IV
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 9:25:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 9:25:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 9:25:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.062	0.05	ug/L	I
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	1.6	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 9:25:00AM
Sampling Method: Grab
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	2.6	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	52	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 9:25:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	1	1	ug/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 9:25:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	7.5	7.5	mg/L	U
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	0.25	0.25	mg/L	U

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 9:25:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	0.9	0.5	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 9:25:00AM

WACS Testsite ID #: _____

Sampling Method: Grab

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: SW-IIIIF

(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	1	1	cfu/100mL	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	368		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	6		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	9.36		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	20.8		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	3.49		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15638
 WACS Testsite Name: SW-5
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	11	5	ug/L	
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.76	0.5	ug/L	I
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	340	20	ug/L	
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	45	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	56	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	200	3.7	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	2.6	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	39	7.5	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.024	0.014	mg/L	I
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	1.1	0.25	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	15	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15638
WACS Testsite Name: SW-5
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:55:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	4	2	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	750		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	10.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	8.67		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	22.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	12.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/2/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	6.3	5	ug/L	I
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	29	5	ug/L	
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	260	20	ug/L	
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	6.4	2.5	ug/L	
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	72	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	170	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	6.8	5	ug/L	I
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	4.3	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.12	0.0091	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	6.8	2.3	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	460	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	29	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	90	7.5	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	2.6	0.25	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	24	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	70	2	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12 DUP
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	750		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	10.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	8.67		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	22.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12 DUP
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	12.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19799
 WACS Testsite Name: SW-12 DUP
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	28	5	ug/L	
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.076	0.05	ug/L	I
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.52	0.5	ug/L	I
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	250	20	ug/L	
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	7.4	2.5	ug/L	
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	72	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	170	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	6.3	5	ug/L	I
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	4.2	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.12	0.0091	mg/L	
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	7.8	2.3	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	460	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	32	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	78	7.5	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	2.6	0.25	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	25	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19799
WACS Testsite Name: SW-12 DUP
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:45:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	96	2	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	89		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	7.41		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	6.98		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	23.27		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIF
 (i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	1.38		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15830
 WACS Testsite Name: SW-1
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	49	20	ug/L	U
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	11	0.5	mg/L	U
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	9.6	1.6	mg/L	U
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	2	2	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	2.3	2.3	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	49	3.7	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	1.2	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	8.9	7.5	mg/L	I
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	0.46	0.25	mg/L	I

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	5.3	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15830
WACS Testsite Name: SW-1
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:30:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	8	1	cfu/100mL	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	737		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	7.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	8.16		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	25.57		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	34.4		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 50

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
038437	1,2-Dibromo-3-chloropropane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U
046369	1,2-Dibromoethane	N	E83079	E504.1	5/3/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19798
 WACS Testsite Name: SW-11
 Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001002	Arsenic	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	E200.7	4/24/2007 12:00:00AM	31	5	ug/L	
001012	Beryllium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.052	0.05	ug/L	I
001027	Cadmium	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
001034	Chromium	N	E83079	E200.7	4/24/2007 12:00:00AM	3.3	2.5	ug/L	I
001037	Cobalt	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	E200.8	4/26/2007 12:00:00AM	0.6	0.5	ug/L	I
001045	Iron	N	E83079	E200.7	4/24/2007 12:00:00AM	1100	20	ug/L	
001051	Lead	N	E83079	E200.8	4/26/2007 12:00:00AM	1	0.5	ug/L	
071900	Mercury	N	E83079	E245.1	4/25/2007 12:00:00AM	0.05	0.05	ug/L	U
001067	Nickel	N	E83079	E200.7	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	E200.8	4/26/2007 12:00:00AM	0.05	0.05	ug/L	U
000929	Sodium	N	E83079	E200.7	4/24/2007 12:00:00AM	48	0.5	mg/L	
001059	Thallium	N	E83079	E200.7	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
000900	Total Hardness as CaCO3	N	E83079	E200.7	4/24/2007 12:00:00AM	290	1.6	mg/L	
001087	Vanadium	N	E83079	E200.7	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	E200.7	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000310	Biochemical Oxygen Demand	N	E83079	E405.1	4/30/2007 12:00:00AM	4.4	2	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
000530	Solids, Suspended (Residue, Non-Filterable)	N	E83079	E160.2	4/30/2007 12:00:00AM	19	2.3	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	460	3.7	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
032211	Chlorophyll a	N	E83079	SM10200H	5/1/2007 12:00:00AM	14	1	ug/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIF
(i.e.: LC - Leachate, G-II, SW-IIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000340	Chemical Oxygen Demand	N	E83079	E410.4	4/27/2007 12:00:00AM	91	7.5	mg/L	
000612	Nitrogen, Ammonia (Unionized)	N	E83079	DEPSOP	5/7/2007 12:00:00AM	0.014	0.014	mg/L	U
000600	Total Nitrogen as N	N	E83079	EPA351.2+353.2	5/14/2007 12:00:00AM	1.6	0.25	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000680	Organic Carbon, Total	N	E83079	E415.1	4/26/2007 12:00:00AM	28	0.5	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMSW

Description: Semiannual Surface Water: 62-701.510(8)(B) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19798
WACS Testsite Name: SW-11
Water Classification: SW-IIIIF
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 2:50:00PM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
031616	Fecal Coliform	N	E83079	SM9222D	4/23/2007 12:00:00AM	50	2	cfu/100mL	Z

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077168	1,1-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.84	0.84	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034551	1,2,4-Trichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
077173	1,3-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.21	0.21	ug/L	U
077170	2,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.56	0.56	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	4.9	2.5	ug/L	I
076997	Acetonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	3.3	3.3	ug/L	U
034210	Acrolein	N	E83079	SW8260	4/30/2007 12:00:00AM	2	2	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
078109	Allyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
081520	Chloroprene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.7	0.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	7903		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034668	Dichlorodifluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.34	0.34	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	0.33		mg/L	
073570	Ethyl methacrylate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
034391	Hexachlorobutadiene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.51	0.51	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077033	Isobutyl Alcohol	N	E83079	SW8260	4/30/2007 12:00:00AM	13	13	ug/L	U
081593	Methacrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.96	0.96	ug/L	U
081597	Methyl methacrylate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.18	0.18	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	8.13		S.U.	
077007	Propionitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	6.1	6.1	ug/L	U
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	21.19		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	42.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 63

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (3 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077734	1,2,4,5-Tetrachlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.4	1.4	ug/L	U
034551	1,2,4-Trichlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.41	0.41	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.51	0.51	ug/L	U
073653	1,3,5-Trinitrobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	3	3	ug/L	U
034566	1,3-Dichlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.42	0.42	ug/L	U
045622	1,3-Dinitrobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	5.5	5.5	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.54	0.54	ug/L	U
073599	1,4-Napthoquinone	N	E83079	SW8270	4/27/2007 12:00:00AM	7.2	7.2	ug/L	U
073628	1,4-Phenylenediamine	N	E83079	SW8270	4/27/2007 12:00:00AM	20	20	ug/L	U
073600	1-Naphthylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.93	0.93	ug/L	U
077770	2,3,4,6/2,3,4,5-Tetrachlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.46	0.46	ug/L	U
077687	2,4,5-Trichlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.41	0.41	ug/L	U
034621	2,4,6-Trichlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.4	0.4	ug/L	U
034601	2,4-Dichlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.41	0.41	ug/L	U
034606	2,4-Dimethylphenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.53	0.53	ug/L	U
034616	2,4-Dinitrophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.72	0.72	ug/L	U
034611	2,4-Dinitrotoluene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.39	0.39	ug/L	U
077541	2,6-Dichlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	1.2	1.2	ug/L	U
034626	2,6-Dinitrotoluene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
073501	2-Acetylaminofluorene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.9	1.9	ug/L	U
034581	2-Chloronaphthalene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.44	0.44	ug/L	U
034586	2-Chlorophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.48	0.48	ug/L	U
077416	2-Methylnaphthalene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.42	0.42	ug/L	U
077152	2-Methylphenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.44	0.44	ug/L	U
073601	2-Naphthylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	1	1	ug/L	U
078142	2-Nitroaniline	N	E83079	SW8270	4/27/2007 12:00:00AM	0.3	0.3	ug/L	U
034591	2-Nitrophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.47	0.47	ug/L	U
977148	3&4-Methylphenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.73	0.73	ug/L	U
034631	3,3'-Dichlorobenzidine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.61	0.61	ug/L	U
082213	3,3'-Dimethylbenzidine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.6	0.6	ug/L	U
073591	3-Methylcholanthrene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.5	1.5	ug/L	U
078300	3-Nitroaniline	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
034657	4,6-Dinitro-2-methylphenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.32	0.32	ug/L	U
077581	4-Aminobiphenyl	N	E83079	SW8270	4/27/2007 12:00:00AM	1.2	1.2	ug/L	U
034636	4-Bromophenyl phenyl ether	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
034452	4-Chloro-3-methylphenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.51	0.51	ug/L	U
073529	4-Chloroaniline	N	E83079	SW8270	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U
034641	4-Chlorophenyl phenyl ether	N	E83079	SW8270	4/27/2007 12:00:00AM	0.36	0.36	ug/L	U
030342	4-Nitroaniline	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
034646	4-Nitrophenol	N	E83079	SW8270	4/27/2007 12:00:00AM	0.57	0.57	ug/L	U
073622	5-Nitro-o-toluidine	N	E83079	SW8270	4/27/2007 12:00:00AM	1.4	1.4	ug/L	U
073559	7,12-Dimethylbenz(a)anthracene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.4	1.4	ug/L	U
034205	Acenaphthene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.32	0.32	ug/L	U
034200	Acenaphthylene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.34	0.34	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081553	Acetophenone	N	E83079	SW8270	4/27/2007 12:00:00AM	5.6	5.6	ug/L	U
034220	Anthracene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
034526	Benzo(a)anthracene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.56	0.56	ug/L	U
034247	Benzo(a)pyrene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.55	0.55	ug/L	U
034230	Benzo(b)fluoranthene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.58	0.58	ug/L	U
034521	Benzo(g,h,i)perylene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.49	0.49	ug/L	U
034242	Benzo(k)fluoranthene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.57	0.57	ug/L	U
077147	Benzyl alcohol	N	E83079	SW8270	4/27/2007 12:00:00AM	1.5	0.42	ug/L	I
073522	Bis(2-chloro-1-methylethyl)ether	N	E83079	SW8270	4/27/2007 12:00:00AM	0.57	0.57	ug/L	U
034278	Bis(2-chloroethoxy)methane	N	E83079	SW8270	4/27/2007 12:00:00AM	0.45	0.45	ug/L	U
034273	Bis(2-chloroethyl)ether	N	E83079	SW8270	4/27/2007 12:00:00AM	0.43	0.43	ug/L	U
039100	Bis(2-ethylhexyl)phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	1.1	1.1	ug/L	U
034292	Butyl benzyl phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.56	0.56	ug/L	U
034320	Chrysene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.51	0.51	ug/L	U
073540	Diallate	N	E83079	SW8270	4/27/2007 12:00:00AM	5	5	ug/L	U
034556	Dibenzo(a,h)anthracene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.56	0.56	ug/L	U
081302	Dibenzofuran	N	E83079	SW8270	4/27/2007 12:00:00AM	0.44	0.44	ug/L	U
034336	Diethyl phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.9	0.9	ug/L	U
034341	Dimethyl phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.42	0.42	ug/L	U
039110	Di-n-butyl phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.91	0.91	ug/L	U
034596	Di-n-octyl phthalate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.68	0.68	ug/L	U
073571	Ethyl methanesulfonate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.83	0.83	ug/L	U
034376	Fluoranthene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
034381	Fluorene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.36	0.36	ug/L	U
039700	Hexachlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U
034386	Hexachlorocyclopentadiene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.34	0.34	ug/L	U
034396	Hexachloroethane	N	E83079	SW8270	4/27/2007 12:00:00AM	0.52	0.52	ug/L	U
073576	Hexachloropropene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.3	1.3	ug/L	U
034403	Indeno(1,2,3-cd)pyrene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.53	0.53	ug/L	U
039430	Isodrin	N	E83079	SW8270	4/27/2007 12:00:00AM	5.6	5.6	ug/L	U
034408	Isophorone	N	E83079	SW8270	4/27/2007 12:00:00AM	0.64	0.64	ug/L	U
073582	Isosafrole	N	E83079	SW8270	4/27/2007 12:00:00AM	1.4	1.4	ug/L	U
081281	Kepone	N	E83079	SW8270	4/27/2007 12:00:00AM	23	23	ug/L	U
073589	Methapyrilene	N	E83079	SW8270	4/27/2007 12:00:00AM	3.6	3.6	ug/L	U
073595	Methyl methanesulfonate	N	E83079	SW8270	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
034696	Naphthalene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.41	0.41	ug/L	U
034447	Nitrobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.58	0.58	ug/L	U
073611	N-Nitrosodiethylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.95	0.95	ug/L	U
034438	N-Nitrosodimethylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
073609	N-Nitroso-di-n-butylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	1.6	1.6	ug/L	U
034428	N-Nitroso-di-n-propylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.51	0.51	ug/L	U
034433	N-Nitrosodiphenylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.34	0.34	ug/L	U
073613	N-Nitrosomethylethylamine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
073619	N-Nitrosopiperidine	N	E83079	SW8270	4/27/2007 12:00:00AM	1.1	1.1	ug/L	U
078206	N-Nitrosopyrrolidine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.79	0.79	ug/L	U
073652	o,o,o-Triethylphosphorothioate	N	E83079	SW8270	4/27/2007 12:00:00AM	4.9	4.9	ug/L	U
077142	o-Toluidine	N	E83079	SW8270	4/27/2007 12:00:00AM	0.72	0.72	ug/L	U
073558	p-Dimethylaminoazobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.7	1.7	ug/L	U
077793	Pentachlorobenzene	N	E83079	SW8270	4/27/2007 12:00:00AM	1.5	1.5	ug/L	U
073626	Phenacetin	N	E83079	SW8270	4/27/2007 12:00:00AM	1.2	1.2	ug/L	U
034461	Phenanthrene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
039080	Pronamide	N	E83079	SW8270	4/27/2007 12:00:00AM	19	19	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 2 of 3

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034469	Pyrene	N	E83079	SW8270	4/27/2007 12:00:00AM	0.43	0.43	ug/L	U
077545	Safrole	N	E83079	SW8270	4/27/2007 12:00:00AM	1.4	1.4	ug/L	U
073553	Thionazin	N	E83079	SW8270	4/27/2007 12:00:00AM	5.5	5.5	ug/L	U

Total Parameters Monitored: 99

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039360	4,4'-DDD	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0048	0.0048	ug/L	U
039365	4,4'-DDE	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0077	0.0077	ug/L	U
039370	4,4'-DDT	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0048	0.0048	ug/L	U
039330	Aldrin	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
039337	alpha-BHC	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0038	0.0038	ug/L	U
034671	Aroclor 1016	N	E83079	SW8082	4/28/2007 12:00:00AM	0.096	0.096	ug/L	U
039488	Aroclor 1221	N	E83079	SW8082	4/28/2007 12:00:00AM	0.16	0.16	ug/L	U
039492	Aroclor 1232	N	E83079	SW8082	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
039496	Aroclor 1242	N	E83079	SW8082	4/28/2007 12:00:00AM	0.16	0.16	ug/L	U
039500	Aroclor 1248	N	E83079	SW8082	4/28/2007 12:00:00AM	0.12	0.12	ug/L	U
039504	Aroclor 1254	N	E83079	SW8082	4/28/2007 12:00:00AM	0.096	0.096	ug/L	U
039508	Aroclor 1260	N	E83079	SW8082	4/28/2007 12:00:00AM	0.11	0.11	ug/L	U
039338	beta-BHC	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
039350	Chlordane	N	E83079	SW8081	4/28/2007 12:00:00AM	0.077	0.077	ug/L	U
039460	Chlorobenzilate	N	E83079	SW8081	4/28/2007 12:00:00AM	0.077	0.077	ug/L	U
046323	delta-BHC	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
039380	Dieldrin	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0048	0.0048	ug/L	U
034361	Endosulfan I	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0048	0.0048	ug/L	U
034356	Endosulfan II	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0038	0.0038	ug/L	U
034351	Endosulfan sulfate	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0096	0.0096	ug/L	U
039390	Endrin	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
034366	Endrin aldehyde	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0067	0.0067	ug/L	U
039340	gamma-BHC	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0038	0.0038	ug/L	U
039410	Heptachlor	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
039420	Heptachlor epoxide	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
039480	Methoxychlor	N	E83079	SW8081	4/28/2007 12:00:00AM	0.0077	0.0077	ug/L	U
081316	Pentachloronitrobenzene	N	E83079	SW8081	4/28/2007 12:00:00AM	0.026	0.026	ug/L	U
039400	Toxaphene	N	E83079	SW8081	4/28/2007 12:00:00AM	0.35	0.35	ug/L	U

Total Parameters Monitored: 28

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
046314	Dimethoate	N	E83079	SW8141	5/10/2007 12:00:00AM	1.2	1.2	ug/L	U
081888	Disulfoton	N	E83079	SW8141	5/10/2007 12:00:00AM	1.7	1.7	ug/L	U
038462	Famphur	N	E83079	SW8141	5/10/2007 12:00:00AM	0.54	0.54	ug/L	U
039540	Parathion, Ethyl	N	E83079	SW8141	5/10/2007 12:00:00AM	2.1	2.1	ug/L	U
039600	Parathion, Methyl	N	E83079	SW8141	5/10/2007 12:00:00AM	1.3	1.3	ug/L	U
046313	Phorate	N	E83079	SW8141	5/10/2007 12:00:00AM	0.97	0.97	ug/L	U

Total Parameters Monitored: 6

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
039740	2,4,5-T	N	E83079	SW8151	5/5/2007 12:00:00AM	0.019	0.019	ug/L	U
039760	2,4,5-TP (Silvex)	N	E83079	SW8151	5/5/2007 12:00:00AM	0.028	0.028	ug/L	U
039730	2,4-D	N	E83079	SW8151	5/5/2007 12:00:00AM	0.14	0.14	ug/L	U
081287	Dinoseb	N	E83079	SW8151	5/5/2007 12:00:00AM	0.085	0.085	ug/L	U
039032	Pentachlorophenol	N	E83079	SW8151	5/5/2007 12:00:00AM	0.028	0.028	ug/L	U

Total Parameters Monitored: 5

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15844
 WACS Testsite Name: L-1
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
 Sampling Method: Grab
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6010	4/24/2007 12:00:00AM	15	7.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	100	5	ug/L	
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.54	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	160	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	27	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	8.7	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	12000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	9.3	5	ug/L	I
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.17	0.1	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	170	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	9.2	7.5	ug/L	I
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001102	Tin	N	E83079	SW6010	4/24/2007 12:00:00AM	25	25	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	70	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	61	10	ug/L	

Total Parameters Monitored: 19

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	1500	1.8	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.46	0.46	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	5500	3.7	mg/L	

Total Parameters Monitored: 3

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000720	Cyanide	N	E83079	E335.3	5/1/2007 12:00:00AM	0.028	0.0022	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000745	Sulfide	N	E83079	E376.1	4/24/2007 12:00:00AM	24	23	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15844
WACS Testsite Name: L-1
Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 10:25:00AM
Sampling Method: Grab
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	64	0.14	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: ANNLC

Description: Annual Leachate: 62-701.510(8)(C)&(D) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: LC
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077168	1,1-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.84	0.84	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034551	1,2,4-Trichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
077173	1,3-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.21	0.21	ug/L	U
077170	2,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.56	0.56	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
076997	Acetonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	3.3	3.3	ug/L	U
034210	Acrolein	N	E83079	SW8260	4/30/2007 12:00:00AM	2	2	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
078109	Allyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
081520	Chloroprene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.7	0.7	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034668	Dichlorodifluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.34	0.34	ug/L	U
073570	Ethyl methacrylate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
034391	Hexachlorobutadiene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.51	0.51	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
077033	Isobutyl Alcohol	N	E83079	SW8260	4/30/2007 12:00:00AM	13	13	ug/L	U
081593	Methacrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.96	0.96	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: LC
 (i.e.: LC - Leachate, G-II, SW-III-F)

Sample Date/Time: 4/23/2007 12:00:00AM
 Sampling Method: Grab
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): N

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
081597	Methyl methacrylate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.18	0.18	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	5.7	0.33	ug/L	U
077007	Propionitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	6.1	6.1	ug/L	U
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 58

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0051	0.0051	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0054	0.0054	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/23/2007 8:45:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	0.095	0.036	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.2	0.051	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	1084		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	1.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	16.17		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	5.6		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	21.6		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	1.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0052	0.0052	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	4/28/2007 12:00:00AM	0.0055	0.0055	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	97	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	4.6	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	2400	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	57	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	91	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	750	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	320	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.42	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	1084		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	1.37		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	16.17		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	5.6		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	21.6		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	1.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15826
 WACS Testsite Name: B65 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 9:05:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	99	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	4.4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	2300	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	58	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	94	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	750	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	320	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15826
WACS Testsite Name: B65 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 9:05:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.41	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	495		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	0.78		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	16		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	5.24		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	22.11		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	0.87		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15804
 WACS Testsite Name: B40-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	100	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	11000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	46	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	67	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	320	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	72	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15804
WACS Testsite Name: B40-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.2	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	598		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	3.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	16.6		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	5.56		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	21.88		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	91.6		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0061	0.0061	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0064	0.0064	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15805
 WACS Testsite Name: B40-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	14	5	ug/L	
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	70	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.66	0.5	ug/L	I
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	17	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	13	5	ug/L	
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	14	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	16000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	14	5	ug/L	
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.12	0.1	ug/L	I
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	16	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	39	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.85	0.5	ug/L	I
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	24	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	29	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	59	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	420	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	120	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15805
WACS Testsite Name: B40-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.75	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/25/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/25/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/25/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/25/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	2023		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	1.02		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	16.58		feet	
077424	Iodomethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	5.97		S.U.	
077128	Styrene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/25/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/25/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/25/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	3.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/25/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/25/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/25/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15807
 WACS Testsite Name: B41-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.89	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	170	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	4.4	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	7400	20	ug/L	
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	18	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	100	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	120	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.11	0.046	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	1600	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	760	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15807
WACS Testsite Name: B41-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:44:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.33	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.2	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.2	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	2402		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	0.12		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	15.03		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	6.37		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	22.92		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	1.22		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.54	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15806
 WACS Testsite Name: B41-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	200	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	5.4	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	25000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	190	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	10	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	180	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	1200	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	5.7	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15806
WACS Testsite Name: B41-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 1:48:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	69	0.14	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/23/2007 12:00:00AM	1721		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/23/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/23/2007 12:00:00AM	15.03		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/23/2007 12:00:00AM	6.25		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/23/2007 12:00:00AM	23.42		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/23/2007 12:00:00AM	1.43		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15636
 WACS Testsite Name: B1-B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 3:02:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/24/2007 12:00:00AM	360	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/24/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/24/2007 12:00:00AM	26000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/25/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/24/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/24/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/24/2007 12:00:00AM	91	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/24/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/24/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/23/2007 12:00:00AM	140	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/23/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	970	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/23/2007 12:00:00AM	16	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15636
WACS Testsite Name: B1-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/23/2007 3:02:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	13	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/23/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.65	0.5	mg/L	IV
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/24/2007 8:25:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	0.036	0.036	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	1381		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.27		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	14.6		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.8		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	22.39		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	1.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	240	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.7	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	77	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	190	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	880	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	50	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	2.2	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	1381		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.27		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	14.6		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.8		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	22.39		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	1.51		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15635
 WACS Testsite Name: MO5-B DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 8:48:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	240	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	78	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	190	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/26/2007 12:00:00AM	870	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	52	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15635
WACS Testsite Name: MO5-B DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 8:48:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	2.2	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	7.9	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.7	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	1659		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	21.2		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.99		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	21.87		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.23	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	3.72		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	2.7	0.32	ug/L	

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0064	0.0064	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0067	0.0067	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15813
 WACS Testsite Name: B45-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	190	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	46000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	220	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	170	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/27/2007 12:00:00AM	970	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.26	0.26	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15813
WACS Testsite Name: B45-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 9:47:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.08	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	1.4	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	1323		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.3		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	21.27		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	4.82		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	21.12		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	3.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15814
 WACS Testsite Name: B45-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	200	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	1	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	77000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	55	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	8.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	370	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/27/2007 12:00:00AM	790	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	5.6	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15814
WACS Testsite Name: B45-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:21:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.035	0.014	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	211		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	20.44		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.07		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	20.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	1.49		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0053	0.0053	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0056	0.0056	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15812
 WACS Testsite Name: B44
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	32	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	11000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	16	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	40	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/27/2007 12:00:00AM	150	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	3.4	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15812
WACS Testsite Name: B44
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 10:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	3.5	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	6.1	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	966		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	18.44		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.97		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	22.61		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	1.19		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15810
 WACS Testsite Name: B43-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	220	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	31000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	96	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/24/2007 12:00:00AM	77	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/24/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	4/27/2007 12:00:00AM	520	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/24/2007 12:00:00AM	2.7	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15810
WACS Testsite Name: B43-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 11:39:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	4.6	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:15:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	971		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.35		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	18.53		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	6.17		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	22.38		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:15:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	4.59		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/26/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 12:15:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15811
 WACS Testsite Name: B43-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:15:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	40	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	140	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5.9	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:15:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	70	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	620	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	48	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15811
WACS Testsite Name: B43-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:15:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	2.5	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/26/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/26/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/26/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	253		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.15		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	19.16		feet	
077424	Iodomethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.59		S.U.	
077128	Styrene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	23.07		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/26/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/26/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/26/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	0.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/26/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/26/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 1:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19800
 WACS Testsite Name: B70-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:08:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	29	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	5000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	24	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	33	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	170	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	29	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19800
WACS Testsite Name: B70-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:08:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.053	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:43:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	126		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	19.21		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.2		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	22.53		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:43:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	10.79		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 1:43:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19801
 WACS Testsite Name: B70-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:43:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	39	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.67	0.5	ug/L	I
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	14	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	4	2.5	ug/L	I
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	9300	20	ug/L	
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	3.1	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	8.9	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	22	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 1:43:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	12	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	190	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	20	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19801
WACS Testsite Name: B70-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 1:43:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.082	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	493		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.43		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	19.01		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	5.79		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	23.73		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19802
 WACS Testsite Name: B71
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	1.39		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	54	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	3	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	22000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	19	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	9.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	8.9	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.035	0.0091	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	340	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	150	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19802
WACS Testsite Name: B71
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:19:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.22	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/27/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/27/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/27/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/24/2007 12:00:00AM	466		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/24/2007 12:00:00AM	0.47		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/24/2007 12:00:00AM	18.96		feet	
077424	Iodomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/24/2007 12:00:00AM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/24/2007 12:00:00AM	24.7		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/27/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/24/2007 12:00:00AM	11.3		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/27/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/27/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/24/2007 2:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19803
 WACS Testsite Name: B72
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/26/2007 12:00:00AM	34	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/26/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/26/2007 12:00:00AM	12000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/26/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/26/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/26/2007 12:00:00AM	34	0.5	mg/L	V
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/26/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/26/2007 12:00:00AM	10	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	13	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	280	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	43	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19803
WACS Testsite Name: B72
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 2:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.017	0.014	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	3.5	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/24/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 9:00:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/27/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/27/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/27/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/27/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/27/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U
077128	Styrene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/27/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/27/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/27/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/27/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/27/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 9:00:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/27/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2007 9:00:00AM

WACS Testsite ID #: _____

Sampling Method: Submersible Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 9:00:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/27/2007 12:00:00AM	12	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/27/2007 12:00:00AM	22	20	ug/L	I
001051	Lead	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/27/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/27/2007 12:00:00AM	11	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2007 9:00:00AM

WACS Testsite ID #: _____

Sampling Method: Submersible Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	0.26	0.036	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.017	0.0091	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	51	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 9:00:00AM
Sampling Method: Submersible Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	710		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.07		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	11.11		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	8.17		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	22.37		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.01		NTU	U
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/27/2007 12:00:00AM	29	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/27/2007 12:00:00AM	140	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/27/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/27/2007 12:00:00AM	49	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/27/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	68	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	420	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.28	0.051	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.45	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C Dup
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	710		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.07		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	11.11		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	8.17		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	22.37		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C Dup
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.01		NTU	U
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C Dup
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15836
 WACS Testsite Name: FA-2C Dup
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/27/2007 12:00:00AM	29	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/27/2007 12:00:00AM	180	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/27/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/27/2007 12:00:00AM	49	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/27/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C Dup
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	68	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	420	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.29	0.051	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15836
WACS Testsite Name: FA-2C Dup
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:07:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.45	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:33:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/29/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/29/2007 12:00:00AM	6.9	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/29/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/29/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.3	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	2064		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.76		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	21.68		feet	
077424	Iodomethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.66		S.U.	
077128	Styrene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	25.39		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:33:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/29/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/29/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/29/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	7.34		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/29/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/29/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/29/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 11:33:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15820
 WACS Testsite Name: B61R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:33:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/27/2007 12:00:00AM	260	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/27/2007 12:00:00AM	9.8	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/27/2007 12:00:00AM	10	5	ug/L	
001042	Copper	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/27/2007 12:00:00AM	9700	20	ug/L	
001051	Lead	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/27/2007 12:00:00AM	10	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/27/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/27/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/27/2007 12:00:00AM	120	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/27/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/27/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:33:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	69	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	1100	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	27	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15820
WACS Testsite Name: B61R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:33:00AM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	38	0.14	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:36:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	1.1	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	1606		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.09		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	22.51		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.67		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	24.95		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:36:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	4.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 12:36:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15822
 WACS Testsite Name: B62-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:36:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	19	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	8.2	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	7200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	11	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	110	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	29	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	13	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:36:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	74	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	880	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.92	0.26	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15822
WACS Testsite Name: B62-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:36:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	55	0.14	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:30:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	3.2	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	3	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	3689		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.08		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	22.69		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.73		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.85		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:30:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	7.91		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	1.8	0.32	ug/L	

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 1:30:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15821
 WACS Testsite Name: B62-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:30:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	790	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	3.8	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	13	5	ug/L	
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	33000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	11	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	320	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:30:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/25/2007 12:00:00AM	310	0.54	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.14	0.14	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	1700	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/25/2007 12:00:00AM	0.76	0.76	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15821
WACS Testsite Name: B62-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:30:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	130	0.14	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:31:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	827		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	1.18		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	22.52		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.6		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	22.38		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:31:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	62.7		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 2:31:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15827
 WACS Testsite Name: B66
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:31:00PM
 Sampling Method: Submersible Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.95	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	45	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	15	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	6.4	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	2200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	7.3	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	73	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	21	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	14	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:31:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	95	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	510	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	50	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15827
WACS Testsite Name: B66
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:31:00PM
Sampling Method: Submersible Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.066	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:00:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	4.9	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:00:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	2.4	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/2/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/2/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	14	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	0.044	0.036	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	66	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/25/2007 8:30:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	678		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	18.25		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.47		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.02		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	48	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	12000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	47	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	46	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	380	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.5	0.051	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.07	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	678		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	18.25		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.47		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.02		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.78		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19804
 WACS Testsite Name: B73-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	46	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	12000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	45	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	46	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	380	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.6	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19804
WACS Testsite Name: B73-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 8:58:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.073	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	349		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	18.85		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.77		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.93		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	4.27		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 10:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19805
 WACS Testsite Name: B73-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:15:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	30	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	1800	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.7	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.6	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	45	10	ug/L	

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	6.5	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.015	0.0091	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	230	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	26	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19805
WACS Testsite Name: B73-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:15:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.029	0.014	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	1	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	344		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.28		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	14.98		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	5.61		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.1		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	1.41		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19806
 WACS Testsite Name: B74
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	23	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	1200	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	15	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	6.7	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	270	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	63	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19806
WACS Testsite Name: B74
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 10:49:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.19	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	1704		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.16		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	19.72		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.51		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.63		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	12.8		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 11:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 19807
 WACS Testsite Name: B75
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:29:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: DE - Detection

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	21	5	ug/L	
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	120	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	7	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	52000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	51	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	48	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	1100	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	130	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 19807
WACS Testsite Name: B75
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 11:29:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: DE - Detection

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	1.7	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.7	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	515		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.09		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	20.95		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.17		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.58		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.64		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15819
 WACS Testsite Name: B60
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	53	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	6000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	33	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	46	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	330	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	54	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15819
WACS Testsite Name: B60
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.053	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	824		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.23		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	20.16		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.61		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.43		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	2.11		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15817
 WACS Testsite Name: B59-1R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:03:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	71	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	8800	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	67	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	73	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.041	0.0091	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	5/1/2007 12:00:00AM	500	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	46	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15817
WACS Testsite Name: B59-1R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 1:03:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.076	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.96	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	1365		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	20.23		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	6.44		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	22.91		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	7.22		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.67	0.37	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 2:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15818
 WACS Testsite Name: B59-2R
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:01:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	160	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	16000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	76	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	37	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	890	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	240	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15818
WACS Testsite Name: B59-2R
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:01:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.69	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.83	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	478		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	25.13		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	5.64		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	24.8		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.99		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 2:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15829
 WACS Testsite Name: B68
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:45:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	66	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	14000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	17	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	22	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	320	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15829
WACS Testsite Name: B68
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 2:45:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	1.3	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 3:36:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	1.3	0.65	ug/L	I
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/25/2007 12:00:00AM	644		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/25/2007 12:00:00AM	0.07		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/25/2007 12:00:00AM	25.18		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/25/2007 12:00:00AM	5.46		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/25/2007 12:00:00AM	23.73		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 3:36:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/25/2007 12:00:00AM	0.34		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/25/2007 3:36:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15790
 WACS Testsite Name: B8-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 3:36:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: IM - Intermediate

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	72	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	19000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	20	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	4/27/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 3:36:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	54	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	440	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	140	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15790
WACS Testsite Name: B8-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 3:36:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: IM - Intermediate

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.059	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.83	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/25/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:50:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.89	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:50:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/26/2007 9:50:00AM

WACS Testsite ID #: _____

Sampling Method: Submersible Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:50:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	14	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	16	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	130	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	6.7	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/26/2007 9:50:00AM

WACS Testsite ID #: _____

Sampling Method: Submersible Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	0.084	0.036	mg/L	I
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	32	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:50:00AM
Sampling Method: Submersible Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:31:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	581		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.05		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	14.15		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	7.02		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.88		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:31:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	0.01		NTU	U
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 11:31:00AM
Sampling Method: Submersible Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/3/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15639
 WACS Testsite Name: FA-1B
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:31:00AM
 Sampling Method: Submersible Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	19	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	320	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	8.6	7.5	ug/L	I
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	11	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:31:00AM
Sampling Method: Submersible Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	14	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	330	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15639
WACS Testsite Name: FA-1B
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:31:00AM
Sampling Method: Submersible Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.3	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	7.8	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	6122		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.89		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	28.03		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.58		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.19		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	27.5		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 12:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15793
 WACS Testsite Name: B33-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.63	0.5	ug/L	I
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	260	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	23	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	17	5	ug/L	
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	6.7	2.5	ug/L	
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	87	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.6	2.5	ug/L	I
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	960	2.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	15	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	12	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	1400	0.9	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.23	0.23	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	3800	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	59	1.3	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15793
WACS Testsite Name: B33-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.35	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	410		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.08		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	24.67		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.29		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.08		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	5.45		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15792
 WACS Testsite Name: B33-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	31	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	5.6	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	7600	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	48	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.9	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	34	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	350	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15792
WACS Testsite Name: B33-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:32:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.19	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	4/30/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	4/30/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	4/30/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	462		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	25.41		feet	
077424	Iodomethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.79		S.U.	
077128	Styrene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.18		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Printed: 7/23/2007

Page 1 of 2

Form Produced by FDEP Validator software

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	4/30/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	4/30/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	4/30/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	11.9		NTU	
077057	Vinyl acetate	N	E83079	SW8260	4/30/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	4/30/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	4/30/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15791
 WACS Testsite Name: B-32
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	25	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	4200	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	27	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	17	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	280	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	18	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15791
WACS Testsite Name: B-32
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:21:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.055	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	1.9	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:30:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 8:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	15	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/26/2007 8:30:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/26/2007 12:00:00AM	0.036	0.036	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	42	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/26/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:30:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	1159		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	1.03		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.97		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.52		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.73		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	14.2		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 8:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0056	0.0056	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15795
 WACS Testsite Name: B34-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:56:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	130	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	6.5	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	4000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	3.8	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	35	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	53	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.24	0.018	mg/L	
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	700	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	180	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15795
WACS Testsite Name: B34-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 8:56:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.16	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	968		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.45		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.16		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.4		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.1		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	1.13		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	110	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	21000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	42	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	68	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	600	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	110	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.11	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	968		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.45		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.16		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.4		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.1		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	1.13		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15794
 WACS Testsite Name: B34-1 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 9:32:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	110	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	21000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	42	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	69	0.072	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.018	0.018	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	580	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	110	0.1	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15794
WACS Testsite Name: B34-1 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 9:32:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.093	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 10:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	178		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.24		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	25.43		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	4.7		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.9		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15679
 WACS Testsite Name: B11
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 10:23:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	1.31		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0057	0.0057	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	50	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	3.9	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	3100	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	9	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	22	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	9.5	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/2/2007 12:00:00AM	150	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	31	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15679
WACS Testsite Name: B11
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 10:23:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.36	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:01:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	660		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.23		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.91		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.41		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	23.01		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:01:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	2.49		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 11:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15823
 WACS Testsite Name: B63-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:01:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	57	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	3200	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	54	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	69	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	390	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15823
WACS Testsite Name: B63-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:01:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.1	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	692		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.2		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	24.05		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	6.77		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.76		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	2.64		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15824
 WACS Testsite Name: B63-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:36:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	63	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	4600	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	34	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	65	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	430	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	10	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15824
WACS Testsite Name: B63-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 11:36:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.026	0.014	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	325		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.15		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.76		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	5.02		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.59		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	1.62		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15796
 WACS Testsite Name: B35-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:25:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	100	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	10000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	20	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	78	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	200	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15796
WACS Testsite Name: B35-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:25:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	0.14	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	398		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	23.82		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	4.96		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	21.63		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	2.35		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15797
 WACS Testsite Name: B35-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:09:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	71	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	8.1	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	11000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	3.3	2.5	ug/L	I
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	52	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	20	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	79	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.043	0.0091	mg/L	I
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	270	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	14	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15797
WACS Testsite Name: B35-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:09:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.12	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	1541		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.39		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	14.84		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	5.43		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.34		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	4.26		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/26/2007 1:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15808
 WACS Testsite Name: B42-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:58:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	230	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	28000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	120	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	190	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	1100	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	400	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15808
WACS Testsite Name: B42-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 1:58:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	2	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/26/2007 12:00:00AM	1163		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/26/2007 12:00:00AM	0.26		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/26/2007 12:00:00AM	16.16		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/26/2007 12:00:00AM	5.38		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/26/2007 12:00:00AM	22.24		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/26/2007 12:00:00AM	4.18		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15809
 WACS Testsite Name: B42-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/28/2007 12:00:00AM	6.8	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/28/2007 12:00:00AM	170	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/28/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/28/2007 12:00:00AM	4.5	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/28/2007 12:00:00AM	11000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/28/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	4/28/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/28/2007 12:00:00AM	5.2	2.5	ug/L	
001147	Selenium	N	E83079	SW6010	4/28/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/28/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/28/2007 12:00:00AM	110	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/28/2007 12:00:00AM	16	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/28/2007 12:00:00AM	11	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	89	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	830	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	400	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15809
WACS Testsite Name: B42-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 2:47:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.46	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	1.6	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/26/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.9	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	3.8	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 8:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/10/2007 12:00:00AM	0.005	0.005	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/10/2007 12:00:00AM	0.0052	0.0052	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: EQ Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:25:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	14	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	20	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540

Sample Date/Time: 4/27/2007 8:25:00AM

WACS Testsite ID #: _____

Sampling Method: Peristaltic Pump

WACS Testsite Name: EQ Blank

Permitted Well Type: Not Provided

Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	0.036	0.036	mg/L	U
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	3.7	3.7	mg/L	U
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.051	0.051	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: _____
WACS Testsite Name: EQ Blank
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:25:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: Not Provided

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	179		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	17.54		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	4.08		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	21.37		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	1.39		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	47	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	4.3	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	13000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	15	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	8.1	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	31	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	87	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	21	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.014	0.014	mg/L	U

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	179		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.49		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	17.54		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.67	0.33	ug/L	I
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	4.08		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	21.37		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	1.39		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15803
 WACS Testsite Name: B-39 DUP
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 8:45:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	6.6	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	49	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	5.8	2.5	ug/L	
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	14000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	15	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	9.6	5	ug/L	I
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	32	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	93	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	21	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: DUP

Description: (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15803
WACS Testsite Name: B-39 DUP
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 8:45:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	0.094	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 9:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	291		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.58		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	19.59		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	4.76		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	21.99		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 9:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	0.89		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 9:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15801
 WACS Testsite Name: B38-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 9:44:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	81	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	16000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	28	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 9:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	50	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	160	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	15	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15801
WACS Testsite Name: B38-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 9:44:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.045	0.014	mg/L	I

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	658		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.19		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	20.76		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	5.93		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	20.97		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	3.73		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15802
 WACS Testsite Name: B38-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	26	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	4100	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	53	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	14	10	ug/L	I

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	60	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	400	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	35	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15802
WACS Testsite Name: B38-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:16:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.48	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:57:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.9	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.16	ug/L	I
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	7.4	0.17	ug/L	
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	1657		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.13		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	23.66		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	6.19		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	21.23		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:57:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	8.48		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 10:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.006	0.006	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0063	0.0063	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15825
 WACS Testsite Name: B64
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:57:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	5	ug/L	I
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	400	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	60000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	100	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	140	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	960	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	5.7	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15825
WACS Testsite Name: B64
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 10:57:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	8	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 11:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	1.6	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	1.7	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	1.4	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	1498		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.15		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	25.32		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	6.25		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	22.23		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.18	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 11:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	0.87		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.54	0.37	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 11:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/10/2007 12:00:00AM	0.0049	0.0049	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/10/2007 12:00:00AM	0.0051	0.0051	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15798
 WACS Testsite Name: B36
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 11:40:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	96	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	6.4	5	ug/L	I
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	4200	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	97	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 11:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	190	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	880	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.26	0.26	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15798
WACS Testsite Name: B36
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 11:40:00AM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.16	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:30:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.34	0.11	ug/L	I
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	3	2.5	ug/L	I
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	13	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	11	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	2538		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.07		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	24.87		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	6.33		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	22.76		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.35	0.15	ug/L	I
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:30:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	1.57		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	1.2	0.32	ug/L	

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 12:30:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15799
 WACS Testsite Name: B37-1
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:30:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	240	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	12	5	ug/L	
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	36000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	200	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:30:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	140	0.36	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.091	0.091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	1500	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.51	0.51	mg/L	U

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15799
WACS Testsite Name: B37-1
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:30:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	5/6/2007 12:00:00AM	0.9	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:59:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	802		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.11		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	22.1		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	5.48		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	23.35		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:59:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to
 Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	5.13		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 12:59:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15402
 WACS Testsite Name: B-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:59:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: BG - Background

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	150	5	ug/L	
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	1.5	0.5	ug/L	
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	4.1	2.5	ug/L	I
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	28000	20	ug/L	
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	34	0.5	mg/L	
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	13	5	ug/L	
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 12:59:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	38	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	540	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	5/1/2007 12:00:00AM	240	0.26	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15402
WACS Testsite Name: B-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:59:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: BG - Background

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	2.3	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:06:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	1.1	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	1.6	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	745		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.1		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	25.35		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	5.84		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	21.65		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:06:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	1.47		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	2.8	0.37	ug/L	
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-III F)

Sample Date/Time: 4/27/2007 1:06:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0059	0.0059	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0062	0.0062	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15800
 WACS Testsite Name: B37-2
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:06:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	45	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	13000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	39	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:06:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	88	0.036	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.0091	0.0091	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	440	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	1.4	0.051	mg/L	

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15800
WACS Testsite Name: B37-2
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:06:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.37	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.17	ug/L	I
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
000094	Conductivity	N	E83079	E120.1	4/27/2007 12:00:00AM	1123		umhos/cm	
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
000299	Dissolved Oxygen	N	E83079	E360.1	4/27/2007 12:00:00AM	0.14		mg/L	
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
082545	Groundwater Elevation	N	E83079	DEPSOP	4/27/2007 12:00:00AM	24.97		feet	
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
000406	pH	N	E83079	E150.1	4/27/2007 12:00:00AM	6.53		S.U.	
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
000010	Temperature	N	E83079	E170.1	4/27/2007 12:00:00AM	22.15		deg C	
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
082078	Turbidity	N	E83079	E180.1	4/27/2007 12:00:00AM	3.87		NTU	
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.37	ug/L	I
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.57	0.32	ug/L	I

Total Parameters Monitored: 51

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
049146	1,2-Dibromo-3-chloropropane	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0058	0.0058	ug/L	U
077651	Ethylene Dibromide	N	E83079	SW8011	5/4/2007 12:00:00AM	0.0061	0.0061	ug/L	U

Total Parameters Monitored: 2

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: 15403
 WACS Testsite Name: B-5
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: CO - Compliance

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
001097	Antimony	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001002	Arsenic	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001007	Barium	N	E83079	SW6010	4/30/2007 12:00:00AM	91	5	ug/L	U
001012	Beryllium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001027	Cadmium	N	E83079	SW6010	4/30/2007 12:00:00AM	0.5	0.5	ug/L	U
001034	Chromium	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001037	Cobalt	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001042	Copper	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001045	Iron	N	E83079	SW6010	4/30/2007 12:00:00AM	19000	20	ug/L	U
001051	Lead	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
071900	Mercury	N	E83079	SW7470	5/2/2007 12:00:00AM	0.1	0.1	ug/L	U
001067	Nickel	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
001147	Selenium	N	E83079	SW6010	4/30/2007 12:00:00AM	7.5	7.5	ug/L	U
001077	Silver	N	E83079	SW6010	4/30/2007 12:00:00AM	2.5	2.5	ug/L	U
000929	Sodium	N	E83079	SW6010	4/30/2007 12:00:00AM	49	0.5	mg/L	U
001059	Thallium	N	E83079	SW6020	5/5/2007 12:00:00AM	0.5	0.5	ug/L	U
001087	Vanadium	N	E83079	SW6010	4/30/2007 12:00:00AM	5	5	ug/L	U
001092	Zinc	N	E83079	SW6010	4/30/2007 12:00:00AM	10	10	ug/L	U

Total Parameters Monitored: 18

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000940	Chloride	N	E83079	E300.0	4/27/2007 12:00:00AM	34	0.18	mg/L	
000620	Nitrogen, Nitrate	N	E83079	E300.0	4/27/2007 12:00:00AM	0.046	0.046	mg/L	U
070300	Solids, Total Dissolved	N	E83079	E160.1	5/3/2007 12:00:00AM	640	3.7	mg/L	
000945	Sulfate	N	E83079	E300.0	4/27/2007 12:00:00AM	1.6	0.26	mg/L	I

Total Parameters Monitored: 4

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (1 Pages)

WACS Facility ID #: 27540
WACS Testsite ID #: 15403
WACS Testsite Name: B-5
Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 1:41:00PM
Sampling Method: Peristaltic Pump
Permitted Well Type: CO - Compliance

* Well Purged prior to
Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
000610	Nitrogen, Ammonia (As N)	N	E83079	E350.1	4/30/2007 12:00:00AM	0.16	0.014	mg/L	

Total Parameters Monitored: 1

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

Facility Name: Tomoka Farm Road LF

PARAMETER MONITORING REPORT

Rule 62-701

WACS Report Type: SEMGW

Description: Semiannual Gw: 62-701.510(8)(A) (2 Pages)

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
(i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
077562	1,1,1,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.69	0.69	ug/L	U
034506	1,1,1-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.66	0.66	ug/L	U
034516	1,1,2,2-Tetrachloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
034511	1,1,2-Trichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.5	0.5	ug/L	U
034496	1,1-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
034501	1,1-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
077443	1,2,3-Trichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
034536	1,2-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.11	0.11	ug/L	U
034531	1,2-Dichloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034541	1,2-Dichloropropane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.13	0.13	ug/L	U
034571	1,4-Dichlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.86	0.86	ug/L	U
081595	2-Butanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.65	0.65	ug/L	U
077103	2-Hexanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
081596	4-Methyl-2-pentanone	N	E83079	SW8260	5/1/2007 12:00:00AM	0.76	0.76	ug/L	U
081552	Acetone	N	E83079	SW8260	5/1/2007 12:00:00AM	2.5	2.5	ug/L	U
034215	Acrylonitrile	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.72	ug/L	U
034030	Benzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.16	0.16	ug/L	U
073085	Bromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.64	0.64	ug/L	U
032101	Bromodichloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U
032104	Bromoform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.42	0.42	ug/L	U
034413	Bromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.26	0.26	ug/L	U
077041	Carbon disulfide	N	E83079	SW8260	5/1/2007 12:00:00AM	0.81	0.81	ug/L	U
032102	Carbon tetrachloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.78	0.78	ug/L	U
034301	Chlorobenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.17	0.17	ug/L	U
034311	Chloroethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.52	0.52	ug/L	U
032106	Chloroform	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
034418	Chloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.6	0.6	ug/L	U
077093	cis-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.92	0.92	ug/L	U
034704	cis-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.19	0.19	ug/L	U
032105	Dibromochloromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077596	Dibromomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.94	0.94	ug/L	U
034371	Ethylbenzene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.47	0.47	ug/L	U
077424	Iodomethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.8	0.8	ug/L	U
034423	Methylene chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.72	0.33	ug/L	I
077128	Styrene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.59	0.59	ug/L	U
034475	Tetrachloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.74	0.74	ug/L	U
034010	Toluene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.15	0.15	ug/L	U
034546	trans-1,2-Dichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.46	0.46	ug/L	U
034699	trans-1,3-Dichloropropene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.33	0.33	ug/L	U
049263	trans-1,4-Dichloro-2-butene	N	E83079	SW8260	5/1/2007 12:00:00AM	2.1	2.1	ug/L	U
039180	Trichloroethene	N	E83079	SW8260	5/1/2007 12:00:00AM	0.61	0.61	ug/L	U
034488	Trichlorofluoromethane	N	E83079	SW8260	5/1/2007 12:00:00AM	0.2	0.2	ug/L	U
077057	Vinyl acetate	N	E83079	SW8260	5/1/2007 12:00:00AM	0.79	0.79	ug/L	U
039175	Vinyl chloride	N	E83079	SW8260	5/1/2007 12:00:00AM	0.37	0.37	ug/L	U

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.

WACS Facility ID #: 27540
 WACS Testsite ID #: _____
 WACS Testsite Name: Trip Blank
 Water Classification: G-II
 (i.e.: LC - Leachate, G-II, SW-IIIIF)

Sample Date/Time: 4/27/2007 12:00:00AM
 Sampling Method: Peristaltic Pump
 Permitted Well Type: Not Provided

* Well Purged prior to Sample Collection? (Y/N): Y

STORET Code	Parameter Monitored	Field Filtered (Y/N)	NELAC Lab Certification # (DOHE)	Analysis Method	Analysis Date/Time	Analysis Result	Detection Limit	Units	Qual
034020	Xylenes, Total	N	E83079	SW8260	5/1/2007 12:00:00AM	0.32	0.32	ug/L	U

Total Parameters Monitored: 45

* Well purging is the process of pumping the well prior to sampling in order to obtain a representative ground water sample.