

Wargo, Emily

From: Tammy Garcia <tgarcia@kooglerassociates.com>
Sent: Thursday, December 06, 2018 1:34 PM
To: Wargo, Emily
Cc: Morgan, Steve; Ramirez, Javier; robing.simons@cemex.com; Dr. Max Lee; Madden, Melissa
Subject: RE: 307_18_12 CEMEX Brooksville South WTP Minor Modification Change
Attachments: AttA_Fig3A_TireSitePlanAerial_REVFinal_SS.pdf

Emily,
CEMEX would like to change the location of the tire trailer storage, which was submitted as a minor modification on November 27, 2018. Attached is the revised Figure 3A with the new location. Please let me know if you require any further documentation to proceed with the current minor modification request.

Thank you,
Tammy



Tammy L. Garcia
Environmental Scientist II
Koogler and Associates, Inc.
www.kooglerassociates.com
Mail: PO Box 5127 | Gainesville, FL 32627-5127
Physical: 4014 NW 13th Street | Gainesville, FL 32609
Office: 352 377 5822 x27 | Direct: 352 792 1104
Fax: 352 377 7158 | Mobile: 352 339 0448

tgarcia@kooglerassociates.com

CONFIDENTIALITY: This message is the property of Koogler and Associates, Inc. The information contained in this message may contain legally privileged and confidential information. It is intended only for the use of the person(s) or addressee(s) named above. If you are not the intended recipient, you are hereby notified that any review, disclosure, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender by electronic mail and immediately destroy all copies of the original message.

From: Tammy Garcia
Sent: Tuesday, November 27, 2018 9:58 AM
To: 'Madden, Melissa' <Melissa.Madden@FloridaDEP.gov>
Cc: Morgan, Steve <Steve.Morgan@FloridaDEP.gov>; Ramirez, Javier <Javier.Ramirez@FloridaDEP.gov>; Wargo, Emily <Emily.Wargo@FloridaDEP.gov>; robing.simons@cemex.com; Dr. Max Lee <mlee@kooglerassociates.com>
Subject: RE: 307_18_07 and 12 CEMEX Brooksville South AFM RAI Response and WTP Modification

Hi Melissa,

Please find attached the requested information for your requests below for the CEMEX Brooksville South AFM SW Permit Renewal (DEP Application No. 22787-006-SO/31) and Waste Tire Processing Permit minor modification request (22787-005-WT):

- *Since the Operation Plan was revised and reformatted based on the application form change, it appears that a few sections were excluded from the new plan, including those items in Rule 62-701.710(4), F.A.C. re: Operators and Spotters, Objectionable Odors, Access Control and Regulated Hazardous Wastes (Sections 3.9.8-3.9.12 of 2013 Op Plan). Please ensure that all requirements of Rule 62-701.710(4), F.A.C. are addressed, as applicable.*

RESPONSE: The revised Application Information document with the revised Operations Plan is attached. See pages 19-21 - new/revised information is underlined. The attached document does not have the application form or appendices, which you already have.

- *It appears that CES's quote still lists disposal as "C&D and Natural Wood Materials". This quote must be for Class I to be consistent with Section 4.0 of the Closure Plan. Please provide a revised third-party quote for loading, hauling and disposal of 5,200 tons of AFM as Class I Waste.*

RESPONSE: Please find attached a revised quote from CES referencing Class I Waste.

- *...please provide a letter from an authorized representative of CEMEX which indicates their intent to apply for the below permit modification [22787-005-WT for the change in storage location].*

RESPONSE: Please find attached a letter from a CEMEX authorized representative requesting the subject permit modification.

If you need anything further for these two projects, please contact me.

Thank you,
Tammy



Tammy L. Garcia
Environmental Scientist II
Koogler and Associates, Inc.
www.kooglerassociates.com
Mail: PO Box 5127 | Gainesville, FL 32627-5127
Physical: 4014 NW 13th Street | Gainesville, FL 32609
Office: 352 377 5822 x27 | Direct: 352 792 1104
Fax: 352 377 7158 | Mobile: 352 339 0448

tgarcia@kooglerassociates.com

CONFIDENTIALITY: This message is the property of Koogler and Associates, Inc. The information contained in this message may contain legally privileged and confidential information. It is intended only for the use of the person(s) or addressee(s) named above. If you are not the intended recipient, you are hereby notified that any review, disclosure, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender by electronic mail and immediately destroy all copies of the original message.

From: Madden, Melissa <Melissa.Madden@FloridaDEP.gov>

Sent: Wednesday, November 21, 2018 10:58 AM

To: Tammy Garcia <tgarcia@kooglerassociates.com>

Cc: Morgan, Steve <Steve.Morgan@FloridaDEP.gov>; Ramirez, Javier <Javier.Ramirez@FloridaDEP.gov>; Wargo, Emily <Emily.Wargo@FloridaDEP.gov>; robing.simons@cemex.com; Brent C Steele <brentc.steele@cemex.com>; Dr. Max Lee <mlee@kooglerassociates.com>

Subject: RE: 307_18_07 and 12 CEMEX Brooksville South AFM RAI Response and WTP Modification

Tammy,

Javier and I are reviewing the responses to the RAI for pending permit no. 22787-006-SO/31. We tried to call and leave you a voicemail, but the call was cutoff. I think you are out of the office today anyway.

There are just a few things we need additional information on:

1. Since the Operation Plan was revised and reformatted based on the application form change, it appears that a few sections were excluded from the new plan, including those items in Rule 62-701.710(4), F.A.C. re: Operators and Spotters, Objectionable Odors, Access Control and Regulated Hazardous Wastes (Sections 3.9.8-3.9.12 of 2013 Op Plan). Please ensure that all requirements of Rule 62-701.710(4), F.A.C. are addressed, as applicable.

2. It appears that CES's quote still lists disposal as "C&D and Natural Wood Materials". This quote must be for Class I to be consistent with Section 4.0 of the Closure Plan. Please provide a revised third-party quote for loading, hauling and disposal of 5,200 tons of AFM as Class I Waste.

Please provide the requested information by November 30 so that we may continue to review the submittal timely. We can discuss further next week if necessary. Happy Thanksgiving!

Please feel free to contact me with any questions or concerns.

Thanks, Melissa



Melissa Madden

Environmental Consultant – Solid Waste
Florida Department of Environmental Protection, Southwest District
13051 N Telecom Parkway, Suite 101, Temple Terrace, FL 33637
(813) 470-5795 Phone | (813) 470-5995 Fax
melissa.madden@floridadep.gov **NEW!**

Note: All your favorite people at the FDEP have new email addresses (@floridadep.gov)! Please make sure to update your contact list!

From: Morgan, Steve

Sent: Friday, November 16, 2018 5:08 PM

To: Ramirez, Javier <Javier.Ramirez@FloridaDEP.gov>; Felix, Diana <Diana.Felix@FloridaDEP.gov>

Cc: Madden, Melissa <Melissa.Madden@FloridaDEP.gov>

Subject: FW: 307_18_07 and 12 CEMEX Brooksville South AFM RAI Response and WTP Modification

Javier:

One of the attached documents is their response to your RAI for Permit Application #22787-006-SO/31.



Steven G. Morgan

Air & Solid Waste Permitting Manager

Florida Department of Environmental Protection
Southwest District

13051 N. Telecom Parkway, Suite 101

Temple Terrace, FL 33637-0926

Steve.Morgan@floridadep.gov

Direct line: 813.470.5754

Fax: 813.470.5996

From: Tammy Garcia [<mailto:tgarcia@kooglerassociates.com>]

Sent: Friday, November 16, 2018 3:37 PM

To: Morgan, Steve <Steve.Morgan@FloridaDEP.gov>

Cc: Wargo, Emily <Emily.Wargo@FloridaDEP.gov>; Robin G Simons (robing.simons@cemex.com)

<robing.simons@cemex.com>; Brent C Steele (brentc.steele@cemex.com) <brentc.steele@cemex.com>; Dr. Max Lee
<mlee@kooglerassociates.com>

Subject: RE: 307_18_07 and 12 CEMEX Brooksville South AFM RAI Response and WTP Modification

Steve,

Please find attached an electronic copy of our response to the CEMEX Brooksville South RAI for the AFM SW Permit Renewal, DEP Application No. 22787-006-SO/31 and the minor modification request for the Waste Tire Processing Permit 22787-005-WT addressing the move in location of the outside storage of trailers. A hard copy of each is being sent via USPS Priority along with the \$250 application fee for the WTP modification.

If you have any questions, please contact me.

Thank you,
Tammy



Tammy L. Garcia
Environmental Scientist II
Koogler and Associates, Inc.
www.kooglerassociates.com
Mail: PO Box 5127 | Gainesville, FL 32627-5127
Physical: 4014 NW 13th Street | Gainesville, FL 32609
Office: 352 377 5822 x27 | Direct: 352 792 1104
Fax: 352 377 7158 | Mobile: 352 339 0448

tgarcia@kooglerassociates.com

CONFIDENTIALITY: This message is the property of Koogler and Associates, Inc. The information contained in this message may contain legally privileged and confidential information. It is intended only for the use of the person(s) or addressee(s) named above. If you are not the intended recipient, you are hereby notified that any review, disclosure, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender by electronic mail and immediately destroy all copies of the original message.

From: Wargo, Emily <Emily.Wargo@FloridaDEP.gov>
Sent: Monday, October 29, 2018 4:52 PM
To: Tammy Garcia <tgarcia@kooglerassociates.com>
Cc: Morgan, Steve <Steve.Morgan@FloridaDEP.gov>
Subject: RE: 307_18_XX CEMEX Brooksville South WT Processing Permit

Hi Tammy,

I spoke with Steve, and to change the storage location of the trailers we would need to see updated site and operation plans that include the new storage area. It would be considered a minor modification to the permit that you would need to submit an application for with a \$250 fee.

Please let me know if you have any questions.

Regards,

Emily



Emily Wargo
Florida Department of Environmental Protection
Southwest District
Engineering Specialist II
Emily.Wargo@FloridaDEP.gov
Office: 813-470-5942

PLEASE NOTE: Florida has a very broad public records law. Electronic communications regarding state business are public records available upon request. Your e-mail communications may therefore be subject to public disclosure.



Please consider the environment before printing this email.

From: Tammy Garcia [<mailto:tgarcia@kooglerassociates.com>]
Sent: Wednesday, October 24, 2018 1:57 PM
To: Morgan, Steve <Steve.Morgan@FloridaDEP.gov>
Subject: 307_18_XX CEMEX Brooksville South WT Processing Permit

Hi Steve,

What would the Department want submitted to change the storage location of trailers for tires from one area to another for the attached permit for CEMEX Brooksville South? No change in quantities or anything else, just a change in location of trailers for storage. And what would the Department issue - a modified permit?


Thank you,
Tammy






Tammy L. Garcia
Environmental Scientist II
Koogler and Associates, Inc.
www.kooglerassociates.com
Mail: PO Box 5127 | Gainesville, FL 32627-5127
Physical: 4014 NW 13th Street | Gainesville, FL 32609
Office: 352 377 5822 x27 | Direct: 352 792 1104
Fax: 352 377 7158 | Mobile: 352 339 0448



tgarcia@kooglerassociates.com

CONFIDENTIALITY: This message is the property of Koogler and Associates, Inc. The information contained in this message may contain legally privileged and confidential information. It is intended only for the use of the person(s) or addressee(s) named above. If you are not the intended recipient, you are hereby notified that any review, disclosure, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender by electronic mail and immediately destroy all copies of the original message.





LEGEND	
Total Maximum Combined Storage Area of 300 Tons	
	Tire processing Areas
	Trailer Staging Area

<p>Professional Engineer Certification</p> <div><p>Maxwell R. Lee, Ph.D., P.E. No. 58091 P.E. No. 58091 STATE OF FLORIDA PROFESSIONAL ENGINEER</p></div> <p>Date 12/6/18</p>	<p>Scale 1" = +/- 400 ft.</p> <p>Aerial from Google earth Image date 3/17/2017</p> <p>Drawing No. 307-18-12</p>	<p>Figure 3A CEMEX Brooksville South Cement Plant Tire Facility (62-711 F.A.C.) Brooksville, Hernando County, FL</p>	 <p>KOOGLER & ASSOCIATES ENVIRONMENTAL SERVICES 4014 NW THIRTEENTH STREET GAINESVILLE, FLORIDA 32609 352/577-5822 • FAX 377-7158</p>
---	---	---	---