Johnson, Sabrina O

From:	Tafuni, Steven
Sent:	Wednesday, January 16, 2019 8:24 AM
То:	SWD_Waste
Subject:	FW: Southeast County Landfill OGC File No. 17-0058 - Liquid Assessment Monitoring Monthly
	Progress Report for December 2018
Attachments:	20190115 December Liquid Assessment Monitoring Monthly Report.pdf

Steven Tafuni FDEP-SWD, Government Operations Consultant, Compliance Assurance Program 13051 N. Telecom Pkwy Temple Terrace, FL 33637-0926 tel: 813-470-5792 E-mail: Steven.Tafuni@floridadep.gov

From: Spradlin, Kollan [mailto:KSpradlin@scsengineers.com]

Sent: Tuesday, January 15, 2019 5:03 PM

To: Tafuni, Steven <Steven.Tafuni@FloridaDEP.gov>

Cc: Madden, Melissa <Melissa.Madden@FloridaDEP.gov>; Morgan, Steve <Steve.Morgan@FloridaDEP.gov>; Dilmore, Cory <Cory.Dilmore@dep.state.fl.us>; Kimberly Byer (ByerK@hillsboroughcounty.org) <ByerK@hillsboroughcounty.org>; RuizLE@hillsboroughcounty.org; O'Neill, Joseph(Hillsborough County) <oneillj@HCFLGov.net>; Pelley, Cindy (Hillsborough County) <pelleyca@HCFLGov.net>; Michael Townsel <TownselM@hillsboroughcounty.org>; Chamberlain, Justin <Justin.Chamberlain@FloridaDEP.gov>; Hsu, Benjamin <Benjamin.Hsu@FloridaDEP.gov>; Guilbeault, Ken <KGuilbeault@SCSEngineers.com>; Devitt, Caroline <CDevitt@scsengineers.com>; Susan <Susan@PelzEnvServices.com>; ttown@ufl.edu; steven.laux@essie.ufl.edu; Ciaravella, Philip <Philip.Ciaravella@dep.state.fl.us>; Curtis, Bob <BCurtis@scsengineers.com>; Ortega, Alex <AOrtega@scsengineers.com>; Bachman, Alexandra <ABachman@scsengineers.com>; WiesmanR@hillsboroughcounty.org Subject: Southeast County Landfill OGC File No. 17-0058 - Liquid Assessment Monitoring Monthly Progress Report for December 2018

Dear Mr. Tafuni,

On behalf of Hillsborough County Transportation & Utility Services, Solid Waste Management Division, SCS Engineers is submitting the attached PDF of the December 2018 monthly progress report for the liquid assessment monitoring and dewatering activities completed at the Southeast County Landfill. This update is being submitted as a requirement of condition 9.(f) of the July 28, 2017 Consent Agreement between the State of Florida Department of Environmental Protection and Hillsborough County.

Please contact Ken Guilbeault (813-804-6716) or me (813-804-6706) if you have any questions or require additional information.

Thank you,

Kollan

Kollan Spradlin, PE, CHMM Project Professional SCS Engineers 3922 Coconut Palm Drive, Suite 102 Tampa, Florida 33619 813-804-6706 (W) 813-955-4906 (C) KSpradlin@scsengineers.com

Driven by Client Success

www.scsengineers.com

Liquid Assessment Monitoring Monthly Progress Report for December 2018

Southeast County Landfill Lithia, Florida

Hillsborough County Transportation & Utilities Services Solid Waste Management Division 332 North Falkenburg Road Tampa, Florida 33619



SCS ENGINEERS

File No. 09215600.07 | January 15, 2019 3922 Coconut Palm Drive, Suite 102 Tampa, FL 33619 813-621-0080

LIQUID ASSESSMENT MONITORING MONTHLY PROGRESS REPORT FOR DECEMBER 2018

Southeast County Landfill Lithia, Florida

Submitted to:

Hillsborough County Transportation & Utilities Services Solid Waste Management Division 332 North Falkenburg Road Tampa, Florida 33619

Prepared by:

SCS ENGINEERS 3922 Coconut Palm Drive, Suite 102 Tampa, Florida 33619 (813)-621-0080

> January 15, 2019 File No. 09215600.07



Kollan L. Spradlin, P.E. No. 82852

Table of Contents

Sect	lion	Page
1	Introduction	1
2	Leachate Pumpage Data	1
	2.1 Supplemental Dewatering Locations	1
	2.1.1 Landfill Gas Extraction Well Network Phases I – VI	1
	2.1.2 Pump Station 2	1
	2.1.3 Dewatering Wells	2
	2.1.4 Evaluation of Alternate Pumping Locations	2
	2.2 Supplemental Leachate Pumpage Data	2
	2.3 Supplemental Leachate Pumpage Data Observations for December 2018	3
3	Piezometer Readings	4
	3.1 Series-1 Piezometer and Precipitation Data Observations for December 2018	4
	3.2 Response of Series-2 Piezometers	4
	3.3 Phase II Cut-off Trench	4
4	Liquid Removal Activities	5
5	Water Balance	5
6	Water Quality	5
	6.1 Quarterly Sampling and Analysis	5
7	Geophysical Survey	5
8	Planned Activites	5
	8.1 Continuation of Pumping Locations Study	5
	8.2 Installation of Cut-Off Trench Extension	6
9	Conclusions	6
List o	of Tables	

Table 1	Alternate Pumping Location Dates
Table 2	Summary of December 2018 Pumping Data

List of Figures

Figure 1	Map of Supplemental Dewatering Locations
Figure 2	Map of Piezometers and Monitoring Points

Appendices

Appendix A	Daily Pumpage Data and Graphs
Appendix B	Weekly Water Level and Precipitation Data
Appendix C	December 2018 Water Balance
Appendix D	November 2018 Geophysical Survey Memo

1 INTRODUCTION

On behalf of Hillsborough County Transportation & Utilities Services, Solid Waste Management Division (SWMD), SCS Engineers (SCS) is submitting this report to present the December 2018 monthly progress for the liquid assessment monitoring and dewatering activities completed at the Southeast County Landfill (SCLF) located in Lithia, Florida. This update is being submitted as a requirement of condition 9.(f) of the July 28, 2017, Consent Agreement between the State of Florida Department of Environmental Protection (FDEP) and Hillsborough County, Florida (the County). Condition 9.(f) states that the County shall submit a monthly progress report that, "shall include the preceding monthly leachate generation rates and weekly piezometers readings for the site."

Progress reports have been submitted monthly since July 2017. The following sections update and summarize data collected and actions initiated for the month of December 2018. Leachate pumpage data, piezometer readings, and dewatering activities are addressed below.

2 LEACHATE PUMPAGE DATA

Historically, a pump at permanent Pump Station B (PS-B) has removed leachate from Phases I-VI. As part of the on-going supplemental leachate removal at the SCLF, the SWMD has been pumping from additional locations. The supplemental pump locations are shown in **Figure 1**.

2.1 SUPPLEMENTAL DEWATERING LOCATIONS

2.1.1 Landfill Gas Extraction Well Network Phases I – VI

The SWMD has installed pneumatic pumps in existing Landfill Gas (LFG) Extraction Wells (EW) and Condensate Traps (CT) in the Phase I and II areas. Pumps were installed in four LFG EWs (EW-38, EW-44, EW-48, and EW-66) and three CTs (CT-1, CT-2, and CT-3). Air supply lines to operate the pumps and discharge lines were connected to the existing LFG system.

2.1.2 Pump Station 2

Following the installation of the cut-off trench along the eastern and southern sides of Phase II, a suction line connected to a pump was installed in the cleanout of the header pipe. Pump Station 2 (PS-2) has a vacuum assisted diesel pump located at the eastern edge of Phase II and removes leachate from Cleanout 2-1. PS-2 pumps leachate from the Phase II header to the Main Leachate Pump Station (MLPS). Pumpage data for PS-2 is included in **Appendix A**.

The SWMD previously operated two additional pumping locations in Phase II of the SCLF that have since been removed due to insufficient liquid quantities at these locations. Temporary Pump Station 2 operated from February 2017 through August 2017. Temporary Pump Station 2B operated from August 2017 through December 2017. **Appendix A** includes the historical pumping data from these two pump locations.

2.1.3 Dewatering Wells

In May 2017, two leachate dewatering wells, with two pumps each, were installed in Phases I and II. The wells extend through the waste and drainage sand to the top of clay. The dewatering wells in Phase I are referred to as DW 1-1 and DW 1-2. The dewatering wells in Phase II are referred to as DW 2-1 and DW 2-2. A set of pneumatic pumps were installed in each of these wells in order to pump leachate from the lower waste and drainage sand layer, thus removing leachate at the lowest elevation possible.

2.1.4 Evaluation of Alternate Pumping Locations

During December 2018, the SWMD continued evaluating new cleanouts. The new cleanouts are evaluated, one at a time, to assess how much leachate can be pumped from each header pipe. The evaluation will also assess if CO 2-2, CO 2-4, or CO 3-1 is a more productive leachate removal location than PS-2. On October 29, 2018, a temporary pump station with a vacuum assisted diesel pump was installed at CO 2-4 and pumping from PS-2 was stopped. **Table 1** lists the dates that each pump location was tested.

Pump Start Date	Pump Location
10/29/18	CO 2-4
11/26/18	CO 3-1
12/5/18	CO 2-2
12/17/18	CO 3-1
12/24/18	CO 2-4
12/31/18	None

On November 26, 2018, the temporary pump station was moved from CO 2-4 to CO 3-1 to continue the leachate removal location study. On December 5, 2018, the temporary pump station was moved from CO 3-1 to CO 2-2 and on December 17, 2018, the temporary pump station was moved back to CO 3-1. On December 24, 2018, the temporary pump station was moved to CO 2-4 to continue the leachate removal location study. On December 31, 2018, the SWMD stopped pumping from header pipes to evaluate the PS-B leachate removal rate without supplemental pumping from the header pipes. The temporary pump station recommenced pumping at CO 2-1 on January 12, 2019. An evaluation of the alternate pumping locations will be submitted upon review of the supplemental pumping location data.

2.2 SUPPLEMENTAL LEACHATE PUMPAGE DATA

As part of the on-going investigation of liquid, the SWMD collects pumping data from each of the supplemental dewatering locations described above. **Table 2** summarizes the monthly pumping totals for December 2018. The daily leachate pumpage data through the end of December 2018 is provided in **Appendix A**.

Pump	Phase	Days	Monthly Total	Increase or Decrease	Daily Avg
		Operation*	(Gallons)	in Monthly Total from	(GPD)
				Previous Month	
CT-1	II	26	24,084	\uparrow	926
CT-2	I	31	12,339	\uparrow	398
CT-3	I	0	-	-	-
EW-38	II	0	1	\uparrow	-
EW-44	I	31	10,876	\checkmark	351
EW-48	I	30	3,149	\checkmark	105
EW-66	II	0	21	\checkmark	-
DW 1-1	I	31	24,437	\uparrow	788
DW 1-2	I	24	16,671	\downarrow	695
DW 2-1	II	31	14,719	\uparrow	475
DW 2-2	II	0	4	\checkmark	-
PS-2 (CO 2-1)	II	0	-	-	-
Alternate Pumping Locations	/	30	307,556	-	10,252
	Dec	cember Total	413,857		13,350

Table 2. Summary of December 2018 Supplemental Pumping Data

*EW-38, DW 2-2, and EW-66 each pumped a small volume during the month of December, however they did not pump more than 10 gallons on any day. For the purposes of this evaluation, a pump is only considered "operational" if it pumps over 10 gallons in one day.

2.3 SUPPLEMENTAL LEACHATE PUMPAGE DATA OBSERVATIONS FOR DECEMBER 2018

- A total of approximately 413,857 gallons was removed from the Phase I, II, and III areas from supplemental pumping in December 2018. The average daily supplemental withdrawal was approximately 13,350 gallons per day (GPD), based on 31 days.
- During December 2018, the total pumping decreased by approximately 238,612 gallons compared to November 2018. This decrease may be associated with the alternate pumping location study and the movement of the test location.
- The pneumatic pumps installed in LFG extraction wells EW-44, EW-48, and condensate traps CT-1 and CT-2 removed approximately 1,627 (avg.) GPD combined in December 2018.
- CT-3 was dry during the month of December.
- LFG extraction wells EW-38 and EW-66 were dry during December 2018. EW-38 has not pumped since September 2017.
- DW 1-1 pumped for 31 days and DW 1-2 pumped for 24 days and averaged 788 and 695 GPD, respectively, during the month of December.
- DW 2-1 pumped for 31 days and averaged 475 GPD during the month of December.

• The alternate pumping locations pumped a total of 307,556 gallons over 30 days in December, or an average of 10,252 GPD. An evaluation of the alternate pumping locations will be submitted upon review of the supplemental pumping location data.

3 PIEZOMETER READINGS

As part of the on-going investigation of liquid, the SWMD measures piezometer water levels once a week. Piezometers are differentiated by two construction types, Series-1 and Series-2. The Series-1 piezometers are screened in the drainage sand and waste. The Series-2 piezometers are screened in the drainage solutions of the current monitoring points are shown in **Figure 2**.

Additionally, daily precipitation data is collected from multiple rain gauges across the site and averaged for a daily rainfall total that is then presented as cumulative weekly rainfall. Weekly water level and precipitation data collected through the end of December is presented in **Appendix B**. Daily precipitation data is available in the water balance report in **Appendix C**.

3.1 SERIES-1 PIEZOMETER AND PRECIPITATION DATA OBSERVATIONS FOR DECEMBER 2018

Three Series-1 piezometers, SB-29, SB-30, and SB-32, remain functional. Both SB-29 and SB-30 showed an increase in liquid levels compared to November 2018 and SB-32 remained steady during the month of December.

An average of 8.79 inches of rain was recorded at the on-site rain gauges in December.

3.2 RESPONSE OF SERIES-2 PIEZOMETERS

During December, most liquid levels in the Series-2 piezometers continued to remain relatively steady. At most locations the liquid levels in the Series-2 piezometers during December 2018 are comparable to levels in December 2017.

A review of historical trends shows a declining trend in liquid levels in most Series-2 piezometers from October 2017 to May 2018. The liquid levels were steady in May and June 2018, slowly increasing in July and August 2018, then steady from September to December 2018 (**Appendix B**).

SB-21D was damaged by shifting waste prior to the December 14, 2018, reading and SWMD staff is no longer able to collect liquid level measurements.

3.3 PHASE II CUT-OFF TRENCH

Monitoring and dewatering of the cut-off trench continued through December 2018 and into January 2019. The liquid levels in monitoring points MP 2-2 and MP 2-3 remained below two feet during December 2018. Liquid levels rose slightly when the pump was moved from CO 2-2. Liquid in the cut-off trench flows to the Phase II header.

4 LIQUID REMOVAL ACTIVITIES

The SWMD has been following the activities outlined in the Corrective Action Plan (CAP) submitted to the FDEP on June 26, 2017. The SWMD submitted a revised CAP to the FDEP on July 16, 2018. Upon acceptance of the final submittal by the FDEP, the SWMD will begin to implement any changes in activities per the revised CAP.

5 WATER BALANCE

Per the Consent Agreement, the SWMD has been submitting monthly water balance reports to the FDEP prior to the 15th of each month. These reports contain leachate pumpage and storage data at the SCLF. A copy of the December 2018 Water Balance letter is presented in **Appendix C**.

6 WATER QUALITY

6.1 QUARTERLY SAMPLING AND ANALYSIS

Per Condition 10 of the Consent Agreement, the SWMD continued supplemental quarterly evaluation monitoring of select groundwater monitoring wells. Laboratory analytical results of the August 2017, November 2017, and February 2018 sampling events show improving water quality at TH-67, TH-79, and TH-83. The May 2018 sampling event showed some increase in concentrations, likely due to low rainfall during this period causing a lowered surficial aquifer. Seasonal fluctuations of the surficial aquifer have occurred in the past and the water quality is expected to improve as the seasonal level of the surficial aquifer rises. The August 2018 sampling event showed improved groundwater quality, with concentrations of parameters (sodium, ammonia, chloride, and TDS) below the primary and secondary drinking water standards.

The November 2018 groundwater sampling event was conducted on November 8 and 9. The laboratory analytical data will be provided to FDEP within 60 days of the receipt of the laboratory results.

7 GEOPHYSICAL SURVEY

A geophysical survey was performed at the SCLF outside of the southeast corner of the landfill on November 3, 2018. The survey was conducted to compare the current soil conductivity conditions near TH-67 and TH-83 to previous surveys of the same area conducted in 2016 and 2017. Compared to the previous survey results, the soil in the survey area exhibits a decrease in bulk soil conductivity. Results of the November 2018 geophysical investigation are included in **Appendix D**.

8 PLANNED ACTIVITES

8.1 CONTINUATION OF PUMPING LOCATIONS STUDY

The SWMD will continue to evaluate the potential alternate pumping locations. The locations included in the study are CO 2-1, CO 2-2, CO 2-4, and CO 3-1. Upon the completion of the pumping tests, the SWMD and SCS will evaluate the results and choose the optimal location for a permanent supplemental dewatering pump station.

8.2 INSTALLATION OF CUT-OFF TRENCH EXTENSION

As discussed in an email from the SWMD to the FDEP dated January 8, 2019, the SWMD plans to install a continuation of the existing Phase II cut-off trench in March or April of 2019. The trench will be located on the southern edge of Phase II and will extend to the Phase I/Phase II boundary. The design of the new trench will be similar to the design of the existing trench, however, the new trench will be located closer to the edge of the landfill.

9 CONCLUSIONS

The SWMD continues to conduct liquid level measurement and dewatering activities in an effort to gain a more comprehensive understanding of the leachate movement within the landfill and to expedite dewatering in Phases I and II. Based on the University of Florida report, the liquid levels in Series-2 piezometers are not reliable indicators for head over liner. However, the SWMD will continue to collect piezometer measurements in accordance with the consent agreement. The SWMD will also continue to pump supplemental locations and monitor leachate pumping rates.

FIGURES





FIGURE 1. MAP OF SUPPLEMENTAL DEWATERING LOCATIONS SOUTHEAST COUNTY LANDFILL DECEMBER 2018



F: РРОЛЕСТ/НІЦЕВОВОИСН/09215600.00/ТАЗК 1110 – СОРВЕСТИКЕ АСТОМУ Р.Г.М./МОЙТНУУ РРОСЕЕЗК РЕРОЯТЗ/САР/FICURE 2 – МОЙТОВИИС РОИТЗ.DWC

Appendix A

Daily Pumpage Data and Graphs

					Extractio Liq S	on Wells a uid Asses Southeast	- Pumping and Conde sment Mo County La	ensate Tra nitoring						
		densate Tra			LFG Extrac			WEEKLY		C1		EV	-	
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily A
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd
12/21/2016	0	0	0	0	988	537	0	1,525			0		1,525	
12/22/2016 12/23/2016	0	0	0	0	754 1,016	433 568	0	1,187 1,584	4,296	614	0		1,187 1,584	
12/23/2016	0	0	0	0	1,010	0	0	1,564	4,290	014	0		1,564	
12/24/2016	0	0	0	0	165	91	0	256			0		256	
12/26/2016	0	0	0	0	1,526	745	0	2,271			0		2,271	
12/20/2010	0	0	0	0	710	500	0	1,210			0		1,210	
12/28/2016	0	0	0	0	1,192	500	0	1,692			0		1,692	
12/29/2016	0	0	0	0	854	468	0	1,322			0		1,322	
12/30/2016	0	0	0	0	824	449	0	1,273	8,024	1,146	0		1,273	
12/31/2016	0	0	0	0	0	0	0	1,2,3	0,024	1,140	0		0	
1/1/2017	0	0	0	0	231	124	0	355			0		355	
1/2/2017	0	0	0	0	1,483	730	0	2,213			0		2,213	
1/3/2017	0	0	0	0	823	422	0	1,245			0		1,245	
1/4/2017	0	0	0	0	893	470	0	1,363			0		1,363	
1/5/2017	2,004	0	0	0	799	421	0	3,224			2,004		1,220	
1/6/2017	514	0	0	0	791	427	0	1,732	10,132	1,447	514		1,218	
1/7/2017	0	0	0	0	0	0	0	0			0		0	
1/8/2017	806	0	0	0	280	139	0	1,225			806		419	
1/9/2017	761	0	0	0	584	1,451	0	2,796			761		2,035	
1/10/2017	0	0	0	0	0	0	0	0			0		0	
1/11/2017	4,435	0	0	0	1,722	117	0	6,274			4,435		1,839	
1/12/2017	2,341	0	0	0	897	652	0	3,890			2,341		1,549	
1/13/2017	2,173	0	0	0	808	551	0	3,532	17,717	2,531	2,173		1,359	
1/14/2017	812	0	0	0	290	247	0	1,349			812		537	
1/15/2017	0	934	0	0	0	0	0	934			934		0	
1/16/2017	2,884	584	0	0	1,386	1,133	0	5,987			3,468		2,519	
1/17/2017	2,610	89	0	0	914	789	0	4,402			2,699		1,703	
1/18/2017	2,700	106	0	0	871	747	0	4,424			2,806		1,618	
1/19/2017	2,068	260	0	0	635	601	0	3,564			2,328		1,236	
1/20/2017	2,569	336	0	0	777	714	0	4,396	25,056	3,579	2,905		1,491	
1/21/2017	0	0	0	0	0	0	0	0			0		0	
1/22/2017	973	430	0	0	259	266	0	1,928			1,403		525	
1/23/2017	3,074	164	0	0	1,305	1,113	0	5,656			3,238		2,418	
1/24/2017	2,030	173	0	0	737	615	0	3,555			2,203		1,352	
1/25/2017	1,737	488	0	0	666	623	0	3,514			2,225		1,289	
1/26/2017	1,680	469	0			642	0	3,437	20.052	2,000	2,149		1,288	
1/27/2017	1,531	250 87	0	0	608 608	473 401	0	2,862	20,952	2,993	1,781		1,081	
1/28/2017	1,664	87	0	0	608 608		0	2,760			1,751		1,009	
1/29/2017 1/30/2017	1,664 808	0	0	0	608	401 386	0	2,750 1,841			1,741 808		1,009 1,033	
1/30/2017	2,139	36	0	0	776	412	0	3,363			2,175		1,033	
2/1/2017	1,887	62	0	0		412	0	3,044			1,949		1,188	
2/1/2017	1,887	62	0	0		434	0	3,044			1,949		1,095	
2/2/2017	2,992	626	0	0	959	684	0	5,044	22,063	3,152	3,618		1,643	
2/3/2017	2,992	626	0	0	1,109	685	0	5,201	22,003	3,132	3,618		1,043	
2/5/2017	2,552	020	0	0	0	085	0	0			3,018		0	
2/6/2017	1,164	351	0	0	643	370	0	2,528			1,515		1,013	
2/7/2017	0	434	0	0	579	439	0	1,452			434		1,018	
2/8/2017	6,303	434	0	0	770	449	0	7,956			6,737		1,219	
2/9/2017	8,443	436	0	0	686	424	0	9,989			8,879		1,110	
2/10/2017	7,597	382	0	0	516	355	0	8,850	36,187	5,170	7,979		871	
2/11/2017	9,119	322	0	0	645	443	0	10,529			9,441		1,088	
2/12/2017	9,119	322	0	0	645	443	0	10,529			9,441		1,088	
2/13/2017	9,208	0	0	0		444	0	10,465			9,208		1,257	
2/14/2017	9,731	0	0	0		452	0	11,361			9,731		1,630	
2/15/2017	9,807	0	0	0	886	445	0	11,138			9,807		1,331	
2/16/2017	9,233	0	0	0	712	404	0	10,349			9,233		1,116	İ
2/17/2017	7,652	0	0	0	552	342	0	8,546	72,917	10,417	7,652		894	
2/18/2017	9,223	1	0	0	543	399	0	10,166			9,224		942	1

					Extractio Liqi	on Wells a uid Asses	- Pumpin and Conde sment Mo County La	ensate Tra nitoring	ips					
	Cond	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		CT	Гs	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE 2/19/2017	(gal)	(gal)	(gal)	(gal) 0	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
2/19/2017	9,223 9,480	1	0	0	543 516	399 424	0	10,166 10,420			9,224 9,480		942 940	
2/21/2017	9,480	0	0		578	424	0	10,420			9,836		1,005	
2/22/2017	9,142	0	0	0	595	421	0	10,158			9,142		1,016	
2/23/2017	4,816	83	0	0	580	496	0	5,975			4,899		1,076	
2/24/2017	4,923	32	0	0	480	410	0	5,845	63,571	9,082	4,955		890	
2/25/2017	3,677	0	0	0	459	368	0	4,504			3,677		827	
2/26/2017	3,677	0	0	0	459	368	0	4,504			3,677		827	
2/27/2017	1,580	2	0	0	439	418	0	2,439			1,582		857	
2/28/2017	1,574	0	0	0	481	447	0	2,502			1,574		928	
3/1/2017	1,667	158	0		504	455	0	2,784			1,825		959	
3/2/2017	2,182	364	0		429	515	0	3,490			2,546		944	
3/3/2017	1,327	168	0	0	201	329	0	2,025	22,248	3,178	1,495	2,339	530	839
3/4/2017	1,327	168	0	0	201	329	0	2,025			1,495		530	
3/5/2017 3/6/2017	1,327 1,392	168 358	0	0	201 330	329 326	0	2,025 2,406			1,495 1,750		530 656	
3/6/2017	1,392	358 803	0	0	330 519	422	0	2,406			2,438		941	
3/8/2017	1,655	133	0	0	458	367	0	2,382			1,557		825	
3/9/2017	1,424	205	0	-	510	418	0	2,382			1,885		928	
3/10/2017	2,090	366	0	0	543	420	0	3,419	18,449	2,636	2,456	1,868	963	768
3/11/2017	2,289	268	0	0	585	382	0	3,524	10,445	2,030	2,557	1,000	967	700
3/12/2017	2,289	268	0		585	382	0	3,524			2,557		967	
3/13/2017	2,625	13	0	0	647	346	0	3,631			2,638		993	
3/14/2017	2,039	287	0	0	501	350	0	3,177			2,326		851	
3/15/2017	1,356	476	0	0	453	306	0	2,591			1,832		759	
3/16/2017	1,018	409	0	0	385	268	0	2,080			1,427		653	
3/17/2017	1,028	0	0	0	443	336	0	1,807	20,334	2,905	1,028	2,052	779	853
3/18/2017	1,430	195	0	-	524	452	0	2,601			1,625		976	
3/19/2017	1,430	195	0	0	524	452	0	2,601			1,625		976	
3/20/2017	917	282	0	0	400	229	0	1,828			1,199		629	
3/21/2017	1,599	467	0		487	409	0	2,962			2,066		896	
3/22/2017 3/23/2017	1,618 1,327	412 411	0	0	510 452	335 299	0	2,875			2,030 1,738		845 751	
3/23/2017	1,527	313	0		608	322	0	2,489 2,865	18,221	2,603	1,738	1,745	930	858
3/25/2017	1,622	0	0	0	298	370	0	2,805	10,221	2,005	1,935	1,745	668	000
3/26/2017	1,739	0	0	0	298	370		2,407			1,739		668	
3/27/2017	1,500	0		-		403		2,263			1,500		763	
3/28/2017	1,324	0	0	0	339	409		2,072			1,324		748	
3/29/2017	1,042	0	0	0	335	383	0	1,760			1,042		718	
3/30/2017	1,408	0	0	0	388	445	0	2,241			1,408		833	
3/31/2017	1,056	0	0	0	411	390	0	1,857	15,007	2,144	1,056	1,401	801	743
4/1/2017	982	0	0		426	427	0	1,835			982		853	
4/2/2017	982	0	0		426	427	0	1,835			982		853	
4/3/2017	909	0	0		366	411	0	1,686			909		777	ļ
4/4/2017	786	0	0		185	352	0	1,323			786		537	
4/5/2017	827	1	0		376	440		1,644			828		816	
4/6/2017 4/7/2017	643 537	1	8	0	245 204	306 283		1,203 1,025	10,551	1,507	652 538		551 487	696
4/7/2017	537 90	1	0		204	283		213	10,551	1,507	538 90		487	090
4/9/2017	0	0	0		0	04		0			0		0	
4/10/2017	241	0	0	0	368	239		848			241		607	
4/11/2017	464	0	0	-	304	234		1,143			464		679	1
4/12/2017	795	2	0	111	320	379	1,121	2,728			797		1,931	
4/13/2017	952	0	0	90	292	374	510	2,218			952		1,266	
4/14/2017	747	1	0		345	316	363	1,827	8,977	1,282	748	470	1,079	812
4/15/2017	638	0	0		397	336		1,760			638		1,122	
4/16/2017	638	0	0	55	397	336	334	1,760			638		1,122	
4/17/2017	136	0	0		403	347	298	1,243			136		1,107	
4/18/2017	1,118	0	0		451	364		2,314			1,118		1,196	
4/19/2017	407	0	0	40	336	252	233	1,268			407		861	

					Extractio Liqu	on Wells a uid Asses	- Pumping and Conde sment Mo County La	ensate Tra nitoring	ips					
	Conc	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		СТ	ſs	EV	Vs
DATE	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE 4/20/2017	(gal) 551	(gal) O	(gal) O	(gal) 49	(gal) 437	(gal) 333	(gal) 293	(gpd) 1,663	(gal)	(gpd)	(gal) 551	(gpd)	(gal) 1,112	(gpd)
4/20/2017	537	0	0	66	396	287	293	1,567	11,575	1,654	537	575	1,112	1,079
4/22/2017	661	0	0	76	460	347	283	1,827	11,575	1,034	661	575	1,166	· · · · · · · · · · · · · · · · · · ·
4/23/2017	661	0	0	76	460	347	283	1,827			661		1,166	
4/24/2017	566	0	0	57	353	255	248	1,479			566		913	
4/25/2017	529	0	0	31	380	281	256	1,477			529		948	
4/26/2017	478	0	0	24	369	293	258	1,422			478		944	
4/27/2017	376	0	0	12	355	307	264	1,314			376		938	
4/28/2017	258	0	0	0	351	293	235	1,137	10,483	1,498	258	504	879	993
4/29/2017 4/30/2017	287 287	0	0	2	376 376	284 284	243 243	1,192 1,192			287 287		905 905	
5/1/2017	311	0	0		378	284	243	1,192			311		894	
5/2/2017	316	0	2	4	380	279	240	1,205			318		903	
5/3/2017	343	0	0	4	340	275	241	1,203			343		860	
5/4/2017	429	0	0	38	340	264	256	1,327			429		898	
5/5/2017	334	0	0	15	340	219	220	1,128	8,468	1,210	334	330	794	880
5/6/2017	87	0	0	0	340	274	218	919			87		832	
5/7/2017	87	0	0	0	340	274	218	919			87		832	ļ
5/8/2017	95	0	0	0	340	185	213	833			95		738	ļ
5/9/2017	233	0	0	0	340	266	215	1,054			233		821	
5/10/2017	187 259	0	0	0	340 340	289 329	207	1,023			187		836	
5/11/2017 5/12/2017	259 331	0	0	8	340	329	234 213	1,162 1,214	7,124	1,018	259 331	183	903 883	835
5/13/2017	335	4	0	10	371	303	62	1,214	7,124	1,010	331	105	746	
5/14/2017	335	4	0		371	303	62	1,085			339		746	
5/15/2017	239	0	0	0	335	276	0	850			239		611	
5/16/2017	204	0	0	0	300	235	233	972			204		768	
5/17/2017	247	0	0	0	328	308	0	883			247		636	
5/18/2017	243	0	0	0	351	340	0	934			243		691	ļ
5/19/2017	204	0	0	0	304	291	0	799	6,608	944	204	259	595	685
5/20/2017	255	0	0	0	332	309	274	1,170			255		915	
5/21/2017 5/22/2017	255 334	0	0	0	332 302	309 285	274 240	1,170			255 334		915 827	
5/22/2017	334	0	0	0	302	285	240	1,161 1,155			334		827	
5/24/2017	394	0	0	3	337	270	230	1,133			338		855	
5/25/2017	306	0	0	0	314	252	208	1,080			306		774	
5/26/2017	286	0	0	0	270	229	190	975	7,960	1,137	286	310	689	827
5/27/2017	353	0	0	0	294	261	197	1,105			353		752	
5/28/2017	353	0	0	0	294	261	197	1,105			353		752	
5/29/2017	353	0	0		294	261	197	1,105			353		752	
5/30/2017	355	0	0		288	264	191	1,098			355		743	
5/31/2017	355	0	0	0	301	266	189	1,111			355		756	
6/1/2017 6/2/2017	315 371	0	0		304 277	262 207	194 189	1,075 1,044	7,643	1,092	315 371	351	760 673	
6/3/2017	364	0	0		302	207	189	1,044	7,045	1,092	364	301	709	
6/4/2017	364	0	0		302	218	189	1,073			364		709	
6/5/2017	425	0	0		308	208	187	1,128			425		703	
6/6/2017	402	0	0	0	316	204	216	1,138			402		736	
6/7/2017	449	0	0		32	195	197	873			449		424	
6/8/2017	442	0	0		556	176	159	1,333			442		891	
6/9/2017	454	0	0	0	262	205	0	921	7,539	1,077	454	414	467	663
6/10/2017	488	0	0		279	199	0	966			488		478	
6/11/2017	488	0	0		279	199	0	966			488		478	
6/12/2017 6/13/2017	424 428	0	0	0	270 248	186 192	0	880 868			424 428		456 440	
6/13/2017 6/14/2017	428	0	0		248	192	0	868 916			428		440	
6/15/2017	511	0	0	0	276	237	0	1,044			511		533	
6/16/2017	395	0	0		230	237	0	903	6,543	935	395	454	508	
6/17/2017	96	0	0		101	99	279	577			96		481	
6/18/2017	96	0	0		101	99	279	577			96		481	

					Extractio Liqu	on Wells a uid Asses	- Pumping and Conde sment Mo County La	ensate Tra nitoring	aps					
_	Cond	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		СТ	ſs	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily /
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpc
6/19/2017	113	0	0		314	190	500	1,136			113		1,023	
6/20/2017	415	0	0		301	256	0	980			415		565	
6/21/2017	585	0	0		274	234	0	1,093			585		508	
6/22/2017	663	0	0		288	247	0	1,198	6 600	057	663	270	535	
6/23/2017	619	0	0	0	268	250	0	1,137	6,698	957	619	370	518	
6/24/2017	571	0	0		263	244	0	1,078			571		507	
6/25/2017	571	0	0		263	244	0	1,078			571		507	
6/26/2017	518	0	0	0	266 267	241 240	0	1,025			518		507 507	
6/27/2017	495	0	0				0	1,002			495			
6/28/2017	490	0	0		260	242	395	1,387			490		897	
6/29/2017	484	0	0	0	277	243	234	1,238	7 404	1.002	484	474	754	
6/30/2017	190	0	0		241	192	0	623	7,431	1,062	190	474	433	
7/1/2017	113	0	0		235	199	0	547			113		434	
7/2/2017	113	0	0		235	199	0	547			113		434	L
7/3/2017	388	0	0		278	250	0	916			388		528	L
7/4/2017	388	0	0	-	278	250	0	916			388		528	
7/5/2017	411	0	0	0	204	265	337	1,217			411		806	L
7/6/2017	473	0	-	-	339 255	291 295	0 393	1,103	C C72	053	473	338	630	
7/7/2017	483	-	0	-				1,426	6,672	953	483	338	943	
7/8/2017 7/9/2017	492 492	0	0	0	286 286	296 296	0	1,074 1,074			492 492		582 582	
		0	0		286		-							
7/10/2017	451	-	-			295	220	1,266			451		815	
7/11/2017	399	0	0	0	241	296	15	951			399		552	
7/12/2017	342	0	0	0	259 281	304	50 1	955			342		613	
7/13/2017	473 873	0	0	0	281	371 316	0	1,126	7 000	1 1 2 9	473	502	653	
7/14/2017 7/15/2017	475	0	0	0	263	496	1	1,452	7,898	1,128	873 475	503	579 766	
7/16/2017	475	0	0	-	269	496	1	1,241 1,241			475		766	
7/17/2017	529	0	0	0	209	642	0	1,241			529		863	
7/18/2017	389	0	0		221	520	0	1,392			389		746	
7/19/2017	505	0	0	-	331	847	0	1,683			505		1,178	
7/20/2017	435	0	0	-	257	712	0	1,003			435		969	
7/21/2017	464	0	0		273	756	1,814	3,307	11,403	1,629	464	467	2,843	
7/22/2017	470	0	0	-	285	730	608	2,075	11,405	1,025	470	-107	1,605	
7/23/2017	470	0	0	0	285	712	608	2,075			470		1,605	
7/24/2017	523	0	0		304	838	424	2,089			523		1,566	
7/25/2017	513	0		-		843	363	2,020			513		1,507	
7/26/2017	529	0	0		323	919	328	2,099			529		1,570	
7/27/2017	540	0	0		340	873	94	1,847			540		1,307	
7/28/2017	528	0	0		319	771	0	1,618	13,823	1,975	528	510	1,090	
7/29/2017	526	0	0		330	730	0	1,586	-,	,	526		1,060	
7/30/2017	526	0	0		330	730	0	1,586			526		1,060	
7/31/2017	2,884	105	0		398	613	0	5,027			2,989		2,038	
8/1/2017	1,634	0	0	886	406	895	5	3,826			1,634		2,192	
8/2/2017	656	0	0		318	377	1,353	3,439			656		2,783	
8/3/2017	942	0	0	902	348	941	6,393	9,526			942		8,584	
8/4/2017	1,005	0	0	833	324	990	5,261	8,413	33,403	4,772	1,005	1,183	7,408	
8/5/2017	986	0	0	1,267	357	1,331	6,135	10,076			986		9,090	
8/6/2017	986	0	0	1,267	357	1,331	6,135	10,076			986		9,090	
8/7/2017	1,041	0	0	1,579	391	1,574	6,173	10,758			1,041		9,717	
8/8/2017	828	0	0	1,512	363	1,193	5,553	9,449			828		8,621	
8/9/2017	913	0	0	1,518	412	1,364	5,862	10,069			913		9,156	
8/10/2017	898	0	0	1,571	426	1,349	6,181	10,425			898		9,527	
8/11/2017	889	0	0	1,535	451	1,313	5,949	10,137	70,990	10,141	889	934	9,248	
8/12/2017	720	0	0	1,399	455	1,019	5,697	9,290			720		8,570	
8/13/2017	720	0	0	1,399	455	1,019	5,697	9,290			720		8,570	
8/14/2017	748	0	0	,	493	1,049	5,987	9,704			748		8,956	
8/15/2017	696	0	0	1,378	502	1,089	5,921	9,586			696		8,890	
8/16/2017	674	0	0	1,341	510	980	5,974	9,479			674		8,805	
8/17/2017	701	0	0	1,341	540	959	5,976	9,517			701		8,816	

					Extractic Liqu	n Wells a uid Asses	- Pumping and Conde sment Mo County La	ensate Tra nitoring	ips					
	Conc	lensate Tra	ps		LFG Extract	tion Wells			WEEKLY		CT	Гs	EV	Vs
D.4.75	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Av
DATE 8/18/2017	(gal) 630	(gal) 0	(gal) O	(gal) 1,378	(gal) 543	(gal) 1,044	(gal) 6,632	(gpd) 10,227	(gal) 67,093	(gpd)	(gal)	(gpd) 698	(gal) 9,597	(gpd)
8/18/2017 8/19/2017	665	0	0	1,378	543	1,044	6,540	10,227	67,093	9,585	630 665	698	9,597	8,88
8/20/2017	665	0	0	1,314	509	1,041	6,540	10,069			665		9,404	
8/20/2017	662	0	0		453	932	5,934	9,074			662		8,412	
8/22/2017	595	0	0	1,055	437	896	6,642	9,785			595		9,190	
8/23/2017	669	0	0	1,220	610	856	6,367	9,722			669		9,053	
8/24/2017	730	0	0	,	509	845	5,965	9,239			730		8,509	
8/25/2017	866	0	0	1,112	498	702	6,612	9,790	67,748	9,678	866	693	8,924	8,98
8/26/2017	4,390	13	0	1,235	550	719	6,530	13,437			4,403		9,034	
8/27/2017	4,390	13	0	1,235	550	719	6,530	13,437			4,403		9,034	
8/28/2017	6,605	0	0	1,017	465	842	5,286	14,215			6,605		7,610	
8/29/2017	5,418	0	0	1,268	0	1,012	6,422	14,120			5,418		8,702	
8/30/2017	16,198	0	0	1,409	1,290	1,467	6,447	26,811			16,198		10,613	
8/31/2017	12,471	0	0	1,504	518	2,345	5,610	22,448			12,471		9,977	
9/1/2017	5,913	0	0	2,207	607	1,948	4,675	15,350	119,818	19,970	5,913	7,916	9,437	7,85
9/2/2017	8,289	0	0	3,816	915	2,967	9,150	25,137			8,289		16,848	
9/3/2017	4,144	0	0	1,908	458	1,483	4,575	12,568			4,144		8,424	
9/4/2017	4,144	0	0	1,908	458	1,483	4,575	12,568			4,144		8,424	
9/5/2017	6,165	0	0	1,597	425	1,278	3,723	13,188			6,165		7,023	
9/6/2017	12,707	12	0	3,395	732	2,692	5,786	25,324			12,719		12,605	
9/7/2017	0	13	0	0	0	0	0	13			13		0	
9/8/2017	26,709	0	0	5,127	1,493	4,083	11,836	49,248	138,046	23,008	26,709	8,883	22,539	10,83
9/9/2017	0	0	0	0	0	0	0	0			0		0	
9/10/2017	0	0	0	0	0	0	0	0			0		0	
9/11/2017	0	0	0	-	0	0	0	0			0		0	
9/12/2017	0	0	0	0	0	0	0	0			0		0	
9/13/2017	0	0	0	0	0	0	0	0			0		0	
9/14/2017	21,344	0	0	3,502	1,320	2,680	8,439	37,285			21,344		15,941	
9/15/2017	0	0	0	0	0	0	0	0	37,285	6,214	0	3,049	0	2,27
9/16/2017	0	0	0	0	0	0	0	0			0		0	
9/17/2017	0	0	0	0	0	0	1	1			0		1	
9/18/2017	0	0 31	0	0 392	0	0	0	12.207			0		0	
9/19/2017 9/20/2017	7,629 140	0	0	592	0	4,315 521	0	12,367 1,172			7,660 140		4,707	
9/20/2017	0	5,110	0	0	0	 0	0	5,110			5,110		1,052	
9/22/2017	8,150	2	0	6,725	0	5,399	6,674	26,950	45,600	6,514	8,152	3,009	18,798	3,50
9/23/2017	26,000	1	0		0	3,368	· · · · ·	38,314		0,514	26,001	3,005	12,313	
9/24/2017	11,193	1	0		0	2,774	6,248	20,216			11,194		9,022	
9/25/2017	10,065	1	0		0	2,183	5,053	17,303			10,066		7,237	
9/26/2017	9,428	3	0		0	2,637	5,344	17,412			9,431		7,981	
9/27/2017	8,577	726	0		0	1,729	4,877	15,909			9,303		6,606	
9/28/2017	0	1	0		0	2,032	1	2,035			1		2,034	
9/29/2017	9,529	2	0		0	2,217	4,744	16,492	127,681	18,240	9,531	10,790	6,961	7,45
9/30/2017	9,140	329	0		0	2,175	6,076	17,720	,	, -	9,469	, -	8,251	
10/1/2017	9,140	329	0	0	0	2,175	6,076	17,720			9,469		8,251	
10/2/2017	7,072	123	0		0	1,615	5,565	14,375			7,195		7,180	
10/3/2017	8,375	139	0	0	0	1,806	6,147	16,467			8,514		7,953	
10/4/2017	7,611	152	0	0	1,797	1,729	5,180	16,469			7,763		8,706	
10/5/2017	8,547	122	0	0	1,465	1,606	6,413	18,153			8,669		9,484	
10/6/2017	9,391	141	0	0	724	1,769	5,029	17,054	117,958	16,851	9,532	8,659	7,522	8,1
10/7/2017	9,752	138	0	0	875	1,554	4,700	17,019			9,890		7,129	
10/8/2017	9,752	138	0	0	875	1,554	4,700	17,019			9,890		7,129	
10/9/2017	9,719	142	0	0	753	1,322	4,344	16,280			9,861		6,419	
10/10/2017	9,255	152	0		808	1,002	4,416	15,633			9,407		6,226	
10/11/2017	12,813	184	0		1,081	1,642	7,263	22,983			12,997		9,986	
10/12/2017	8,344	116	0		845	809	5,178	15,292]	8,460		6,832	
10/13/2017	10,651	142	0		704	872	6,218	18,587	122,813	17,545	10,793	10,185	7,794	7,3
10/14/2017	12,707	151	0		747	1,233	7,480	22,318]	12,858		9,460	
10/15/2017	12,707	151	0		747	1,233	7,480	22,318			12,858		9,460	
10/16/2017	8,834	100	0	0	516	803	5,286	15,539			8,934		6,605	

						Extractio Liqi	on Wells a uid Asses	- Pumpin and Conde sment Mc County La	ensate Tra nitoring	ips					
		Con	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		C	Гs	EV	Ns
		CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DAT		(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
10/	/17/2017	6,624	134	0	-	617	954	6,393	14,722			6,758		7,964	
	/18/2017	17,264	132	0		646	1,002	6,711	25,755			17,396		8,359	1
	/19/2017	11,304	137	0		646	1,192	6,715	19,994			11,441		8,553	
	/20/2017	8,111	114	0		556	901	6,031	15,713	136,359	19,480	8,225	11,210	7,488	,
	/21/2017	12,024	130	0		600	1,014	255	14,023			12,154		1,869	
	/22/2017 /23/2017	12,024 12,762	130 126	0		600 623	1,014 989	255 34	14,023 14,534			12,154 12,888		1,869 1,646	1
	/23/2017	12,702	120	0		590	844	942	15,176			12,888		2,376	
	/25/2017	4,103	37	0		179	316	1,850	6,485			4,140		2,345	
	/26/2017	8,968	159	0		714	1,229	4,901	15,971			9,127		6,844	
	/27/2017	14,467	147	0		635	931	6,809	22,989	103,201	14,743	14,614	11,125	8,375	
10/	/28/2017	14,467	147	0	0	635	931	6,809	22,989			14,614		8,375	
10/	/29/2017	14,467	147	0	0	635	931	6,809	22,989			14,614		8,375	
10/	/30/2017	9,801	0	0	0	130	577	4,877	15,385			9,801		5,584	
	/31/2017	14,288	117	0	0	756	983	6,217	22,361			14,405		7,956	
	1/1/2017	17,179	165	0		633	1,207	7,588	26,772			17,344		9,428	
	1/2/2017	8,928	80	0		395	802	4,657	14,862			9,008		5,854	
	1/3/2017	13,372	118	0	-	501	983	5,728	20,702	146,060	20,866	13,490	13,325	7,212	
	1/4/2017	14,005	129	0		494	961	6,190	21,779			14,134		7,645	
	1/5/2017	14,005	129	0		494	961	6,190	21,779			14,134		7,645	
	1/6/2017 1/7/2017	14,288	131 132	0		484 522	911 929	6,847 6,299	22,661 22,383			14,419 14,633		8,242 7,750	
	1/8/2017	14,501 6,774	132	0		281	459	3,261	10,909			6,908		4,001	
	1/9/2017	14,000	166	0		575	1,078	3,201	15,819			14,166		1,653	
	/10/2017	12,305	100	0		473	868	11,930	25,752	141,082	20,155	12,481	12,982	13,271	
	/11/2017	12,380	1/0	0		474	867	6,886	20,795	141,002	20,100	12,568	12,502	8,227	,
	/12/2017	12,380	188	0		474	867	6,886	20,795			12,568		8,227	
11/	/13/2017	13,259	165	0	0	461	765	6,631	21,281			13,424		7,857	
11/	/14/2017	14,314	180	0	0	443	807	6,189	21,933			14,494		7,439	
	/15/2017	15,099	193	0		479	825	6,423	23,019			15,292		7,727	
	/16/2017	14,156	182	0		444	735	6,326	21,843			14,338		7,505	
	/17/2017	13,634	125	0		401	607	5,496	20,263	149,929	21,418	13,759	13,778	6,504	
	/18/2017	14,368	183	0		452	756	5,962	21,721			14,551		7,170	
	/19/2017 /20/2017	14,368 13,812	183 174	0		452 420	756 636	5,962 6,450	21,721 21,492			14,551 13,986		7,170 7,506	
	/20/2017	13,691	174	0	0	420	621	5,573	21,492			13,868		6,625	
	/22/2017	13,723	162	0	-	437	695		20,493			13,885		7,297	
	/23/2017	13,723	162	0		437	695	6,165	21,182			13,885		7,297	
	/24/2017	14,257	140	0		360	456	5,504	20,717	148,508	21,215	14,397		6,320	
	/25/2017	14,654	150	0	0	393	575	6,124	21,896			14,804		7,092	
11/	/26/2017	14,654	150	0	0	393	575	6,124	21,896			14,804		7,092	
	/27/2017	13,301	155	0		387	524	5,953	20,320			13,456		6,864	
	/28/2017	14,420	187	0		374	612	5,900	21,493			14,607		6,886	1
	/29/2017	14,844	192	0		409	664	6,286	22,395			15,036		7,359	
-	/30/2017	12,815	167	0		394	553	5,949	19,878	6 40 20-	04 00-	12,982		6,896	
	2/1/2017	14,531	167	0		365	579	,	21,415	149,293	21,328	14,698	· · ·	6,717	· · · · · · · · · · · · · · · · · · ·
	2/2/2017 2/3/2017	14,202 14,202	181 181	0		387 387	599 599	6,185 6,185	21,554 21,554			14,383 14,383		7,171	
	2/3/2017	14,202	233	0		387	693	6,185	21,554			14,383		7,171	+
	2/4/2017 2/5/2017	10,920	137	0		390	565	6,100	19,369			12,318		7,000	
	2/6/2017	14,969	157	0		466	755	7,260	23,602			15,121		8,481	
	2/7/2017	9,028	199	0		279	445	4,518	14,469			9,227		5,242	-
	2/8/2017	13,367	227	0	0	504	676	7,734	22,508	147,875	21,125	13,594		8,914	-
	2/9/2017	13,317	143	0	0	261	264	5,086	19,071			13,460		5,611	
	/10/2017	13,317	143	0		261	264	5,086	19,071			13,460		5,611	+
	/11/2017	13,095	182	0		362	381	5,955	19,975			13,277	1	6,698	
	/12/2017	13,396	172	0		382	457	6,103	20,510			13,568		6,942	
	/13/2017	14,552	153	0		373	417	6,550	22,045			14,705		7,340	-
	/14/2017	12,515	170	0		346	473	5,825	19,329	1 0 4 4 7 7	20.244	12,685		6,644	
12/	/15/2017	14,688	167	0	0	319	434	5,868	21,476	141,477	20,211	14,855	13,716	6,621	6,495

					Extractio Liqu	n Wells a uid Asses	- Pumping and Conde ssment Mo County La	ensate Tra nitoring	ips					
	Conc	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		C	Гs	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Av
DATE 12/16/2017	(gal) 13,500	(gal) 169	(gal) 0	(gal) 0	(gal) 329	(gal) 478	(gal) 6,152	(gpd) 20,628	(gal)	(gpd)	(gal) 13,669	(gpd)	(gal) 6,959	(gpd)
12/10/2017	13,500	169	0	0	329	478	6,152	20,628			13,669		6,959	
12/18/2017	11,973	161	0	0	302	489	5,642	18,567			12,134		6,433	
12/19/2017	14,234	185	0		352	537	6,312	21,620			14,419		7,201	
12/20/2017	24,701	164	0	0	334	531	5,865	31,595			24,865		6,730	
12/21/2017	26,536	176	0	0	329	587	6,102	33,730			26,712		7,018	
12/22/2017	27,409	169	0	-	312	360	6,102	34,352	181,120	25,874	27,578	19,007	6,774	6,8
12/23/2017	26,669	174	0	0	315	446	,	33,784			26,843		6,941	
12/24/2017 12/25/2017	26,669 26,669	174 174	0	0	315 315	446 446	6,180 6,180	33,784 33,784			26,843 26,843		6,941 6,941	
12/25/2017	28,762	174	0	0	315	446	6,618	36,320			26,843		7,378	-
12/20/2017	26,600	155	0		265	384	5,565	32,969			26,755		6,214	
12/28/2017	26,598	173	0		331	398	6,250	33,750			26,771		6,979	
12/29/2017	26,701	166	0	0	315	321	6,109	33,612	238,003	34,000	26,867	27,123	6,745	6,8
12/30/2017	20,093	166	0	0	309	354	6,172	27,094			20,259		6,835	
12/31/2017	20,093	166	0	0	309	354	6,172	27,094			20,259		6,835	
1/1/2018	20,093	166	0		309	354	6,172	27,094]	20,259	ļĪ	6,835	
1/2/2018	109	159	0	0	310	301	6,266	7,145			268		6,877	
1/3/2018	8,675	144	0	0	306	276	6,279	15,680			8,819		6,861	
1/4/2018 1/5/2018	348 90	158 163	0	0	269 262	311 326	5,939 6,164	7,025 7,005	118,137	16,877	506 253	10,089	6,519 6,752	6,7
1/6/2018	5,863	103	0	0	202	356	6,175	12,847	110,137	10,877	6,034	10,085	6,813	0,7
1/7/2018	5,863	171	0	0	282	356	,	12,847			6,034		6,813	
1/8/2018	21,201	166	0	0	300	469	5,978	28,114			21,367		6,747	
1/9/2018	426	2	0	0	8	5		634			428		206	
1/10/2018	0	2	0	0	1	1	0	4			2		2	
1/11/2018	16,841	493	0	0	479	593	5,338	23,744			17,334		6,410	
1/12/2018	21,557	159	0	-	0	385	6,030	28,131	106,321	15,189	21,716	10,416	6,415	4,7
1/13/2018	22,898	155	0		379	232	6,152	29,816			23,053		6,763	
1/14/2018 1/15/2018	22,898 22,898	155 155	0	-	379 379	232 232	6,152 6,152	29,816 29,816			23,053		6,763 6,763	
1/15/2018	13	155	0	0	78	263	6,081	6,599			25,055		6,422	
1/17/2018	15,975	104	0	0	317	265	6,098	22,804			16,124		6,680	
1/18/2018	21,643	6	0	0	271	209	5,784	27,913			21,649		6,264	
1/19/2018	22,155	289	0	0	281	257	5,570	28,552	175,316	25,045	22,444	18,508	6,108	6,5
1/20/2018	23,061	161	0	0	277	303	6,305	30,107			23,222		6,885	
1/21/2018	23,061	161	0			303		30,107			23,222		6,885	
1/22/2018	23,993	78	0		292	374	6,420	31,157			24,071		7,086	
1/23/2018	23,632	10	0		258	292	6,102	30,294			23,642	+ +	6,652	
1/24/2018 1/25/2018	21,700 23,530	0	0		218 242	228 224	5,526 6,295	27,672			21,700	+ +	5,972 6,761	
1/25/2018	23,530	0	0	0	242	224	5,771	30,291 30,470	210,098	30,014	23,530 24,192	23,368	6,761	6,6
1/27/2018	23,276	0	0		270	314	5,947	29,807	210,000	30,014	24,192		6,531	0,0
1/28/2018	23,276	0	0		270	314	5,947	29,807			23,276		6,531	
1/29/2018	25,242	0	0	0	240	243	5,991	31,716			25,242		6,474	
1/30/2018	26,225	0	0		222	210	,	32,526			26,225		6,301	
1/31/2018	25,743	0	0		249	241	6,166	32,399			25,743		6,656	
2/1/2018	11,549	0	0		244	270	5,899	17,962		Ţ	11,549	ļ Ī	6,413	
2/2/2018	12,458	0	0		258	282	6,200	19,198	193,415	27,631	12,458		6,740	6,5
2/3/2018 2/4/2018	11,693	0	0	0	252 252	291 291	6,282	18,518 15,377			11,693		6,825 3,684	
2/4/2018	11,693 14,904	0	0	0	252	344	3,141 2,835	15,377 18,307			11,693 14,904		3,684	
2/6/2018	7,335	0	0		224	187	3,055	10,795			7,335		3,403	
2/7/2018	11,251	0	0	0	210	327	3,281	15,110			11,251		3,859	
2/8/2018	9,472	0	0		216	183	4,643	14,514			9,472		5,042	
2/9/2018	10,111	0	0	0	232	311	3,134	13,788	106,409	15,201	10,111	10,923	3,677	4,2
2/10/2018	10,235	0	0	0	233	349	3,072	13,889			10,235		3,654	
2/11/2018	10,235	0	0		233	349	<i>,</i>	13,889			10,235		3,654	
2/12/2018	10,976	0	0		218	346	,	14,781			10,976		3,805	
2/13/2018	10,557	0	0	0	231	326	3,842	14,956			10,557		4,399	

						Extractio Liqu	on Wells a uid Asses	- Pumpin and Conde sment Mo County La	ensate Tra nitoring	aps					
		Cond	densate Tra	ips		LFG Extrac	tion Wells			WEEKLY		C	Ts	E۷	Ns
		CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
D	DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
	2/14/2018	0	0	0			251	409	845			0		845	
	2/15/2018	2,657	0	0			325	659	3,875			2,657		1,218	
	2/16/2018	0	0	0			297	0	513	62,748	8,964	0	,	513	,
	2/17/2018	0	0	0			314	4	542			0		542	
	2/18/2018	0	0	0	0		314	0	538			0		538	
	2/19/2018 2/20/2018	0 149	0	0			290 330	1,907 2,983	2,391 3,665			0 149		2,391 3,516	
	2/20/2018	78	80	0	0		285	2,985	3,610			149		3,452	
	2/21/2018	78	86	0			283	2,970	3,452			158		3,432	
	2/22/2018	78	82	0			283	2,819	3,569	17,767	2,538	156	90		
	2/23/2018	74	84	0			283	,	3,735	17,707	2,550	150	50	3,575	
	2/25/2018	76	84	0	-		298	,	3,735			160		3,575	1
	2/25/2018	73	152	0			293	3,063	3,780			225		3,575	
	2/27/2018	73	132	0			273	1,039	1,601			91		1,510	1
	2/28/2018	87	87	0			280	3,134	3,801			174		3,627	1
	3/1/2018	76	85	0			133	2,484	2,983			161		2,822	1
	3/2/2018	71	83	0			118	3,143	3,612	23,247	3,321	154	161	3,458	
	3/3/2018	73	81	0			103	2,877	3,332	, ,	_,0_1	154		3,178	
	3/4/2018	73	81	0			103	2,877	3,332			154		3,178	
	3/5/2018	16	0	0	0	44	5	640	705			16		689	
	3/6/2018	54	142	0	0	239	158	1,662	2,255			196		2,059	
	3/7/2018	27	79	0	0	223	127	2,622	3,078			106		2,972	
	3/8/2018	75	63	0	0	153	72	26	389			138		251	
	3/9/2018	69	74	0	0	181	92	99	515	13,606	1,944	143	130	372	1,814
	3/10/2018	79	90	0	0	211	133	2,017	2,530			169		2,361	
	3/11/2018	79	90	0	0	211	133	2,017	2,530			169		2,361	
	3/12/2018	57	66	0	0	139	68	2,654	2,984			123		2,861	
	3/13/2018	74	79	0	0	167	80	,	3,891			153		3,738	
	3/14/2018	80	33	0	0		87	3,738	4,114			113		4,001	
	3/15/2018	79	0	0		-	67	2,978	3,285			79		3,206	
	3/16/2018	78	0	0			91	3,567	3,904	23,238	3,320	78	126		,
	3/17/2018	71	0	0			117	3,053	3,447			71		3,376	1
	3/18/2018	71	0	0			117	3,053	3,447			71		3,376	
	3/19/2018	78	0	0	_	-	103	1,920	2,255			78		2,177	
	3/20/2018	96	0	0	0		104	31	419			96		323	
	3/21/2018	81	0	0			77	2,878	3,173			81		3,092	
	3/22/2018	85	24				64	,	1,921	10 752	2 202	109		1,812	-
	3/23/2018	60	0	0			75 92	,	2,090 297	16,752	2,393	60 40		2,030 257	
	3/24/2018 3/25/2018	40 40	0	0	-		92		297			40		257	
	3/25/2018	40 96	358	0			92 89		1,051			40		597	
	3/27/2018	76	258	0			74		568			334		234	
	3/28/2018	104	0	0	-		99	-	1,199			104		1,095	
	3/29/2018	104	0	0			13		48			104		31	
	3/30/2018	48	0	0			59		536	3,996	571	48			
	3/31/2018	38	0	-	-	-	44		983	2,230		38		945	-
	4/1/2018	38	0	-			44		983			38		945	
	4/2/2018	0	0	0			0		0			0		0	
	4/3/2018	0	0	0			16	-	16			0		16	
	4/4/2018	39	0	0			93		420			39		381	
	4/5/2018	29	0	0			30		501			29		472	
	4/6/2018	36	0	0			82		586	3,489	498	36	-		
	4/7/2018	15	0	0	0	85	31	302	433			15		418	
	4/8/2018	15	0	0	0	85	31	302	433			15		418	1
	4/9/2018	52	0	0	0	164	57	0	273			52		221	
	4/10/2018	52	0	0	0	144	47	0	243			52		191	
	4/11/2018	66	0	0	0	114	44	3,465	3,689			66		3,623	
	4/12/2018	36	0	0	0	119	25	0	180			36		144	
	4/13/2018	52	0	0	0		63	265	576	5,827	832	52		524	791
	4/14/2018	32	0	0	0	55	29	1,082	1,198			32		1,166	


					Extractic Liqu S	on Wells a uid Asses outheast	- Pumping and Conde sment Mo County La	ensate Tra nitoring	ips					
		densate Tra	•		LFG Extract				WEEKLY		СТ		EV	-
DATE	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE 4/15/2018	(gal) 32	(gal) O	(gal) 0	(gal) O	(gal) 55	(gal) 29	(gal) 1,082	(gpd) 1,198	(gal)	(gpd)	(gal) 32	(gpd)	(gal) 1,166	(gpd)
4/16/2018	92	0	0	0	309	59	1,082	460			92		368	
4/17/2018	0	0	0	0	0	0	631	631			0		631	
4/18/2018	127	0	0	0	282	108	664	1,181			127		1,054	
4/19/2018	21	0	0	0	0	10	0	31			21		10	
4/20/2018	28	0	0	0	0	31	0	59	4,758	680	28	47	31	632
4/21/2018	30	0	0	0	0	45	1,887	1,962			30		1,932	
4/22/2018 4/23/2018	30 23	0	0	0	0	45 30	1,887 613	1,962 666			30 23		1,932 643	
4/23/2018	23 75	0	0	0	0	30 83	647	805			75		730	
4/25/2018	45	0	0	0	0	47	2,000	2,092			45		2,047	
4/26/2018	7	820	0		0	11	233	1,071			827		244	
4/27/2018	19	162	0	0	0	26	622	829	9,387	1,341	181	173	648	1,168
4/28/2018	26	302	0	0	0	30	1,189	1,547			328		1,219	
4/29/2018	26	302	0	0	0	30	1,189	1,547			328		1,219	
4/30/2018	22	58	0	0	0	58	637	775			80		695	
5/1/2018	18	48	0		0	44	386	496			66		430	
5/2/2018 5/3/2018	40 12	72 33	0	0	0	51 39	662 273	825 357			112 45		713 312	
5/4/2018	24	48	0	0	0	22	350	444	5,991	856	43	147	372	709
5/5/2018	0		0	0	0	0	0	0	3,331	050	0	147	0	703
5/6/2018	0	0	0	0	0	0	0	0			0		0	
5/7/2018	0	0	0	0	0	0	0	0			0		0	
5/8/2018	57	77	0	0	0	114	203	451			134		317	
5/9/2018	20	70	0	-	0	50	323	463			90		373	
5/10/2018	34	96	0	0	0	59	0	189			130		59	
5/11/2018	86	163	0	0	0	62	0	311	1,414	202	249	86	62	116
5/12/2018 5/13/2018	90 90	171 171	0	0	0	59 59	356 356	676 676			261 261		415 415	
5/13/2018	85	3,405	0	0	0	59	550	3,553			3,490		63	
5/15/2018	47	4,911	0	0	0	53	243	5,254			4,958		296	
5/16/2018	97	3,054	0	0	0	62	384	3,597			3,151		446	
5/17/2018	92	170	0	0	0	54	0	316			262		54	
5/18/2018	100	123	0	0	0	58	0	281	14,353	2,050	223	1,801	58	250
5/19/2018	874	2	0	0	0	43	391	1,310			876		434	ļ
5/20/2018	874	2	0	0	0	43	391	1,310			876		434	
5/21/2018 5/22/2018	86 107	1	0		0	56 79	1,051 2,144	1,194			87 107		1,107	
5/22/2018	93	1,766	0	-	0	49	2,144	2,330 3,353			1,859		2,223 1,494	
5/24/2018	68	31	0		0	45	1,445	100			99		1,494	
5/25/2018	94	341	0		0	0		435	10,032	1,433	435	620	0	813
5/26/2018	176	323	0		0	0		499			499		0	
5/27/2018	176	323	0		0	0	-	499			499		0	
5/28/2018	97	334	0		0	0	-	431			431		0	
5/29/2018	214	885	0		0	0	- / -	5,073			1,099		3,974	1
5/30/2018 5/31/2018	4,161 930	1,176 230	0		0	0	-	5,337 5,072			5,337 1,160		0 3,912	
6/1/2018	126	178	0		0	0	,	2,304	19,215	2,745	304	1,333	2,000	
6/2/2018	95	200	0		0	0	1	2,304	19,213	2,743	295	1,333	1,662	1,412
6/3/2018	95	200	0		0	0	,	1,957			295		1,662	
6/4/2018	108	179	0		0	0	0	287			287		0	1
6/5/2018	95	186	0		0	0	453	734			281		453	
6/6/2018	103	210	0		0	0		314			313		1	<u> </u>
6/7/2018	80	158	0		0	0	· ·	1,491			238		1,253	1
6/8/2018	89	180	0		0	0	,	3,504	10,244	1,463	269	283	3,235	
6/9/2018 6/10/2018	17 17	193 193	0		0	0	- / -	3,688 3,688			210 210		3,478 3,478	
6/10/2018	17	237	0		0	0	,	3,688 5,093			397		3,478	
6/12/2018	100	143	0		0	0	,	315			315		4,050	1
6/13/2018	95	65	0		0	0		3,682			160	<u> </u>	3,522	

					Extractio Liqu	on Wells a uid Asses	- Pumpin and Conde ssment Mo County La	ensate Tra nitoring	ips					
	Conc	densate Tra			LFG Extrac				WEEKLY		СТ	-	EW	-
DATE	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All (gpd)	TOTAL	Daily Avg	Total	Daily Avg (gpd)	Total (gal)	Daily Avg
6/14/2018	(gal) 86	(gal) O	(gal) 0	(gal) O	(gal) O	(gal) 0	(gal) 1	(gpu) 87	(gal)	(gpd)	(gal) 86	(ghn)	(gai) 1	(gpd)
6/15/2018	83	0	0	0	0	0		83	16,636	2,377	83	209	- 0	2,16
6/16/2018	90	0	0	0	0	0	-	91		_/=	90		1	
6/17/2018	90	0	0	0	0	0	1	91			90		1	
6/18/2018	85	0	0	0	0	0	1,117	1,202			85		1,117	
6/19/2018	85	0	0	0	0	0	1	86			85		1	
6/20/2018	0	0	0	0	0	0	0	0			0		0	
6/21/2018	192	0	0	0	0	0	, -	2,299			192		2,107	
6/22/2018	75	0	0	0	0	0	- / -	3,532	7,301	1,043	75	88	3,457	95
6/23/2018	55	0	0	0	0	0		554			55		499	
6/24/2018	55	0	0	0	0	0		554			55		499	
6/25/2018	118	0	0	0	0	0	,	2,259			118		2,141	
6/26/2018	347	0	0	0	0	0	- /	4,143			347		3,796	
6/27/2018 6/28/2018	456 65	0	0	0	0	0	,	4,635			456 65		4,179 2,657	
6/28/2018	65 117	0	0	0	0	0	,	2,722 3,273	18,140	2,591	65 117	173	2,657	2,41
6/30/2018	464	0	0	0	0	0	- /	3,273	10,140	2,391	464	1/3	3,156	2,41
7/1/2018	464	0	0	0	0	0	- 7 -	4,110			464		3,646	
7/2/2018	931	0	0	0	0	0	- ,	3,490			931		2,559	
7/3/2018	402	0	0	0	0	0	,	402			402		2,555	
7/4/2018	402	0	0	0	0	0	-	402			402		0	
7/5/2018	85	0	0	0	0	0		85			85		0	
7/6/2018	119	4,863	0	0	0	0	0	4,982	17,582	2,512	4,982	1,104	0	1,40
7/7/2018	75	150	0	0	500	0	0	725			225		500	,
7/8/2018	75	150	0	0	500	0	0	725			225		500	
7/9/2018	125	225	0	0	750	0	0	1,100			350		750	
7/10/2018	150	250	0	0	412	0	0	812			400		412	
7/11/2018	134	130	0	0	250	0	0	514			264		250	
7/12/2018	66	131	0	0	0	0		197			197		0	
7/13/2018	73	158	0	0	589	0	-	820	4,893	699	231	270	589	42
7/14/2018	85	201	0	0	397	0	-	683			286		397	
7/15/2018	85	201	0	0	397	0		683			286		397	
7/16/2018	43	112	0	0	227	0	, -	1,495			155		1,340	
7/17/2018 7/18/2018	63 76	163 0	0	0	341 455	0	,	2,401 532			226 76		2,175 456	
7/18/2018	27	0	0	0	235	0		1,147			27		1,120	
7/20/2018	52	734	0	-		0		2,583	9,524	1,361	786	263	1,120	1,09
7/21/2018	599	660	0	0	424	0		2,383	5,524	1,501	1,259		1,568	1,00
7/22/2018	599	660	0	0	424	0		2,827			1,259		1,568	
7/23/2018	764	279	0		215	0	,	3,791			1,043		2,748	
7/24/2018	300	285	0		315	0	,	2,137			585		1,552	
7/25/2018	244	393	0	0	352	0	1,000	1,989			637		1,352	
7/26/2018	1,103	409	0		340	0		1,853			1,512		341	
7/27/2018	457	195	0	0	343	0		995	16,419	2,346	652	992	343	1,35
7/28/2018	0	334	0	0	359	0	-	693			334		359	
7/29/2018	10	334	0	0	359	0		703			344		359	
7/30/2018	1,755	224	0	0	361	0		2,340			1,979		361	
7/31/2018	319	0	0	0	432	0	,	2,091			319		1,772	
8/1/2018	721	668	0			0	,	3,256			1,389		1,867	
8/2/2018	872	0	0	0	331	0		2,188	10.041	1.000	872	004	1,316	4.00
8/3/2018	370	0 334	0	0	391 537	0		1,370	12,641	1,806	370	801	1,000	1,00
8/4/2018 8/5/2018	221 221	334	0		537	0	,	2,429 2,429			555 555		1,874 1,874	
8/5/2018	142	334	0	0	422	0	,	2,429 898			476		422	
8/7/2018	142	554 0	0	0	422	0	-	2,206			125		2,081	
8/8/2018	125	0	0	0	692	0	,	2,200			123		2,081	
8/9/2018	104	391	0	0	374	0	,	865			491		374	
8/10/2018	100	13	0	0	564	0	-	717	11,940	1,706	153	364	564	1,34
8/11/2018	665	1	0	0	670	529	-	1,865	,	,	666		1,199	_,5
8/12/2018	665	1	0	0	670	529		1,865			666		1,199	

					Extractio Liqi	on Wells a uid Asses	- Pumping and Conde sment Mo County La	ensate Tra nitoring	ips					
	Cond	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		СТ	-s	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Av
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
8/13/2018	141	2	0		444	488	1,021	2,096			143		1,953	
8/14/2018	128	0	0	0	554	432	0	1,114			128		986	
8/15/2018	129 127	3	0	0	610 627	485 480	0	1,225			130		1,095	<u> </u>
8/16/2018 8/17/2018	127	4	0	0	1,876	480	0	1,237 2,480	11,882	1,697	130 128	284	1,107 2,352	1,41
8/18/2018	124	2	0	0	1,870	545	0	2,480	11,002	1,097	128	204	662	
8/19/2018	145	2	0	0	117	545	0	809			147		662	
8/20/2018	140	1	0	0	529	488	985	2,143			141		2,002	
8/21/2018	266	2	0	0	693	347	1,302	2,610			268		2,342	
8/22/2018	402	0	0	0	843	577	0	1,822			402		1,420	
8/23/2018	111	2	0	0	485	327	1,172	2,097			113		1,984	
8/24/2018	204	0	0	0	704	457	1,165	2,530	12,820	1,831	204	203	2,326	
8/25/2018	372	1	0	0	601	427	641	2,042			373		1,669	
8/26/2018	372	0	0	0	601	427	641	2,041			372		1,669	
8/27/2018	1,040	0	0	0	0	434	0	1,474			1,040		434	
8/28/2018	393	0	0	0	0	371	682	1,446			393		1,053	
8/29/2018	1,529	0	0	0	0	422	1	1,952			1,529		423	
8/30/2018	1,448	0	0	0	0	379	541	2,368			1,448		920	
8/31/2018	365	0	0	0	0	417	383	1,165	12,488	1,784	365	789	800	9
9/1/2018	426	0	0		855	494	562	2,337			426		1,911	
9/2/2018	426	0	0	0	855	494	562	2,337			426		1,911	
9/3/2018	426	0	0	0	855	494	562	2,337			426		1,911	
9/4/2018	416	0	0	0	1,282	438	562	2,698			416		2,282	
9/5/2018	801	0	0	0	2,157	786	562	4,306			801		3,505	
9/6/2018	0	0	0	0	0	0	562	562			0		562	
9/7/2018	513	0	0	0	1,125	459	562	2,659	17,236	2,462	513	430	2,146	2,0
9/8/2018	385	0	0	0	1,014	456	562	2,417			385		2,032	
9/9/2018	385	0	0	0	1,014	456	562	2,417			385		2,032	
9/10/2018 9/11/2018	297 119	1	0	0	972 1,317	425 572	562 562	2,257 2,570			298 119		1,959 2,451	
9/12/2018	398	0	0	0	782	315	562	2,057			398		1,659	
9/13/2018	1,737	0	0	0	738	315	562	3,392			1,737		1,655	
9/14/2018	463	0	0	0	852	460	562	2,337	17,447	2,492	463	541	1,874	1
9/15/2018	555	0	0	0	955	517	562	2,589	1,,,,,,	2,432	555	541	2,034	
9/16/2018	555	0	0	0	955	517	562	2,589			555		2,034	
9/17/2018	345	0	0	0	576	321	562	1,804			345		1,459	
9/18/2018	569	2,069	0	-		517	562	4,646			2,638		2,008	
9/19/2018	277	0	0	0	492	268	562	1,599			277		1,322	<u> </u>
9/20/2018	523	0	0	0	708	395	562	2,188			523		1,665	
9/21/2018	475	0	0	0	745	410	562	2,192	17,607	2,515	475	767	1,717	1,7
9/22/2018	610	0	0	0	872	485	562	2,529			610		1,919	
9/23/2018	610	0	0	0	872	485	562	2,529			610		1,919	
9/24/2018	305	0	0		468	251	562	1,586			305		1,281	1
9/25/2018	307	1	0		814	315	562	1,999			308		1,691	
9/26/2018	771	0	0	0	830	520	562	2,683			771		1,912	
9/27/2018	347	0	0		525	255	562	1,689			347		1,342	
9/28/2018	477	0	0		674	349	562	2,062	15,077	2,154	477	490	1,585	
9/29/2018	848	0	0	0	1,110	551	562	3,071			848		2,223	
9/30/2018	848	0	0		1,110	551	562	3,071			848		2,223	
10/1/2018	425	0	0			281	1	1,057			425		632	
10/2/2018	375	0	0		450	225	0	1,050			375		675	
10/3/2018	349	0	0		551	127	200	1,227			349		878	
10/4/2018 10/5/2018	448 609	1	0	0	520 680	231 310	191 356	1,391 1,955	12,822	1,832	449 609	558	942 1,346	
10/5/2018	609 693	0	0			310	206	1,955	12,822	1,832	609	558	1,346	
10/0/2018	693	0	0		727	358	206	1,984			693		1,291	
10/7/2018	3	0	0	0	727	273	200	1,984			3		1,291	
10/9/2018	406	0	0		788	334	166	1,635			406		1,001	
10/10/2018	388	0	0		571	307	336	1,602			388		1,214	
10/11/2018	79	0	0		412	176	0	667			79		588	

					Extractio Liqi	on Wells a uid Asses	- Pumping and Conde ssment Mo County La	ensate Tra nitoring	ips					
	Conc	densate Tra	ips		LFG Extrac	tion Wells			WEEKLY		СТ	Гs	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Av
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
10/12/2018	400	0	0			250		1,284	10,220	1,460	400	380	884	1,08
10/13/2018	228	0	0	0	516	320	0	1,064			228		836	
10/14/2018	228	0	0		516	320	0	1,064			228		836	
10/15/2018	200	0	0	0	773	239	0	1,212			200		1,012	
10/16/2018	300	0	0	0	605	164	0	1,069			300		769	
10/17/2018 10/18/2018	935 416	0	0	0	736 367	327 141	525 0	2,523 924			935 416		1,588 508	
10/18/2018	410	0	0	0	585	240	0	1,229	9,085	1,298	410	387	825	91
10/20/2018	603	0	0	0	491	240	0	1,225	5,005	1,238	603	507	691	51
10/21/2018	603	0	0	0	491	200	0	1,294			603		691	
10/22/2018	524	0	0	0	771	270	0	1,565			524		1,041	
10/23/2018	760	0	0	0	654	229	415	2,058			760		1,298	
10/24/2018	775	0	0	0	638	225	288	1,926			775		1,151	
10/25/2018	0	2	0	0	578	205	0	785			2		783	
10/26/2018	161	0	0	0	593	201	0	955	9,877	1,411	161	490	794	92
10/27/2018	740	0	0	0	522	158	0	1,420			740		680	
10/28/2018	740	0	0	0	522	158	0	1,420			740		680	
10/29/2018	979	2	0	0	601	269	460	2,311			981		1,330	
10/30/2018	939	0	0	0	468	135	0	1,542			939		603	
10/31/2018	617	0	0	0	797	186	0	1,600			617		983	
11/1/2018	807	0	0			169	0	1,748			807		941	
11/2/2018	906	0	0	0	707	163	0	1,776	11,817	1,688	906	819	870	87
11/3/2018	910	0	0	0	546	209	0	1,665			910		755	
11/4/2018	910	1	0	0	546	209	0	1,666			911		755	
11/5/2018	1,146	0	0	0	606	326	511	2,589			1,146		1,443	
11/6/2018	629	0	0	0	458	163	0	1,250			629		621	
11/7/2018	941	0	0	0	149	230	4	1,324			941		383	
11/8/2018	855	0	0	0	628	235	0	1,718			855		863	
11/9/2018	932	0	0	0	465 442	161 200	0	1,558	11,770	1,681	932	903	626	77
11/10/2018 11/11/2018	890 890	0	0	0	442	200	0	1,532 1,532			890		642	
11/11/2018	1,204	0	0	0	552	200	-	2,012			890 1,204		642 808	
11/12/2018	835	0	0	0	443	176	0	1,454			835		619	
11/13/2018	860	0	0	0	443	170	551	2,008			855		1,148	
11/14/2018	758	0	0	0	362	178	0	1,246			758		488	
11/16/2018	841	2	0	0	423	152	0	1,240	11,202	1,600	843	897	575	70
11/17/2018	861	0		-		166	-	1,433	11)202	2,000	861	007	572	
11/18/2018	861	0	0			166		1,433			861		572	
11/19/2018	177	0			86	36		932			177		755	
11/20/2018	1	0	0			0		4			1		3	
11/21/2018	1,052	0	0			221	560	2,377			1,052		1,325	
11/22/2018	1,052	0	0		544	221	560	2,377			1,052		1,325	
11/23/2018	972	0	0	0	395	164	331	1,862	10,418	1,488	972	711	890	77
11/24/2018	1,250	2	0	0	480	197	507	2,436			1,252		1,184	
11/25/2018	1,250	2	0	0	480	197	507	2,436			1,252		1,184	
11/26/2018	248	0				7	0	348			248		100	
11/27/2018	789	0			490	149		1,428			789		639	
11/28/2018	1	0	0		411	175	182	769			1		768	
11/29/2018	0	1	0			102	0	376			1		375	1
11/30/2018	1	910	0			152		1,436	9,229	1,318	911	636	525	6
12/1/2018	0	17	0			192	0	636			17		619	
12/2/2018	0	17	0			192	0	636			17		619	
12/3/2018	0	3,867	0			0		4,033			3,867		166	
12/4/2018	0	98	0		427	77	0	603			98		505	
12/5/2018	0	115	0			160		636			115		521	
12/6/2018	1,238	143	0			101	0	1,820	0.000	4 0 - 5	1,381		439	-
12/7/2018	793	113	0		304	76		1,286	9,650	1,379	906	914	380	4
12/8/2018 12/9/2018	1,190	232	0			102		1,986			1,422		564	
	1,190	232	0	0	462	102	0	1,986			1,422		564	

					Extractio Liqi	on Wells a uid Asses	- Pumpin and Conde sment Mo County La	ensate Tra nitoring	ips					
	Cond	densate Tra	ps		LFG Extrac	tion Wells			WEEKLY		C	Гs	EV	Vs
	CT-1	CT-2	CT-3	EW-38	EW-44	EW-48	EW-66	All	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
12/11/2018	920	117	0	0	363	121	1	1,522			1,037		485	
12/12/2018	823	127	0	0	304	100	1	1,355			950		405	
12/13/2018	1,026	200	0	0	400	125	1	1,752			1,226		526	
12/14/2018	912	938	0	0	373	89	3	2,315	12,583	1,798	1,850	1,284	465	513
12/15/2018	856	193	0	0	325	94	1	1,469			1,049		420	
12/16/2018	856	193	0	0	325	94	1	1,469			1,049		420	
12/17/2018	821	133	0	0	339	104	1	1,398			954		444	
12/18/2018	749	143	0	0	308	80	1	1,281			892		389	
12/19/2018	826	3,296	0	0	331	100	2	4,555			4,122		433	
12/20/2018	2,196	204	0	0	336	66	1	2,803			2,400		403	
12/21/2018	905	181	0	0	332	83	0	1,501	14,476	2,068	1,086	1,650	415	418
12/22/2018	746	175	0	0	317	83	0	1,321			921		400	
12/23/2018	746	175	0	0	317	83	0	1,321			921		400	
12/24/2018	746	175	0	0	317	83	0	1,321			921		400	
12/25/2018	746	175	0	0	317	83	2	1,323			921		402	
12/26/2018	792	171	0	0	381	86		1,431			963		468	
12/27/2018	785	162	0	0	307	78	1	1,333			947		386	
12/28/2018	806	155	0	0	338	72	0	1,371	9,421	1,346	961	936	410	409
12/29/2018	814	163	0	0	339	77	2	1,395			977		418	
12/30/2018	814	163	0	0	339	152	2	1,470			977		493	
12/31/2018	814	157	0	0	350	154	0	1,475			971		504	



						C	Dewatering Liquid /	g Wells ar Assessme	umping Da nd Pump S ent Monito unty Landf	Stations ring							
		Dewater	ing Wells				Pump S	Stations				WEEKLY		D١	Ws	P	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)			Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
2/17/2017	-	-	-	-	2,000	-	-	-	-	-	2,000	2,000	2,000	0		2,000	
2/18/2017	-	-	-	-	2,000	-	-	-	-	-	2,000			0		2,000	
2/19/2017	-	-	-	-	2,000	-	-	-	-	-	2,000			0		2,000	
2/20/2017 2/21/2017	-	-	-	-	2,000 2,000	-	-	-	-	-	2,000			0		2,000	
2/22/2017	-	-	-	-	2,000	-	-	-	-	-	2,000			0		2,000	
2/23/2017	-	-	-	-	2,000	-	-	-	-	-	2,000			0		2,000	
2/24/2017	-	-	-	-	1,600	-	-	-	-	-	1,600	13,600	1,943	0		1,600	
2/25/2017	-	-	-	-	1,600	-	-	-	-	-	1,600			0		1,600	
2/26/2017	-	-	-	-	1,600	-	-	-	-	-	1,600			0		1,600	
2/27/2017	-	-	-	-	1,600	-	-	-	-	-	1,600			0		1,600	
2/28/2017	-	-	-	-	1,600	-	-	-	-	-	1,600			0		1,600	
3/1/2017 3/2/2017	-	-			1,600 1,600	-	-	-	-	-	1,600 1,600			0		1,600 1,600	
3/3/2017	-	_			5,000	-	-	-	-	-	5,000	14,600	2,086	0		5,000	
3/4/2017	-	-		-	5,000	-	-	-	-	-	5,000	,	,	0		5,000	
3/5/2017	-	-			5,000	-	-	-	-	-	5,000			0		5,000	
3/6/2017	-	-		-	5,000	-	-	-	-	-	5,000			0		5,000	
3/7/2017	-	-		-	5,000	-	-	-	-	-	5,000			0		5,000	
3/8/2017 3/9/2017	-	-		-	5,000 5,000	-	-	-	-	-	5,000 5,000			0		5,000 5,000	
3/10/2017	-	-		-	12,000	-	-	-	-	-	12,000	42,000	6,000	0		12,000	
3/11/2017	-	-		-	12,000	-	-	-	-	-	12,000	,		0		12,000	
3/12/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/13/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/14/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/15/2017 3/16/2017	-	-		-	12,000 12,000	-	-	-	-	-	12,000 12,000			0		12,000 12,000	
3/17/2017	-	-		-	12,000	-	-	-	-	-	12,000	84,000	12,000	0		12,000	
3/18/2017	-	-		-	12,000	-	-	-	-	-	12,000	,		0		12,000	
3/19/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/20/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/21/2017	-	-		-	12,000	-	-	-	-	-	12,000			0		12,000	
3/22/2017 3/23/2017	-	-		-	12,000 12,000	-	-	-	-	-	12,000 12,000			0		12,000 12,000	
3/24/2017	-	-		-	9,000	-	-	-	-	-	9,000	81,000	11,571	0		9,000	
3/25/2017	-	-		-	9,000	-	-	-	-	-	9,000	· ·	, i	0		9,000	
3/26/2017	-	-		-	9,000	-	-	-	-	-	9,000			0		9,000	
3/27/2017	-	-		-	9,000	-	-	-	-	-	9,000			0		9,000	
3/28/2017 3/29/2017	-	-		-	9,000 9,000	-	-	-	-	-	9,000 9,000			0		9,000 9,000	
3/30/2017	-	-		-	9,000	-	-	-	-	-	9,000			0		9,000	
3/31/2017	-	-		-	9,000	-	-	-	-	-	9,000	63,000	9,000	0		9,000	
4/1/2017	-	-			7,000		-		-		7,000			0		7,000	
4/2/2017	-	-		-	7,000	-	-	-	-	-	7,000			0		7,000	
4/3/2017	-	-		-	7,000	-	-	-	-	-	7,000			0		7,000	
4/4/2017 4/5/2017	-	-			7,000 7,000	-	-	-	-	-	7,000 7,000			0		7,000 7,000	
4/6/2017	-	-		-	7,000	-	-	-	-	-	7,000			0		7,000	
4/7/2017	-	-		-	7,000	-	-	-	-	-	7,000	49,000	7,000	0		7,000	
4/8/2017	-	-		-	6,000	-	-	-	-	-	6,000			0		6,000	
4/9/2017	-	-		-	6,000	-	-	-	-	-	6,000			0		6,000	
4/10/2017 4/11/2017	-	-		-	6,000 6,000	-	-	-	-	-	6,000 6,000			0		6,000 6,000	
4/11/2017 4/12/2017	-	-	1		6,000		-	-	-	-	6,000			0		6,000	
4/13/2017	-	-		-	6,000	-	-	-	-	-	6,000			0		6,000	
4/14/2017	-	-			6,000		-		-		6,000	42,000	6,000	0		6,000	
4/15/2017	-	-		-	6,000		-				6,000			0		6,000	
4/16/2017	-	-		-	6,000	-	-	-	-	-	6,000			0		6,000	
4/17/2017 4/18/2017	-	-		-	6,000 6,000	-	-	-	-	-	6,000 6,000			0		6,000 6,000	
4/18/2017 4/19/2017	-				6,000	-	-	-		-	6,000			0		6,000	
4/20/2017	-	-		-	6,000	-	-	-	-	-	6,000			0		6,000	
4/21/2017	-	-		-	5,000	-	-	-	-	-	5,000	41,000	5,857	0		5,000	
4/22/2017	-	-		-	5,000		-	-	-	-	5,000			0		5,000	
4/23/2017	-	-		-	5,000	-	-	-	-	-	5,000			0		5,000	

						Γ	Dewatering Liquid /	g Wells ar Assessme	umping Da nd Pump S ent Monito unty Landf	Stations ring							
		Dewater	ing Wells				Pump S	Stations				WEEKLY		D۱	Ns	P:	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)		Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
4/24/2017	-	-		-	5,000	-	-	-	-	-	5,000			0		5,000	
4/25/2017	-	-		-	5,000	-	-	-	-	-	5,000			0		5,000	
4/26/2017 4/27/2017	-	-		-	5,000 5,000	-	-	-	-	-	5,000 5,000			0		5,000 5,000	
4/27/2017	-	-		-	4,600	-	-	-	-	-	4,600	34,600	4,943	0		4,600	
4/29/2017	-	-		-	4,600	-	-	-	-	-	4,600	0 1,000	1,5 1.5	0		4,600	
4/30/2017	-	-		-	4,600	-	-	-	-	-	4,600			0		4,600	
5/1/2017	-	-		-	4,600	-	-	-	-	-	4,600			0		4,600	
5/2/2017	-	-		-	4,600	-	-	-	-	-	4,600			0		4,600	
5/3/2017	-	-		-	4,600 4,600	-	-	-	-	-	4,600			0		4,600 4,600	
5/4/2017 5/5/2017	-	-		-	4,600		-	-	-	-	4,600 4,000	31,600	4,514	0		4,000	
5/6/2017	-	-		-	4,000	-	-	-	-	-	4,000	,000	.,514	0		4,000	
5/7/2017	-	-		-	4,000	-	-	-	-	-	4,000			0		4,000	
5/8/2017	-			-	4,000		-	-	-		4,000			0		4,000	
5/9/2017	-	-		-	4,000	-			-	-	4,000			0		4,000	
5/10/2017 5/11/2017	-	-		-	4,000 4,000	-	-	-	-	-	4,000 4,000			0		4,000	
5/12/2017	-	-		-	3,000	-	-	-	-	-	3,000	27,000	3,857	0		3,000	
5/13/2017	-	-		-	3,000	-	-	-	-	-	3,000	,	- /	0		3,000	
5/14/2017	-	-		-	3,000	-	-	-	-	-	3,000			0		3,000	
5/15/2017	-	-		-	3,000	-	-	-	-	-	3,000			0		3,000	
5/16/2017	-	-		-	3,000	-	-	-	-	-	3,000			0		3,000	
5/17/2017 5/18/2017	-	-		-	3,000 3,000	-	-	-	-	-	3,000 3,000			0		3,000 3,000	
5/19/2017	578	252	317	22	6,100	-	-	-	-	-	7,269	25,269	12,635	1,169		6,100	
5/20/2017	578	252	317	22	6,045	-	-	-	-	-	7,214	20,200	12,000	1,169		6,045	
5/21/2017	579	252	317	22	4,835	-	-	-	-	-	6,005			1,170		4,835	
5/22/2017	443	15	278	0	,	-	-	-	-	-	6,005			736		5,269	
5/23/2017	431	6		0	,	-	-	-	-	-	5,751			714		5,037	
5/24/2017 5/25/2017	520 575	421 418	292 252	0	,	-	-	-	-	-	5,799 5,649			1,233 1,245		4,566 4,404	
5/26/2017	429	448	232	2	,	-	-	-	-	-	5,091	41,514	5,931	1,243		3,984	
5/27/2017	436	464	239	2		-	-	-	-	-	4,609	,		1,141	1,049	3,468	4,509
5/28/2017	436	464	239	0	,	-	-	-	-	-	4,598			1,139		3,459	
5/29/2017	436	464	239	0	,	-	-	-	-	-	3,065			1,139		1,926	
5/30/2017	399	677	225	0	,	-	-	-	-	-	6,132			1,301 818		4,831	
5/31/2017 6/1/2017	415 406	167 422	236 239	0		-	-	-	-	-	4,370 4,362			1,067		3,552 3,295	
6/2/2017	354	422		-		-	-	-	-	-	4,302	31,534	4,505		1,085	-	3,420
6/3/2017	393	442	242			-	-	-	-	-	4,402	. ,	,	1,077		3,325	.,
6/4/2017	393	442	242	0	3,320	-	-	-	-	-	4,397			1,077		3,320	
6/5/2017	425	414	240			-	-	-	-	-	4,396			1,079		3,317	
6/6/2017 6/7/2017	387 435	443 442	268 264			-	-	-	-	-	4,553 4,695			1,098 1,141		3,455 3,554	└───┨
6/7/2017 6/8/2017	435 450	442 374	264 241		,	-	-	-	-	-	4,695			1,141		3,554	<u> </u>
6/9/2017	417	383	214			-	-	-	-	-	4,290	31,584	4,489	1,003	1,079	3,276	
6/10/2017	447	387	210	0	3,005		-	-	-		4,049			1,044		3,005	
6/11/2017	447	387	210		,	-	-	-	-	-	3,794			1,044		2,750	
6/12/2017	386	356				-	-		-	-	3,795	L		945		2,850	
6/13/2017 6/14/2017	595 653	581 730	0			-	-	-	-	-	4,060 3,905			1,381 1,622		2,679 2,283	
6/14/2017	527	853	0				-	-	-	-	3,905			1,622		2,283	
6/16/2017	412	743			2,764	-	-	-	-	-	4,186	27,756	3,965	1,422		2,764	2,662
6/17/2017	103	166			4,013	-	-	-	-	-	4,335			322		4,013	
6/18/2017	103	166			3,082	-	-	-	-	-	3,404			322		3,082	
6/19/2017	0	0		234	3,162	-	-	-	-	-	3,403			241		3,162	
6/20/2017 6/21/2017	0	0			3,207 3,072	-	-	-	-	-	3,538 3,434			331 362		3,207 3,072	
6/22/2017	0	0			3,072	-	-	-	-	-	3,334			296		3,072	
6/23/2017	0	0				-	-	-	-	-	3,350	24,798	3,543	189		3,161	3,248
6/24/2017	0	0			3,331	-	-	-	-	-	3,331			0		3,331	
6/25/2017	0	0				-	-	-	-	-	3,162			0		3,162	
6/26/2017	1,876	1			,	-			-	-	3,163			1,951		1,212	
6/27/2017 6/28/2017	1,356 1,143	1			,	-	-	-	-	-	5,187 4,843	<u> </u>		1,362 1,144		3,825 3,699	└───┨
0/20/201/	1,143	1	0	0	5,099	-	-	-	-	-	4,843	1		1,144	I	5,099	

						C	Dewatering Liquid	g Wells ar Assessme	umping Da nd Pump S ent Monito unty Landf	Stations ring							
		Dewateri	ing Wells				Pump S	Stations				WEEKLY		D١	Ws	P	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
6/29/2017	1,130	0	0		- /	-	-	-	-	-	4,304			1,130		3,174	
6/30/2017	1,007	0	1	0	,	-	-	-	-	-	4,017	28,007	4,001	1,008 933	942	3,009	3,059
7/1/2017 7/2/2017	933 933	0	0		,		-		-	-	3,876 4,186			933		2,943 3,253	
7/3/2017	770	183	0	-	,	-	-	-	-	_	4,187			953		3,233	
7/4/2017	770	183	0	0	8,575	-	-	-	-	-	9,528			953		8,575	
7/5/2017	530	519	0	4	8,476	-	-	-	-	-	9,529			1,053		8,476	
7/6/2017 7/7/2017	864 793	59 31	1 251	285 47	5,905 3,325	-	-	-	-	-	7,114	42,867	6,124	1,209 1,122	1,022	5,905 3,325	5,102
7/8/2017	597	401	231	2	,	-	-	-	-	-	5,247	42,007	0,124	1,122	1,022	3,999	5,102
7/9/2017	597	401	248	2		-	-	-	-	-	6,550			1,248	1	5,302	
7/10/2017	514	498	306	2		-	-	-	-	-	6,551			1,320		5,231	
7/11/2017	408	454	200	3		-	-	-	-	-	7,176			1,065		6,111	
7/12/2017 7/13/2017	464 49	486 916	195 214	0	5,409 5,436	-	-	-	-	-	6,554 6,635			1,145 1,199		5,409 5,436	
7/13/2017	49	1,048	214	20		-	-	-	-	-	6,881	45,594	6,513	1,199	1,224	5,430	5,289
7/15/2017	0	1,450	287	0	,	-	-	-	-	-	11,376	-,		1,737	,	9,639	
7/16/2017	0	1,450	287	0	,	-	-	-	-	-	10,662			1,737		8,925	
7/17/2017	0	333	46 177	0	-,	-	-	-	-	-	10,662			379		10,283 4,666	
7/18/2017 7/19/2017	1	1,159 266	177	10 13	4,666 8,470		-		-		6,013 8,895			1,347 425		4,666	
7/20/2017	3	1,092	140	3	8,208	-	-	-	-	-	9,433			1,225		8,208	
7/21/2017	888	165	155	1	940	-	-	-	-	-	2,149	59,190	8,456	1,209	1,151	940	7,304
7/22/2017	1,191	0	135	0		-	-	-	-	-	1,326			1,326		0	
7/23/2017	1,191	0	135	0		-	-	-	-	-	1,326			1,326		0	
7/24/2017 7/25/2017	1,194 399	0 544	128 89	0		-	-	-	-	-	1,322 22,864			1,322 1,036		21,828	
7/26/2017	0	825	75	0	,	-	-	-	-	-	11,650			900		10,750	
7/27/2017	872	108	205	3		-	-	-	-	-	4,253			1,188		3,065	
7/28/2017	684	110	168	15	,	-	-	-	-	-	11,660	54,401	7,772	977	1,154	10,683	6,618
7/29/2017 7/30/2017	1,824 912	0	448 224	0	,	-	-	-	-	-	21,299 10,649			2,272 1,136		19,027 9,513	
7/30/2017	878	0	224	0	,	-	-	-	-	-	9,197			1,136		9,513	
8/1/2017	886	0	247	0	,	-	-	-	-	-	9,217			1,133		8,084	
8/2/2017	536	138	188	5	-	19,748	-	-	-	-	20,615			867		19,748	
8/3/2017	726	260	242	0		17,426	-	-	-	-	18,654			1,228		17,426	
8/4/2017 8/5/2017	622 714	297 284	193 205	0		16,767 16,491	-	-	-	-	17,879 17,694	107,510	15,359	1,112 1,203	1,269	16,767 16,491	14,090
8/5/2017 8/6/2017	714	284	205	0		16,491	-	-	-	-	17,694			1,203		16,491	
8/7/2017	768	273	214			-	-	-	-	-	19,291			1,255		18,036	
8/8/2017	742	241	196	0		18,861	-	-	-	-	20,040			1,179		18,861	
8/9/2017	757	277	211	0		22,684	-	-	-	-	23,929			1,245		22,684	
8/10/2017 8/11/2017	235 629	84 389	71 208	0		23,493 21,995	-	-	-	- 32,268	23,888 55,489	178,025	25,432	390 1,226		23,498 54,263	24,332
8/12/2017	753	300	200	2		10,060	-	-	-	11,356	22,712	1.0,020	23,432	1,220		21,416	24,332
8/13/2017	753	300	241	0	0	21,416	-	-	-	0	22,710			1,294		21,416	
8/14/2017	650	349	241	0		10,005	-	-	-	12,244	23,489			1,240		22,249	
8/15/2017 8/16/2017	657 718	300 261	243 236	0		261 0	-	-	-	15,433 7,980	16,894 9,195			1,200 1,215		15,694 7,980	
8/17/2017	718	201	250	0		26,657	-	-	-	14,179	42,166			1,215		40,836	
8/18/2017	858	257	261	0	-	5,270	-		-	13,046	19,692	156,858	22,408	1,376			21,130
8/19/2017	799	231	248	0		0		-	-	4,948	6,226			1,278		4,948	
8/20/2017	799	231	248			0	-	-	-	4,648				1,278		4,648	
8/21/2017 8/22/2017	742 761	267 333	252 269	0		23,431 7,787	-	-	-	16,855 12,595	41,547 21,745			1,261 1,363		40,286 20,382	
8/23/2017	701	382	280	0		1,197	-	-	-	11,900	14,500			1,303		13,097	
8/24/2017	780	380	291	0		16,447	-	-	-	11,438	29,336			1,451		27,885	
8/25/2017	735	361	267	0		16,921	-	-	-	11,209	29,493	148,773	21,253	1,363	1,342	28,130	19,911
8/26/2017 8/27/2017	763 763	345 345	289 289	0		18,515 20,784	-	-	-	2,269	22,181 22,181			1,397 1,397		20,784 20,784	
8/27/2017 8/28/2017	909	345	289	0		20,784	-	-	-	18,861	35,760			1,397		20,784 34,083	
8/29/2017	997	5	315	0		18,113	-	-	-	14,360	33,790			1,317		32,473	
8/30/2017	983	0	323	0		17,940	-	-	-	15,094	34,340			1,306		33,034	
8/31/2017	1,002	1	273	0		17,466		-	-	17,586	36,328	207.027	24.525	1,276		35,052	20.10
9/1/2017 9/2/2017	1,084 1,509	134 0	288 502	0		0 1,774		-	-	21,149 6,036	22,655 9,821	207,235	34,539	1,506 2,011		21,149 7,810	
5/2/2017	1,309	0	502	0	-	1,774	-	-	-	0,030	9,021		I	2,011	L	7,010	I

						C	Dewatering Liquid /	g Wells ar Assessme	nd Pump S ent Monito	Stations ring			Appendix A - Pumping Data Dewatering Wells and Pump Stations Liquid Assessment Monitoring Southeast County Landfill Dewatering Wells Dewaterin														
		Dewater	ing Wells				Pump S	Stations				WEEKLY		D۱	P	Ss											
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)		Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg										
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)										
9/3/2017	755	0	-	0		887	-	-	-	3,018	4,911			1,006		3,905											
9/4/2017	755 676	0	251 230	0		887	-	-	-	3,018	4,911 10,466			1,006 907		3,905											
9/5/2017 9/6/2017	1,133	566	442	0		33,613	-	-	-	9,442 23,292	10,466			2,141		9,559 56,905											
9/7/2017	1,121	0		0		24,017	-	-	-	24,785	50,304			1,502		48,802											
9/8/2017	953	0		0		1,992	-	-	-	0	3,331	142,790	23,798	1,339	1,416	1,992	18,983										
9/9/2017	1,522	1	643	0		0		-	-	0	_/			2,166		0											
9/10/2017 9/11/2017	0	0	-	0		0		-	-	0	-			0		0											
9/12/2017	0	0	-	0		13,816		-	-	595	-			0		14,411											
9/13/2017	0	0	-	0		41,478	-	-	-	35,164	76,642			0		76,642											
9/14/2017 9/15/2017	136 0	1	-	0		27,893	-	-	-	24,925 27,079	53,122 27,420	173,761	24,823	304 15	355	52,818 27,405	27,405										
9/15/2017 9/16/2017	0	0	-	0		326		-	-	27,079 23,113	,	1/3,/01	24,823	15	355	27,405 23,113	27,405										
9/17/2017	0	0	0	0		24,524	-	-	-	0	24,524			0		24,524											
9/18/2017	0	0	0	0		23,611	-	-	-	12,159	35,770			0		35,770											
9/19/2017	0	0	728	0	-	0		-	-	0	728			728		0											
9/20/2017 9/21/2017	1	987 1,904	213 659	1	-	0 21,442	-	-	-	1,550 14,527	2,752 38,532			1,202 2,563		1,550 35,969											
9/22/2017	0	1,824	771	0		18,799	-	-	-	12,365	33,759	159,178	22,740	2,595	1,013	31,164	21,727										
9/23/2017	0	1,622	703	0	-	13,958	-	-	-	24,934	41,217			2,325		38,892											
9/24/2017	0	1,562	765	0		23,817	-	-	-	0	26,144			2,327		23,817											
9/25/2017 9/26/2017	0	1,244 1,534	644 758	0		11,059 13,528	-	-	-	22,574 27,890	35,521 43,710			1,888 2,292		33,633 41,418											
9/20/2017	0	1,554	643	0		4,633	-	-	-	27,890	,			1,735		41,418											
9/28/2017	0	1,079	630	27		15,018	-	-	-	0				1,736		15,018											
9/29/2017	0	1,264	804	0		7,818	-	-	-	36,447	46,333	216,047	30,864	2,068	2,053	44,265	28,811										
9/30/2017 10/1/2017	1	1,124 1,124	762 762	0	1	1,053 30,267	-	-	-	12,721 12,721	15,660 44,874			1,886 1,886		13,774 42,988											
10/1/2017	0	1,124	782	0		37,705	-	-	-	30,377	69,981			1,880		68,082											
10/3/2017		1,003	702	0		9,687	-	-	-	20,029	31,421			1,705		29,716											
10/4/2017	0	1,024	710	27		299	-	-	-	23,119				1,761		23,418											
10/5/2017 10/6/2017	0	559 646	848 847	0		34,708 26,894	-	-	-	24,613 21,754	60,728 50,141	297,984	42,569	1,407 1,493	1,720	59,321 48,648	40,850										
10/0/2017	0	1,029	797	0		20,894	-	-	-	6,381	10,284	297,964	42,509	1,495	1,720	8,458	40,850										
10/8/2017	0	1,029	797	0	-	2,077	-	-	-	6,381	10,284			1,826		8,458											
10/9/2017	0	1,048	571	49	-	0	-	-	-	0	1,668			1,668		0											
10/10/2017	1	0	164	3,519	-	36,733	-	-	-	0	40,417			3,684		36,733											
10/11/2017 10/12/2017	0	0		0		26,442	-	-	-	28,217 20,369	54,659 21,115			0		54,659 21,110											
10/13/2017		0		0		474		-	-	21,723		160,624	22,946	0	1,287	22,197											
10/14/2017		0		0		586		-	-	21,068				0		21,654											
10/15/2017 10/16/2017		0		0		2,356		-	-	1,010 29,881	3,366 29,881			0		3,366 29,881											
10/16/2017		0				659		-	-	29,881	29,881			0		29,881											
10/18/2017		0		0		21,773		-	-	16,262	38,036			1		38,035											
10/19/2017		0				0		-	-	35,665				0		35,665											
10/20/2017 10/21/2017		0		0		0 43,501		-	-	5,506		154,889	22,127	0		5,506 59,925											
10/21/2017		0		0		43,501		-	-	16,424 14,582	,			0		59,925 32,876											
10/23/2017		0		0		36,759		-	-	17,024				0		53,783											
10/24/2017		0	0	0		35,472		-	-	17,011	52,483			0		52,483											
10/25/2017		0	1 701	0		42,371		-	-	15,386	57,758 59,859			1 701		57,757 58,068											
10/26/2017 10/27/2017		0	1,791 1,290	0		40,120	-	-	-	17,948 12,450	30,937	347,621	49,660	1,791 1,290	440	29,647											
10/28/2017		0		0		34,129	-	-	-	13,510		,021	.5,000	1,230		47,639											
10/29/2017		0		0		35,409		-	-	1,879				1,193		37,288											
10/30/2017		0		0		38,355		-	-	17,192	56,651			1,104		55,547											
10/31/2017 11/1/2017		0		0		16,445 36,937	-	-	-	15,185 10,956	35,513 50,792			3,883 2,899		31,630 47,893											
11/2/2017		0		0		33,057	-	-	-	15,019				2,899		47,895											
11/3/2017	1,589	0	1,164	0	-	14,920		-	-	12,226	29,899	310,962	44,423	2,753	2,249	27,146											
11/4/2017		0		0		32,528		-	-	9,053				2,465		41,581											
11/5/2017 11/6/2017		0		0		3,103 2,152		-	-	0	- / -			2,574 2,473		3,103 3,221											
										1,069																	

	Appendix A - Pumping Data Dewatering Wells and Pump Stations Liquid Assessment Monitoring Southeast County Landfill Dewatering Wells Pump Stations WEEKLY Dtype PSs																		
		Dewateri	ing Wells				Pump S	itations				WEEKLY		DWs			PSs		
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg		
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)		
11/8/2017	711	0	618	0		20,143	-	-	-	14,220				1,329		34,363			
11/9/2017	1,545	0	1,329	0		17,977	-	-	-	12,650		100 570	20.002	2,874	2 207	30,627	25 770		
11/10/2017 11/11/2017	1,120 1,060	0	996 961	0		26,372 19,113	-	-	-	0 9,738	28,488 30,872	196,578	28,083	2,116 2,021	2,307	26,372 28,851	25,776		
11/11/2017	1,060	0	1,000	0		19,113	-	-	-	9,738	29,388			2,021		28,851			
11/13/2017	1,101	0	1,016	0		9,132	-	-	-	8,201	19,450			2,117		17,333			
11/14/2017	1,123	0	1,059	0	-	13,277	-	-	-	10,726	26,185			2,182		24,003			
11/15/2017	1,123	0	1,064	0		18,256	-	-	-	11,303	31,746			2,187		29,559			
11/16/2017	1,055	0	998	0		0	-	-	-	8,508	10,561	404 007	27.404	2,053	2.400	8,508	25.200		
11/17/2017 11/18/2017	1,101 1,085	0	1,021 1,005	0		34,175 34,240	-	-	-	7,328	43,625 44,107	191,827	27,404	2,122 2,090	2,108	41,503 42,017	25,296		
11/18/2017	1,085	0	1,005	0		34,240	-	-	-	9,604	44,107			2,090		42,017	<u> </u>		
11/20/2017	953	0	964	0		10,862	-	-	-	9,583	22,362			1,917		20,445			
11/21/2017	1,198	0		0		38,238	-	-	-	7,959	48,460			2,263		46,197			
11/22/2017	1,147	0	977	0		32,043	-	-	-	3,039	37,206			2,124		35,082			
11/23/2017	1,147	0	977	0		20,541	-	-	-	3,039	25,704	200.022	27.222	2,124	2,089	23,580	25.445		
11/24/2017 11/25/2017	1,132 1,091	0	952 913	0		23,275 23,275	-	-	-	13,576 470	38,935 25,749	260,632	37,233	2,084 2,004	2,089	36,851 23,745	35,145		
11/25/2017	1,091	0	913	0		25,275	-	-	-	470	23,749			2,004		470			
11/27/2017	1,076	0	891	0		0		-	-	0	1,967			1,967		0			
11/28/2017	1,100	0	912	0	-	0	-	-	-	18,108	20,120			2,012		18,108			
11/29/2017	1,082	0	885	0		0	-	-	-	11,527	13,494			1,967		11,527			
11/30/2017	1,178	0	948	0		464	-	-	-	11,725	14,315			2,126		12,189	ļ!		
12/1/2017	1,030	0	903	0		0		-	-	9,693	11,626	89,745	12,821	1,933	2,002	9,693	10,819		
12/2/2017 12/3/2017	1,098 1,112	0	932 940	0		0		-	-	9,201 9,117	11,231 11,169			2,030 2,052		9,201 9,117	'		
12/3/2017	1,055	0	940	0		0		-	-	8,567	10,532			1,965	<u> </u>	8,567			
12/5/2017	1,192	0	953	0		0		-	-	8,903	11,048			2,145		8,903			
12/6/2017	1,168	0	924	0		0		-	-	8,647	10,739			2,092		8,647			
12/7/2017	1,307	0	1,052	0		0		-	-	0	,			2,359		0			
12/8/2017	1,217	0	975	0		0		-	-	0	, -	59,270	8,467	2,192	2,119	0	.,		
12/9/2017 12/10/2017	1,064 1,129	0	853 829	0		0		-	-	0	<i>,-</i>			1,917 1,958		0			
12/10/2017	1,129	0	939	0		0		-	-	0				2,097		0			
12/12/2017	1,238	0	1,027	0		0		-	-	7,755				2,265		7,755			
12/13/2017	1,204	0	971	0	-	0	-	-	-	11,415	13,590			2,175		11,415			
12/14/2017	1,291	0	1,012	0		0		-	-	10,031	12,334			2,303		10,031			
12/15/2017	1,112	0	931	0		0		-	-	8,513	10,556	52,472	7,496	2,043	2,108	8,513	5,388		
12/16/2017	1,129	0	813	0		0		-	-	6,083	8,025			1,942		6,083			
12/17/2017 12/18/2017	1,189 1,197	0	893 890	0		0		-	-	3,838	5,920 2,087			2,082 2,087		3,838			
12/19/2017	1,269	0	947	0		0		-	-	7,810	,			2,007		7,810			
12/20/2017	1,280	0	924	0	-	0			-	658				2,204		658			
12/21/2017	1,268	0	894	0		0		-	-	14,271	16,433			2,162		14,271			
12/22/2017	1,255	0	869	0		0		-	-	3,042	5,166	50,519	7,217	2,124		3,042	5,100		
12/23/2017 12/24/2017	1,272 1,272	0	842 842	0		0		-	-	5,191 5,191	7,305 7,305			2,114 2,114		5,191 5,191			
12/24/2017	1,272	0	842	0		0		-	-	5,191	7,305			2,114		5,191			
12/26/2017	1,234	0		0		0		-	-	11,034	13,068			2,034		11,034			
12/27/2017	1,354	0	730	0		0		-	-	7,832	9,916			2,084		7,832			
12/28/2017	1,297	0		0		0	-	-	-	0	,	_		2,149		0			
12/29/2017	1,217	0	820	0		21,115	-	-	-	0		70,200	10,029	2,037		21,115			
12/30/2017 12/31/2017	1,248 1,248	0	805 805	0		29,240 29,240		-	-	0	- ,			2,053 2,053		29,240 29,240			
12/31/2017	1,248	0		0		29,240		-	-	0				2,053		29,240			
1/2/2018	1,240	0	753	0		29,615	-	-	-	0	31,587			1,972		29,615			
1/3/2018	1,145	0	769	0		29,614	-		-	0				1,914		29,614			
1/4/2018	1,063	0	710	0		10,842	-	-	-	0	12,615			1,773		10,842			
1/5/2018	1,123	0	667	0		14,541	-	-	-	0	16,331	185,940	26,563	1,790		14,541			
1/6/2018	1,091	0	658	0		10,274	-	-	-	0	,			1,749		10,274			
1/7/2018 1/8/2018	1,129 1,177	0	675 724	0		13,359 34,404	-	-	-	0	-,			1,804 1,901		13,359 34,404			
1/8/2018	53	0	30	0		34,404	-	-	-	0				1,901		34,404 N	+		
1/10/2018	0	0	0	0		0		-	-	0				0		0	<u> </u>		
1/11/2018	1,450	0	797	0		35,168		-	-	0	-			2,247		35,168			
1/12/2018	1,279	0		0		30,194	-		-	0		133,216	19,031	2,033		30,194			

						C	Dewatering Liquid	g Wells ar Assessme	umping Da nd Pump S ent Monito unty Landf	Stations ring							
	Dewatering Wells						Pump S	Stations				WEEKLY		D١	PSs		
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
1/13/2018	1,135	0	631	0		23,223	-	-	-	0	24,989			1,766		23,223	
1/14/2018 1/15/2018	1,135 1,099	0	631 617	0		23,223 24,740	-	-	-	0	24,989 26,456			1,766 1,716		23,223 24,740	
1/15/2018	1,099	0	617	0		24,740	-	-	-	0	20,450			203		24,740	
1/17/2018	1,011	0	567	0		31,253	-	-	-	0	+			1,578		31,253	
1/18/2018	1,082	0	648	0	-	18,148	-	-	-	0	19,878			1,730		18,148	
1/19/2018	1,050	0	644	0		0		-	-	0	1)001	131,040	18,720	1,694	1,493	0	17,227
1/20/2018 1/21/2018	1,095 1,095	0	662 662	0		0 26,763	-	-	-	0				1,757 1,757		0 26,763	
1/22/2018	1,035	0	687	0		26,084	-	-	-	0	· · ·			1,737	<u> </u>	26,084	
1/23/2018	1,112	0	683	0		21,495	-	-	-	0	,			1,795	1	21,495	
1/24/2018	1,054	0	641	0		0		-	-	0	,			1,695		0	
1/25/2018	146	0	91	0		0	-	-	-	0		442.455	46.000	237	1.505	0	4 4 4 4 6 5
1/26/2018 1/27/2018	1,181 1,125	0	713 732	0		27,148 24,918	-	-	-	0	,	112,432	16,062	1,894 1,857	1,563	27,148 24,918	14,499
1/28/2018	1,125	0	732	0		24,918	-	-	-	0	1			1,857		24,918	
1/29/2018	1,064	0	727	0		23,729	-	-	-	0	25,520			1,791		23,729	
1/30/2018	1,026	0	703	0		22,511	-	-	-	0	24,240			1,729	ļ	22,511	
1/31/2018 2/1/2018	1,060 1,074	0	715 734	0		19,807 24,432	-	-	-	0	21,582 26,240			1,775 1,808		19,807 24,432	
2/1/2018	1,074	0	764	0		24,432	-	-	-	0	26,240	175,706	25,101	1,808	1,810	24,432	23,291
2/3/2018	1,104	0	777	0		22,546	-	-	-	0	1			1,881		22,546	
2/4/2018	1,104	0	777	0		22,546	-	-	-	0	21)127			1,881		22,546	
2/5/2018	1,081	0	765	0		19,758	-	-	-	0	21)001			1,846	ļ	19,758	
2/6/2018 2/7/2018	1,069 1,095	0	730 706	0		625 18,844	-	-	-	0	,			1,799 1,801		625 18,844	
2/8/2018	1,095	0	708	0		20,603	-	-	-	0				1,801		20,603	
2/9/2018	1,237	0	716	0		21,159	-	-	-	0	,	139,187	19,884	1,953	1,872	21,159	18,012
2/10/2018	1,126	0	657	0		19,438	-	-	-	0	,			1,783		19,438	
2/11/2018	1,126	0	657	0		19,438	-	-	-	0	,			1,783		19,438	
2/12/2018 2/13/2018	1,090 905	0	614 581	0		21,975 19,731	-	-	-	0				1,704 1,486		21,975 19,731	
2/13/2018	855	0	592	0		19,731	-	-	-	0	,			1,480		19,731	
2/15/2018	1,039	0	643	0		20,904	-	-	-	0				1,682	1	20,904	
2/16/2018	1,132	0	593	0		20,677	-	-	-	0	, -	153,587	21,941	1,725	1,659	20,677	20,282
2/17/2018	1,145	0	581	0		20,450	-	-	-	0	22,176			1,726		20,450	
2/18/2018 2/19/2018	1,145 1,139	0	581 563	0		20,450 19,968	-	-	-	0	22,176 21,670			1,726 1,702		20,450 19,968	
2/20/2018	1,169	0	557	0		19,084	-	-	-	0	· · ·			1,726		19,084	
2/21/2018	1,123	0	534	0		19,157	-	-	-	0	20,814			1,657		19,157	
2/22/2018	1,147	0	538	0		19,319	-	-	-	0	,			1,685		19,319	
2/23/2018 2/24/2018	411 0	0	194 0	0		19,622 21,066	-	-	-	0	-,	148,877	21,268	605 0		19,622 21,066	19,721
2/24/2018	0	0	0	0		21,066		-	-	0				0		21,066	
2/26/2018	1,380	1	615	0	-	19,618	-	-	-	0	21,614			1,996		19,618	
2/27/2018	1,262	0	557	0		19,510	-	-	-	0	,			1,819		19,510	
2/28/2018 3/1/2018	1,215 389	0	605 203	0		20,088 0	-	-	-	0	,			1,820 592		20,088	
3/1/2018 3/2/2018	389	0	203	0				-	-	0		124,474	17,782	592		16,899	16,892
3/3/2018	0	0	0	0			-	-	-	0		, 4		0		6,381	,002
3/4/2018	0	0	0			,	-	-	-	0	,			0		6,381	
3/5/2018	0	0	0	0			-	-	-	0	1			0		0	
3/6/2018 3/7/2018	0	0	0	0		,	-	-	-	0				0		5,310 19,103	
3/8/2018	1,454	0	487	0		,	-	-	-	0				1,941		19,103	
3/9/2018	1,418	0	586	0	0	19,157	-		-	0	21,161	80,266	11,467	2,004	564	19,157	10,903
3/10/2018	1,256	0	567	0		,	-	-	-	0				1,823		19,402	
3/11/2018	1,256	0	567	0		,	-	-	-	0	, -			1,823		19,402	
3/12/2018 3/13/2018	1,175 1,146	0	541 503	0		,	-	-	-	0	- , -			1,716 1,649		19,105 17,536	
3/14/2018	1,131	0	490	0		-	-	-	-	0				1,621		17,327	
3/15/2018	1,224	79	501	0		/ -	-	-	-	0	- / -			1,804		17,113	
3/16/2018	1,036	479	505	0		-		-	-	0	,	122,341	17,477	2,020		17 792	15,698
3/17/2018 3/18/2018	1,058 1,058	490 490	512 512	0		,		-	-	0	- , -			2,060		17,782 17,782	
3/19/2018	1,038	490	528	0		,		-	-	0				2,080		0	
5/15/2010	1,120	400	J20	0	0	0	-	-	-	. U	2,142			2,142	1	0	I


	Appendix A - Pumping Data Dewatering Wells and Pump Stations Liquid Assessment Monitoring Southeast County Landfill Dewatering Wells Pump Stations WEEKLY																
		Dewateri	ing Wells				Pump S	itations				WEEKLY		D١	Ns	PSs	
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)		Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
3/20/2018	1,079	504	516	0			-	-	-	0	,			2,099		0	
3/21/2018 3/22/2018	1,024 935	482 462	462 418	0	_	16,306 14,633	-	-	-	0	18,274 16,448			1,968 1,815		16,306 14,633	
3/22/2018	935	462	418	0			-	-	-	0	16,448	95,494	13,642	1,815	1,990	14,633	11,652
3/24/2018	859	536	436	0	-		-	-	-	0	17,973	55,454	10,042	1,831	1,550	16,142	11,052
3/25/2018	859	536	436	0	0	16,142	-	-	-	0	17,973			1,831		16,142	
3/26/2018	776	646	428	0		-, -	-	-	-	0	17,129			1,850		15,279	
3/27/2018 3/28/2018	650 867	382 732	315 431	1	0	- / -	-	-	-	0	16,722 17,964			1,348 2,030		15,374 15,934	
3/29/2018	230	94	431	0	-		-	-	-	0				2,030		17,384	
3/30/2018	478	1	120	18	0		-	-	-	0		119,503	17,072	617	1,414	13,349	15,658
3/31/2018	350	0	123	0		-, -	-	-	-	0	,			473		16,726	
4/1/2018	350	0	123	0		., .	-	-	-	0	,			473		16,726	
4/2/2018 4/3/2018	780 0	0	177 0	36 0	0	- ,	-	-	-	0	,			993 0		16,355 16,790	
4/3/2018	1,128	104	312	1	0		-	-	-	0	,			1,545		16,790	
4/5/2018	683	0	252	0		,	-	-	-	0				935		22,038	
4/6/2018	1,042	0	355	0		,	-	-	-	0	,	132,120	18,874	1,397	831	21,466	18,043
4/7/2018	96	1	31	0	-		-	-	-	0				128		20,885	
4/8/2018 4/9/2018	96 795	1	31 243	0	0	20,885 16,930	-	-	-	0	21,013 17,972			128 1,042		20,885 16,930	
4/10/2018	1,247	3	311	0	-	19,720	-	-	-	0	21,281			1,042		10,930	
4/11/2018	707	58	329	0	-	,	-	-	-	0	19,363			1,094		18,269	
4/12/2018	593	0	220	0		.,	-	-	-	0	17,436			813		16,623	
4/13/2018	237	0	52	1		,	-	-	-	0	22,019	140,097	20,014	290	722	21,729	19,292
4/14/2018 4/15/2018	0	0	127 127	0	-	/	-	-	-	0	24,475 24,475			127 127		24,348 24,348	
4/15/2018	1,431	1	625	0			-	-	-	0				2,057		24,348	
4/17/2018	1,272	0	356	0	-		-	-	-	0	,			1,628		23,354	
4/18/2018	1,423	0	662	0	-	- ,	-	-	-	0	,			2,085		20,684	
4/19/2018	1,742	0	770	0		, -	-	-	-	0	, -			2,512		22,220	
4/20/2018 4/21/2018	580 0	0	308 156	0		/	-	-	-	0	1	168,317	24,045	888 156	1,346	21,964 21,988	22,699
4/21/2018	0	0	156	0		,	-	-	-	0				150		21,988	
4/23/2018	0	0	281	0		/	-	-	-	0				281		22,207	
4/24/2018	1	1,017	351	0			-	-	-	0	23,533			1,369		22,164	
4/25/2018	0	921	431	0	-	23,089	-	-	-	0	24,441			1,352		23,089	
4/26/2018 4/27/2018	0	788 431	375 246	0	-	11)110	-	-	-	0	15,278 9,415	139,443	19,920	1,163 677	736	14,115 8,738	19,184
4/28/2018	0	519	190	0	-		-	-	-	0	,	139,443	19,920	709		22,524	
4/29/2018	0	519	190	0			-		-	0	,			709		22,524	
4/30/2018	0	886	306	0		,	-	-	-	0	,			1,192		20,393	
5/1/2018	0	617	312	0		19,951	-	-	-	-	20,880			929		19,951	
5/2/2018 5/3/2018	0	727 1,225	367 420	0		19,861 18,628	-	-	-	-	20,955 20,273			1,094 1,645		19,861 18,628	
5/4/2018	0	478	392	0		20,127	-	-	-	-	20,273	151,156	21,594	870		20,127	20,573
5/5/2018	0	0	0	0		20,714					20,714			0		20,714	
5/6/2018	0	0	0	0		20,714	-	-	-		20,714			0		20,714	
5/7/2018	0	1 508	0	0		20,113	-	-	-	-	20,113			1.052		20,113	
5/8/2018 5/9/2018	0	1,508 1,277	454 456	0		18,228 17,728		-	-	-	20,190 19,461			1,962 1,733		18,228 17,728	
5/10/2018	0	1,277	430	0		17,728		-	-	-	19,401			1,733		17,728	
5/11/2018	0	0	0	0	-	0			-	-	0	120,983	17,283	0	747	0	
5/12/2018	810	639	544	0		27,212		-	-		29,205			1,993		27,212	
5/13/2018 5/14/2018	810 870	639 447	544 388	0		27,212 12,830		-	-		29,205			1,993 1,705		27,212 12,830	
5/14/2018	870 735	447 715	388	0		12,830		-	-		14,535 1,826			1,705		12,830 N	
5/16/2018	733	849	397	0		13,813	-	-	-	-	15,781	-		1,968		13,813	
5/17/2018	793	766	396	0		21,514	-	-	-	-	23,469			1,955		21,514	
5/18/2018	761	737	398	0		21,778	-	-	-	-	23,674	137,695	19,671	1,896		21,778	17,766
5/19/2018 5/20/2018	761 761	604 604	515 515	0		21,111 21,111	-	-	-		22,991 22,991			1,880 1,880		21,111 21,111	
5/20/2018	826	668	448	0		16,200	-	-	-		18,142			1,880		16,200	
5/22/2018	875	682	396	0		23,595	-	-	-	-	25,548			1,953		23,595	
5/23/2018	841	637	348	0		21,146	-	-	-	-	22,972			1,826		21,146	
5/24/2018	930	684	334	0	-	20,602	-	-	-	-	22,550			1,948		20,602	

Dewatering Wells Pump Stations DW 1-1 DW 1-2 DW 2-1 DW 2-2 TPS-2 PS-2 (CO 2-1) Test Pump Location (CO 2-4) Test Pump Location (CO 2-4) DATE (gal) (g	on Location -1) (CO 2-2) (CO 2-2)	Total	WEEKLY TOTAL (gal) 158,060	Daily Avg (gpd) 22,580	DV Total (gal) 2,052 2,200 2,200	Ws Daily Avg (gpd) 1,926	PS Total (gal) 20,814	Daily Avg
DW 1-1 DW 1-2 DW 2-1 DW 2-2 TPS-2 PS-2 (CO 2-1) Test Pum Location (CO 2-4) Test Pum Location (CO 3-4) DATE (gal) (gal)	on Location -1) (CO 2-2) (CO 2-2)) Total (gpd) - 22,866 - 23,395 - 23,395 - 23,161 - 21,756 - 21,742 - 21,757	(gal)	(gpd)	(gal) 2,052 2,200 2,200	(gpd)	(gal) 20,814	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $) (gal) (gal) 	- 22,866 - 23,395 - 23,395 - 23,161 - 21,756 - 21,742 - 21,757			2,052 2,200 2,200		20,814	(and)
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		 23,395 23,395 23,161 21,756 21,742 21,757 	158,060	22,580	2,200 2,200	1,926		(gpd)
5/27/2018 1,026 767 407 0 21,195 - 5/28/2018 1,036 730 371 0 - 21,195 - 5/28/2018 1,036 730 371 0 - 21,024 - 5/29/2018 1,093 666 355 0 - 19,642 - 5/30/2018 1,153 659 432 0 - 19,498 - 5/31/2018 1,191 662 413 0 - 19,491 - 6/1/2018 1,201 688 396 0 - 20,857 - 6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -		- 23,395 - 23,161 - 21,756 - 21,742 - 21,757			2,200			20,654
5/28/2018 1,036 730 371 0 - 21,024 - 5/29/2018 1,093 666 355 0 - 19,642 - 5/30/2018 1,153 659 432 0 - 19,498 - 5/31/2018 1,191 662 413 0 - 19,491 - 6/1/2018 1,201 688 396 0 - 20,857 - 6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -		- 23,161 - 21,756 - 21,742 - 21,757					21,195 21,195	
5/29/2018 1,093 666 355 0 - 19,642 - 5/30/2018 1,153 659 432 0 - 19,498 - 5/31/2018 1,191 662 413 0 - 19,491 - 6/1/2018 1,201 688 396 0 - 20,857 - 6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -		- 21,756 - 21,742 - 21,757			2,137		21,195	
5/31/2018 1,191 662 413 0 - 19,491 - 6/1/2018 1,201 688 396 0 - 20,857 - 6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -	 	- 21,757			2,114		19,642	
6/1/2018 1,201 688 396 0 - 20,857 - 6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -	 				2,244		19,498	
6/2/2018 1,153 683 379 0 - 19,874 - 6/3/2018 1,153 683 379 0 - 19,874 -			150 240	22 (21	2,266 2,285	2,207	19,491	20.415
6/3/2018 1,153 683 379 0 - 19,874 -		- 22,089	158,348	22,621	2,285	2,207	20,857 19,874	20,415
6/4/2018 1,045 644 370 0 - 19,505 -		- 22,089			2,215		19,874	
		- 21,564			2,059		19,505	
6/5/2018 1,117 718 389 0 - 19,471 - 6/6/2018 1,115 694 390 0 - 18,961 -		- 21,695 - 21,160			2,224 2,199		19,471 18,961	
6/6/2018 1,115 694 390 0 - 18,961 - 6/7/2018 1,163 645 365 0 - 9,022 -		- 21,160			2,199		9,022]
6/8/2018 1,176 601 367 0 - 0 -		- 2,144	121,936	17,419	2,144	2,176	0	15,244
6/9/2018 1,209 579 357 0 - 15,401 -		- 17,546			2,145		15,401	
6/10/2018 1,209 579 357 0 - 15,401 - 6/11/2018 1,035 613 373 0 - 17,909 -		- 17,546 - 19,930			2,145 2,021		15,401 17,909	
6/11/2018 1,033 613 373 0 - 17,909 - 6/12/2018 1,013 560 358 0 - 17,269 -		- 19,930			1,931		17,909	
6/13/2018 1,041 545 368 0 - 18,601 -		- 20,555			1,954		18,601	
6/14/2018 2,284 1,167 724 0 - 32,082 -		- 36,257			4,175		32,082	
6/15/2018 0 0 0 - 0 -		- 0	131,034	18,719	0	2,053	0	16,666
6/16/2018 1,288 581 354 0 - 16,931 - 6/17/2018 1,288 581 354 0 - 16,931 -		- 19,154 - 19,154			2,223		16,931 16,931	
6/18/2018 1,377 632 344 0 - 17,845 -		- 20,198			2,223		17,845	
6/19/2018 2,126 711 360 0 - 18,462 -		- 21,659			3,197		18,462	
6/20/2018 1,373 682 347 0 - 18,500 -		- 20,902			2,402		18,500	
6/21/2018 1,359 711 347 0 - 18,901 - 6/22/2018 2,531 755 337 0 - 1,925 -		- 21,318 - 5,548	127,933	18,276	2,417 3,623	2,634	18,901 1,925	15,642
6/23/2018 1,286 856 336 0 - 19,455 -		- 21,933	127,5555	10,270	2,478	2,001	19,455	10,012
6/24/2018 1,286 856 336 0 - 19,455 -		- 21,933			2,478		19,455	
6/25/2018 0 848 336 0 - 19,874 -		- 21,058			1,184		19,874	
6/26/2018 0 876 343 0 - 19,839 - 6/27/2018 0 880 353 0 - 20,127 -		- 21,058 - 21,360			1,219 1,233		19,839 20,127	
6/28/2018 0 900 351 0 - 12,320 -		- 13,571			1,251		12,320	
6/29/2018 0 853 353 0 - 22,990 -		- 24,196	145,109	20,730	1,206	1,578	22,990	19,151
6/30/2018 0 880 392 8 - 22,198 -		- 23,478			1,280		22,198	I
7/1/2018 0 880 392 0 - 22,205 - 7/2/2018 0 847 422 0 - 22,707 -		- 23,477 - 23,976			1,272 1,269		22,205 22,707	
7/3/2018 0 672 396 0 - 22,619 -		- 23,687			1,068		22,619	
7/4/2018 0 672 396 0 - 22,619 -		- 23,687			1,068		22,619	
7/5/2018 0 658 334 0 - 21,855 -		- 22,847	465 760	22.000	992	4 4 7 0	21,855	22.504
7/6/2018 30 944 330 0 - 23,304 - 7/7/2018 0 922 331 0 - 18,655 -		- 24,608 - 19,908	165,760	23,680	1,304 1,253	1,179	23,304 18,655	22,501
7/7/2018 0 322 331 0 16,033 7/8/2018 0 922 331 0 - 18,655 -		- 19,908			1,253		18,655	
7/9/2018 0 896 336 0 - 20,034 -		- 21,266			1,232		20,034	
7/10/2018 0 980 342 0 - 25,047 -		- 26,369			1,322		25,047	
7/11/2018 0 973 344 0 - 25,048 - 7/12/2018 0 988 332 0 - 23,315 -		- 26,365 - 24,635			1,317 1,320		25,048 23,315	
7/12/2018 0 969 330 0 - 23,956 -		- 25,255	163,706	23,387	1,299	1,285	23,956	22,101
7/14/2018 0 1,018 328 0 - 19,307 -		- 20,653			1,346		19,307	
7/15/2018 0 1,018 328 0 - 19,307 -		- 20,653			1,346		19,307	
7/16/2018 0 965 326 0 - 1,041 - 7/17/2018 0 980 338 0 - 10,220 -		- 2,332 - 11,538			1,291 1,318		1,041 10,220	
7/17/2018 0 300 300 0 10,220 7/18/2018 0 1,029 319 0 - 27,068 -		- 28,416			1,348		27,068	
7/19/2018 0 1,073 329 0 - 25,820 -		- 27,222			1,402		25,820	
7/20/2018 0 1,022 337 0 - 25,903 -		- 27,262	138,076	19,725	1,359	1,344	25,903	18,381
7/21/2018 0 994 332 0 - 25,217 - 7/22/2018 0 994 332 0 - 25,217 -		- 26,543 - 26,543			1,326 1,326		25,217 25,217	
7/22/2018 0 1,001 410 0 - 26,022 -		- 27,433			1,320		26,022	
7/24/2018 0 1,076 349 0 - 25,900 -		- 27,325			1,425		25,900	
7/25/2018 0 1,047 342 0 - 25,296 -		- 26,685			1,389	ļ]	25,296	
7/26/2018 0 1,085 373 0 - 25,331 - 7/27/2018 0 1,134 338 0 - 24,337 -		- 26,789 - 25,809	187,127	26,732	1,458 1,472	1,401	25,331 24,337	25,331
7/2//2018 0 1,134 338 0 - 24,337 - 7/28/2018 0 1,078 356 0 - 12,791 -		- 25,809	107,127	20,732	1,472	1,401	24,337	20,331
7/29/2018 0 1,078 356 0 - 12,791 -		- 14,225			1,434		12,791	

	Appendix A - Pumping Data Dewatering Wells and Pump Stations Liquid Assessment Monitoring Southeast County Landfill Dewatering Wells Pump Stations WEEKLY Dewatering Wells																
		Dewateri	ing Wells				Pump S	Stations				WEEKLY		D۱	Ws	P:	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
7/30/2018	0	,	347	0	-	26,035	-	-	-	-	27,514			1,479		26,035	
7/31/2018	0	1	362	0	-	30,232	-	-	-	-	31,739			1,507		30,232	
8/1/2018 8/2/2018	0	,	368 455	0	-	29,776 29,743	-	-	-	-	31,258 31,307			1,482 1,564		29,776 29,743	
8/3/2018	0	,	379	0	-	30,724	-	-	-	-	32,242	182,510	26,073	1,504	1,488	30,724	24,585
8/4/2018	0		328	0	-	32,763	-	-	-	-	34,311			1,548		32,763	
8/5/2018	0	,	315	0		33,237	-	-	-	-	34,786			1,549		33,237	
8/6/2018 8/7/2018	0		321 317	0		34,071 34,060	-	-	-	-	35,779 35,745			1,708 1,685		34,071 34,060	
8/7/2018	0	,	317	0		34,060	-	-	-	-	35,745			1,685		34,060	
8/9/2018	0		328	0		33,786	-	-	-	-	35,529			1,743	1	33,786	
8/10/2018	0		327	0		34,917	-	-	-	-	36,704	248,992	35,570	1,787	1,677	34,917	33,894
8/11/2018	0	,	358	0		34,383	-	-	-	-	36,280			1,897		34,383	
8/12/2018 8/13/2018	0		342 341	0		34,897 35,147	-	-	-	-	36,750 37,036	ļ		1,853 1,889		34,897 35,147	
8/13/2018	0	,	341	0		34,032	-	-	-	-	36,015			1,889		34,032	
8/15/2018	0		338	0	-	34,586	-	-	-	-	36,551			1,965		34,586	
8/16/2018	0	,	343	0		0	-	-	-	-	1,981			1,981		0	
8/17/2018 8/18/2018	0	,	338 353	0	-	34,291 34,781	-	-	-	-	36,244 36,570	220,857	31,551	1,953 1,789	1,932	34,291 34,781	29,619
8/19/2018	0	,	362	0	-	34,781	-	-	-	-	1,747			1,747		0	
8/20/2018	0		355	0	-	0	-	-	-	-	1,651			1,651	1	0	
8/21/2018	0		367	0		35,677	-	-	-	-	37,540			1,863		35,677	
8/22/2018	0	,	381 392	0		35,826 35,720	-	-	-	-	37,568			1,742 2,015		35,826	
8/23/2018 8/24/2018	0		392	0		35,720	-	-	-	-	37,735 39,068	191,879	27,411	1,932	1,820	35,720 37,136	25,591
8/25/2018	0	,	361	0	-	21,568	-	-	-	-	23,306	101,075	27,111	1,738	1,020	21,568	20,001
8/26/2018	102	1,140	357	0		27,775	-	-	-	-	29,374			1,599		27,775	
8/27/2018	718	1,124	420 419	0		36,710	-	-	-	-	38,972			2,262		36,710	ļ
8/28/2018 8/29/2018	727 656	1,270 1,182	419	0		36,325 37,543	-	-	-	-	38,741 39,820			2,416		36,325 37,543	
8/30/2018	663	1,339	466	0		36,185	-	-	-	-	38,653			2,468		36,185	
8/31/2018	663	1,471	447	0		31,695	-	-	-	-	34,276	243,142	34,735	2,581	2,192	31,695	32,543
9/1/2018	673	1,382	438	0		16,870	-	-	-	-	19,363			2,493		16,870	ļ
9/2/2018 9/3/2018	650 650	1,439 1,439	427 427	0		40,488 40,488	-	-	-	-	43,004 43,004			2,516 2,516		40,488	
9/4/2018	669	1,541	432	0		39,270	-	-	-	-	41,912			2,642		39,270	
9/5/2018	662	1,567	435	0		39,505	-	-	-	-	42,169			2,664		39,505	
9/6/2018	696	1,640	453	0		39,724	-	-	-	-	42,513	274 540	20.246	2,789		39,724	26.500
9/7/2018 9/8/2018	695 650	1,583 1,599	459 477	0		39,808 40,740	-	-	-	-	42,545 43,466	274,510	39,216	2,737 2,726		39,808 40,740	
9/9/2018	691	1,638	495	0		40,233	-	-	-	-	43,057			2,824		40,233	
9/10/2018	680	1,637	480	0		40,018	-	-	-	-	42,815			2,797		40,018	
9/11/2018	683	1,732	505	0		39,772	-	-	-	-	42,692			2,920		39,772	
9/12/2018 9/13/2018	670 700	1,895 1,897	503 529	0		39,737 40,359	-	-	-	-	42,805 43,485			3,068 3,126		39,737 40,359	
9/14/2018	678	1,663	522	0		40,855	-	-	-	-	43,729	302,049	43,150	2,863		40,866	40,246
9/15/2018	686	1,711	537	0		41,478	-	-	-	-	44,412			2,934		41,478	
9/16/2018	685	1,706	532	0		7,325	-	-	-	-	10,248			2,923		7,325	
9/17/2018 9/18/2018	677 712	1,735 1,791	507 510	0		48,404 43,251	-	-	-	-	51,323 46,264			2,919 3,013		48,404 43,251	
9/19/2018	684	1,723	513	0		10,761	-	-	-	-	13,681			2,920		10,761	
9/20/2018	689	1,693	513	0		44,207	-	-	-	-	47,102			2,895		44,207	
9/21/2018	699	1,541	531	0		41,115	-	-	-	-	43,886	256,916	36,702	2,771	2,911	41,115	33,792
9/22/2018 9/23/2018	779 765	1,225 1,529	529 546	0		40,838 41,642	-	-	-	-	43,371 44,482			2,533 2,840		40,838 41,642	
9/23/2018	696	1,529	531	0		36,995	-	-	-	-	39,866			2,840		36,995	
9/25/2018	704	1,679	525	0	-	39,187	-	-	-	-	42,095			2,908		39,187	
9/26/2018	715	1,951	546	0		36,128	-	-	-	-	39,340			3,212		36,128	
9/27/2018 9/28/2018	733 730	1,922 1,822	556 543	0		33,247 33,128	-	-	-	-	36,458 36,223	281,835	40,262	3,211 3,095	2,953	33,247 33,128	37,309
9/28/2018	730	1,822	543	0		28,480	-	-	-	-	36,223	201,000	40,202	2,992	2,903	28,480	37,309
9/30/2018	714	1,721	557	0		28,480	-	-	-	-	31,472			2,992		28,480	
10/1/2018	214	524	171	0		29,244	-	-	-	-	30,153			909		29,244	
10/2/2018	217	523	181	0		28,554	-	-	-	-	29,475			921		28,554	
10/3/2018	216	556	186	0	-	27,868	-	-	-	-	28,826			958		27,868	i

						C	Dewatering Liquid	g Wells ar Assessme	umping Da nd Pump S ent Monito unty Landf	Stations ring							
		Dewateri	ing Wells				Pump S	Stations				WEEKLY		D	Ws	P	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
10/4/2018	212	545	183	0		28,639	-	-	-	-	29,579			940		28,639	
10/5/2018 10/6/2018	210 214	586 611	186 191	0		28,119 27,916	-	-	-	-	29,101 28,932	210,078	30,011	982 1,016	1,528	28,119 27,916	,
10/0/2018	214	611	191	0		27,916	-	-	-	-	28,932			1,016		27,916	
10/8/2018	220	577	199	0		27,533	-	-	-	-	28,529			996		27,533	
10/9/2018	221	751	211	0		27,337	-	-	-	-	28,520			1,183		27,337	
10/10/2018	228	718	216	0		32,791	-	-	-	-	33,953			1,162		32,791	<u> </u>
10/11/2018 10/12/2018	230 238	674 696	216 218	0		31,402 30,674	-	-	-	-	32,522 31,826	213,214	30,459	1,120 1,152	1,092	31,402 30,674	29,367
10/13/2018	236	712	210	0		28,128	-	-	-	-	29,290	213,214	50,455	1,162	1,052	28,128	
10/14/2018	236	712	214	0	-	28,128	-	-	-	-	29,290			1,162		28,128	
10/15/2018	236	704	212	0		26,378	-		-	-	27,530			1,152		26,378	\vdash
10/16/2018 10/17/2018	248 237	765 732	228 224	0		4,122 22,014	-	-	-	-	5,363 23,207			1,241 1,193		4,122 22,014	───
10/17/2018	237	732	224	0		22,014	-		-	-	23,207			1,193		22,014	,
10/19/2018	241	752	237	0		25,992	-	-	-	-	27,222	170,111	24,302	1,230	1,195	25,992	23,107
10/20/2018	251	747	251	0		25,586	-	-	-	-	26,835			1,249		25,586	
10/21/2018	251	747	251 251	0		25,586	-	-	-	-	26,835			1,249 1,215		25,586	
10/22/2018 10/23/2018	254 250	710 703	251 255	0		22,485 22,172	-		-	-	23,700 23,380			1,215		22,485 22,172	
10/23/2018	250	703	255	0		25,014	-	-	-	-	26,260			1,208		25,014	
10/25/2018	257	823	275	0		24,335	-	-	-	-	25,690			1,355	1	24,335	
10/26/2018	262	912	285	0		25,312	-	-	-	-	26,771	179,471	25,639	1,459	1,283	25,312	24,356
10/27/2018	278	756	282	0		24,943	-	-	-	-	26,259			1,316		24,943	
10/28/2018 10/29/2018	278 292	756 796	282 308	0		24,943	10,288		-	-	26,259			1,316 1,396		24,943 10,288	
10/30/2018	267	762	277	0		-	13,347	-	-	-	14,653			1,306	1	13,347	
10/31/2018	270	868	286	0	-	-	21,450	-	-	-	22,874			1,424		21,450	
11/1/2018	440	1,511	504	0		-	24,520	-	-	-	26,975			2,455		24,520	
11/2/2018 11/3/2018	428 457	1,404 1,313	490 478	0		-	24,907 25,214	-	-	-	27,229	155,933	22,276	2,322 2,248	1,648	24,907 25,214	20,628
11/3/2018	457	1,313	478	0		-	25,214	-	-	-	27,462			2,248		25,214	
11/5/2018	438	1,333	494	0		-	24,575	-	-	-	26,840			2,265	1	24,575	
11/6/2018	437	1,278	501	0		-	23,480	-	-	-	25,696			2,216		23,480	
11/7/2018	431	1,316	515	0		-	22,470	-	-	-	24,732			2,262		22,470	<u> </u>
11/8/2018 11/9/2018	438 438	1,360 1,325	525 520	0		-	21,871 17,478	-	-	-	24,194 19,761	176,147	25,164	2,323 2,283	2,264	21,871 17,478	22,900
11/10/2018	440	1,249	960	0		-	15,251	-	-	-	17,900	1,0,11,	20,201	2,649	2,201	15,251	
11/11/2018	440	1,249	590	0	-	-	15,251	-	-	-	17,530			2,279		15,251	
11/12/2018	455	1,238	492	0		-	16,956	-	-	-	19,141			2,185		16,956	
11/13/2018 11/14/2018	455 459	1,112 1,190	467 483	0		-	14,943 22,219	-	-	-	16,977 24,351			2,034 2,132		14,943 22,219	
11/15/2018	433	1,190	483	0		-	20,308	-	-	-	24,331			1,977		20,308	
11/16/2018	98	236	101	0	-	-	22,362	-	-	-	22,797	140,981	20,140	435		22,362	
11/17/2018	385	851	506	0		-	20,522	-	-	-	22,264			1,742		20,522	
11/18/2018	385	851	506 141	0		-	20,522	-	-	-	22,264			1,742 459		20,522	
11/19/2018 11/20/2018	133 0	185 0	141	0		-	18,068 21,743	-	-	-	18,527 21,743			459		18,068 21,743	
11/21/2018	489	670	545	0		-	19,854	-	-	-	21,558			1,704		19,854	
11/22/2018	489	670	545	0		-	19,854	-	-	-	21,558			1,704		19,854	
11/23/2018	531	664	552	0		-	20,447	-	-	-	22,194	150,108	21,444	1,747		20,447	
11/24/2018 11/25/2018	453 453	579 579	452 452	0		-	19,417 19,417	-	-	-	20,901			1,484 1,484		19,417 19,417	
11/26/2018	433	354	361	0		-	10,349	-	-	-	11,497			1,484		10,349	
11/27/2018	477	483	0	0		-	-	6,435	-	-	7,395			960		6,435	
11/28/2018	611	654	0	0		-	-	6,306	-	-	7,571			1,265		6,306	
11/29/2018 11/30/2018	576 809	561 60	467 510	345 0		-	-	6,431 6,862	-	-	8,380 8,241	84,886	12,127	1,949 1,379		6,431 6,862	
12/1/2018	809 679	00	510	0		-	-	6,653	-	-	7,841	04,000	12,12/	1,379		6,653	,
12/2/2018	679	0	509	0		-	-	6,653	-	-	7,841			1,188		6,653	
12/3/2018	594	0	503	0		-	-	6,196	-	-	7,293			1,097		6,196	
12/4/2018	662	5	539	0		-	-	5,684	-	-	6,890			1,206		5,684	
12/5/2018 12/6/2018	574 611	0	443 434	0		-	-	4,696	- 23,384	-	5,713 24,429			1,017 1,045		4,696 23,384	
12/0/2018	520	1	434	0	-	-	-	-	23,384	-	24,429	84,318	12,045	927		23,384	
12/8/2018	525	478	464	0	-	-	-	-	26,117	-	27,584	. ,	,	1,467		26,117	

						C	Dewatering Liquid /	g Wells an Assessme	umping Da Id Pump S Int Monitor Inty Landf	stations ring							
		Dewateri	ing Wells				Pump S	Stations				WEEKLY		D١	Ns	P	Ss
	DW 1-1	DW 1-2	DW 2-1	DW 2-2	TPS-2	PS-2 (CO 2-1)	Test Pump Location (CO 2-4)	Test Pump Location (CO 3-1)	Test Pump Location (CO 2-2)	TPS-2B (CO 2-2)	Total	TOTAL	Daily Avg	Total	Daily Avg	Total	Daily Avg
DATE	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)	(gal)	(gpd)
12/9/2018	525	478	464	0	-	-	-	-	26,117	-	27,584			1,467		26,117	
12/10/2018	537	448	412	0	-	-	-	-	18,555	-	19,952			1,397		18,555	
12/11/2018	593	357	394	0	-	-	-	-	14,620	-	15,964			1,344		14,620	
12/12/2018	623	344	433	0	-	-	-	-	12,920	-	14,320			1,400		12,920	
12/13/2018													12,361				
12/14/2018	710	630	459	0	-	-	-	-	10,063	-	11,862	131,402	18,772	1,799	1,521	10,063	17,250
12/15/2018	689	572	438	0	-	-	-	-	9,056	-	10,755			1,699		9,056	
12/16/2018	729	623	442	0	-	-	-	-	6,987	-	8,781			1,794		6,987	
12/17/2018	711	608	425	0	-	-	-	5,982	-	-	7,726			1,744		5,982	
12/18/2018	794	678	462	0	-	-	-	3,318	-	-	5,252			1,934		3,318	
12/19/2018	826	721	483	0	-	-	-	4,220	-	-	6,250			2,030		4,220	
12/20/2018	824	751	614	0	-	-	-	4,944	-	-	7,133			2,189		4,944	
12/21/2018	955	793	548	0	-	-	-	626	-	-	2,922	48,819	6,974	2,296	1,955	626	5,019
12/22/2018	927	826	466	0	-	-	-	2,905	-	-	5,124			2,219		2,905	
12/23/2018	953	801	460	0	-	-	-	1,103	-	-	3,317			2,214		1,103	
12/24/2018	1,009	824	478	0	-	-	9,071	-	-	-	11,382			2,311		9,071	
12/25/2018	1,009	824	478	0	-	-	9,071	-	-	-	11,382			2,311		9,071	
12/26/2018	1,039	878	479	0	-	-	12,833	-	-	-	15,229			2,396		12,833	
12/27/2018	1,079	926	504	0	-	-	11,925	-	-	-	14,434			2,509		11,925	
12/28/2018	1,103	935	502	0	-	-	10,412	-	-	-	12,952	73,820	10,546	2,540	2,357	10,412	8,189
12/29/2018	1,056	891	507	0	-	-	7,962	-	-	-	10,416			2,454		7,962	
12/30/2018	1,030	875	498	0	-	-	9,738	-	-	-	12,141			2,403		9,738	
12/31/2018	1,199	758	510	0	-	-	0	-	-	-	2,467			2,467		0	



	Weekly Supplemental Leachate Pumping Data Liquid Assessment Monitoring Southeast County Landfill												
		South	neast County La	andfill									
	Condensate	LFG Extraction	Dewatering										
	Traps	Wells	Wells	Pump Stations	Weekly Total	Daily Average							
Week Ending	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)							
12/23/2016	-	4,296	-	-	4,296	1,074							
12/30/2016	-	8,024	-	-	8,024	1,146							
1/6/2017	2,518	7,614	-	-	10,132	1,447							
1/13/2017	10,516	7,201	-	-	17,717	2,531							
1/20/2017	15,952	9,104	-	-	25,056	3,579							
1/27/2017	12,999	7,953	-	-	20,952	2,993							
2/3/2017	13,991	8,072	-	-	22,063	3,152							
2/10/2017	29,162	7,025	-	-	36,187	5,170							
2/17/2017	64,513	8,404	-	2,000	74,917	10,702							
2/24/2017	56,760	6,811	-	13,600	77,171	11,024							
3/3/2017	16,376	5,872	-	14,600	36,848	5,264							
3/10/2017	13,076	5,373	-	42,000	60,449	8,636							
3/17/2017	14,365	5,969	-	84,000	104,334	14,905							
3/24/2017	12,218	6,003	-	81,000	99,221	14,174							
3/31/2017	9,808	5,199	-	63,000	78,007	11,144							
4/7/2017	5,677	4,874	-	49,000	59,551	8,507							
4/14/2017	3,292	5,685	-	42,000	50,977	7,282							
4/21/2017	4,025	7,550	-	41,000	52,575	7,511							
4/28/2017	3,529	6,954	-	34,600	45,083	6,440							
5/5/2017	2,309	6,159	-	31,600	40,068	5,724							
5/12/2017	1,279	5,845	-	27,000	34,124	4,875							
5/19/2017	1,815	4,793	1,169	24,100	31,877	4,554							
5/26/2017	2,168	5,792	7,374	34,140	49,474	7,068							
6/2/2017	2,455	5,188	7,597	23,937	39,177	5,597							
6/9/2017	2,900	4,639	7,551	24,033	39,123	5,589							
6/16/2017	3,176	3,367	9,120	18,636	34,299	4,900							
6/23/2017	2,587	4,111	2,063	22,735	31,496	4,499							
6/30/2017	3,319	4,112	6,595	21,412	35,438	5,063							
7/7/2017	2,369	4,303	7,156	35,711	49,539	7,077							
7/14/2017	3,522	4,376	8,569	37,025	53,492	7,642							
7/21/2017	3,272	8,131	8,059	51,131	70,593	10,085							
7/28/2017	3,573	10,250	8,075	46,326	68,224	9,746							

		Liquid A	ssessment Mo	nitoring		Weekly Supplemental Leachate Pumping Data Liquid Assessment Monitoring Southeast County Landfill												
	Condensate	LFG Extraction	Dewatering															
	Traps	Wells	Wells	Pump Stations	Weekly Total	Daily Average												
Week Ending	(gal)	(gal)	(gal)	(gal)	(gal)	(gpd)												
8/4/2017 ¹	8,278	25,125	8,880	98,630	140,913	20,130												
8/11/2017	6,541	64,449	7,701	170,324	249,015	35,574												
8/18/2017	4,889	62,204	8,951	147,907	223,951	31,993												
8/25/2017	4,852	62,896	9,397	139,376	216,521	30,932												
9/1/2017	55,411	64,407	9,876	197,359	327,053	46,722												
9/8/2017	62,183	75,863	9,912	132,878	280,836	40,119												
9/15/2017 ²	21,344	15,941	2,485	171,276	211,046	30,149												
9/22/2017 ²	21,062	24,538	7,088	152,090	204,778	29,254												
9/29/2017	75,527	52,154	14,371	201,676	343,728	49,104												
10/6/2017	60,611	57,347	12,037	285,947	415,942	59 <i>,</i> 420												
10/13/2017	71,298	51,515	9,009	151,615	283,437	40,491												
10/20/2017 ³	78,470	57,889	1	154,888	291,248	41,607												
10/27/2017	77,877	25,324	3,082	344,539	450,822	64,403												
11/3/2017	93,276	52,784	15,743	295,219	457,022	65,289												
11/10/2017	90,875	50,207	16,146	180,432	337,660	48,237												
11/17/2017	96,443	53,486	14,756	177,071	341,756	48,822												
11/24/2017	99,123	49,385	14,620	246,012	409,140	58,449												
12/1/2017 ⁴	100,387	48,906	14,013	75,732	239,038	34,148												
12/8/2017 ^{4,5}	96,185	51,690	14,835	44,435	207,145	29,592												
12/15/2017 ⁴	96,010	45,467	14,758	37,714	193,949	27,707												
12/22/2017 4	133,046	48,074	14,817	35,702	231,639	33,091												
12/29/2017 ⁸	189,864	48,139	14,646	55,554	308,203	44,029												
1/5/2018 ⁶	70,623	47,514	13,608	172,332	304,077	43,440												
1/12/2018 7	72,915	33,406	9,817	123,399	239,537	34,220												
1/19/2018 ⁸	129,553	45,763	10,453	120,587	306,356	43,765												
1/26/2018 ⁸	163,579	46,519	10,942	101,490	322,530	46,076												
2/2/2018	147,769	45,646	12,672	163,034	369,121	52,732												
2/9/2018	76,459	29,950	13,106	126,081	245,596	35,085												
2/16/2018	44,660	18,088	11,610	141,977	216,335	30,905												
2/23/2018	627	17,140	10,827	138,050	166,644	23,806												

	Weekly Supplemental Leachate Pumping Data Liquid Assessment Monitoring Southeast County Landfill												
	Condensate	LFG Extraction Wells	Dewatering Wells	Pump Stations	Weekly Total	Daily Average							
Week Ending	Traps (gal)	(gal)	(gal)	(gal)	(gal)	(gpd)							
3/2/2018	1,125	22,122	6,227	118,247	147,721	21,103							
3/9/2018	907	12,699	3,945	76,321	93,872	13,410							
3/16/2018	884	22,354	12,456	109,885	145,579	20,797							
3/23/2018	566	16,186	13,931	81,563	112,246	16,035							
3/30/2018	1,037	2,959	9,899	109,604	123,499	17,643							
4/6/2018	180	3,309	5,816	126,304	135,609	19,373							
4/13/2018	288	5,539	5,056	135,041	145,924	20,846							
4/20/2018	332	4,426	9,424	158,893	173,075	24,725							
4/27/2018	1,211	8,176	5,154	134,289	148,830	21,261							
5/4/2018	1,031	4,960	7,148	144,008	157,147	22,450							
5/11/2018	603	811	5,227	115,756	122,397	17,485							
5/18/2018	2,305	1,747	13,336	124,359	141,747	20,250							
5/25/2018	4,339	5,693	13,481	144,579	168,092	24,013							
6/1/2018	9,329	9,886	15,446	142,902	177,563	25,366							
6/8/2018	1,978	8,266	15,229	106,707	132,180	18,883							
6/15/2018	1,461	15,175	14,371	116,663	147,670	21,096							
6/22/2018	617	6,684	18,438	109,495	135,234	19,319							
6/29/2018	1,213	16,927	11,049	134,060	163,249	23,321							
7/6/2018	7,730	9,852	8,253	157,507	183,342	26,192							
7/13/2018	1,892	3,001	8,996	154,710	168,599	24,086							
7/20/2018	1,842	7,682	9,410	128,666	147,600	21,086							
7/27/2018	6,947	9,472	9,807	177,320	203,546	29,078							
8/3/2018	5,607	7,034	10,418	172,092	195,151	27,879							
8/10/2018	2,549	9,391	11,736	237,256	260,932	37,276							
8/17/2018	1,991	9,891	13,521	207,336	232,739	33,248							
8/24/2018	1,422	11,398	12,739	179,140	204,699	29,243							
8/31/2018	5,520	6,968	15,341	227,801	255,630	36,519							
9/7/2018	3,008	14,228	18,357	256,153	291,746	41,678							
9/14/2018	3,785	13,662	20,324	281,725	319,496	45,642							
9/21/2018	5,368	12,239	20,375	236,541	274,523	39,218							
9/28/2018	3,428	11,649	20,670	261,165	296,912	42,416							
10/5/2018	3,903	8,919	10,694	199,384	222,900	31,843							
10/12/2018	2,662	7,558	7,645	205,569	223,434	31,919							

	Weekly Supplemental Leachate Pumping Data Liquid Assessment Monitoring Southeast County Landfill													
	Condensate LFG Extraction Dewatering Trans Wells Wells Pump Stations Weekly Total Daily Average													
	Traps Wells Pump Stations Weekly Total Daily Average													
Week Ending	(gal)													
10/19/2018	2,711													
10/26/2018 ⁹	3,428													
11/2/2018 ⁹	5,368													
11/9/2018 ⁹	3,428	11,649	15,845	160,302	191,224	27,318								
11/16/2018 ⁹	3,903	8,919	13,691	127,290	153,803	21,972								
11/23/2018 ⁹	2,662	7,558	9,098	141,010	160,328	22,904								
11/30/2018 ¹⁰	2,711	6,374	9,669	75,217	93,971	13,424								
12/7/2018 ¹⁰	3,428	6,449	7,668	76,650	94,195	13,456								
12/14/2018 ¹¹	5,730	6,087	10,649	120,753	143,219	20,460								
12/21/2018	6,324	5,446	13,686	35,133	60,589	8,656								
12/28/2018	6,280	4,922	16,500	57,320	85,022	12,146								
Total	2,638,164	1,813,473	689,341	9,278,416	14,419,394									

Notes

1. Installed suction line in Phase II header.

2. Pumps shut down during and following Hurricane Irma.

3. Dewatering wells shut down for maintenance 10/12/17 through 10/26/17.


4. PS-2 shut down for construction at cut-off trench from 11/27/17 through 12/28/17.

5. PS-2B shut down for construction at cut-off trench from 12/7/17 through 12/11/17.

6. PS-2B shut down to check liquid Levels in MP 2-2 and MP 2-3 from 12/28/17 through 1/5/18.

7. All supplemental dewatering pumps shut down for Phase II dye tracer test 1/9/18 and 1/10/18.

8. PS-2 shut down for maintenance 1/16, 1/19, 1/20, 1/24, and 1/25.



Appendix B

Weekly Water Level and Precipitation Data

				Liquid Asse	- Water Level essment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		6/3/2016	56.9	188.35	131.5	118.3	13.2	
		6/8/2016	59.5		128.9		10.6	
		6/9/2016	61.3		127.1		8.8	
		6/16/2016	61.2		127.2		8.9 9.0	
		6/21/2016 6/22/2016	61.1 61.5		127.3 126.9		9.0	
		6/28/2016	61.2		120.9		8.9	
		7/13/2016	61.1		127.3		9.0	
		7/29/2016	61.8		126.6		8.3	
		8/5/2016	60.7		127.7		9.3	
		8/12/2016	60.4 60.3		128.0		9.6 9.8	
		8/19/2016 8/26/2016	60.2		128.1 128.2		9.8	
		9/2/2016	60.0		128.4		10.1	
		9/9/2016	60.0		128.4		10.1	
		9/16/2016	59.8		128.6		10.3	
		9/23/2016	59.2		129.2		10.9	
		9/30/2016	58.8		129.6		11.3 11.5	
		10/11/2016 10/14/2016	58.6 58.6		129.8 129.8		11.5	
		10/21/2016	57.8		130.6		12.3	
		10/28/2016	58.0		130.4		12.1	
		11/4/2016	58.0		130.4		12.1	
		11/11/2016	58.2		130.2		11.9	
		11/18/2016	58.5		129.9		11.6 11.3	
		11/25/2016 12/2/2016	58.8 58.2		129.6 130.2		11.3	
		12/9/2016	58.7		129.7		11.4	
		12/16/2016	58.7		129.7		11.4	
		12/23/2016	58.7		129.7		11.4	
		12/30/2016	58.7		129.7		11.4	
Ш	SB-01	1/6/2017	58.6		129.8		11.5 10.9	
11	30-01	1/13/2017 1/20/2017	59.2 58.8		129.2 129.6		11.3	
		1/27/2017	59.3		129.1		10.8	
		2/3/2017	59.6		128.8		10.5	
		2/10/2017	59.7		128.7		10.4	
		2/17/2017	59.6		128.8		10.5	
		2/24/2017	59.3		129.1		10.8 10.2	
		3/3/2017 3/10/2017	59.9 59.5		128.5 128.9		10.2	
		3/17/2017			128.4		10.0	
		3/24/2017	59.9		128.5		10.2	
		3/31/2017	59.5		128.9		10.6	
		4/7/2017	59.8		128.6		10.3	
		4/13/2017 4/21/2017	59.9 59.9	<u> </u>	128.5 128.5		10.2 10.2	
		4/21/2017 4/28/2017	59.9 60.0		128.5		10.2	
		5/5/2017	59.6		128.8		10.5	
		5/12/2017	59.8		128.6		10.3	
		5/19/2017	60.2		128.2		9.8	
		5/26/2017	60.3		128.1		9.8	
		6/2/2017 6/9/2017	60.2 59.7	<u> </u>	128.2 128.7		9.8 10.4	
		6/16/2017	59.7		120.7		11.5	
		6/23/2017	60.1	<u> </u>	128.3	<u> </u>	10.0	
		6/30/2017	60.7		127.7		9.3	
		7/7/2017	60.8		127.6		9.3	
		7/14/2017	56.5		131.9		13.6	
		7/21/2017	58.5		129.9		11.6 9.6	
		7/28/2017 8/4/2017	60.4 60.1	<u> </u>	128.0 128.3		9.6	
1		8/11/2017	60.6		127.8		9.5	
		8/18/2017	59.8		128.6		10.3	
		8/25/2017	60.7		127.7		9.3	

				Liquid Asse	 Water Level ssment Monito t County Landf 	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		9/1/2017	60.7		127.7		9.3	
		9/8/2017	59.8		128.6		10.3	
		9/15/2017	54.5		133.9		15.6 10.9	
		9/22/2017 9/29/2017	59.2 59.3		129.2 129.1		10.9	
		10/6/2017	59.0		129.1		11.1	
		10/13/2017	59.0		129.4		11.1	
		10/20/2017	59.0		129.4		11.1	
		10/27/2017	59.2		129.2		10.9	
		11/3/2017	59.3		129.1		10.8 10.8	
		11/10/2017 11/17/2017	59.3 59.5		129.1 128.9		10.8	
		11/24/2017	59.3		120.9		10.8	
		12/1/2017	59.8		128.6		10.3	
		12/8/2017	59.4		129.0		10.7	
		12/15/2017	59.7		128.7		10.4	
		12/22/2017	59.7		128.7		10.4	
		12/29/2017	59.8 60.2		128.6		10.3 9.8	
		1/5/2018 1/12/2018	59.7		128.2 128.7		10.4	-0.5
		1/19/2018	59.7		128.7		10.4	-0.9
		1/26/2018	60.4		128.0		9.6	-1.1
		2/2/2018	60.3		128.1		9.8	-0.7
		2/9/2018	60.5		127.9		9.6	-0.8
		2/16/2018	60.5		127.9		9.6 9.1	-0.9 -1.7
		2/23/2018 3/2/2018	61.0 60.9		127.4 127.5		9.1	-1.7
		3/9/2018	61.1		127.3		9.0	-1.6
		3/16/2018	61.2		127.1		8.8	-1.2
		3/23/2018	61.7		126.7		8.3	-1.8
		3/30/2018	61.3		127.1		8.8	-1.8
Ш	SB-01	4/6/2018	61.2		127.2		8.8	-1.4
		4/13/2018 4/20/2018	61.7 61.7		126.7 126.7		8.3 8.3	-1.8 -1.8
		4/20/2018	61.6		126.8		8.5	-1.6
		5/4/2018	61.9		126.5		8.1	-2.3
		5/11/2018	62.3		126.1		7.8	-2.5
		5/18/2018	57.1		131.3		13.0	3.1
		5/25/2018	60.0		128.4		10.1	0.3
		6/1/2018 6/8/2018	60.2 60.2		128.2 128.2		9.8 9.8	0.0 -0.5
		6/15/2018			120.2		9.5	-2.0
		6/22/2018	60.4		128.0		9.6	-0.3
		6/29/2018	60.4		128.0		9.6	0.3
		7/6/2018	61.0		127.4		9.1	-0.2
		7/13/2018	61.0		127.4		9.1 9.8	-4.5 -1.8
		7/20/2018	60.3 60.0		<u>128.1</u> 128.4		9.8	-1.8
		8/3/2018	60.0		120.4		10.1	0.4
		8/10/2018	60.1		128.3		10.0	0.5
		8/17/2018	59.7		128.7		10.4	0.1
		8/24/2018	59.8		128.6		10.3	0.9
		8/31/2018	54.6		133.8		15.5	6.1
		9/7/2018 9/14/2018	55.7 54.6		132.7 133.8		14.4 15.5	<u>4.1</u> -0.1
		9/21/2018	59.0		129.4		11.1	0.2
		9/28/2018	58.7		129.7		11.4	0.6
		10/5/2018	58.3		130.1		11.8	0.7
		10/12/2018	58.0		130.4		12.1	1.0
		10/19/2018	58.1		130.3		12.0	0.9
		10/26/2018 11/2/2018	58.2 57.8		130.2 130.6		11.9 12.3	<u> </u>
		11/9/2018	See Note 23		130.0		12.0	1.0
	1	11012010	000 11010 20					

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		6/9/2016	54.5	187.62	133.1	`117.9´	15.2	
		6/11/2016	56.5		131.2		13.3	
		6/14/2016	56.0		131.7		13.8 15.1	
		6/16/2016 6/21/2016	54.6 56.2		133.0 131.4		13.5	
		6/22/2016	55.4		131.4		14.3	
		6/28/2016	56.1		131.5		13.6	
		7/13/2016	54.8		132.9		15.0	
		7/29/2016	54.9		132.8		14.9	
		8/5/2016	56.3		131.3		13.4 14.1	
		8/12/2016 8/19/2016	55.6 55.8		132.0 131.8		14.1	
		8/26/2016	55.8		131.8		13.9	
		9/2/2016	55.7		131.9		14.0	
		9/9/2016	55.7		131.9		14.0	
		9/16/2016	55.5		132.1		14.2	
		9/23/2016	54.9		132.7		14.8 15.1	
		9/30/2016 10/11/2016	54.6 54.3		133.0 133.3		15.1	
		10/14/2016	54.5		133.1		15.2	
		10/21/2016	54.0		133.6		15.7	
		10/28/2016	55.5		132.1		14.2	
		11/4/2016	54.0		133.6		15.7	
		11/11/2016	54.4		133.2		15.3	
		11/18/2016 11/25/2016	54.5 54.6		133.1 133.0		15.2 15.1	
		12/2/2016	54.9		133.0		14.8	
		12/9/2016	55.0		132.6		14.7	
		12/16/2016	55.0		132.6		14.7	
		12/23/2016	55.0		132.6		14.7	
		12/30/2016	55.1		132.5		14.6	
Ш	SB-02	1/6/2017 1/13/2017	55.0 55.4		132.6 132.2		14.7 14.3	
	50-02	1/20/2017	54.9		132.2		14.8	
		1/27/2017	55.4		132.2		14.3	
		2/3/2017	55.6		132.0		14.1	
		2/10/2017	55.6		132.0		14.1	
		2/17/2017	55.6 55.4		132.0 132.2		14.1 14.3	
		2/24/2017 3/3/2017	55.4 55.9		132.2		14.3	
		3/10/2017	55.8		131.8		13.9	
		3/17/2017			131.4		13.5	
		3/24/2017	56.2		131.4		13.5	
		3/31/2017	55.8		131.8		13.9	
		4/7/2017 4/13/2017	56.4 56.5		131.2 131.1		13.3 13.2	
		4/13/2017 4/21/2017			131.1		13.2	
		4/28/2017	56.7	<u> </u>	130.9	<u> </u>	13.0	
		5/5/2017	56.4		131.2		13.3	
		5/12/2017	56.7		130.9		13.0	
		5/19/2017	56.9		130.7		12.8	
		5/26/2017 6/2/2017	57.1 57.0	<u> </u>	130.5 130.6		12.6 12.7	
		6/9/2017	57.0		130.6		12.7	
		6/16/2017	57.0		130.6		12.0	
		6/23/2017	57.1		130.5		12.6	
		6/30/2017	57.2		130.4		12.5	
		7/7/2017	57.2		130.4		12.5	
		7/14/2017	57.2		130.4		12.5 12.7	
		7/21/2017 7/28/2017	57.0 56.8	<u> </u>	130.6 130.8		12.7	
		8/4/2017	56.6		130.8		12.9	
		8/11/2017	55.9		131.7		13.8	
		8/18/2017	55.4		132.2		14.3	
		8/25/2017	55.0		132.6		14.7	

				Liquid Asse	 Water Level ssment Monito t County Landf 	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		9/1/2017	54.9		132.7		14.8	
		9/8/2017	54.4		133.2		15.3	
		9/15/2017	53.8		133.8		15.9 16.8	
		9/22/2017 9/29/2017	52.9 52.6		134.7 135.0		17.1	
		10/6/2017	52.5		135.0		17.2	
		10/13/2017	52.9		134.7		16.8	
		10/20/2017	53.1		134.5		16.6	
		10/27/2017	53.9		133.7		15.8	
		11/3/2017	54.2		133.4		15.5	
		11/10/2017	54.2 54.3		133.4		15.5 15.4	
		11/17/2017 11/24/2017	54.6		133.3 133.0		15.1	
		12/1/2017	54.6		133.0		15.1	
		12/8/2017	54.6		133.0		15.1	
		12/15/2017	54.6		133.0		15.1	
		12/22/2017	54.6		133.0		15.1	
		12/29/2017	54.9		132.7		14.8 14.2	0.5
		1/5/2018 1/12/2018	55.5 54.7		132.1 132.9		14.2	-0.5 0.7
		1/19/2018	54.6		132.9		15.1	0.7
		1/26/2018	55.7		131.9		14.0	-0.3
		2/2/2018	55.3		132.3		14.4	0.3
		2/9/2018	55.8		131.8		13.9	-0.2
		2/16/2018	55.8		131.8		13.9	-0.2
		2/23/2018 3/2/2018	56.1		131.5 131.7		13.6 13.8	-0.7 0.0
		3/9/2018	55.9 56.0		131.6		13.7	-0.2
		3/16/2018	56.2		131.4		13.5	0.0
		3/23/2018	56.6		131.0		13.1	-0.4
		3/30/2018	56.3		131.3		13.4	-0.5
Ш	SB-02	4/6/2018	56.4		131.2		13.3	0.0
		4/13/2018	56.6		131.0		13.1 12.8	-0.1 -0.5
		4/20/2018 4/27/2018	56.9 56.5		130.7 131.1		13.2	-0.5
		5/4/2018	56.4		131.2		13.3	0.0
		5/11/2018	56.9		130.7		12.8	-0.2
		5/18/2018	56.8		130.8		12.9	0.1
		5/25/2018	56.6		131.0		13.1	0.5
		6/1/2018	56.9		130.7		12.8 12.8	0.1
		6/8/2018 6/15/2018	56.9 56.9		130.7 130.7		12.8	0.2
		6/22/2018	57.0		130.7		12.7	0.1
		6/29/2018	56.9		130.7		12.8	0.3
		7/6/2018	56.9		130.7		12.8	0.3
		7/13/2018	56.7		130.9		13.0	0.5
		7/20/2018	56.4		131.2		13.3 13.4	0.6 0.5
		7/27/2018 8/3/2018	56.3 56.0		131.3 131.6		13.4	0.5
		8/10/2018	56.6		131.0		13.1	-0.7
		8/17/2018	55.4		132.2		14.3	0.0
		8/24/2018	54.9		132.7		14.8	0.1
		8/31/2018	54.7		132.9		15.0	0.2
		9/7/2018	54.4		133.2		15.3	0.0 -0.6
		9/14/2018 9/21/2018	54.4 54.5		<u>133.2</u> 133.1		15.3 15.2	-0.6 -1.6
		9/28/2018	54.5 54.5		133.1		15.2	-1.9
		10/5/2018	54.4		133.2		15.3	-1.9
		10/12/2018	54.3		133.3		15.4	-1.4
		10/19/2018	54.5		133.1		15.2	-1.4
		10/26/2018	54.3		133.3		15.4	-0.4
		11/2/2018	54.4		133.2		15.3	-0.2
	1	11/9/2018	See Note 23					

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		6/10/2016	51.7	185.73	134.0	`117.4´	16.6			
		6/11/2016	58.5		127.3		9.9			
		6/13/2016	59.6		126.1		8.7			
		6/16/2016 6/21/2016	59.7 59.8		126.1 126.0		8.7 8.6			
		6/22/2016	59.9		125.9		8.5			
		6/28/2016	58.0		127.8		10.4			
		7/13/2016	56.2		129.6		12.2			
		7/29/2016	59.7		126.1		8.7			
		8/5/2016	56.2		129.5		12.1 12.3			
		8/12/2016 8/19/2016	56.0 56.2		129.7 129.5		12.3			
		8/26/2016	55.8		129.9		12.5			
		9/2/2016	56.0		129.7		12.3			
		9/9/2016	55.9		129.8		12.4			
		9/16/2016	55.0		130.7		13.3			
		9/23/2016	55.0		130.7		13.3 13.3			
		9/30/2016 10/11/2016	55.0 55.0	<u> </u>	130.7 130.7		13.3			
		10/14/2016	55.0		130.7		13.3			
		10/21/2016	54.8		130.9		13.5			
		10/28/2016	54.7		131.0		13.6			
		11/4/2016	54.9		130.8		13.4			
		11/11/2016	54.3		131.4		14.0			
		11/18/2016 11/25/2016	54.3 54.3		131.4 131.4		14.0 14.0			
		12/2/2016	54.2		131.4		14.0			
		12/9/2016	54.9		130.8		13.4			
		12/16/2016	54.8		130.9		13.5			
		12/23/2016	54.9		130.8		13.4			
		12/30/2016	55.1		130.6		13.2			
Ш	SB-03	1/6/2017 1/13/2017	54.9 54.4		130.8 131.3		13.4 13.9			
11	30-03	1/20/2017	55.0		131.3		13.3			
		1/27/2017	55.2		130.5		13.1			
		2/3/2017	55.4		130.3		12.9			
		2/10/2017	55.7		130.0		12.6			
		2/17/2017	55.8		129.9		12.5 12.8			
		2/24/2017 3/3/2017	55.5 55.9		130.2 129.8		12.0			
		3/10/2017	55.8		129.9		12.5			
		3/17/2017			129.6		12.2			
		3/24/2017	56.1		129.6		12.2			
		3/31/2017	55.9		129.8		12.4			
		4/7/2017 4/13/2017	56.3 56.2		129.4 129.5		12.0 12.1			
		4/13/2017 4/21/2017			129.5		12.1			
		4/28/2017	56.5		129.2		11.8			
		5/5/2017	56.3		129.4		12.0			
		5/12/2017	56.5		129.2		11.8			
		5/19/2017	56.7		129.0		11.6			
		5/26/2017 6/2/2017	56.8 56.8	<u> </u>	128.9 128.9		11.5 11.5			
		6/9/2017	57.0		128.7		11.3			
		6/16/2017	56.9		128.8		11.4			
		6/23/2017	57.1		128.6		11.2			
		6/30/2017	57.1		128.6		11.2			
		7/7/2017	57.1		128.6		11.2			
		7/14/2017	57.1		128.6		11.2 11.5			
		7/21/2017 7/28/2017	56.8 56.4	<u> </u>	128.9 129.3		11.5			
		8/4/2017	56.2		129.5		12.1			
		8/11/2017	55.5		130.2		12.8			
		8/18/2017	55.0		130.7		13.3			
		8/25/2017	54.5		131.2		13.8			

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		9/1/2017	54.4		131.3		13.9				
		9/8/2017	53.8		131.9						
		9/15/2017	52.8		132.9						
		9/22/2017 9/29/2017	52.0 51.6		133.7 134.1						
		10/6/2017	51.4		134.1		16.9				
		10/13/2017	51.6		134.1		16.7				
		10/20/2017	51.8		133.9		16.5				
		10/27/2017	52.3		133.4						
		11/3/2017	52.7		133.0						
		11/10/2017 11/17/2017	52.9 53.2		132.8 132.5						
		11/24/2017	53.1		132.6		15.2				
		12/1/2017	53.8		131.9		14.5				
		12/8/2017	53.7		132.0						
		12/15/2017	54.0		131.7						
		12/22/2017 12/29/2017	53.8		131.9						
		1/5/2017	54.3 54.7		131.4 131.0			0.2			
		1/12/2018	54.3		131.4						
		1/19/2018	54.9		130.8		13.4	0.1			
		1/26/2018	55.1		130.6		13.2	0.1			
		2/2/2018	55.0		130.7						
		2/9/2018	55.2		130.5						
		2/16/2018 2/23/2018	55.2 55.4		130.5 130.3						
		3/2/2018	55.3		130.3						
		3/9/2018	55.5		130.2		12.8	0.3			
		3/16/2018	55.6		130.2		12.8	0.5			
		3/23/2018	56.0		129.7						
		3/30/2018	55.7		130.0						
11	SB-03	4/6/2018 4/13/2018	55.9 55.9		129.8 129.8						
		4/20/2018	56.2		129.5		12.1	0.0			
		4/27/2018	56.1		129.6		12.2	0.4			
		5/4/2018	56.4		129.3		11.9	-0.1			
		5/11/2018	56.6		129.1						
		5/18/2018 5/25/2018	56.6 56.6		129.1 129.1						
		6/1/2018	56.7		129.0						
		6/8/2018	56.7		129.0		11.6	0.3			
		6/15/2018	56.5		129.2		11.8	0.4			
		6/22/2018	56.4		129.3		11.9	0.7			
		6/29/2018	56.3		129.4						
		7/6/2018	56.2 55.9		129.5 129.8						
		7/20/2018	55.5		129.0		12.4	1.3			
		7/27/2018	55.3		130.4		Clay (ft)Previous Year (13.914.514.515.516.316.716.916.716.516.015.615.415.115.214.514.614.514.614.30.113.60.214.50.113.10.612.90.113.10.612.80.312.80.512.40.411.70.111.60.311.80.412.00.812.10.912.41.2				
		8/3/2018	55.0		130.7						
		8/10/2018	54.5		131.2						
		8/17/2018	54.2		131.5						
		8/24/2018 8/31/2018	53.5 53.2		132.2 132.5						
		9/7/2018	52.8		132.9						
		9/14/2018	52.7		133.0						
		9/21/2018	52.5		133.2						
		9/28/2018	52.4		133.3						
		10/5/2018	52.5		133.2						
		10/12/2018 10/19/2018	52.3 52.2		133.4 133.5						
		10/26/2018	52.2		133.3						
		11/2/2018	52.5		133.2						
		11/9/2018	See Note 23								

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		6/22/2016	51.7	180.19	128.5	118.5	10.0	
		6/28/2016	52.4		127.8		9.3	
		7/13/2016	52.3		127.9		9.4	
		7/29/2016	52.8		127.4		8.9	
		8/5/2016	52.1		128.1		9.6	
		8/12/2016	52.0		128.2		9.7	
		8/19/2016	52.2		128.0		9.5	
		8/26/2016 9/2/2016	52.0		128.2		<u>9.7</u> 9.7	
		9/2/2016	52.0 52.0		128.2 128.2		9.7	
		9/16/2016	51.2		120.2		10.5	
		9/23/2016	50.9		129.0		10.8	
		9/30/2016	50.3		129.9		11.4	
		10/11/2016	50.1		130.1		11.6	
		10/14/2016	50.0		130.2		11.7	
		10/21/2016	50.0		130.2		11.7	
		10/28/2016	50.1		130.1		11.6	
		11/4/2016	50.3		129.9		11.4	
		11/11/2016	50.9		129.3		10.8	
		11/18/2016	51.0		129.2		10.7	
		11/25/2016	51.0		129.2		10.7	
		12/2/2016	51.1		129.1		10.6	
		12/9/2016	51.6		128.6		10.1	
		12/16/2016	51.3		128.9		10.4	
		12/23/2016	51.2		129.0		10.5	
		12/30/2016	51.1		129.1		10.6	
		1/6/2017	51.4		128.8		10.3	
		1/13/2017	51.6		128.6		10.1	
		1/20/2017	51.3		128.9		10.4 9.9	
		1/27/2017	51.8		128.4		9.9	
Ш	SB-05	2/3/2017 2/10/2017	51.3 51.4		128.9 128.8		10.4	
		2/17/2017	52.2		128.0		9.5	
		2/24/2017	52.1		128.1		9.6	
		3/3/2017	51.5		128.7		10.2	
		3/10/2017	52.3		127.9		9.4	
		3/17/2017	53.0		127.2		8.7	
		3/24/2017	53.2		127.0		8.5	
		3/31/2017	53.3		126.9		8.4	
		4/7/2017	53.7		126.5		8.0	
		4/13/2017	53.9		126.3		7.8	
		4/21/2017	53.9		126.3		7.8	
		4/28/2017	54.1		126.1		7.6	
		5/5/2017	54.0		126.2		7.7	
		5/12/2017	54.1		126.1		7.6 7.5	
		5/19/2017 5/26/2017	54.2 54.3		126.0 125.9		7.5	
		6/2/2017	54.3		125.9		7.4	
		6/9/2017	54.3		125.9		7.4	
		6/16/2017	54.3		125.9		7.4	
		6/23/2017	54.4		125.8		7.3	
		6/30/2017	54.5		125.7		7.2	
		7/7/2017	54.5		125.7		7.2	
		7/14/2017	54.6		125.6		7.1	
		7/21/2017	54.6		125.6		7.1	
		7/28/2017	54.3		125.9		7.4	
		8/4/2017	53.9		126.3		7.8	
		8/11/2017	53.1		127.1		8.6	
		8/18/2017	54.2		126.0		7.5	
		8/25/2017	51.1		129.1		10.6	
		9/1/2017	52.1		128.1		9.6	
		9/8/2017	51.4		128.8		10.3	

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		9/15/2017	50.8		129.4		10.9			
		9/22/2017	50.0		130.2		11.7			
		9/29/2017	50.0		130.2		11.7			
		10/6/2017	50.3		129.9		11.4 11.4			
		10/13/2017 10/20/2017	50.3 51.2		129.9 129.0		10.5			
		10/27/2017	51.5		128.7		10.2			
		11/3/2017	51.8		128.4		9.9			
		11/10/2017	51.9		128.3		9.8			
		11/17/2017	52.5		127.7		9.2			
		11/24/2017	52.3		127.9		9.4			
		12/1/2017	52.7		127.5		9.0			
		12/8/2017	52.8		127.4		8.9			
		12/15/2017 12/22/2017	52.9 52.8		127.3 127.4		8.8 8.9			
		12/22/2017					8.5			
								-1.9		
		1/12/2018					8.7	-1.4		
		1/19/2018					8.4	-2.0		
		1/26/2018	53.4		126.8		8.3	-1.6		
		2/2/2018								
		2/9/2018								
		2/16/2018								
		2/23/2018								
		3/9/2018								
		3/16/2018					8.1	-0.6		
		3/23/2018	53.9		126.3		7.8	-0.7		
		3/30/2018	53.7		126.5		8.0	-0.4		
		4/6/2018								
11	SB-05	4/13/2018								
		4/20/2018								
								-		
		5/18/2018					-			
		5/25/2018					6.8	-0.6		
		6/1/2018	54.3		125.9		7.4	0.0		
		6/8/2018	54.4		125.8		7.3	-0.1		
		6/15/2018								
		6/22/2018								
		6/29/2018								
		7/6/2018								
		7/20/2018						Previous Year (ft)		
		7/27/2018	/5/2018 53.3 126.9 8.4 2/2018 53.0 127.2 8.7 30/2018 53.3 126.9 8.4 36/2018 53.4 126.9 8.4 36/2018 53.3 126.9 8.4 31/2018 53.3 126.9 8.4 31/2018 53.3 126.9 8.4 31/2018 53.4 126.8 8.3 31/2018 53.4 126.7 8.2 31/2018 53.6 126.6 8.1 31/2018 53.6 126.6 8.1 31/2018 53.6 126.3 7.8 31/2018 53.9 126.3 7.8 31/2018 53.9 126.3 7.8 31/2018 53.9 126.3 7.8 31/2018 53.9 126.3 7.8 31/2018 53.9 126.3 7.8 31/2018 54.1 126.2 7.7 11/2018 54.1 126.2 7.7 11/2018 54.4 125.3 6.8 <							
		8/3/2018		0.5						
		8/10/2018								
		8/17/2018								
		8/24/2018								
		8/31/2018					-			
		9/7/2018 9/14/2018	51.3 51.2		128.9 129.0		10.4 10.5			
		9/14/2018	51.2		129.0		10.3			
		9/28/2018	51.4		128.8		10.3			
		10/5/2018	51.3		128.9		10.4			
		10/12/2018	51.3		128.9		10.4	-1.0		
		10/19/2018	51.2		129.0		10.5			
		10/26/2018	51.3		128.9		10.4	-		
		11/2/2018	51.7		128.5		10.0	0.1		
		11/9/2018	See Note 23							

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		2/21/2017	55.8	184.44	128.6	117.0	11.6			
	[2/23/2017	57.75		126.7		9.7			
		2/24/2017	57.9		126.5		9.5			
		3/3/2017	58.6		125.8		8.8			
	[3/10/2017	58.4		126.0		9.0			
	[3/17/2017	59.0		125.4		8.4			
		3/24/2017	59.3		125.1		8.1			
	I [3/31/2017	59.4		125.0		8.0			
	I [4/7/2017	59.8		124.6		7.6			
	I [4/13/2017	59.9		124.5					
		4/21/2017	59.9		124.5					
		4/28/2017	60.2		124.2					
		5/5/2017	59.9		124.5					
		5/12/2017	60.2		124.2					
		5/19/2017	60.4		124.0	Monitoring Landfill Vation Top of Clay Elev (NGVD) Liquid Depth Over Clay (ft) Depth Change Previous Year (ft) 6 117.0 11.6 11.6 7 9.7 5 5 9.5 1 8 8.8 1 0 9.0 4 4 8.4 1 0 8.0 1 0 8.0 1 0 8.0 1 0 8.0 1 5 7.5 1 2 7.2 1 2 7.2 1 0 7.0 1 9 6.9 1 9 6.9 1 9 6.7 1 10 7.0 1 9 6.9 1 9 6.9 1 11 6.7 1 12 7.1 1 13 6.8 1				
		5/26/2017	60.5		123.9					
		6/2/2017	60.5		123.9					
		6/9/2017	60.4		124.0					
		6/16/2017	60.5		123.9					
		6/23/2017	60.6		123.8					
		6/30/2017	60.7		123.7		-			
		7/7/2017	60.6		123.8					
	00.450	7/14/2017	60.7		123.7					
II	SB-15D	7/21/2017	60.8		123.6					
		7/28/2017	60.7		123.7					
		8/4/2017	60.9		123.5					
		8/11/2017	60.7		123.7					
		8/18/2017	60.7		123.7					
		8/25/2017	60.5 60.5		123.9 123.9					
		9/1/2017	60.5		123.9					
		9/8/2017 9/15/2017	59.7		124.3					
		9/15/2017 9/22/2017	59.7		124.7					
		9/22/2017	58.8		125.6					
		10/6/2017	58.7		125.7					
		10/13/2017	58.6		125.8					
		10/13/2017			125.6		1			
		10/20/2017			125.4					
		11/3/2017	59.0		125.4					
		11/10/2017	59.4		125.0					
		11/17/2017	59.6		123.0					
		11/24/2017	59.6		124.8					
		12/1/2017	60.0		124.0					
		12/8/2017	59.8		124.4					
		12/15/2017			124.0					
		12/13/2017	60.1		124.4		7.3			
		12/22/2017	60.1		124.3		7.3			

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		1/5/2018	60.4		124.0		7.0			
		1/12/2018	60.0		124.4		7.4			
		1/19/2018	60.4		124.0		7.0			
		1/26/2018	60.4		124.0		7.0			
		2/2/2018	60.3		124.1		7.1			
		2/9/2018	60.4		124.0		7.0			
		2/16/2018	60.3		124.1		7.1			
		2/23/2018	60.5		123.9		6.9			
		3/2/2018	60.4		124.0		7.0			
		3/9/2018	60.4		124.0		7.0			
		3/16/2018	60.3		124.1		7.1			
		3/23/2018	60.4		124.0	0 11 40	7.0			
		3/30/2018 4/6/2018	60.6 60.6		123.8 123.8	See Note 16	6.8 6.8	0.0		
		4/6/2018	60.6		123.8		6.6	-0.8 -0.9		
		4/13/2018	60.8		123.6		6.6	-0.9		
		4/27/2018	60.7		123.0		6.7	-0.5		
		5/4/2018	61.0		123.4		6.4	-0.3		
		5/11/2018	61.0		123.4		6.4	-0.8		
		5/18/2018	60.9		123.5		6.5	-0.5		
		5/25/2018	60.9		123.5		6.5	-0.4		
		6/1/2018	60.9		123.5		6.5	-0.4		
		6/8/2018	61.1		123.3		6.3	-0.7		
		6/15/2018	61.0		123.4		6.4	-0.5		
	1 1	6/22/2018	61.0		123.4		6.4	-0.4		
	1 1	6/29/2018	61.0		123.4		6.4	-0.3		
П	SB-15D	7/6/2018	61.1		123.3		6.3	-0.5		
11	30-100	7/13/2018	61.0		123.4		6.4	-0.3		
		7/20/2018	60.9		123.5		6.5	-0.1		
		7/27/2018	60.9		123.5		6.5	-0.2		
		8/3/2018	61.0		123.4		6.4	-0.1		
		8/10/2018	60.8		123.6		6.6	-0.1		
		8/17/2018	60.8		123.6		6.6	-0.1		
		8/24/2018	60.3		124.1		7.1	0.2		
		8/31/2018	60.3		124.1		7.1	0.2		
		9/7/2018	60.0		124.4		7.4	0.1		
		9/14/2018			124.4 124.5		7.4	-0.3 -0.8		
		9/21/2018 9/28/2018	59.9 59.8		124.5		7.5	-0.8 -1.0		
		9/28/2018	59.8 59.7		124.6		7.6	-1.0		
		10/3/2018	59.7		124.7		7.9	-0.9		
		10/12/2018	59.5		124.9		7.9	-0.7		
		10/26/2018	59.4		124.9		8.0	-0.4		
		11/2/2018	59.4	L	125.0	L	8.0	-0.4		
		11/9/2018	59.5	<u> </u>	120.0	<u> </u>	7.9	-0.1		
		11/16/2018	59.6	<u> </u>	124.8	<u> </u>	7.8	0.0		
		11/23/2018	59.4		125.0		8.0	0.2		
		11/30/2018	59.5		124.9		7.9	0.5		
		12/7/2018			124.6		7.6	0.0		
		12/14/2018	59.6		124.8		7.8	0.4		
		12/21/2018	59.5		124.9		7.9	0.6		
		12/28/2018	59.7		124.7		7.7	0.4		

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		2/16/2017	54.5	183.60	129.1	117.2	11.9	
		2/17/2017	58.36		125.2		8.0	
		2/20/2017	58.3		125.3		8.1	
		2/23/2017	57.65		126.0		8.7	
	[2/24/2017	57.8		125.8		8.6	
	I [3/3/2017	58.4		125.2		8.0	
		3/10/2017	58.2		125.4		8.2	
	I [3/17/2017	59.6		124.0		6.8	
	I [3/24/2017	59.9		123.7		6.5	
	I [3/31/2017	59.7		123.9		6.7	
		4/7/2017	60.3		123.3		6.1	
	I [4/13/2017	60.3		123.3		6.1	
	[4/21/2017	60.3		123.3		6.1	
		4/28/2017	60.5		123.1		5.9	
	I [5/5/2017	60.2		123.4		6.2	
	I [5/12/2017	60.4		123.2		6.0	
		5/19/2017	60.4		123.2		6.0	
	I [5/26/2017	60.7		122.9		5.7	
	I [6/2/2017	60.6		123.0		5.8	
		6/9/2017	60.6		123.0		5.8	
	I [6/16/2017	60.6		123.0		5.8	
		6/23/2017	60.6		123		5.8	
		6/30/2017	60.7		122.9		5.7	
		7/7/2017	60.7		122.9		5.7	
11	SB-16D	7/14/2017	60.6		123.0		5.8	
		7/21/2017	60.7		122.9		5.7	
		7/28/2017	60.5		123.1		5.9	
		8/4/2017	60.4		123.2		6.0	
		8/11/2017	59.7		123.9		6.7	
		8/18/2017	60.0		123.6		6.4	
		8/25/2017	61.0		122.6		5.4	
		9/1/2017	60.2		123.4		6.2	
		9/8/2017	59.6		124.0		6.8	
		9/15/2017	59.3		124.3		7.1	
		9/22/2017	58.6		125.0		7.8	
		9/29/2017	58.5		125.1		7.9	
		10/6/2017			125.1		7.9	
		10/13/2017			124.8		7.6	
		10/20/2017	59.4		124.2		7.0	
		10/27/2017	59.6		124.0		6.8	
		11/3/2017	59.7		123.9		6.7	
		11/10/2017	59.7		123.9		6.7	
		11/17/2017	59.9		123.7		6.5	
		11/24/2017	59.8		123.8		6.6	
		12/1/2017	59.6		124.0		6.8	
		12/8/2017	60.1		123.5		6.3	
		12/15/2017	60.3		123.3		6.1	
		12/22/2017	60.4		123.2		6.0	
		12/29/2017	60.4		123.2		6.0	

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		1/5/2018	60.4		123.2		6.0	
		1/12/2018	59.8		123.8		6.6	
		1/19/2018	60.1		123.5		6.3	
		1/26/2018	60.1		123.5		6.3	
		2/2/2018	60.0		123.6		6.4	
		2/9/2018	60.0		123.6		6.4	
		2/16/2018	60.0		123.6		6.4	
		2/23/2018	60.1		123.5		6.3	
		3/2/2018 3/9/2018	60.0 60.1		123.6 123.5		6.4 6.3	
		3/9/2018	60.1		123.5		6.3	
		3/23/2018	60.4		123.2		6.0	
		3/30/2018	60.1		123.5	See Note 16	6.3	
		4/6/2018	60.2		123.4		6.2	0.1
		4/13/2018	60.3		123.3		6.1	0.0
		4/20/2018	60.1		123.5		6.3	0.2
		4/27/2018	60.1		123.5		6.3	0.4
		5/4/2018	60.3		123.3		6.1	-0.1
		5/11/2018	60.3		123.3		6.1	0.1
		5/18/2018	60.2		123.4		6.2	0.2
		5/25/2018	60.2		123.4		6.2	0.5
		6/1/2018	60.3		123.3		6.1	0.3
		6/8/2018	60.4		123.2		6.0	0.2
		6/15/2018	60.3		123.3		6.1	0.3
		6/22/2018	60.3		123.3		6.1	0.3
		6/29/2018	60.2		123.4		6.2	0.5
		7/6/2018	60.3		123.3		6.1	0.4
II	SB-16D	7/13/2018	60.3 60.2		123.3		6.1	0.3
		7/20/2018 7/27/2018	60.2		123.4 123.4		6.2 6.2	0.5
		8/3/2018	60.2		123.4		6.2	0.3
		8/10/2018	60.0		123.4		6.4	-0.3
		8/17/2018	60.0		123.6		6.4	0.0
		8/24/2018	59.7		123.9		6.7	1.3
		8/31/2018	59.6		124.0		6.8	0.6
		9/7/2018	59.5		124.1		6.9	0.1
		9/14/2018			124.2		7.0	-0.1
		9/21/2018			123.9		6.7	-1.1
		9/28/2018	59.5		124.1		6.9	-1.0
		10/5/2018	59.5		124.1		6.9	-1.0
		10/12/2018	59.4		124.2		7.0	-0.6
		10/19/2018	59.4		124.2		7.0	0.0
		10/26/2018	59.3		124.3		7.1	0.3
		11/2/2018	59.4		124.2		7.0	0.3
		11/9/2018	59.4		124.2		7.0	0.3
		11/16/2018	59.5		124.1		6.9	0.4
		11/23/2018	59.2		124.4		7.2	0.6
		11/30/2018	59.4		124.2		7.0	0.2
		12/7/2018			123.8		6.6	0.3
		12/14/2018			123.6		6.4	0.3
		12/21/2018 12/28/2018	59.5 59.5		124.1 124.1		6.9 6.9	0.9
		12/20/2018	59.5				-	
					-		-	-

				Liquid Asse	- Water Level essment Monito t County Land	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		2/16/2017	60.3	185.47	125.2	119.6	5.6	
		2/17/2017	60.31		125.2		5.6	
		2/20/2017	60.2		125.3		5.7	
		2/23/2017	59.90		125.6		6.0	
		2/24/2017	60.1		125.4		5.8	
		3/3/2017	60.7		124.8		5.2	
		3/10/2017	60.6		124.9		5.3	
		3/17/2017	60.9		124.6		5.0	
		3/24/2017	60.9		124.6		5.0	
		3/31/2017	60.6		124.9		5.3	
		4/7/2017	61.0		124.5		4.9	
		4/13/2017	61.1		124.4		4.8	
		4/21/2017	61.2		124.3		4.7	
		4/28/2017	61.3		124.2		4.6	
		5/5/2017	61.1		124.4		4.8	
		5/12/2017	61.3		124.2		4.6	
		5/19/2017	61.3		124.2		4.6	
		5/26/2017	61.5		124.0		4.4	
		6/2/2017	61.5		124.0		4.4	
		6/9/2017	61.5		124.0		4.4	
		6/16/2017	61.6		123.9		4.3	
		6/23/2017	61.7		123.8		4.2	
		6/30/2017	61.8		123.7		4.1	
		7/7/2017	61.8		123.7		4.1	
11	SB-17D	7/14/2017	61.8		123.7		4.1	
		7/21/2017	61.8		123.7		4.1	
		7/28/2017	61.7		123.8		4.2	
		8/4/2017	61.6		123.9		4.3	
		8/11/2017	61.7		123.8		4.2	
		8/18/2017	61.5		124.0		4.4	
		8/25/2017	60.8		124.7		5.1	
		9/1/2017	60.8		124.7		5.1	
		9/8/2017	60.1		125.4		5.8	
		9/15/2017	59.3		126.2		6.6	
		9/22/2017	58.3		127.2		7.6	
		9/29/2017	57.6		127.9		8.3	
		10/6/2017			128.4		8.8	
		10/13/2017	57.2		128.3		8.7	
		10/20/2017	57.2		128.3		8.7	
		10/27/2017	57.9		127.6		8.0	
		11/3/2017	58.5		127.0		7.4	
		11/10/2017	58.6		126.9		7.3	
		11/17/2017	58.9		126.6		7.0	
		11/24/2017	58.8		126.7		7.1	
		12/1/2017	59.6		125.9		6.3	
		12/8/2017	59.3		126.2		6.6	
		12/15/2017	59.4		126.1		6.5	
		12/22/2017	59.6		125.9		6.3	
		12/29/2017	59.7		125.8		6.2	

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		1/5/2018	60.3		125.2		5.6			
		1/12/2018	60.0		125.5		5.9			
		1/19/2018	60.8		124.7		5.1			
		1/26/2018	60.9		124.6		5.0			
		2/2/2018	60.9		124.6		5.0	l		
		2/9/2018	61.1		124.4		4.8			
		2/16/2018	61.1 61.2		124.4 124.3		4.8			
		2/23/2018 3/2/2018	61.2		124.3		4.7			
		3/2/2018	61.3		124.3		4.7			
		3/16/2018	61.4		124.2		4.0			
		3/23/2018	61.8		123.7		4.1			
		3/30/2018	61.8		123.7	See Note 16	4.1			
		4/6/2018	61.8		123.7		4.1	-0.8		
		4/13/2018	61.9		123.6		4.0	-0.8		
		4/20/2018	62.1		123.4		3.8	-0.9		
		4/27/2018	62.0		123.5		3.9	-0.7		
		5/4/2018	62.2		123.3		3.7	-1.1		
		5/11/2018	62.3		123.2		3.6	-1.0		
		5/18/2018	62.2		123.3		3.7	-0.9		
		5/25/2018	62.7		122.8		3.2	-1.2		
		6/1/2018	62.4		123.1		3.5	-0.9		
		6/8/2018	62.5		123.0		3.4	-1.0		
		6/15/2018	62.4		123.1		3.5	-0.8		
		6/22/2018	62.4		123.1		3.5	-0.7		
		6/29/2018	62.4		123.1		3.5	-0.6		
Ш	SB-17D	7/6/2018	62.4 62.3		123.1 123.2		3.5 3.6	-0.6 -0.5		
11	30-170	7/13/2018 7/20/2018	62.0		123.2		3.9	-0.5		
		7/27/2018	61.9		123.6		4.0	-0.2		
		8/3/2018	61.7		123.8		4.2	-0.2		
		8/10/2018	61.4		120.0		4.5	0.3		
		8/17/2018	61.2		124.3		4.7	0.3		
		8/24/2018	60.5		125.0		5.4	0.3		
		8/31/2018	60.1		125.4		5.8	0.7		
		9/7/2018	59.7		125.8		6.2	0.4		
		9/14/2018	59.5		126.0		6.4	-0.2		
		9/21/2018	59.4		126.1		6.5	-1.1		
		9/28/2018	59.2		126.3		6.7	-1.6		
		10/5/2018	59.0		126.5		6.9	-1.9		
		10/12/2018	58.8		126.7		7.1	-1.6		
		10/19/2018	59.2		126.3		6.7	-2.0		
		10/26/2018	58.7		126.8		7.2	-0.8		
		11/2/2018	58.7		126.8		7.2	-0.2		
		11/9/2018 11/16/2018	58.6		126.9		7.3	0.0		
		11/16/2018	58.7 58.5		126.8 127.0		7.2	0.2		
		11/23/2018	58.5		127.0		7.4	0.3		
		12/7/2018	59.0		126.5		6.9	0.9		
		12/14/2018	58.6		126.9		7.3	0.8		
		12/21/2018	58.5		120.0		7.4	1.1		
		12/28/2018	58.9		126.6		7.0	0.8		
					-		-	-		

				Liquid Asse	- Water Level ssment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		2/16/2017	55.1	182.71	127.6	120.3	7.3	
		2/17/2017	58.91		123.8		3.5	
		2/20/2017	58.8		123.9		3.6	
		2/23/2017	58.70		124.0		3.7	
		2/24/2017	58.9		123.8		3.5	
		3/3/2017	59.2		123.5		3.2	
		3/10/2017	59.2		123.5		3.2	
		3/17/2017	59.4		123.3		3.0	
		3/24/2017	59.6		123.1		2.8	
		3/31/2017	59.2		123.5		3.2	
		4/7/2017	59.5		123.2		2.9	
		4/13/2017	59.7		123.0		2.7	
		4/21/2017	59.5		123.2		2.9	
		4/28/2017	59.7		123.0		2.7	
		5/5/2017	59.5		123.2		2.9	
		5/12/2017	59.6		123.1		2.8	
		5/19/2017	59.7		123.0		2.7	
		5/26/2017	59.7		123.0		2.7	
		6/2/2017	59.6		123.1		2.8	
		6/9/2017	59.5		123.2		2.9	
		6/16/2017	59.5		123.2		2.9	
		6/23/2017	59.6		123.1		2.8	
		6/30/2017	59.8		122.9		2.6	
		7/7/2017	59.7		123.0		2.7	
II	SB-18D	7/14/2017	59.7		123.0		2.7	
		7/21/2017	60.1		122.6		2.3	
		7/28/2017	60.0		122.7		2.4	
		8/4/2017	60.2		122.5		2.2	
		8/11/2017	60.1		122.6		2.3	
		8/18/2017	60.0		122.7		2.4	
		8/25/2017	59.9		122.8		2.5	
		9/1/2017	59.7		123.0		2.7	
		9/8/2017	59.1		123.6		3.3	
		9/15/2017	58.1		124.6		4.3	
		9/22/2017	57.0		125.7		5.4	
		9/29/2017	56.2		126.5		6.2	
		10/6/2017			126.2		5.9	
		10/13/2017	56.4		126.3		6.0	
		10/20/2017	56.7		126.0		5.7	
		10/27/2017	58.0		124.7		4.4	
		11/3/2017	58.2		124.5		4.2	
		11/10/2017			124.6		4.3	
		11/17/2017	58.4		124.3		4.0	
		11/24/2017	58.4		124.3		4.0	
		12/1/2017	58.7		124.0		3.7	
		12/8/2017	58.7		124.0		3.7	
		12/15/2017	58.5		124.2		3.9	
		12/22/2017	58.8		123.9		3.6	
		12/29/2017	59.1		123.6		3.3	

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft		
		1/5/2018	59.7		123.0		2.7			
	[1/12/2018	59.5		123.2		2.9			
		1/19/2018	60.0		122.7		2.4			
		1/26/2018	60.0		122.7		2.4			
		2/2/2018	60.0		122.7		2.4			
		2/9/2018	59.9		122.8		2.5			
	I	2/16/2018	60.0		122.7		2.4			
		2/23/2018	60.1		122.6		2.3			
	Ⅰ ⊦	3/2/2018	60.0		122.7		2.4			
	Ⅰ ⊦	3/9/2018	60.0		122.7 122.6		2.4			
	Ⅰ ⊦	3/16/2018	60.1 60.3		122.6		2.3 2.1			
	I	3/23/2018	60.3		122.4	See Note 16	2.1			
		3/30/2018 4/6/2018	60.2		122.5		2.2	-0.7		
		4/0/2018	60.6		122.3		1.8	-0.7		
		4/20/2018	60.6		122.1		1.8	-0.0		
		4/27/2018	60.5		122.2		1.9	-0.8		
		5/4/2018	60.7		122.0		1.7	-1.2		
		5/11/2018	60.8		121.9		1.6	-1.2		
		5/18/2018	60.7		122.0		1.7	-1.0		
		5/25/2018	60.7		122.0		1.7	-1.0		
		6/1/2018	60.8		121.9		1.6	-1.2		
		6/8/2018	60.7		122.0		1.7	-1.2		
		6/15/2018	60.7		122.0		1.7	-1.2		
	I [6/22/2018	60.7		122.0		1.7	-1.1		
	I [6/29/2018	60.7		122.0		1.7	-0.9		
		7/6/2018	60.7		122.0		1.7	-1.0		
П	SB-18D	7/13/2018	60.6		122.1		1.8	-0.9		
	I L	7/20/2018	60.4		122.3		2.0	-0.3		
		7/27/2018	60.4		122.3		2.0	-0.4		
		8/3/2018	60.2		122.5		2.2	0.0		
		8/10/2018	60.1		122.6		2.3	0.0		
		8/17/2018	60.0		122.7		2.4	0.0		
		8/24/2018	59.6		123.1		2.8	0.3		
	Ⅰ ⊢	8/31/2018	59.4		123.3		3.0	0.3		
		9/7/2018	59.1		123.6		3.3	0.0		
		9/14/2018			123.8		3.5	-0.8		
		9/21/2018			124.0		3.7	-1.7		
	Ⅰ ⊦	9/28/2018	58.5		124.2		3.9	-2.3		
		10/5/2018 10/12/2018	58.4		124.3		4.0	-1.9		
		10/12/2018	58.4 58.4		124.3 124.3		4.0	-2.0		
	1 F	10/19/2018	58.4		124.3		4.0	-1.7 -0.2		
		11/2/2018	57.9		124.5		4.2	0.2		
		11/9/2018	57.5		124.0		4.5	0.3		
		11/16/2018	57.8		123.0		4.6	0.4		
	F	11/23/2018	57.7		125.0		4.7	0.0		
		11/30/2018	57.8		120.0		4.6	0.9		
		12/7/2018	58.2		124.5		4.2	0.5		
		12/14/2018	58.1		124.6		4.3	0.4		
		12/21/2018	57.9		124.8		4.5	0.9		
		12/28/2018	57.8		124.9		4.6	1.3		
		-			-		-	-		
		i								
	I [i								

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
	Soil	1	Depth to water	Southeas Elevation Top	Water Elevation	Top of Clay Elev	Liquid Depth Over	Depth Change			
Phase	Boring #	Date ¹	(ft tpvc)	PVC (NGVD)	(NGVD)	(NGVD)	Clay (ft)	Previous Year (ft)			
		2/16/2017	87.5	203.06	115.6	114.2	1.4				
		2/17/2017	87.30		115.8		1.6				
		2/20/2017	87.2		115.9		1.7				
		2/23/2017	87.10		116.0		1.8				
		2/24/2017	86.5		116.6		2.4				
		3/3/2017	87.3		115.8		1.6				
		3/10/2017	87.2		115.9		1.7				
		3/17/2017	87.3		115.8		1.6				
		3/24/2017	87.3		115.8		1.6				
		3/31/2017	87.2		115.9		1.7				
		4/7/2017	87.3		115.8		1.6				
		4/13/2017	87.3		115.8		1.6				
		4/21/2017	87.4 87.4		115.7 115.7		1.5 1.5				
		4/28/2017	87.4				1.5				
		5/5/2017			115.9						
		5/12/2017	87.3 87.4		115.8 115.7		<u>1.6</u> 1.5				
		5/19/2017	87.4		115.7		1.5				
		5/26/2017					1.5				
		6/2/2017	87.3 87.1		115.8		1.6				
		6/9/2017	86.4		116.0 116.7		2.5				
		6/16/2017 6/23/2017	86.5		116.6		2.5				
			87.1		116.0		1.8				
		6/30/2017 7/7/2017	86.9		116.2		2.0				
Ш	SB-19D	7/14/2017	86.7		116.4		2.0				
	30-190	7/21/2017	86.7		116.4		2.2				
		7/28/2017	87.0		116.1		1.9				
		8/4/2017	86.5		116.6		2.4				
		8/11/2017	86.8		116.3		2.1				
		8/18/2017	86.8		116.3		2.1				
		8/25/2017	86.8		116.3		2.1				
		9/1/2017	86.3		116.8		2.6				
		9/8/2017	86.2		116.9		2.7				
		9/15/2017	85.6		117.5		3.3				
		9/22/2017	85.7		117.4		3.2				
		9/29/2017	85.8		117.3		3.1				
		10/6/2017	85.8		117.3		3.1				
		10/13/2017	86.3		116.8		2.6				
		10/20/2017	86.6		116.5		2.3				
		10/27/2017	86.9		116.2		2.0				
		11/3/2017	87.0		116.1		1.9				
		11/10/2017	86.9		116.2		2.0				
		11/17/2017	87.0		116.1		1.9				
		11/24/2017	87.1		116.0		1.8				
		12/1/2017	87.1		116.0		1.8				
		12/8/2017	87.0		116.1		1.9				
		12/15/2017	87.0		116.1		1.9				
		12/22/2017	87.2		115.9		1.7				
		12/29/2017	87.1		116.0		1.8				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		1/5/2018	87.3		115.8		1.6			
		1/12/2018	87.0		116.1		1.9			
		1/19/2018	87.3		115.8		1.6			
		1/26/2018	87.2 87.2		115.9 115.9		1.7 1.7			
		2/2/2018 2/9/2018	87.2		115.9		1.7			
		2/16/2018	87.1		116.0		1.8			
		2/23/2018	87.2		115.9		1.7			
		3/2/2018	87.2		115.9		1.7			
		3/9/2018	87.2		115.9		1.7			
		3/16/2018	87.2		115.9		1.7			
		3/23/2018	87.4		115.7		1.5			
		3/30/2018	87.1		116.0	See Note 16	1.8			
		4/6/2018	87.2		115.9		1.7	0.1		
		4/13/2018	87.2		115.9		1.7	0.1		
		4/20/2018	87.2		115.9		1.7	0.2		
		4/27/2018	87.1		116.0		1.8	0.3		
		5/4/2018 5/11/2018	87.2 87.2		115.9 115.9		1.7 1.7	0.0		
		5/18/2018	87.2		115.9		1.7	0.1		
		5/25/2018	87.0		116.1		1.7	0.2		
		6/1/2018	87.0		116.1		1.9	0.3		
		6/8/2018	87.1		116.0		1.8	0.0		
		6/15/2018	87.1		116.0		1.8	-0.7		
		6/22/2018	87.1		116.0		1.8	-0.6		
		6/29/2018	87.1		116.0		1.8	0.0		
		7/6/2018	87.1		116.0		1.8	-0.2		
III	SB-19D	7/13/2018	87.1		116.0		1.8	-0.4		
		7/20/2018	87.1		116.0		1.8	-0.4		
		7/27/2018	87.0		116.1		1.9	0.0		
		8/3/2018	87.0 87.0		116.1		1.9 1.9	-0.5 -0.2		
		8/10/2018 8/17/2018	86.9		116.1 116.2		2.0	-0.2		
		8/24/2018	86.8		116.3		2.0	0.0		
		8/31/2018	86.7		116.4		2.2	-0.4		
		9/7/2018	86.7		116.4		2.2	-0.5		
		9/14/2018			116.3		2.1	-1.2		
		9/21/2018			116.2		2.0	-1.2		
	[9/28/2018	87.0		116.1		1.9	-1.2		
	[10/5/2018	86.9		116.2		2.0	-1.1		
		10/12/2018	86.9		116.2		2.0	-0.6		
		10/19/2018	87.0		116.1		1.9	-0.4		
		10/26/2018	86.6		116.5		2.3	0.3		
		11/2/2018	86.9 87.0		116.2 116.1		2.0 1.9	0.1		
		11/9/2018 11/16/2018	87.0	ļ	116.0		1.9	-0.1 -0.1		
		11/23/2018	87.0		116.1		1.8	0.1		
		11/30/2018	87.0		116.1		1.9	0.1		
		12/7/2018			116.1		1.9	0.0		
		12/14/2018	86.8		116.3		2.1	0.2		
		12/21/2018	86.7		116.4		2.2	0.5		
		12/28/2018	86.7		116.4		2.2	0.4		
	[-		-	-		
	ļļ									

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		3/3/2017	78.6	203.36	DRY	N/A	N/A				
		3/10/2017	78.6		DRY		N/A				
		3/17/2017	78.5		DRY		N/A				
		3/24/2017	78.5		DRY		N/A				
		3/31/2017	78.5		DRY		N/A				
		4/7/2017	78.4		DRY		N/A				
		4/13/2017	78.5		DRY		N/A				
		4/21/2017	78.6		DRY		N/A				
		4/28/2017	78.5		DRY		N/A				
		5/5/2017	78.5		DRY		N/A				
		5/12/2017	78.6		DRY		N/A				
		5/19/2017	78.5		DRY		N/A				
		5/26/2017	78.5		DRY		N/A				
		6/2/2017	78.5		DRY		N/A				
		6/9/2017	78.5		DRY		N/A				
		6/16/2017	78.5		DRY		N/A				
		6/23/2017	78.5		DRY		N/A				
		6/30/2017	78.5		DRY		N/A				
		7/7/2017	78.6		DRY DRY		N/A N/A				
		7/14/2017 7/21/2017	78.6 78.6		DRY		N/A N/A				
		7/28/2017	78.6		DRY		N/A N/A				
		8/4/2017	78.5		DRY		N/A				
		8/11/2017	78.5		DRY		N/A				
		8/18/2017	78.6		DRY		N/A				
	SB-19S	8/25/2017	78.6		DRY		N/A				
		9/1/2017	78.6		DRY		N/A				
		9/8/2017	78.5		DRY		N/A				
		9/15/2017	78.4		DRY		N/A				
		9/22/2017	78.4		DRY		N/A				
		9/29/2017	78.5		DRY		N/A				
		10/6/2017	78.5		DRY		N/A				
		10/13/2017	78.6		DRY		N/A				
		10/20/2017	78.5		DRY		N/A				
		10/27/2017	78.5		DRY		N/A				
		11/3/2017	78.5		DRY		N/A				
		11/10/2017			DRY		N/A				
		11/17/2017	78.4		DRY		N/A				
		11/24/2017	78.5		DRY		N/A				
		12/1/2017	78.5		DRY		N/A				
		12/8/2017	78.5		DRY		N/A				
		12/15/2017	78.5		DRY		N/A				
		12/22/2017	78.5		DRY		N/A				
		12/29/2017	78.5		DRY		N/A				
		1/5/2018	78.5		DRY		N/A				
		1/12/2018	78.5		DRY		N/A				
		1/19/2018	78.6		DRY		N/A				
		1/26/2018	78.5		DRY		N/A				
l		2/2/2018			DRY		N/A				
		2/9/2018	78.5		DRY		N/A				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		2/16/2018	78.5		DRY		N/A			
	i I	2/23/2018	78.5		DRY		N/A			
	[3/2/2018	78.6		DRY		N/A			
		3/9/2018	78.5		DRY		N/A			
		3/16/2018	78.5		DRY		N/A			
		3/23/2018	78.6		DRY		N/A			
		3/30/2018	78.6		DRY		N/A			
		4/6/2018	78.6		DRY		N/A			
		4/13/2018	78.6		DRY		N/A			
		4/20/2018	78.6		DRY		N/A			
		4/27/2018	78.5		DRY		N/A			
		5/4/2018	78.6		DRY		N/A			
		5/11/2018	78.6		DRY		N/A			
		5/18/2018	78.6		DRY		N/A			
		5/25/2018	78.6		DRY		N/A			
		6/1/2018	78.6		DRY		N/A			
		6/8/2018	78.5		DRY		N/A			
		6/15/2018	78.6		DRY		N/A			
Ш	SB-19S	6/22/2018	78.6 78.6		DRY DRY		N/A N/A			
111	SD-195	6/29/2018	78.6		DRY		N/A N/A			
		7/6/2018 7/13/2018	78.6		DRY		N/A N/A			
		7/13/2018	78.6		DRY		N/A N/A			
		7/27/2018	78.6		DRY		N/A N/A			
		8/3/2018	78.6		DRY		N/A N/A			
		8/10/2018	78.6		DRY		N/A N/A			
		8/17/2018	78.6		DRY		N/A N/A			
		8/24/2018	78.6		DRY		N/A			
		8/31/2018	78.6		DRY		N/A			
		9/7/2018	78.6		DRY	<u> </u>	N/A			
		9/14/2018	78.7		DRY		N/A			
		9/21/2018	78.7		DRY		N/A			
		10/5/2018	78.7		DRY		N/A			
		10/12/2018	78.7		DRY		N/A			
		10/19/2018	78.7		DRY		N/A			
		10/26/2018	78.7		DRY		N/A			
		8/24/2018	78.7		DRY		N/A			
		11/9/2018	See Note 23							

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		2/16/2017	74.4	192.86	118.5	115.0	3.5				
		2/17/2017	75.83		117.0		2.0				
		2/20/2017	75.7		117.2		2.2				
		2/23/2017	75.65		117.2		2.2				
		2/24/2017	75.7		117.2		2.2				
		3/3/2017	75.9		117.0		2.0				
		3/10/2017	75.8		117.1		2.1				
		3/17/2017	75.7		117.2		2.2				
		3/24/2017	75.9		117.0		2.0				
		3/31/2017	75.8		117.1		2.1				
		4/7/2017	75.9		117.0		2.0				
		4/13/2017	76.0		116.9		1.9				
		4/21/2017	75.9		117.0		2.0				
		4/28/2017	76.1		116.8		1.8				
		5/5/2017	75.9		117.0		2.0				
		5/12/2017	76.0		116.9		1.9				
		5/19/2017	76.1		116.8		1.8				
		5/26/2017	76.0		116.9		1.9				
		6/2/2017	76.0		116.9		1.9				
		6/9/2017	76.1		116.8		1.8				
		6/16/2017	76.1		116.8		1.8				
		6/23/2017	76.1		116.8		1.8				
		6/30/2017	76.2		116.7		1.7				
		7/7/2017	76.2		116.7		1.7				
	SB-20D	7/14/2017	76.1		116.8		1.8				
		7/21/2017	76.1		116.8		1.8				
		7/28/2017	76.0		116.9		1.9				
		8/4/2017	76.1		116.8		1.8				
		8/11/2017	76.1		116.8		1.8				
		8/18/2017	75.9		117.0		2.0				
		8/25/2017	75.8		117.1		2.1				
		9/1/2017	75.8		117.1		2.1				
		9/8/2017	75.8		117.1		2.1				
		9/15/2017	75.6		117.3		2.3				
		9/22/2017	75.6		117.3		2.3				
		9/29/2017	75.2		117.7		2.7				
		10/6/2017			117.8		2.8				
		10/13/2017			117.8		2.8				
		10/20/2017	75.0		117.9		2.9				
		10/27/2017			117.9		2.9				
		11/3/2017			118.0		3.0				
		11/10/2017			118.1		3.1				
		11/17/2017	74.8		118.1		3.1				
		11/24/2017	74.8		118.1		3.1				
	[12/1/2017			118.1		3.1				
		12/8/2017	74.7		118.2		3.2				
		12/15/2017			118.1		3.1				
		12/22/2017			117.9		2.9				
		12/29/2017	75.0		117.9		2.9				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		1/5/2018	75.1		117.8		2.8			
		1/12/2018	74.8		118.1		3.1			
		1/19/2018	75.0		117.9		2.9			
		1/26/2018	75.0		117.9		2.9			
		2/2/2018	74.9		118.0		3.0			
		2/9/2018	74.9		118.0		3.0			
		2/16/2018	74.8		118.1		3.1			
		2/23/2018	74.8		118.1		3.1			
		3/2/2018	74.7		118.2		3.2			
		3/9/2018	74.6		118.3		3.3			
		3/16/2018	74.5		118.4		3.4			
		3/23/2018	74.6		118.3	0.11.6	3.3			
		3/30/2018	74.3		118.6	See Note 16	3.6			
		4/6/2018	74.5		118.4		3.4	1.4		
		4/13/2018	74.5		118.4		3.4	1.5		
		4/20/2018	74.5		118.4		3.4	1.4		
		4/27/2018	74.5		118.4		3.4	1.6		
		5/4/2018	74.6		118.3		3.3	1.3		
		5/11/2018	74.7		118.2		3.2	1.3		
		5/18/2018	74.7		118.2		3.2	1.4		
		5/25/2018	74.7		118.2		3.2	1.3		
		6/1/2018	74.9		118.0		3.0	1.1		
		6/8/2018	74.9		118.0		3.0	1.2		
		6/15/2018	74.9		118.0		3.0	1.2		
		6/22/2018	74.9		118.0		3.0	1.2		
		6/29/2018	74.9		118.0		3.0	1.3		
		7/6/2018	75.0		117.9		2.9	1.2		
111	SB-20D	7/13/2018	75.0		117.9		2.9	1.2		
		7/20/2018	75.0		117.9		2.9	1.1		
		7/27/2018	75.0		117.9		2.9	1.1		
		8/3/2018	75.0		117.9		2.9	1.0		
		8/10/2018	75.0		117.9		2.9	1.1		
		8/17/2018	75.1		117.8		2.8	1.0		
		8/24/2018	74.9		118.0		3.0	1.0		
		8/31/2018	74.9		118.0		3.0	0.9		
		9/7/2018	74.8		118.1		3.1	1.0		
		9/14/2018	75.0		117.9		2.9	0.8		
		9/21/2018 9/28/2018	75.0		117.9		2.9	0.6		
		9/28/2018	74.9 74.8		118.0		3.0 3.1	0.7		
		10/5/2018	74.8		118.1 118.2		3.1	0.3		
		10/12/2018	74.7		118.2		3.2	0.4		
		10/19/2018	74.8		118.1		3.1	0.2		
			74.6		118.3		3.3	0.4		
		11/2/2018	74.6		118.3		3.3			
		11/9/2018			118.3			0.2		
		11/16/2018	74.8		-		3.1	0.0		
		11/23/2018	74.6 74.8		118.3		3.3	0.2		
		11/30/2018 12/7/2018	74.8		118.1 118.0		<u>3.1</u> 3.0	-0.2		
		12/14/2018	74.6		118.3		3.3	0.2		
		12/21/2018 12/28/2018	74.5 74.7		118.4 118.2		<u>3.4</u> 3.2	0.5		
		12/20/2018	14.1				- 3.2	- 0.3		
					-		-	-		

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		2/16/2017	79.1	194.30	115.2	113.0	2.2				
		2/17/2017	79.18		115.1		2.1				
		2/20/2017	79.4		114.9		1.9				
		2/23/2017	79.05		115.3		2.3				
		2/24/2017	79.2		115.1		2.1				
		3/3/2017	79.2		115.1		2.1				
		3/10/2017	79.2		115.1		2.1				
		3/17/2017	79.1		115.2		2.2				
		3/24/2017	79.2		115.1		2.1				
		3/31/2017	79.0		115.3		2.3				
		4/7/2017	79.2		115.1		2.1				
		4/13/2017	79.2		115.1		2.1				
		4/21/2017	79.2		115.1		2.1				
		4/28/2017	79.3		115.0		2.0				
		5/5/2017	79.2		115.1		2.1				
		5/12/2017	79.2		115.1		2.1				
		5/19/2017	79.3		115.0		2.0				
		5/26/2017	79.4		114.9		1.9				
		6/2/2017	79.3		115.0		2.0				
		6/9/2017	79.4		114.9		1.9				
		6/16/2017	79.2		115.1		2.1				
		6/23/2017	79.4		114.9		1.9				
		6/30/2017	79.4		114.9		1.9				
		7/7/2017	79.4		114.9		1.9				
VI	SB-21D	7/14/2017	79.4		114.9		1.9				
		7/21/2017	79.3		115.0		2.0				
		7/28/2017	79.2		115.1		2.1				
		8/4/2017	79.0		115.3		2.3				
		8/11/2017	79.0		115.3		2.3				
		8/18/2017	79.0		115.3		2.3				
		8/25/2017	78.9		115.4		2.4				
		9/1/2017	78.9		115.4		2.4				
		9/8/2017	78.7		115.6		2.6				
		9/15/2017	78.4		115.9		2.9				
		9/22/2017	78.2		116.1		3.1				
		9/29/2017				See Note 11					
		10/6/2017		203.99	116.4	See Note 11	3.4				
		10/13/2017	87.8		116.2		3.2				
		10/20/2017	88.0		116.0		3.0				
		10/27/2017		208.67		See Note 11					
		11/3/2017				See Note 11					
		11/10/2017				See Note 11					
		11/17/2017				See Note 11					
		11/24/2017				See Note 11					
		12/1/2017				See Note 11					
		12/8/2017				See Note 11					
		12/15/2017	93.8		114.9		1.9				
		12/22/2017	93.8		114.9		1.9				
		12/29/2017	93.8		114.9		1.9				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		1/5/2018	93.9		114.8		1.8			
		1/12/2018	93.6		115.1		2.1			
		1/19/2018	93.5		115.2		2.2			
		1/26/2018	93.8		114.9		1.9			
		2/2/2018	93.8		114.9		1.9			
		2/9/2018	93.9		114.8		1.8			
		2/16/2018	93.8 93.8		114.9 114.9		<u> </u>			
		2/23/2018 3/2/2018	93.8		114.9		1.9			
		3/9/2018	93.8		114.9		1.9			
		3/16/2018	93.7		114.9		2.0			
		3/23/2018	93.9		114.8		1.8			
		3/30/2018	93.7		115.0	See Note 16	2.0			
		4/6/2018	93.6		115.1		2.1	0.0		
		4/13/2018	93.8		114.9		1.9	-0.2		
	1 1	4/20/2018	93.7		115.0		2.0	-0.1		
] [4/27/2018	93.7		115.0		2.0	0.0		
	[5/4/2018	93.7		115.0		2.0	-0.1		
		5/11/2018	93.7		115.0		2.0	-0.1		
		5/18/2018	93.7		115.0		2.0	0.0		
		5/25/2018	93.6		115.1		2.1	0.2		
		6/1/2018	93.6		115.1		2.1	0.1		
		6/8/2018	93.7		115.0		2.0	0.1		
		6/15/2018 6/22/2018	93.6 93.6		115.1 115.1		2.1 2.1	0.0		
		6/22/2018	93.6		115.1		2.1	0.2		
VI	SB-21D	7/6/2018	93.6		115.1		2.1	0.2		
		7/13/2018	93.6		115.1		2.1	0.2		
		7/20/2018	93.5		115.2		2.2	0.2		
		7/27/2018	93.3		115.4		2.4	0.3		
		8/3/2018	93.3		115.4		2.4	0.1		
		8/10/2018	93.2		115.5		2.5	0.2		
	i I	8/17/2018	93.2		115.5		2.4	0.1		
	[8/24/2018	93.0		115.7		2.7	0.3		
	[8/31/2018	93.0		115.7		2.7	0.3		
	[9/7/2018	92.9		115.8		2.8	0.2		
		9/14/2018	92.9		115.8		2.8	-0.1		
		9/21/2018	92.9		115.8		2.8	-0.3		
		9/28/2018	93.0		115.7		2.7	-		
		10/5/2018	92.9		115.8		2.8	-0.6		
		10/12/2018 10/19/2018	92.8 92.9		115.9 115.8		2.9 2.8	-0.3 -0.2		
		10/19/2018	92.9		115.8		3.0	-0.2		
		11/2/2018	92.7		115.9		2.9	-		
		11/9/2018	92.8		115.9	L	2.9	-		
		11/16/2018	92.9		115.8		2.8	-		
		11/23/2018	92.9		115.8		2.8	-		
		11/30/2018	92.9		115.8		2.8	-		
		12/7/2018	92.9		115.8		2.8	-		
		12/14/2018	See Note 25							

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		2/17/2017	78.5	193.05	114.6	113.2	1.4				
		2/17/2017	78.97		114.1		0.9				
		2/20/2017	78.8		114.3		1.1				
		2/23/2017	78.00		115.1		1.9				
		2/24/2017	78.1		115.0		1.8				
		3/3/2017	78.1		115.0		1.8				
		3/10/2017	78.2		114.9		1.7				
		3/17/2017	78.1		115.0		1.8				
		3/24/2017	78.0		115.1		1.9				
		3/31/2017	77.9		115.2		2.0				
		4/7/2017	78.0		115.1		1.9				
		4/13/2017	78.1		115.0		1.8				
		4/21/2017	78.2		114.9		1.7				
		4/28/2017	78.2		114.9		1.7				
		5/5/2017	78.1		115.0		1.8				
		5/12/2017	78.2		114.9		1.7				
		5/19/2017	78.2		114.9		1.7				
		5/26/2017	78.2		114.9		1.7				
		6/2/2017	78.2		114.9		1.7				
		6/9/2017	78.4		114.7		1.5				
		6/16/2017	78.2		114.9		1.7				
		6/23/2017	78.2		114.9		1.7				
		6/30/2017	78.4		114.7		1.5				
		7/7/2017	78.2		114.9		1.7				
VI	SB-22D	7/14/2017	78.2		114.9		1.7				
		7/21/2017	78.2		114.9		1.7				
		7/28/2017	78.1		115.0		1.8				
		8/4/2017	78.1		115.0		1.8				
		8/11/2017	78.1		115.0		1.8				
		8/18/2017	78.2		114.9		1.7				
		8/25/2017	78.2		114.9		1.7				
		9/1/2017	78.0		115.1		1.9				
		9/8/2017	77.8		115.3		2.1				
		9/15/2017	77.5		115.6		2.4				
		9/22/2017	77.1		116.0		2.8				
		9/29/2017	77.1		116.0		2.8				
		10/6/2017			116.0		2.8				
		10/13/2017			115.8		2.6				
		10/20/2017	77.5		115.6		2.4				
		10/27/2017			115.6		2.4				
		11/3/2017			115.4		2.2				
		11/10/2017			115.4		2.2				
		11/17/2017	77.7		115.4		2.2				
		11/24/2017	77.8		115.3		2.1				
		12/1/2017			115.1		1.9				
		12/8/2017	78.0		115.1		1.9				
		12/15/2017			115.1		1.9				
		12/22/2017			115.0		1.8				
		12/29/2017	78.1		115.0		1.8				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		1/5/2018	78.1		115.0		1.8				
		1/12/2018	78.1		115.0		1.8				
		1/19/2018	78.0		115.1		1.9				
		1/26/2018	78.1		115.0		1.8				
		2/2/2018	78.1		115.0		1.8				
		2/9/2018	78.1		115.0		1.8				
		2/16/2018	78.1		115.0		1.8				
		2/23/2018	78.1		115.0		1.8				
		3/2/2018	78.2		114.9		1.7				
		3/9/2018	78.2		114.9		1.7				
VI	SB-22D	3/16/2018	78.1		115.0		1.8				
		3/23/2018	78.3		114.8		1.6				
		3/30/2018	78.0		115.1	See Note 16	1.9				
		4/6/2018	78.0		115.1		1.9				
		4/13/2018	77.7		115.4		2.2				
		4/20/2018	-			See Note 17	Clay (ft) Previous Year (ft) 1.8 1.8 1.9 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.7 1.7 1.7 1.7 1.8 1.17 1.8 1.9 0.0 2.2 0.4 17 1.6 17 1.6 17 1.4				
		4/27/2018	-			See Note 17					
	[5/4/2018	88.0	202.8	114.8	See Note 17	1.6	-0.2			
	[5/11/2018	96.2	210.8	114.6	See Note 17	1.4	-0.3			
		5/18/2018				See Note 18					

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil	Date ¹	Depth to water	Elevation Top	Water Elevation	Top of Clay Elev	Liquid Depth Over	Depth Change
	Boring #		(ft tpvc)	PVC (NGVD)	(NGVD)	(NGVD)	Clay (ft)	Previous Year (ft)
		2/16/2017	83.9	199.70	115.8	113.3	2.5	
		2/17/2017	84.0		115.7		2.4	
		2/20/2017	84.1 83.85		115.6 115.9		2.3 2.6	
		2/23/2017 2/24/2017	83.9		115.8		2.0	
		3/3/2017	84.0		115.7		2.3	
		3/10/2017	84.0		115.7		2.4	
		3/17/2017	84.0		115.7		2.4	
		3/24/2017	83.9		115.8		2.5	
		3/31/2017	84.5		115.2		1.9	
		4/7/2017	83.9		115.8		2.5	
		4/13/2017	84.0		115.7		2.4	
		4/21/2017	84.1		115.6		2.3	
		4/28/2017	84.1		115.6		2.3	
		5/5/2017	84.1		115.6		2.3	
		5/12/2017	84.3		115.4		2.1	
		5/19/2017	84.2		115.5		2.2	
		5/26/2017	84.2		115.5		2.2	
		6/2/2017	84.2		115.5		2.2	
		6/9/2017	84.3		115.4		2.1	
		6/16/2017	84.1		115.6		2.3	
		6/23/2017	84.2		115.5		2.2	
		6/30/2017	84.3		115.4		2.1	
		7/7/2017	84.2		115.5		2.2	
IV	SB-23D	7/14/2017	84.3		115.4		2.1	
		7/21/2017	84.1		115.6		2.3	
		7/28/2017	84.1		115.6		2.3	
		8/4/2017	84.0		115.7		2.4	
		8/11/2017	83.9		115.8		2.5	
		8/18/2017	84.0		115.7		2.4	
		8/25/2017	83.9		115.8		2.5	
		9/1/2017	83.8		115.9		2.6	
		9/8/2017	83.7		116.0		2.7	
		9/15/2017		208.90		See Note 10		
		9/22/2017				See Note 10		
		9/29/2017				See Note 10		
		10/6/2017	92.6		116.3		3.0	
		10/13/2017	92.7		116.2		2.9	
		10/20/2017	92.9		116.0		2.7	
		10/27/2017	92.8		116.1		2.8	
		11/3/2017	93.2		115.7		2.4	
		11/10/2017	93.2		115.7		2.4	
		11/17/2017	93.6		115.3		2.0	
		11/24/2017	93.3		115.6		2.3	
		12/1/2017	93.4		115.5		2.2	
		12/8/2017	93.4		115.5		2.2	
		12/15/2017	93.4		115.5		2.2	
		12/22/2017	93.6		115.3		2.0	
		12/29/2017	93.5		115.4		2.1	

				Liquid Asse	- Water Level ssment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		1/5/2018	93.6		115.3		2.0	
		1/12/2018	93.4		115.5		2.2	
		1/19/2018	93.4		115.5		2.2	
		1/26/2018	93.5		115.4		2.1	
		2/2/2018	93.5		115.4		2.1	
	l ſ	2/9/2018	93.5		115.4		2.1	
	[2/16/2018	93.5		115.4		2.1	
	[2/23/2018	93.6		115.3		2.0	
	[3/2/2018	93.6		115.3		2.0	
	[3/9/2018	93.6		115.3		2.0	
	[3/16/2018	93.5		115.4		2.1	
	[3/23/2018	93.8		115.1		1.8	
		3/30/2018	93.4		115.5	See Note 16	2.2	
		4/6/2018	93.6		115.3		2.0	-0.5
		4/13/2018	93.6		115.3		2.0	-0.4
		4/20/2018	93.6		115.3		2.0	-0.3
		4/27/2018	93.5		115.4		2.1	-0.2
		5/4/2018	93.5		115.4		2.1	-0.2
		5/11/2018	93.5		115.4		2.1	0.0
		5/18/2018	93.5		115.4		2.1	-0.1
IV	SB-23D	5/25/2018	93.4		115.5		2.2	0.0
		6/1/2018	93.4		115.5		2.2	0.0
		6/8/2018	93.5		115.4		2.1	0.0
		6/15/2018	93.5		115.4		2.1	-0.2
		6/22/2018	93.5		115.4		2.1	-0.1
		6/29/2018	93.5		115.4		2.1	0.0
		7/6/2018	93.4		115.5		2.2	0.0
		7/13/2018	93.5		115.4		2.1	0.0
		7/20/2018	93.4 93.4		115.5 115.5		2.2	-0.1 -0.1
		7/27/2018						-
		8/3/2018 8/10/2018	93.5 93.3		115.4 115.6		2.1 2.3	-0.3 -0.2
		8/10/2018	93.3		115.6		2.3	-0.2
		8/24/2018	93.3		115.0		2.3	-0.1
		8/31/2018	93.0		115.9		2.4	0.0
		9/7/2018	93.0		115.9		2.6	-0.1
		9/14/2018	93.1		115.8		2.5	-
		9/21/2018	00.1		110.0	See Note 22	2.0	
		9/28/2018				See Note 22		
		10/5/2018				See Note 22		
		10/12/2018				See Note 22		
		11/9/2018	See Note 23					
		11/3/2010	000 11010 20					

				Liquid Asse	- Water Level essment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		2/23/2017	80.4	199.45	DRY	N/A	N/A	
		2/24/2017	80.4		DRY		N/A	
		3/3/2017	80.4		DRY		N/A	
		3/10/2017	80.3		DRY		N/A	
		3/17/2017	80.3		DRY		N/A	
		3/24/2017	80.3		DRY		N/A	
		3/31/2017	80.3		DRY		N/A	
		4/7/2017	80.2		DRY		N/A	
		4/13/2017	80.2		DRY		N/A	
		4/21/2017	80.2		DRY		N/A	
		4/28/2017	80.2		DRY		N/A	
		5/5/2017	80.2		DRY		N/A	
		5/12/2017	80.1		DRY		N/A	
		5/19/2017	80.1		DRY		N/A	
		5/26/2017	80.1		DRY		N/A	
		6/2/2017	80.1		DRY		N/A	
		6/9/2017	80.1		DRY		N/A	
		6/16/2017	80.1		DRY		N/A	
		6/23/2017	80.1		DRY		N/A	
		6/30/2017	80.1		DRY		N/A	
		7/7/2017	80.2		DRY		N/A	
		7/14/2017	80.1		DRY		N/A	
IV	SB-23S	7/21/2017	80.2		DRY		N/A	
IV	SB-235	7/28/2017	80.2		DRY		N/A	
		8/4/2017	80.1		DRY		N/A	
		8/11/2017	80.1		DRY		N/A	
		8/18/2017	80.1		DRY		N/A	
		8/25/2017	80.1		DRY		N/A	
		9/1/2017	80.1		DRY		N/A	
		9/8/2017	80.1		DRY		N/A	
		9/15/2017		208.78		See Note 10		
		9/22/2017				See Note 10		
		9/29/2017				See Note 10		
		10/6/2017				See Note 10		
		10/13/2017				See Note 10		
		10/20/2017				See Note 10		
		10/27/2017	89.4		DRY		N/A	
		11/3/2017	89.4		DRY		N/A	
		11/10/2017	89.4		DRY		N/A	
		11/17/2017	89.4		DRY		N/A	
		11/24/2017	89.4		DRY		N/A	
		12/1/2017	89.4		DRY		N/A	
		12/8/2017	89.4		DRY		N/A	
		12/15/2017	89.4		DRY		N/A	
		12/22/2017	89.4		DRY		N/A	
		12/29/2017	89.3		DRY		N/A	

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
	1/5/2018	89.3		DRY		N/A				
	1/12/2018	89.3		DRY		N/A				
	1/19/2018	89.3		DRY		N/A				
SB-23S	1/26/2018	89.3		DRY		N/A				
	2/2/2018	89.3		DRY		N/A				
	2/9/2018				See Note 15					
	11/9/2018	See Note 23								
	Boring #	Boring # Date' 1/5/2018 1/12/2018 1/19/2018 SB-23S 1/26/2018 2/2/2018 2/9/2018	Boring # Date (ft tpvc) 1/5/2018 89.3 1/12/2018 89.3 1/19/2018 89.3 1/19/2018 89.3 2/2/2018 89.3 2/2/2018 89.3 2/9/2018 89.3	Soil Boring # Date ¹ Depth to water (ft tpvc) Elevation Top PVC (NGVD) 1/5/2018 89.3 1/12/2018 89.3 1/19/2018 89.3 1/19/2018 1/12/2018 SB-23S 1/26/2018 89.3 1/26/2018 2/2/2018 89.3 1/26/2018 1/26/2018	Liquid Assessment Monito Southeast County LandsSoil Boring #Date1Depth to water (ft tpvc)Elevation Top PVC (NGVD)Water Elevation (NGVD)1/5/201889.3DRY1/12/201889.3DRY1/19/201889.3DRY1/26/201889.3DRY2/2/201889.3DRY2/9/2018DRY	Liquid Assessment Monitoring Southeast County LandfillSoil Boring #Date1Depth to water (ft tpvc)Elevation Top PVC (NGVD)Water Elevation (NGVD)Top of Clay Elev (NGVD)1/5/201889.3DRY1/12/201889.3DRY1/19/201889.3DRY1/26/201889.3DRY2/2/201889.3DRY2/9/2018See Note 15	Liquid Assessment Monitoring Southeast County LandfillSoil Boring #Date1Depth to water (ft tpvc)Elevation Top PVC (NGVD)Top of Clay Elev (NGVD)Liquid Depth Over Clay (ft)1/5/201889.3DRYN/A1/12/201889.3DRYN/A1/19/201889.3DRYN/A1/26/201889.3DRYN/A2/2/201889.3DRYN/A2/9/20180DRYN/A			

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
				Southeas	t County Land	fill						
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)				
		3/3/2017	66.3	188.82	122.5	117.6	4.9					
		3/10/2017	66.3		122.5		4.9					
		3/17/2017	66.5		122.3		4.7					
		3/24/2017 3/31/2017	66.6 66.3		122.2 122.5		<u>4.6</u> 4.9					
		4/7/2017	66.6		122.3		4.9					
		4/13/2017	66.8		122.0		4.4					
		4/21/2017	66.8		122.0		4.4					
		4/28/2017	67.0		121.8		4.2					
		5/5/2017	66.8		122.0		4.4					
		5/12/2017	67.2		121.6		4.0					
		5/19/2017	67.3		121.5		3.9					
		5/26/2017	67.3		121.5		3.9					
		6/2/2017	67.4 67.4		121.4 121.4		3.8					
		6/9/2017 6/16/2017	67.5		121.4		3.8 3.7					
		6/23/2017	67.5		121.3		3.7					
		6/30/2017	67.5		121.3		3.7					
		7/7/2017	67.4		121.4		3.8					
		7/14/2017	67.2		121.6		4.0					
		7/21/2017	66.7		122.1		4.5					
		7/28/2017	66.1		122.7		5.1					
		8/4/2017	65.3		123.5		5.9					
		8/11/2017	64.3		124.5		6.9					
		8/18/2017	63.8		125.0		7.4					
П	SB-24D	8/25/2017	63.9		124.9		7.3					
		9/1/2017 9/8/2017	63.7 62.8		125.1 126.0		7.5 8.4					
		9/15/2017	62.0		126.8		9.2					
		9/22/2017	61.6		120.0		9.6					
		9/29/2017	62.0		126.8		9.2					
		10/6/2017	62.3		126.5		8.9					
		10/13/2017	62.3		126.5		8.9					
		10/20/2017	63.4		125.4		7.8					
		10/27/2017	63.7		125.1		7.5					
		11/3/2017	64.1		124.7		7.1					
		11/10/2017	64.2		124.6		7.0					
		11/17/2017 11/24/2017	64.4 64.5		124.4 124.3		6.8 6.7					
		12/1/2017	64.9		124.3		6.3					
		12/8/2017	64.8		123.9		6.4					
		12/15/2017	65.1		123.7		6.1					
		12/22/2017	65.2		123.6		6.0					
		12/29/2017	65.3		123.5		5.9					
		1/5/2018	65.5		123.3		5.7					
		1/12/2018	65.4		123.4		5.8					
		1/19/2018	65.8		123.0		5.4					
		1/26/2018	66.0		122.8		5.2					
		2/2/2018	65.9		122.9		5.3					
		2/9/2018 2/16/2018	66.0 66.0		122.8 122.8		5.2 5.2					
		2/16/2018										
		2/23/2018	00.1		122.7		5.1					

				Liquid Asse	- Water Level ssment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		3/2/2018	66.0		122.8		5.2	
		3/9/2018	66.1		122.7		5.1	
		3/16/2018	66.1		122.7		5.1	
		3/23/2018	66.4		122.4		4.8	
		3/30/2018	66.3		122.5	See Note 16	4.9	
		4/6/2018	66.4		122.4			
		4/13/2018	66.4		122.4			
		4/20/2018	66.6		122.2			
		4/27/2018	66.5		122.3			
		5/4/2018	66.8		122.0			
		5/11/2018	66.9		121.9			
		5/18/2018	66.9		121.9			-
		5/25/2018	67.0		121.8			
		6/1/2018	67.1		121.7			
		6/8/2018	67.1		121.7			
		6/15/2018 6/22/2018	67.1 67.0		121.7 121.8			
		6/29/2018	66.9		121.0			
		7/6/2018	66.8		121.9			
		7/13/2018	66.5		122.0			
		7/20/2018	66.1		122.3			
		7/27/2018	65.9		122.9			
		8/3/2018	65.5		123.3			
Ш	SB-24D	8/10/2018	65.1		123.7			-
	00 2.0	8/17/2018	64.8		124.0		-	
		8/24/2018	64.3		124.5			
		8/31/2018	64.2		124.6			-
		9/7/2018	64.1		124.7			-1.3
		9/14/2018	64.1		124.7			-2.1
		9/21/2018	64.1		124.7		7.1	-2.5
		9/28/2018	64.2		124.6		7.0	-2.2
		10/5/2018	64.2		124.6		7.0	-1.9
		10/12/2018	64.2		124.6		Clay (ft)Previous Year 5.2 5.1 5.1 5.1 4.8 0.2 4.8 0.2 4.8 0.4 4.6 0.2 4.7 0.5 4.4 0.0 4.3 0.3 4.3 0.3 4.1 0.3 4.1 0.3 4.1 0.4 4.2 0.5 4.1 0.6 4.1 0.6 4.1 0.6 4.1 0.6 4.1 0.6 4.1 0.6 4.1 0.6 4.1 0.4 4.2 0.5 4.3 0.6 4.1 0.4 6.1 0.6 5.3 0.2 5.7 -0.2 6.1 -0.8 6.4 -1.0 6.9 -0.4 7.0 -0.5 7.1 -1.3 7.1 -2.1 7.1 -2.5 7.0 -2.2	-1.9
		10/19/2018	64.5		124.3			
		10/26/2018	64.5		124.3			
		11/2/2018	64.4		124.4			
		11/9/2018	64.5		124.3			
		11/16/2018	64.7		124.1			
		11/23/2018	64.7		124.1		6.5	-0.2
		11/30/2018	64.9		123.9			
		12/7/2018	65.1		123.7			
		12/14/2018	64.7		124.1			
		12/21/2018	64.6		124.2			
		12/28/2018	64.9		123.9			
					-		-	-

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
		3/10/2017	80.6	208.83	128.2	117.5	10.7				
	1 1	3/17/2017	80.8		128.0		10.5				
		3/24/2017	80.8		128.0		10.5				
		3/31/2017	80.4		128.4		10.9				
	[4/7/2017	80.6		128.2		10.7				
	[4/13/2017	80.8		128.0		10.5				
	[4/21/2017	80.8		128.0		10.5				
	[4/28/2017	85.5	213.83	128.3	See Note 3	10.8				
		5/5/2017	85.2		128.6		11.1				
		5/15/2017	83.6	211.40	127.8	See Note 4	10.3				
		5/19/2017	83.8		127.6		10.1				
		5/26/2017	83.8		127.6		10.1				
		6/2/2017	83.9		127.5		10.0				
I	SB-25D	6/9/2017	83.8		127.6		10.1				
		6/16/2017	84.0		127.4		9.9				
		6/23/2017	84.0		127.4		9.9				
		6/30/2017	84.1		127.3		9.8				
		7/7/2017	84.1		127.3		9.8				
		7/14/2017	84.2		127.2		9.7				
		7/21/2017	84.1		127.3		9.8				
		7/28/2017	84.1		127.3		9.8				
		8/4/2017	84.1		127.3		9.8				
		8/11/2017	84.0		127.4		9.9				
		8/18/2017	83.9		127.5		10.0				
		8/25/2017	83.8		127.6	One Nete O	10.1				
		9/1/2017	-			See Note 9					

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)				
		4/14/2017	25.3	148.36	123.1	119.3	3.8					
		4/17/2017	25.3		123.1		3.8					
		4/19/2017	25.2		123.2		3.9					
		4/21/2017	25.1		123.3		4.0					
		4/26/2017	25.12		123.24		3.94					
		4/28/2017	25.2		123.2		3.9					
	[5/5/2017	25.1		123.3		4.0					
	[5/12/2017	25.3		123.1		3.8					
		5/19/2017	25.3		123.1		3.8					
		5/26/2017	25.5		122.9		3.6					
		6/2/2017	25.5		122.9		3.6					
		6/9/2017	25.5		122.9		3.6					
		6/16/2017	25.5		122.9		3.6					
		6/23/2017	25.4		123.0		3.7					
		6/30/2017	25.4		123.0		3.7					
		7/7/2017	23.8		124.6		5.3					
		7/14/2017	23.6		124.8		5.5					
		7/21/2017	23.7		124.7		5.4					
		7/28/2017	23.6		124.8		5.5					
		8/4/2017	23.2		125.2		5.9					
		8/11/2017	23.2		125.2		5.9					
		8/18/2017	23.3		125.1		5.8					
		8/25/2017	23.2		125.2		5.9					
		9/1/2017	23.5		124.9		5.6					
11	SB-26	9/8/2017	23.2		125.2		5.9					
		9/15/2017	22.2		126.2		6.9					
		9/22/2017	22.0		126.4		7.1					
		9/29/2017	22.1		126.3		7.0					
		10/6/2017	22.4		126.0		6.7					
		10/13/2017	22.4		126.0		6.7					
		10/20/2017	23.0		125.4		6.1					
		10/27/2017	23.5 23.5		124.9 124.9		5.6 5.6					
		11/3/2017 11/10/2017	23.5		124.9		4.9					
		11/17/2017	24.2		124.2		4.9					
		11/24/2017	24.4		124.0		4.6					
		12/1/2017	24.5		123.6		4.0					
		12/1/2017	24.8		123.6		4.3					
		12/15/2017	25.0		123.4		4.1					
		10/00/00/	a- <i>i</i>	<u> </u>	100.0		1.0					
		12/22/2017 12/29/2017	25.1 25.2		123.3 123.2		4.0					
		1/5/2018			123.2		4.0					
		1/12/2018			123.6		4.3					
		1/19/2018			123.6		4.3					
		1/26/2018			123.5		4.2					
		2/2/2018			123.6		4.3					
		2/9/2018			123.6		4.3					
		2/16/2018			123.5		4.2					
		2/23/2018			123.5		4.2					

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)				
		3/2/2018	24.9		123.5		4.2					
		3/9/2018	24.9		123.5		4.2					
		3/16/2018	24.9		123.4		4.1					
		3/23/2018	25.1		123.3		4.0					
		3/30/2018	24.9		123.5		4.2					
		4/6/2018	25.0		123.4		4.1	0.3				
		4/13/2018	25.0		123.4		4.1	0.2				
		4/20/2018	25.1		123.3		4.0	0.0				
		4/27/2018	25.0		123.4		4.1	0.1				
		5/4/2018	25.0		123.4		4.1	0.2				
		5/11/2018	25.1		123.3		4.0	0.0				
		5/18/2018	25.1		123.3		4.0	0.2				
		5/25/2018	24.7		123.7		4.4	0.6				
		6/1/2018	24.2		124.2		4.9	1.3				
		6/8/2018	24.1		124.3		5.0	1.4				
		6/15/2018	24.1		124.3		5.0	1.4				
		6/22/2018	24.1		124.3		5.0	1.4				
		6/29/2018	24.1		124.3		5.0	1.3				
Ш	SB-26	7/6/2018	24.1		124.3		5.0	1.3				
	5D-20	7/13/2018	24.1		124.3		5.0	-0.3				
		7/20/2018	24.1		124.3		5.0	-0.5				
		7/27/2018	24.0		124.4		5.1					
		8/3/2018	24.0		124.4		5.1					
		8/10/2018	24.0		124.4		5.1					
		8/17/2018	23.7		124.7		5.4	-0.5				
		8/24/2018	23.5		124.9		5.6	0.2 0.0 0.1 0.2 0.0 0.2 0.0 0.2 0.0 0.2 0.6 1.3 1.4 1.4 1.4 1.3 0.3 -0.3 -0.4 -0.8				
		8/31/2018	23.3		125.1		5.8	÷				
		9/7/2018	23.3		125.1		5.8	Previous Year (ft)				
		9/14/2018	23.4		125.0		5.7					
		9/21/2018	23.5		124.9		5.6					
		9/28/2018	23.6		124.8		5.5	-				
		10/5/2018	23.6		124.8		5.5	-				
		10/12/2018	23.6		124.8		5.5					
		10/19/2018	23.5		124.9		5.6					
		10/26/2018	23.5		124.9		5.6					
		11/2/2018	24.0		124.4		5.1	-0.5				
		11/9/2018	See Note 23									

	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill										
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)			
	J	4/13/2017	15.7	138.11	122.4	120.6		Troviodo Todi (ity			
		4/17/2017	15.7	100.11	122.4	120.0	-				
		4/19/2017	15.7		122.4						
		4/21/2017	15.6		122.5		-				
	1 1	4/26/2017	15.52		122.59		1.99				
	1 1	4/28/2017	15.7		122.4		Clay (ft) Previous Year (ft) 1.8 1.8 1.8 1.9 1.99 1.9 1.99 1.8 1.9 1.9 1.8 1.9 1.8 1.9 1.9 1.8 1.9 1.8 1.1.7 1.8 1.9 1.9 1.8 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9				
		5/5/2017	15.6		122.5		1.9				
		5/12/2017	15.6		122.5		1.9				
11	SB-27	5/19/2017	15.7		122.4		1.8				
	[5/26/2017	15.8		122.3		1.7				
	[6/2/2017	15.7		122.4		1.8				
	[6/9/2017	15.7		122.4		1.8				
	[6/16/2017	15.6		122.5		1.9				
	[6/23/2017	15.6		122.5		1.9				
	[6/30/2017	15.6		122.5		1.9				
		7/7/2017	Removed		-	See Note 5	-				

Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill											
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft			
	Ŭ	5/5/2017	87.5	208.62	121.1	116.7	4.4	(
	1 1	5/12/2017	87.3		121.3		4.6				
	1 1	5/19/2017	87.3		121.3		4.6				
		5/26/2017	87.3		121.3		4.6				
	[6/2/2017	87.5		121.1		4.4				
	[6/9/2017	87.2		121.4		4.7				
		6/16/2017	87.3		121.3		4.6				
		6/23/2017	87.5		121.1		4.4				
		6/30/2017	87.4		121.2		4.5				
		7/7/2017	87.5		121.1		4.4				
		7/14/2017	87.5		121.1		4.4				
		7/21/2017	87.4		121.2		4.5				
		7/28/2017	87.2		121.4		4.7				
		8/4/2017	87.3		121.3		4.6				
		8/11/2017	87.3		121.3		4.6				
		8/18/2017	87.0		121.6		4.9				
		8/25/2017	86.9		121.7		5.0				
		9/1/2017	86.9		121.7		5.0				
		9/8/2017	86.6		122.0		5.3				
		9/15/2017 9/22/2017	86.5 86.1		122.1 122.5		<u>5.4</u> 5.8				
		9/29/2017	86.0		122.5		5.9				
		10/6/2017	85.9		122.0		6.0				
		10/13/2017	86.1		122.7		5.8				
I	SB-28D	10/20/2017	86.1		122.5		5.8				
		10/27/2017	86.1		122.5		5.8				
		11/3/2017	86.1		122.5		5.8				
		11/10/2017	86.2		122.4		5.7				
		11/17/2017	86.4		122.2		5.5				
	1 1	11/24/2017	86.2		122.4		5.7				
	1 1	12/1/2017	86.6		122.0		5.3				
		12/8/2017	86.4		122.2		5.5				
	[12/15/2017	86.6		122.0		5.3				
	[12/22/2017	86.6		122.0		5.3				
	[12/29/2017	86.8		121.8		5.1				
	[1/5/2018	86.7		121.9		5.2				
	[1/12/2018	86.7		121.9		5.2				
		1/19/2018	86.7		121.9		5.2				
		1/26/2018	87.1		121.5		4.8				
		2/2/2018	86.9		121.7		5.0				
		2/9/2018	87.0		121.6		4.9				
		2/16/2018	87.0		121.6		4.9				
		2/23/2018	87.1		121.5		4.8				
		3/2/2018	87.0		121.6		4.9				
		3/9/2018	87.1		121.5		4.8				
		3/16/2018	87.1		121.5		4.8				
		3/23/2018 3/30/2018	87.4 87.2		121.2 121.4	See Note 16	4.5 4.7				

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		4/6/2018	87.2	- (- /	121.4		4.7	
		4/13/2018	87.2		121.4		4.7	
		4/20/2018	87.4		121.2		4.5	
		4/27/2018	87.3		121.3		4.6	
		5/4/2018	87.5		121.1		4.4	0.0
		5/11/2018	87.5		121.1		4.4	-0.2
		5/18/2018	87.4		121.2		4.5	-0.1
		5/25/2018	87.6		121.0		4.3	-0.3
		6/1/2018	86.1	207.03	120.9	See Note 21	4.2	-0.2
		6/8/2018	86.2		120.8		4.1	-0.6
		6/15/2018	87.6	208.40	120.8	See Note 21	4.1	-0.5
		6/22/2018	87.6		120.8		4.1	-0.3
		6/29/2018	87.6		120.8		4.1	-0.4
		7/6/2018	87.6		120.8		4.1	-0.3
		7/13/2018	87.6		120.8		4.1	-0.3
		7/20/2018	87.5		120.9		4.2	-0.3
		7/27/2018	87.5		120.9		4.2	-0.5
		8/3/2018	87.4		121.0		4.3	-0.3
		8/10/2018	87.4		121.0		4.3	-0.3
		8/17/2018	87.2		121.2		4.5	-0.4 -0.2
1	SB-28D	8/24/2018	86.9		121.5 121.7		4.8	-0.2
		8/31/2018 9/7/2018	86.7 86.5		121.7		<u>5.0</u> 5.2	-0.1
		9/14/2018	86.5		121.9		5.2	-0.1
		9/21/2018	86.6		121.9		5.1	-0.2
		9/28/2018	86.5		121.0		5.2	-0.7
		10/5/2018	86.5		121.9		5.2	-0.8
		10/12/2018	86.3		121.9		5.4	-0.4
		10/19/2018	86.6		121.8		5.1	-0.7
		10/26/2018	86.6		121.8		5.1	-0.7
		11/2/2018	86.4		122.0		5.3	-0.5
		11/9/2018	86.6		121.8		5.1	-0.6
		11/16/2018	86.8		121.6		4.9	-0.6
		11/23/2018	86.7		121.7		5.0	-0.7
		11/30/2018	86.8		121.6		4.9	-0.4
		12/7/2018	87.1		121.3		4.6	-0.9
		12/14/2018	86.7		121.7		5.0	-0.3
		12/21/2018	86.7		121.7		5.0	-0.3
		12/28/2018	86.8		121.6		4.9	-0.2
Į] [-		-	-

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft
	Ŭ	5/5/2017	78.5	207.86	129.4	117.5	11.9	i i o nou o i our (it
		5/12/2017	77.2		130.7		13.2	
		5/19/2017	77.4		130.5		13.0	
		5/26/2017	79.3		128.6		11.1	
		6/2/2017	82.3		125.6		8.1	
		6/9/2017	82.4		125.5		8.0	
		6/16/2017	81.9		126.0		8.5	
		6/23/2017	81.7		126.2		8.7	
		6/30/2017	82.9		125.0		7.5	
		7/7/2017	82.7		125.2		7.7	
		7/14/2017	83.0		124.9		7.4	
		7/21/2017	83.3		124.6		7.1	
		7/28/2017	82.9		125.0		7.5	
		8/4/2017	82.8		125.1		7.6	
		8/11/2017	81.2		126.7		9.2	
		8/18/2017	81.2		126.7		9.2	
		8/25/2017	82.8		125.1		7.6	
		9/1/2017	82.8		125.1		7.6	
		9/8/2017	82.8		125.1		7.6	
		9/15/2017	79.4		128.5		11.0	
		9/22/2017	82.3		125.6		8.1	
		9/29/2017 10/6/2017	82.6 81.1		125.3 126.8		7.8 9.3	
		10/13/2017	81.1		126.8		9.3	
Ι	SB-29	10/20/2017	82.6		125.3		7.8	
		10/27/2017	77.0		130.9		13.4	
		11/3/2017	77.1		130.8		13.3	
		11/10/2017	83.2		124.7		7.2	
		11/17/2017	82.2		125.7		8.2	
		11/24/2017	82.2		125.7		8.2	
		12/1/2017	82.7		125.2		7.7	
		12/8/2017	82.5		125.4		7.9	
		12/15/2017	82.7		125.2		7.7	
		12/22/2017	82.6		125.3		7.8	
		12/29/2017	82.7		125.2		7.7	
		1/5/2018	82.8		125.1		7.6	
		1/12/2018	82.5		125.4		7.9	
		1/19/2018	82.4		125.5		8.0	
		1/26/2018	80.9		127.0		9.5	
		2/2/2018			126.9		9.4	
		2/9/2018			126.9		9.4	
		2/16/2018	81.4		126.5		9.0	
		2/23/2018	82.6		125.3		7.8	
		3/2/2018			125.1		7.6	
		3/8/2018			125.1		7.6	
		3/16/2018	80.6		127.3		9.8	
		3/23/2018	83.5		124.4		6.9	
		3/30/2018	81.0		126.9		9.4	

				Liquid Asse	- Water Level ssment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		4/6/2018	81.0	· /	126.9		9.4	
		4/13/2018	80.9		127.0		9.5	
		4/20/2018	81.1		126.8		9.3	
		4/27/2018	80.8		127.1		9.6	
		5/4/2018	82.7		125.2		7.7	-4.2
		5/11/2018	82.8		125.1		7.6	-5.6
		5/18/2018	82.9		125.0		7.5	-5.5
		5/25/2018	82.6		125.3		7.8	-3.3
		6/1/2018	82.6		125.3		7.8	-0.3
		6/8/2018	82.6		125.3		7.8	-0.2
		6/15/2018	82.6		125.3		7.8	-0.7
		6/22/2018	82.6		125.3		7.8	-0.9
		6/29/2018	82.5		125.4		7.9	0.4
		7/6/2018	81.6		126.3		8.8	1.1
		7/13/2018	81.5		126.4		8.9	1.5
		7/20/2018	82.6		125.3		7.8	0.7
		7/27/2018	82.6		125.3		7.8	0.3
		8/3/2018	82.5		125.4		7.9	0.3
		8/10/2018	82.5		125.4		7.9	-1.3
		8/17/2018 8/24/2018	82.6 82.3		125.3 125.6		7.8	0.5
I I	SB-29	8/31/2018	82.3		125.6		8.1	0.5
		9/7/2018	82.4		125.5		8.0	0.4
		9/14/2018	82.5		125.4		7.9	-3.1
		9/21/2018	82.5		125.4		7.9	-0.2
		9/28/2018	82.5		125.4		7.9	0.2
		10/5/2018	82.4		125.5		8.0	-1.3
		10/12/2018	82.3		125.6		8.1	-1.2
		10/19/2018	82.4		125.5		8.0	0.2
		10/26/2018	82.4		125.5		8.0	-5.4
		11/2/2018	82.3		125.6		8.1	-5.2
		11/9/2018	82.4		125.5		8.0	0.8
		11/16/2018	82.3		125.6		8.1	-0.1
		11/23/2018	80.2		127.7		10.2	2.0
	[11/30/2018	81.6		126.3		8.8	1.1
	[12/7/2018	82.4		125.5		8.0	0.1
	[12/14/2018	81.8		126.1		8.6	0.9
	[12/21/2018	80.8		127.1		9.6	1.8
		12/28/2018	80.9		127.0		9.5	1.8
					-		-	-

				Liquid Asse	- Water Level essment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft
	<u> </u>	5/5/2017	64.3	189.53	125.2	117.8	7.4	(
		5/12/2017	64.7		124.8		7.0	
		5/19/2017	64.8		124.7		6.9	
		5/26/2017	65.7		123.8		6.0	
		6/2/2017	65.7		123.8		6.0	
		6/9/2017	65.7		123.8		6.0	
		6/16/2017	65.6		123.9		6.1	
		6/23/2017	65.6		123.9		6.1	
		6/30/2017	65.2		124.3		6.5	
		7/7/2017	65.7		123.8		6.0	
		7/14/2017	65.8		123.7		5.9	
		7/21/2017	66.0		123.5		5.7	
		7/28/2017	66.0		123.5		5.7	
		8/4/2017	66.0		123.5		5.7	
		8/11/2017	65.6		123.9		6.1	
		8/18/2017	65.8		123.7		5.9	
		8/25/2017	65.8		123.7		5.9	
		9/1/2017	65.9		123.6		5.8	
		9/8/2017	65.5		124.0		6.2	
		9/15/2017	64.4		125.1		7.3	
		9/22/2017	64.7		124.8		7.0	
		9/29/2017	64.7		124.8		7.0	
		10/6/2017	64.8		124.7		6.9	
		10/13/2017	63.4		126.1		8.3	
II	SB-30	10/20/2017	63.2		126.3		8.5	
		10/27/2017	65.4		124.1		6.3	
		11/3/2017	65.4		124.1		6.3	
		11/10/2017	65.3		124.2		6.4	
		11/17/2017	65.4		124.1		6.3	
		11/24/2017	65.5		124.0		6.2	
		12/1/2017	65.6		123.9		6.1	
		12/8/2017	65.4		124.1		6.3	
		12/15/2017	65.5		124.0		6.2	
		12/22/2017	65.6		123.9		6.1	
		12/29/2017	65.7		123.8		6.0	
		1/5/2018	65.8		123.7		5.9	
		1/12/2018	65.6		123.9		6.1	
		1/19/2018	65.6		123.9		6.1	
		1/26/2018	65.6		123.9		6.1	
		2/2/2018	05.0		123.7		5.9	
		2/9/2018			123.7		5.9	
		2/16/2018	65.8		123.7		5.9	
		2/23/2018	65.9		123.6		5.8	
		3/2/2018			123.6		5.8	
		3/8/2018			123.6		5.8	
		3/16/2018	66.0		123.5		5.7	
		3/23/2018	66.2		123.3		5.5	
		3/30/2018	65.7		123.8		6.0	

				Liquid Asse	- Water Level essment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		4/6/2018	66.0		123.5		5.7	
	[4/13/2018	66.0		123.5		5.7	
	[4/20/2018	66.1		123.4		5.6	
		4/27/2018	66.0		123.5		5.7	
		5/4/2018	66.4		123.1		5.3	-2.1
		5/11/2018	66.4		123.1		5.3	-1.7
		5/18/2018	66.4		123.1		5.3	-1.6
		5/25/2018	66.3		123.2		5.4	-0.6
		6/1/2018	66.4		123.1		5.3	-0.7
		6/8/2018	66.4		123.1		5.3	-0.7
		6/15/2018	66.4		123.1		5.3	-0.8
		6/22/2018	66.4		123.1		5.3	-0.8
		6/29/2018	66.5		123.0		5.2	-1.3
		7/6/2018	66.4		123.1		5.3	-0.7 -0.6
		7/13/2018	66.4		123.1		5.3	
		7/20/2018	66.3		123.2		5.4	-0.3
		7/27/2018	66.3		123.2		5.4	-0.3
		8/3/2018 8/10/2018	66.3 66.0		123.2 123.5		<u>5.4</u> 5.7	-0.3
		8/17/2018	65.9		123.6		5.8	-0.4
		8/24/2018	65.7		123.0		6.0	0.1
11	SB-30	8/31/2018	65.6		123.9		6.1	0.3
		9/7/2018	65.4		123.9		6.3	0.1
		9/14/2018	65.4		124.1		6.3	-1.0
		9/21/2018	65.3		124.2		6.4	-0.6
		9/28/2018	65.3		124.2		6.4	-0.6
		10/5/2018	65.2		124.3		6.5	-0.4
		10/12/2018	65.1		124.4		6.6	-1.7
		10/19/2018	65.2		124.3		6.5	-2.0
		10/26/2018	65.2		124.3		6.5	0.2
	[11/2/2018	64.9		124.6		6.8	0.5
		11/9/2018	64.9		124.6		6.8	0.4
	[11/16/2018	65.0		124.5		6.7	0.4
	[11/23/2018	64.2		125.3		7.5	1.3
	[11/30/2018	65.1		124.4		6.6	0.5
		12/7/2018	65.3		124.2		6.4	0.1
		12/14/2018	65.1		124.4		6.6	0.4
		12/21/2018	65.0		124.5		6.7	0.6
		12/28/2018	65.0		124.5		6.7	0.7
					-		-	-
	├ ──── ↓							

				Liquid Asse	- Water Level essment Monito t County Landi	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		3/7/2018	18.4	141.8	123.4	122.4	1.0	
		3/9/2018	18.4		123.4		1.0	
	[3/16/2018	18.4		123.4		1.0	
		3/23/2018	18.4		123.4		1.0	
		3/30/2018	18.4		123.4		1.0	
	SB-31 ¹⁴	4/6/2018	18.4		123.4		1.0	
		4/13/2018	18.4		123.4		1.0	
		4/20/2018	18.4		123.4		1.0	
		4/27/2018 5/4/2018	18.5 18.5		123.3 123.3		0.9	
		5/11/2018	10.0		123.3	See Note 20	0.9	
		5/11/2010				See Note 20		
		3/7/2018	24.1	146.8	122.7	121.9	0.8	
		3/9/2018	24.1		122.7		0.8	
		3/16/2018	24.1		122.7		0.8	
		3/23/2018	24.2		122.6		0.7	
	[3/30/2018	24.2		122.6		0.7	
		4/6/2018	24.2		122.6		0.7	
		4/13/2018	24.2		122.6		0.7	
		4/20/2018	24.2		122.6		0.7	
		4/27/2018	24.5		122.3	See Note 19	0.4	
		5/4/2018 5/11/2018	24.5		122.3	See Note 19	0.4	
		5/18/2018	24.4 24.4		122.4 122.4		0.5 0.5	
		5/25/2018	24.4		122.4		0.5	
		6/1/2018	24.4		122.4		0.5	
		6/8/2018	24.4		122.4		0.5	
		6/15/2018	24.4		122.4		0.5	
	1 1	6/22/2018	24.4		122.4		0.5	
	[6/29/2018	24.4		122.4		0.5	
	[7/6/2018	24.3		122.5		0.6	
		7/13/2018	24.3		122.5		0.6	
		7/20/2018	24.1		122.7		0.8	
		7/27/2018 8/3/2018	24.1		122.7 122.7		0.8	
Ш	SB-32 ¹⁴	8/10/2018	24.1 24.1		122.7		0.8	
	30-32	8/17/2018	23.9		122.7		1.0	
		8/24/2018	23.9		122.9		1.0	
		8/31/2018			122.9		1.0	
		9/7/2018	23.9		122.9		1.0	
		9/14/2018	23.9		122.9		1.0	
	[9/21/2018			122.9		1.0	
	[9/28/2018			122.9		1.0	
		10/5/2018	23.9		122.9		1.0	
		10/12/2018	23.9		122.9		1.0	
		10/19/2018			122.9		1.0	
		10/26/2018 11/2/2018			122.9 122.8		1.0 0.9	
		11/9/2018	24.0		122.8		0.9	
		11/16/2018	24.0		122.0		0.8	
		11/23/2018	24.1		122.7		0.8	
		11/30/2018			122.7		0.8	
		12/7/2018			122.7		0.8	
	[12/14/2018	24.1		122.7		0.8	
	[12/21/2018	24.1		122.7		0.8	
		12/28/2018	24.1		122.7		0.8	
					-		-	

Phase B	Soil Boring #	Date ¹ 7/21/2017 7/28/2017 8/4/2017	Depth to water (ft tpvc)	Elevation Top	Water Elevation			
		7/28/2017	115	PVC (NGVD)	(NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
			14.5	136.85	122.4	121.5	0.9	
			14.1 13.7	top HDPE	122.8 123.2		<u>1.3</u> 1.7	
		8/11/2017	12.8	See Note 7	123.2		2.6	
	1	8/18/2017	13.6		123.3		1.8	
	I	8/25/2017	13.7		123.2		1.7	
		9/1/2017	13.4		123.5		2.0	
		9/8/2017 9/15/2017	13.1 12.8		123.8 124.1		2.3 2.6	
		9/22/2017	12.8		124.1		2.6	
		9/29/2017	12.7		124.2		2.7	
		10/6/2017	13.1		123.8		2.3	
		10/13/2017	13.1		123.8		2.3	
		10/20/2017 10/27/2017	15.2 14.7		121.7 122.2		0.2	
		11/3/2017	14.5		122.4		0.9	
		11/10/2017	13.8		123.1		1.6	
		11/17/2017	13.8		123.1		1.6	
		11/24/2017	13.9		123.0		1.5	
		12/1/2017 12/8/2017	15.2 14.2		121.7 122.7	See Note 13	0.2	
		12/15/2017	14.2		122.7	See Note 15	0.4	
		12/22/2017	15.2		121.7		0.2	
		12/29/2017	14.3		122.6		1.1	
		1/5/2018	14.0		122.9		1.4	
		1/12/2018 1/19/2018	13.8 14.0		123.1 122.9		1.6 1.4	
		1/26/2018	13.9		122.9		1.4	
		2/2/2018	13.9		123.0		1.5	
		2/9/2018	13.9		123.0		1.5	
		2/16/2018	13.9		123.0		1.5	
II N	/IP 2-2 ⁶	2/23/2018 3/2/2018	13.9 13.9		123.0 123.0		1.5 1.5	
		3/9/2018	13.9		123.0		1.5	
		3/16/2018	13.9		123.0		1.5	
		3/23/2018	14.0		122.9		1.4	
		3/30/2018	13.9		123.0		1.5	
		4/6/2018 4/13/2018	13.9 13.9		123.0 123.0		<u>1.5</u> 1.5	
		4/20/2018	14.0		123.0		1.4	
		4/27/2018	14.0		122.9		1.4	
		5/4/2018	14.0		122.9		1.4	
		5/11/2018	14.0		122.9		<u> </u>	
		5/18/2018 5/25/2018	14.0 14.0		122.9 122.9		1.4	
		6/1/2018	14.0		122.9		1.4	
		6/8/2018	14.0		122.9		1.4	
		6/15/2018	14.0		122.9		1.4	
		6/22/2018	14.0		122.9		1.4	
		6/29/2018 7/6/2018	14.0 14.0		122.9 122.9		<u> </u>	
		7/13/2018	14.0		122.9		1.4	
		7/20/2018	14.0		122.9		1.4	0.5
	ļ	7/27/2018	13.9		123.0		1.5	0.2
		8/3/2018	13.9		123.0		1.5	-0.2
		8/10/2018 8/17/2018	13.9 13.8		123.0 123.1		1.5 1.6	-1.1 -0.2
		8/24/2018	13.8		123.1		1.6	-0.2
		8/31/2018	13.8		123.1		1.6	-0.4
		9/7/2018	13.8		123.1		1.6	-0.7
		9/14/2018	13.8		123.1		1.6	-1.0
		9/21/2018 9/28/2018	13.8 13.8		123.1 123.1		<u>1.6</u> 1.6	-1.0 -1.1


	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill									
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		10/5/2018	13.8		123.1		1.6	-0.7		
		10/12/2018	13.8		123.1		1.6	-0.7		
		10/19/2018	13.8		123.1		1.6	1.4		
		10/26/2018	13.8		123.1		1.6	0.9		
		11/2/2018	13.8		123.1		1.6	0.7		
		11/9/2018	13.7		123.2		1.7	0.1		
		11/16/2018	13.8		123.1		1.6	0.0		
11	MP 2-2 ⁶	11/23/2018	13.5		123.4	See Note 24	1.9	0.4		
	1011 2 2	11/30/2018	13.6		123.3		1.8	1.6		
		12/7/2018	15.0		121.9		0.4	-0.8		
		12/14/2018	-		121.7		0.2	-0.2		
		12/21/2018			123.3		1.8	1.6		
		12/28/2018	13.6		123.3		1.8	0.7		
					-		-	-		


				Liquid Asse	- Water Level essment Monito t County Landf	oring		
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)
		7/21/2017	15.0	141.05	DRY	122.4	DRY	
		7/28/2017	15.0	top HDPE	DRY	See Note 8	DRY	
		8/4/2017 8/11/2017	15.0 15.0		DRY DRY		DRY DRY	
		8/18/2017	15.0		DRY		DRY	
		8/25/2017	15.0		DRY		DRY	
		9/1/2017	15.0		DRY		DRY	
		9/8/2017	15.0		DRY		DRY	
		9/15/2017	15.0		DRY		DRY	
		9/22/2017 9/29/2017	15.0 15.0		DRY DRY		DRY DRY	
		10/6/2017	15.0		DRY		DRY	
		10/13/2017	15.0		DRY		DRY	
		10/20/2017	15.0		DRY		DRY	
		10/27/2017	15.0		DRY		DRY	
		11/3/2017	15.0		DRY		DRY	
		11/10/2017	15.0		DRY		DRY	
		11/17/2017 11/24/2017	15.0 15.0		DRY DRY		DRY DRY	
		12/1/2017	-		DRY	See Note 12	DRY	
		12/8/2017	19.4	142.3	122.9		0.5	
		12/15/2017	19.6		122.7		0.3	
		12/22/2017	19.4		122.9		0.5	
		12/29/2017	19.5		122.8		0.4	
		1/5/2018	19.1 19.0		123.2		0.8	
		1/12/2018 1/19/2018	19.0		123.3 123.2		0.9	
		1/26/2018	19.1		123.2		0.8	
		2/2/2018	19.1		123.2		0.8	
		2/9/2018	19.1		123.2		0.8	
	6	2/16/2018	19.1		123.2		0.8	
II	MP 2-3 ⁶	2/23/2018	19.3		123.0		0.6	
		3/2/2018 3/9/2018	19.1 19.1		123.2 123.2		0.8	
		3/16/2018	19.1		123.2		0.8	
		3/23/2018	19.2		123.1		0.7	
		3/30/2018	19.1		123.2		0.8	
		4/6/2018	19.1		123.2		0.8	
		4/13/2018	19.0		123.3		0.9	
		4/20/2018 4/27/2018	19.2 19.2		123.1 123.1		0.7	
		5/4/2018			123.1		0.7	
		5/11/2018			123.1		0.7	
		5/18/2018	19.1		123.2		0.8	
		5/25/2018			123.2		0.8	
		6/1/2018			123.2		0.8	
		6/8/2018 6/15/2018	19.1 19.1	<u> </u>	123.2 123.2	<u> </u>	0.8	
		6/22/2018			123.2		0.8	
		6/29/2018	19.1		123.2		0.8	
		7/6/2018	19.1		123.2		0.8	
		7/13/2018	19.1		123.2		0.8	
		7/20/2018	19.1		123.2		0.8	0.8
		7/27/2018 8/3/2018	19.2 19.1	<u> </u>	123.1 123.2	<u> </u>	0.7	0.7
		8/10/2018			123.2		0.8	0.8
		8/17/2018			123.3		0.9	0.9
		8/24/2018	19.0		123.3		0.9	0.9
		8/31/2018	19.0		123.3		0.9	0.9
		9/7/2018	19.0		123.3		0.9	0.9
		9/14/2018 9/21/2018	19.0 19.0		123.3 123.3		0.9	0.9
		9/21/2018			123.3		0.9	0.9


	Appendix B - Water Level Data Liquid Assessment Monitoring Southeast County Landfill									
Phase	Soil Boring #	Date ¹	Depth to water (ft tpvc)	Elevation Top PVC (NGVD)	Water Elevation (NGVD)	Top of Clay Elev (NGVD)	Liquid Depth Over Clay (ft)	Depth Change Previous Year (ft)		
		10/5/2018	19.0		123.3		0.9	0.9		
		10/12/2018	19.0		123.3		0.9	0.9		
		10/19/2018	19.0		123.3		0.9	0.9		
		10/26/2018	19.0		123.3		0.9	0.9		
		11/2/2018	19.0		123.3		0.9	0.9		
		11/9/2018			123.5		1.1	1.1		
		11/16/2018	18.8		123.5		1.1	1.1		
		11/23/2018	18.7		123.6	See Note 24	1.2	1.2		
П	MP 2-3 ⁶	11/30/2018	18.8		123.5		1.1	1.1		
		12/7/2018	19.4		122.9		0.5	0.5		
		12/14/2018	19.5		122.8		0.4	0.4		
		12/21/2018	18.8		123.5		1.1	1.1		
		12/28/2018	18.8		123.5		1.1	1.1		
					-		-	-		


Notes:

- 1. Water levels collected in SB-15 through SB-23D on 2/16/17 are prior to development.
- 2. Approximate elevations based on raw survey data.
- 3. Extended riser at SB-25D due to waste filling operations.
- 4. Lowered riser at SB-25D in order to conduct pump test.
- 5. Removed SB-27 during construction of cut-off trench the week of 7-10-2017. Replaced with MP-1 and MP-2
- 6. Monitoring Points MP 2-2 and MP 2-3 are vertical HDPE risers installed in cutoff trench.
- 7. Installed pump at CO 2-2 on 8/11/2017. MP 2-2 may be affected by pumping.
- 8. Clay elevation at MP 2-3 is estimated based on bottom of trench survey points north and south of riser.
- SB-25D appeared to be blocked on 9/1/2017. Investigations were conducted with an excavation that determined the piezometer is broken at 14' B.G.
- 10. Actively filling in the Phase IV area. SWMD extended risers at SB-23D and SB-23S.
- Actively filling in the Phase IV and VI area. SWMD extended riser at SB-21D.
 Construction activity at CO 2-1 on 12/1 adjusting depth of MP 2-3.
- Pump at CO 2-2 turned off to evaluate effects of construction activity at cut-off trench.
- 14. SB-31 and SB-32 installed temporarily to monitor liquid level prior to excavation to determine accuracy
- of piezometers. Top of casing based on ground survey and measurement of stickup.
- 15. SB-23S was damaged after 2/2/2018 and staff has not been able to conduct liquid level measurements.
- 16. Slug tests on Series-2 piezometers. Levels may be artificially high. Water added on 3/28/18.
- 17. Extended riser at SB-22D due to waste filling operations. Added 10' on 4/22/18 and 8' on 5/11/2018.
- 18. SB-22D destroyed during waste filling operations in Phase VI.
- 19. SWMD excavated trench near SB-32 from 4/24/2018 4/30/2018 in order to locate Phase III header pipe and install cleanout riser.
- 20. SWMD excavated trench near SB-31 from 5/7/2018 5/15/2018 in order to locate Phase II header pipe and install cleanout riser. SB-31 removed on 5/11/2018.
- 21. Damage to SB-28D riser. Removed broken piece ~ 1.59'. Modified piezometer prior to 6/15/18.
- 22. PVC pipe at SB-23D sheared by landfill prior to 9/21/18 reading.
- 23. SB-01, 02, 03, 05, 26, P-19S, 23S and 23D were all abandoned prior to 11/9/18.
- 24. Power failure DW-1 and DW-2 not pumping allowed liquid level to increase in SB-29 and SB-30.
- 25. PVC pipe at SB-21D sheared by waste settlement prior to 12/14/18 reading.










Lie	Appendix B - Ra quid Assessme Southeast Cour	nt Monitoring
Week Ending	Rainfall (in.)	Remarks
1/1/16	0	
1/8/16	0.3	
1/15/16	2.55	
1/22/16	1.97	
1/29/16	2.54	
2/5/16	0.2	
2/12/16	0.35	
2/12/16		
	0.17	
2/26/16	0.89	
3/4/16	0	
3/11/16	0	
3/18/16	0.43	
3/25/16	0.96	
4/1/16	0.92	
4/8/16	2.01	
4/15/16	0	
4/22/16	0.01	
4/29/16	0.48	
5/6/16	3.05	
5/13/16	0	
5/20/16	4.95	
5/27/16	0	
6/3/16	0.69	<u> </u>
		<u> </u>
6/10/16	8.23	<u> </u>
6/17/16	0.18	
6/24/16	1.63	
7/1/16	0.76	
7/8/16	1.88	
7/15/16	1.61	
7/22/16	0.59	
7/29/16	1.05	
8/5/16	1.66	
8/12/16	4.52	
8/19/16	0.05	
8/26/16	0.12	
9/2/16	6.92	
9/9/16	0.81	
9/16/16	0.86	
9/23/16	0.54	
	1.21	
9/30/16	3.61	
10/7/16 10/14/16	0	
10/21/16	0	
10/28/16	0	
11/4/16	0	
11/11/16	0	
11/18/16	0	
11/25/16	0	
12/2/16	0	
12/9/16	0.09	
12/16/16	0	
12/23/16	0	
12/30/16	0.25	
1/6/17	0	
1/13/17	0.23	
1/20/17	0.09	
1/27/17	0.6	
2/3/17	0.44	
2/10/17	0.66	
	1	
2/17/17	0.08	<u> </u>
2/24/17	1.22	
3/3/17	0	
3/10/17	0	L
3/17/17	0.65	ļ
3/24/17	0.01	
3/31/17	0.01	
4/7/17	2.58	
4/14/17	0	
4/21/17	0	
4/28/17	0	
5/5/17	0.36	
5/12/17	0.33	
5/19/17	0.01	
5/26/17	0.96	
6/2/17	1	
	0.35	
6/9/17	3.48	
6/16/17	2.78	ļ
6/23/17	3.02	
6/30/17	0.79	
7/7/17	2.8	
7/14/17	3.8	
7/21/17	3.59	

	Appendix B - Rain Juid Assessment I Southeast County	Monitoring
Week Ending	Rainfall (in.)	Remarks
7/28/17	0.6	
8/4/17	4.92	
8/11/17	0.39	
8/18/17	1.24	
8/25/17	1.09	
9/1/17	9.01	
9/8/17	1.9	
9/15/17	7.28	
9/22/17	0	
9/29/17	0.28	
10/6/17	0.82	
10/13/17	0.02	
10/20/17	0.83	
10/27/17	0.08	
11/3/17	0.28	
11/10/17	0	
11/17/17	0.04	
11/1/1/	0.04	
12/1/17	0.09	
12/1/1/ 12/8/17	1.13	
12/8/17 12/15/17	0.66	
12/15/17 12/22/17	0.66	
12/22/17	0.09	
1/5/18	0.09	
1/12/18	0.86	
1/19/18	0	
1/26/18		
2/2/18	2.05	
2/9/18	0.82	
2/16/18	0	
2/23/18	0	
3/2/18	0	
3/9/18	0	
3/16/18	0	
3/23/18	1.06	
3/30/18	0	
4/6/18	0.01	
4/13/18	1.11	
4/20/18	0.65	
4/27/18	0.9	
5/4/18	0	
5/11/18	0.95	
5/18/18	6.67	
5/25/18	2.90	
6/1/18	3.14	
6/8/18	1.59	
6/15/18	1.61	
6/22/18	2.39	
6/29/18	3.64	
7/6/18	3.37	
7/13/18	0.45	
7/20/18	2.68	
7/27/18	3.27	
8/3/18	3.89	
8/10/18	1.66	
8/17/18	1.17	
8/24/18	2.86	
8/31/18	3.16	
9/7/18	0.78	
9/14/18	2.42	
9/21/18	0.05	
9/28/18	1.8	
10/5/18	0.01	
10/12/18	0.78	
10/19/18	0	
10/26/18	0	
11/2/18	0.6	
11/9/18	0.35	
11/16/18	0.51	
11/23/18	0.01	
11/30/18	0.32	
12/7/18	0.05	
12/14/18	1.67	
12/14/10		
12/21/18	7.07	
	7.07 0	



Appendix C

December 2018 Water Balance



SOLID WASTE MANAGEMENT PO Box 1110 Tampa, FL 33601-1110 813-272-5680

<u>MEMORANDUM</u>

		Whender 5. Wierrin
DATE:	January 14, 2019	COUNTY ATTORNEY Christine M. Beck INTERNAL AUDITOR
TO:	Larry E. Ruiz, Manager Landfill Operations, Solid Waste Management Division	Peggy Caskey
FROM:	Cindy A. Pelley, Landfill Supervisor, Solid Waste Management Division	INFRASTRUCTURE SERVICES ADMINISTRATOR John Lyons
SUBJECT:	Leachate Water Balance Report Forms for December 2018 Southeast County Landfill, Hillsborough County, Florida	

BOARD OF COUNTY COMMISSIONERS

Lesley "Les" Miller, Jr.

COUNTY ADMINISTRATOR

Sandra L. Murman

Kimberly Overman

Michael S. Merrill

Mariella Smith Stacy R. White

Ken Hagan Pat Kemp

The Solid Waste Management Division (SWMD) staff has compiled and reviewed the leachate management operational data from the Southeast County Landfill Phases I-VI, Sections 7-8, and Section 9. Attached are the Leachate Water Balance Report Form (Table 1), the Leachate Field Data Entry Form (Table 2), and the 2018 Summary (Table 3). Also, attached find Figure 1 showing leachate levels in Pump Station B sump of Phases I-VI and rainfall for the month.

TABLE 1

Day (Column I)

Column I presents the calendar days for the month.

Rainfall (Column II)

Column II presents the average rainfall, in inches, as measured in the field from rainfall stations at the site. This month there was 8.79 inches of rainfall recorded at the Southeast County Landfill (SCLF).

Depth in Pond A (Column III)

Column III presents the daily depth, in feet, of effluent stored in effluent pond (Pond A). The daily depth in Pond A varies as a function of the spray irrigation frequency/duration and effluent hauled from the pond. This month there was no effluent stored in Pond A, however small amounts of rain water collected in the pond.

Depth in Pond B (Column IV)

Column IV presents the daily depth, in feet, of effluent or leachate that is stored in the effluent/leachate storage pond (Pond B). The depth in Pond B varies as a function of the evaporation frequency/duration and effluent or leachate hauled from the pond. This month the daily average depth of leachate in Pond B was 2.1.

HCFLGOV.NET

Memorandum January 14, 2019 Page 2 of 5

Estimated Depth at Pump Station B Sump (PS-B) (Column V)

Column V presents the depth of leachate, in inches, in the PS-B sump. Leachate from Phases I-VI flows to the PS-B sump for removal from the landfill. PS-B then pumps the leachate to Pump Station A (PS-A). Daily depth readings from the PS-B sump are included in this column. This month PS-B was below the normal operation level except on December 25th and 26th due TECO power outage. The average recorded depth of leachate in the PS-B sump was 16.9 inches.

Leachate Pumped to MLPS from Phases I-VI (Column VI)

Column VI presents the daily amount of leachate, in gallons, collected from PS-A and pumped through the MLPS to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. This column also includes the Phase II data from the dewatering wells and PS-2. The average daily amount of leachate pumped from PS-A was 98,086 gallons. A total of 3,040,655 gallons of leachate was pumped this month.

Leachate Pumped from Sections 7-8 LDS (Column VII)

Column VII presents the quantity of leachate removed from the leak detection system (LDS) of Sections 7-8. The quantity is measured by a flow meter before being pumped for removal with Sections 7-8 leachate. The removal rate did not exceed 1,930 gallons per day. This month 1,688 gallons of leachate was removed from the leak detection system of Sections 7-8.

Leachate Pumped to MLPS from Sections 7-8 (Column VIII)

Column VIII presents the quantity of leachate collected at Sections 7-8 and pumped to the MLPS. The quantity is measured by a flow meter and includes any leachate removed from the leak detection system of Sections 7-8 (Column VII). This month a total of 353,120 gallons was removed.

Leachate Pumped to LTRF from the MLPS (Column IX)

Column IX presents the total quantity of leachate pumped to the LTRF from Phases I-VI (including condensate removed from LFG Wells and Condensate Traps), and Sections 7-8. This month a total of 3,393,775 gallons of leachate was pumped to the LTRF.

Leachate Pumped to LTRF from Section 9 (Column X)

Column X presents the daily amount of leachate, in gallons, collected from Section 9 and pumped to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. A total of 225,690 gallons of leachate was pumped this month.

Leachate Pumped from Section 9 LDS (Column XI)

Column XI presents the daily amount of leachate, in gallons, collected from the LDS of Section 9 and pumped to the 575,000-gallon storage tank at the LTRF for treatment or disposal. The removal rate did not exceed 4,651 gallons per day. This month 58 gallons of leachate was removed from the leak detection system.

Memorandum January 14, 2019 Page 3 of 5

Leachate Pumped from Compost Area Sump (Column XII)

Column XII presents the total quantity of leachate pumped to the LTRF and Pond B from the Compost Project Area Sump. This month 478,663 gallons of leachate was removed from the compost area and pumped to the LTRF.

Leachate in 575,000-Gallon Tank (Column XIII)

Column XIII presents the daily amount of leachate, in gallons, stored in the 575,000-gallon leachate holding tank T1 at the LTRF. The amount of leachate stored in T1 is calculated based on the circumference of the tank and the daily level reading. This month leachate was not stored in the tank.

Effluent in 575,000-Gallon Tank (Column XIV)

Column XIV typically presents the daily amount of effluent, in gallons, stored in the 575,000-gallon effluent holding tank T6 at the LTRF. The SWMD began storing leachate in this tank in June 2018. The amount of effluent/leachate stored in T6 is calculated based on the circumference of the tank and the daily level reading. This month an average of 405,500 gallons of leachate was stored in the tank.

Leachate Treated at LTRF (Column XV)

Column XV presents the daily amount of leachate, in gallons, treated at the LTRF. On August 16, 2016, plant staff began shutting down operations for upcoming permit required tank inspections. This month leachate was not treated at the plant.

Total Leachate Hauled (Column XVI)

Column XVI presents the daily amount of leachate, in gallons, hauled off site. This month a total of 3,905,432 gallons of leachate was hauled off site.

Leachate Dust Control Sprayed (Column XVII)

Column XVII presents the daily amount of leachate, in gallons, measured from the flow meter at the bypass-loading arm at the leachate storage tank. The leachate is used for dust control in the active area of the landfill. This month leachate was not used for dust control.

Pond A Storage (Column XVIII)

Column XVIII presents the daily amount of effluent, in gallons, stored in Pond A. The daily amount stored in the pond is calculated by using the daily depth of effluent in the Pond A (Column III). Under normal operating conditions, the daily amount of effluent stored in the pond varies depending upon the daily amount of leachate treated at the LTRF, the daily rainfall, daily effluent hauling operations, daily spray irrigation operations, and the daily amount of effluent used for dust control/evaporation. This month effluent was not stored in Pond A however rainwater collected in Pond A after a couple large storm events.

Memorandum January 14, 2019 Page 4 of 5

Pond B Storage (Column XIX)

Column XIX presents the daily amount of effluent, in gallons, stored in Pond B. The daily amount stored in the pond is calculated by using the daily depth of liquid in Pond B (Column IV). Under normal operating conditions, the amount stored in the pond will vary depending upon the daily amount of leachate/effluent removed from the pond by the evaporation system, hauled from the pond, used for dust control or evaporated; was stored in Pond B. This month an average of 101,500 gallons per day of leachate was stored in Pond B.

Effluent Sprayed at Pond B (Column XX)

Column XX presents the daily amount of effluent, in gallons, sprayed for evaporation at Pond B. The amount evaporated is calculated by using 5 percent of the daily flow meter quantity sprayed at Pond B and it is included in Column XX. This month effluent was not sprayed in Pond B.

Effluent Irrigation (Column XXI)

Column XXI presents the daily amount of effluent, in gallons, used for spray irrigation on top of Phases IV-VI. The daily amount of effluent irrigation on Phases I-VI is measured from the flow meter at the irrigation pump station. This month effluent was not used for spray irrigation.

Effluent Dust Control Sprayed (Column XXII)

Column XXII presents the daily amount of effluent, in gallons, sprayed for dust control in the active areas of the SCLF. The daily amount of effluent used for dust control, is measured from the flow meter at the bypass-loading arm. This month effluent was not sprayed as dust control.

Total Effluent Hauled (Column XXIII)

Column XXIII presents the daily amount of effluent, in gallons, hauled off site, as measured from the flow meter at the bypass-loading arm. This month effluent was not hauled off site.

Total Evaporation (Column XXIV)

Column XXIV presents the daily amount of leachate and effluent, in gallons, that evaporates and therefore will not be returned to the SCLF and/or requires treatment. Evaporation rates of 80 percent and 5 percent evaporation rate for spray in Pond B are assumed. Total evaporation estimated for this month was zero gallons.

Memorandum January 14, 2019 Page 5 of 5

TABLE 2

Table 2 presents data assembled from daily logs compiled by the SWMD staff.

TABLE 3

Leachate Balance Summary

The Leachate Balance Summary (see Table 3) presents a review of inflow and outflow quantities for the LTRF, as well as rainfall and effluent disposal quantities at the landfill. Total inflow quantity to the LTRF was 4,120,283 gallons. Total outflow quantity from the LTRF was 3,905,432 gallons. The change in storage for the month increased by 214,851 gallons.

Please advise should you have any questions concerning the information provided.

XXIV			Total	Evaporation	(gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0 \12-18bal.xls
IIIXX		Total	Effluent	Hauled	(gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0 0 balance/2018/12-18bal.xls
IIXX		Effluent	Dust Control	(Sprayed)	(gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
IXX		Effluent	Irrigation Du	0	(gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	 0		0
XX			Pond Ir	в	(gal)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	 0		
XIX			в	Storage	(gal)	12,000	12,000	12,000	12,000	12,000	12,000	12,000	12,000	15,000	19,000	51,000	51,000	33,000	33,000	33,000	64,000	64,000	64,000	64,000	115,000	267,000	267,000	267,000	267,000	245,000	223,000	267,000	223,000	172,000	124,000	124,000		101,500	-
IIIVX		Pond	¥	Storage	(gal.)	0	0	0	0	0	0	0	0	4,000	17,000	17,000	17,000	17,000	0	0	0	0	0	0	24,000	44,000	44,000	44,000	44,000	44,000	44,000	44,000	24,000	0	0	0		13,800	
ПЛХ		Leachate	Dust Control	(Sprayed)	(gal.)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
XVI X		Total Le	Leachate Dust	Hauled (Sp	(gal.) ((88,351	0	133,950	126,032	125,307	89,080	139,914	50,480	0	125,585	117,938	132,136	117,627	132,879	88,272	0	125,481	125,415	132,280	103,094	163,122	165,551	195,568	202,702	0	236,386	199,934	208,535	234,838	171,738	173,237	3,905,432		_
x		Treated T		LTRF Ha	(gal.) (g	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 1	0 2	0	0 2	0	0 2	0	0	0 1	 0 3,5		_
XIX	int		575K a	Tank L'	(gal.) (£	372,000	415,000	458,000	417,000	374,000	345,000	341,000	302,000	379,000	456,000	413,000	386,000	374,000	345,000	360,000	374,000	446,000	403,000	350,000	338,000	482,000	461,000	473,000	449,000	483,000	518,000	461,000	468,000	415,000	394,000	317,000	 	405,500	_
						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	, 0	0	0	0	, 0	0	0	0		0	_
XIII	Leachate	в.	575K	Tank	(gal.)	0	0	0	0	0	0	0	0	0	0	58,860	0	0	0	0	60,111	0	0	0	0	188,291	26,599	46,888	14,391	0	0	83,519	0	0	0	4	 663	15,441	_
IIX			Compost	Leachate	(gal.)																																478,663		
IX	Leachate	Pumped from	Section 9	LDS	(gal.)	0	-	1	0	-	0	0	0	0	0	0	0	0	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	58	2	
x	Leachate	Pumped	to LTRF from	Section 9	(gal.)	3,992	2,864	2,864	3,482	5,197	1,889	4,510	9,032	2,354	2,354	2,295	3,373	2,687	4,150	3,350	3,464	3,324	3,380	2,274	4,338	27,412	21,445	16,868	16,353	10,149	10,149	13,548	12,311	8,488	8,953	8,843	225,690	7,280	
XI	Leachate	Pumped	to LTRF from to	MLPS	(gal.)	101,526	103,300	102,752	100,584	96,531	102,128	110,104	115,917	120,598	112,966	93,666	103,342	90,881	100,005	101,534	94,012	93,356	88,476	94,701	98,432	122,905	111,021	155,045	136,212	87,867	91,715	175,638	123,503	134,684	106,956	123,420	3,393,775	109,477	_
ΝII		Pumped	to MLPS from to	Sections 7-8	(gal.)	8,342	8,142	8,142	7,396	7,208	7,086	9,928	8,482	8,683	8,683	672	14,670	186	4,342	6,652	7,398	7,634	6,320	8,718	7,938	294	2,736	52,008	27,300	15,085	15,085	27,204	7,950	27,868	2,598	28,370	353,120	11,391	_
IIA		Pumped from	Sections 7-8 to 1	LDS Se	(gal.)	30	34	34	36	33	50	40	32	31	31	33	31	34	29	31	63	28	30	32	30	31	28	58	53	58	58	64	101	163	172	213	1,688	54	_
>	Leachate	Pumpe	Sectio		(g)	93,184	,158	94,610	93,188	89,323	95,042	100,176	107,435	111,915	104,283	92,994	88,672	90,695	95,663	94,882	86,614	85,722	82,156	85,983	90,494	122,611	108,285	,037	108,912	72,782	76,630	148,434	115,553	106,816	,358	95,050	,655	98,086	_
IA	Leachate	Pumped	to MLPS	from Phases I-VI	(gal.)	93,	95,15	94,	93,	68	95,	100	107,	III,	104,	92,	88	90	95,	94,	86,	85,	82,	85,	06	122,	108,	103,037	108,	72.	76,	148,	115,	106,	104,358	95,	3,040,655	98,	
>	Estimated	Depth	at	PS-B	(in.)	20.6	20.4	20.2	10.5	15.7	2.8	13.6	20.6	15.5	10.3	17.2	16.9	21.6	20.5	11.7	15.1	11.4	16.8	13.7	17.2	19.3	14.1	12.4	12.1	28.2	44.2	13.0	13.5	16.1	17.1	20.4		16.9	
N	Depth	н.	Pond	в	(Ĥ.)	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	1.0	1.6	1.6	1.3	1.3	1.3	1.8	1.8	1.8	1.8	2.4	4.4	4.2	4.2	3.9	3.7	3.5	4.1	3.5	3.0	2.5	2.5		2.1	
Ш	Depth	.u	Pond	A	(fi.)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.0	0.0	0.0	0.0		0.5	
Ш				Rainfall	(in.)	0.00	0.00	0.01	0.04	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	1.47	0.18	0.01	0.00	0.00	1.38	5.23	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	 8.79	age	ge
г					Day		2	e	4	5	9	7	8	6	10	Ξ	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Total	Daily Average	Mo. Average

TABLE I. LEACHATE WATER BALANCE REPORT FORM DECEMBER 2018 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

Notes: 1. NR = No Recrete, NA = Net Available. 2. Values in Mar estimated: values in itatic are substitute for missing data and are based on averaged values. 3. Daily average is calculated by dividing the total by the actual days messared in the month. 4. Monthly average actualed by dividing the total by the number of days of the month. 5. Gdumn II, frace is less than (0) inchess and is not included in total. 6. Cdumns III and IV, field messured at staff gauges.

Colums VII & VIII, Section 7-8 leak detection pumped into Section 7 leakhate sump riset.
 Colums VII and XIV, calculated from of the in 35 Source 10 and 1 and 2 XIV. Stat. And 2 XXIV is a column XXIV includes 80% of the daily values from Gourma XVII, XXI- XXII, plues 80% of the daily values from Column XXII.

Form#5 - Leachate Balance Report

W	Effluent Dust Control	(Sprayed) (gal)																																0 0 0
>		County (gal.)																																0
n	Effluent Hauled	Contractor ((gal.)																																0
Т	Leachate Dust Control	(Sprayed) Cc (gal.)																																0
S		County (Sp (gal.) (6	0	0	36,337	35,530	14,222	28,651	50,480	0	36,018	35,584	42,482	28,136	43,183	43,092	0	35,680	35,568	42,708	28,392	50,870	0	0	21,808	0	71,230	64,708	73,432	71,156	0	0	932,536
R	Leachate Hauled	Contractor Co (gal.) (g	5	0	_	89,695 36,	89,777 35,	74,858 14,	111,263 28,	0 50,	0	89,567 36,	82,354 35,	89,654 42,		89,696 43,	45,180 43,	0	89,801 35,	89,847 35,	89,572 42,			165,551		180,894 21,	0	165,156 71,	135,226 64,		163,682 71,	,738		2,972,896 932
Q	Leachate L	÷.			133.	.68	,68	74,	111)		.68	82,	89,	89,491	89,	45,		89,	89,	.68	74,	112.	165.	195.	180.)	165,	135,	135.	163.	171.	173,	0 2,972
P (Depth in Lead	Effluent at LTR (ft.) (gal.)	0	14.4	15.92	14.50	13.00	12.00	11.83	10.50	13.2	15.83	14.33	13.42	13.00	12.00	12.50	13.0	15.50	14.00	12.17	11.75	16.75	16.00	16.42	15.58	16.8	18.00	16.00	16.25	14.42	8.7	11.00	_
																																13		-
0	nt Depth in v 575K Tank	on Leachate (ft.)	0.00	0.0	0.00	0.00	0.00	00.00	0.00	0.00	0.0	00.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.00	0.00	0.00	0.00	0.0	0.00	_
Z	A Spray	Irrigation (gal.)	0	0.0	0	0	0	0	0	0	0.0	0	0	0	0	0	0	0.0	0	0	0	0	0	0	0	0	0.0	0	0	0	0	0.0	0	0
Μ	3 Pond A	d Depth (ft.)	0.0	0.0	0.0	0.0	0.0	0	0.0	0.0	0.4	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.0	0.0	0.0	0.0	
Γ	B Effluent	n Sprayed (gal)	0.0	0.0	0.0	0.0	0.0	0	0.0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
К	8 Pond B	Depth (fl.)	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.9	1.0	1.6	1.6	1.3	1.3	1.3	1.8	1.8	1.8	1.8	2.4	4.4	4.2	4.2	3.9	3.7	3.5	4.1	3.5	3.0	2.5	2.5	
ſ	Sections 7-8	LDS (gal.)	84,721	84,755	84,788	84,824	84,857	84,907	84,947	84,979	85,010	85,040	85,073	85,104	85,138	85,167	85,198	85,261	85,289	85,319	85,351	85,381	85,412	85,440	85,498	85,551	85,609	85,666	85,730	85,831	85,994	86,166	86,379	
н	Sections 7-8	Pump (gal.)	8,877,078	8,885,220	8,893,362	8,900,758	8,907,966	8,915,052	8,924,980	8,933,462	8,942,145	8,950,828	8,951,500	8,966,170	8,966,356	8,970,698	8,977,350	8,984,748	8,992,382	8,998,702	9,007,420	9,015,358	9,015,652	9,018,388	9,070,396	9,097,696	9,112,781	9,127,866	9,155,070	9,163,020	9,190,888	9,193,486	9,221,856	
Н	Compost	Leachate (gal.)	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,647,318	1,706,178	1,706,178	1,706,178	1,706,178	1,706,178	1,766,289	1,766,289	1,766,289	1,766,289	1,766,289	1,954,580	1,981,179	2,028,067	2,042,458	2,042,456	2,042,454	2,125,973	2,125,973	2,125,973	2,125,973	2,125,977	
ß	Section 9	LDS (gal.)	5,881,750	5,881,751	5,881,751	5,881,751	5,881,752	5,881,752	5,881,749	5,881,747	5,881,747	5,881,747	5,881,744	5,881,744	5,881,742	5,881,798	5,881,792	5,881,788	5,881,783	5,881,778	5,881,778	5,881,778	5,881,764	5,881,741	5,881,735	5,881,726	5,881,718	5,881,710	5,881,702	5,881,688	5,881,666	5,881,653	5,881,642	
ц	Section 9	Pump 2 (gal.)	1,289,520	1,290,956		1,294,141	1,296,746	1,297,693		1,301,354	1,301,957	1,302,560	1,303,715	1,305,435	1,307,838	1,308,929	1,310,621	1,312,367	1,314,041	1,315,743	1,315,953	1,318,137		1,342,816	1,351,367	1,359,608	1,364,734	1,369,860	1,376,719	1,382,952		1,391,780	1,396,242	
Е	Section 9	Pump 1 (gal.)	1,313,695	1,315,123	1,316,551	1,318,284	1,320,876	1,321,818		1,331,699	1,333,450	1,335,200	1,336,340	1,337,993	1,338,277	1,341,336	1,342,994	1,344,712	1,346,362	1,348,040	1,350,104	1,352,258	1,365,840	1,376,436	1,384,753	1,392,865	1,397,888	1,402,910	1,409,599	1,415,677	1,419,864	1,424,290	1,428,671	
D	Reading	PS-B (in.)	20.6	20.4	20.2	10.5	15.7	2.8	13.6	20.6	15.5	10.3	17.2	16.9	21.6	20.5	11.7	15.1	11.4	16.8	13.7	17.2	19.3	14.1	12.4	12.1	28.2	44.2	13.0	13.5	16.1	17.1	20.4	
C	Flow Meter	Pump Sta. A (gal.)	7,294,567	7,381,885	7,469,202	7,555,500	7,639,111	7,709,725	7,785,587	7,865,438	7,949,769	8,034,100	8,111,130	8,185,482	8,262,042	8,345,843	8,429,970	8,507,804	8,585,800	8,662,704	8,742,438	8,825,800	8,945,490	9,048,650	9,148,370	9,245,900	9,307,300	9,368,700	9,502,700	9,605,300	9,701,700	9,793,916	9,886,500	
В		Rainfall F	0.00	0.00	0.01	0.04	0.00	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	1.47	0.18	0.01	0.00	0.00	1.38	5.23	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.79
Α		Day	-	2	3	4	5	9	7	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Totals

TABLE 2. FIELD DATA ENTRY FORM DECEMBER 2018 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

Notes: 1. 3.

NR = No Records, NA = Not Available. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values Columns G and J include quantities from leak detection system.

Section 9 lore Phases I-VI 134.4 acres Type of Cover nediate Not Opened

Column B, trace is less than 0.01 inches.
 Columns C, D, E, F, G, H, I, J, K, L, N, R-V and W are quantities from flow meters.
 Columns K and M measured from staff gages in each pond.




TABLE 3. LEACHATE BALANCE SUMMARY SOUTHEAST COUNTY LANDFILL HILLSBOROUGH COUNTY, FLORIDA YEAR-2018

			Le	Leachate Arriving at LTRF	rrf		Leac	Leachate Leaving LTRF	RF		Effluent Disposal		Inflo	Inflow / Outflow For LTRF	TRF
		Condensate	Leachate	Leachate	Leachate		Total Leachate	Leachate	Leachate	Total	Effluent	Effluent	Total Inflow	Total Outflow	Change
	Rainfall	from LFG	from Section 9	from Section 7-8 from Phases I-VI	from Phases I-VI	Compost	Hauled	Dust Control	Treated at	Effluent	Dust Control	Irrigation	to	from	in
		CS-1	Pumped to LTRF	Pumped to LTRF Pumped to LTRF Pumped to LTRF	Pumped to LTRF	Leachate	from LTRF	(Sprayed)	LTRF	Hauled	(Sprayed)		LTRF	LTRF	Storage ³
Month	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)
January	3.63	986	136,192	132,787	2,699,895	0	2,278,282	9,334	728,100	249,302	0	410,330	2,969,860	3,015,716	-45,856
February	0.82	1,707	102,640	20,127	2,194,846	62,685	1,716,430	1,584	518,000	136,771	0	357,793	2,382,005	2,236,014	145,991
March	1.06	4,700	73,738	74,047	2,123,174	23,840	1,495,682	9,695	814,870	311,813	0	336,300	2,299,499	2,320,247	-20,748
April	2.70	4,147	75,436	237,863	2,064,425	3,295	1,683,678	3,216	567,800	155,769	0	340,297	2,385,166	2,254,694	130,472
May	13.66	7,387	154,146	242,640	2,213,290	398,577	3,496,465	0	316,811	165,637	0	149,558	3,016,040	3,813,276	-797,236
June	9.85	7,268	247,237	344,735	2,618,410	235,469	3,133,577	0	589,200	0	0	10,310	3,453,119	3,722,777	-269,659
July	11.14	38,562	377,170	644,684	3,465,128	345,327	4,873,090	0	671,506	0	0	0	4,870,871	5,544,596	-673,725
August	10.75	89,486	442,037	664,397	4,225,908	423,745	6,331,834	0	305,100	0	0	0	5,845,573	6,636,934	-791,361
September	5.05	30,919	334,516	555,721	4,432,570	169,431	5,450,760	1,610	0	0	0	0	5,523,157	5,452,370	70,787
October	0.88	620	162,014	288,568	3,828,993	100	4,069,395	1,539	0	0	0	0	4,280,295	4,070,934	209,361
November	1.79	2,945	144,852	210,208	2,837,363	0	3,044,521	0	0	0	0	0	3,195,368	3,044,521	150,847
December	8.79	22,097	225,748	353,120	3,040,655	478,663	3,905,432	0	0	0	0	0	4,120,283	3,905,432	214,851
YTD Total	70.12	210,824	2,475,726	3,768,897	35,744,655	2,141,132	41,479,146	26,978	4,511,387	1,019,292	0	1,604,588	44,341,234	46,017,511	-1,676,277

Note: 1. If the bypass at the effluent pond is ever used to pump effluent back to the LTRF, this table must be modified. 2. Change in storage represents total inflow to LTRF minus total outflow from LTRF.

Appendix D

November 2018 Geophysical Survey Memo

SCS ENGINEERS

January 15, 2019 File No. 09215600.07

MEMORANDUM

TO: Mr. Larry Ruiz, S.C.FROM: Mr. Ken Guilbeault, P.G. and Mr. Kollan Spradlin, P.E.SUBJECT: 2018 Subsurface Geophysics Survey

Executive Summary

SCS Engineers contracted Geoview, Inc. in 2016 and 2017 to conduct subsurface conductivity surveys between the southeast corner of Phase II and the landfill perimeter road. In order to evaluate the change in conductivity over time, SCS Engineers contracted Geoview, Inc. again in November 2018 to conduct an additional subsurface conductivity survey of the subject area.

SCS Engineers found that a comparison of the 2016, 2017, and 2018 subsurface conductivity shows a discernable decline in bulk subsurface conductivity. Additionally, local groundwater quality continues to improve, and monitored parameters meet both primary and secondary drinking water standards. The corrective actions conducted by SWMD appear effective and have reduced groundwater parameter exceedances observed during the quarterly monitoring events.

Introduction

As requested by the Hillsborough County Transportation and Utilities Services, Solid Waste Management Division (SWMD), SCS Engineers (SCS) has prepared this memorandum to present the findings of the November 2018 geophysical survey conducted between the southeastern side of Phase II and the perimeter road at the Southeast County Landfill (SCLF).

Background

Previously, subsurface geophysical surveys were conducted by Geoview, Inc. (Geoview) in November 2016 and October 2017 near the southeast perimeter of Phase II. Both of the previous reports presented the bulk conductivity measurements near the edge of the Phase II perimeter berm to a depth of approximately 16 feet below ground surface.

The 2016 and 2017 surveys identified an area of elevated subsurface conductivity that was mapped and defined within the Geoview reports. Each of the 2016 and 2017 reports delineated the area of elevated conductivity near the Phase II landfill limit at the time of the survey. In order to compare current subsurface conductivity to that of previous geophysical surveys, SCS retained Geoview to complete an additional geophysical assessment of the same area using the same method (frequency domain electromagnetics) in November 2018. This survey was completed on November 2, 2018, and the report is included as **Attachment 1**. Mr. Larry Ruiz, S.C. January 15, 2019 Page 2

Field Investigation

Geoview personnel conducted the November 2018 field measurements of bulk subsurface conductivity using a Geonics EM-31-MK2 ground conductivity meter in vertical dipole orientation. An SCS representative was on site to observe and document field activities. Conductivity measurements were collected by Geoview at one-foot intervals along transects spaced approximately 15 feet apart, parallel to the SCLF landfill limits. Previous surveys conducted by Geoview in 2016 and 2017 used the same type of meter with the same orientation and settings.

Findings

Each of the 2016, 2017, and 2018 Geoview report figures show an area of elevated soil conductivity response near the toe of the containment berm in the southeast corner of Phase II. The figures produced by Geoview depicting terrain conductivity are included as **Figure 1** (2016), **Figure 2** (2017), and **Figure 3** (2018).

SCS compared the results of the November 2018 geophysical investigation to the November 2016 geophysical investigation. A discernable decrease in the bulk subsurface conductivity is apparent within the area of elevated conductivity response upon comparison of the 2016, 2017, and 2018 figures.

From 2016 to 2018, conductivity values between TH-67 and TH-83 decreased approximately 60 milli-seimens/meter (mS/m). Additionally, the subsurface conductivity of the area immediately south of TH-79 decreased approximately 40 mS/m. Conversely, conductivity values near the perimeter road changed little (less than 10 mS/m) from 2016 to 2018, which supports that the conductively changes are limited to the area between the toe of the Phase II containment berm and the perimeter road.

The November 2018 Geoview report states that changes in local conductivity measurements can be caused by either metallic interference (metal monitoring well housings and pumps), changes in geologic conditions, or changes in groundwater chemistry. For the purposes of the November 2018 report, Geoview assumed that changes in conductivity are result of changes in the conductance of shallow groundwater. Metallic interference of subsurface conductivity was limited to areas immediately adjacent to metal monitoring well housings and protective bollards. Interference was so localized that the increase in conductivity cause by interference is obstructed by the symbols indicating the locations of the monitoring wells.

Conclusion

Overall, groundwater quality continues to improve as shown in the most recent monitoring event (August 2018), and the monitored groundwater parameters meet both primary and secondary drinking water standards. The corrective actions conducted by SWMD appear effective and have reduced groundwater parameter exceedances observed during the quarterly monitoring events.

Attachments

Figure 1

2016 Geoview Subsurface Conductivity Figure




Figure 2

2017 Geoview Subsurface Conductivity Figure





Figure 3

2018 Geoview Subsurface Conductivity Figure



Attachment 1

2018 Geoview Geophysical Investigation Report

FINAL REPORT GEOPHYSICAL INVESTIGATION SOUTHEAST COUNTY LANDFILL - PHASE II LITHIA, FLORIDA

Prepared for SCS Engineers Tampa, FL

Prepared by GeoView, Inc. St. Petersburg, FL

November 12, 2018

Mr. Alex Ortega Hillsborough County 3922 Coconut Palm Drive, Suite 102 Tampa, FL 33619

Subject: Transmittal of Final Report for Geophysical Investigation Southeast County Landfill - Phase V – Lithia, Florida GeoView Project Number 24527.2

Dear Mr. Ortega,

GeoView, Inc. (GeoView) is pleased to submit the final report that summarizes and presents the results of the geophysical investigation performed at the above referenced site. Electromagnetics were used to compare the current bulk soil conductivity within the study area to previous surveys conducted in 2016 and 2017. GeoView appreciates the opportunity to have assisted you on this project. If you have any questions or comments about the report, please contact us.

Sincerely, GEOVIEW, INC.

Michael J. Wightman, P.G. President Florida Professional Geologist Number 1423

Christopher Taylor

Chris Taylor, P.G. Vice President Florida Professional Geologist Number 2256

A Geophysical Services Company

Tel.: (727) 209-2334 Fax: (727) 328-2477

1.0 Introduction

A geophysical investigation was conducted on November 2, 2018 at the Southeast County Landfill in Lithia, Florida. The geophysical investigation was performed near the southeastern corner of the landfill as specified by Hillsborough County personnel. The geophysical investigation was centered about monitoring well TH-67 where elevated conductivity levels have been detected in the shallow groundwater. The purpose of this investigation was to compare the current bulk soil conductivity within the study area to previous surveys conducted in 2016 and 2017. The geophysical investigation was conducted using frequency domain electromagnetics (EM).

The majority of the study area was previously surveyed using EM in 2016 and 2017. Results from this investigation are provided in GeoView Project Numbers 23973 and 24527.

2.0 Site Description

The geophysical investigation was performed near the southeast corner of the landfill. The survey area extended from 10 feet inside the edge of the liner of the landfill towards the access road to the south and east of the landfill. The survey area encompassed monitoring wells TH-66, TH-67, TH-79, TH-81 and TH83 as shown on Figure 1.

3.0 Description of Geophysical Investigation

3.1 Instrumentation and Field Procedures

The EM survey was conducted using a Geonics EM31-MK2 (EM-31) ground conductivity meter. The EM-31 survey was conducted using a vertical dipole orientation which provided bulk conductivity readings for the earth materials to an approximate depth of 16 to 18 ft below land surface (bls). Terrain conductivity and inphase data was collected at intervals of every 1 ft along transects spaced approximately 10 to 20 ft apart. The transects were oriented parallel to the edge of the landfill. The positions of the geophysical transect lines were recorded using a Trimble Geo7x. The data then contoured using Surfertm contouring software.

3.2 Causes for Observed Changes in Terrain Conductivity

Changes in terrain conductivity, that are not associated with interference effects, can be caused by either changes in geological conditions or changes in the groundwater chemistry. Typical changes that cause increases in terrain conductivity related to geological factors are increases in the clay, silt or organic content of the soils that are within the effective depth of exploration for the EM equipment. Typical changes in the groundwater chemistry that cause increases in terrain conductivity are increases in the concentration of dissolved ions. Increases in either salt or metallic ion concentrations typically have the greatest effect upon increasing the terrain conductivity response.


It is not possible to distinguish the cause of a change in terrain conductivity from variations in geological or groundwater conditions. In order to make such a distinction, it is necessary to collect and analyze soil and groundwater samples in suspect and background areas. For the purposes of this study, it is assumed that any increases in terrain conductivity are associated with increases in conductance of the shallow groundwater.

4.0 Survey Results

The EM-31 terrain conductivity results are presented in Figure 1. The terrain conductivity response measures the bulk conductivity of soil and groundwater and is expressed in milli-siemens per meter (mS/m). Terrain conductivity values considered to represent background conditions ranged up to 50 mS/m. These areas are shown in light blue to light yellow on Figure 1. One broad anomaly area consisting of an elevated conductivity response was identified southeast of the toe of the landfill berm. The area is identified by conductivity values in excess of 50 to 55 mS/m (yellow to red contours on Figure 1).

This anomaly area may represent an area of elevated shallow groundwater conductivity. The area extended up to 80 ft east of the toe of the berm. The boundary of this anomaly area is indicated with a magenta dashed line on Figure 1. Monitoring TH-67 (where elevated groundwater conductivities are present) was located within this area. Monitoring well TH-66 (where elevated groundwater conductivities are not present) is outside of this area. The EM showed a possible second minor increase in conductivity values in the southeast corner of the landfill, immediately northeast of TH-83.

Appendix 1 Figure



APPENDIX 2 Description of Geophysical Methods, Survey Methodologies and Limitations

A2.1 On Site Measurements

The measurements that were collected and used to identify the location of the EM-31 data points were made using a Trimble GeoXH GPS. The degree of accuracy of such an approach is typically less than one meter.

A2.2 Electromagnetics

The EM method is a non-destructive geophysical technique that measures the electrical conductivity of subsurface materials. The conductivity is determined by inducing (from a transmitter) a time-varying magnetic field and measuring (with a receiver) the amplitude and phase shift of an induced secondary magnetic field. The EM survey was conducted using a Geonics EM31-MK2 (EM-31). For soil conditions typical to Florida, the EM-31 unit provides a measurement of ground conductivity to a depth of 16 to 18 ft bls.

Variations in subsurface conductivity may be caused by the presence of buried metallic objects or by geological changes such as changes in soil type (clay vs. sand) or variations in pore fluid conductivity. Typical applications for the EM method include:

- Location of buried metallic objects
- Mapping conductive contaminant groundwater plumes (chlorides)
- Mapping of non-conductive (hydrocarbon) contaminant groundwater plumes
- Delineating abandoned trenches or lagoons with fill material different from native soils
- Determining relative concentrations of near-surface conductive soils (clays)
- Delineating bedrock fracture zones
- Identifying large voids or cavities

There are two components of the induced magnetic field measured by the EM-31 equipment. The first is the quadrature-phase (out-of-phase) component that measures the bulk conductivity of soil and groundwater. This is referred to as the terrain conductivity response with units that are expressed in milli-Siemens per meter (mS/m). The second component is the in-phase response that is relatively more sensitive to large metallic objects such as pipes, drums, large items of buried metallic debris and underground storage tanks. This portion of the instrument

response is expressed in parts per thousand (ppt). In areas where no metals are present the in-phase response is zero. By using the in-phase and quadrature-phase components, it is possible to determine whether a change in bulk conductivity is due to the presence of buried metallic objects or due to changes in either subsurface soil conditions or pore fluid conductivity.

The EM-31 survey is performed by walking the instrumentation across the project site along a system of parallel transect lines. The separation distance between transect sites is dictated by the survey requirements. For surveys designed to identify relatively large areas of buried debris (e.g., landfills), a transect spacing of 50 to 100 feet is typical. For surveys designed to identify discrete areas of buried debris, a transect spacing of 10 to 20 feet is used. The EM-31 data is electronically recorded and then downloaded to a computer for processing. EM data is usually presented as either profiles (for an individual transect) or as contour maps. Contour maps are developed using Surfertm, a computer contouring program.

The estimated maximum depths of investigation are for homogenous (similar) soil materials that are relatively resistive. Depending upon site conditions, the actual depth of investigation could be 10 to 30 percent less. Also, the measured conductivity value for a particular coil orientation and spacing is representative (in a complex relationship) of all the soil materials between the ground surface and the maximum depth of investigation. In other words, the conductivity measurement is not representative of the actual conductance of the earth materials that occur at the maximum depth of investigation.

GeoView can make no warranties or representations of the conditions that may be present beyond the depth of investigation or resolving capability of the EM method or in areas that were either not accessible to the geophysical investigation or where areas of cultural interference were present.