



# FLORIDA DEPARTMENT OF Environmental Protection

CENTRAL DISTRICT OFFICE  
3319 MAGUIRE BLVD, SUITE 232  
ORLANDO FLORIDA 32803

**Ron DeSantis**  
Governor

**Jeanette Nuñez**  
Lt. Governor

**Noah Valenstein**  
Secretary

APPLICATION COMPLETE

January 29, 2019

George Townsend  
Suwannee American Cement Company, LLC  
4750 East County Road 470  
Sumterville, Florida 33585  
[george.townsend@sacement.com](mailto:george.townsend@sacement.com)

Re: Application Complete  
Sumter County – Solid Waste  
Site Name: Suwannee American Cement Company Waste Tire Processing Facility  
WACS ID: 98523  
DEP Application No.: 0297136-003-WT

Dear Mr. Townsend:

Thank you for your application for a Waste Tire Processing Facility Permit Renewal for the above referenced Facility. The application, DEP Application No. 0297136-003-WT, is considered complete. The Department will make every effort to issue the final agency action as quickly as possible.

The Department has reviewed the Closure Cost Estimating Form for Solid Waste Facilities, form 62-701.900(28), which was included in Attachment 8 of the Application. The Form was certified by Dr. Maxwell R. Lee, P.E., of Koogler & Associates, Inc. The closing cost was estimated at \$6,432.00, which was calculated as the permitted capacity of 80.4 tons of tires stored at the facility multiplied by the estimated disposal cost of \$80 per ton. The estimated disposal cost was provided on January 9, 2019, by McGee Tire Company of Apopka Florida.

The closing cost estimate of \$6,432.00 is approved by the Department.

The most recent document received by the Department to demonstrate financial assurance was approved on October 9, 2014, for the amount of \$10,000. Please note, if the approved estimate includes a decrease in either the closing or long term care amounts, this communication is **not** authorization to decrease that amount in the financial instrument. Contact Susan Eldredge, FDEP Solid Waste Section, MS-4565, 2600 Blair Stone Road, Tallahassee, Florida 32399 for authorization to decrease when applicable.

Suwannee American Cement Company

Page 2 of 2

January 29, 2019

If you have any questions, please contact Stephen Amirault by telephone at 407-897-2942 or by e-mail at [stephen.amirault@dep.state.fl.us](mailto:stephen.amirault@dep.state.fl.us).

Sincerely,



---

Lu Burson  
Environmental Administrator  
Permitting and Waste Cleanup Program  
Florida Department of Environmental Protection

v. 1.2

cc:

George Townsend, Environmental Manager, SuwanneeAmerican Cement Company, LLC,  
([george.townsend@sacement.com](mailto:george.townsend@sacement.com))

Dr. Maxwell R. Lee, P.E., Koogler and Associates, Inc., [mlee@kooglerassociates.com](mailto:mlee@kooglerassociates.com)

Tammy Garcia, Koogler and Associates, Inc., [tgarcia@kooglerassociates.com](mailto:tgarcia@kooglerassociates.com)

Susan Eldredge, Permitting & Compliance Assistance Program, Division of Waste Management,  
[susan.f.eldredge@dep.state.fl.us](mailto:susan.f.eldredge@dep.state.fl.us)

FDEP, Central District: Lu Burson, Jason Seyfert, Stephen Amirault