## Johnson, Sabrina O

**From:** Chamberlain, Justin
**Sent:** Thursday, July 4, 2019 6:12 AM
**To:** SWD_Waste
**Subject:** Fw: FW: Pasco Resource Recovery (45799) - 2018 2nd SA Groundwater Report - Four Wells Lab Data EDD Upload Missing & A Few Parameters Not Tested
**Attachments:** 45799_20181106_SWldd.txt; 45799_20181106_SWldd_ErrorLog.txt

please send to portal. thanks

---

**From:** Candia Mulhern <cmulhern@pascocountyfl.net>
**Sent:** Wednesday, July 3, 2019 4:27 PM
**To:** Chamberlain, Justin
**Subject:** FW: FW: Pasco Resource Recovery (45799) - 2018 2nd SA Groundwater Report - Four Wells Lab Data EDD Upload Missing & A Few Parameters Not Tested

Hi Justin,

Below is the information I tried to forward to Benjamin Hsu in response to his comments regarding the QIV, 2019 EDD submittal for Pasco County Resource Recovery (45799):

I am forwarding you this email from the contract laboratory referencing the missing data from Pasco County Resource Recovery (45799) for Quarter IV, 2018. Please note that the contract lab did not run ammonia on wells 4MW3A and 4MW6.

If I need to submit through the business portal please advise. I will be on vacation for 2 weeks but will address any issues upon my return.

Thank you so much for your guidance and patience.

Respectfully,

---

**From:** Amy Weinberg [mailto:amy.atkins@pacelabs.com]
**Sent:** Wednesday, July 03, 2019 3:51 PM
**To:** Candia Mulhern
**Subject:** RE: FW: Pasco Resource Recovery (45799) - 2018 2nd SA Groundwater Report - Four Wells Lab Data EDD Upload Missing & A Few Parameters Not Tested

Good afternoon,

Please find the attached ADaPT. 4MW-3A and 4MW-6 did not have the ammonia run on them, I'm sorry.

Have a great 4th!

Amy

**PACE ANALYTICAL LABORATORY WILL BE CLOSED ON JULY 4, 2019 IN CELEBRATION OF INDEPENDENCE DAY.**

**Amy Weinberg**

Project Manager

Pace Analytical Services

110 S. Bayview Blvd.

Tampa, FL. 34677

813-855-1844

Amy.Weinberg@pacelabs.com

www.pacelabs.com

>>> Candia Mulhern <cmulhern@pascocountyfl.net> 6/25/2019 10:25 AM >>>

Thanks so much Amy. I appreciate your efforts.

Candy

---

**From:** Amy Weinberg [mailto:amy.atkins@pacelabs.com]
**Sent:** Tuesday, June 25, 2019 10:10 AM
**To:** Candia Mulhern
**Subject:** Re: FW: Pasco Resource Recovery (45799) - 2018 2nd SA Groundwater Report - Four Wells Lab Data EDD Upload Missing & A Few Parameters Not Tested

Good morning,

I am having the lab see if they can report the missing compounds. Once I hear back from them I will let you know.

Thank you,

Amy

**Amy Weinberg**

Project Manager

Pace Analytical Services

110 S. Bayview Blvd.

Tampa, FL. 34677

813-855-1844

Amy.Weinberg@pacelabs.com

www.pacelabs.com

>>> Candia Mulhern <cmulhern@pascocountyfl.net> 6/21/2019 9:18 AM >>>

Hi Amy,

I hope this finds you well. Below is an email from FDEP regarding ADaPT files for Pasco County Resource Recovery from the 2nd semester 2018. I believe PACE did the analysis and created the EDDs. Can you please look into this for me. I need to resolve the issues noted below.

Your assistance would be greatly appreciated.

**Candia E. Mulhern**
Laboratory Manager

Utilities Environmental Lab

Pasco County

P 727-847-8902

F 727-847-8112
8864 Government Dr.
New Port Richey, Fl 34654

cmulhern@pascocountyfl.net

**From:** Hsu, Benjamin [mailto:Benjamin.Hsu@FloridaDEP.gov]
**Sent:** Tuesday, June 18, 2019 11:59 AM
**To:** Candia Mulhern
**Cc:** Chamberlain, Justin
**Subject:** Pasco Resource Recovery (45799) - 2018 2nd SA Groundwater Report - Four Wells Lab Data EDD Upload Missing & A Few Parameters Not Tested

Good noon Ms. Mulhern,

We received, through FDEP ADaPT upload on 3/1/2019, the 2018 2nd semiannual groundwater monitoring event, performed on various November 2018 dates, for Pasco Resource Recovery's Class I and Class III landfill, WACS ID # 45799.

1. Many of the wells were not sampled due to dry conditions; of the remaining wells that were sampled, I believe that four of them are missing data in the submitted EDD files that are uploaded by ADaPT to our tracking database.
   The field data (e.g. pH, turbidity, etc.) seems to have uploaded correctly for these, but not the lab data.
   **Please review and have the EDD file resent with the four wells' data.**

   The received comma-delineated EDD files are at:
   https://depedms.dep.state.fl.us:443/Oculus/servlet/shell?command=getEntity&[guid=8.292289.1]&[profile=Discovery_Compliance]
   I've also just attached the specific EDD file for the missing lab data.

   Specifically, these four wells are:

   a. 2MW-15DA (lab ID # AC73779)

   b. 2MW-17S (lab ID # AC73780)

   c. 2MW-18D (lab ID # AC73781)

   d. 2MW-19D (lab ID # AC73782)

2. In addition, there appears to be a few pockets of missing parameters for the other wells.
   A check of the aforementioned EDD file and PDF lab reports seems to indicate that these parameters were not tested for altogether.
   Please ensure that future semiannual sampling events include lab analysis of these missing parameters.

   I've also attached an Excel file with highlighted fields showing the missing values.

   a. 4MW-1 (lab ID # AC74295)

   i. ANTIMONY (SB)
   ii. THALLIUM TOTAL

b. 4MW-21 (lab ID # AC74258)

i. ANTIMONY (SB)
ii. THALLIUM TOTAL

c. 4MW-22 (lab ID # AC74257)

i. ANTIMONY (SB)
ii. THALLIUM TOTAL

d. 4MW-27 (lab ID # AC74602)

i. AMMONIA (NH3) TOTAL AS N

e. 4MW-3A (lab ID # AC74603)

i. AMMONIA (NH3) TOTAL AS N

f. 4MW-6 (lab ID # AC74659)

i. AMMONIA (NH3) TOTAL AS N

g. 4MW-7 (lab ID # AC74259)

i. ANTIMONY (SB)
ii. THALLIUM TOTAL

h. 4MW-8 (lab ID # AC74296)

i. ANTIMONY (SB)
ii. THALLIUM TOTAL

Thank you,

Benjamin Hsu
Engineering Specialist 1 - Air / Solid Waste Compliance Assurance Program
Florida Department of Environmental Protection - Southwest District
13051 North Telecom Parkway, Suite 101, Temple Terrace, FL 33637-0926
benjamin.hsu@floridadep.gov
Office: 813-470-5720
Fax: 813-470-5995

***"Bringing Opportunities Home"***

The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain material that is confidential, privileged and/or exempt from disclosure under applicable law. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information. Under Florida law, email addresses are public records. If you do not want your email address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact this office by phone or in writing.

CUSA18A7

"35429125001","EPA 353.2 (Nitrate-Nitrite (N))","35429125001","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 10:25:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/08/2018
11:58:00","11/08/2018 11:58:00","TOT","492015","492015","YES",,,"35429772"
"2660884BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2660884","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/08/2018 11:56:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/08/2018
11:56:00","11/08/2018 11:56:00","TOT","492015","492015","YES",,,"35429772"
"2660885LCS","EPA 353.2 (Nitrate-Nitrite (N))","2660885","E83079","1820","Nitrate-Nitrite
(N)","2.0",,"mg/L",,"0.025","SPK","1","0","98","0","0.050","45799","Pasco County Resource Recovery","11/08/2018
11:57:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/08/2018 11:57:00","11/08/2018
11:57:00","TOT","492015","492015","YES","2.0",,"35429772"
"35429125001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35429125001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 10:25:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/08/2018
12:00:00","11/08/2018 12:00:00","TOT","492015","492015","YES",,,"35429772"
"35429125001MS","EPA 353.2 (Nitrate-Nitrite (N))","35429125001MS","E83079","1820","Nitrate-Nitrite
(N)","1.8",,"mg/L",,"0.025","SPK","1","0","90","0","0.050","45799","Pasco County Resource Recovery","11/07/2018
10:25:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/08/2018 12:01:00","11/08/2018
12:01:00","TOT","492015","492015","YES","2.0",,"35429772"
"2MW-18DDUP","EPA 353.2 (Nitrate-Nitrite (N))","35429130003DUP","E83079","1820","Nitrate-Nitrite
(N)","0.64",,"mg/L",,"0.025","TRG","1","0",,"1","0.050","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","DUP","courier","0.9","No Prep","RES","YES","11/08/2018 12:18:00","11/08/2018
12:18:00","TOT","492015","492015","YES",,,"35429772"
"2MW-18DMS","EPA 353.2 (Nitrate-Nitrite (N))","35429130003MS","E83079","1820","Nitrate-Nitrite
(N)","2.5",,"mg/L",,"0.025","SPK","1","0","92","0","0.050","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","MS","courier","0.9","No Prep","RES","YES","11/08/2018 12:19:00","11/08/2018
12:19:00","TOT","492015","492015","YES","2.0",,"35429772"
"2MW-15DA","EPA 353.2 (Nitrate-Nitrite (N))","35429130001","E83079","1820","Nitrate-Nitrite
(N)","0.13",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/08/2018
12:14:00","11/08/2018 12:14:00","TOT","492015","492015","YES",,,"35429772"
"2MW-17S","EPA 353.2 (Nitrate-Nitrite (N))","35429130002","E83079","1820","Nitrate-Nitrite
(N)","16.1",,"mg/L",,"0.25","TRG","10","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/08/2018 12:58:00","11/08/2018
12:58:00","TOT","492015","492015","YES",,,"35429772"
"2MW-18D","EPA 353.2 (Nitrate-Nitrite (N))","35429130003","E83079","1820","Nitrate-Nitrite
(N)","0.64",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/08/2018 12:16:00","11/08/2018
12:16:00","TOT","492015","492015","YES",,,"35429772"
"2MW-19D","EPA 353.2 (Nitrate-Nitrite (N))","35429130004","E83079","1820","Nitrate-Nitrite
(N)","0.24",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/08/2018 12:20:00","11/08/2018
12:20:00","TOT","492015","492015","YES",,,"35429772"
"35428577001","EPA 300.0
(Chloride)","35428577001","E83079","16887006","Chloride","6.3",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/05/2018 14:27:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/08/2018 12:17:00","11/08/2018 12:17:00","TOT","492122","492122","YES",,,"35429772"
"35429012001","EPA 300.0
(Chloride)","35429012001","E83079","16887006","Chloride","24.3",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/08/2018 16:22:00","11/08/2018 16:22:00","TOT","492122","492122","YES",,,"35429772"
"2661197BLANK","EPA 300.0

(Chloride)","2661197","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","11/08/2018 09:42:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/08/2018 09:42:00","11/08/2018 09:42:00","TOT","492122","492122","YES",,,"35429772"
"2661198LCS","EPA 300.0
(Chloride)","2661198","E83079","16887006","Chloride","50.7",,"mg/L",,"2.5","SPK","1","0","101","0","5.0","45799",
"Pasco County Resource Recovery","11/08/2018 10:02:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/08/2018 10:02:00","11/08/2018
10:02:00","TOT","492122","492122","YES","50.0",,"35429772"
"35428577001MS","EPA 300.0
(Chloride)","35428577001MS","E83079","16887006","Chloride","57.0",,"mg/L",,"2.5","SPK","1","0","102","0","5.0",
"45799","Pasco County Resource Recovery","11/05/2018 14:27:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/08/2018 12:37:00","11/08/2018
12:37:00","TOT","492122","492122","YES","50.0",,"35429772"
"35428577001MSD","EPA 300.0
(Chloride)","35428577001MSD","E83079","16887006","Chloride","57.7",,"mg/L",,"2.5","SPK","1","0","103","1","5.0
","45799","Pasco County Resource Recovery","11/05/2018 14:27:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","11/08/2018 12:56:00","11/08/2018
12:56:00","TOT","492122","492122","YES","50.0",,"35429772"
"35429012001MS","EPA 300.0
(Chloride)","35429012001MS","E83079","16887006","Chloride","75.0",,"mg/L",,"2.5","SPK","1","0","101","0","5.0",
"45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/08/2018 16:42:00","11/08/2018
16:42:00","TOT","492122","492122","YES","50.0",,"35429772"
"35429012001MSD","EPA 300.0
(Chloride)","35429012001MSD","E83079","16887006","Chloride","75.3",,"mg/L",,"2.5","SPK","1","0","102","0","5.0
","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","11/08/2018 17:01:00","11/08/2018
17:01:00","TOT","492122","492122","YES","50.0",,"35429772"
"2MW-15DA","EPA 300.0
(Chloride)","35429130001","E83079","16887006","Chloride","8.4",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/08/2018 10:21:00","11/08/2018 10:21:00","TOT","492122","492122","YES",,,"35429772"
"2MW-17S","EPA 300.0
(Chloride)","35429130002","E83079","16887006","Chloride","7.6",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/08/2018 10:40:00","11/08/2018 10:40:00","TOT","492122","492122","YES",,,"35429772"
"2MW-18D","EPA 300.0
(Chloride)","35429130003","E83079","16887006","Chloride","27.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/08/2018 11:00:00","11/08/2018 11:00:00","TOT","492122","492122","YES",,,"35429772"
"2MW-19D","EPA 300.0
(Chloride)","35429130004","E83079","16887006","Chloride","17.6",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/08/2018 11:19:00","11/08/2018 11:19:00","TOT","492122","492122","YES",,,"35429772"
"35429002001","SM18 2540 C","35429002001","E83079","1705","Residues- Filterable
(TDS)","21.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
10:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"35429012003","SM18 2540 C","35429012003","E83079","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
12:15:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"2662446BLANK","SM18 2540 C","2662446","E83079","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/13/2018

18:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"2662447LCS","SM18 2540 C","2662447","E83079","1705","Residues- Filterable
(TDS)","287",,"mg/L",,"5.0","SPK","1","0","96","0","5.0","45799","Pasco County Resource Recovery","11/13/2018
18:27:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES","300",,"35429772"
"35429002001DUP","SM18 2540 C","35429002001DUP","E83079","1705","Residues- Filterable
(TDS)","20.0",,"mg/L",,"5.0","TRG","1","0",,"5","5.0","45799","Pasco County Resource Recovery","11/06/2018
10:10:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"35429012003DUP","SM18 2540 C","35429012003DUP","E83079","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
12:15:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"2MW-15DA","SM18 2540 C","35429130001","E83079","1705","Residues- Filterable
(TDS)","180",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/13/2018
18:27:00","11/13/2018 18:27:00","TOT","492332","492332","YES",,,"35429772"
"2MW-17S","SM18 2540 C","35429130002","E83079","1705","Residues- Filterable
(TDS)","230",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"2MW-18D","SM18 2540 C","35429130003","E83079","1705","Residues- Filterable
(TDS)","297",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"2MW-19D","SM18 2540 C","35429130004","E83079","1705","Residues- Filterable
(TDS)","259",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/13/2018 18:27:00","11/13/2018
18:27:00","TOT","492332","492332","YES",,,"35429772"
"35429268002","EPA
6020","35429268002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018 14:46:00","TOT","492354","492354","YES",,,"35429772"
"35429268002","EPA
6020","35429268002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018 14:46:00","TOT","492354","492354","YES",,,"35429772"
"2662657BLANK","EPA
6020","2662657","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/09/2018 03:48:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/09/2018
03:48:00","11/10/2018 14:40:00","TOT","492354","492354","YES",,,"35429772"
"2662657BLANK","EPA
6020","2662657","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/09/2018 03:48:00","AQUEOUS-Other","MB",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018 14:40:00","TOT","492354","492354","YES",,,"35429772"
"2662658LCS","EPA
6020","2662658","E83079","7440280","Thallium","49.5",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","11/09/2018 03:48:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/09/2018
03:48:00","11/10/2018 14:41:00","TOT","492354","492354","YES","50.0",,"35429772"
"2662658LCS","EPA
6020","2662658","E83079","7440360","Antimony","50.5",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pas
co County Resource Recovery","11/09/2018 03:48:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018

14:41:00","TOT","492354","492354","YES","50.0",,"35429772"
"35429268002MS","EPA
6020","35429268002MS","E83079","7440280","Thallium","49.4",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018
14:43:00","TOT","492354","492354","YES","50.0",,"35429772"
"35429268002MS","EPA
6020","35429268002MS","E83079","7440360","Antimony","49.3",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018
14:43:00","TOT","492354","492354","YES","50.0",,"35429772"
"35429268002MSD","EPA
6020","35429268002MSD","E83079","7440280","Thallium","50.1",,"ug/L",,"0.50","SPK","1","0","100","1","1.0","45
799","Pasco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018
14:44:00","TOT","492354","492354","YES","50.0",,"35429772"
"35429268002MSD","EPA
6020","35429268002MSD","E83079","7440360","Antimony","49.4",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","457
99","Pasco County Resource Recovery","11/07/2018 09:54:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","11/09/2018 03:48:00","11/10/2018
14:44:00","TOT","492354","492354","YES","50.0",,"35429772"
"2MW-15DA","EPA
6020","35429130001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:31:00","TOT","492354","492354","YES",,,"35429772"
"2MW-15DA","EPA
6020","35429130001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:31:00","TOT","492354","492354","YES",,,"35429772"
"2MW-17S","EPA
6020","35429130002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:33:00","TOT","492354","492354","YES",,,"35429772"
"2MW-17S","EPA
6020","35429130002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:33:00","TOT","492354","492354","YES",,,"35429772"
"2MW-18D","EPA
6020","35429130003","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:35:00","TOT","492354","492354","YES",,,"35429772"
"2MW-18D","EPA
6020","35429130003","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:35:00","TOT","492354","492354","YES",,,"35429772"
"2MW-19D","EPA
6020","35429130004","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:37:00","TOT","492354","492354","YES",,,"35429772"
"2MW-19D","EPA
6020","35429130004","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:48:00","11/09/2018 15:37:00","TOT","492354","492354","YES",,,"35429772"
"35429268001","EPA

6010","35429268001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440235","Sodium","8.5",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440393","Barium","20.4",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7439896","Iron","5230",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440622","Vanadium","5.5",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440382","Arsenic","8.6",,"ug/L","I","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen

Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"35429268001","EPA
6010","35429268001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:51:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA

6010","2662661","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662661BLANK","EPA
6010","2662661","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 15:45:00","TOT","492355","492355","YES",,,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440473","Chromium","257",,"ug/L",,"1.7","SPK","1","0","103","0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440666","Zinc","1310",,"ug/L",,"11.0","SPK","1","0","105","0","20.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","1250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440382","Arsenic","249",,"ug/L",,"7.1","SPK","1","0","100","0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440622","Vanadium","255",,"ug/L",,"1.0","SPK","1","0","102","0","10.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440417","Beryllium","25.2",,"ug/L",,"1.6","SPK","1","0","101","0","4.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","25.0",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7782492","Selenium","256",,"ug/L",,"8.5","SPK","1","0","103","0","15.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440224","Silver","25.7",,"ug/L",,"1.0","SPK","1","0","103","0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","25.0",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440020","Nickel","263",,"ug/L",,"2.1","SPK","1","0","105","0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440508","Copper","250",,"ug/L",,"2.6","SPK","1","0","100","0","5.0","45799","Pasco County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen

Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440439","Cadmium","25.9",,"ug/L",,"0.33","SPK","1","0","104","0","1.0","45799","Pas
co County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","25.0",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7439921","Lead","262",,"ug/L",,"4.6","SPK","1","0","105","0","10.0","45799","Pasco
County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7439896","Iron","2590",,"ug/L",,"9.2","SPK","1","0","104","0","40.0","45799","Pasco
County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","2500",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440235","Sodium","13.1",,"mg/L",,"0.27","SPK","1","0","105","0","2.0","45799","Pasco
County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","12.5",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440393","Barium","259",,"ug/L",,"0.84","SPK","1","0","103","0","10.0","45799","Pasco
County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"2662662LCS","EPA
6010","2662662","E83079","7440484","Cobalt","260",,"ug/L",,"0.96","SPK","1","0","104","0","10.0","45799","Pasco
County Resource Recovery","11/09/2018 03:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:48:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440382","Arsenic","259",,"ug/L",,"7.1","SPK","1","0","100","0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440020","Nickel","262",,"ug/L",,"2.1","SPK","1","0","104","0","5.0","45799","
Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440666","Zinc","1270",,"ug/L",,"11.0","SPK","1","0","102","0","20.0","45799",
"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","1250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440508","Copper","253",,"ug/L",,"2.6","SPK","1","0","101","0","5.0","45799","
Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440473","Chromium","257",,"ug/L",,"1.7","SPK","1","0","102","0","5.0","4579

9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7439921","Lead","256",,"ug/L",,"4.6","SPK","1","0","102","0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7439896","Iron","7700",,"ug/L",,"9.2","SPK","1","0","99","0","40.0","45799","P
asco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","2500",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440235","Sodium","21.6",,"mg/L",,"0.27","SPK","1","0","105","0","2.0","4579
9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","12.5",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440439","Cadmium","25.5",,"ug/L",,"0.33","SPK","1","0","102","0","1.0","457
99","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440622","Vanadium","262",,"ug/L",,"1.0","SPK","1","0","103","0","10.0","457
99","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440417","Beryllium","24.8",,"ug/L",,"1.6","SPK","1","0","99","0","4.0","45799
","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7782492","Selenium","254",,"ug/L",,"8.5","SPK","1","0","101","0","15.0","4579
9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440224","Silver","25.7",,"ug/L",,"1.0","SPK","1","0","103","0","5.0","45799","
Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440393","Barium","276",,"ug/L",,"0.84","SPK","1","0","102","0","10.0","45799
","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MS","EPA
6010","35429268001MS","E83079","7440484","Cobalt","261",,"ug/L",,"0.96","SPK","1","0","104","0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:54:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA

6010","35429268001MSD","E83079","7440473","Chromium","254",,"ug/L",,"1.7","SPK","1","0","101","1","5.0","457
99","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440417","Beryllium","24.5",,"ug/L",,"1.6","SPK","1","0","98","1","4.0","4579
9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440382","Arsenic","254",,"ug/L",,"7.1","SPK","1","0","98","2","10.0","45799
","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440439","Cadmium","25.3",,"ug/L",,"0.33","SPK","1","0","101","1","1.0","45
799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440393","Barium","272",,"ug/L",,"0.84","SPK","1","0","101","1","10.0","457
99","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7439921","Lead","254",,"ug/L",,"4.6","SPK","1","0","101","1","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440235","Sodium","21.5",,"mg/L",,"0.27","SPK","1","0","104","1","2.0","457
99","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","12.5",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440666","Zinc","1260",,"ug/L",,"11.0","SPK","1","0","100","1","20.0","45799
","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","1250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440508","Copper","250",,"ug/L",,"2.6","SPK","1","0","100","1","5.0","45799"
,"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440622","Vanadium","259",,"ug/L",,"1.0","SPK","1","0","102","1","10.0","45
799","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7782492","Selenium","250",,"ug/L",,"8.5","SPK","1","0","99","1","15.0","4579
9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"

"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440020","Nickel","259",,"ug/L",,"2.1","SPK","1","0","103","1","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7439896","Iron","7590",,"ug/L",,"9.2","SPK","1","0","94","1","40.0","45799","
Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","2500",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440224","Silver","25.1",,"ug/L",,"1.0","SPK","1","0","101","2","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","25.0",,"35429772"
"35429268001MSD","EPA
6010","35429268001MSD","E83079","7440484","Cobalt","259",,"ug/L",,"0.96","SPK","1","0","103","1","10.0","4579
9","Pasco County Resource Recovery","11/07/2018 08:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018
15:59:00","TOT","492355","492355","YES","250",,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440393","Barium","9.4",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440622","Vanadium","2.0",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440235","Sodium","4.2",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco

County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-15DA","EPA
6010","35429130001","E83079","7439896","Iron","33.3",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:16:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440235","Sodium","5.1",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"

"2MW-17S","EPA
6010","35429130002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7439896","Iron","14.2",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-17S","EPA
6010","35429130002","E83079","7440393","Barium","16.1",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:18:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440235","Sodium","10.9",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco

County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440622","Vanadium","2.9",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7439896","Iron","15.4",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440393","Barium","10.0",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-18D","EPA
6010","35429130003","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:21:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"

"2MW-19D","EPA
6010","35429130004","E83079","7440393","Barium","9.2",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440622","Vanadium","2.6",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7439896","Iron","26.6",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"2MW-19D","EPA
6010","35429130004","E83079","7440235","Sodium","7.4",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/09/2018 03:46:00","11/09/2018 17:24:00","TOT","492355","492355","YES",,,"35429772"
"35429561001","EPA 353.2 (Nitrate-Nitrite (N))","35429561001","E83079","1820","Nitrate-Nitrite
(N)","0.041",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018
13:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/10/2018 10:29:00","11/10/2018
10:29:00","TOT","492737","492737","YES",,,"35429772"
"2665081BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2665081","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/10/2018 10:26:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/10/2018
10:26:00","11/10/2018 10:26:00","TOT","492737","492737","YES",,,"35429772"
"2665082LCS","EPA 353.2 (Nitrate-Nitrite (N))","2665082","E83079","1820","Nitrate-Nitrite
(N)","2.1",,"mg/L",,"0.025","SPK","1","0","107","0","0.050","45799","Pasco County Resource Recovery","11/10/2018

10:27:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/10/2018 10:27:00","11/10/2018
10:27:00","TOT","492737","492737","YES","2.0",,"35429772"
"35429561001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35429561001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.042",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018
13:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/10/2018 10:30:00","11/10/2018
10:30:00","TOT","492737","492737","YES",,,"35429772"
"35429561001MS","EPA 353.2 (Nitrate-Nitrite (N))","35429561001MS","E83079","1820","Nitrate-Nitrite
(N)","2.1",,"mg/L",,"0.025","SPK","1","0","101","0","0.050","45799","Pasco County Resource Recovery","11/07/2018
13:40:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/10/2018 10:31:00","11/10/2018
10:31:00","TOT","492737","492737","YES","2.0",,"35429772"
"4MW-11DDUP","EPA 353.2 (Nitrate-Nitrite (N))","35429796001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.71",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","DUP","Courier","1.0","No Prep","RES","YES","11/10/2018
10:49:00","11/10/2018 10:49:00","TOT","492737","492737","YES",,,"35429772"
"4MW-11DMS","EPA 353.2 (Nitrate-Nitrite (N))","35429796001MS","E83079","1820","Nitrate-Nitrite
(N)","2.7",,"mg/L",,"0.025","SPK","1","0","100","0","0.050","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","MS","Courier","1.0","No Prep","RES","YES","11/10/2018
10:50:00","11/10/2018 10:50:00","TOT","492737","492737","YES","2.0",,"35429772"
"2MW-24S","EPA 353.2 (Nitrate-Nitrite (N))","35429772001","E83079","1820","Nitrate-Nitrite
(N)","5.8",,"mg/L",,"0.12","TRG","5","0",,"0","0.25","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/10/2018
10:57:00","11/10/2018 10:57:00","TOT","492737","492737","YES",,,"35429772"
"2MW-24D","EPA 353.2 (Nitrate-Nitrite (N))","35429772002","E83079","1820","Nitrate-Nitrite
(N)","1.4",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/10/2018
10:44:00","11/10/2018 10:44:00","TOT","492737","492737","YES",,,"35429772"
"2665622BLANK","EPA 350.1 No Distillation","2665622","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/12/2018 11:11:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/12/2018
11:11:00","11/12/2018 11:11:00","TOT","492891","492891","YES",,,"35429772"
"2665623LCS","EPA 350.1 No Distillation","2665623","E83079","1515","Ammonia
(N)","1.0",,"mg/L",,"0.035","SPK","1","0","103","0","0.050","45799","Pasco County Resource Recovery","11/12/2018
11:13:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/12/2018 11:13:00","11/12/2018
11:13:00","TOT","492891","492891","YES","1.0",,"35429772"
"35429035001DUP","EPA 350.1 No Distillation","35429035001DUP","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 10:30:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/12/2018
11:17:00","11/12/2018 11:17:00","TOT","492891","492891","YES",,,"35429772"
"35429035001MS","EPA 350.1 No Distillation","35429035001MS","E83079","1515","Ammonia
(N)","0.93",,"mg/L",,"0.035","SPK","1","0","91","0","0.050","45799","Pasco County Resource Recovery","11/07/2018
10:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/12/2018 11:19:00","11/12/2018
11:19:00","TOT","492891","492891","YES","1.0",,"35429772"
"2MW-15DA","EPA 350.1 No Distillation","35429130001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/12/2018 11:28:00","11/12/2018 11:28:00","TOT","492891","492891","YES",,,"35429772"
"2MW-17S","EPA 350.1 No Distillation","35429130002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/12/2018
11:34:00","11/12/2018 11:34:00","TOT","492891","492891","YES",,,"35429772"
"2MW-18D","EPA 350.1 No Distillation","35429130003","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/12/2018
11:35:00","11/12/2018 11:35:00","TOT","492891","492891","YES",,,"35429772"

"2MW-19D","EPA 350.1 No Distillation","35429130004","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/12/2018
11:37:00","11/12/2018 11:37:00","TOT","492891","492891","YES",,,"35429772"
"35429268006","SM18 2540 C","35429268006","E84129","1705","Residues- Filterable
(TDS)","547",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
13:26:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/12/2018 14:49:00","11/12/2018
14:49:00","TOT","492918","492918","YES",,,"35429772"
"35429444001","SM18 2540 C","35429444001","E84129","1705","Residues- Filterable
(TDS)","688",,"mg/L",,"10.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
06:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/12/2018 14:54:00","11/12/2018
14:54:00","TOT","492918","492918","YES",,,"35429772"
"2665799BLANK","SM18 2540 C","2665799","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/12/2018
14:48:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/12/2018 14:48:00","11/12/2018
14:48:00","TOT","492918","492918","YES",,,"35429772"
"2665800LCS","SM18 2540 C","2665800","E84129","1705","Residues- Filterable
(TDS)","291",,"mg/L",,"5.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","11/12/2018
14:49:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/12/2018 14:49:00","11/12/2018
14:49:00","TOT","492918","492918","YES","300",,"35429772"
"35429268006DUP","SM18 2540 C","35429268006DUP","E84129","1705","Residues- Filterable
(TDS)","553",,"mg/L",,"5.0","TRG","1","0",,"1","5.0","45799","Pasco County Resource Recovery","11/07/2018
13:26:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/12/2018 14:49:00","11/12/2018
14:49:00","TOT","492918","492918","YES",,,"35429772"
"35429444001DUP","SM18 2540 C","35429444001DUP","E84129","1705","Residues- Filterable
(TDS)","680",,"mg/L",,"10.0","TRG","1","0",,"1","10.0","45799","Pasco County Resource Recovery","11/08/2018
06:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/12/2018 14:55:00","11/12/2018
14:55:00","TOT","492918","492918","YES",,,"35429772"
"2MW-24S","SM18 2540 C","35429772001","E84129","1705","Residues- Filterable
(TDS)","265",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/12/2018
14:52:00","11/12/2018 14:52:00","TOT","492918","492918","YES",,,"35429772"
"2MW-24D","SM18 2540 C","35429772002","E84129","1705","Residues- Filterable
(TDS)","314",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/12/2018
14:52:00","11/12/2018 14:52:00","TOT","492918","492918","YES",,,"35429772"
"2MW-25D","SM18 2540 C","35429772003","E84129","1705","Residues- Filterable
(TDS)","377",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/12/2018
14:54:00","11/12/2018 14:54:00","TOT","492918","492918","YES",,,"35429772"
"2MW-26D","SM18 2540 C","35429772004","E84129","1705","Residues- Filterable
(TDS)","285",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/12/2018
14:55:00","11/12/2018 14:55:00","TOT","492918","492918","YES",,,"35429772"
"2667363BLANK","EPA 350.1 No Distillation","2667363","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/13/2018 10:41:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/13/2018
10:41:00","11/13/2018 10:41:00","TOT","493106","493106","YES",,,"35429772"
"2667364LCS","EPA 350.1 No Distillation","2667364","E83079","1515","Ammonia
(N)","1.0",,"mg/L",,"0.035","SPK","1","0","103","0","0.050","45799","Pasco County Resource Recovery","11/13/2018
10:42:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/13/2018 10:42:00","11/13/2018
10:42:00","TOT","493106","493106","YES","1.0",,"35429772"
"35430400008DUP","EPA 350.1 No Distillation","35430400008DUP","E83079","1515","Ammonia
(N)","7.8",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/12/2018

15:38:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/13/2018 10:50:00","11/13/2018
10:50:00","TOT","493106","493106","YES",,,"35429772"
"35430400008MS","EPA 350.1 No Distillation","35430400008MS","E83079","1515","Ammonia
(N)","8.7",,"mg/L","J","0.035","SPK","1","0","88","0","0.050","45799","Pasco County Resource
Recovery","11/12/2018 15:38:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/13/2018
10:52:00","11/13/2018 10:52:00","TOT","493106","493106","YES","1.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2MW-24S","EPA 350.1 No Distillation","35429772001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/13/2018 10:59:00","11/13/2018 10:59:00","TOT","493106","493106","YES",,,"35429772"
"2MW-24D","EPA 350.1 No Distillation","35429772002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/13/2018 11:01:00","11/13/2018 11:01:00","TOT","493106","493106","YES",,,"35429772"
"2MW-25D","EPA 350.1 No Distillation","35429772003","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/13/2018 11:03:00","11/13/2018 11:03:00","TOT","493106","493106","YES",,,"35429772"
"2MW-26D","EPA 350.1 No Distillation","35429772004","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/13/2018 11:04:00","11/13/2018 11:04:00","TOT","493106","493106","YES",,,"35429772"
"4MW-11D","EPA 350.1 No Distillation","35429796001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/13/2018 11:06:00","11/13/2018 11:06:00","TOT","493106","493106","YES",,,"35429772"
"4MW-12D","EPA 350.1 No Distillation","35429796002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/13/2018 11:12:00","11/13/2018 11:12:00","TOT","493106","493106","YES",,,"35429772"
"4MW-13D","EPA 350.1 No Distillation","35429796003","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/13/2018 11:14:00","11/13/2018 11:14:00","TOT","493106","493106","YES",,,"35429772"
"4MW-14D","EPA 350.1 No Distillation","35429796004","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/13/2018 11:16:00","11/13/2018 11:16:00","TOT","493106","493106","YES",,,"35429772"
"35430400008","EPA 350.1 No Distillation","35430400008","E83079","1515","Ammonia
(N)","7.8",,"mg/L","J","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/12/2018
15:38:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/13/2018 10:44:00","11/13/2018
10:44:00","TOT","493106","493106","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on
laboratory control sample (LCS) recovery.","35429772"
"35429580009","SM18 2540 C","35429580009","E84129","1705","Residues- Filterable
(TDS)","350",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
14:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/13/2018 15:10:00","11/13/2018
15:10:00","TOT","493182","493182","YES",,,"35429772"
"35429738002","SM18 2540 C","35429738002","E84129","1705","Residues- Filterable
(TDS)","220",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/09/2018
07:50:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/13/2018 15:15:00","11/13/2018
15:15:00","TOT","493182","493182","YES",,,"35429772"
"2667592BLANK","SM18 2540 C","2667592","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/13/2018

15:09:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/13/2018 15:09:00","11/13/2018
15:09:00","TOT","493182","493182","YES",,,"35429772"
"2667593LCS","SM18 2540 C","2667593","E84129","1705","Residues- Filterable
(TDS)","293",,"mg/L",,"5.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","11/13/2018
15:10:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/13/2018 15:10:00","11/13/2018
15:10:00","TOT","493182","493182","YES","300",,"35429772"
"35429580009DUP","SM18 2540 C","35429580009DUP","E84129","1705","Residues- Filterable
(TDS)","349",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
14:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/13/2018 15:10:00","11/13/2018
15:10:00","TOT","493182","493182","YES",,,"35429772"
"35429738002DUP","SM18 2540 C","35429738002DUP","E84129","1705","Residues- Filterable
(TDS)","224",,"mg/L",,"5.0","TRG","1","0",,"2","5.0","45799","Pasco County Resource Recovery","11/09/2018
07:50:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/13/2018 15:15:00","11/13/2018
15:15:00","TOT","493182","493182","YES",,,"35429772"
"4MW-11D","SM18 2540 C","35429796001","E84129","1705","Residues- Filterable
(TDS)","158",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/13/2018
15:12:00","11/13/2018 15:12:00","TOT","493182","493182","YES",,,"35429772"
"4MW-12D","SM18 2540 C","35429796002","E84129","1705","Residues- Filterable
(TDS)","185",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/13/2018
15:12:00","11/13/2018 15:12:00","TOT","493182","493182","YES",,,"35429772"
"4MW-13D","SM18 2540 C","35429796003","E84129","1705","Residues- Filterable
(TDS)","224",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/13/2018
15:13:00","11/13/2018 15:13:00","TOT","493182","493182","YES",,,"35429772"
"4MW-14D","SM18 2540 C","35429796004","E84129","1705","Residues- Filterable
(TDS)","187",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/13/2018
15:13:00","11/13/2018 15:13:00","TOT","493182","493182","YES",,,"35429772"
"2668281BLANK","EPA 8011","2668281","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/13/2018 17:45:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 08:25:00","TOT","493345","493345","YES",,,"35429772"
"2668281BLANK","EPA 8011","2668281","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","11/13/2018 17:45:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 08:25:00","TOT","493345","493345","YES",,,"35429772"
"2668282LCS","EPA 8011","2668282","E83079","96128","1,2-Dibromo-3-
chloropropane","0.27",,"ug/L",,"0.0064","SPK","1","0","108","0","0.020","45799","Pasco County Resource
Recovery","11/13/2018 17:45:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 08:40:00","TOT","493345","493345","YES","0.25",,"35429772"
"2668282LCS","EPA 8011","2668282","E83079","106934","1,2-
Dibromoethane","0.27",,"ug/L",,"0.0075","SPK","1","0","109","0","0.010","45799","Pasco County Resource
Recovery","11/13/2018 17:45:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 08:40:00","TOT","493345","493345","YES","0.25",,"35429772"
"2MW-19DMS","EPA 8011","35429130004MS","E83079","96128","1,2-Dibromo-3-
chloropropane","0.51",,"ug/L",,"0.011","SPK","1","0","116","0","0.035","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","MS","Courier","0.9","Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 10:08:00","TOT","493345","493345","YES","0.44",,"35429772"
"2MW-19DMS","EPA 8011","35429130004MS","E83079","106934","1,2-
Dibromoethane","0.52",,"ug/L",,"0.013","SPK","1","0","119","0","0.018","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","MS","Courier","0.9","Gen Prep","RES","YES","11/13/2018
17:45:00","11/14/2018 10:08:00","TOT","493345","493345","YES","0.44",,"35429772"

"2MW-19DMSD","EPA 8011","35429130004MSD","E83079","96128","1,2-Dibromo-3-chloropropane","0.54",,"ug/L",,"0.011","SPK","1","0","123","6","0.035","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","MSD","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 10:23:00","TOT","493345","493345","YES","0.44",,"35429772"
"2MW-19DMSD","EPA 8011","35429130004MSD","E83079","106934","1,2-Dibromoethane","0.53",,"ug/L",,"0.013","SPK","1","0","121","2","0.018","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","MSD","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 10:23:00","TOT","493345","493345","YES","0.44",,"35429772"
"2MW-25D","EPA 353.2 (Nitrate-Nitrite (N))","35429772003","E83079","1820","Nitrate-Nitrite (N)","1.4",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/10/2018 10:45:00","11/10/2018 10:45:00","TOT","492737","492737","YES",,,"35429772"
"2MW-26D","EPA 353.2 (Nitrate-Nitrite (N))","35429772004","E83079","1820","Nitrate-Nitrite (N)","0.37",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/10/2018 10:46:00","11/10/2018 10:46:00","TOT","492737","492737","YES",,,"35429772"
"4MW-11D","EPA 353.2 (Nitrate-Nitrite (N))","35429796001","E83079","1820","Nitrate-Nitrite (N)","0.71",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/10/2018 10:48:00","11/10/2018 10:48:00","TOT","492737","492737","YES",,,"35429772"
"4MW-12D","EPA 353.2 (Nitrate-Nitrite (N))","35429796002","E83079","1820","Nitrate-Nitrite (N)","0.76",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/10/2018 10:51:00","11/10/2018 10:51:00","TOT","492737","492737","YES",,,"35429772"
"4MW-13D","EPA 353.2 (Nitrate-Nitrite (N))","35429796003","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/10/2018 10:53:00","11/10/2018 10:53:00","TOT","492737","492737","YES",,,"35429772"
"4MW-14D","EPA 353.2 (Nitrate-Nitrite (N))","35429796004","E83079","1820","Nitrate-Nitrite (N)","0.64",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/10/2018 10:58:00","11/10/2018 10:58:00","TOT","492737","492737","YES",,,"35429772"
"35429035001","EPA 350.1 No Distillation","35429035001","E83079","1515","Ammonia (N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/07/2018 10:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/12/2018 11:15:00","11/12/2018 11:15:00","TOT","492891","492891","YES",,,"35429772"
"2MW-15DA","EPA 8011","35429130001","E83079","106934","1,2-Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0098","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 08:54:00","TOT","493345","493345","YES",,,"35429772"
"2MW-15DA","EPA 8011","35429130001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 08:54:00","TOT","493345","493345","YES",,,"35429772"
"2MW-17S","EPA 8011","35429130002","E83079","106934","1,2-Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0098","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:09:00","TOT","493345","493345","YES",,,"35429772"
"2MW-17S","EPA 8011","35429130002","E83079","96128","1,2-Dibromo-3-chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:09:00","TOT","493345","493345","YES",,,"35429772"
"2MW-18D","EPA 8011","35429130003","E83079","106934","1,2-Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0098","45799","Pasco County Resource

Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:24:00","TOT","493345","493345","YES",,,"35429772"
"2MW-18D","EPA 8011","35429130003","E83079","96128","1,2-Dibromo-3-chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:24:00","TOT","493345","493345","YES",,,"35429772"
"2MW-19D","EPA 8011","35429130004","E83079","96128","1,2-Dibromo-3-chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:38:00","TOT","493345","493345","YES",,,"35429772"
"2MW-19D","EPA 8011","35429130004","E83079","106934","1,2-Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0099","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen Prep","RES","YES","11/13/2018 17:45:00","11/14/2018 09:38:00","TOT","493345","493345","YES",,,"35429772"
"2670914BLANK","EPA 8011","2670914","E83079","96128","1,2-Dibromo-3-chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/15/2018 00:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 08:49:00","TOT","493805","493805","YES",,,"35429772"
"2670914BLANK","EPA 8011","2670914","E83079","106934","1,2-Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource Recovery","11/15/2018 00:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 08:49:00","TOT","493805","493805","YES",,,"35429772"
"2670915LCS","EPA 8011","2670915","E83079","106934","1,2-Dibromoethane","0.45",,"ug/L",,"0.0075","SPK","1","0","91","0","0.010","45799","Pasco County Resource Recovery","11/15/2018 00:08:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:04:00","TOT","493805","493805","YES","0.50",,"35429772"
"2670915LCS","EPA 8011","2670915","E83079","96128","1,2-Dibromo-3-chloropropane","0.47",,"ug/L",,"0.0064","SPK","1","0","94","0","0.020","45799","Pasco County Resource Recovery","11/15/2018 00:08:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:04:00","TOT","493805","493805","YES","0.50",,"35429772"
"35430556001MS","EPA 8011","35430556001MS","E83079","106934","1,2-Dibromoethane","0.27",,"ug/L",,"0.0075","SPK","1","0","108","0","0.010","45799","Pasco County Resource Recovery","11/13/2018 11:46:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:34:00","TOT","493805","493805","YES","0.25",,"35429772"
"35430556001MS","EPA 8011","35430556001MS","E83079","96128","1,2-Dibromo-3-chloropropane","0.31",,"ug/L",,"0.0064","SPK","1","0","123","0","0.020","45799","Pasco County Resource Recovery","11/13/2018 11:46:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:34:00","TOT","493805","493805","YES","0.25",,"35429772"
"35430556001MSD","EPA 8011","35430556001MSD","E83079","106934","1,2-Dibromoethane","0.29",,"ug/L",,"0.0075","SPK","1","0","117","8","0.010","45799","Pasco County Resource Recovery","11/13/2018 11:46:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:49:00","TOT","493805","493805","YES","0.25",,"35429772"
"35430556001MSD","EPA 8011","35430556001MSD","E83079","96128","1,2-Dibromo-3-chloropropane","0.32",,"ug/L",,"0.0064","SPK","1","0","130","5","0.020","45799","Pasco County Resource Recovery","11/13/2018 11:46:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 09:49:00","TOT","493805","493805","YES","0.25",,"35429772"
"2MW-24S","EPA 8011","35429772001","E83079","106934","1,2-Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:17:00","TOT","493805","493805","YES",,,"35429772"
"2MW-24S","EPA 8011","35429772001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:17:00","TOT","493805","493805","YES",,,"35429772"

"2MW-24D","EPA 8011","35429772002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:32:00","TOT","493805","493805","YES",,,"35429772"
"2MW-24D","EPA 8011","35429772002","E83079","106934","1,2-
Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:32:00","TOT","493805","493805","YES",,,"35429772"
"2MW-25D","EPA 8011","35429772003","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:46:00","TOT","493805","493805","YES",,,"35429772"
"2MW-25D","EPA 8011","35429772003","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 14:46:00","TOT","493805","493805","YES",,,"35429772"
"2MW-26D","EPA 8011","35429772004","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 15:01:00","TOT","493805","493805","YES",,,"35429772"
"2MW-26D","EPA 8011","35429772004","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/15/2018 00:08:00","11/15/2018 15:01:00","TOT","493805","493805","YES",,,"35429772"
"35430556001","EPA 8011","35430556001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/13/2018 11:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/15/2018
00:08:00","11/15/2018 09:19:00","TOT","493805","493805","YES",,,"35429772"
"35430556001","EPA 8011","35430556001","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/13/2018 11:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/15/2018
00:08:00","11/15/2018 09:19:00","TOT","493805","493805","YES",,,"35429772"
"2670925BLANK","EPA 8011","2670925","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","11/15/2018 01:10:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/15/2018
01:10:00","11/15/2018 15:16:00","TOT","493807","493807","YES",,,"35429772"
"2670925BLANK","EPA 8011","2670925","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/15/2018 01:10:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/15/2018
01:10:00","11/15/2018 15:16:00","TOT","493807","493807","YES",,,"35429772"
"2670926LCS","EPA 8011","2670926","E83079","96128","1,2-Dibromo-3-
chloropropane","0.21",,"ug/L",,"0.0064","SPK","1","0","85","0","0.020","45799","Pasco County Resource
Recovery","11/15/2018 01:10:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/15/2018
01:10:00","11/15/2018 15:31:00","TOT","493807","493807","YES","0.25",,"35429772"
"2670926LCS","EPA 8011","2670926","E83079","106934","1,2-
Dibromoethane","0.20",,"ug/L",,"0.0075","SPK","1","0","81","0","0.010","45799","Pasco County Resource
Recovery","11/15/2018 01:10:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/15/2018
01:10:00","11/15/2018 15:31:00","TOT","493807","493807","YES","0.25",,"35429772"
"4MW-11DMS","EPA 8011","35429796001MS","E83079","106934","1,2-
Dibromoethane","0.30",,"ug/L",,"0.0075","SPK","1","0","121","0","0.010","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","MS","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018
16:00:00","TOT","493807","493807","YES","0.25",,"35429772"
"4MW-11DMS","EPA 8011","35429796001MS","E83079","96128","1,2-Dibromo-3-

chloropropane","0.32",,"ug/L",,"0.0064","SPK","1","0","129","0","0.020","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","MS","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018
16:00:00","TOT","493807","493807","YES","0.25",,"35429772"
"4MW-11DMSD","EPA 8011","35429796001MSD","E83079","106934","1,2-
Dibromoethane","0.31",,"ug/L",,"0.0075","SPK","1","0","124","3","0.010","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","MSD","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018
16:15:00","TOT","493807","493807","YES","0.25",,"35429772"
"4MW-11DMSD","EPA 8011","35429796001MSD","E83079","96128","1,2-Dibromo-3-
chloropropane","0.32",,"ug/L",,"0.0064","SPK","1","0","129","1","0.020","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","MSD","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018
16:15:00","TOT","493807","493807","YES","0.25",,"35429772"
"4MW-11D","EPA 8011","35429796001","E83079","106934","1,2-
Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0097","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 15:46:00","TOT","493807","493807","YES",,,"35429772"
"4MW-11D","EPA 8011","35429796001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 15:46:00","TOT","493807","493807","YES",,,"35429772"
"4MW-12D","EPA 8011","35429796002","E83079","106934","1,2-
Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0097","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 16:30:00","TOT","493807","493807","YES",,,"35429772"
"4MW-12D","EPA 8011","35429796002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 16:30:00","TOT","493807","493807","YES",,,"35429772"
"4MW-13D","EPA 8011","35429796003","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 17:00:00","TOT","493807","493807","YES",,,"35429772"
"4MW-13D","EPA 8011","35429796003","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 17:00:00","TOT","493807","493807","YES",,,"35429772"
"4MW-14D","EPA 8011","35429796004","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 17:15:00","TOT","493807","493807","YES",,,"35429772"
"4MW-14D","EPA 8011","35429796004","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/15/2018 01:10:00","11/15/2018 17:15:00","TOT","493807","493807","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"

"35429012001","EPA
8260","35429012001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas

co County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75014","Vinyl chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","108101","4-Methyl-2-pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"

"2672034BLANK","EPA 8260","2672034","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource

Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","DEP-SURR-038","Toluene-
d8","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"

"2672034BLANK","EPA 8260","2672034","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018
09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/15/2018

09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018 09:49:00","11/15/2018
09:49:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/15/2018 09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA 8260","2672034","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","71432","Benzene","0.22",,"ug/L","I","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","156592","cis-1,2-
Dichloroethene","1.9",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","DEP-SURR-038","Toluene-
d8","40.631927",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES","39.8",,"35429772"
"35429012001","EPA
8260","35429012001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"

"35429012001","EPA 8260","35429012001","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.955278",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES","40.2",,"35429772"
"35429012001","EPA
8260","35429012001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource

Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.216811",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES","39.8",,"35429772"
"35429012001","EPA
8260","35429012001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 10:14:00","11/15/2018
10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA
8260","35429012001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012001","EPA 8260","35429012001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
10:14:00","11/15/2018 10:14:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"

"35429012002","EPA 8260","35429012002","E83079","DEP-SURR-038","Toluene-d8","41.020913",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES","39.8",,"35429772"
"35429012002","EPA 8260","35429012002","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","591786","2-Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","75343","1,1-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.912181",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource

Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES","39.9",,"35429772"
"35429012002","EPA
8260","35429012002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","UJ","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35429012002","EPA
8260","35429012002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018
11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018
11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA
8260","35429012002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","11/15/2018 11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.377169",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018
11:03:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002","EPA 8260","35429012002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018
11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018
11:03:00","11/15/2018 11:03:00","TOT","493994","493994","YES",,,"35429772"
"35429012002","EPA 8260","35429012002","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/15/2018 11:03:00","11/15/2018
11:03:00","TOT","493994","493994","YES",,,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","127184","Tetrachloroethene","23.6",,"ug/L",,"0.50","SPK","1","0","118","0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","107131","Acrylonitrile","172",,"ug/L",,"5.0","SPK","1","0","86","0","10.0","45799","Pas
co County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","200",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","75252","Bromoform","21.5",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasc
o County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","75274","Bromodichloromethane","21.0",,"ug/L",,"0.27","SPK","1","0","105","0","0.60","
45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","56235","Carbon
tetrachloride","21.6",,"ug/L",,"0.50","SPK","1","0","108","0","3.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","156605","trans-1,2-
Dichloroethene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","71556","1,1,1-
Trichloroethane","21.3",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA

8260","2672035","E83079","75003","Chloroethane","18.3",,"ug/L",,"0.50","SPK","1","0","92","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","108101","4-Methyl-2-pentanone","34.1",,"ug/L",,"5.0","SPK","1","0","85","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","108883","Toluene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","78933","2-Butanone","37.0",,"ug/L",,"5.0","SPK","1","0","93","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","108054","Vinyl acetate","19.7",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","75694","Trichlorofluoromethane","15.3",,"ug/L",,"0.50","SPK","1","0","77","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","630206","1,1,1,2-Tetrachloroethane","25.2",,"ug/L",,"0.50","SPK","1","0","126","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","100425","Styrene","21.8",,"ug/L",,"0.50","SPK","1","0","109","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","74873","Chloromethane","13.7",,"ug/L",,"0.62","SPK","1","0","69","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","75150","Carbon disulfide","14.2",,"ug/L",,"5.0","SPK","1","0","71","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","591786","2-Hexanone","33.6",,"ug/L",,"5.0","SPK","1","0","84","0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","108101","4-Methyl-2-pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"

"35429012001DUP","EPA 8260","35429012001DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","40.5",,"ug/L",,,"SURR","1","0","101","1",,"45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","156592","cis-1,2-Dichloroethene","1.8",,"ug/L",,"0.50","TRG","1","0",,"6","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","DEP-SURR-019","4-Bromofluorobenzene","40.5",,"ug/L",,,"SURR","1","0","101","4",,"45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","78933","2-Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","71432","Benzene","0.22",,"ug/L","I","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","591786","2-Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource

Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","4
5799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","DEP-SURR-038","Toluene-
d8","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/06/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018
10:38:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"

"35429012001DUP","EPA 8260","35429012001DUP","E83079","1330207","Xylenes-Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource

Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799"
,"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA 8260","35429012001DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/15/2018
10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012001DUP","EPA
8260","35429012001DUP","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/15/2018 10:38:00","11/15/2018 10:38:00","TOT","493994","493994","YES",,,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.4",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","107131","Acrylonitrile","157",,"ug/L",,"5.0","SPK","1","0","79","0","10.0","457
99","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","200",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","75014","Vinyl
chloride","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","71556","1,1,1-
Trichloroethane","17.7",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","43.8",,"ug/L",,,"SURR","1","0","110","0",,"45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","74953","Dibromomethane","18.9",,"ug/L",,"0.50","SPK","1","0","95","0","2.0","
45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","630206","1,1,1,2-
Tetrachloroethane","21.2",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","156605","trans-1,2-
Dichloroethene","16.3",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","45799","Pasco County Resource

Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","10061015","cis-1,3-
Dichloropropene","13.3",,"ug/L","J","0.25","SPK","1","0","66","0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","75003","Chloroethane","19.3",,"ug/L",,"0.50","SPK","1","0","97","0","10.0","45
799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","107062","1,2-
Dichloroethane","16.4",,"ug/L",,"0.50","SPK","1","0","81","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","10061026","trans-1,3-
Dichloropropene","14.8",,"ug/L",,"0.25","SPK","1","0","74","0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","75274","Bromodichloromethane","16.6",,"ug/L",,"0.27","SPK","1","0","83","0","
0.60","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","75694","Trichlorofluoromethane","16.3",,"ug/L",,"0.50","SPK","1","0","82","0","
1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","75252","Bromoform","15.4",,"ug/L",,"0.50","SPK","1","0","77","0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","1330207","Xylenes-
Total","53.1",,"ug/L",,"1.5","SPK","1","0","89","0","3.0","45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","60.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","124481","Dibromochloromethane","15.5",,"ug/L",,"0.26","SPK","1","0","78","0",
"2.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","127184","Tetrachloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0"
,"45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","79016","Trichloroethene","18.2",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","4
5799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"

"35429012002MS","EPA
8260","35429012002MS","E83079","108907","Chlorobenzene","18.2",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","4
5799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","DEP-SURR-038","Toluene-
d8","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/06/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","75343","1,1-
Dichloroethane","17.0",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","79005","1,1,2-
Trichloroethane","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","75150","Carbon
disulfide","15.7",,"ug/L",,"5.0","SPK","1","0","78","0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","100425","Styrene","16.1",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","74884","Iodomethane","8.6",,"ug/L","I","0.50","SPK","1","0","21","0","10.0","4
5799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","96184","1,2,3-
Trichloropropane","16.6",,"ug/L",,"0.59","SPK","1","0","83","0","2.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","108883","Toluene","17.3",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA
8260","35429012002MS","E83079","71432","Benzene","16.9",,"ug/L",,"0.10","SPK","1","0","85","0","1.0","45799","
Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","156592","cis-1,2-
Dichloroethene","15.3",,"ug/L",,"0.50","SPK","1","0","76","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","108101","4-Methyl-2-
pentanone","31.7",,"ug/L",,"5.0","SPK","1","0","79","0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","79345","1,1,2,2-

Tetrachloroethane","17.0",,"ug/L",,"0.12","SPK","1","0","85","0","0.50","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","95501","1,2-Dichlorobenzene","17.6",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","75092","Methylene Chloride","16.5",,"ug/L",,"2.5","SPK","1","0","82","0","5.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","108054","Vinyl acetate","16.8",,"ug/L",,"1.0","SPK","1","0","84","0","10.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","74975","Bromochloromethane","18.7",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","110576","trans-1,4-Dichloro-2-butene","12.8",,"ug/L",,"5.0","SPK","1","0","64","0","10.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","591786","2-Hexanone","31.4",,"ug/L",,"5.0","SPK","1","0","78","0","10.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","40.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","74873","Chloromethane","13.0",,"ug/L",,"0.62","SPK","1","0","65","0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","56235","Carbon tetrachloride","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","3.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","67641","Acetone","34.1",,"ug/L",,"10.0","SPK","1","0","85","0","20.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","40.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","67663","Chloroform","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","100414","Ethylbenzene","17.7",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018 18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772" "35429012002MS","EPA 8260","35429012002MS","E83079","74839","Bromomethane","25.6",,"ug/L",,"0.50","SPK","1","0","128","0","5.0","4

5799","Pasco County Resource Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/15/2018 18:46:00","11/15/2018
18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","75354","1,1-
Dichloroethene","15.8",,"ug/L",,"0.50","SPK","1","0","79","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","78875","1,2-
Dichloropropane","16.1",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","78933","2-
Butanone","37.3",,"ug/L",,"5.0","SPK","1","0","93","0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","40.0",,"35429772"
"35429012002MS","EPA 8260","35429012002MS","E83079","106467","1,4-
Dichlorobenzene","17.0",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/15/2018
18:46:00","11/15/2018 18:46:00","TOT","493994","493994","YES","20.0",,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018
13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018
13:05:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA

8260","35429130001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018

13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672034BLANK","EPA
8260","2672034","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:49:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/15/2018
09:49:00","11/15/2018 09:49:00","TOT","493994","493994","YES",,,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","67663","Chloroform","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasc
o County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","107062","1,2-
Dichloroethane","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","79345","1,1,2,2-
Tetrachloroethane","21.1",,"ug/L",,"0.12","SPK","1","0","106","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","106467","1,4-
Dichlorobenzene","21.6",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","74839","Bromomethane","25.2",,"ug/L",,"0.50","SPK","1","0","126","0","5.0","45799","P
asco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","74975","Bromochloromethane","22.1",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","457
99","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","67641","Acetone","38.0",,"ug/L",,"10.0","SPK","1","0","95","0","20.0","45799","Pasco
County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","79005","1,1,2-
Trichloroethane","23.0",,"ug/L",,"0.50","SPK","1","0","115","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","108907","Chlorobenzene","21.7",,"ug/L",,"0.50","SPK","1","0","109","0","1.0","45799","
Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","100414","Ethylbenzene","21.5",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","P
asco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"

"2672035LCS","EPA 8260","2672035","E83079","75092","Methylene
Chloride","20.1",,"ug/L",,"2.5","SPK","1","0","101","0","5.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","74953","Dibromomethane","24.1",,"ug/L",,"0.50","SPK","1","0","121","0","2.0","45799",
"Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","75354","1,1-
Dichloroethene","17.7",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","75343","1,1-
Dichloroethane","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","96184","1,2,3-
Trichloropropane","20.3",,"ug/L",,"0.59","SPK","1","0","102","0","2.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","DEP-SURR-019","4-
Bromofluorobenzene","45.3",,"ug/L",,,"SURR","1","0","113","0",,"45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","124481","Dibromochloromethane","20.1",,"ug/L",,"0.26","SPK","1","0","101","0","2.0","
45799","Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","156592","cis-1,2-
Dichloroethene","18.4",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","10061026","trans-1,3-
Dichloropropene","19.2",,"ug/L",,"0.25","SPK","1","0","96","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","110576","trans-1,4-Dichloro-2-
butene","16.2",,"ug/L",,"5.0","SPK","1","0","81","0","10.0","45799","Pasco County Resource Recovery","11/15/2018
09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","10061015","cis-1,3-
Dichloropropene","18.4",,"ug/L",,"0.25","SPK","1","0","92","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","DEP-SURR-038","Toluene-
d8","40",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/15/2018
09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","37.8",,"ug/L",,,"SURR","1","0","95","0",,"45799","Pasco County Resource Recovery","11/15/2018
09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","40.0",,"35429772"

"2672035LCS","EPA
8260","2672035","E83079","71432","Benzene","20.6",,"ug/L",,"0.10","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","74884","Iodomethane","22.0",,"ug/L",,"0.50","SPK","1","0","55","0","10.0","45799","Pas
co County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","40.0",,"35429772"
"2672035LCS","EPA
8260","2672035","E83079","79016","Trichloroethene","22.3",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799","
Pasco County Resource Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","75014","Vinyl
chloride","17.1",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource Recovery","11/15/2018
09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","1330207","Xylenes-
Total","66.9",,"ug/L",,"1.5","SPK","1","0","112","0","3.0","45799","Pasco County Resource Recovery","11/15/2018
09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018 09:01:00","11/15/2018
09:01:00","TOT","493994","493994","YES","60.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","95501","1,2-
Dichlorobenzene","22.4",,"ug/L",,"0.50","SPK","1","0","112","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2672035LCS","EPA 8260","2672035","E83079","78875","1,2-
Dichloropropane","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 09:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/15/2018
09:01:00","11/15/2018 09:01:00","TOT","493994","493994","YES","20.0",,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018
13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No

Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","DEP-SURR-038","Toluene-
d8","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES","40.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","10061026","trans-1,3-
Dichloropropene","19.2",,"ug/L",,"0.25","SPK","1","0","96","0","0.50","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","79345","1,1,2,2-
Tetrachloroethane","20.1",,"ug/L",,"0.12","SPK","1","0","101","0","0.50","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","67663","Chloroform","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","75343","1,1-
Dichloroethane","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","108907","Chlorobenzene","21.3",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799","
Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","74975","Bromochloromethane","21.7",,"ug/L",,"0.50","SPK","1","0","109","0","1.0","457
99","Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","591786","2-
Hexanone","33.3",,"ug/L",,"5.0","SPK","1","0","83","0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","71432","Benzene","20.1",,"ug/L",,"0.10","SPK","1","0","100","0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","108101","4-Methyl-2-
pentanone","34.4",,"ug/L",,"5.0","SPK","1","0","86","0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","78933","2-
Butanone","36.2",,"ug/L",,"5.0","SPK","1","0","91","0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","75092","Methylene
Chloride","19.3",,"ug/L",,"2.5","SPK","1","0","96","0","5.0","45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","56235","Carbon
tetrachloride","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","3.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018

09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","95501","1,2-
Dichlorobenzene","22.1",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","67641","Acetone","35.5",,"ug/L",,"10.0","SPK","1","0","89","0","20.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","108883","Toluene","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","156592","cis-1,2-
Dichloroethene","18.2",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","75274","Bromodichloromethane","20.7",,"ug/L",,"0.27","SPK","1","0","104","0","0.60","
45799","Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","1330207","Xylenes-
Total","66.1",,"ug/L",,"1.5","SPK","1","0","110","0","3.0","45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","60.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","107062","1,2-
Dichloroethane","18.6",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","630206","1,1,1,2-
Tetrachloroethane","25.1",,"ug/L",,"0.50","SPK","1","0","125","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","106467","1,4-
Dichlorobenzene","20.9",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","74884","Iodomethane","18.5",,"ug/L",,"0.50","SPK","1","0","46","0","10.0","45799","Pas
co County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","74953","Dibromomethane","23.0",,"ug/L",,"0.50","SPK","1","0","115","0","2.0","45799",
"Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","75694","Trichlorofluoromethane","13.4",,"ug/L",,"0.50","SPK","1","0","67","0","1.0","45
799","Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","630206","1,1,1,2-

Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799" ,"Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799 ","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc o County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0 ","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P asco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6 0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA 8260","35429130001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas co County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772" "2MW-15DA","EPA

8260","35429130001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA
8260","35429130001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-15DA","EPA 8260","35429130001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:05:00","11/15/2018 13:05:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018
13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018
13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No

Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018
13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018
13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","10061015","cis-1,3-

Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","78933","2-Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","108101","4-Methyl-2-pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018

13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","DEP-SURR-038","Toluene-
d8","41.7",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/06/2018
10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 13:29:00","11/15/2018
13:29:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA 8260","35429130002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-17S","EPA
8260","35429130002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 13:29:00","11/15/2018 13:29:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA

8260","35429130003","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018

13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.8",,"ug/L",,,"SURR","1","0","95","0",,"45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","DEP-SURR-038","Toluene-
d8","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.2",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA

8260","35429130003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018

13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018 13:53:00","11/15/2018
13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA
8260","35429130003","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No
Prep","RES","YES","11/15/2018 13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-18D","EPA 8260","35429130003","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","No Prep","RES","YES","11/15/2018
13:53:00","11/15/2018 13:53:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018
14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018
14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018
14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","56235","Carbon

tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","DEP-SURR-038","Toluene-d8","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES","40.0",,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75014","Vinyl chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018

14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018
14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018
14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA 8260","35429130004","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018
14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA

8260","35429130004","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA
8260","35429130004","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","108101","4-Methyl-2-pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","591786","2-Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA
8260","35429130004","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA
8260","35429130004","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","75343","1,1-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES","40.0",,"35429772" "2MW-19D","EPA
8260","35429130004","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA
8260","35429130004","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772" "2MW-19D","EPA 8260","35429130004","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No Prep","RES","YES","11/15/2018

14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"2MW-19D","EPA
8260","35429130004","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","No
Prep","RES","YES","11/15/2018 14:18:00","11/15/2018 14:18:00","TOT","493994","493994","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","100414","Ethylbenzene","2.5",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA

8260","35429407002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","106467","1,4-
Dichlorobenzene","1.7",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018

11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","108907","Chlorobenzene","3.8",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.831215",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407002","EPA 8260","35429407002","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA
8260","35429407002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","DEP-SURR-038","Toluene-
d8","40.634942",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES","39.8",,"35429772"
"35429407002","EPA 8260","35429407002","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018
11:26:00","TOT","494386","494386","YES",,,"35429772"
"35429407002","EPA 8260","35429407002","E83079","DEP-SURR-019","4-

Bromofluorobenzene","40.591759",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES","40.2",,"35429772" "35429407002","EPA 8260","35429407002","E83079","71432","Benzene","16.4",,"ug/L",,"0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","75343","1,1-Dichloroethane","1.0",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407002","EPA 8260","35429407002","E83079","156592","cis-1,2-Dichloroethene","1.4",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 11:26:00","11/16/2018 11:26:00","TOT","494386","494386","YES",,,"35429772" "35429407003","EPA 8260","35429407003","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","38.684183",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES","39.9",,"35429772" "35429407003","EPA 8260","35429407003","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772" "35429407003","EPA 8260","35429407003","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772" "35429407003","EPA 8260","35429407003","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772" "35429407003","EPA 8260","35429407003","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018

12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","UJ","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35429407003","EPA 8260","35429407003","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","108907","Chlorobenzene","0.68",,"ug/L","I","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"

"35429407003","EPA
8260","35429407003","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","41.4457",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES","39.9",,"35429772"
"35429407003","EPA 8260","35429407003","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","DEP-SURR-038","Toluene-
d8","41.174995",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003","EPA
8260","35429407003","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA 8260","35429407003","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018 12:13:00","11/16/2018
12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","71432","Benzene","0.94",,"ug/L","I","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"

"35429407003","EPA 8260","35429407003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/16/2018
12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"35429407003","EPA
8260","35429407003","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 12:13:00","11/16/2018 12:13:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018
10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco

County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","1330207","Xylenes-Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","DEP-SURR-019","4-Bromofluorobenzene","41.2",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","DEP-SURR-038","Toluene-d8","42.5",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75014","Vinyl chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"

"2674243BLANK","EPA
8260","2674243","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/16/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018
10:27:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018

10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018
10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018
10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA
8260","2674243","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018
10:27:00","11/16/2018 10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674243BLANK","EPA 8260","2674243","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/16/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/16/2018 10:27:00","11/16/2018
10:27:00","TOT","494386","494386","YES",,,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","75354","1,1-
Dichloroethene","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","108054","Vinyl
acetate","18.8",,"ug/L",,"1.0","SPK","1","0","94","0","10.0","45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","DEP-SURR-038","Toluene-
d8","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","40.0",,"35429772"

"2674244LCS","EPA
8260","2674244","E83079","127184","Tetrachloroethene","22.2",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799
","Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","78875","1,2-
Dichloropropane","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","107131","Acrylonitrile","183",,"ug/L",,"5.0","SPK","1","0","91","0","10.0","45799","Pas
co County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","200",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","75150","Carbon
disulfide","14.3",,"ug/L",,"5.0","SPK","1","0","72","0","10.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","DEP-SURR-019","4-
Bromofluorobenzene","45.5",,"ug/L",,,"SURR","1","0","114","0",,"45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","156605","trans-1,2-
Dichloroethene","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","37.6",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","40.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","79016","Trichloroethene","21.1",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","
Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","74839","Bromomethane","22.9",,"ug/L",,"0.50","SPK","1","0","114","0","5.0","45799","P
asco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","75003","Chloroethane","15.3",,"ug/L",,"0.50","SPK","1","0","76","0","10.0","45799","Pa
sco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","75014","Vinyl
chloride","14.5",,"ug/L",,"0.50","SPK","1","0","72","0","1.0","45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","100414","Ethylbenzene","21.2",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","P
asco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"

"2674244LCS","EPA
8260","2674244","E83079","124481","Dibromochloromethane","20.0",,"ug/L",,"0.26","SPK","1","0","100","0","2.0","
45799","Pasco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","110576","trans-1,4-Dichloro-2-
butene","16.3",,"ug/L",,"5.0","SPK","1","0","81","0","10.0","45799","Pasco County Resource Recovery","11/16/2018
09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","75252","Bromoform","19.6",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","79005","1,1,2-
Trichloroethane","22.9",,"ug/L",,"0.50","SPK","1","0","115","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","10061015","cis-1,3-
Dichloropropene","18.5",,"ug/L",,"0.25","SPK","1","0","92","0","0.50","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","74873","Chloromethane","11.6",,"ug/L",,"0.62","SPK","1","0","58","0","1.0","45799","Pa
sco County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 09:39:00","11/16/2018
09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA
8260","2674244","E83079","100425","Styrene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco
County Resource Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","96184","1,2,3-
Trichloropropane","19.3",,"ug/L",,"0.59","SPK","1","0","96","0","2.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"2674244LCS","EPA 8260","2674244","E83079","71556","1,1,1-
Trichloroethane","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/16/2018 09:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/16/2018
09:39:00","11/16/2018 09:39:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","4
5799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"

"35429407002DUP","EPA
8260","35429407002DUP","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.7",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","106467","1,4-
Dichlorobenzene","1.8",,"ug/L",,"0.50","TRG","1","0",,"6","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","108907","Chlorobenzene","4.0",,"ug/L",,"0.50","TRG","1","0",,"5","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018

10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.1",,"ug/L",,,"SURR","1","0","100","1",,"45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799"
,"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","DEP-SURR-038","Toluene-
d8","40.2",,"ug/L",,,"SURR","1","0","101","1",,"45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"

"35429407002DUP","EPA
8260","35429407002DUP","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","71432","Benzene","17.2",,"ug/L",,"0.10","TRG","1","0",,"4","1.0","45799","Pas
co County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","100414","Ethylbenzene","2.7",,"ug/L",,"0.50","TRG","1","0",,"6","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","156592","cis-1,2-
Dichloroethene","1.5",,"ug/L",,"0.50","TRG","1","0",,"7","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","75343","1,1-
Dichloroethane","1.0",,"ug/L",,"0.50","TRG","1","0",,"2","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource

Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018 11:49:00","11/16/2018
11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA
8260","35429407002DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/16/2018 11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407002DUP","EPA 8260","35429407002DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/16/2018
11:49:00","11/16/2018 11:49:00","TOT","494386","494386","YES",,,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","44.5",,"ug/L",,,"SURR","1","0","111","0",,"45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","67641","Acetone","28.5",,"ug/L",,"10.0","SPK","1","0","68","0","20.0","45799",
"Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","630206","1,1,1,2-
Tetrachloroethane","18.3",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","71432","Benzene","16.7",,"ug/L",,"0.10","SPK","1","0","79","0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","107131","Acrylonitrile","143",,"ug/L",,"5.0","SPK","1","0","71","0","10.0","457
99","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","200",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","108054","Vinyl
acetate","13.8",,"ug/L",,"1.0","SPK","1","0","69","0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","156592","cis-1,2-
Dichloroethene","14.8",,"ug/L",,"0.50","SPK","1","0","72","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","67663","Chloroform","16.2",,"ug/L",,"0.50","SPK","1","0","81","0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","124481","Dibromochloromethane","14.5",,"ug/L",,"0.26","SPK","1","0","72","0",
"2.0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018

19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","108907","Chlorobenzene","17.2",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","4
5799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","1330207","Xylenes-
Total","50.3",,"ug/L",,"1.5","SPK","1","0","84","0","3.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","60.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","108101","4-Methyl-2-
pentanone","25.1",,"ug/L",,"5.0","SPK","1","0","63","0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","75003","Chloroethane","22.6",,"ug/L",,"0.50","SPK","1","0","113","0","10.0","4
5799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","56235","Carbon
tetrachloride","16.1",,"ug/L",,"0.50","SPK","1","0","81","0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:13:00","11/16/2018
18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018
18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","156592","cis-1,2-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","110576","trans-1,4-Dichloro-2-butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","DEP-SURR-038","Toluene-d8","41.2",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES","40.0",,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","75343","1,1-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772" "2MW-26D","EPA 8260","35429772004","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018

18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","74953","Dibromomethane","18.0",,"ug/L",,"0.50","SPK","1","0","90","0","2.0","
45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","75694","Trichlorofluoromethane","17.1",,"ug/L",,"0.50","SPK","1","0","86","0","
1.0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","75014","Vinyl
chloride","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","591786","2-
Hexanone","24.6",,"ug/L",,"5.0","SPK","1","0","61","0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","74975","Bromochloromethane","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","1.
0","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","100425","Styrene","16.0",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","79016","Trichloroethene","17.3",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","4
5799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","74839","Bromomethane","23.3",,"ug/L",,"0.50","SPK","1","0","116","0","5.0","4
5799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","75343","1,1-
Dichloroethane","15.5",,"ug/L",,"0.50","SPK","1","0","76","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","79005","1,1,2-
Trichloroethane","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","100414","Ethylbenzene","16.4",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","75252","Bromoform","14.8",,"ug/L",,"0.50","SPK","1","0","74","0","1.0","45799

","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","71556","1,1,1-
Trichloroethane","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","75150","Carbon
disulfide","12.8",,"ug/L",,"5.0","SPK","1","0","64","0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","74884","Iodomethane","5.1",,"ug/L","I","0.50","SPK","1","0","13","0","10.0","4
5799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","10061015","cis-1,3-
Dichloropropene","12.9",,"ug/L","J","0.25","SPK","1","0","65","0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","75274","Bromodichloromethane","16.0",,"ug/L",,"0.27","SPK","1","0","80","0","
0.60","45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","95501","1,2-
Dichlorobenzene","16.3",,"ug/L",,"0.50","SPK","1","0","81","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","156605","trans-1,2-
Dichloroethene","15.5",,"ug/L",,"0.50","SPK","1","0","78","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","127184","Tetrachloroethene","17.3",,"ug/L",,"0.50","SPK","1","0","86","0","1.0"
,"45799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","110576","trans-1,4-Dichloro-2-
butene","11.6",,"ug/L",,"5.0","SPK","1","0","58","0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","108883","Toluene","16.3",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","107062","1,2-
Dichloroethane","15.3",,"ug/L",,"0.50","SPK","1","0","76","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.6",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource Recovery","11/07/2018

11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","106467","1,4-
Dichlorobenzene","16.3",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","75354","1,1-
Dichloroethene","15.0",,"ug/L",,"0.50","SPK","1","0","75","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","79345","1,1,2,2-
Tetrachloroethane","16.4",,"ug/L",,"0.12","SPK","1","0","82","0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","96184","1,2,3-
Trichloropropane","15.1",,"ug/L",,"0.59","SPK","1","0","76","0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","10061026","trans-1,3-
Dichloropropene","13.9",,"ug/L",,"0.25","SPK","1","0","70","0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA
8260","35429407003MS","E83079","74873","Chloromethane","13.9",,"ug/L",,"0.62","SPK","1","0","70","0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","78875","1,2-
Dichloropropane","15.2",,"ug/L",,"0.50","SPK","1","0","76","0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","75092","Methylene
Chloride","15.3",,"ug/L",,"2.5","SPK","1","0","76","0","5.0","45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","20.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","78933","2-
Butanone","26.4",,"ug/L",,"5.0","SPK","1","0","66","0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018
19:24:00","11/16/2018 19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"35429407003MS","EPA 8260","35429407003MS","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/07/2018
11:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/16/2018 19:24:00","11/16/2018
19:24:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","DEP-SURR-038","Toluene-
d8","40.8",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No

Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018
17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"

"2MW-24S","EPA 8260","35429772001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018
17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.8",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018
17:25:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"

"2MW-24S","EPA
8260","35429772001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018
17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","75014","Vinyl

chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA 8260","35429772001","E83079","1330207","Xylenes-Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24S","EPA
8260","35429772001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:25:00","11/16/2018 17:25:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA

8260","35429772002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018
17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018

09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018
17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No

Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 17:49:00","11/16/2018
17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","DEP-SURR-038","Toluene-
d8","41.9",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-24D","EPA 8260","35429772002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource
Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018

17:49:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-24D","EPA
8260","35429772002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 17:49:00","11/16/2018 17:49:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA

8260","35429772003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:13:00","11/16/2018
18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018
18:13:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.2",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","75354","1,1-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:13:00","11/16/2018
18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","DEP-SURR-038","Toluene-
d8","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/07/2018

11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:13:00","11/16/2018
18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA 8260","35429772003","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-25D","EPA
8260","35429772003","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:13:00","11/16/2018 18:13:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No

Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018
18:36:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES","40.0",,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018
18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018
18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-
Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018 18:36:00","11/16/2018
18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA

8260","35429772004","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018
13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No Prep","RES","YES","11/16/2018
18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA 8260","35429772004","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2MW-26D","EPA
8260","35429772004","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 18:36:00","11/16/2018 18:36:00","TOT","494386","494386","YES",,,"35429772"
"2674334BLANK","EPA 300.0
(Chloride)","2674334","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","11/16/2018 12:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/16/2018 12:20:00","11/16/2018 12:20:00","TOT","494409","494409","YES",,,"35429772"
"2674335LCS","EPA 300.0
(Chloride)","2674335","E83079","16887006","Chloride","49.0",,"mg/L",,"2.5","SPK","1","0","98","0","5.0","45799","
Pasco County Resource Recovery","11/16/2018 12:42:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/16/2018 12:42:00","11/16/2018
12:42:00","TOT","494409","494409","YES","50.0",,"35429772"
"2MW-24SMS","EPA 300.0
(Chloride)","35429772001MS","E83079","16887006","Chloride","63.0",,"mg/L",,"2.5","SPK","1","0","101","0","5.0",

"45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MS","Courier","0.9","No Prep","RES","YES","11/16/2018 13:48:00","11/16/2018
13:48:00","TOT","494409","494409","YES","50.0",,"35429772"
"2MW-24SMSD","EPA 300.0
(Chloride)","35429772001MSD","E83079","16887006","Chloride","63.5",,"mg/L",,"2.5","SPK","1","0","102","1","5.0
","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","No Prep","RES","YES","11/16/2018 14:10:00","11/16/2018
14:10:00","TOT","494409","494409","YES","50.0",,"35429772"
"35429873001MS","EPA 300.0
(Chloride)","35429873001MS","E83079","16887006","Chloride","58.7",,"mg/L",,"2.5","SPK","1","0","99","0","5.0","
45799","Pasco County Resource Recovery","11/08/2018 07:47:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/16/2018 19:18:00","11/16/2018
19:18:00","TOT","494409","494409","YES","50.0",,"35429772"
"35429873001MSD","EPA 300.0
(Chloride)","35429873001MSD","E83079","16887006","Chloride","59.7",,"mg/L",,"2.5","SPK","1","0","101","2","5.0
","45799","Pasco County Resource Recovery","11/08/2018 07:47:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","11/16/2018 19:40:00","11/16/2018
19:40:00","TOT","494409","494409","YES","50.0",,"35429772"
"2MW-24S","EPA 300.0
(Chloride)","35429772001","E83079","16887006","Chloride","12.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 13:26:00","11/16/2018 13:26:00","TOT","494409","494409","YES",,,"35429772"
"2MW-24D","EPA 300.0
(Chloride)","35429772002","E83079","16887006","Chloride","42.1",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 14:32:00","11/16/2018 14:32:00","TOT","494409","494409","YES",,,"35429772"
"2MW-25D","EPA 300.0
(Chloride)","35429772003","E83079","16887006","Chloride","79.7",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 14:54:00","11/16/2018 14:54:00","TOT","494409","494409","YES",,,"35429772"
"2MW-26D","EPA 300.0
(Chloride)","35429772004","E83079","16887006","Chloride","47.1",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","No
Prep","RES","YES","11/16/2018 15:16:00","11/16/2018 15:16:00","TOT","494409","494409","YES",,,"35429772"
"4MW-11D","EPA 300.0
(Chloride)","35429796001","E83079","16887006","Chloride","14.8",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/16/2018 15:38:00","11/16/2018 15:38:00","TOT","494409","494409","YES",,,"35429772"
"4MW-12D","EPA 300.0
(Chloride)","35429796002","E83079","16887006","Chloride","15.3",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/16/2018 16:00:00","11/16/2018 16:00:00","TOT","494409","494409","YES",,,"35429772"
"4MW-13D","EPA 300.0
(Chloride)","35429796003","E83079","16887006","Chloride","16.3",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/16/2018 16:22:00","11/16/2018 16:22:00","TOT","494409","494409","YES",,,"35429772"
"4MW-14D","EPA 300.0
(Chloride)","35429796004","E83079","16887006","Chloride","18.4",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/16/2018 16:44:00","11/16/2018 16:44:00","TOT","494409","494409","YES",,,"35429772"
"35429873001","EPA 300.0
(Chloride)","35429873001","E83079","16887006","Chloride","9.1",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/08/2018 07:47:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/16/2018 18:56:00","11/16/2018 18:56:00","TOT","494409","494409","YES",,,"35429772"

"2674557BLANK","EPA
8260","2674557","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018
10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018
10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018
10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","DEP-SURR-019","4-
Bromofluorobenzene","43.2",,"ug/L",,,"SURR","1","0","108","0",,"45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/19/2018
10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018
10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA
8260","2674557","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"

"2674557BLANK","EPA 8260","2674557","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","78933","2-Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","DEP-SURR-038","Toluene-d8","41",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","591786","2-Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","110576","trans-1,4-Dichloro-2-butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco

County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","38.9",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674557BLANK","EPA 8260","2674557","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:25:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018 10:25:00","11/19/2018 10:25:00","TOT","494434","494434","YES",,,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","108101","4-Methyl-2-pentanone","37.9",,"ug/L",,"5.0","SPK","1","0","95","0","10.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","75274","Bromodichloromethane","21.1",,"ug/L",,"0.27","SPK","1","0","105","0","0.60","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","71556","1,1,1-Trichloroethane","22.0",,"ug/L",,"0.50","SPK","1","0","110","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","75694","Trichlorofluoromethane","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","10061026","trans-1,3-Dichloropropene","20.0",,"ug/L",,"0.25","SPK","1","0","100","0","0.50","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","37.8",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource Recovery","11/19/2018

09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","110576","trans-1,4-Dichloro-2-
butene","26.7",,"ug/L","J","5.0","SPK","1","0","134","0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0","Analyte recovery in the laboratory control
sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"2674558LCS","EPA
8260","2674558","E83079","74884","Iodomethane","31.3",,"ug/L",,"0.50","SPK","1","0","78","0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","75150","Carbon
disulfide","15.5",,"ug/L",,"5.0","SPK","1","0","78","0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","67663","Chloroform","21.5",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasc
o County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","DEP-SURR-019","4-
Bromofluorobenzene","44.8",,"ug/L",,,"SURR","1","0","112","0",,"45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","67641","Acetone","48.7",,"ug/L",,"10.0","SPK","1","0","122","0","20.0","45799","Pasco
County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","74953","Dibromomethane","24.3",,"ug/L",,"0.50","SPK","1","0","121","0","2.0","45799",
"Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","75014","Vinyl
chloride","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource Recovery","11/19/2018
09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","156592","cis-1,2-
Dichloroethene","20.6",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","78875","1,2-
Dichloropropane","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","630206","1,1,1,2-
Tetrachloroethane","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","156605","trans-1,2-
Dichloroethene","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"

"2674558LCS","EPA 8260","2674558","E83079","95501","1,2-
Dichlorobenzene","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","100425","Styrene","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco
County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","79345","1,1,2,2-
Tetrachloroethane","20.5",,"ug/L",,"0.12","SPK","1","0","102","0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","127184","Tetrachloroethene","23.9",,"ug/L",,"0.50","SPK","1","0","119","0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","107131","Acrylonitrile","138",,"ug/L",,"5.0","SPK","1","0","69","0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","200",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","591786","2-
Hexanone","37.1",,"ug/L",,"5.0","SPK","1","0","93","0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","79016","Trichloroethene","22.2",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799","
Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","75003","Chloroethane","22.0",,"ug/L",,"0.50","SPK","1","0","110","0","10.0","45799","P
asco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","96184","1,2,3-
Trichloropropane","21.3",,"ug/L",,"0.59","SPK","1","0","107","0","2.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","107062","1,2-
Dichloroethane","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","DEP-SURR-038","Toluene-
d8","39.9",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/19/2018
09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","40.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","74839","Bromomethane","18.1",,"ug/L",,"0.50","SPK","1","0","91","0","5.0","45799","Pa
sco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","106467","1,4-

Dichlorobenzene","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","74873","Chloromethane","21.5",,"ug/L",,"0.62","SPK","1","0","107","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","74975","Bromochloromethane","24.7",,"ug/L",,"0.50","SPK","1","0","124","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","124481","Dibromochloromethane","19.9",,"ug/L",,"0.26","SPK","1","0","100","0","2.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","75354","1,1-Dichloroethene","16.0",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","10061015","cis-1,3-Dichloropropene","19.3",,"ug/L",,"0.25","SPK","1","0","96","0","0.50","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","71432","Benzene","21.4",,"ug/L",,"0.10","SPK","1","0","107","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","75092","Methylene Chloride","20.8",,"ug/L",,"2.5","SPK","1","0","104","0","5.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","108907","Chlorobenzene","21.5",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","78933","2-Butanone","41.3",,"ug/L",,"5.0","SPK","1","0","103","0","10.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","40.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","56235","Carbon tetrachloride","19.6",,"ug/L",,"0.50","SPK","1","0","98","0","3.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","108883","Toluene","21.9",,"ug/L",,"0.50","SPK","1","0","110","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772" "2674558LCS","EPA 8260","2674558","E83079","100414","Ethylbenzene","20.9",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No

Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","75343","1,1-
Dichloroethane","20.3",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","108054","Vinyl
acetate","20.1",,"ug/L",,"1.0","SPK","1","0","101","0","10.0","45799","Pasco County Resource Recovery","11/19/2018
09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","1330207","Xylenes-
Total","62.1",,"ug/L",,"1.5","SPK","1","0","104","0","3.0","45799","Pasco County Resource Recovery","11/19/2018
09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","60.0",,"35429772"
"2674558LCS","EPA
8260","2674558","E83079","75252","Bromoform","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/19/2018 09:36:00","11/19/2018
09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"2674558LCS","EPA 8260","2674558","E83079","79005","1,1,2-
Trichloroethane","23.6",,"ug/L",,"0.50","SPK","1","0","118","0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 09:36:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018
09:36:00","11/19/2018 09:36:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018

17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.9",,"ug/L",,,"SURR","1","0","100","3",,"45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA

8260","35431408008DUP","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799"
,"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018

17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","DEP-SURR-038","Toluene-
d8","41.2",,"ug/L",,,"SURR","1","0","103","1",,"45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 17:24:00","11/19/2018
17:24:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA 8260","35431408008DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.4",,"ug/L",,,"SURR","1","0","93","0",,"45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018
17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408008DUP","EPA
8260","35431408008DUP","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/19/2018 17:24:00","11/19/2018 17:24:00","TOT","494434","494434","YES",,,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","108101","4-Methyl-2-

pentanone","28.0",,"ug/L",,"5.0","SPK","1","0","70","0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","108883","Toluene","17.5",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799","
Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","79005","1,1,2-
Trichloroethane","18.3",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","67641","Acetone","32.3",,"ug/L",,"10.0","SPK","1","0","81","0","20.0","45799",
"Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","75150","Carbon
disulfide","14.0",,"ug/L",,"5.0","SPK","1","0","70","0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","74873","Chloromethane","11.7",,"ug/L",,"0.62","SPK","1","0","58","0","1.0","45
799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","75343","1,1-
Dichloroethane","17.7",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","75252","Bromoform","16.3",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","630206","1,1,1,2-
Tetrachloroethane","19.7",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","37.8",,"ug/L",,,"SURR","1","0","95","0",,"45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","591786","2-
Hexanone","28.9",,"ug/L",,"5.0","SPK","1","0","72","0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","79016","Trichloroethene","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","4
5799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","1330207","Xylenes-
Total","52.7",,"ug/L",,"1.5","SPK","1","0","88","0","3.0","45799","Pasco County Resource Recovery","11/15/2018

12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","60.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","106467","1,4-
Dichlorobenzene","15.9",,"ug/L",,"0.50","SPK","1","0","80","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","75354","1,1-
Dichloroethene","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","56235","Carbon
tetrachloride","19.3",,"ug/L",,"0.50","SPK","1","0","96","0","3.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","74839","Bromomethane","18.5",,"ug/L",,"0.50","SPK","1","0","93","0","5.0","45
799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","75003","Chloroethane","13.8",,"ug/L","J","0.50","SPK","1","0","69","0","10.0","
45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","71432","Benzene","17.4",,"ug/L",,"0.10","SPK","1","0","87","0","1.0","45799","
Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","108907","Chlorobenzene","17.2",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","4
5799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","71556","1,1,1-
Trichloroethane","18.9",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","107131","Acrylonitrile","197",,"ug/L",,"5.0","SPK","1","0","98","0","10.0","457
99","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","200",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","100414","Ethylbenzene","17.3",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45
799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","156592","cis-1,2-
Dichloroethene","16.6",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","67663","Chloroform","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799

","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","74975","Bromochloromethane","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.
0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","100425","Styrene","15.7",,"ug/L",,"0.50","SPK","1","0","79","0","1.0","45799","
Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","156605","trans-1,2-
Dichloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","108054","Vinyl
acetate","14.9",,"ug/L",,"1.0","SPK","1","0","74","0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","10061026","trans-1,3-
Dichloropropene","14.2",,"ug/L",,"0.25","SPK","1","0","71","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","75014","Vinyl
chloride","14.5",,"ug/L",,"0.50","SPK","1","0","72","0","1.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","79345","1,1,2,2-
Tetrachloroethane","16.0",,"ug/L",,"0.12","SPK","1","0","80","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","96184","1,2,3-
Trichloropropane","15.8",,"ug/L",,"0.59","SPK","1","0","79","0","2.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","75274","Bromodichloromethane","16.5",,"ug/L",,"0.27","SPK","1","0","83","0","
0.60","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","75092","Methylene
Chloride","16.7",,"ug/L",,"2.5","SPK","1","0","83","0","5.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","10061015","cis-1,3-
Dichloropropene","13.6",,"ug/L","J","0.25","SPK","1","0","68","0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","124481","Dibromochloromethane","15.3",,"ug/L",,"0.26","SPK","1","0","76","0",
"2.0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No

Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","127184","Tetrachloroethene","19.5",,"ug/L",,"0.50","SPK","1","0","97","0","1.0"
,"45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","95501","1,2-
Dichlorobenzene","16.8",,"ug/L",,"0.50","SPK","1","0","84","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","110576","trans-1,4-Dichloro-2-
butene","12.3",,"ug/L",,"5.0","SPK","1","0","61","0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","DEP-SURR-038","Toluene-
d8","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","107062","1,2-
Dichloroethane","16.9",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","45.6",,"ug/L",,,"SURR","1","0","114","0",,"45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","74953","Dibromomethane","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","2.0",
"45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","75694","Trichlorofluoromethane","12.9",,"ug/L","J","0.50","SPK","1","0","64","
0","1.0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","78933","2-
Butanone","31.9",,"ug/L",,"5.0","SPK","1","0","80","0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA
8260","35431408009MS","E83079","74884","Iodomethane","25.5",,"ug/L",,"0.50","SPK","1","0","64","0","10.0","457
99","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/20/2018 10:27:00","11/20/2018
10:27:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009MS","EPA 8260","35431408009MS","E83079","78875","1,2-
Dichloropropane","16.4",,"ug/L",,"0.50","SPK","1","0","82","0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/20/2018
10:27:00","11/20/2018 10:27:00","TOT","494434","494434","YES","20.0",,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"

"4MW-11D","EPA 8260","35429796001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 11:38:00","11/19/2018
11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","108101","4-Methyl-2-

pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","DEP-SURR-038","Toluene-
d8","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No

Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 11:38:00","11/19/2018
11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","41.1",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018
11:38:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 11:38:00","11/19/2018
11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","37.9",,"ug/L",,,"SURR","1","0","95","0",,"45799","Pasco County Resource Recovery","11/08/2018
09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018

09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control
sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"4MW-11D","EPA
8260","35429796001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 11:38:00","11/19/2018
11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA
8260","35429796001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-11D","EPA 8260","35429796001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 11:38:00","11/19/2018 11:38:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018
12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","106467","1,4-

Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","DEP-SURR-019","4-Bromofluorobenzene","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES","40.0",,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","75014","Vinyl chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","78933","2-Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772" "4MW-12D","EPA 8260","35429796002","E83079","75150","Carbon

disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","110576","trans-1,4-Dichloro-2-butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"4MW-12D","EPA 8260","35429796002","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","DEP-SURR-038","Toluene-d8","41.2",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","108101","4-Methyl-2-pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","39.8",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018

10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018
12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:03:00","11/19/2018
12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/08/2018
10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA
8260","35429796002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-12D","EPA 8260","35429796002","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:03:00","11/19/2018 12:03:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.3",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","DEP-SURR-038","Toluene-
d8","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"

"4MW-13D","EPA 8260","35429796003","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018
12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","110576","trans-1,4-Dichloro-2-

butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"4MW-13D","EPA 8260","35429796003","E83079","DEP-SURR-019","4-Bromofluorobenzene","40.6",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"

"4MW-13D","EPA 8260","35429796003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018
12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/08/2018
11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA
8260","35429796003","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:28:00","11/19/2018
12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-13D","EPA 8260","35429796003","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:28:00","11/19/2018 12:28:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"

"4MW-14D","EPA 8260","35429796004","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","DEP-SURR-038","Toluene-
d8","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.3",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.2",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018
12:52:00","TOT","494434","494434","YES","40.0",,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control
sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"4MW-14D","EPA 8260","35429796004","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource

Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/08/2018
13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018
12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:52:00","11/19/2018
12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No

Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA 8260","35429796004","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:52:00","11/19/2018
12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:52:00","11/19/2018
12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","No
Prep","RES","YES","11/19/2018 12:52:00","11/19/2018 12:52:00","TOT","494434","494434","YES",,,"35429772"
"4MW-14D","EPA
8260","35429796004","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-
Groundwater","N","Courier","1.0","No Prep","RES","YES","11/19/2018 12:52:00","11/19/2018
12:52:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.219142",,"ug/L",,,"SURR","1","0","93","0",,"45799","Pasco County Resource

Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408008","EPA 8260","35431408008","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"

"35431408008","EPA 8260","35431408008","E83079","DEP-SURR-038","Toluene-
d8","40.7686",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408008","EPA
8260","35431408008","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA
8260","35431408008","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control sample (LCS) was above QC
limits. Results for this analyte in associated samples may be biased high.","35429772"
"35431408008","EPA 8260","35431408008","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","38.712349",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/15/2018
11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018
16:59:00","TOT","494434","494434","YES","39.9",,"35429772"
"35431408008","EPA 8260","35431408008","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","79345","1,1,2,2-

Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","591786","2-Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75343","1,1-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","11/19/2018 16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408008","EPA 8260","35431408008","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 11:05:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
16:59:00","11/19/2018 16:59:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","UJ","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431408009","EPA
8260","35431408009","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","DEP-SURR-038","Toluene-
d8","96.438932",,"ug/L",,,"SURR","1","0","241","0",,"45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES","40.0","Surrogate recovery exceeded laboratory control limits. Analyte
presence below reporting limits in associated samples.","35429772"
"35431408009","EPA 8260","35431408009","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","75003","Chloroethane","0.50",,"ug/L","UJ","0.50","TRG","1","0",,"0","10.0","45799
","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"

"35431408009","EPA
8260","35431408009","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","UJ","0.50","TRG","1","0",,"0","1.
0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431408009","EPA 8260","35431408009","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.961923",,"ug/L",,,"SURR","1","0","95","0",,"45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES","40.0",,"35429772"
"35431408009","EPA 8260","35431408009","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","UJ","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,"Analyte recovery in the laboratory control sample (LCS) was above QC
limits. Results for this analyte in associated samples may be biased high.","35429772"
"35431408009","EPA
8260","35431408009","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"

"35431408009","EPA 8260","35431408009","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.60646",,"ug/L","J",,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES","40.0","The internal standard response is below criteria. Results may be
biased high.","35429772"
"35431408009","EPA 8260","35431408009","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018
12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 17:48:00","11/19/2018
17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA 8260","35431408009","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018
17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"35431408009","EPA
8260","35431408009","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/15/2018 12:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/19/2018 17:48:00","11/19/2018 17:48:00","TOT","494434","494434","YES",,,"35429772"
"2677072BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2677072","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/19/2018 14:57:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
14:57:00","11/19/2018 14:57:00","TOT","494902","494902","YES",,,"35429772"
"2677073LCS","EPA 353.2 (Nitrate-Nitrite (N))","2677073","E83079","1820","Nitrate-Nitrite
(N)","2.1",,"mg/L",,"0.025","SPK","1","0","107","0","0.050","45799","Pasco County Resource Recovery","11/19/2018
14:58:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 14:58:00","11/19/2018
14:58:00","TOT","494902","494902","YES","2.0",,"35429772"
"35431516009DUP","EPA 353.2 (Nitrate-Nitrite (N))","35431516009DUP","E83079","1820","Nitrate-Nitrite

(N)","0.068",,"mg/L",,"0.025","TRG","1","0",,"9","0.050","45799","Pasco County Resource Recovery","11/15/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 15:01:00","11/19/2018
15:01:00","TOT","494902","494902","YES",,,"35429772"
"35431516009MS","EPA 353.2 (Nitrate-Nitrite (N))","35431516009MS","E83079","1820","Nitrate-Nitrite
(N)","1.9",,"mg/L",,"0.025","SPK","1","0","93","0","0.050","45799","Pasco County Resource Recovery","11/15/2018
11:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/19/2018 15:05:00","11/19/2018
15:05:00","TOT","494902","494902","YES","2.0",,"35429772"
"35431596001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35431596001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.066",,"mg/L",,"0.025","TRG","1","0",,"2","0.050","45799","Pasco County Resource Recovery","11/13/2018
17:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 15:21:00","11/19/2018
15:21:00","TOT","494902","494902","YES",,,"35429772"
"35431596001MS","EPA 353.2 (Nitrate-Nitrite (N))","35431596001MS","E83079","1820","Nitrate-Nitrite
(N)","2.0",,"mg/L",,"0.025","SPK","1","0","98","0","0.050","45799","Pasco County Resource Recovery","11/13/2018
17:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/19/2018 15:23:00","11/19/2018
15:23:00","TOT","494902","494902","YES","2.0",,"35429772"
"2MW-27D","EPA 353.2 (Nitrate-Nitrite (N))","35431603001","E83079","1820","Nitrate-Nitrite
(N)","1.6",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/19/2018
15:37:00","11/19/2018 15:37:00","TOT","494902","494902","YES",,,"35429772"
"35431516009","EPA 353.2 (Nitrate-Nitrite (N))","35431516009","E83079","1820","Nitrate-Nitrite
(N)","0.062",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/15/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 15:00:00","11/19/2018
15:00:00","TOT","494902","494902","YES",,,"35429772"
"35431596001","EPA 353.2 (Nitrate-Nitrite (N))","35431596001","E83079","1820","Nitrate-Nitrite
(N)","0.068",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/13/2018
17:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 15:20:00","11/19/2018
15:20:00","TOT","494902","494902","YES",,,"35429772"
"2677080BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2677080","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/19/2018 15:38:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/19/2018
15:38:00","11/19/2018 15:38:00","TOT","494903","494903","YES",,,"35429772"
"2677081LCS","EPA 353.2 (Nitrate-Nitrite (N))","2677081","E83079","1820","Nitrate-Nitrite
(N)","2.2",,"mg/L",,"0.025","SPK","1","0","108","0","0.050","45799","Pasco County Resource Recovery","11/19/2018
15:39:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/19/2018 15:39:00","11/19/2018
15:39:00","TOT","494903","494903","YES","2.0",,"35429772"
"2MW-27SDUP","EPA 353.2 (Nitrate-Nitrite (N))","35431603002DUP","E83079","1820","Nitrate-Nitrite
(N)","1.1",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","DUP","Courier","1.2","No Prep","RES","YES","11/19/2018
15:42:00","11/19/2018 15:42:00","TOT","494903","494903","YES",,,"35429772"
"2MW-27SMS","EPA 353.2 (Nitrate-Nitrite (N))","35431603002MS","E83079","1820","Nitrate-Nitrite
(N)","3.1",,"mg/L",,"0.025","SPK","1","0","100","0","0.050","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","MS","Courier","1.2","No Prep","RES","YES","11/19/2018
15:43:00","11/19/2018 15:43:00","TOT","494903","494903","YES","2.0",,"35429772"
"35431622001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35431622001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.047",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/13/2018
15:20:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/19/2018 16:00:00","11/19/2018
16:00:00","TOT","494903","494903","YES",,,"35429772"
"35431622001MS","EPA 353.2 (Nitrate-Nitrite (N))","35431622001MS","E83079","1820","Nitrate-Nitrite
(N)","2.0",,"mg/L",,"0.025","SPK","1","0","96","0","0.050","45799","Pasco County Resource Recovery","11/13/2018
15:20:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/19/2018 16:01:00","11/19/2018
16:01:00","TOT","494903","494903","YES","2.0",,"35429772"
"2MW-27S","EPA 353.2 (Nitrate-Nitrite (N))","35431603002","E83079","1820","Nitrate-Nitrite
(N)","1.1",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/19/2018

15:40:00","11/19/2018 15:40:00","TOT","494903","494903","YES",,,"35429772"
"35431622001","EPA 353.2 (Nitrate-Nitrite (N))","35431622001","E83079","1820","Nitrate-Nitrite
(N)","0.048",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/13/2018
15:20:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/19/2018 15:58:00","11/19/2018
15:58:00","TOT","494903","494903","YES",,,"35429772"
"2678371BLANK","EPA 350.1 No Distillation","2678371","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/21/2018 08:45:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/21/2018
08:45:00","11/21/2018 08:45:00","TOT","495120","495120","YES",,,"35429772"
"2678372LCS","EPA 350.1 No Distillation","2678372","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","107","0","0.050","45799","Pasco County Resource Recovery","11/21/2018
08:47:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/21/2018 08:47:00","11/21/2018
08:47:00","TOT","495120","495120","YES","1.0",,"35429772"
"35432049001DUP","EPA 350.1 No Distillation","35432049001DUP","E83079","1515","Ammonia
(N)","0.80",,"mg/L",,"0.035","TRG","1","0",,"1","0.050","45799","Pasco County Resource Recovery","11/19/2018
11:57:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/21/2018 08:54:00","11/21/2018
08:54:00","TOT","495120","495120","YES",,,"35429772"
"35432049001MS","EPA 350.1 No Distillation","35432049001MS","E83079","1515","Ammonia
(N)","1.9",,"mg/L",,"0.035","SPK","1","0","105","0","0.050","45799","Pasco County Resource Recovery","11/19/2018
11:57:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/21/2018 08:56:00","11/21/2018
08:56:00","TOT","495120","495120","YES","1.0",,"35429772"
"2MW-27D","EPA 350.1 No Distillation","35431603001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/21/2018 09:29:00","11/21/2018 09:29:00","TOT","495120","495120","YES",,,"35429772"
"2MW-27S","EPA 350.1 No Distillation","35431603002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/21/2018 09:31:00","11/21/2018 09:31:00","TOT","495120","495120","YES",,,"35429772"
"35432049001","EPA 350.1 No Distillation","35432049001","E83079","1515","Ammonia
(N)","0.80",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/19/2018
11:57:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/21/2018 08:48:00","11/21/2018
08:48:00","TOT","495120","495120","YES",,,"35429772"
"35429035001","EPA
7470","35429035001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 10:30:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 15:38:00","TOT","495344","495344","YES",,,"35429772"
"35429037001","EPA
7470","35429037001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 11:30:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 15:49:00","TOT","495344","495344","YES",,,"35429772"
"2679174BLANK","EPA
7470","2679174","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","11/21/2018 13:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/21/2018
13:08:00","11/26/2018 15:34:00","TOT","495344","495344","YES",,,"35429772"
"2679175LCS","EPA
7470","2679175","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","102","0","0.20","45799","Pasc
o County Resource Recovery","11/21/2018 13:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018
15:36:00","TOT","495344","495344","YES","2.0",,"35429772"
"35429035001MS","EPA
7470","35429035001MS","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","104","0","0.20","4579
9","Pasco County Resource Recovery","11/07/2018 10:30:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018

15:40:00","TOT","495344","495344","YES","2.0",,"35429772"
"35429035001MSD","EPA
7470","35429035001MSD","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","102","2","0.20","457
99","Pasco County Resource Recovery","11/07/2018 10:30:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018
15:46:00","TOT","495344","495344","YES","2.0",,"35429772"
"2MW-15DA","EPA
7470","35429130001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/06/2018 09:41:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 18:16:00","TOT","495344","495344","YES",,,"35429772"
"2MW-17S","EPA
7470","35429130002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/06/2018 10:35:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 18:19:00","TOT","495344","495344","YES",,,"35429772"
"2MW-18D","EPA
7470","35429130003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/06/2018 13:22:00","AQUEOUS-Fresh","N","courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 18:21:00","TOT","495344","495344","YES",,,"35429772"
"2MW-19D","EPA
7470","35429130004","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/06/2018 14:23:00","AQUEOUS-Fresh","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/26/2018 18:27:00","TOT","495344","495344","YES",,,"35429772"
"35429580010","EPA
7470","35429580010","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 14:43:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:06:00","TOT","495346","495346","YES",,,"35429772"
"35429580011","EPA
7470","35429580011","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 15:34:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:17:00","TOT","495346","495346","YES",,,"35429772"
"2679180BLANK","EPA
7470","2679180","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","11/21/2018 13:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/21/2018
13:08:00","11/27/2018 13:02:00","TOT","495346","495346","YES",,,"35429772"
"2679181LCS","EPA
7470","2679181","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","101","0","0.20","45799","Pasc
o County Resource Recovery","11/21/2018 13:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018
13:04:00","TOT","495346","495346","YES","2.0",,"35429772"
"35429580010MS","EPA
7470","35429580010MS","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","103","0","0.20","4579
9","Pasco County Resource Recovery","11/08/2018 14:43:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018
13:08:00","TOT","495346","495346","YES","2.0",,"35429772"
"35429580010MSD","EPA
7470","35429580010MSD","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","102","0","0.20","457
99","Pasco County Resource Recovery","11/08/2018 14:43:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018
13:14:00","TOT","495346","495346","YES","2.0",,"35429772"
"2MW-24S","EPA
7470","35429772001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:46:00","TOT","495346","495346","YES",,,"35429772"
"2MW-24D","EPA

7470","35429772002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:48:00","TOT","495346","495346","YES",,,"35429772"
"2MW-25D","EPA
7470","35429772003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:51:00","TOT","495346","495346","YES",,,"35429772"
"2MW-26D","EPA
7470","35429772004","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:53:00","TOT","495346","495346","YES",,,"35429772"
"4MW-11D","EPA
7470","35429796001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:55:00","TOT","495346","495346","YES",,,"35429772"
"4MW-12D","EPA
7470","35429796002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:57:00","TOT","495346","495346","YES",,,"35429772"
"4MW-13D","EPA
7470","35429796003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 13:59:00","TOT","495346","495346","YES",,,"35429772"
"4MW-14D","EPA
7470","35429796004","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/21/2018 13:08:00","11/27/2018 14:06:00","TOT","495346","495346","YES",,,"35429772"
"2680226BLANK","SM18 2540 C","2680226","E83079","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/21/2018
15:37:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018
15:37:00","TOT","495463","495463","YES",,,"35429772"
"2680227LCS","SM18 2540 C","2680227","E83079","1705","Residues- Filterable
(TDS)","290",,"mg/L",,"5.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","11/21/2018
15:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018
15:37:00","TOT","495463","495463","YES","300",,"35429772"
"35431421001DUP","SM18 2540 C","35431421001DUP","E83079","1705","Residues- Filterable
(TDS)","149",,"mg/L",,"5.0","TRG","1","0",,"1","5.0","45799","Pasco County Resource Recovery","11/14/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018
15:37:00","TOT","495463","495463","YES",,,"35429772"
"35431370003DUP","SM18 2540 C","35431370003DUP","E83079","1705","Residues- Filterable
(TDS)","376",,"mg/L",,"5.0","TRG","1","0",,"4","5.0","45799","Pasco County Resource Recovery","11/15/2018
11:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018
15:37:00","TOT","495463","495463","YES",,,"35429772"
"2MW-27D","SM18 2540 C","35431603001","E83079","1705","Residues- Filterable
(TDS)","400",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/21/2018
15:37:00","11/21/2018 15:37:00","TOT","495463","495463","YES",,,"35429772"
"2MW-27S","SM18 2540 C","35431603002","E83079","1705","Residues- Filterable
(TDS)","414",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/21/2018
15:37:00","11/21/2018 15:37:00","TOT","495463","495463","YES",,,"35429772"
"35431370003","SM18 2540 C","35431370003","E83079","1705","Residues- Filterable
(TDS)","363",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018
11:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018

15:37:00","TOT","495463","495463","YES",,,"35429772"
"35431421001","SM18 2540 C","35431421001","E83079","1705","Residues- Filterable
(TDS)","148",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/21/2018 15:37:00","11/21/2018
15:37:00","TOT","495463","495463","YES",,,"35429772"
"2682108BLANK","EPA 8011","2682108","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/24/2018 09:05:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 07:45:00","TOT","495794","495794","YES",,,"35429772"
"2682108BLANK","EPA 8011","2682108","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","11/24/2018 09:05:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 07:45:00","TOT","495794","495794","YES",,,"35429772"
"2682109LCS","EPA 8011","2682109","E83079","106934","1,2-
Dibromoethane","0.22",,"ug/L",,"0.0075","SPK","1","0","87","0","0.010","45799","Pasco County Resource
Recovery","11/24/2018 09:05:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:00:00","TOT","495794","495794","YES","0.25",,"35429772"
"2682109LCS","EPA 8011","2682109","E83079","96128","1,2-Dibromo-3-
chloropropane","0.21",,"ug/L",,"0.0064","SPK","1","0","85","0","0.020","45799","Pasco County Resource
Recovery","11/24/2018 09:05:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:00:00","TOT","495794","495794","YES","0.25",,"35429772"
"35430983001MS","EPA 8011","35430983001MS","E83079","106934","1,2-
Dibromoethane","0.44",,"ug/L",,"0.013","SPK","1","0","100","0","0.018","45799","Pasco County Resource
Recovery","11/14/2018 10:45:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:30:00","TOT","495794","495794","YES","0.44",,"35429772"
"35430983001MS","EPA 8011","35430983001MS","E83079","96128","1,2-Dibromo-3-
chloropropane","0.47",,"ug/L",,"0.011","SPK","1","0","107","0","0.035","45799","Pasco County Resource
Recovery","11/14/2018 10:45:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:30:00","TOT","495794","495794","YES","0.44",,"35429772"
"35430983001MSD","EPA 8011","35430983001MSD","E83079","96128","1,2-Dibromo-3-
chloropropane","0.48",,"ug/L",,"0.011","SPK","1","0","109","1","0.035","45799","Pasco County Resource
Recovery","11/14/2018 10:45:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:44:00","TOT","495794","495794","YES","0.44",,"35429772"
"35430983001MSD","EPA 8011","35430983001MSD","E83079","106934","1,2-
Dibromoethane","0.45",,"ug/L",,"0.013","SPK","1","0","103","3","0.018","45799","Pasco County Resource
Recovery","11/14/2018 10:45:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/24/2018
09:05:00","11/25/2018 08:44:00","TOT","495794","495794","YES","0.44",,"35429772"
"2MW-27D","EPA 8011","35431603001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 13:24:00","TOT","495794","495794","YES",,,"35429772"
"2MW-27D","EPA 8011","35431603001","E83079","106934","1,2-
Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0098","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 13:24:00","TOT","495794","495794","YES",,,"35429772"
"2MW-27S","EPA 8011","35431603002","E83079","106934","1,2-
Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0098","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 13:38:00","TOT","495794","495794","YES",,,"35429772"
"2MW-27S","EPA 8011","35431603002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 13:38:00","TOT","495794","495794","YES",,,"35429772"
"35430983001","EPA 8011","35430983001","E83079","106934","1,2-

Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0097","45799","Pasco County Resource Recovery","11/14/2018 10:45:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 08:15:00","TOT","495794","495794","YES",,,"35429772"
"35430983001","EPA 8011","35430983001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","11/14/2018 10:45:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/24/2018 09:05:00","11/25/2018 08:15:00","TOT","495794","495794","YES",,,"35429772"
"2682625BLANK","EPA 6020","2682625","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/24/2018 03:03:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:38:00","TOT","495881","495881","YES",,,"35429772"
"2682625BLANK","EPA 6020","2682625","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/24/2018 03:03:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:38:00","TOT","495881","495881","YES",,,"35429772"
"2682626LCS","EPA 6020","2682626","E83079","7440360","Antimony","50.7",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasco County Resource Recovery","11/24/2018 03:03:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:40:00","TOT","495881","495881","YES","50.0",,"35429772"
"2682626LCS","EPA 6020","2682626","E83079","7440280","Thallium","51.3",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource Recovery","11/24/2018 03:03:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:40:00","TOT","495881","495881","YES","50.0",,"35429772"
"2MW-24DMS","EPA 6020","35429772002MS","E83079","7440360","Antimony","51.3",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:45:00","TOT","495881","495881","YES","50.0",,"35429772"
"2MW-24DMS","EPA 6020","35429772002MS","E83079","7440280","Thallium","51.0",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:45:00","TOT","495881","495881","YES","50.0",,"35429772"
"2MW-24DMSD","EPA 6020","35429772002MSD","E83079","7440280","Thallium","50.9",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:52:00","TOT","495881","495881","YES","50.0",,"35429772"
"2MW-24DMSD","EPA 6020","35429772002MSD","E83079","7440360","Antimony","51.2",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:52:00","TOT","495881","495881","YES","50.0",,"35429772"
"2MW-24S","EPA 6020","35429772001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:42:00","TOT","495881","495881","YES",,,"35429772"
"2MW-24S","EPA 6020","35429772001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:42:00","TOT","495881","495881","YES",,,"35429772"
"2MW-24D","EPA

6020","35429772002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:43:00","TOT","495881","495881","YES",,,"35429772"
"2MW-24D","EPA
6020","35429772002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:43:00","TOT","495881","495881","YES",,,"35429772"
"2MW-25D","EPA
6020","35429772003","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:53:00","TOT","495881","495881","YES",,,"35429772"
"2MW-25D","EPA
6020","35429772003","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:53:00","TOT","495881","495881","YES",,,"35429772"
"2MW-26D","EPA
6020","35429772004","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:55:00","TOT","495881","495881","YES",,,"35429772"
"2MW-26D","EPA
6020","35429772004","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:55:00","TOT","495881","495881","YES",,,"35429772"
"4MW-11D","EPA
6020","35429796001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:56:00","TOT","495881","495881","YES",,,"35429772"
"4MW-11D","EPA
6020","35429796001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:56:00","TOT","495881","495881","YES",,,"35429772"
"4MW-12D","EPA
6020","35429796002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:58:00","TOT","495881","495881","YES",,,"35429772"
"4MW-12D","EPA
6020","35429796002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 12:58:00","TOT","495881","495881","YES",,,"35429772"
"4MW-13D","EPA
6020","35429796003","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 13:00:00","TOT","495881","495881","YES",,,"35429772"
"4MW-13D","EPA
6020","35429796003","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 13:00:00","TOT","495881","495881","YES",,,"35429772"
"4MW-14D","EPA
6020","35429796004","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 13:01:00","TOT","495881","495881","YES",,,"35429772"
"4MW-14D","EPA
6020","35429796004","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen

Prep","RES","YES","11/24/2018 03:03:00","11/24/2018 13:01:00","TOT","495881","495881","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/24/2018
03:01:00","11/27/2018 11:27:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018
03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA

6010","2682629","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682629BLANK","EPA
6010","2682629","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:50:00","TOT","495882","495882","YES",,,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7439921","Lead","520",,"ug/L",,"4.6","SPK","1","0","104","0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440473","Chromium","514",,"ug/L",,"1.7","SPK","1","0","103","0","5.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440393","Barium","257",,"ug/L",,"0.84","SPK","1","0","103","0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","250",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440439","Cadmium","51.6",,"ug/L",,"0.33","SPK","1","0","103","0","1.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:53:00","TOT","495882","495882","YES","50.0",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440382","Arsenic","488",,"ug/L",,"7.1","SPK","1","0","98","0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440622","Vanadium","508",,"ug/L",,"1.0","SPK","1","0","102","0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440224","Silver","53.8",,"ug/L",,"1.0","SPK","1","0","108","0","5.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018
11:30:00","TOT","495882","495882","YES","50.0",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440417","Beryllium","50.8",,"ug/L",,"1.6","SPK","1","0","102","0","4.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:53:00","TOT","495882","495882","YES","50.0",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7439896","Iron","2570",,"ug/L",,"9.2","SPK","1","0","103","0","40.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","2500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440666","Zinc","2560",,"ug/L",,"11.0","SPK","1","0","102","0","20.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","2500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440020","Nickel","521",,"ug/L",,"2.1","SPK","1","0","104","0","5.0","45799","Pasco

County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440508","Copper","497",,"ug/L",,"2.6","SPK","1","0","99","0","5.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440235","Sodium","12.7",,"mg/L",,"0.27","SPK","1","0","102","0","2.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","12.5",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7782492","Selenium","508",,"ug/L",,"8.5","SPK","1","0","102","0","15.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2682630LCS","EPA
6010","2682630","E83079","7440484","Cobalt","514",,"ug/L",,"0.96","SPK","1","0","103","0","10.0","45799","Pasco County Resource Recovery","11/24/2018 03:01:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:53:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440235","Sodium","18.9",,"mg/L",,"0.27","SPK","1","0","98","0","2.0","45799",,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","12.5",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440417","Beryllium","49.2",,"ug/L",,"1.6","SPK","1","0","97","0","4.0","45799",,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","50.0",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440224","Silver","52.8",,"ug/L",,"1.0","SPK","1","0","106","0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018
11:35:00","TOT","495882","495882","YES","50.0",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7782492","Selenium","484",,"ug/L",,"8.5","SPK","1","0","97","0","15.0","45799",,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7439896","Iron","6950",,"ug/L","J","9.2","SPK","1","0","150","0","40.0","45799",,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:59:00","TOT","495882","495882","YES","2500","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440382","Arsenic","477",,"ug/L",,"7.1","SPK","1","0","95","0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440508","Copper","481",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"

"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440393","Barium","285",,"ug/L",,"0.84","SPK","1","0","101","0","10.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","250",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440473","Chromium","510",,"ug/L",,"1.7","SPK","1","0","99","0","5.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440439","Cadmium","49.4",,"ug/L",,"0.33","SPK","1","0","98","0","1.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","50.0",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440622","Vanadium","518",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7439921","Lead","497",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440666","Zinc","2430",,"ug/L",,"11.0","SPK","1","0","97","0","20.0","45799","
Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","2500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440020","Nickel","503",,"ug/L",,"2.1","SPK","1","0","98","0","5.0","45799","P
asco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMS","EPA
6010","35429772001MS","E83079","7440484","Cobalt","492",,"ug/L",,"0.96","SPK","1","0","97","0","10.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MS","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
13:59:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440224","Silver","53.2",,"ug/L",,"1.0","SPK","1","0","106","1","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018
11:41:00","TOT","495882","495882","YES","50.0",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440666","Zinc","2440",,"ug/L",,"11.0","SPK","1","0","97","0","20.0","45799"
,"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","2500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440508","Copper","482",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799",
"Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018

14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7782492","Selenium","487",,"ug/L",,"8.5","SPK","1","0","97","1","15.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440393","Barium","289",,"ug/L",,"0.84","SPK","1","0","102","1","10.0","457
99","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","250",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7439921","Lead","501",,"ug/L",,"4.6","SPK","1","0","99","1","10.0","45799","
Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7439896","Iron","7620",,"ug/L","J","9.2","SPK","1","0","177","9","40.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","2500","Matrix spike recovery exceeded QC limits. Batch accepted based
on laboratory control sample (LCS) recovery.","35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440622","Vanadium","524",,"ug/L",,"1.0","SPK","1","0","101","1","10.0","45
799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440473","Chromium","515",,"ug/L",,"1.7","SPK","1","0","100","1","5.0","457
99","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440235","Sodium","19.3",,"mg/L",,"0.27","SPK","1","0","101","2","2.0","457
99","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","12.5",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440417","Beryllium","49.5",,"ug/L",,"1.6","SPK","1","0","98","1","4.0","4579
9","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-
Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","50.0",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440382","Arsenic","480",,"ug/L",,"7.1","SPK","1","0","96","1","10.0","45799
","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440020","Nickel","510",,"ug/L",,"2.1","SPK","1","0","99","1","5.0","45799","
Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018
14:04:00","TOT","495882","495882","YES","500",,"35429772"
"2MW-24SMSD","EPA
6010","35429772001MSD","E83079","7440484","Cobalt","494",,"ug/L",,"0.96","SPK","1","0","97","1","10.0","45799

","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:04:00","TOT","495882","495882","YES","500",,"35429772" "2MW-24SMSD","EPA 6010","35429772001MSD","E83079","7440439","Cadmium","49.8",,"ug/L",,"0.33","SPK","1","0","99","1","1.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","MSD","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:04:00","TOT","495882","495882","YES","50.0",,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440473","Chromium","13.9",,"ug/L",,"1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440393","Barium","32.7",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440484","Cobalt","7.0",,"ug/L","I","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 11:33:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440622","Vanadium","21.6",,"ug/L",,"1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440235","Sodium","6.6",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440020","Nickel","12.2",,"ug/L",,"2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772" "2MW-24S","EPA 6010","35429772001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa

sco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24S","EPA
6010","35429772001","E83079","7440439","Cadmium","0.56",,"ug/L","I","0.33","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24S","EPA
6010","35429772001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24S","EPA
6010","35429772001","E83079","7439896","Iron","3200",,"ug/L","J","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/07/2018 09:13:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 13:56:00","TOT","495882","495882","YES",,"Matrix spike
recovery exceeded QC limits.  Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440393","Barium","16.2",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 11:44:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440020","Nickel","2.9",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7439896","Iron","145",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440235","Sodium","19.9",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440622","Vanadium","1.9",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen

Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440473","Chromium","2.0",,"ug/L","I","1.7","TRG","1","0",,"0","5.0","45799","Pas
co County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-24D","EPA
6010","35429772002","E83079","7440508","Copper","2.6",,"ug/L","I","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 09:46:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:07:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 11:47:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440020","Nickel","5.1",,"ug/L",,"2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440393","Barium","23.6",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440622","Vanadium","1.9",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7440235","Sodium","34.1",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA
6010","35429772003","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772"
"2MW-25D","EPA

6010","35429772003","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7439896","Iron","187",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7440473","Chromium","3.6",,"ug/L","I","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-25D","EPA
6010","35429772003","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 11:01:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:10:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7439896","Iron","17.0",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7440393","Barium","15.9",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 11:50:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7440622","Vanadium","1.4",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772" "2MW-26D","EPA
6010","35429772004","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen

Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440020","Nickel","2.3",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440235","Sodium","23.8",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"2MW-26D","EPA
6010","35429772004","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/07/2018 13:45:00","AQUEOUS-Groundwater","N","Courier","0.9","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:13:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA
6010","35429796001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA
6010","35429796001","E83079","7439896","Iron","10.5",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA
6010","35429796001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA
6010","35429796001","E83079","7440235","Sodium","5.3",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA
6010","35429796001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772"
"4MW-11D","EPA

6010","35429796001","E83079","7440622","Vanadium","1.7",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 11:53:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-11D","EPA
6010","35429796001","E83079","7440393","Barium","6.8",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 09:53:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RE","YES","11/24/2018 03:01:00","11/27/2018 14:16:00","TOT","495882","495882","YES",,,"35429772" "4MW-12D","EPA
6010","35429796002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772" "4MW-12D","EPA
6010","35429796002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772" "4MW-12D","EPA
6010","35429796002","E83079","7440622","Vanadium","1.4",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772" "4MW-12D","EPA
6010","35429796002","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen

Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440393","Barium","6.8",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-12D","EPA
6010","35429796002","E83079","7440235","Sodium","7.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/08/2018 10:14:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:24:00","TOT","495882","495882","YES",,,"35429772"
"4MW-13D","EPA
6010","35429796003","E83079","7440235","Sodium","8.9",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772"
"4MW-13D","EPA
6010","35429796003","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772"
"4MW-13D","EPA

6010","35429796003","E83079","7440622","Vanadium","1.6",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440393","Barium","8.9",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7439896","Iron","50.3",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-13D","EPA
6010","35429796003","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/08/2018 11:44:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:27:00","TOT","495882","495882","YES",,,"35429772" "4MW-14D","EPA
6010","35429796004","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen

Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440393","Barium","11.0",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440622","Vanadium","1.6",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7439896","Iron","85.1",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440235","Sodium","10.1",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA
6010","35429796004","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen
Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"4MW-14D","EPA

6010","35429796004","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/08/2018 13:20:00","AQUEOUS-Groundwater","N","Courier","1.0","Gen Prep","RES","YES","11/24/2018 03:01:00","11/27/2018 14:30:00","TOT","495882","495882","YES",,,"35429772"
"2682693BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2682693","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/24/2018 07:04:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/24/2018 07:04:00","11/24/2018 07:04:00","TOT","495904","495904","YES",,,"35429772"
"2682694LCS","EPA 353.2 (Nitrate-Nitrite (N))","2682694","E83079","1820","Nitrate-Nitrite (N)","2.1",,"mg/L",,"0.025","SPK","1","0","103","0","0.050","45799","Pasco County Resource Recovery","11/24/2018 07:05:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/24/2018 07:05:00","11/24/2018 07:05:00","TOT","495904","495904","YES","2.0",,"35429772"
"35432155001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35432155001DUP","E83079","1820","Nitrate-Nitrite (N)","0.073",,"mg/L",,"0.025","TRG","1","0",,"10","0.050","45799","Pasco County Resource Recovery","11/14/2018 15:35:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/24/2018 07:08:00","11/24/2018 07:08:00","TOT","495904","495904","YES",,,"35429772"
"35432155001MS","EPA 353.2 (Nitrate-Nitrite (N))","35432155001MS","E83079","1820","Nitrate-Nitrite (N)","2.0",,"mg/L",,"0.025","SPK","1","0","95","0","0.050","45799","Pasco County Resource Recovery","11/14/2018 15:35:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/24/2018 07:09:00","11/24/2018 07:09:00","TOT","495904","495904","YES","2.0",,"35429772"
"4MW-7DUP","EPA 353.2 (Nitrate-Nitrite (N))","35432456001DUP","E83079","1820","Nitrate-Nitrite (N)","0.19",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","DUP","Courier","0.6","No Prep","RES","YES","11/24/2018 07:26:00","11/24/2018 07:26:00","TOT","495904","495904","YES",,,"35429772"
"4MW-7MS","EPA 353.2 (Nitrate-Nitrite (N))","35432456001MS","E83079","1820","Nitrate-Nitrite (N)","2.1",,"mg/L",,"0.025","SPK","1","0","95","0","0.050","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","No Prep","RES","YES","11/24/2018 07:27:00","11/24/2018 07:27:00","TOT","495904","495904","YES","2.0",,"35429772"
"4MW-7","EPA 353.2 (Nitrate-Nitrite (N))","35432456001","E83079","1820","Nitrate-Nitrite (N)","0.19",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/24/2018 07:24:00","11/24/2018 07:24:00","TOT","495904","495904","YES",,,"35429772"
"4MW-22","EPA 353.2 (Nitrate-Nitrite (N))","35432456002","E83079","1820","Nitrate-Nitrite (N)","0.060",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/24/2018 07:28:00","11/24/2018 07:28:00","TOT","495904","495904","YES",,,"35429772"
"4MW-21","EPA 353.2 (Nitrate-Nitrite (N))","35432456003","E83079","1820","Nitrate-Nitrite (N)","6.1",,"mg/L",,"0.12","TRG","5","0",,"0","0.25","45799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/24/2018 07:36:00","11/24/2018 07:36:00","TOT","495904","495904","YES",,,"35429772"
"4MW-1","EPA 353.2 (Nitrate-Nitrite (N))","35432458001","E83079","1820","Nitrate-Nitrite (N)","2.4",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","11/24/2018 07:31:00","11/24/2018 07:31:00","TOT","495904","495904","YES",,,"35429772"
"4MW-8","EPA 353.2 (Nitrate-Nitrite (N))","35432458002","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","11/24/2018 07:37:00","11/24/2018 07:37:00","TOT","495904","495904","YES",,,"35429772"
"35432155001","EPA 353.2 (Nitrate-Nitrite (N))","35432155001","E83079","1820","Nitrate-Nitrite (N)","0.081",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/14/2018 15:35:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/24/2018 07:07:00","11/24/2018 07:07:00","TOT","495904","495904","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No

Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","DEP-SURR-038","Toluene-
d8","42.4",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75150","Carbon

disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","DEP-SURR-019","4-Bromofluorobenzene","42.9",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75343","1,1-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No

Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","DEP-SURR-002","1,2-Dichloroethane-

d4","40.6",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 08:51:00","11/26/2018
08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA 8260","2683130","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683130BLANK","EPA
8260","2683130","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","11/26/2018 08:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/26/2018 08:51:00","11/26/2018 08:51:00","TOT","496096","496096","YES",,,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","74873","Chloromethane","12.8",,"ug/L",,"0.62","SPK","1","0","64","0","1.0","45799","Pa
sco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","75354","1,1-
Dichloroethene","16.9",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","74953","Dibromomethane","22.5",,"ug/L",,"0.50","SPK","1","0","113","0","2.0","45799",
"Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","67663","Chloroform","18.7",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","67641","Acetone","37.5",,"ug/L",,"10.0","SPK","1","0","94","0","20.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","75274","Bromodichloromethane","18.3",,"ug/L",,"0.27","SPK","1","0","91","0","0.60","4
5799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"

"2683131LCS","EPA 8260","2683131","E83079","79345","1,1,2,2-
Tetrachloroethane","18.5",,"ug/L",,"0.12","SPK","1","0","93","0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","156592","cis-1,2-
Dichloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","71556","1,1,1-
Trichloroethane","19.9",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","110576","trans-1,4-Dichloro-2-
butene","15.0",,"ug/L",,"5.0","SPK","1","0","75","0","10.0","45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","108907","Chlorobenzene","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","P
asco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","100414","Ethylbenzene","18.7",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pa
sco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","75694","Trichlorofluoromethane","13.9",,"ug/L",,"0.50","SPK","1","0","70","0","1.0","45
799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","108883","Toluene","18.4",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","DEP-SURR-038","Toluene-
d8","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","71432","Benzene","19.2",,"ug/L",,"0.10","SPK","1","0","96","0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","75014","Vinyl
chloride","14.7",,"ug/L",,"0.50","SPK","1","0","73","0","1.0","45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","75092","Methylene
Chloride","18.9",,"ug/L",,"2.5","SPK","1","0","94","0","5.0","45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","78875","1,2-
Dichloropropane","18.1",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018

08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","74975","Bromochloromethane","21.6",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","457
99","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","124481","Dibromochloromethane","16.8",,"ug/L",,"0.26","SPK","1","0","84","0","2.0","4
5799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","1330207","Xylenes-
Total","57.1",,"ug/L",,"1.5","SPK","1","0","95","0","3.0","45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","60.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","79005","1,1,2-
Trichloroethane","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","78933","2-
Butanone","36.3",,"ug/L",,"5.0","SPK","1","0","91","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","630206","1,1,1,2-
Tetrachloroethane","21.9",,"ug/L",,"0.50","SPK","1","0","110","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","107131","Acrylonitrile","201",,"ug/L",,"5.0","SPK","1","0","100","0","10.0","45799","Pa
sco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","200",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","10061026","trans-1,3-
Dichloropropene","16.5",,"ug/L",,"0.25","SPK","1","0","82","0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","74884","Iodomethane","8.8",,"ug/L","I","0.50","SPK","1","0","22","0","10.0","45799","P
asco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","108054","Vinyl
acetate","18.5",,"ug/L",,"1.0","SPK","1","0","92","0","10.0","45799","Pasco County Resource Recovery","11/26/2018
08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018
08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","56235","Carbon
tetrachloride","20.0",,"ug/L",,"0.50","SPK","1","0","100","0","3.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","DEP-SURR-019","4-
Bromofluorobenzene","46.2",,"ug/L",,,"SURR","1","0","115","0",,"45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","95501","1,2-

Dichlorobenzene","19.5",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","107062","1,2-Dichloroethane","18.9",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","106467","1,4-Dichlorobenzene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","74839","Bromomethane","17.5",,"ug/L",,"0.50","SPK","1","0","87","0","5.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","75343","1,1-Dichloroethane","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","591786","2-Hexanone","33.5",,"ug/L",,"5.0","SPK","1","0","84","0","10.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","75003","Chloroethane","17.8",,"ug/L",,"0.50","SPK","1","0","89","0","10.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","79016","Trichloroethene","20.9",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","75150","Carbon disulfide","13.3",,"ug/L",,"5.0","SPK","1","0","67","0","10.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","38.6",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","10061015","cis-1,3-Dichloropropene","17.0",,"ug/L",,"0.25","SPK","1","0","85","0","0.50","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","156605","trans-1,2-Dichloroethene","18.5",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772" "2683131LCS","EPA 8260","2683131","E83079","127184","Tetrachloroethene","21.2",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasco County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 08:04:00","11/26/2018

08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","100425","Styrene","18.3",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","108101","4-Methyl-2-
pentanone","32.5",,"ug/L",,"5.0","SPK","1","0","81","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","40.0",,"35429772"
"2683131LCS","EPA
8260","2683131","E83079","75252","Bromoform","17.1",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","45799","Pasco
County Resource Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"2683131LCS","EPA 8260","2683131","E83079","96184","1,2,3-
Trichloropropane","17.3",,"ug/L",,"0.59","SPK","1","0","87","0","2.0","45799","Pasco County Resource
Recovery","11/26/2018 08:04:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018
08:04:00","11/26/2018 08:04:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","DEP-SURR-038","Toluene-
d8","41.4",,"ug/L",,,"SURR","1","0","103","3",,"45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","75343","1,1-
Dichloroethane","2.8",,"ug/L",,"0.50","TRG","1","0",,"8","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","71432","Benzene","2.2",,"ug/L",,"0.10","TRG","1","0",,"7","1.0","45799","Pasc
o County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","44",,"ug/L",,,"SURR","1","0","110","3",,"45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-

d4","40",,"ug/L",,,"SURR","1","0","100","3",,"45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","4
5799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018

12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","156592","cis-1,2-
Dichloroethene","0.67",,"ug/L","I","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA

8260","35431421002DUP","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799"
,"Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 12:26:00","11/26/2018
12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA
8260","35431421002DUP","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/26/2018 12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421002DUP","EPA 8260","35431421002DUP","E83079","106467","1,4-
Dichlorobenzene","2.2",,"ug/L",,"0.50","TRG","1","0",,"6","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018
12:26:00","11/26/2018 12:26:00","TOT","496096","496096","YES",,,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","75092","Methylene
Chloride","18.2",,"ug/L",,"2.5","SPK","1","0","91","0","5.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","75252","Bromoform","14.6",,"ug/L",,"0.50","SPK","1","0","73","0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No

Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","79016","Trichloroethene","20.1",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","
45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","78875","1,2-
Dichloropropane","16.7",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","108101","4-Methyl-2-
pentanone","27.4",,"ug/L",,"5.0","SPK","1","0","68","0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","79005","1,1,2-
Trichloroethane","18.6",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","75150","Carbon
disulfide","13.8",,"ug/L",,"5.0","SPK","1","0","69","0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","106467","1,4-
Dichlorobenzene","17.9",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","75354","1,1-
Dichloroethene","17.9",,"ug/L",,"0.50","SPK","1","0","90","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","124481","Dibromochloromethane","15.1",,"ug/L",,"0.26","SPK","1","0","76","0",
"2.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","107131","Acrylonitrile","179",,"ug/L",,"5.0","SPK","1","0","89","0","10.0","457
99","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","200",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","71432","Benzene","17.9",,"ug/L",,"0.10","SPK","1","0","89","0","1.0","45799","
Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","10061026","trans-1,3-
Dichloropropene","14.5",,"ug/L",,"0.25","SPK","1","0","73","0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","100414","Ethylbenzene","18.3",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45
799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018

06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","1330207","Xylenes-
Total","55.6",,"ug/L",,"1.5","SPK","1","0","93","0","3.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","60.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","SPK","1","0","22","0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","45",,"ug/L",,,"SURR","1","0","113","0",,"45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","67663","Chloroform","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","75003","Chloroethane","20.1",,"ug/L",,"0.50","SPK","1","0","101","0","10.0","4
5799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","156605","trans-1,2-
Dichloroethene","17.2",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","74953","Dibromomethane","19.9",,"ug/L",,"0.50","SPK","1","0","100","0","2.0",
"45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","96184","1,2,3-
Trichloropropane","16.8",,"ug/L",,"0.59","SPK","1","0","84","0","2.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","95501","1,2-
Dichlorobenzene","18.1",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","156592","cis-1,2-
Dichloroethene","17.0",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","591786","2-
Hexanone","27.0",,"ug/L",,"5.0","SPK","1","0","68","0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","79345","1,1,2,2-
Tetrachloroethane","16.8",,"ug/L",,"0.12","SPK","1","0","84","0","0.50","45799","Pasco County Resource

Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","630206","1,1,1,2-
Tetrachloroethane","21.5",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","108883","Toluene","18.3",,"ug/L",,"0.50","SPK","1","0","91","0","1.0","45799","
Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","71556","1,1,1-
Trichloroethane","19.4",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","100425","Styrene","16.9",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","
Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","127184","Tetrachloroethene","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0
","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","74873","Chloromethane","11.1",,"ug/L",,"0.62","SPK","1","0","55","0","1.0","45
799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","78933","2-
Butanone","30.7",,"ug/L",,"5.0","SPK","1","0","77","0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","75274","Bromodichloromethane","17.1",,"ug/L",,"0.27","SPK","1","0","85","0","
0.60","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","75694","Trichlorofluoromethane","15.3",,"ug/L",,"0.50","SPK","1","0","77","0","
1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","74839","Bromomethane","12.6",,"ug/L",,"0.50","SPK","1","0","63","0","5.0","45
799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","75343","1,1-

Dichloroethane","18.6",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","74884","Iodomethane","9.9",,"ug/L","I","0.50","SPK","1","0","25","0","10.0","4
5799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","75014","Vinyl
chloride","16.3",,"ug/L",,"0.50","SPK","1","0","81","0","1.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","56235","Carbon
tetrachloride","19.4",,"ug/L",,"0.50","SPK","1","0","97","0","3.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","74975","Bromochloromethane","20.9",,"ug/L",,"0.50","SPK","1","0","105","0","
1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","107062","1,2-
Dichloroethane","17.7",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","10061015","cis-1,3-
Dichloropropene","13.7",,"ug/L",,"0.25","SPK","1","0","68","0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018
06:36:00","11/27/2018 06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA 8260","35431421004MS","E83079","108054","Vinyl
acetate","14.9",,"ug/L",,"1.0","SPK","1","0","74","0","10.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","67641","Acetone","29.4",,"ug/L",,"10.0","SPK","1","0","73","0","20.0","45799",
"Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004MS","EPA
8260","35431421004MS","E83079","108907","Chlorobenzene","18.7",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","4
5799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 06:36:00","11/27/2018
06:36:00","TOT","496096","496096","YES","20.0",,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No

Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 14:51:00","11/26/2018
14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"

"2MW-27D","EPA
8260","35431603001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 14:51:00","11/26/2018
14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","67663","Chloroform","1.2",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","108101","4-Methyl-2-

pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 14:51:00","11/26/2018
14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 14:51:00","11/26/2018
14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA

8260","35431603001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","42.4",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018
14:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2MW-27D","EPA
8260","35431603001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","DEP-SURR-038","Toluene-
d8","42.1",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/14/2018
10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES","40.0",,"35429772"
"2MW-27D","EPA 8260","35431603001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 14:51:00","11/26/2018 14:51:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.9",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES","40.0",,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799

","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","DEP-SURR-019","4-Bromofluorobenzene","42.3",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES","40.0",,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","1330207","Xylenes-Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","75354","1,1-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","10061015","cis-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","DEP-SURR-038","Toluene-d8","41.8",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES","40.0",,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","110576","trans-1,4-Dichloro-2-butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772" "2MW-27S","EPA 8260","35431603002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No

Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","67663","Chloroform","0.90",,"ug/L","I","0.50","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018
15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018
10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018
15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-
Groundwater","N","Courier","1.2","No Prep","RES","YES","11/26/2018 15:15:00","11/26/2018
15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA 8260","35431603002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No

Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"2MW-27S","EPA
8260","35431603002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/26/2018 15:15:00","11/26/2018 15:15:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018
12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","156592","cis-1,2-
Dichloroethene","0.75",,"ug/L","I","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75343","1,1-
Dichloroethane","3.0",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","156605","trans-1,2-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","79345","1,1,2,2-Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","110576","trans-1,4-Dichloro-2-butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","1330207","Xylenes-Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","106467","1,4-Dichlorobenzene","2.3",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","71432","Benzene","2.4",,"ug/L",,"0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018

12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","DEP-SURR-038","Toluene-
d8","40.306066",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/14/2018
11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018
12:02:00","TOT","496096","496096","YES","39.9",,"35429772"
"35431421002","EPA 8260","35431421002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","42.719593",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES","39.9",,"35429772"
"35431421002","EPA 8260","35431421002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA
8260","35431421002","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","78933","2-

Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","108054","Vinyl acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","38.709963",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES","39.9",,"35429772"
"35431421002","EPA 8260","35431421002","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421002","EPA 8260","35431421002","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 11:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 12:02:00","11/26/2018 12:02:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018

13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","1330207","Xylenes-
Total","1.5",,"ug/L","U","1.5","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA

8260","35431421004","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.722156",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES","40.1",,"35429772"
"35431421004","EPA 8260","35431421004","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018

13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","DEP-SURR-038","Toluene-
d8","41.582358",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES","40.0",,"35429772"
"35431421004","EPA
8260","35431421004","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018
14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 13:14:00","11/26/2018
13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/26/2018 13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","591786","2-

Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA
8260","35431421004","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES",,,"35429772"
"35431421004","EPA 8260","35431421004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","43.381956",,"ug/L",,,"SURR","1","0","108","0",,"45799","Pasco County Resource
Recovery","11/14/2018 14:46:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018
13:14:00","11/26/2018 13:14:00","TOT","496096","496096","YES","40.2",,"35429772"
"2683169BLANK","EPA 350.1 No Distillation","2683169","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/26/2018 11:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018
11:17:00","11/26/2018 11:17:00","TOT","496110","496110","YES",,,"35429772"
"2683170LCS","EPA 350.1 No Distillation","2683170","E83079","1515","Ammonia
(N)","1.0",,"mg/L",,"0.035","SPK","1","0","103","0","0.050","45799","Pasco County Resource Recovery","11/26/2018
11:19:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 11:19:00","11/26/2018
11:19:00","TOT","496110","496110","YES","1.0",,"35429772"
"35432176004DUP","EPA 350.1 No Distillation","35432176004DUP","E83079","1515","Ammonia
(N)","0.042",,"mg/L","I","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/20/2018
12:50:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 11:22:00","11/26/2018
11:22:00","TOT","496110","496110","YES",,,"35429772"
"35432176004MS","EPA 350.1 No Distillation","35432176004MS","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","106","0","0.050","45799","Pasco County Resource Recovery","11/20/2018
12:50:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/26/2018 11:24:00","11/26/2018
11:24:00","TOT","496110","496110","YES","1.0",,"35429772"
"4MW-7","EPA 350.1 No Distillation","35432456001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/26/2018 11:44:00","11/26/2018 11:44:00","TOT","496110","496110","YES",,,"35429772"
"4MW-22","EPA 350.1 No Distillation","35432456002","E83079","1515","Ammonia
(N)","0.049",,"mg/L","I","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/26/2018
11:46:00","11/26/2018 11:46:00","TOT","496110","496110","YES",,,"35429772"
"4MW-21","EPA 350.1 No Distillation","35432456003","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/26/2018 11:48:00","11/26/2018 11:48:00","TOT","496110","496110","YES",,,"35429772"
"4MW-1","EPA 350.1 No Distillation","35432458001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","11/26/2018 11:54:00","11/26/2018 11:54:00","TOT","496110","496110","YES",,,"35429772"
"4MW-8","EPA 350.1 No Distillation","35432458002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","11/26/2018 11:55:00","11/26/2018 11:55:00","TOT","496110","496110","YES",,,"35429772"
"35432176004","EPA 350.1 No Distillation","35432176004","E83079","1515","Ammonia
(N)","0.042",,"mg/L","I","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/20/2018
12:50:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 11:20:00","11/26/2018
11:20:00","TOT","496110","496110","YES",,,"35429772"
"2683267BLANK","SM18 2540 C","2683267","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
14:40:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/26/2018 14:40:00","11/26/2018

14:40:00","TOT","496146","496146","YES",,,"35429772"
"2683268LCS","SM18 2540 C","2683268","E84129","1705","Residues- Filterable
(TDS)","294",,"mg/L",,"5.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","11/26/2018
14:41:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/26/2018 14:41:00","11/26/2018
14:41:00","TOT","496146","496146","YES","300",,"35429772"
"35431957002DUP","SM18 2540 C","35431957002DUP","E84129","1705","Residues- Filterable
(TDS)","113",,"mg/L",,"5.0","TRG","1","0",,"4","5.0","45799","Pasco County Resource Recovery","11/19/2018
11:08:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 14:42:00","11/26/2018
14:42:00","TOT","496146","496146","YES",,,"35429772"
"35431992005DUP","SM18 2540 C","35431992005DUP","E84129","1705","Residues- Filterable
(TDS)","27.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
12:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/26/2018 14:47:00","11/26/2018
14:47:00","TOT","496146","496146","YES",,,"35429772"
"4MW-7","SM18 2540 C","35432456001","E84129","1705","Residues- Filterable
(TDS)","188",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/26/2018
14:48:00","11/26/2018 14:48:00","TOT","496146","496146","YES",,,"35429772"
"4MW-22","SM18 2540 C","35432456002","E84129","1705","Residues- Filterable
(TDS)","258",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/26/2018
14:48:00","11/26/2018 14:48:00","TOT","496146","496146","YES",,,"35429772"
"4MW-21","SM18 2540 C","35432456003","E84129","1705","Residues- Filterable
(TDS)","89.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/26/2018
14:49:00","11/26/2018 14:49:00","TOT","496146","496146","YES",,,"35429772"
"35431957002","SM18 2540 C","35431957002","E84129","1705","Residues- Filterable
(TDS)","109",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
11:08:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 14:41:00","11/26/2018
14:41:00","TOT","496146","496146","YES",,,"35429772"
"35431992005","SM18 2540 C","35431992005","E84129","1705","Residues- Filterable
(TDS)","27.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/26/2018 14:47:00","11/26/2018
14:47:00","TOT","496146","496146","YES",,,"35429772"
"2684402BLANK","SM18 2540 C","2684402","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
15:15:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/27/2018 15:15:00","11/27/2018
15:15:00","TOT","496398","496398","YES",,,"35429772"
"2684403LCS","SM18 2540 C","2684403","E84129","1705","Residues- Filterable
(TDS)","294",,"mg/L",,"5.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","11/27/2018
15:16:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/27/2018 15:16:00","11/27/2018
15:16:00","TOT","496398","496398","YES","300",,"35429772"
"35432191001DUP","SM18 2540 C","35432191001DUP","E84129","1705","Residues- Filterable
(TDS)","106",,"mg/L",,"5.0","TRG","1","0",,"4","5.0","45799","Pasco County Resource Recovery","11/20/2018
12:42:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/27/2018 15:17:00","11/27/2018
15:17:00","TOT","496398","496398","YES",,,"35429772"
"35432469005DUP","SM18 2540 C","35432469005DUP","E84129","1705","Residues- Filterable
(TDS)","443",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
00:01:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/27/2018 15:23:00","11/27/2018
15:23:00","TOT","496398","496398","YES",,,"35429772"
"4MW-1","SM18 2540 C","35432458001","E84129","1705","Residues- Filterable
(TDS)","515",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","11/27/2018
15:19:00","11/27/2018 15:19:00","TOT","496398","496398","YES",,,"35429772"
"4MW-8","SM18 2540 C","35432458002","E84129","1705","Residues- Filterable

(TDS)","209",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","11/27/2018
15:19:00","11/27/2018 15:19:00","TOT","496398","496398","YES",,,"35429772"
"35432191001","SM18 2540 C","35432191001","E84129","1705","Residues- Filterable
(TDS)","102",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
12:42:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/27/2018 15:17:00","11/27/2018
15:17:00","TOT","496398","496398","YES",,,"35429772"
"35432469005","SM18 2540 C","35432469005","E84129","1705","Residues- Filterable
(TDS)","443",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
00:01:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/27/2018 15:23:00","11/27/2018
15:23:00","TOT","496398","496398","YES",,,"35429772"
"2685312BLANK","EPA 300.0
(Chloride)","2685312","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","11/27/2018 16:44:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/27/2018 16:44:00","11/27/2018 16:44:00","TOT","496612","496612","YES",,,"35429772"
"2685313LCS","EPA 300.0
(Chloride)","2685313","E83079","16887006","Chloride","48.8",,"mg/L",,"2.5","SPK","1","0","98","0","5.0","45799","
Pasco County Resource Recovery","11/27/2018 17:07:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/27/2018 17:07:00","11/27/2018
17:07:00","TOT","496612","496612","YES","50.0",,"35429772"
"35431420001MS","EPA 300.0
(Chloride)","35431420001MS","E83079","16887006","Chloride","163",,"mg/L","JL","2.5","SPK","1","0","114","0","5
.0","45799","Pasco County Resource Recovery","11/15/2018 08:12:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/27/2018 18:35:00","11/27/2018 18:35:00","TOT","496612","496612","YES","50.0","Analyte
concentration exceeded the calibration range. The reported result is estimated. Matrix spike recovery exceeded QC
limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35431420001MSD","EPA 300.0
(Chloride)","35431420001MSD","E83079","16887006","Chloride","163",,"mg/L","JL","2.5","SPK","1","0","114","0",
"5.0","45799","Pasco County Resource Recovery","11/15/2018 08:12:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","11/27/2018 18:57:00","11/27/2018 18:57:00","TOT","496612","496612","YES","50.0","Analyte
concentration exceeded the calibration range. The reported result is estimated. Matrix spike recovery exceeded QC
limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35432881001MS","EPA 300.0
(Chloride)","35432881001MS","E83079","16887006","Chloride","571",,"mg/L",,"25.0","SPK","10","0","99","0","50.0
","45799","Pasco County Resource Recovery","11/26/2018 12:50:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/28/2018 09:12:00","11/28/2018
09:12:00","TOT","496612","496612","YES","500",,"35429772"
"35432881001MSD","EPA 300.0
(Chloride)","35432881001MSD","E83079","16887006","Chloride","568",,"mg/L",,"25.0","SPK","10","0","99","0","50.
0","45799","Pasco County Resource Recovery","11/26/2018 12:50:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","11/28/2018 09:34:00","11/28/2018
09:34:00","TOT","496612","496612","YES","500",,"35429772"
"2MW-27D","EPA 300.0
(Chloride)","35431603001","E83079","16887006","Chloride","97.6",,"mg/L",,"5.0","TRG","2","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","DL","YES","11/28/2018 10:18:00","11/28/2018 10:18:00","TOT","496612","496612","YES",,,"35429772"
"2MW-27S","EPA 300.0
(Chloride)","35431603002","E83079","16887006","Chloride","93.2",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","No
Prep","RES","YES","11/27/2018 21:10:00","11/27/2018 21:10:00","TOT","496612","496612","YES",,,"35429772"
"35431420001","EPA 300.0
(Chloride)","35431420001","E83079","16887006","Chloride","106",,"mg/L","J","2.5","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/15/2018 08:12:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/27/2018 18:13:00","11/27/2018 18:13:00","TOT","496612","496612","YES",,"Matrix spike

recovery exceeded QC limits.  Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35432881001","EPA 300.0
(Chloride)","35432881001","E83079","16887006","Chloride","73.7",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/26/2018 12:50:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/28/2018 10:40:00","11/28/2018 10:40:00","TOT","496612","496612","YES",,,"35429772"
"2688275BLANK","EPA 350.1 No Distillation","2688275","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/29/2018 11:54:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/29/2018
11:54:00","11/29/2018 11:54:00","TOT","497147","497147","YES",,,"35429772"
"2688276LCS","EPA 350.1 No Distillation","2688276","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","107","0","0.050","45799","Pasco County Resource Recovery","11/29/2018
11:56:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/29/2018 11:56:00","11/29/2018
11:56:00","TOT","497147","497147","YES","1.0",,"35429772"
"35433417006DUP","EPA 350.1 No Distillation","35433417006DUP","E83079","1515","Ammonia
(N)","0.077",,"mg/L",,"0.035","TRG","1","0",,"8","0.050","45799","Pasco County Resource Recovery","11/28/2018
10:32:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/29/2018 12:00:00","11/29/2018
12:00:00","TOT","497147","497147","YES",,,"35429772"
"35433417006MS","EPA 350.1 No Distillation","35433417006MS","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","103","0","0.050","45799","Pasco County Resource Recovery","11/28/2018
10:32:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/29/2018 12:05:00","11/29/2018
12:05:00","TOT","497147","497147","YES","1.0",,"35429772"
"4MW-4","EPA 350.1 No Distillation","35433341001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","11/29/2018 12:31:00","11/29/2018 12:31:00","TOT","497147","497147","YES",,,"35429772"
"4MW-9","EPA 350.1 No Distillation","35433341002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","11/29/2018 12:33:00","11/29/2018 12:33:00","TOT","497147","497147","YES",,,"35429772"
"35433417006","EPA 350.1 No Distillation","35433417006","E83079","1515","Ammonia
(N)","0.083",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/28/2018
10:32:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/29/2018 11:58:00","11/29/2018
11:58:00","TOT","497147","497147","YES",,,"35429772"
"2688663BLANK","SM18 2540 C","2688663","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
15:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/29/2018 15:33:00","11/29/2018
15:33:00","TOT","497246","497246","YES",,,"35429772"
"2688664LCS","SM18 2540 C","2688664","E84129","1705","Residues- Filterable
(TDS)","291",,"mg/L",,"5.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","11/29/2018
15:34:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/29/2018 15:34:00","11/29/2018
15:34:00","TOT","497246","497246","YES","300",,"35429772"
"35432898002DUP","SM18 2540 C","35432898002DUP","E84129","1705","Residues- Filterable
(TDS)","477",,"mg/L",,"5.0","TRG","1","0",,"1","5.0","45799","Pasco County Resource Recovery","11/26/2018
11:22:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/29/2018 15:35:00","11/29/2018
15:35:00","TOT","497246","497246","YES",,,"35429772"
"35433322002DUP","SM18 2540 C","35433322002DUP","E84129","1705","Residues- Filterable
(TDS)","473",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
10:07:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/29/2018 15:43:00","11/29/2018
15:43:00","TOT","497246","497246","YES",,,"35429772"
"4MW-4","SM18 2540 C","35433341001","E84129","1705","Residues- Filterable
(TDS)","149",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","11/29/2018
15:37:00","11/29/2018 15:37:00","TOT","497246","497246","YES",,,"35429772"
"4MW-9","SM18 2540 C","35433341002","E84129","1705","Residues- Filterable

(TDS)","220",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","11/29/2018 15:38:00","11/29/2018 15:38:00","TOT","497246","497246","YES",,,"35429772"
"35432898002","SM18 2540 C","35432898002","E84129","1705","Residues- Filterable (TDS)","473",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018 11:22:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/29/2018 15:35:00","11/29/2018 15:35:00","TOT","497246","497246","YES",,,"35429772"
"35433322002","SM18 2540 C","35433322002","E84129","1705","Residues- Filterable (TDS)","473",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018 10:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/29/2018 15:42:00","11/29/2018 15:42:00","TOT","497246","497246","YES",,,"35429772"
"2689669BLANK","EPA 8011","2689669","E83079","96128","1,2-Dibromo-3-chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/30/2018 06:19:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:24:00","TOT","497405","497405","YES",,,"35429772"
"2689669BLANK","EPA 8011","2689669","E83079","106934","1,2-Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource Recovery","11/30/2018 06:19:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:24:00","TOT","497405","497405","YES",,,"35429772"
"2689670LCS","EPA 8011","2689670","E83079","106934","1,2-Dibromoethane","0.22",,"ug/L",,"0.0075","SPK","1","0","90","0","0.010","45799","Pasco County Resource Recovery","11/30/2018 06:19:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:39:00","TOT","497405","497405","YES","0.25",,"35429772"
"2689670LCS","EPA 8011","2689670","E83079","96128","1,2-Dibromo-3-chloropropane","0.24",,"ug/L",,"0.0064","SPK","1","0","94","0","0.020","45799","Pasco County Resource Recovery","11/30/2018 06:19:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:39:00","TOT","497405","497405","YES","0.25",,"35429772"
"35433693002MS","EPA 8011","35433693002MS","E83079","106934","1,2-Dibromoethane","0.30",,"ug/L",,"0.0075","SPK","1","0","122","0","0.010","45799","Pasco County Resource Recovery","11/28/2018 14:28:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 07:17:00","TOT","497405","497405","YES","0.25",,"35429772"
"35433693002MS","EPA 8011","35433693002MS","E83079","96128","1,2-Dibromo-3-chloropropane","0.33",,"ug/L",,"0.0064","SPK","1","0","134","0","0.020","45799","Pasco County Resource Recovery","11/28/2018 14:28:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 07:17:00","TOT","497405","497405","YES","0.25",,"35429772"
"35433693002MSD","EPA 8011","35433693002MSD","E83079","106934","1,2-Dibromoethane","0.29",,"ug/L",,"0.0075","SPK","1","0","115","6","0.010","45799","Pasco County Resource Recovery","11/28/2018 14:28:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 07:31:00","TOT","497405","497405","YES","0.25",,"35429772"
"35433693002MSD","EPA 8011","35433693002MSD","E83079","96128","1,2-Dibromo-3-chloropropane","0.32",,"ug/L",,"0.0064","SPK","1","0","126","6","0.020","45799","Pasco County Resource Recovery","11/28/2018 14:28:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 07:31:00","TOT","497405","497405","YES","0.25",,"35429772"
"4MW-7","EPA 8011","35432456001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:53:00","TOT","497405","497405","YES",,,"35429772"
"4MW-7","EPA 8011","35432456001","E83079","106934","1,2-Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 01:53:00","TOT","497405","497405","YES",,,"35429772"
"4MW-22","EPA 8011","35432456002","E83079","106934","1,2-Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0098","45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen

Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:09:00","TOT","497405","497405","YES",,,"35429772"
"4MW-22","EPA 8011","35432456002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:09:00","TOT","497405","497405","YES",,,"35429772"
"4MW-21","EPA 8011","35432456003","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:23:00","TOT","497405","497405","YES",,,"35429772"
"4MW-21","EPA 8011","35432456003","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:23:00","TOT","497405","497405","YES",,,"35429772"
"4MW-1","EPA 8011","35432458001","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:39:00","TOT","497405","497405","YES",,,"35429772"
"4MW-1","EPA 8011","35432458001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 02:39:00","TOT","497405","497405","YES",,,"35429772"
"4MW-8","EPA 8011","35432458002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 03:08:00","TOT","497405","497405","YES",,,"35429772"
"4MW-8","EPA 8011","35432458002","E83079","106934","1,2-
Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 03:08:00","TOT","497405","497405","YES",,,"35429772"
"4MW-4","EPA 8011","35433341001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 06:19:00","TOT","497405","497405","YES",,,"35429772"
"4MW-4","EPA 8011","35433341001","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 06:19:00","TOT","497405","497405","YES",,,"35429772"
"4MW-9","EPA 8011","35433341002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 06:33:00","TOT","497405","497405","YES",,,"35429772"
"4MW-9","EPA 8011","35433341002","E83079","106934","1,2-
Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","11/30/2018 06:19:00","12/01/2018 06:33:00","TOT","497405","497405","YES",,,"35429772"
"35433693002","EPA 8011","35433693002","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/28/2018 14:28:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018
06:19:00","12/01/2018 07:02:00","TOT","497405","497405","YES",,,"35429772"
"35433693002","EPA 8011","35433693002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/28/2018 14:28:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018
06:19:00","12/01/2018 07:02:00","TOT","497405","497405","YES",,,"35429772"
"2690041BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2690041","E83079","1820","Nitrate-Nitrite

(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/30/2018 10:41:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:41:00","11/30/2018 10:41:00","TOT","497482","497482","YES",,,"35429772"
"2690042LCS","EPA 353.2 (Nitrate-Nitrite (N))","2690042","E83079","1820","Nitrate-Nitrite
(N)","2.1",,"mg/L",,"0.025","SPK","1","0","105","0","0.050","45799","Pasco County Resource Recovery","11/30/2018
10:42:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 10:42:00","11/30/2018
10:42:00","TOT","497482","497482","YES","2.0",,"35429772"
"35430977001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35430977001DUP","E83079","1820","Nitrate-Nitrite
(N)","5.4",,"mg/L",,"0.12","TRG","5","0",,"1","0.25","45799","Pasco County Resource Recovery","11/09/2018
05:15:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 12:00:00","11/30/2018
12:00:00","TOT","497482","497482","YES",,,"35429772"
"35430977001MS","EPA 353.2 (Nitrate-Nitrite (N))","35430977001MS","E83079","1820","Nitrate-Nitrite
(N)","15.4",,"mg/L",,"0.12","SPK","5","0","98","0","0.25","45799","Pasco County Resource Recovery","11/09/2018
05:15:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:01:00","11/30/2018
12:01:00","TOT","497482","497482","YES","10.0",,"35429772"
"35433333001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35433333001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.22",,"mg/L",,"0.025","TRG","1","0",,"2","0.050","45799","Pasco County Resource Recovery","11/21/2018
06:35:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:02:00","11/30/2018
11:02:00","TOT","497482","497482","YES",,,"35429772"
"35433333001MS","EPA 353.2 (Nitrate-Nitrite (N))","35433333001MS","E83079","1820","Nitrate-Nitrite
(N)","2.2",,"mg/L",,"0.025","SPK","1","0","99","0","0.050","45799","Pasco County Resource Recovery","11/21/2018
06:35:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 11:04:00","11/30/2018
11:04:00","TOT","497482","497482","YES","2.0",,"35429772"
"4MW-4","EPA 353.2 (Nitrate-Nitrite (N))","35433341001","E83079","1820","Nitrate-Nitrite
(N)","0.61",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","11/30/2018
11:11:00","11/30/2018 11:11:00","TOT","497482","497482","YES",,,"35429772"
"4MW-9","EPA 353.2 (Nitrate-Nitrite (N))","35433341002","E83079","1820","Nitrate-Nitrite
(N)","0.39",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","11/30/2018
11:13:00","11/30/2018 11:13:00","TOT","497482","497482","YES",,,"35429772"
"35430977001","EPA 353.2 (Nitrate-Nitrite (N))","35430977001","E83079","1820","Nitrate-Nitrite
(N)","5.5",,"mg/L",,"0.12","TRG","5","0",,"0","0.25","45799","Pasco County Resource Recovery","11/09/2018
05:15:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:58:00","11/30/2018
11:58:00","TOT","497482","497482","YES",,,"35429772"
"35433333001","EPA 353.2 (Nitrate-Nitrite (N))","35433333001","E83079","1820","Nitrate-Nitrite
(N)","0.22",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/21/2018
06:35:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:01:00","11/30/2018
11:01:00","TOT","497482","497482","YES",,,"35429772"
"2690236BLANK","SM18 2540 C","2690236","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
14:52:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 14:52:00","11/30/2018
14:52:00","TOT","497535","497535","YES",,,"35429772"
"2690237LCS","SM18 2540 C","2690237","E84129","1705","Residues- Filterable
(TDS)","292",,"mg/L",,"5.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","11/30/2018
14:52:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 14:52:00","11/30/2018
14:52:00","TOT","497535","497535","YES","300",,"35429772"
"35433421001DUP","SM18 2540 C","35433421001DUP","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
10:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 14:53:00","11/30/2018
14:53:00","TOT","497535","497535","YES",,,"35429772"
"35433381004DUP","SM18 2540 C","35433381004DUP","E84129","1705","Residues- Filterable
(TDS)","352",,"mg/L",,"5.0","TRG","1","0",,"1","5.0","45799","Pasco County Resource Recovery","11/28/2018
10:56:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 14:59:00","11/30/2018

14:59:00","TOT","497535","497535","YES",,,"35429772"
"4MW-5","SM18 2540 C","35433858001","E84129","1705","Residues- Filterable
(TDS)","359",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","11/30/2018
15:01:00","11/30/2018 15:01:00","TOT","497535","497535","YES",,,"35429772"
"4MW-2","SM18 2540 C","35433859001","E84129","1705","Residues- Filterable
(TDS)","117",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","11/30/2018
15:01:00","11/30/2018 15:01:00","TOT","497535","497535","YES",,,"35429772"
"2MW-2","SM18 2540 C","35433859002","E84129","1705","Residues- Filterable
(TDS)","50.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","11/30/2018
15:02:00","11/30/2018 15:02:00","TOT","497535","497535","YES",,,"35429772"
"35433381004","SM18 2540 C","35433381004","E84129","1705","Residues- Filterable
(TDS)","350",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
10:56:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 14:58:00","11/30/2018
14:58:00","TOT","497535","497535","YES",,,"35429772"
"35433421001","SM18 2540 C","35433421001","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
10:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 14:53:00","11/30/2018
14:53:00","TOT","497535","497535","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018
10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/30/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018
10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018
10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","DEP-SURR-038","Toluene-

d8","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","42.9",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","DEP-SURR-019","4-Bromofluorobenzene","36.5",,"ug/L",,,"SURR","1","0","91","0",,"45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","78875","1,2-Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","79005","1,1,2-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018

10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018
10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA
8260","2690262","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018
10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","110576","trans-1,4-Dichloro-2-

butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","10061026","trans-1,3-Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75092","Methylene Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690262BLANK","EPA 8260","2690262","E83079","71556","1,1,1-Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 10:27:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","11/30/2018 10:27:00","11/30/2018 10:27:00","TOT","497542","497542","YES",,,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","75092","Methylene Chloride","19.9",,"ug/L",,"2.5","SPK","1","0","100","0","5.0","45799","Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018

09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","100425","Styrene","20.1",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","75252","Bromoform","18.4",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","75274","Bromodichloromethane","19.1",,"ug/L",,"0.27","SPK","1","0","96","0","0.60","4
5799","Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","107062","1,2-
Dichloroethane","19.1",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","78875","1,2-
Dichloropropane","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","95501","1,2-
Dichlorobenzene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","591786","2-
Hexanone","38.1",,"ug/L",,"5.0","SPK","1","0","95","0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","108054","Vinyl
acetate","23.0",,"ug/L",,"1.0","SPK","1","0","115","0","10.0","45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","67641","Acetone","40.6",,"ug/L",,"10.0","SPK","1","0","102","0","20.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","75003","Chloroethane","17.1",,"ug/L",,"0.50","SPK","1","0","85","0","10.0","45799","Pa
sco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","74839","Bromomethane","18.5",,"ug/L",,"0.50","SPK","1","0","92","0","5.0","45799","Pa
sco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","75343","1,1-
Dichloroethane","19.9",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","74975","Bromochloromethane","18.4",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","4579

9","Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","79345","1,1,2,2-
Tetrachloroethane","22.4",,"ug/L",,"0.12","SPK","1","0","112","0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","10061026","trans-1,3-
Dichloropropene","20.2",,"ug/L",,"0.25","SPK","1","0","101","0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","10061015","cis-1,3-
Dichloropropene","20.3",,"ug/L",,"0.25","SPK","1","0","102","0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.1",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","75354","1,1-
Dichloroethene","17.8",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.3",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","DEP-SURR-038","Toluene-
d8","39.8",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","75014","Vinyl
chloride","14.6",,"ug/L",,"0.50","SPK","1","0","73","0","1.0","45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","1330207","Xylenes-
Total","62.0",,"ug/L",,"1.0","SPK","1","0","103","0","3.0","45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","60.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","108907","Chlorobenzene","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","P
asco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","630206","1,1,1,2-
Tetrachloroethane","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","124481","Dibromochloromethane","19.6",,"ug/L",,"0.26","SPK","1","0","98","0","2.0","4
5799","Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","96184","1,2,3-

Trichloropropane","19.7",,"ug/L",,"0.59","SPK","1","0","99","0","2.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","79016","Trichloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","P
asco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","75694","Trichlorofluoromethane","14.3",,"ug/L",,"0.50","SPK","1","0","72","0","1.0","45
799","Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","74953","Dibromomethane","18.3",,"ug/L",,"0.50","SPK","1","0","92","0","2.0","45799","
Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","75150","Carbon
disulfide","17.3",,"ug/L",,"5.0","SPK","1","0","87","0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","78933","2-
Butanone","35.3",,"ug/L",,"5.0","SPK","1","0","88","0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","108101","4-Methyl-2-
pentanone","38.5",,"ug/L",,"5.0","SPK","1","0","96","0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","79005","1,1,2-
Trichloroethane","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","74884","Iodomethane","32.1",,"ug/L",,"0.50","SPK","1","0","80","0","10.0","45799","Pas
co County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","40.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","107131","Acrylonitrile","187",,"ug/L",,"5.0","SPK","1","0","94","0","10.0","45799","Pas
co County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","200",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","108883","Toluene","19.9",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","74873","Chloromethane","17.6",,"ug/L",,"0.62","SPK","1","0","88","0","1.0","45799","Pa
sco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA

8260","2690263","E83079","127184","Tetrachloroethene","17.0",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799"
,"Pasco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","67663","Chloroform","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","106467","1,4-
Dichlorobenzene","20.3",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","100414","Ethylbenzene","20.3",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","P
asco County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","110576","trans-1,4-Dichloro-2-
butene","17.4",,"ug/L",,"5.0","SPK","1","0","87","0","10.0","45799","Pasco County Resource Recovery","11/30/2018
09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018 09:37:00","11/30/2018
09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","71556","1,1,1-
Trichloroethane","19.1",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","156592","cis-1,2-
Dichloroethene","18.9",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA
8260","2690263","E83079","71432","Benzene","19.8",,"ug/L",,"0.10","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","156605","trans-1,2-
Dichloroethene","19.1",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"2690263LCS","EPA 8260","2690263","E83079","56235","Carbon
tetrachloride","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","3.0","45799","Pasco County Resource
Recovery","11/30/2018 09:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","11/30/2018
09:37:00","11/30/2018 09:37:00","TOT","497542","497542","YES","20.0",,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","67641","Acetone","10.0",,"ug/L","I","10.0","TRG","1","0",,"0","20.0","45799",
"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","110576","trans-1,4-Dichloro-2-

butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","DEP-SURR-019","4-Bromofluorobenzene","35.6",,"ug/L",,,"SURR","1","0","89","1",,"45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES","40.0",,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","78933","2-Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","75150","Carbon disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","1330207","Xylenes-Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018

11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018
11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","DEP-SURR-038","Toluene-
d8","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018
11:16:00","TOT","497542","497542","YES","40.0",,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-

d4","43.1",,"ug/L",,,"SURR","1","0","108","2",,"45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018
11:16:00","TOT","497542","497542","YES","40.0",,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018
11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45
799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018 11:16:00","11/30/2018
11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018

11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA 8260","35433403001DUP","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","11/30/2018
11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35433403001DUP","EPA
8260","35433403001DUP","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","11/30/2018 11:16:00","11/30/2018 11:16:00","TOT","497542","497542","YES",,,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","100425","Styrene","20.6",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799",
"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","156592","cis-1,2-
Dichloroethene","35.5",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","110576","trans-1,4-Dichloro-2-
butene","16.5",,"ug/L",,"5.0","SPK","1","0","82","0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","79016","Trichloroethene","19.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","4
5799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","630206","1,1,1,2-
Tetrachloroethane","20.7",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","107062","1,2-
Dichloroethane","20.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","74953","Dibromomethane","18.7",,"ug/L",,"0.50","SPK","1","0","93","0","2.0","
45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","75003","Chloroethane","18.0",,"ug/L",,"0.50","SPK","1","0","90","0","10.0","45
799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA

8260","35432916012MS","E83079","74873","Chloromethane","19.2",,"ug/L",,"0.62","SPK","1","0","96","0","1.0","45
799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.8",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","1330207","Xylenes-
Total","63.5",,"ug/L",,"1.0","SPK","1","0","106","0","3.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","60.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","96184","1,2,3-
Trichloropropane","23.9",,"ug/L",,"0.59","SPK","1","0","120","0","2.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","71432","Benzene","21.1",,"ug/L",,"0.10","SPK","1","0","105","0","1.0","45799",
"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","79005","1,1,2-
Trichloroethane","20.6",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","10061026","trans-1,3-
Dichloropropene","20.8",,"ug/L",,"0.25","SPK","1","0","104","0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","95501","1,2-
Dichlorobenzene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","74975","Bromochloromethane","18.9",,"ug/L",,"0.50","SPK","1","0","95","0","1.
0","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","75343","1,1-
Dichloroethane","21.1",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","75274","Bromodichloromethane","20.3",,"ug/L",,"0.27","SPK","1","0","102","0",
"0.60","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","67641","Acetone","35.5",,"ug/L",,"10.0","SPK","1","0","76","0","20.0","45799",
"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","124481","Dibromochloromethane","20.0",,"ug/L",,"0.26","SPK","1","0","100","0

","2.0","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","108907","Chlorobenzene","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","4
5799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","591786","2-
Hexanone","34.8",,"ug/L",,"5.0","SPK","1","0","87","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","75694","Trichlorofluoromethane","15.3",,"ug/L",,"0.50","SPK","1","0","77","0","
1.0","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","75014","Vinyl
chloride","16.9",,"ug/L",,"0.50","SPK","1","0","83","0","1.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","75150","Carbon
disulfide","18.6",,"ug/L",,"5.0","SPK","1","0","93","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","106467","1,4-
Dichlorobenzene","20.7",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","67663","Chloroform","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","4579
9","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","74884","Iodomethane","31.0",,"ug/L",,"0.50","SPK","1","0","77","0","10.0","457
99","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.7",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","75354","1,1-
Dichloroethene","19.1",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","127184","Tetrachloroethene","17.1",,"ug/L",,"0.50","SPK","1","0","85","0","1.0"
,"45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","107131","Acrylonitrile","175",,"ug/L",,"5.0","SPK","1","0","88","0","10.0","457

99","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","200",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","108054","Vinyl
acetate","21.7",,"ug/L",,"1.0","SPK","1","0","109","0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","71556","1,1,1-
Trichloroethane","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","78933","2-
Butanone","34.2",,"ug/L",,"5.0","SPK","1","0","85","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","10061015","cis-1,3-
Dichloropropene","19.9",,"ug/L",,"0.25","SPK","1","0","100","0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","56235","Carbon
tetrachloride","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","3.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","74839","Bromomethane","17.4",,"ug/L",,"0.50","SPK","1","0","87","0","5.0","45
799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","108101","4-Methyl-2-
pentanone","35.3",,"ug/L",,"5.0","SPK","1","0","88","0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","100414","Ethylbenzene","20.9",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","4
5799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","156605","trans-1,2-
Dichloroethene","20.9",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","78875","1,2-
Dichloropropane","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","75092","Methylene
Chloride","19.2",,"ug/L",,"2.5","SPK","1","0","96","0","5.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","40.0",,"35429772"
"35432916012MS","EPA

8260","35432916012MS","E83079","108883","Toluene","20.9",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799"
,"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA 8260","35432916012MS","E83079","79345","1,1,2,2-
Tetrachloroethane","23.2",,"ug/L",,"0.12","SPK","1","0","116","0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","11/30/2018
12:06:00","11/30/2018 12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"35432916012MS","EPA
8260","35432916012MS","E83079","75252","Bromoform","18.4",,"ug/L",,"0.50","SPK","1","0","92","0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","11/30/2018 12:06:00","11/30/2018
12:06:00","TOT","497542","497542","YES","20.0",,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:07:00","11/30/2018
19:07:00","TOT","497542","497542","YES",,,"35429772"

"4MW-7","EPA 8260","35432456001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","44",,"ug/L",,,"SURR","1","0","110","0",,"45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:07:00","11/30/2018
19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","DEP-SURR-038","Toluene-
d8","41.4",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","95501","1,2-

Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","34.3",,"ug/L",,,"SURR","1","0","86","0",,"45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018
19:07:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","67641","Acetone","8.0",,"ug/L","I","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799

","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:07:00","11/30/2018
19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:07:00","11/30/2018
19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA
8260","35432456001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-7","EPA 8260","35432456001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:07:00","11/30/2018 19:07:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas

co County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","DEP-SURR-038","Toluene-
d8","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"

"4MW-22","EPA 8260","35432456002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:32:00","11/30/2018
19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:32:00","11/30/2018
19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","34.7",,"ug/L",,,"SURR","1","0","87","0",,"45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018
19:32:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No

Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:32:00","11/30/2018
19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:32:00","11/30/2018
19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","44.3",,"ug/L",,,"SURR","1","0","111","0",,"45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No

Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA 8260","35432456002","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-22","EPA
8260","35432456002","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:32:00","11/30/2018 19:32:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","44.1",,"ug/L",,,"SURR","1","0","110","0",,"45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA

8260","35432456003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:56:00","11/30/2018
19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:56:00","11/30/2018
19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:56:00","11/30/2018
19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"

"4MW-21","EPA 8260","35432456003","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource

Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-
Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018 19:56:00","11/30/2018
19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","DEP-SURR-038","Toluene-
d8","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","34.7",,"ug/L",,,"SURR","1","0","87","0",,"45799","Pasco County Resource
Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018
19:56:00","TOT","497542","497542","YES","40.0",,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/19/2018
13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA 8260","35432456003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/19/2018

13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No Prep","RES","YES","11/30/2018
19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"4MW-21","EPA
8260","35432456003","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","11/30/2018 19:56:00","11/30/2018 19:56:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","156605","trans-1,2-
Dichloroethene","1.7",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","DEP-SURR-038","Toluene-
d8","40.230863",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES","39.8",,"35429772"
"35432916012","EPA 8260","35432916012","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","96184","1,2,3-
Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","630206","1,1,1,2-
Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"

"35432916012","EPA 8260","35432916012","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","67641","Acetone","10.0",,"ug/L","U","10.0","TRG","1","0",,"0","20.0","45799","Pas
co County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0

","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","156592","cis-1,2-
Dichloroethene","14.8",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"

"35432916012","EPA
8260","35432916012","E83079","79016","Trichloroethene","1.0",,"ug/L",,"0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA
8260","35432916012","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","43.787479",,"ug/L",,,"SURR","1","0","109","0",,"45799","Pasco County Resource Recovery","11/26/2018
12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 11:41:00","11/30/2018
11:41:00","TOT","497542","497542","YES","40.2",,"35429772"
"35432916012","EPA
8260","35432916012","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES",,,"35429772"
"35432916012","EPA 8260","35432916012","E83079","DEP-SURR-019","4-
Bromofluorobenzene","35.762884",,"ug/L",,,"SURR","1","0","89","0",,"45799","Pasco County Resource
Recovery","11/26/2018 12:37:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
11:41:00","11/30/2018 11:41:00","TOT","497542","497542","YES","40.2",,"35429772"
"35433403001","EPA
8260","35433403001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","75150","Carbon
disulfide","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","71556","1,1,1-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","78875","1,2-
Dichloropropane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","74975","Bromochloromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","35.986684",,"ug/L",,,"SURR","1","0","90","0",,"45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES","40.0",,"35429772"
"35433403001","EPA
8260","35433403001","E83079","107131","Acrylonitrile","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","75092","Methylene
Chloride","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","591786","2-
Hexanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","43.829283",,"ug/L",,,"SURR","1","0","110","0",,"45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES","39.8",,"35429772"
"35433403001","EPA 8260","35433403001","E83079","DEP-SURR-038","Toluene-
d8","40.594071",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES","40.2",,"35429772"

"35433403001","EPA
8260","35433403001","E83079","75694","Trichlorofluoromethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","10061026","trans-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","74953","Dibromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","74873","Chloromethane","0.62",,"ug/L","U","0.62","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","74884","Iodomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799",
"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","108054","Vinyl
acetate","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","110576","trans-1,4-Dichloro-2-
butene","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","10061015","cis-1,3-
Dichloropropene","0.25",,"ug/L","U","0.25","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018
09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018
10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","108101","4-Methyl-2-
pentanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","79005","1,1,2-
Trichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","74839","Bromomethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","67641","Acetone","18.9",,"ug/L","I","10.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","124481","Dibromochloromethane","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","75003","Chloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","10.0","45799"
,"Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","100425","Styrene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.12",,"ug/L","U","0.12","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","75343","1,1-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","75252","Bromoform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","75274","Bromodichloromethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA
8260","35433403001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018
10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"

"35433403001","EPA 8260","35433403001","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","96184","1,2,3-Trichloropropane","0.59",,"ug/L","U","0.59","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","630206","1,1,1,2-Tetrachloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"35433403001","EPA 8260","35433403001","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 09:41:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","11/30/2018 10:52:00","11/30/2018 10:52:00","TOT","497542","497542","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA 6010","2690365","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco

County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA
6010","2690365","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA
6010","2690365","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA
6010","2690365","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA
6010","2690365","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690365BLANK","EPA
6010","2690365","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","11/30/2018
11:32:00","12/03/2018 20:14:00","TOT","497573","497573","YES",,,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440224","Silver","24.6",,"ug/L",,"1.0","SPK","1","0","99","0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","25.0",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440393","Barium","250",,"ug/L",,"0.84","SPK","1","0","100","0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7439896","Iron","2500",,"ug/L",,"9.2","SPK","1","0","100","0","40.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","2500",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440473","Chromium","251",,"ug/L",,"1.7","SPK","1","0","100","0","5.0","45799","Pasc
o County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440666","Zinc","1250",,"ug/L",,"11.0","SPK","1","0","100","0","20.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","1250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440235","Sodium","12.7",,"mg/L",,"0.27","SPK","1","0","102","0","2.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","12.5",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7782492","Selenium","248",,"ug/L",,"8.5","SPK","1","0","99","0","15.0","45799","Pasco

County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440439","Cadmium","25.2",,"ug/L",,"0.33","SPK","1","0","101","0","1.0","45799","Pas
co County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","25.0",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440382","Arsenic","241",,"ug/L",,"7.1","SPK","1","0","96","0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440484","Cobalt","253",,"ug/L",,"0.96","SPK","1","0","101","0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7439921","Lead","253",,"ug/L",,"4.6","SPK","1","0","101","0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440417","Beryllium","24.4",,"ug/L",,"1.6","SPK","1","0","98","0","4.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","25.0",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440622","Vanadium","248",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","45799","Pasc
o County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440020","Nickel","254",,"ug/L",,"2.1","SPK","1","0","102","0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"2690366LCS","EPA
6010","2690366","E83079","7440508","Copper","242",,"ug/L",,"2.6","SPK","1","0","97","0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 11:32:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:17:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440417","Beryllium","24.4",,"ug/L",,"1.6","SPK","1","0","97","0","4.0","45799
","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440508","Copper","240",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799","P
asco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA

6010","35431318001MS","E83079","7440439","Cadmium","24.8",,"ug/L",,"0.33","SPK","1","0","99","0","1.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440020","Nickel","251",,"ug/L",,"2.1","SPK","1","0","100","0","5.0","45799","
Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7782492","Selenium","244",,"ug/L",,"8.5","SPK","1","0","98","0","15.0","45799
","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440622","Vanadium","299",,"ug/L",,"1.0","SPK","1","0","100","0","10.0","457
99","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440473","Chromium","254",,"ug/L",,"1.7","SPK","1","0","100","0","5.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440224","Silver","24.4",,"ug/L",,"1.0","SPK","1","0","98","0","5.0","45799","P
asco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440484","Cobalt","250",,"ug/L",,"0.96","SPK","1","0","100","0","10.0","45799"
,"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440666","Zinc","1240",,"ug/L",,"11.0","SPK","1","0","99","0","20.0","45799","
Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","1250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440382","Arsenic","240",,"ug/L",,"7.1","SPK","1","0","96","0","10.0","45799",
"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440393","Barium","251",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799"
,"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7440235","Sodium","14.7",,"mg/L",,"0.27","SPK","1","0","101","0","2.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","12.5",,"35429772"

"35431318001MS","EPA
6010","35431318001MS","E83079","7439921","Lead","248",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pa
sco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MS","EPA
6010","35431318001MS","E83079","7439896","Iron","2480",,"ug/L",,"9.2","SPK","1","0","99","0","40.0","45799","P
asco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:23:00","TOT","497573","497573","YES","2500",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440020","Nickel","253",,"ug/L",,"2.1","SPK","1","0","101","0","5.0","45799",
"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7439921","Lead","249",,"ug/L",,"4.6","SPK","1","0","100","0","10.0","45799",
"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7439896","Iron","2500",,"ug/L",,"9.2","SPK","1","0","99","1","40.0","45799","
Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","2500",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440393","Barium","254",,"ug/L",,"0.84","SPK","1","0","100","1","10.0","457
99","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440508","Copper","240",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799",
"Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440235","Sodium","14.8",,"mg/L",,"0.27","SPK","1","0","101","1","2.0","457
99","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","12.5",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7782492","Selenium","243",,"ug/L",,"8.5","SPK","1","0","97","0","15.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440224","Silver","24.5",,"ug/L",,"1.0","SPK","1","0","98","0","5.0","45799","
Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440484","Cobalt","252",,"ug/L",,"0.96","SPK","1","0","101","1","10.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018

20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440417","Beryllium","24.5",,"ug/L",,"1.6","SPK","1","0","98","0","4.0","4579
9","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440622","Vanadium","300",,"ug/L",,"1.0","SPK","1","0","100","0","10.0","45
799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440382","Arsenic","240",,"ug/L",,"7.1","SPK","1","0","96","0","10.0","45799
","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440473","Chromium","254",,"ug/L",,"1.7","SPK","1","0","100","0","5.0","457
99","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","250",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440439","Cadmium","24.9",,"ug/L",,"0.33","SPK","1","0","99","0","1.0","457
99","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","25.0",,"35429772"
"35431318001MSD","EPA
6010","35431318001MSD","E83079","7440666","Zinc","1250",,"ug/L",,"11.0","SPK","1","0","100","1","20.0","45799
","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018
20:28:00","TOT","497573","497573","YES","1250",,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440622","Vanadium","2.4",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen

Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440235","Sodium","47.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7439896","Iron","55.1",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440020","Nickel","3.5",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7440393","Barium","28.4",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27D","EPA
6010","35431603001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:00:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27S","EPA
6010","35431603002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27S","EPA
6010","35431603002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27S","EPA
6010","35431603002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27S","EPA
6010","35431603002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772"
"2MW-27S","EPA

6010","35431603002","E83079","7439896","Iron","52.7",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440393","Barium","31.1",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440439","Cadmium","0.33",,"ug/L","I","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440020","Nickel","3.4",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440622","Vanadium","1.6",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "2MW-27S","EPA
6010","35431603002","E83079","7440235","Sodium","43.2",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 21:02:00","TOT","497573","497573","YES",,,"35429772" "35431318001","EPA
6010","35431318001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772" "35431318001","EPA
6010","35431318001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772" "35431318001","EPA
6010","35431318001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen

Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7439896","Iron","11.7",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440393","Barium","3.5",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440622","Vanadium","50.5",,"ug/L",,"1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440235","Sodium","2.1",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440473","Chromium","4.2",,"ug/L","I","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"35431318001","EPA
6010","35431318001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/15/2018 09:46:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","11/30/2018 11:32:00","12/03/2018 20:20:00","TOT","497573","497573","YES",,,"35429772"
"2690373BLANK","EPA
6020","2690373","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 11:30:00","AQUEOUS-Other","MB",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:43:00","TOT","497577","497577","YES",,,"35429772"
"2690373BLANK","EPA

6020","2690373","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018 11:30:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:43:00","TOT","497577","497577","YES",,,"35429772"
"2690374LCS","EPA
6020","2690374","E83079","7440280","Thallium","49.8",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource Recovery","11/30/2018 11:30:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
20:44:00","TOT","497577","497577","YES","50.0",,"35429772"
"2690374LCS","EPA
6020","2690374","E83079","7440360","Antimony","53.8",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasco County Resource Recovery","11/30/2018 11:30:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
20:44:00","TOT","497577","497577","YES","50.0",,"35429772"
"35431318002MS","EPA
6020","35431318002MS","E83079","7440280","Thallium","50.9",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
20:49:00","TOT","497577","497577","YES","50.0",,"35429772"
"35431318002MS","EPA
6020","35431318002MS","E83079","7440360","Antimony","53.6",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
20:49:00","TOT","497577","497577","YES","50.0",,"35429772"
"35431318002MSD","EPA
6020","35431318002MSD","E83079","7440360","Antimony","53.2",,"ug/L",,"0.50","SPK","1","0","106","1","1.0","45799","Pasco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
19:44:00","TOT","497577","497577","YES","50.0",,"35429772"
"35431318002MSD","EPA
6020","35431318002MSD","E83079","7440280","Thallium","50.8",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018
19:44:00","TOT","497577","497577","YES","50.0",,"35429772"
"2MW-27D","EPA
6020","35431603001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 19:56:00","TOT","497577","497577","YES",,,"35429772"
"2MW-27D","EPA
6020","35431603001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 19:56:00","TOT","497577","497577","YES",,,"35429772"
"2MW-27S","EPA
6020","35431603002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:00:00","TOT","497577","497577","YES",,,"35429772"
"2MW-27S","EPA
6020","35431603002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:00:00","TOT","497577","497577","YES",,,"35429772"
"35431318002","EPA
6020","35431318002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:47:00","TOT","497577","497577","YES",,,"35429772"
"35431318002","EPA

6020","35431318002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/15/2018 10:35:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","11/30/2018 11:30:00","12/01/2018 20:47:00","TOT","497577","497577","YES",,,"35429772"
"2691831BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2691831","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/01/2018 08:11:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/01/2018
08:11:00","12/01/2018 08:11:00","TOT","497814","497814","YES",,,"35429772"
"2691832LCS","EPA 353.2 (Nitrate-Nitrite (N))","2691832","E83079","1820","Nitrate-Nitrite
(N)","2.1",,"mg/L",,"0.025","SPK","1","0","105","0","0.050","45799","Pasco County Resource Recovery","12/01/2018
08:12:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/01/2018 08:12:00","12/01/2018
08:12:00","TOT","497814","497814","YES","2.0",,"35429772"
"35433826015DUP","EPA 353.2 (Nitrate-Nitrite (N))","35433826015DUP","E83079","1820","Nitrate-Nitrite
(N)","1.3",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/29/2018
08:15:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/01/2018 08:15:00","12/01/2018
08:15:00","TOT","497814","497814","YES",,,"35429772"
"35433826015MS","EPA 353.2 (Nitrate-Nitrite (N))","35433826015MS","E83079","1820","Nitrate-Nitrite
(N)","3.3",,"mg/L",,"0.025","SPK","1","0","96","0","0.050","45799","Pasco County Resource Recovery","11/29/2018
08:15:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/01/2018 08:16:00","12/01/2018
08:16:00","TOT","497814","497814","YES","2.0",,"35429772"
"35433899038DUP","EPA 353.2 (Nitrate-Nitrite (N))","35433899038DUP","E83079","1820","Nitrate-Nitrite
(N)","1.8",,"mg/L",,"0.025","TRG","1","0",,"1","0.050","45799","Pasco County Resource Recovery","11/28/2018
05:40:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/01/2018 08:32:00","12/01/2018
08:32:00","TOT","497814","497814","YES",,,"35429772"
"35433899038MS","EPA 353.2 (Nitrate-Nitrite (N))","35433899038MS","E83079","1820","Nitrate-Nitrite
(N)","3.7",,"mg/L","J","0.025","SPK","1","0","89","0","0.050","45799","Pasco County Resource
Recovery","11/28/2018 05:40:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/01/2018
08:34:00","12/01/2018 08:34:00","TOT","497814","497814","YES","2.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"4MW-5","EPA 353.2 (Nitrate-Nitrite (N))","35433858001","E83079","1820","Nitrate-Nitrite
(N)","0.79",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/01/2018
08:17:00","12/01/2018 08:17:00","TOT","497814","497814","YES",,,"35429772"
"4MW-2","EPA 353.2 (Nitrate-Nitrite (N))","35433859001","E83079","1820","Nitrate-Nitrite
(N)","1.3",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/01/2018
08:18:00","12/01/2018 08:18:00","TOT","497814","497814","YES",,,"35429772"
"2MW-2","EPA 353.2 (Nitrate-Nitrite (N))","35433859002","E83079","1820","Nitrate-Nitrite
(N)","3.7",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/01/2018
08:20:00","12/01/2018 08:20:00","TOT","497814","497814","YES",,,"35429772"
"35433826015","EPA 353.2 (Nitrate-Nitrite (N))","35433826015","E83079","1820","Nitrate-Nitrite
(N)","1.3",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/29/2018
08:15:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/01/2018 08:13:00","12/01/2018
08:13:00","TOT","497814","497814","YES",,,"35429772"
"35433899038","EPA 353.2 (Nitrate-Nitrite (N))","35433899038","E83079","1820","Nitrate-Nitrite
(N)","1.9",,"mg/L","J","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/28/2018
05:40:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/01/2018 08:31:00","12/01/2018
08:31:00","TOT","497814","497814","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on
laboratory control sample (LCS) recovery.","35429772"
"2692270BLANK","EPA
8260","2692270","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA

8260","2692270","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018

00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.5",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","DEP-SURR-038","Toluene-
d8","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","78875","1,2-

Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018
00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018 00:31:00","12/03/2018
00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.5",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018

00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA 8260","2692270","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/03/2018
00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692270BLANK","EPA
8260","2692270","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/03/2018 00:31:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 00:31:00","12/03/2018 00:31:00","TOT","497915","497915","YES",,,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.9",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","74873","Chloromethane","21.3",,"ug/L",,"0.97","SPK","1","0","106","0","1.0","45799","P
asco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","110576","trans-1,4-Dichloro-2-
butene","15.9",,"ug/L",,"2.5","SPK","1","0","79","0","10.0","45799","Pasco County Resource Recovery","12/02/2018
23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","DEP-SURR-038","Toluene-
d8","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","12/02/2018
23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","100414","Ethylbenzene","20.0",,"ug/L",,"0.30","SPK","1","0","100","0","1.0","45799","P
asco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","107131","Acrylonitrile","183",,"ug/L",,"3.7","SPK","1","0","92","0","10.0","45799","Pas
co County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","200",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","75003","Chloroethane","22.9",,"ug/L",,"3.7","SPK","1","0","115","0","10.0","45799","Pa

sco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","100425","Styrene","19.3",,"ug/L",,"0.26","SPK","1","0","96","0","1.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","107062","1,2-
Dichloroethane","18.4",,"ug/L",,"0.27","SPK","1","0","92","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","78933","2-
Butanone","36.9",,"ug/L",,"7.5","SPK","1","0","92","0","10.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","75694","Trichlorofluoromethane","19.0",,"ug/L",,"0.35","SPK","1","0","95","0","1.0","45
799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","75092","Methylene
Chloride","19.8",,"ug/L",,"2.0","SPK","1","0","99","0","5.0","45799","Pasco County Resource Recovery","12/02/2018
23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","108101","4-Methyl-2-
pentanone","34.3",,"ug/L",,"0.32","SPK","1","0","86","0","10.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","75252","Bromoform","17.2",,"ug/L",,"2.6","SPK","1","0","86","0","3.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","95501","1,2-
Dichlorobenzene","20.2",,"ug/L",,"0.29","SPK","1","0","101","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","124481","Dibromochloromethane","16.8",,"ug/L",,"0.45","SPK","1","0","84","0","2.0","4
5799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","79345","1,1,2,2-
Tetrachloroethane","20.0",,"ug/L",,"0.20","SPK","1","0","100","0","0.50","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","78875","1,2-
Dichloropropane","19.3",,"ug/L",,"0.23","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","156605","trans-1,2-
Dichloroethene","18.2",,"ug/L",,"0.23","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","DEP-SURR-002","1,2-Dichloroethane-

d4","40.9",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/02/2018
23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","75274","Bromodichloromethane","19.9",,"ug/L",,"0.19","SPK","1","0","99","0","0.60","4
5799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","156592","cis-1,2-
Dichloroethene","19.5",,"ug/L",,"0.27","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","96184","1,2,3-
Trichloropropane","21.6",,"ug/L",,"1.1","SPK","1","0","108","0","2.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","108054","Vinyl
acetate","24.3",,"ug/L",,"0.19","SPK","1","0","121","0","10.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","67663","Chloroform","19.7",,"ug/L",,"0.32","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","74884","Iodomethane","40.1",,"ug/L",,"9.3","SPK","1","0","100","0","10.0","45799","Pas
co County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","74839","Bromomethane","26.8",,"ug/L",,"4.0","SPK","1","0","134","0","5.0","45799","Pa
sco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","75343","1,1-
Dichloroethane","18.7",,"ug/L",,"0.34","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","56235","Carbon
tetrachloride","19.1",,"ug/L",,"1.1","SPK","1","0","95","0","3.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","67641","Acetone","52.5",,"ug/L",,"5.3","SPK","1","0","131","0","20.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","71556","1,1,1-
Trichloroethane","19.5",,"ug/L",,"0.30","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","108883","Toluene","19.9",,"ug/L",,"0.33","SPK","1","0","100","0","1.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"

"2692271LCS","EPA
8260","2692271","E83079","79016","Trichloroethene","19.1",,"ug/L",,"0.36","SPK","1","0","95","0","1.0","45799","P
asco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","74953","Dibromomethane","20.2",,"ug/L",,"0.68","SPK","1","0","101","0","2.0","45799",
"Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","108907","Chlorobenzene","19.8",,"ug/L",,"0.35","SPK","1","0","99","0","1.0","45799","P
asco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","591786","2-
Hexanone","33.7",,"ug/L",,"0.85","SPK","1","0","84","0","10.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","40.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","106467","1,4-
Dichlorobenzene","19.4",,"ug/L",,"0.28","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","10061015","cis-1,3-
Dichloropropene","17.8",,"ug/L",,"0.17","SPK","1","0","89","0","0.50","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","127184","Tetrachloroethene","21.8",,"ug/L",,"0.38","SPK","1","0","109","0","1.0","45799
","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","71432","Benzene","19.8",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA
8260","2692271","E83079","74975","Bromochloromethane","19.3",,"ug/L",,"0.37","SPK","1","0","97","0","1.0","4579
9","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","630206","1,1,1,2-
Tetrachloroethane","21.0",,"ug/L",,"0.32","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","79005","1,1,2-
Trichloroethane","19.9",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018
23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","75014","Vinyl
chloride","18.3",,"ug/L",,"0.39","SPK","1","0","92","0","1.0","45799","Pasco County Resource Recovery","12/02/2018
23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018
23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","75150","Carbon

disulfide","25.6",,"ug/L",,"0.45","SPK","1","0","128","0","10.0","45799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","75354","1,1-Dichloroethene","17.2",,"ug/L",,"0.27","SPK","1","0","86","0","1.0","45799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","1330207","Xylenes-Total","61.5",,"ug/L",,"2.1","SPK","1","0","103","0","5.0","45799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","60.0",,"35429772"
"2692271LCS","EPA 8260","2692271","E83079","10061026","trans-1,3-Dichloropropene","18.2",,"ug/L",,"0.17","SPK","1","0","91","0","0.50","45799","Pasco County Resource Recovery","12/02/2018 23:22:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/02/2018 23:22:00","12/02/2018 23:22:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","156605","trans-1,2-Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","DEP-SURR-038","Toluene-d8","39.8",,"ug/L",,,"SURR","1","0","99","2",,"45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75150","Carbon disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","42.9",,"ug/L",,,"SURR","1","0","107","2",,"45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018

02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799",
"Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-

Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018

02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.8",,"ug/L",,,"SURR","1","0","94","2",,"45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018
02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457
99","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA 8260","35432458001DUP","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","DUP","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:30:00","12/03/2018 02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA
8260","35432458001DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1DUP","EPA

8260","35432458001DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","DUP","Courier","0.3","No Prep","RES","YES","12/03/2018 02:30:00","12/03/2018
02:30:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","67641","Acetone","42.6",,"ug/L",,"5.3","SPK","1","0","106","0","20.0","45799",
"Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","79016","Trichloroethene","19.0",,"ug/L",,"0.36","SPK","1","0","95","0","1.0","4
5799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","591786","2-
Hexanone","26.4",,"ug/L",,"0.85","SPK","1","0","66","0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","74873","Chloromethane","19.7",,"ug/L",,"0.97","SPK","1","0","99","0","1.0","45
799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","100425","Styrene","17.5",,"ug/L",,"0.26","SPK","1","0","87","0","1.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","108101","4-Methyl-2-
pentanone","25.8",,"ug/L",,"0.32","SPK","1","0","65","0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","110576","trans-1,4-Dichloro-2-
butene","12.7",,"ug/L",,"2.5","SPK","1","0","64","0","10.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","107062","1,2-
Dichloroethane","17.1",,"ug/L",,"0.27","SPK","1","0","85","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","74884","Iodomethane","28.4",,"ug/L",,"9.3","SPK","1","0","70","0","10.0","4579
9","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","75274","Bromodichloromethane","17.5",,"ug/L",,"0.19","SPK","1","0","88","0","
0.60","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA

8260","35432458002MS","E83079","67663","Chloroform","18.9",,"ug/L",,"0.32","SPK","1","0","95","0","1.0","45799
","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","100414","Ethylbenzene","18.6",,"ug/L",,"0.30","SPK","1","0","93","0","1.0","45
799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","108054","Vinyl
acetate","20.1",,"ug/L",,"0.19","SPK","1","0","101","0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","79005","1,1,2-
Trichloroethane","18.6",,"ug/L",,"0.30","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","74839","Bromomethane","21.6",,"ug/L",,"4.0","SPK","1","0","108","0","5.0","45
799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","108907","Chlorobenzene","18.7",,"ug/L",,"0.35","SPK","1","0","93","0","1.0","4
5799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","71432","Benzene","18.4",,"ug/L",,"0.30","SPK","1","0","92","0","1.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","75694","Trichlorofluoromethane","18.3",,"ug/L",,"0.35","SPK","1","0","92","0","
1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","156605","trans-1,2-
Dichloroethene","16.6",,"ug/L",,"0.23","SPK","1","0","83","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","124481","Dibromochloromethane","14.8",,"ug/L",,"0.45","SPK","1","0","74","0",
"2.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","127184","Tetrachloroethene","16.5",,"ug/L",,"0.38","SPK","1","0","82","0","1.0"
,"45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"

"4MW-8MS","EPA 8260","35432458002MS","E83079","78875","1,2-
Dichloropropane","17.5",,"ug/L",,"0.23","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","74953","Dibromomethane","17.8",,"ug/L",,"0.68","SPK","1","0","89","0","2.0","
45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","79345","1,1,2,2-
Tetrachloroethane","18.3",,"ug/L",,"0.20","SPK","1","0","92","0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","630206","1,1,1,2-
Tetrachloroethane","20.2",,"ug/L",,"0.32","SPK","1","0","101","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","107131","Acrylonitrile","160",,"ug/L",,"3.7","SPK","1","0","80","0","10.0","457
99","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","200",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","75003","Chloroethane","22.8",,"ug/L",,"3.7","SPK","1","0","114","0","10.0","45
799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","75343","1,1-
Dichloroethane","18.3",,"ug/L",,"0.34","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","96184","1,2,3-
Trichloropropane","19.2",,"ug/L",,"1.1","SPK","1","0","96","0","2.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","106467","1,4-
Dichlorobenzene","17.6",,"ug/L",,"0.28","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.5",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","56235","Carbon
tetrachloride","18.6",,"ug/L",,"1.1","SPK","1","0","93","0","3.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"

"4MW-8MS","EPA 8260","35432458002MS","E83079","75150","Carbon
disulfide","24.1",,"ug/L",,"0.45","SPK","1","0","121","0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","71556","1,1,1-
Trichloroethane","18.5",,"ug/L",,"0.30","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","DEP-SURR-038","Toluene-
d8","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","75354","1,1-
Dichloroethene","16.5",,"ug/L",,"0.27","SPK","1","0","82","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","75014","Vinyl
chloride","16.4",,"ug/L",,"0.39","SPK","1","0","82","0","1.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","156592","cis-1,2-
Dichloroethene","17.6",,"ug/L",,"0.27","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","74975","Bromochloromethane","18.2",,"ug/L",,"0.37","SPK","1","0","91","0","1.
0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","10061026","trans-1,3-
Dichloropropene","15.2",,"ug/L",,"0.17","SPK","1","0","76","0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","10061015","cis-1,3-
Dichloropropene","14.0",,"ug/L",,"0.17","SPK","1","0","70","0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.5",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","78933","2-
Butanone","33.4",,"ug/L",,"7.5","SPK","1","0","83","0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8MS","EPA

8260","35432458002MS","E83079","75252","Bromoform","15.3",,"ug/L",,"2.6","SPK","1","0","76","0","3.0","45799"
,"Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","95501","1,2-
Dichlorobenzene","17.3",,"ug/L",,"0.29","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","1330207","Xylenes-
Total","54.7",,"ug/L",,"2.1","SPK","1","0","91","0","5.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","60.0",,"35429772"
"4MW-8MS","EPA
8260","35432458002MS","E83079","108883","Toluene","18.6",,"ug/L",,"0.33","SPK","1","0","93","0","1.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No
Prep","RES","YES","12/03/2018 09:14:00","12/03/2018
09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-8MS","EPA 8260","35432458002MS","E83079","75092","Methylene
Chloride","18.3",,"ug/L",,"2.0","SPK","1","0","92","0","5.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","MS","Courier","0.3","No Prep","RES","YES","12/03/2018
09:14:00","12/03/2018 09:14:00","TOT","497915","497915","YES","20.0",,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"

"4MW-1","EPA 8260","35432458001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.2",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","DEP-SURR-038","Toluene-
d8","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:06:00","12/03/2018
02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:06:00","12/03/2018
02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"

"4MW-1","EPA 8260","35432458001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:06:00","12/03/2018
02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","106467","1,4-

Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-1","EPA 8260","35432458001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37",,"ug/L",,,"SURR","1","0","92","0",,"45799","Pasco County Resource
Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:06:00","12/03/2018
02:06:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-1","EPA
8260","35432458001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6

0","45799","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:06:00","12/03/2018 02:06:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75150","Carbon disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","106467","1,4-Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","43.5",,"ug/L",,,"SURR","1","0","109","0",,"45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No

Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","36.5",,"ug/L",,,"SURR","1","0","91","0",,"45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018
02:54:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","DEP-SURR-038","Toluene-
d8","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES","40.0",,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018
02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018
02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018

02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA 8260","35432458002","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/20/2018
14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018
02:54:00","12/03/2018 02:54:00","TOT","497915","497915","YES",,,"35429772"
"4MW-8","EPA
8260","35432458002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-
Groundwater","N","Courier","0.3","No Prep","RES","YES","12/03/2018 02:54:00","12/03/2018
02:54:00","TOT","497915","497915","YES",,,"35429772"
"2692403BLANK","EPA
7470","2692403","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/03/2018 13:46:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/03/2018
13:46:00","12/04/2018 13:08:00","TOT","497983","497983","YES",,,"35429772"
"2692404LCS","EPA
7470","2692404","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","100","0","0.20","45799","Pasc
o County Resource Recovery","12/03/2018 13:46:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018
13:10:00","TOT","497983","497983","YES","2.0",,"35429772"
"35431318003MS","EPA
7470","35431318003MS","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","97","0","0.20","45799"
,"Pasco County Resource Recovery","11/15/2018 11:17:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018
13:18:00","TOT","497983","497983","YES","2.0",,"35429772"
"35431318003MSD","EPA
7470","35431318003MSD","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","104","7","0.20","457

99","Pasco County Resource Recovery","11/15/2018 11:17:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018
13:21:00","TOT","497983","497983","YES","2.0",,"35429772"
"2MW-27D","EPA
7470","35431603001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/14/2018 10:12:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018 13:40:00","TOT","497983","497983","YES",,,"35429772"
"2MW-27S","EPA
7470","35431603002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/14/2018 10:58:00","AQUEOUS-Groundwater","N","Courier","1.2","Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018 13:42:00","TOT","497983","497983","YES",,,"35429772"
"35431318003","EPA
7470","35431318003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/15/2018 11:17:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018 13:16:00","TOT","497983","497983","YES",,,"35429772"
"35431318004","EPA
7470","35431318004","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/15/2018 11:58:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/03/2018 13:46:00","12/04/2018 13:23:00","TOT","497983","497983","YES",,,"35429772"
"2692628BLANK","EPA 300.0
(Chloride)","2692628","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","12/03/2018 09:51:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/03/2018 09:51:00","12/03/2018 09:51:00","TOT","498016","498016","YES",,,"35429772"
"2692629LCS","EPA 300.0
(Chloride)","2692629","E83079","16887006","Chloride","48.0",,"mg/L",,"2.5","SPK","1","0","96","0","5.0","45799","
Pasco County Resource Recovery","12/03/2018 10:13:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/03/2018 10:13:00","12/03/2018
10:13:00","TOT","498016","498016","YES","50.0",,"35429772"
"4MW-7MS","EPA 300.0
(Chloride)","35432456001MS","E83079","16887006","Chloride","60.2",,"mg/L",,"2.5","SPK","1","0","95","0","5.0","
45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","MS","Courier","0.6","No Prep","RES","YES","12/03/2018 10:58:00","12/03/2018
10:58:00","TOT","498016","498016","YES","50.0",,"35429772"
"4MW-7MSD","EPA 300.0
(Chloride)","35432456001MSD","E83079","16887006","Chloride","62.1",,"mg/L",,"2.5","SPK","1","0","99","3","5.0",
"45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","MSD","Courier","0.6","No Prep","RES","YES","12/03/2018 11:20:00","12/03/2018
11:20:00","TOT","498016","498016","YES","50.0",,"35429772"
"4MW-7","EPA 300.0
(Chloride)","35432456001","E83079","16887006","Chloride","12.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","12/03/2018 10:36:00","12/03/2018 10:36:00","TOT","498016","498016","YES",,,"35429772"
"4MW-22","EPA 300.0
(Chloride)","35432456002","E83079","16887006","Chloride","15.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","12/03/2018 11:43:00","12/03/2018 11:43:00","TOT","498016","498016","YES",,,"35429772"
"4MW-21","EPA 300.0
(Chloride)","35432456003","E83079","16887006","Chloride","8.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","No
Prep","RES","YES","12/03/2018 12:05:00","12/03/2018 12:05:00","TOT","498016","498016","YES",,,"35429772"
"4MW-1","EPA 300.0
(Chloride)","35432458001","E83079","16887006","Chloride","115",,"mg/L",,"12.5","TRG","5","0",,"0","25.0","45799
","Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 12:28:00","12/03/2018 12:28:00","TOT","498016","498016","YES",,,"35429772"

"4MW-8","EPA 300.0
(Chloride)","35432458002","E83079","16887006","Chloride","9.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","No
Prep","RES","YES","12/03/2018 12:50:00","12/03/2018 12:50:00","TOT","498016","498016","YES",,,"35429772"
"2693555BLANK","EPA 350.1 No Distillation","2693555","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/04/2018 11:03:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/04/2018
11:03:00","12/04/2018 11:03:00","TOT","498216","498216","YES",,,"35429772"
"2693556LCS","EPA 350.1 No Distillation","2693556","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","104","0","0.050","45799","Pasco County Resource Recovery","12/04/2018
11:05:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/04/2018 11:05:00","12/04/2018
11:05:00","TOT","498216","498216","YES","1.0",,"35429772"
"35434269008DUP","EPA 350.1 No Distillation","35434269008DUP","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/03/2018 14:50:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/04/2018
11:09:00","12/04/2018 11:09:00","TOT","498216","498216","YES",,,"35429772"
"35434269008MS","EPA 350.1 No Distillation","35434269008MS","E83079","1515","Ammonia
(N)","1.0",,"mg/L",,"0.035","SPK","1","0","101","0","0.050","45799","Pasco County Resource Recovery","12/03/2018
14:50:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/04/2018 11:11:00","12/04/2018
11:11:00","TOT","498216","498216","YES","1.0",,"35429772"
"4MW-5","EPA 350.1 No Distillation","35433858001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/04/2018 11:22:00","12/04/2018 11:22:00","TOT","498216","498216","YES",,,"35429772"
"4MW-2","EPA 350.1 No Distillation","35433859001","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/04/2018 11:24:00","12/04/2018 11:24:00","TOT","498216","498216","YES",,,"35429772"
"2MW-2","EPA 350.1 No Distillation","35433859002","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/04/2018 11:26:00","12/04/2018 11:26:00","TOT","498216","498216","YES",,,"35429772"
"35434269008","EPA 350.1 No Distillation","35434269008","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/03/2018 14:50:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/04/2018
11:07:00","12/04/2018 11:07:00","TOT","498216","498216","YES",,,"35429772"
"2693762BLANK","EPA
7470","2693762","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/04/2018 12:49:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/04/2018
12:49:00","12/06/2018 14:31:00","TOT","498278","498278","YES",,,"35429772"
"2693763LCS","EPA
7470","2693763","E83079","7439976","Mercury","1.9",,"ug/L",,"0.10","SPK","1","0","95","0","0.20","45799","Pasco
County Resource Recovery","12/04/2018 12:49:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018
14:33:00","TOT","498278","498278","YES","2.0",,"35429772"
"35432051006MS","EPA
7470","35432051006MS","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","100","0","0.20","4579
9","Pasco County Resource Recovery","11/19/2018 14:20:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018
14:37:00","TOT","498278","498278","YES","2.0",,"35429772"
"35432051006MSD","EPA
7470","35432051006MSD","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","100","1","0.20","457
99","Pasco County Resource Recovery","11/19/2018 14:20:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018

14:39:00","TOT","498278","498278","YES","2.0",,"35429772"
"4MW-7","EPA
7470","35432456001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 15:11:00","TOT","498278","498278","YES",,,"35429772"
"4MW-22","EPA
7470","35432456002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 15:13:00","TOT","498278","498278","YES",,,"35429772"
"4MW-21","EPA
7470","35432456003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 15:16:00","TOT","498278","498278","YES",,,"35429772"
"4MW-1","EPA
7470","35432458001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 15:18:00","TOT","498278","498278","YES",,,"35429772"
"4MW-8","EPA
7470","35432458002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 15:20:00","TOT","498278","498278","YES",,,"35429772"
"35432051006","EPA
7470","35432051006","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/19/2018 14:20:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 14:35:00","TOT","498278","498278","YES",,,"35429772"
"35432051007","EPA
7470","35432051007","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/19/2018 11:10:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/04/2018 12:49:00","12/06/2018 14:48:00","TOT","498278","498278","YES",,,"35429772"
"2694820BLANK","EPA 8011","2694820","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","12/05/2018 11:40:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:06:00","TOT","498482","498482","YES",,,"35429772"
"2694820BLANK","EPA 8011","2694820","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","12/05/2018 11:40:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:06:00","TOT","498482","498482","YES",,,"35429772"
"2694821LCS","EPA 8011","2694821","E83079","106934","1,2-
Dibromoethane","0.24",,"ug/L",,"0.0075","SPK","1","0","95","0","0.010","45799","Pasco County Resource
Recovery","12/05/2018 11:40:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:20:00","TOT","498482","498482","YES","0.25",,"35429772"
"2694821LCS","EPA 8011","2694821","E83079","96128","1,2-Dibromo-3-
chloropropane","0.24",,"ug/L",,"0.0064","SPK","1","0","97","0","0.020","45799","Pasco County Resource
Recovery","12/05/2018 11:40:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:20:00","TOT","498482","498482","YES","0.25",,"35429772"
"35432944001MS","EPA 8011","35432944001MS","E83079","96128","1,2-Dibromo-3-
chloropropane","0.43",,"ug/L",,"0.011","SPK","1","0","99","0","0.035","45799","Pasco County Resource
Recovery","11/26/2018 10:07:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:50:00","TOT","498482","498482","YES","0.44",,"35429772"
"35432944001MS","EPA 8011","35432944001MS","E83079","106934","1,2-
Dibromoethane","0.43",,"ug/L",,"0.013","SPK","1","0","98","0","0.018","45799","Pasco County Resource
Recovery","11/26/2018 10:07:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 16:50:00","TOT","498482","498482","YES","0.44",,"35429772"
"35432944001MSD","EPA 8011","35432944001MSD","E83079","106934","1,2-

Dibromoethane","0.49",,"ug/L",,"0.013","SPK","1","0","112","13","0.018","45799","Pasco County Resource Recovery","11/26/2018 10:07:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 17:05:00","TOT","498482","498482","YES","0.44",,"35429772"
"35432944001MSD","EPA 8011","35432944001MSD","E83079","96128","1,2-Dibromo-3-chloropropane","0.49",,"ug/L",,"0.011","SPK","1","0","112","12","0.035","45799","Pasco County Resource Recovery","11/26/2018 10:07:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 17:05:00","TOT","498482","498482","YES","0.44",,"35429772"
"4MW-2","EPA 8011","35433859001","E83079","106934","1,2-Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0097","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:02:00","TOT","498482","498482","YES",,,"35429772"
"4MW-2","EPA 8011","35433859001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:02:00","TOT","498482","498482","YES",,,"35429772"
"2MW-2","EPA 8011","35433859002","E83079","96128","1,2-Dibromo-3-chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:17:00","TOT","498482","498482","YES",,,"35429772"
"2MW-2","EPA 8011","35433859002","E83079","106934","1,2-Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0098","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:17:00","TOT","498482","498482","YES",,,"35429772"
"35432944001","EPA 8011","35432944001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","11/26/2018 10:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 16:35:00","TOT","498482","498482","YES",,,"35429772"
"35432944001","EPA 8011","35432944001","E83079","106934","1,2-Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource Recovery","11/26/2018 10:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 16:35:00","TOT","498482","498482","YES",,,"35429772"
"2694828BLANK","EPA 8011","2694828","E83079","96128","1,2-Dibromo-3-chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource Recovery","12/05/2018 11:40:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:32:00","TOT","498483","498483","YES",,,"35429772"
"2694828BLANK","EPA 8011","2694828","E83079","106934","1,2-Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource Recovery","12/05/2018 11:40:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:32:00","TOT","498483","498483","YES",,,"35429772"
"2694829LCS","EPA 8011","2694829","E83079","106934","1,2-Dibromoethane","0.23",,"ug/L",,"0.0075","SPK","1","0","93","0","0.010","45799","Pasco County Resource Recovery","12/05/2018 11:40:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:47:00","TOT","498483","498483","YES","0.25",,"35429772"
"2694829LCS","EPA 8011","2694829","E83079","96128","1,2-Dibromo-3-chloropropane","0.23",,"ug/L",,"0.0064","SPK","1","0","93","0","0.020","45799","Pasco County Resource Recovery","12/05/2018 11:40:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 22:47:00","TOT","498483","498483","YES","0.25",,"35429772"
"35433214001MS","EPA 8011","35433214001MS","E83079","106934","1,2-Dibromoethane","0.49",,"ug/L",,"0.013","SPK","1","0","111","0","0.018","45799","Pasco County Resource Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/05/2018 11:40:00","12/05/2018 23:17:00","TOT","498483","498483","YES","0.44",,"35429772"
"35433214001MS","EPA 8011","35433214001MS","E83079","96128","1,2-Dibromo-3-chloropropane","0.48",,"ug/L",,"0.011","SPK","1","0","111","0","0.035","45799","Pasco County Resource Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/05/2018

11:40:00","12/05/2018 23:17:00","TOT","498483","498483","YES","0.44",,"35429772"
"35433214001MSD","EPA 8011","35433214001MSD","E83079","106934","1,2-
Dibromoethane","0.48",,"ug/L",,"0.013","SPK","1","0","111","1","0.018","45799","Pasco County Resource
Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 23:32:00","TOT","498483","498483","YES","0.44",,"35429772"
"35433214001MSD","EPA 8011","35433214001MSD","E83079","96128","1,2-Dibromo-3-
chloropropane","0.48",,"ug/L",,"0.011","SPK","1","0","110","1","0.035","45799","Pasco County Resource
Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 23:32:00","TOT","498483","498483","YES","0.44",,"35429772"
"4MW-5","EPA 8011","35433858001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/05/2018 11:40:00","12/06/2018 04:49:00","TOT","498483","498483","YES",,,"35429772"
"4MW-5","EPA 8011","35433858001","E83079","106934","1,2-
Dibromoethane","0.0074",,"ug/L","U","0.0074","TRG","1","0",,"0","0.0099","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/05/2018 11:40:00","12/06/2018 04:49:00","TOT","498483","498483","YES",,,"35429772"
"35433214001","EPA 8011","35433214001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/27/2018 09:00:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 23:02:00","TOT","498483","498483","YES",,,"35429772"
"35433214001","EPA 8011","35433214001","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","11/27/2018 09:00:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/05/2018
11:40:00","12/05/2018 23:02:00","TOT","498483","498483","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA

6010","2695254","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695254BLANK","EPA
6010","2695254","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:32:00","TOT","498513","498513","YES",,,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440484","Cobalt","243",,"ug/L",,"0.96","SPK","1","0","97","0","10.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440439","Cadmium","24.5",,"ug/L",,"0.33","SPK","1","0","98","0","1.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","25.0",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440473","Chromium","245",,"ug/L",,"1.7","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"

"2695255LCS","EPA
6010","2695255","E83079","7439896","Iron","2440",,"ug/L",,"9.2","SPK","1","0","98","0","40.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","2500",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440508","Copper","234",,"ug/L",,"2.6","SPK","1","0","94","0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440417","Beryllium","23.2",,"ug/L",,"1.6","SPK","1","0","93","0","4.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","25.0",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440622","Vanadium","241",,"ug/L",,"1.0","SPK","1","0","96","0","10.0","45799","Pasc
o County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440235","Sodium","11.9",,"mg/L",,"0.27","SPK","1","0","95","0","2.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","12.5",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440666","Zinc","1190",,"ug/L",,"11.0","SPK","1","0","95","0","20.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","1250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440020","Nickel","245",,"ug/L",,"2.1","SPK","1","0","98","0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7782492","Selenium","233",,"ug/L",,"8.5","SPK","1","0","93","0","15.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440393","Barium","242",,"ug/L",,"0.84","SPK","1","0","97","0","10.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440382","Arsenic","228",,"ug/L",,"7.1","SPK","1","0","91","0","10.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440280","Thallium","245",,"ug/L",,"6.6","SPK","1","0","98","0","15.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018

14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7439921","Lead","245",,"ug/L",,"4.6","SPK","1","0","98","0","10.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440360","Antimony","234",,"ug/L",,"5.5","SPK","1","0","94","0","15.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","250",,"35429772"
"2695255LCS","EPA
6010","2695255","E83079","7440224","Silver","23.7",,"ug/L",,"1.0","SPK","1","0","95","0","5.0","45799","Pasco
County Resource Recovery","12/05/2018 01:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:35:00","TOT","498513","498513","YES","25.0",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7782492","Selenium","235",,"ug/L",,"8.5","SPK","1","0","94","0","15.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440020","Nickel","248",,"ug/L",,"2.1","SPK","1","0","99","0","5.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440382","Arsenic","234",,"ug/L",,"7.1","SPK","1","0","93","0","10.0","45799",
"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440439","Cadmium","24.8",,"ug/L",,"0.33","SPK","1","0","99","0","1.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","25.0",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440473","Chromium","248",,"ug/L",,"1.7","SPK","1","0","99","0","5.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7439921","Lead","248",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440508","Copper","239",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440622","Vanadium","249",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen

Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440484","Cobalt","249",,"ug/L",,"0.96","SPK","1","0","99","0","10.0","45799",
"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7439896","Iron","2510",,"ug/L",,"9.2","SPK","1","0","100","0","40.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","2500",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440224","Silver","24.4",,"ug/L",,"1.0","SPK","1","0","98","0","5.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","25.0",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440280","Thallium","249",,"ug/L",,"6.6","SPK","1","0","100","0","15.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440417","Beryllium","23.8",,"ug/L",,"1.6","SPK","1","0","95","0","4.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","25.0",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440235","Sodium","17.1",,"mg/L",,"0.27","SPK","1","0","100","0","2.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","12.5",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440393","Barium","256",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799"
,"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440666","Zinc","1210",,"ug/L",,"11.0","SPK","1","0","97","0","20.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","1250",,"35429772"
"4MW-7MS","EPA
6010","35432456001MS","E83079","7440360","Antimony","240",,"ug/L",,"5.5","SPK","1","0","96","0","15.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MS","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
14:40:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7440280","Thallium","250",,"ug/L",,"6.6","SPK","1","0","100","0","15.0","457
99","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7440484","Cobalt","248",,"ug/L",,"0.96","SPK","1","0","99","0","10.0","45799

","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440360","Antimony","240",,"ug/L",,"5.5","SPK","1","0","96","0","15.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440393","Barium","255",,"ug/L",,"0.84","SPK","1","0","98","0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440417","Beryllium","23.8",,"ug/L",,"1.6","SPK","1","0","95","0","4.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","25.0",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7439921","Lead","248",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440622","Vanadium","248",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440224","Silver","24.4",,"ug/L",,"1.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","25.0",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440473","Chromium","248",,"ug/L",,"1.7","SPK","1","0","99","0","5.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440235","Sodium","17.0",,"mg/L",,"0.27","SPK","1","0","99","1","2.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","12.5",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440439","Cadmium","24.7",,"ug/L",,"0.33","SPK","1","0","99","0","1.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","25.0",,"35429772" "4MW-7MSD","EPA 6010","35432456001MSD","E83079","7440508","Copper","239",,"ug/L",,"2.6","SPK","1","0","96","0","5.0","45799","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:02:00","TOT","498513","498513","YES","250",,"35429772" "4MW-7MSD","EPA

6010","35432456001MSD","E83079","7440382","Arsenic","234",,"ug/L",,"7.1","SPK","1","0","93","0","10.0","45799
","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7782492","Selenium","235",,"ug/L",,"8.5","SPK","1","0","94","0","15.0","4579
9","Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-
Groundwater","MSD","Courier","0.6","Gen Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7440666","Zinc","1200",,"ug/L",,"11.0","SPK","1","0","96","1","20.0","45799"
,"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","1250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7440020","Nickel","248",,"ug/L",,"2.1","SPK","1","0","99","0","5.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","250",,"35429772"
"4MW-7MSD","EPA
6010","35432456001MSD","E83079","7439896","Iron","2510",,"ug/L",,"9.2","SPK","1","0","100","0","40.0","45799",
"Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","MSD","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018
15:02:00","TOT","498513","498513","YES","2500",,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440235","Sodium","4.6",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7439896","Iron","13.0",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa

sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440622","Vanadium","1.1",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","P
asco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-7","EPA
6010","35432456001","E83079","7440393","Barium","8.5",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 10:02:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 14:38:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"

"4MW-22","EPA
6010","35432456002","E83079","7440393","Barium","11.1",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7439896","Iron","164",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","P
asco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440235","Sodium","6.3",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-22","EPA
6010","35432456002","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 11:04:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:05:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440020","Nickel","2.4",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco

County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440393","Barium","8.9",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","P
asco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440473","Chromium","2.7",,"ug/L","I","1.7","TRG","1","0",,"0","5.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7439896","Iron","178",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440439","Cadmium","1.0",,"ug/L",,"0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440484","Cobalt","1.0",,"ug/L","I","0.96","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440622","Vanadium","2.5",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"

"4MW-21","EPA
6010","35432456003","E83079","7440235","Sodium","4.8",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-21","EPA
6010","35432456003","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/19/2018 13:31:00","AQUEOUS-Groundwater","N","Courier","0.6","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:08:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","P
asco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440235","Sodium","68.4",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440622","Vanadium","2.1",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440393","Barium","34.8",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440020","Nickel","5.1",,"ug/L",,"2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa

sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-1","EPA
6010","35432458001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 11:57:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:10:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","P
asco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440235","Sodium","4.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"

"4MW-8","EPA
6010","35432458002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440393","Barium","7.2",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"4MW-8","EPA
6010","35432458002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/20/2018 14:26:00","AQUEOUS-Groundwater","N","Courier","0.3","Gen
Prep","RES","YES","12/05/2018 01:21:00","12/05/2018 15:13:00","TOT","498513","498513","YES",,,"35429772"
"2695880BLANK","EPA
7470","2695880","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/05/2018 13:24:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
13:24:00","12/06/2018 17:17:00","TOT","498677","498677","YES",,,"35429772"
"2695881LCS","EPA
7470","2695881","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","104","0","0.20","45799","Pasc
o County Resource Recovery","12/05/2018 13:24:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018
17:19:00","TOT","498677","498677","YES","2.0",,"35429772"
"35433214001MS","EPA
7470","35433214001MS","E83079","7439976","Mercury","2.2",,"ug/L",,"0.10","SPK","1","0","108","0","0.20","4579
9","Pasco County Resource Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018
17:23:00","TOT","498677","498677","YES","2.0",,"35429772"

"35433214001MSD","EPA
7470","35433214001MSD","E83079","7439976","Mercury","2.2",,"ug/L",,"0.10","SPK","1","0","108","0","0.20","457
99","Pasco County Resource Recovery","11/27/2018 09:00:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018
17:25:00","TOT","498677","498677","YES","2.0",,"35429772"
"4MW-4","EPA
7470","35433341001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018 17:53:00","TOT","498677","498677","YES",,,"35429772"
"4MW-9","EPA
7470","35433341002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018 17:55:00","TOT","498677","498677","YES",,,"35429772"
"35433214001","EPA
7470","35433214001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/27/2018 09:00:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018 17:21:00","TOT","498677","498677","YES",,,"35429772"
"35433214002","EPA
7470","35433214002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/05/2018 13:24:00","12/06/2018 17:28:00","TOT","498677","498677","YES",,,"35429772"
"2696331BLANK","EPA
7470","2696331","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/05/2018 16:14:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/05/2018
16:14:00","12/06/2018 19:15:00","TOT","498774","498774","YES",,,"35429772"
"2696332LCS","EPA
7470","2696332","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","106","0","0.20","45799","Pasc
o County Resource Recovery","12/05/2018 16:14:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018
19:17:00","TOT","498774","498774","YES","2.0",,"35429772"
"35433553002MS","EPA
7470","35433553002MS","E83079","7439976","Mercury","2.2",,"ug/L",,"0.10","SPK","1","0","108","0","0.20","4579
9","Pasco County Resource Recovery","11/28/2018 12:16:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018
19:26:00","TOT","498774","498774","YES","2.0",,"35429772"
"35433553002MSD","EPA
7470","35433553002MSD","E83079","7439976","Mercury","2.2",,"ug/L",,"0.10","SPK","1","0","110","2","0.20","457
99","Pasco County Resource Recovery","11/28/2018 12:16:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018
19:28:00","TOT","498774","498774","YES","2.0",,"35429772"
"4MW-5","EPA
7470","35433858001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018 20:19:00","TOT","498774","498774","YES",,,"35429772"
"35433553002","EPA
7470","35433553002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/28/2018 12:16:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018 19:19:00","TOT","498774","498774","YES",,,"35429772"
"35433553003","EPA
7470","35433553003","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/28/2018 12:41:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/05/2018 16:14:00","12/06/2018 19:30:00","TOT","498774","498774","YES",,,"35429772"
"2697741BLANK","EPA 300.0
(Chloride)","2697741","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P

asco County Resource Recovery","12/06/2018 11:23:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 11:23:00","12/06/2018 11:23:00","TOT","498962","498962","YES",,,"35429772"
"2697742LCS","EPA 300.0
(Chloride)","2697742","E83079","16887006","Chloride","48.0",,"mg/L",,"2.5","SPK","1","0","96","0","5.0","45799","
Pasco County Resource Recovery","12/06/2018 11:45:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 11:45:00","12/06/2018
11:45:00","TOT","498962","498962","YES","50.0",,"35429772"
"35433533001MS","EPA 300.0
(Chloride)","35433533001MS","E83079","16887006","Chloride","77.6",,"mg/L",,"2.5","SPK","1","0","104","0","5.0",
"45799","Pasco County Resource Recovery","11/28/2018 13:10:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 15:07:00","12/06/2018
15:07:00","TOT","498962","498962","YES","50.0",,"35429772"
"35433533001MSD","EPA 300.0
(Chloride)","35433533001MSD","E83079","16887006","Chloride","78.3",,"mg/L",,"2.5","SPK","1","0","106","1","5.0
","45799","Pasco County Resource Recovery","11/28/2018 13:10:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","12/06/2018 15:30:00","12/06/2018
15:30:00","TOT","498962","498962","YES","50.0",,"35429772"
"4MW-4MS","EPA 300.0
(Chloride)","35433341001MS","E83079","16887006","Chloride","65.4",,"mg/L",,"2.5","SPK","1","0","102","0","5.0",
"45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-
Groundwater","MS","Courier","1.1","No Prep","RES","YES","12/06/2018 20:21:00","12/06/2018
20:21:00","TOT","498962","498962","YES","50.0",,"35429772"
"4MW-4MSD","EPA 300.0
(Chloride)","35433341001MSD","E83079","16887006","Chloride","64.5",,"mg/L",,"2.5","SPK","1","0","100","1","5.0
","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-
Groundwater","MSD","Courier","1.1","No Prep","RES","YES","12/06/2018 20:44:00","12/06/2018
20:44:00","TOT","498962","498962","YES","50.0",,"35429772"
"4MW-4","EPA 300.0
(Chloride)","35433341001","E83079","16887006","Chloride","14.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 19:59:00","12/06/2018 19:59:00","TOT","498962","498962","YES",,,"35429772"
"4MW-9","EPA 300.0
(Chloride)","35433341002","E83079","16887006","Chloride","25.0",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 21:06:00","12/06/2018 21:06:00","TOT","498962","498962","YES",,,"35429772"
"35433533001","EPA 300.0
(Chloride)","35433533001","E83079","16887006","Chloride","25.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/28/2018 13:10:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 14:45:00","12/06/2018 14:45:00","TOT","498962","498962","YES",,,"35429772"
"2697869BLANK","SM18 2540 C","2697869","E84129","1705","Residues- Filterable
(TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018
15:01:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 15:01:00","12/06/2018
15:01:00","TOT","498990","498990","YES",,,"35429772"
"2697870LCS","SM18 2540 C","2697870","E84129","1705","Residues- Filterable
(TDS)","292",,"mg/L",,"5.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","12/06/2018
15:01:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 15:01:00","12/06/2018
15:01:00","TOT","498990","498990","YES","300",,"35429772"
"4MW-27DUP","SM18 2540 C","35434831001DUP","E84129","1705","Residues- Filterable
(TDS)","336",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","DUP","Courier","3.6","No Prep","RES","YES","12/06/2018
15:02:00","12/06/2018 15:02:00","TOT","498990","498990","YES",,,"35429772"
"35434401001DUP","SM18 2540 C","35434401001DUP","E84129","1705","Residues- Filterable
(TDS)","24200",,"mg/L",,"250","TRG","1","0",,"4","250","45799","Pasco County Resource Recovery","12/04/2018
13:33:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 15:09:00","12/06/2018

15:09:00","TOT","498990","498990","YES",,,"35429772"
"4MW-6","SM18 2540 C","35434827001","E84129","1705","Residues- Filterable
(TDS)","63.0",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/06/2018
15:04:00","12/06/2018 15:04:00","TOT","498990","498990","YES",,,"35429772"
"4MW-27","SM18 2540 C","35434831001","E84129","1705","Residues- Filterable
(TDS)","337",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/06/2018
15:02:00","12/06/2018 15:02:00","TOT","498990","498990","YES",,,"35429772"
"4MW-3A","SM18 2540 C","35434831002","E84129","1705","Residues- Filterable
(TDS)","216",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/06/2018
15:03:00","12/06/2018 15:03:00","TOT","498990","498990","YES",,,"35429772"
"35434401001","SM18 2540 C","35434401001","E84129","1705","Residues- Filterable
(TDS)","23400",,"mg/L",,"250","TRG","1","0",,"0","250","45799","Pasco County Resource Recovery","12/04/2018
13:33:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 15:08:00","12/06/2018
15:08:00","TOT","498990","498990","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.2",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA

8260","2697935","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","DEP-SURR-038","Toluene-
d8","40.6",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","DEP-SURR-019","4-
Bromofluorobenzene","41",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No

Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018
10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018
10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA
8260","2697935","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018
10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","75354","1,1-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","630206","1,1,1,2-Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697935BLANK","EPA 8260","2697935","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 10:33:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/06/2018 10:33:00","12/06/2018 10:33:00","TOT","499018","499018","YES",,,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","40.2",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","630206","1,1,1,2-Tetrachloroethane","22.6",,"ug/L",,"0.32","SPK","1","0","113","0","1.0","45799","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018

09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","108883","Toluene","21.5",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","79016","Trichloroethene","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","P
asco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","74884","Iodomethane","10.7",,"ug/L",,"9.3","SPK","1","0","27","0","10.0","45799","Pasc
o County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","DEP-SURR-038","Toluene-
d8","39.8",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","12/06/2018
09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","56235","Carbon
tetrachloride","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","3.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","75092","Methylene
Chloride","18.6",,"ug/L",,"2.0","SPK","1","0","93","0","5.0","45799","Pasco County Resource Recovery","12/06/2018
09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","75252","Bromoform","21.0",,"ug/L",,"2.6","SPK","1","0","105","0","3.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","71432","Benzene","20.5",,"ug/L",,"0.10","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","95501","1,2-
Dichlorobenzene","22.6",,"ug/L",,"0.50","SPK","1","0","113","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","110576","trans-1,4-Dichloro-2-
butene","18.6",,"ug/L",,"2.5","SPK","1","0","93","0","10.0","45799","Pasco County Resource Recovery","12/06/2018
09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","74839","Bromomethane","6.9",,"ug/L",,"4.0","SPK","1","0","34","0","5.0","45799","Pasc
o County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","79005","1,1,2-
Trichloroethane","22.7",,"ug/L",,"0.30","SPK","1","0","114","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","75014","Vinyl
chloride","19.3",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco County Resource Recovery","12/06/2018

09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","108054","Vinyl
acetate","18.2",,"ug/L",,"0.19","SPK","1","0","91","0","10.0","45799","Pasco County Resource Recovery","12/06/2018
09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","100425","Styrene","20.7",,"ug/L",,"0.26","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","108907","Chlorobenzene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","
Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","127184","Tetrachloroethene","20.1",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799
","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","156605","trans-1,2-
Dichloroethene","18.7",,"ug/L",,"0.50","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","124481","Dibromochloromethane","21.5",,"ug/L",,"0.45","SPK","1","0","107","0","2.0","
45799","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","75694","Trichlorofluoromethane","21.0",,"ug/L",,"0.35","SPK","1","0","105","0","1.0","4
5799","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","79345","1,1,2,2-
Tetrachloroethane","23.1",,"ug/L",,"0.20","SPK","1","0","115","0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","75150","Carbon
disulfide","18.3",,"ug/L",,"0.45","SPK","1","0","92","0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","75343","1,1-
Dichloroethane","19.4",,"ug/L",,"0.34","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","156592","cis-1,2-
Dichloroethene","19.1",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","78875","1,2-
Dichloropropane","20.4",,"ug/L",,"0.23","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"

"2697936LCS","EPA
8260","2697936","E83079","107131","Acrylonitrile","191",,"ug/L",,"3.7","SPK","1","0","95","0","10.0","45799","Pas
co County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","200",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","74975","Bromochloromethane","21.2",,"ug/L",,"0.37","SPK","1","0","106","0","1.0","457
99","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","10061026","trans-1,3-
Dichloropropene","22.4",,"ug/L",,"0.17","SPK","1","0","112","0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","75354","1,1-
Dichloroethene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","1330207","Xylenes-
Total","69.9",,"ug/L",,"1.0","SPK","1","0","117","0","5.0","45799","Pasco County Resource Recovery","12/06/2018
09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","60.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","DEP-SURR-019","4-
Bromofluorobenzene","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","100414","Ethylbenzene","21.7",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","P
asco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","591786","2-
Hexanone","38.0",,"ug/L",,"0.85","SPK","1","0","95","0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","10061015","cis-1,3-
Dichloropropene","21.6",,"ug/L",,"0.17","SPK","1","0","108","0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","75003","Chloroethane","30.4",,"ug/L","J","3.7","SPK","1","0","152","0","10.0","45799","
Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0","Analyte
recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples
may be biased high.","35429772"
"2697936LCS","EPA 8260","2697936","E83079","96184","1,2,3-
Trichloropropane","23.4",,"ug/L",,"1.1","SPK","1","0","117","0","2.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","108101","4-Methyl-2-
pentanone","37.8",,"ug/L",,"0.32","SPK","1","0","94","0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","71556","1,1,1-

Trichloroethane","19.3",,"ug/L",,"0.30","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","106467","1,4-
Dichlorobenzene","21.4",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","74953","Dibromomethane","21.0",,"ug/L",,"0.68","SPK","1","0","105","0","2.0","45799",
"Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","78933","2-
Butanone","45.0",,"ug/L",,"5.0","SPK","1","0","113","0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","75274","Bromodichloromethane","20.1",,"ug/L",,"0.19","SPK","1","0","101","0","0.60","
45799","Pasco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA 8260","2697936","E83079","107062","1,2-
Dichloroethane","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","67663","Chloroform","19.9",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","67641","Acetone","38.2",,"ug/L",,"5.3","SPK","1","0","96","0","20.0","45799","Pasco
County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/06/2018
09:44:00","12/06/2018 09:44:00","TOT","499018","499018","YES","40.0",,"35429772"
"2697936LCS","EPA
8260","2697936","E83079","74873","Chloromethane","20.0",,"ug/L",,"0.97","SPK","1","0","100","0","1.0","45799","P
asco County Resource Recovery","12/06/2018 09:44:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/06/2018 09:44:00","12/06/2018
09:44:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"

"35433214002DUP","EPA 8260","35433214002DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457
99","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","
Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799",

"Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"

"35433214002DUP","EPA
8260","35433214002DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","DEP-SURR-038","Toluene-
d8","39.7",,"ug/L",,,"SURR","1","0","99","2",,"45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.3",,"ug/L",,,"SURR","1","0","103","1",,"45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.6",,"ug/L",,,"SURR","1","0","99","1",,"45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018
11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","457

99","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA 8260","35433214002DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/06/2018 11:47:00","12/06/2018
11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214002DUP","EPA
8260","35433214002DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/06/2018 11:47:00","12/06/2018 11:47:00","TOT","499018","499018","YES",,,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","100425","Styrene","19.1",,"ug/L",,"0.26","SPK","1","0","95","0","1.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","75003","Chloroethane","27.7",,"ug/L",,"3.7","SPK","1","0","138","0","10.0","45
799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","10061026","trans-1,3-
Dichloropropene","20.6",,"ug/L",,"0.17","SPK","1","0","103","0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","71556","1,1,1-
Trichloroethane","18.5",,"ug/L",,"0.30","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","156605","trans-1,2-
Dichloroethene","17.3",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","74975","Bromochloromethane","19.9",,"ug/L",,"0.37","SPK","1","0","99","0","1.
0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","110576","trans-1,4-Dichloro-2-
butene","18.7",,"ug/L",,"2.5","SPK","1","0","93","0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","67663","Chloroform","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799
","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","124481","Dibromochloromethane","19.8",,"ug/L",,"0.45","SPK","1","0","99","0",
"2.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018

19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","75354","1,1-
Dichloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","108907","Chlorobenzene","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","
45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","79345","1,1,2,2-
Tetrachloroethane","22.9",,"ug/L",,"0.20","SPK","1","0","115","0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","106467","1,4-
Dichlorobenzene","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","107131","Acrylonitrile","184",,"ug/L",,"3.7","SPK","1","0","92","0","10.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","200",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","71432","Benzene","19.2",,"ug/L",,"0.10","SPK","1","0","96","0","1.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","96184","1,2,3-
Trichloropropane","22.9",,"ug/L",,"1.1","SPK","1","0","114","0","2.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","591786","2-
Hexanone","35.5",,"ug/L",,"0.85","SPK","1","0","89","0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","78933","2-
Butanone","37.6",,"ug/L",,"5.0","SPK","1","0","94","0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","75014","Vinyl
chloride","19.4",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","75150","Carbon
disulfide","20.1",,"ug/L",,"0.45","SPK","1","0","100","0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","74839","Bromomethane","7.9",,"ug/L",,"4.0","SPK","1","0","39","0","5.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","108101","4-Methyl-2-

pentanone","39.0",,"ug/L",,"0.32","SPK","1","0","97","0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","74953","Dibromomethane","18.9",,"ug/L",,"0.68","SPK","1","0","95","0","2.0","
45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","75274","Bromodichloromethane","18.3",,"ug/L",,"0.19","SPK","1","0","91","0","
0.60","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","1330207","Xylenes-
Total","66.3",,"ug/L",,"1.0","SPK","1","0","110","0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","60.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","79016","Trichloroethene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","78875","1,2-
Dichloropropane","18.7",,"ug/L",,"0.23","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","79005","1,1,2-
Trichloroethane","21.5",,"ug/L",,"0.30","SPK","1","0","108","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","108883","Toluene","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","100414","Ethylbenzene","21.2",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","56235","Carbon
tetrachloride","19.4",,"ug/L",,"0.50","SPK","1","0","97","0","3.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","108054","Vinyl
acetate","17.1",,"ug/L",,"0.19","SPK","1","0","86","0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","156592","cis-1,2-
Dichloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource

Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","127184","Tetrachloroethene","18.3",,"ug/L",,"0.50","SPK","1","0","91","0","1.0"
,"45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","67641","Acetone","23.5",,"ug/L",,"5.3","SPK","1","0","54","0","20.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","75343","1,1-
Dichloroethane","18.1",,"ug/L",,"0.34","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","75092","Methylene
Chloride","17.3",,"ug/L",,"2.0","SPK","1","0","87","0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","10061015","cis-1,3-
Dichloropropene","17.8",,"ug/L",,"0.17","SPK","1","0","89","0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","75252","Bromoform","18.6",,"ug/L",,"2.6","SPK","1","0","93","0","3.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","SPK","1","0","10","0","10.0","45
799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","95501","1,2-
Dichlorobenzene","21.8",,"ug/L",,"0.50","SPK","1","0","109","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","75694","Trichlorofluoromethane","21.5",,"ug/L",,"0.35","SPK","1","0","107","0"
,"1.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","630206","1,1,1,2-
Tetrachloroethane","21.7",,"ug/L",,"0.32","SPK","1","0","108","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018
19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","DEP-SURR-038","Toluene-
d8","39.4",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","107062","1,2-
Dichloroethane","17.5",,"ug/L",,"0.50","SPK","1","0","86","0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018

19:36:00","12/06/2018 19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"35433214003MS","EPA 8260","35433214003MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.2",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003MS","EPA
8260","35433214003MS","E83079","74873","Chloromethane","20.1",,"ug/L",,"0.97","SPK","1","0","101","0","1.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/06/2018 19:36:00","12/06/2018
19:36:00","TOT","499018","499018","YES","20.0",,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018
15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No

Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018
15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","DEP-SURR-038","Toluene-
d8","39.8",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"

"4MW-4","EPA 8260","35433341001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018
15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA
8260","35433341001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","75014","Vinyl

chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","10061026","trans-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","DEP-SURR-019","4-Bromofluorobenzene","38.8",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,"Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.","35429772"
"4MW-4","EPA 8260","35433341001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","41.2",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-4","EPA 8260","35433341001","E83079","75354","1,1-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 15:53:00","12/06/2018 15:53:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","10061015","cis-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No

Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,"Analyte
recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples
may be biased high.","35429772"
"4MW-9","EPA 8260","35433341002","E83079","DEP-SURR-038","Toluene-
d8","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 16:18:00","12/06/2018
16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas

co County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018
16:18:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 16:18:00","12/06/2018
16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 16:18:00","12/06/2018
16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES","40.0",,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018
13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018
16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-
Groundwater","N","Courier","1.1","No Prep","RES","YES","12/06/2018 16:18:00","12/06/2018
16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579

9","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA 8260","35433341002","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"4MW-9","EPA
8260","35433341002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","No
Prep","RES","YES","12/06/2018 16:18:00","12/06/2018 16:18:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"

"35433214002","EPA 8260","35433214002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/27/2018

10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.581217",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214002","EPA 8260","35433214002","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,"Analyte
recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples
may be biased high.","35429772"
"35433214002","EPA 8260","35433214002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.095346",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES","40.1",,"35429772"
"35433214002","EPA
8260","35433214002","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","

Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA
8260","35433214002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"

"35433214002","EPA 8260","35433214002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
11:22:00","12/06/2018 11:22:00","TOT","499018","499018","YES",,,"35429772"
"35433214002","EPA 8260","35433214002","E83079","DEP-SURR-038","Toluene-
d8","40.586075",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:04:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 11:22:00","12/06/2018
11:22:00","TOT","499018","499018","YES","40.2",,"35429772"
"35433214003","EPA 8260","35433214003","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,"Analyte
recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples
may be biased high.","35429772"
"35433214003","EPA 8260","35433214003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.735318",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource

Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES","40.1","Post-analysis pH measurement indicates
pH > 2.","35429772"
"35433214003","EPA 8260","35433214003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.829424",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018
12:11:00","TOT","499018","499018","YES","40.0",,"35429772"
"35433214003","EPA
8260","35433214003","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","DEP-SURR-038","Toluene-
d8","39.65505",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/27/2018
10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018 12:11:00","12/06/2018

12:11:00","TOT","499018","499018","YES","40.1",,"35429772"
"35433214003","EPA 8260","35433214003","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/06/2018 12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA
8260","35433214003","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"35433214003","EPA 8260","35433214003","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/06/2018
12:11:00","12/06/2018 12:11:00","TOT","499018","499018","YES",,,"35429772"
"2698261BLANK","EPA
7470","2698261","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/06/2018 15:16:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/06/2018
15:16:00","12/07/2018 17:31:00","TOT","499102","499102","YES",,,"35429772"
"2698262LCS","EPA
7470","2698262","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","104","0","0.20","45799","Pasc
o County Resource Recovery","12/06/2018 15:16:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018
17:33:00","TOT","499102","499102","YES","2.0",,"35429772"
"4MW-2MS","EPA
7470","35433859001MS","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","106","0","0.20","4579
9","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","MS","Courier","3.1","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018

17:37:00","TOT","499102","499102","YES","2.0",,"35429772"
"4MW-2MSD","EPA
7470","35433859001MSD","E83079","7439976","Mercury","2.1",,"ug/L",,"0.10","SPK","1","0","105","0","0.20","457
99","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","MSD","Courier","3.1","Gen Prep","RES","YES","12/06/2018 15:16:00","12/07/2018
17:39:00","TOT","499102","499102","YES","2.0",,"35429772"
"4MW-2","EPA
7470","35433859001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018 17:35:00","TOT","499102","499102","YES",,,"35429772"
"2MW-2","EPA
7470","35433859002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018 17:41:00","TOT","499102","499102","YES",,,"35429772"
"4MW-6","EPA
7470","35434827001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018 17:46:00","TOT","499102","499102","YES",,,"35429772"
"4MW-27","EPA
7470","35434831001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018 17:52:00","TOT","499102","499102","YES",,,"35429772"
"4MW-3A","EPA
7470","35434831002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/06/2018 15:16:00","12/07/2018 17:54:00","TOT","499102","499102","YES",,,"35429772"
"2699530BLANK","EPA 8011","2699530","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","12/07/2018 15:00:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 11:05:00","TOT","499248","499248","YES",,,"35429772"
"2699530BLANK","EPA 8011","2699530","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","12/07/2018 15:00:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 11:05:00","TOT","499248","499248","YES",,,"35429772"
"2699531LCS","EPA 8011","2699531","E83079","96128","1,2-Dibromo-3-
chloropropane","0.25",,"ug/L",,"0.0064","SPK","1","0","98","0","0.020","45799","Pasco County Resource
Recovery","12/07/2018 15:00:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 11:19:00","TOT","499248","499248","YES","0.25",,"35429772"
"2699531LCS","EPA 8011","2699531","E83079","106934","1,2-
Dibromoethane","0.25",,"ug/L",,"0.0075","SPK","1","0","99","0","0.010","45799","Pasco County Resource
Recovery","12/07/2018 15:00:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 11:19:00","TOT","499248","499248","YES","0.25",,"35429772"
"35435009004MS","EPA 8011","35435009004MS","E83079","106934","1,2-
Dibromoethane","0.47",,"ug/L",,"0.013","SPK","1","0","106","0","0.018","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 16:56:00","TOT","499248","499248","YES","0.44",,"35429772"
"35435009004MS","EPA 8011","35435009004MS","E83079","96128","1,2-Dibromo-3-
chloropropane","0.46",,"ug/L",,"0.011","SPK","1","0","105","0","0.035","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 16:56:00","TOT","499248","499248","YES","0.44",,"35429772"
"35435009004MSD","EPA 8011","35435009004MSD","E83079","96128","1,2-Dibromo-3-
chloropropane","0.46",,"ug/L",,"0.011","SPK","1","0","105","0","0.035","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 17:11:00","TOT","499248","499248","YES","0.44",,"35429772"

"35435009004MSD","EPA 8011","35435009004MSD","E83079","106934","1,2-
Dibromoethane","0.47",,"ug/L",,"0.013","SPK","1","0","107","1","0.018","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 17:11:00","TOT","499248","499248","YES","0.44",,"35429772"
"4MW-27","EPA 8011","35434831001","E83079","106934","1,2-
Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0098","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/07/2018 15:00:00","12/08/2018 14:44:00","TOT","499248","499248","YES",,,"35429772"
"4MW-27","EPA 8011","35434831001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0063",,"ug/L","U","0.0063","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/07/2018 15:00:00","12/08/2018 14:44:00","TOT","499248","499248","YES",,,"35429772"
"4MW-3A","EPA 8011","35434831002","E83079","106934","1,2-
Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0096","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/07/2018 15:00:00","12/08/2018 14:59:00","TOT","499248","499248","YES",,,"35429772"
"4MW-3A","EPA 8011","35434831002","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/07/2018 15:00:00","12/08/2018 14:59:00","TOT","499248","499248","YES",,,"35429772"
"35435009004","EPA 8011","35435009004","E83079","106934","1,2-
Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 16:42:00","TOT","499248","499248","YES",,,"35429772"
"35435009004","EPA 8011","35435009004","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","12/05/2018 15:45:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/07/2018
15:00:00","12/08/2018 16:42:00","TOT","499248","499248","YES",,,"35429772"
"2699924BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2699924","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/07/2018 11:26:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/07/2018
11:26:00","12/07/2018 11:26:00","TOT","499319","499319","YES",,,"35429772"
"2699925LCS","EPA 353.2 (Nitrate-Nitrite (N))","2699925","E83079","1820","Nitrate-Nitrite
(N)","2.0",,"mg/L",,"0.025","SPK","1","0","98","0","0.050","45799","Pasco County Resource Recovery","12/07/2018
11:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/07/2018 11:28:00","12/07/2018
11:28:00","TOT","499319","499319","YES","2.0",,"35429772"
"35434811001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35434811001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.036",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/04/2018
15:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/07/2018 11:30:00","12/07/2018
11:30:00","TOT","499319","499319","YES",,,"35429772"
"35434811001MS","EPA 353.2 (Nitrate-Nitrite (N))","35434811001MS","E83079","1820","Nitrate-Nitrite
(N)","1.8",,"mg/L","J","0.025","SPK","1","0","89","0","0.050","45799","Pasco County Resource
Recovery","12/04/2018 15:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/07/2018
11:34:00","12/07/2018 11:34:00","TOT","499319","499319","YES","2.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434937003DUP","EPA 353.2 (Nitrate-Nitrite (N))","35434937003DUP","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/05/2018 12:15:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/07/2018
11:51:00","12/07/2018 11:51:00","TOT","499319","499319","YES",,,"35429772"
"35434937003MS","EPA 353.2 (Nitrate-Nitrite (N))","35434937003MS","E83079","1820","Nitrate-Nitrite
(N)","1.8",,"mg/L",,"0.025","SPK","1","0","91","0","0.050","45799","Pasco County Resource Recovery","12/05/2018
12:15:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/07/2018 11:52:00","12/07/2018
11:52:00","TOT","499319","499319","YES","2.0",,"35429772"
"4MW-6","EPA 353.2 (Nitrate-Nitrite (N))","35434827001","E83079","1820","Nitrate-Nitrite

(N)","0.51",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/07/2018 11:36:00","12/07/2018 11:36:00","TOT","499319","499319","YES",,,"35429772"
"4MW-27","EPA 353.2 (Nitrate-Nitrite (N))","35434831001","E83079","1820","Nitrate-Nitrite (N)","0.23",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/07/2018 11:38:00","12/07/2018 11:38:00","TOT","499319","499319","YES",,,"35429772"
"4MW-3A","EPA 353.2 (Nitrate-Nitrite (N))","35434831002","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/07/2018 11:39:00","12/07/2018 11:39:00","TOT","499319","499319","YES",,,"35429772"
"35434811001","EPA 353.2 (Nitrate-Nitrite (N))","35434811001","E83079","1820","Nitrate-Nitrite (N)","0.030",,"mg/L","I","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/04/2018 15:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/07/2018 12:24:00","12/07/2018 12:24:00","TOT","499319","499319","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434937003","EPA 353.2 (Nitrate-Nitrite (N))","35434937003","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/05/2018 12:15:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/07/2018 11:49:00","12/07/2018 11:49:00","TOT","499319","499319","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA 6010","2701795","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco

County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701795BLANK","EPA
6010","2701795","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
03:56:00","12/11/2018 01:46:00","TOT","499620","499620","YES",,,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440417","Beryllium","25.4",,"ug/L",,"1.6","SPK","1","0","102","0","4.0","45799","Pasc
o County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","25.0",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7782492","Selenium","250",,"ug/L",,"8.5","SPK","1","0","100","0","15.0","45799","Pasc
o County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7439896","Iron","2480",,"ug/L",,"9.2","SPK","1","0","99","0","40.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","2500",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440224","Silver","24.4",,"ug/L",,"1.0","SPK","1","0","97","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","25.0",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440484","Cobalt","251",,"ug/L",,"0.96","SPK","1","0","101","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440666","Zinc","1250",,"ug/L",,"11.0","SPK","1","0","100","0","20.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen

Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","1250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440508","Copper","249",,"ug/L",,"2.6","SPK","1","0","100","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7439921","Lead","261",,"ug/L",,"4.6","SPK","1","0","104","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440235","Sodium","13.0",,"mg/L",,"0.27","SPK","1","0","104","0","2.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","12.5",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440622","Vanadium","252",,"ug/L",,"1.0","SPK","1","0","101","0","10.0","45799","Pas
co County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440020","Nickel","260",,"ug/L",,"2.1","SPK","1","0","104","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440393","Barium","246",,"ug/L",,"0.84","SPK","1","0","98","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440473","Chromium","261",,"ug/L",,"1.7","SPK","1","0","104","0","5.0","45799","Pasc
o County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440382","Arsenic","242",,"ug/L",,"7.1","SPK","1","0","97","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","250",,"35429772"
"2701796LCS","EPA
6010","2701796","E83079","7440439","Cadmium","25.5",,"ug/L",,"0.33","SPK","1","0","102","0","1.0","45799","Pas
co County Resource Recovery","12/08/2018 03:56:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
01:50:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7439921","Lead","252",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pa
sco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440622","Vanadium","255",,"ug/L",,"1.0","SPK","1","0","101","0","10.0","457

99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440020","Nickel","254",,"ug/L",,"2.1","SPK","1","0","100","0","5.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440508","Copper","262",,"ug/L",,"2.6","SPK","1","0","104","0","5.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7439896","Iron","11800",,"ug/L",,"9.2","SPK","1","0","95","0","40.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","2500",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440417","Beryllium","25.1",,"ug/L",,"1.6","SPK","1","0","100","0","4.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440484","Cobalt","246",,"ug/L",,"0.96","SPK","1","0","98","0","10.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440393","Barium","393",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440235","Sodium","368",,"mg/L","L","0.27","SPK","1","0","170","0","2.0","45
799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:14:00","TOT","499620","499620","YES","12.5","Analyte
concentration exceeded the calibration range. The reported result is estimated.","35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440439","Cadmium","24.2",,"ug/L",,"0.33","SPK","1","0","97","0","1.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7782492","Selenium","248",,"ug/L",,"8.5","SPK","1","0","99","0","15.0","45799
","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440382","Arsenic","260",,"ug/L",,"7.1","SPK","1","0","102","0","10.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MS","EPA

6010","35433214003MS","E83079","7440666","Zinc","1170",,"ug/L",,"11.0","SPK","1","0","94","0","20.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","1250",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440224","Silver","25.4",,"ug/L",,"1.0","SPK","1","0","102","0","5.0","45799","
Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MS","EPA
6010","35433214003MS","E83079","7440473","Chromium","259",,"ug/L",,"1.7","SPK","1","0","101","0","5.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:14:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440020","Nickel","258",,"ug/L",,"2.1","SPK","1","0","102","1","5.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440473","Chromium","263",,"ug/L",,"1.7","SPK","1","0","103","1","5.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440393","Barium","400",,"ug/L",,"0.84","SPK","1","0","101","2","10.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7439896","Iron","11900",,"ug/L",,"9.2","SPK","1","0","99","1","40.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","2500",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440439","Cadmium","24.6",,"ug/L",,"0.33","SPK","1","0","98","2","1.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7782492","Selenium","253",,"ug/L",,"8.5","SPK","1","0","101","2","15.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440235","Sodium","374",,"mg/L","L","0.27","SPK","1","0","217","2","2.0","4
5799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:22:00","TOT","499620","499620","YES","12.5","Analyte
concentration exceeded the calibration range. The reported result is estimated.","35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440666","Zinc","1190",,"ug/L",,"11.0","SPK","1","0","95","1","20.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","1250",,"35429772"

"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440484","Cobalt","250",,"ug/L",,"0.96","SPK","1","0","100","1","10.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440224","Silver","25.8",,"ug/L",,"1.0","SPK","1","0","103","2","5.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440417","Beryllium","25.5",,"ug/L",,"1.6","SPK","1","0","102","1","4.0","457
99","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","25.0",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440382","Arsenic","260",,"ug/L",,"7.1","SPK","1","0","102","0","10.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7439921","Lead","255",,"ug/L",,"4.6","SPK","1","0","100","1","10.0","45799",
"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440508","Copper","266",,"ug/L",,"2.6","SPK","1","0","105","1","5.0","45799"
,"Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"35433214003MSD","EPA
6010","35433214003MSD","E83079","7440622","Vanadium","258",,"ug/L",,"1.0","SPK","1","0","102","1","10.0","45
799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018
02:22:00","TOT","499620","499620","YES","250",,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440393","Barium","8.2",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7439896","Iron","21.3",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen

Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440622","Vanadium","3.2",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-4","EPA
6010","35433341001","E83079","7440235","Sodium","6.9",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:46:00","TOT","499620","499620","YES",,,"35429772"
"4MW-9","EPA
6010","35433341002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772"
"4MW-9","EPA
6010","35433341002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772"
"4MW-9","EPA
6010","35433341002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772"
"4MW-9","EPA

6010","35433341002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440393","Barium","9.1",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440235","Sodium","11.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "4MW-9","EPA
6010","35433341002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:50:00","TOT","499620","499620","YES",,,"35429772" "35433214003","EPA
6010","35433214003","E83079","7439896","Iron","9430",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772" "35433214003","EPA
6010","35433214003","E83079","7440666","Zinc","110",,"ug/L","U","110","TRG","10","0",,"0","200","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","DL","YES","12/08/2018

03:56:00","12/11/2018 11:26:00","TOT","499620","499620","YES",,"Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.","35429772"
"35433214003","EPA
6010","35433214003","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440020","Nickel","3.7",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7439921","Lead","4.9",,"ug/L","I","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440473","Chromium","5.9",,"ug/L",,"1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440622","Vanadium","1.6",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440393","Barium","146",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440508","Copper","3.1",,"ug/L","I","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 03:56:00","12/11/2018 02:02:00","TOT","499620","499620","YES",,,"35429772"
"35433214003","EPA
6010","35433214003","E83079","7440235","Sodium","347",,"mg/L",,"2.7","TRG","10","0",,"0","20.0","45799","Pasco County Resource Recovery","11/27/2018 10:29:00","AQUEOUS-Other","N",,,"Gen Prep","DL","YES","12/08/2018 03:56:00","12/11/2018 11:26:00","TOT","499620","499620","YES",,,"35429772"

"2701799BLANK","EPA
6020","2701799","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 03:52:00","AQUEOUS-Other","MB",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:31:00","TOT","499621","499621","YES",,,"35429772"
"2701799BLANK","EPA
6020","2701799","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 03:52:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
03:52:00","12/12/2018 16:32:00","TOT","499621","499621","YES",,,"35429772"
"2701800LCS","EPA
6020","2701800","E83079","7440360","Antimony","51.7",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pas
co County Resource Recovery","12/08/2018 03:52:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:32:00","TOT","499621","499621","YES","50.0",,"35429772"
"2701800LCS","EPA
6020","2701800","E83079","7440280","Thallium","51.3",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 03:52:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:32:00","TOT","499621","499621","YES","50.0",,"35429772"
"35433214002MS","EPA
6020","35433214002MS","E83079","7440360","Antimony","52.7",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","457
99","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:38:00","TOT","499621","499621","YES","50.0",,"35429772"
"35433214002MS","EPA
6020","35433214002MS","E83079","7440280","Thallium","52.8",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","4579
9","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:38:00","TOT","499621","499621","YES","50.0",,"35429772"
"35433214002MSD","EPA
6020","35433214002MSD","E83079","7440280","Thallium","51.8",,"ug/L",,"0.50","SPK","1","0","104","2","1.0","45
799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:41:00","TOT","499621","499621","YES","50.0",,"35429772"
"35433214002MSD","EPA
6020","35433214002MSD","E83079","7440360","Antimony","53.2",,"ug/L",,"0.50","SPK","1","0","106","1","1.0","45
799","Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018
21:41:00","TOT","499621","499621","YES","50.0",,"35429772"
"4MW-4","EPA
6020","35433341001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:49:00","TOT","499621","499621","YES",,,"35429772"
"4MW-4","EPA
6020","35433341001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/26/2018 10:39:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:49:00","TOT","499621","499621","YES",,,"35429772"
"4MW-9","EPA
6020","35433341002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:53:00","TOT","499621","499621","YES",,,"35429772"
"4MW-9","EPA
6020","35433341002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/26/2018 13:49:00","AQUEOUS-Groundwater","N","Courier","1.1","Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:53:00","TOT","499621","499621","YES",,,"35429772"

"35433214002","EPA
6020","35433214002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:35:00","TOT","499621","499621","YES",,,"35429772"
"35433214002","EPA
6020","35433214002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/27/2018 10:04:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 03:52:00","12/10/2018 21:35:00","TOT","499621","499621","YES",,,"35429772"
"2701822BLANK","EPA
6020","2701822","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 06:21:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:21:00","12/10/2018 22:03:00","TOT","499630","499630","YES",,,"35429772"
"2701822BLANK","EPA
6020","2701822","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:21:00","AQUEOUS-Other","MB",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018 22:03:00","TOT","499630","499630","YES",,,"35429772"
"2701823LCS","EPA
6020","2701823","E83079","7440360","Antimony","50.9",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pas
co County Resource Recovery","12/08/2018 06:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:04:00","TOT","499630","499630","YES","50.0",,"35429772"
"2701823LCS","EPA
6020","2701823","E83079","7440280","Thallium","52.9",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:21:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:04:00","TOT","499630","499630","YES","50.0",,"35429772"
"35433648001MS","EPA
6020","35433648001MS","E83079","7440280","Thallium","50.6",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:11:00","TOT","499630","499630","YES","50.0",,"35429772"
"35433648001MS","EPA
6020","35433648001MS","E83079","7440360","Antimony","50.6",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","457
99","Pasco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:11:00","TOT","499630","499630","YES","50.0",,"35429772"
"35433648001MSD","EPA
6020","35433648001MSD","E83079","7440360","Antimony","51.4",,"ug/L",,"0.50","SPK","1","0","103","1","1.0","45
799","Pasco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:14:00","TOT","499630","499630","YES","50.0",,"35429772"
"35433648001MSD","EPA
6020","35433648001MSD","E83079","7440280","Thallium","50.5",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018
22:14:00","TOT","499630","499630","YES","50.0",,"35429772"
"4MW-5","EPA
6020","35433858001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RE","YES","12/08/2018 06:21:00","12/12/2018 13:33:00","TOT","499630","499630","YES",,,"35429772"
"4MW-5","EPA
6020","35433858001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RE","YES","12/08/2018 06:21:00","12/12/2018 13:33:00","TOT","499630","499630","YES",,,"35429772"

"35433648001","EPA
6020","35433648001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018 22:10:00","TOT","499630","499630","YES",,,"35429772"
"35433648001","EPA
6020","35433648001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 09:37:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:21:00","12/10/2018 22:10:00","TOT","499630","499630","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco

County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701827BLANK","EPA
6010","2701827","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 13:59:00","TOT","499631","499631","YES",,,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440393","Barium","248",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440484","Cobalt","255",,"ug/L",,"0.96","SPK","1","0","102","0","10.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440224","Silver","25.8",,"ug/L",,"1.0","SPK","1","0","103","0","5.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","25.0",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440382","Arsenic","252",,"ug/L",,"7.1","SPK","1","0","101","0","10.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440417","Beryllium","24.9",,"ug/L",,"1.6","SPK","1","0","99","0","4.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","25.0",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440439","Cadmium","26.0",,"ug/L",,"0.33","SPK","1","0","104","0","1.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:02:00","TOT","499631","499631","YES","25.0",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440020","Nickel","264",,"ug/L",,"2.1","SPK","1","0","106","0","5.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7439896","Iron","2530",,"ug/L",,"9.2","SPK","1","0","101","0","40.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","2500",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7439921","Lead","262",,"ug/L",,"4.6","SPK","1","0","105","0","10.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440508","Copper","239",,"ug/L",,"2.6","SPK","1","0","95","0","5.0","45799","Pasco County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018

06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440622","Vanadium","248",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440666","Zinc","1310",,"ug/L",,"11.0","SPK","1","0","105","0","20.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","1250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440473","Chromium","256",,"ug/L",,"1.7","SPK","1","0","102","0","5.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7782492","Selenium","256",,"ug/L",,"8.5","SPK","1","0","102","0","15.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:02:00","TOT","499631","499631","YES","250",,"35429772"
"2701828LCS","EPA
6010","2701828","E83079","7440235","Sodium","12.9",,"mg/L",,"0.27","SPK","1","0","103","0","2.0","45799","Pasco
County Resource Recovery","12/08/2018 06:20:00","AQUEOUS-Other","LCS",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:02:00","TOT","499631","499631","YES","12.5",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7439921","Lead","255",,"ug/L",,"4.6","SPK","1","0","102","0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440473","Chromium","249",,"ug/L",,"1.7","SPK","1","0","99","0","5.0","45799
","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440417","Beryllium","24.1",,"ug/L",,"1.6","SPK","1","0","96","0","4.0","45799
","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440666","Zinc","1270",,"ug/L",,"11.0","SPK","1","0","101","0","20.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","1250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440508","Copper","231",,"ug/L",,"2.6","SPK","1","0","92","0","5.0","45799","P
asco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7439896","Iron","2460",,"ug/L",,"9.2","SPK","1","0","98","0","40.0","45799","P
asco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","2500",,"35429772"

"35433553001MS","EPA
6010","35433553001MS","E83079","7440622","Vanadium","241",,"ug/L",,"1.0","SPK","1","0","96","0","10.0","4579
9","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440439","Cadmium","25.3",,"ug/L",,"0.33","SPK","1","0","101","0","1.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440393","Barium","249",,"ug/L",,"0.84","SPK","1","0","96","0","10.0","45799"
,"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440020","Nickel","257",,"ug/L",,"2.1","SPK","1","0","102","0","5.0","45799","
Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440484","Cobalt","248",,"ug/L",,"0.96","SPK","1","0","99","0","10.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440224","Silver","25.0",,"ug/L",,"1.0","SPK","1","0","99","0","5.0","45799","P
asco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440235","Sodium","12.5",,"mg/L",,"0.27","SPK","1","0","100","0","2.0","4579
9","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","12.5",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7440382","Arsenic","245",,"ug/L",,"7.1","SPK","1","0","98","0","10.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MS","EPA
6010","35433553001MS","E83079","7782492","Selenium","246",,"ug/L",,"8.5","SPK","1","0","98","0","15.0","45799
","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:08:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440666","Zinc","1320",,"ug/L",,"11.0","SPK","1","0","106","4","20.0","45799
","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","1250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440622","Vanadium","252",,"ug/L",,"1.0","SPK","1","0","101","5","10.0","45
799","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018

14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440508","Copper","242",,"ug/L",,"2.6","SPK","1","0","97","5","5.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440484","Cobalt","258",,"ug/L",,"0.96","SPK","1","0","103","4","10.0","4579
9","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440235","Sodium","13.1",,"mg/L",,"0.27","SPK","1","0","105","5","2.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","12.5",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7439896","Iron","2570",,"ug/L",,"9.2","SPK","1","0","103","4","40.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","2500",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7782492","Selenium","254",,"ug/L",,"8.5","SPK","1","0","101","3","15.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440439","Cadmium","26.4",,"ug/L",,"0.33","SPK","1","0","105","4","1.0","45
799","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440224","Silver","26.4",,"ug/L",,"1.0","SPK","1","0","104","5","5.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440393","Barium","262",,"ug/L",,"0.84","SPK","1","0","101","5","10.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440020","Nickel","267",,"ug/L",,"2.1","SPK","1","0","107","4","5.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440382","Arsenic","256",,"ug/L",,"7.1","SPK","1","0","102","5","10.0","4579
9","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440473","Chromium","260",,"ug/L",,"1.7","SPK","1","0","104","4","5.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen

Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7440417","Beryllium","25.2",,"ug/L",,"1.6","SPK","1","0","101","5","4.0","457
99","Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","25.0",,"35429772"
"35433553001MSD","EPA
6010","35433553001MSD","E83079","7439921","Lead","267",,"ug/L",,"4.6","SPK","1","0","107","4","10.0","45799",
"Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018
14:14:00","TOT","499631","499631","YES","250",,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440393","Barium","10.7",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440235","Sodium","25.2",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco

County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440622","Vanadium","2.7",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"4MW-5","EPA
6010","35433858001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/08/2018 06:20:00","12/11/2018 15:08:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"

"35433553001","EPA
6010","35433553001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","P
asco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen
Prep","RE","YES","12/08/2018 06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"35433553001","EPA
6010","35433553001","E83079","7440393","Barium","8.4",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/28/2018 11:40:00","AQUEOUS-Other","N",,,"Gen Prep","RE","YES","12/08/2018
06:20:00","12/11/2018 14:05:00","TOT","499631","499631","YES",,,"35429772"
"2701847BLANK","EPA
6020","2701847","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 06:18:00","AQUEOUS-Other","MB",,,"Gen Prep","RE","YES","12/08/2018
06:18:00","12/13/2018 12:59:00","TOT","499636","499636","YES",,,"35429772"
"2701847BLANK","EPA
6020","2701847","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:18:00","AQUEOUS-Other","MB",,,"Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018 12:59:00","TOT","499636","499636","YES",,,"35429772"
"2701848LCS","EPA
6020","2701848","E83079","7440280","Thallium","51.0",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:18:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:02:00","TOT","499636","499636","YES","50.0",,"35429772"
"2701848LCS","EPA
6020","2701848","E83079","7440360","Antimony","49.7",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:18:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:02:00","TOT","499636","499636","YES","50.0",,"35429772"
"2MW-2MS","EPA
6020","35433859002MS","E83079","7440280","Thallium","52.3",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","4579
9","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:04:00","TOT","499636","499636","YES","50.0",,"35429772"
"2MW-2MS","EPA
6020","35433859002MS","E83079","7440360","Antimony","51.0",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","457
99","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:04:00","TOT","499636","499636","YES","50.0",,"35429772"
"2MW-2MSD","EPA
6020","35433859002MSD","E83079","7440360","Antimony","50.3",,"ug/L",,"0.50","SPK","1","0","101","1","1.0","45

799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MSD","Courier","3.1","Gen Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:06:00","TOT","499636","499636","YES","50.0",,"35429772"
"2MW-2MSD","EPA
6020","35433859002MSD","E83079","7440280","Thallium","50.4",,"ug/L",,"0.50","SPK","1","0","101","4","1.0","45
799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MSD","Courier","3.1","Gen Prep","RE","YES","12/08/2018 06:18:00","12/13/2018
13:06:00","TOT","499636","499636","YES","50.0",,"35429772"
"4MW-2","EPA
6020","35433859001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:18:00","12/12/2018 11:06:00","TOT","499636","499636","YES",,,"35429772"
"4MW-2","EPA
6020","35433859001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:18:00","12/12/2018 11:06:00","TOT","499636","499636","YES",,,"35429772"
"2MW-2","EPA
6020","35433859002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018 13:09:00","TOT","499636","499636","YES",,,"35429772"
"2MW-2","EPA
6020","35433859002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RE","YES","12/08/2018 06:18:00","12/13/2018 13:09:00","TOT","499636","499636","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco

County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701851BLANK","EPA
6010","2701851","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:21:00","TOT","499637","499637","YES",,,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440382","Arsenic","244",,"ug/L",,"7.1","SPK","1","0","98","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440224","Silver","25.2",,"ug/L",,"1.0","SPK","1","0","101","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","25.0",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440393","Barium","247",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440484","Cobalt","263",,"ug/L",,"0.96","SPK","1","0","105","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440235","Sodium","13.1",,"mg/L",,"0.27","SPK","1","0","104","0","2.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018

21:25:00","TOT","499637","499637","YES","12.5",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440020","Nickel","261",,"ug/L",,"2.1","SPK","1","0","104","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440473","Chromium","262",,"ug/L",,"1.7","SPK","1","0","105","0","5.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440417","Beryllium","24.8",,"ug/L",,"1.6","SPK","1","0","99","0","4.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","25.0",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440622","Vanadium","249",,"ug/L",,"1.0","SPK","1","0","100","0","10.0","45799","Pas
co County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440439","Cadmium","25.1",,"ug/L",,"0.33","SPK","1","0","100","0","1.0","45799","Pas
co County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","25.0",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7782492","Selenium","252",,"ug/L",,"8.5","SPK","1","0","101","0","15.0","45799","Pasc
o County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7439921","Lead","261",,"ug/L",,"4.6","SPK","1","0","104","0","10.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440508","Copper","246",,"ug/L",,"2.6","SPK","1","0","98","0","5.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","250",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7439896","Iron","2470",,"ug/L",,"9.2","SPK","1","0","99","0","40.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","2500",,"35429772"
"2701852LCS","EPA
6010","2701852","E83079","7440666","Zinc","1220",,"ug/L",,"11.0","SPK","1","0","98","0","20.0","45799","Pasco
County Resource Recovery","12/08/2018 06:15:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
21:25:00","TOT","499637","499637","YES","1250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440020","Nickel","256",,"ug/L",,"2.1","SPK","1","0","102","0","5.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen

Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440382","Arsenic","261",,"ug/L",,"7.1","SPK","1","0","103","0","10.0","45799"
,"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440393","Barium","376",,"ug/L",,"0.84","SPK","1","0","99","0","10.0","45799"
,"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440508","Copper","265",,"ug/L",,"2.6","SPK","1","0","105","0","5.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7439896","Iron","12100",,"ug/L",,"9.2","SPK","1","0","83","0","40.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","2500",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7439921","Lead","253",,"ug/L",,"4.6","SPK","1","0","100","0","10.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440622","Vanadium","280",,"ug/L",,"1.0","SPK","1","0","101","0","10.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440666","Zinc","1260",,"ug/L",,"11.0","SPK","1","0","98","0","20.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","1250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440224","Silver","26.4",,"ug/L",,"1.0","SPK","1","0","105","0","5.0","45799","
Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440473","Chromium","267",,"ug/L",,"1.7","SPK","1","0","104","0","5.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440439","Cadmium","24.2",,"ug/L",,"0.33","SPK","1","0","97","0","1.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440417","Beryllium","25.2",,"ug/L",,"1.6","SPK","1","0","98","0","4.0","45799

","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440484","Cobalt","262",,"ug/L",,"0.96","SPK","1","0","105","0","10.0","45799"
,"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7440235","Sodium","194",,"mg/L","J","0.27","SPK","1","0","58","0","2.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 22:33:00","TOT","499637","499637","YES","12.5","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434125002MS","EPA
6010","35434125002MS","E83079","7782492","Selenium","254",,"ug/L",,"8.5","SPK","1","0","101","0","15.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:33:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440224","Silver","26.4",,"ug/L",,"1.0","SPK","1","0","105","0","5.0","45799",
"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440417","Beryllium","25.5",,"ug/L",,"1.6","SPK","1","0","100","1","4.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440439","Cadmium","24.6",,"ug/L",,"0.33","SPK","1","0","99","2","1.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","25.0",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7439921","Lead","260",,"ug/L",,"4.6","SPK","1","0","103","3","10.0","45799",
"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440020","Nickel","262",,"ug/L",,"2.1","SPK","1","0","104","2","5.0","45799",
"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7439896","Iron","12800",,"ug/L",,"9.2","SPK","1","0","110","5","40.0","45799
","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","2500",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440484","Cobalt","268",,"ug/L",,"0.96","SPK","1","0","107","2","10.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA

6010","35434125002MSD","E83079","7440666","Zinc","1290",,"ug/L",,"11.0","SPK","1","0","101","2","20.0","45799
","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","1250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7782492","Selenium","261",,"ug/L",,"8.5","SPK","1","0","104","3","15.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440622","Vanadium","284",,"ug/L",,"1.0","SPK","1","0","103","1","10.0","45
799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440235","Sodium","205",,"mg/L","JL","0.27","SPK","1","0","141","5","2.0","
45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 22:41:00","TOT","499637","499637","YES","12.5","Analyte
concentration exceeded the calibration range. The reported result is estimated. Matrix spike recovery exceeded QC
limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440382","Arsenic","262",,"ug/L",,"7.1","SPK","1","0","103","0","10.0","4579
9","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440508","Copper","269",,"ug/L",,"2.6","SPK","1","0","107","2","5.0","45799"
,"Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440473","Chromium","270",,"ug/L",,"1.7","SPK","1","0","105","1","5.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"35434125002MSD","EPA
6010","35434125002MSD","E83079","7440393","Barium","386",,"ug/L",,"0.84","SPK","1","0","103","3","10.0","457
99","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018
22:41:00","TOT","499637","499637","YES","250",,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440235","Sodium","3.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco

County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440393","Barium","7.1",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"4MW-2","EPA
6010","35433859001","E83079","7440622","Vanadium","5.3",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:37:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"

"2MW-2","EPA
6010","35433859002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440235","Sodium","3.3",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440393","Barium","44.8",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7439896","Iron","18.1",,"ug/L","I","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"2MW-2","EPA
6010","35433859002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:41:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440666","Zinc","35.2",,"ug/L",,"11.0","TRG","1","0",,"0","20.0","45799","Pasco

County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440473","Chromium","7.1",,"ug/L",,"1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440393","Barium","128",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7439896","Iron","10100",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440235","Sodium","187",,"mg/L","J","0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,"Matrix spike recovery exceeded QC limits.  Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434125002","EPA
6010","35434125002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440622","Vanadium","27.4",,"ug/L",,"1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen

Prep","RES","YES","12/08/2018 06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"35434125002","EPA
6010","35434125002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/01/2018 11:07:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/08/2018
06:15:00","12/11/2018 21:49:00","TOT","499637","499637","YES",,,"35429772"
"2702220BLANK","EPA 300.0
(Chloride)","2702220","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","12/09/2018 02:03:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 02:03:00","12/09/2018 02:03:00","TOT","499709","499709","YES",,,"35429772"
"2702221LCS","EPA 300.0
(Chloride)","2702221","E83079","16887006","Chloride","47.8",,"mg/L",,"2.5","SPK","1","0","96","0","5.0","45799","
Pasco County Resource Recovery","12/09/2018 02:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 02:25:00","12/09/2018
02:25:00","TOT","499709","499709","YES","50.0",,"35429772"
"4MW-5MS","EPA 300.0
(Chloride)","35433858001MS","E83079","16887006","Chloride","112",,"mg/L","L","2.5","SPK","1","0","109","0","5.
0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","MS","Courier","2.3","No Prep","RES","YES","12/09/2018 03:09:00","12/09/2018
03:09:00","TOT","499709","499709","YES","50.0","Analyte concentration exceeded the calibration range. The
reported result is estimated.","35429772"
"4MW-5MSD","EPA 300.0
(Chloride)","35433858001MSD","E83079","16887006","Chloride","112",,"mg/L","L","2.5","SPK","1","0","108","0","
5.0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","No Prep","RES","YES","12/09/2018 03:31:00","12/09/2018
03:31:00","TOT","499709","499709","YES","50.0","Analyte concentration exceeded the calibration range. The
reported result is estimated.","35429772"
"4MW-5","EPA 300.0
(Chloride)","35433858001","E83079","16887006","Chloride","57.8",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 02:47:00","12/09/2018 02:47:00","TOT","499709","499709","YES",,,"35429772"
"4MW-2","EPA 300.0
(Chloride)","35433859001","E83079","16887006","Chloride","5.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/09/2018 03:53:00","12/09/2018 03:53:00","TOT","499709","499709","YES",,,"35429772"
"2MW-2","EPA 300.0
(Chloride)","35433859002","E83079","16887006","Chloride","5.7",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/09/2018 04:16:00","12/09/2018 04:16:00","TOT","499709","499709","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"

"2702516BLANK","EPA
8260","2702516","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4

5799","Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"

"2702516BLANK","EPA
8260","2702516","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","DEP-SURR-038","Toluene-
d8","39.7",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/09/2018
09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/09/2018

09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018 09:19:00","12/09/2018
09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA
8260","2702516","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/09/2018 09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702516BLANK","EPA 8260","2702516","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 09:19:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/09/2018
09:19:00","12/09/2018 09:19:00","TOT","499758","499758","YES",,,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","108907","Chlorobenzene","19.5",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","P
asco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","106467","1,4-
Dichlorobenzene","19.3",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","78933","2-
Butanone","47.5",,"ug/L",,"5.0","SPK","1","0","119","0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","75694","Trichlorofluoromethane","18.0",,"ug/L",,"0.35","SPK","1","0","90","0","1.0","45
799","Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","10061026","trans-1,3-
Dichloropropene","21.8",,"ug/L",,"0.17","SPK","1","0","109","0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","10061015","cis-1,3-
Dichloropropene","20.8",,"ug/L",,"0.17","SPK","1","0","104","0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","75014","Vinyl
chloride","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0","45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","75252","Bromoform","19.6",,"ug/L",,"2.6","SPK","1","0","98","0","3.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","100414","Ethylbenzene","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","P
asco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","75343","1,1-

Dichloroethane","19.6",,"ug/L",,"0.34","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","SPK","1","0","20","0","10.0","45799","P
asco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","1330207","Xylenes-
Total","63.8",,"ug/L",,"1.0","SPK","1","0","106","0","5.0","45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","60.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","75092","Methylene
Chloride","23.2",,"ug/L",,"2.0","SPK","1","0","116","0","5.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","79005","1,1,2-
Trichloroethane","21.5",,"ug/L",,"0.30","SPK","1","0","108","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","DEP-SURR-038","Toluene-
d8","39.5",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","95501","1,2-
Dichlorobenzene","19.9",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","100425","Styrene","18.6",,"ug/L",,"0.26","SPK","1","0","93","0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","56235","Carbon
tetrachloride","19.8",,"ug/L",,"0.50","SPK","1","0","99","0","3.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","74873","Chloromethane","17.4",,"ug/L",,"0.97","SPK","1","0","87","0","1.0","45799","Pa
sco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","110576","trans-1,4-Dichloro-2-
butene","20.5",,"ug/L",,"2.5","SPK","1","0","102","0","10.0","45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","156592","cis-1,2-
Dichloroethene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","74839","Bromomethane","7.4",,"ug/L",,"4.0","SPK","1","0","37","0","5.0","45799","Pasc
o County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"

"2702517LCS","EPA
8260","2702517","E83079","75003","Chloroethane","26.6",,"ug/L",,"3.7","SPK","1","0","133","0","10.0","45799","Pa
sco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","107062","1,2-
Dichloroethane","19.2",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","107131","Acrylonitrile","181",,"ug/L",,"3.7","SPK","1","0","91","0","10.0","45799","Pas
co County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","200",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","75274","Bromodichloromethane","19.3",,"ug/L",,"0.19","SPK","1","0","96","0","0.60","4
5799","Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","591786","2-
Hexanone","43.2",,"ug/L",,"0.85","SPK","1","0","108","0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","67641","Acetone","50.4",,"ug/L",,"5.3","SPK","1","0","126","0","20.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","78875","1,2-
Dichloropropane","19.7",,"ug/L",,"0.23","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","156605","trans-1,2-
Dichloroethene","19.6",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","96184","1,2,3-
Trichloropropane","22.8",,"ug/L",,"1.1","SPK","1","0","114","0","2.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","108101","4-Methyl-2-
pentanone","42.8",,"ug/L",,"0.32","SPK","1","0","107","0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","74975","Bromochloromethane","21.1",,"ug/L",,"0.37","SPK","1","0","105","0","1.0","457
99","Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","127184","Tetrachloroethene","18.7",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799"

,"Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","79016","Trichloroethene","19.1",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","P
asco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","630206","1,1,1,2-
Tetrachloroethane","21.1",,"ug/L",,"0.32","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","124481","Dibromochloromethane","20.1",,"ug/L",,"0.45","SPK","1","0","101","0","2.0","
45799","Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","74953","Dibromomethane","20.2",,"ug/L",,"0.68","SPK","1","0","101","0","2.0","45799",
"Pasco County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","40.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","67663","Chloroform","19.3",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","108054","Vinyl
acetate","19.8",,"ug/L",,"0.19","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","12/09/2018
08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018 08:30:00","12/09/2018
08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","75354","1,1-
Dichloroethene","19.7",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","71556","1,1,1-
Trichloroethane","19.3",,"ug/L",,"0.30","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","71432","Benzene","20.5",,"ug/L",,"0.10","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA 8260","2702517","E83079","75150","Carbon
disulfide","17.5",,"ug/L",,"0.45","SPK","1","0","88","0","10.0","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"2702517LCS","EPA
8260","2702517","E83079","108883","Toluene","20.7",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"

"2702517LCS","EPA 8260","2702517","E83079","79345","1,1,2,2-
Tetrachloroethane","22.1",,"ug/L",,"0.20","SPK","1","0","111","0","0.50","45799","Pasco County Resource
Recovery","12/09/2018 08:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/09/2018
08:30:00","12/09/2018 08:30:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","10061026","trans-1,3-
Dichloropropene","20.3",,"ug/L",,"0.17","SPK","1","0","101","0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","67641","Acetone","27.7",,"ug/L",,"5.3","SPK","1","0","68","0","20.0","45799","
Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","1330207","Xylenes-
Total","62.9",,"ug/L",,"1.0","SPK","1","0","105","0","5.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","60.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","10061015","cis-1,3-
Dichloropropene","17.8",,"ug/L",,"0.17","SPK","1","0","89","0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","74953","Dibromomethane","18.8",,"ug/L",,"0.68","SPK","1","0","94","0","2.0","
45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","156592","cis-1,2-
Dichloroethene","18.9",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","108101","4-Methyl-2-
pentanone","40.5",,"ug/L",,"0.32","SPK","1","0","101","0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","DEP-SURR-038","Toluene-
d8","39.3",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","75150","Carbon
disulfide","18.8",,"ug/L",,"0.45","SPK","1","0","94","0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","75092","Methylene
Chloride","21.8",,"ug/L",,"2.0","SPK","1","0","109","0","5.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","107131","Acrylonitrile","179",,"ug/L",,"3.7","SPK","1","0","89","0","10.0","457
99","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","200",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","108907","Chlorobenzene","19.6",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No

Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","74975","Bromochloromethane","20.8",,"ug/L",,"0.37","SPK","1","0","104","0","
1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","SPK","1","0","13","0","5.0","4
5799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","78875","1,2-
Dichloropropane","19.2",,"ug/L",,"0.23","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","75274","Bromodichloromethane","18.3",,"ug/L",,"0.19","SPK","1","0","91","0","
0.60","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","156605","trans-1,2-
Dichloroethene","18.9",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.9",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","71556","1,1,1-
Trichloroethane","19.8",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","127184","Tetrachloroethene","17.5",,"ug/L",,"0.50","SPK","1","0","88","0","1.0"
,"45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","591786","2-
Hexanone","37.5",,"ug/L",,"0.85","SPK","1","0","94","0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","79016","Trichloroethene","18.8",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","78933","2-
Butanone","37.7",,"ug/L",,"5.0","SPK","1","0","94","0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","95501","1,2-
Dichlorobenzene","19.4",,"ug/L",,"0.50","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018

18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","75343","1,1-
Dichloroethane","19.8",,"ug/L",,"0.34","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","79005","1,1,2-
Trichloroethane","21.0",,"ug/L",,"0.30","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","108054","Vinyl
acetate","17.1",,"ug/L",,"0.19","SPK","1","0","85","0","10.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","79345","1,1,2,2-
Tetrachloroethane","22.1",,"ug/L",,"0.20","SPK","1","0","110","0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.7",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","124481","Dibromochloromethane","19.2",,"ug/L",,"0.45","SPK","1","0","96","0",
"2.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","75694","Trichlorofluoromethane","19.7",,"ug/L",,"0.35","SPK","1","0","99","0","
1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","67663","Chloroform","19.3",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","74873","Chloromethane","16.8",,"ug/L",,"0.97","SPK","1","0","84","0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","100425","Styrene","18.0",,"ug/L",,"0.26","SPK","1","0","90","0","1.0","45799","
Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","110576","trans-1,4-Dichloro-2-
butene","17.6",,"ug/L",,"2.5","SPK","1","0","88","0","10.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","75003","Chloroethane","27.6",,"ug/L",,"3.7","SPK","1","0","138","0","10.0","45
799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018

18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","107062","1,2-
Dichloroethane","18.9",,"ug/L",,"0.50","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","96184","1,2,3-
Trichloropropane","22.6",,"ug/L",,"1.1","SPK","1","0","113","0","2.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","SPK","1","0","10","0","10.0","45
799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","100414","Ethylbenzene","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","71432","Benzene","20.4",,"ug/L",,"0.10","SPK","1","0","102","0","1.0","45799",
"Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","56235","Carbon
tetrachloride","20.3",,"ug/L",,"0.50","SPK","1","0","101","0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","106467","1,4-
Dichlorobenzene","19.0",,"ug/L",,"0.50","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","75252","Bromoform","17.9",,"ug/L",,"2.6","SPK","1","0","89","0","3.0","45799"
,"Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","75354","1,1-
Dichloroethene","20.2",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","75014","Vinyl
chloride","17.9",,"ug/L",,"0.50","SPK","1","0","89","0","1.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA 8260","35433553009MS","E83079","630206","1,1,1,2-
Tetrachloroethane","20.5",,"ug/L",,"0.32","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/09/2018
18:44:00","12/09/2018 18:44:00","TOT","499758","499758","YES","20.0",,"35429772"
"35433553009MS","EPA
8260","35433553009MS","E83079","108883","Toluene","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/09/2018 18:44:00","12/09/2018
18:44:00","TOT","499758","499758","YES","20.0",,"35429772"

"35433553010DUP","EPA
8260","35433553010DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018
14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018
14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018
14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018
14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","DEP-SURR-038","Toluene-
d8","39.9",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018
14:36:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018
14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",

"1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","42",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","630206","1,1,1,2-Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75343","1,1-Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"

"35433553010DUP","EPA 8260","35433553010DUP","E83079","DEP-SURR-019","4-Bromofluorobenzene","38.4",,"ug/L",,,"SURR","1","0","96","2",,"45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","108054","Vinyl acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018

13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018
14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018
14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018
14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA 8260","35433553010DUP","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/09/2018 14:36:00","12/09/2018
14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457
99","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"35433553010DUP","EPA
8260","35433553010DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/09/2018 14:36:00","12/09/2018 14:36:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"

"4MW-5","EPA
8260","35433858001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","DEP-SURR-038","Toluene-
d8","39.8",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018
18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018
18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.9",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018
18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.4",,"ug/L",,,"SURR","1","0","93","0",,"45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018
18:19:00","TOT","499758","499758","YES","40.0",,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"

"4MW-5","EPA
8260","35433858001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018
18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA
8260","35433858001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018
18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","156592","cis-1,2-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","108054","Vinyl acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"4MW-5","EPA 8260","35433858001","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 12:34:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/09/2018 18:19:00","12/09/2018 18:19:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75014","Vinyl chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","108054","Vinyl acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","1330207","Xylenes-Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","156592","cis-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018

13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018
13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018
13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","DEP-SURR-002","1,2-Dichloroethane-

d4","42.2254",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES","39.8",,"35429772"
"35433553009","EPA
8260","35433553009","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","DEP-SURR-038","Toluene-d8","39.727883",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES","40.1",,"35429772"
"35433553009","EPA 8260","35433553009","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75343","1,1-Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","156605","trans-1,2-Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","10061015","cis-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","630206","1,1,1,2-Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018

13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.756327",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES","40.2",,"35429772"
"35433553009","EPA 8260","35433553009","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA
8260","35433553009","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553009","EPA 8260","35433553009","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 15:28:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:25:00","12/09/2018 13:25:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.197042",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES","40.2",,"35429772"
"35433553010","EPA 8260","35433553010","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","75343","1,1-

Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","DEP-SURR-038","Toluene-
d8","39.885995",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES","39.9",,"35429772"
"35433553010","EPA 8260","35433553010","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018

13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","DEP-SURR-019","4-
Bromofluorobenzene","37.636963",,"ug/L",,,"SURR","1","0","94","0",,"45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES","40.0",,"35429772"
"35433553010","EPA 8260","35433553010","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","591786","2-

Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018
13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/28/2018
13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018 13:49:00","12/09/2018

13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA
8260","35433553010","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/09/2018 13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"35433553010","EPA 8260","35433553010","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/28/2018 13:58:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/09/2018
13:49:00","12/09/2018 13:49:00","TOT","499758","499758","YES",,,"35429772"
"2703863BLANK","EPA 8011","2703863","E83079","106934","1,2-
Dibromoethane","0.0075",,"ug/L","U","0.0075","TRG","1","0",,"0","0.010","45799","Pasco County Resource
Recovery","12/11/2018 15:00:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 01:24:00","TOT","500057","500057","YES",,,"35429772"
"2703863BLANK","EPA 8011","2703863","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0064",,"ug/L","U","0.0064","TRG","1","0",,"0","0.020","45799","Pasco County Resource
Recovery","12/11/2018 15:00:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 01:24:00","TOT","500057","500057","YES",,,"35429772"
"2703864LCS","EPA 8011","2703864","E83079","106934","1,2-
Dibromoethane","0.26",,"ug/L",,"0.0075","SPK","1","0","102","0","0.010","45799","Pasco County Resource
Recovery","12/11/2018 15:00:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 01:39:00","TOT","500057","500057","YES","0.25",,"35429772"
"2703864LCS","EPA 8011","2703864","E83079","96128","1,2-Dibromo-3-
chloropropane","0.27",,"ug/L",,"0.0064","SPK","1","0","107","0","0.020","45799","Pasco County Resource
Recovery","12/11/2018 15:00:00","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 01:39:00","TOT","500057","500057","YES","0.25",,"35429772"
"35434583001MS","EPA 8011","35434583001MS","E83079","96128","1,2-Dibromo-3-
chloropropane","0.48",,"ug/L",,"0.011","SPK","1","0","110","0","0.035","45799","Pasco County Resource
Recovery","12/04/2018 09:50:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 02:09:00","TOT","500057","500057","YES","0.44",,"35429772"
"35434583001MS","EPA 8011","35434583001MS","E83079","106934","1,2-
Dibromoethane","0.46",,"ug/L",,"0.013","SPK","1","0","104","0","0.018","45799","Pasco County Resource
Recovery","12/04/2018 09:50:00","AQUEOUS-Other","MS",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 02:09:00","TOT","500057","500057","YES","0.44",,"35429772"
"35434583001MSD","EPA 8011","35434583001MSD","E83079","106934","1,2-
Dibromoethane","0.46",,"ug/L",,"0.013","SPK","1","0","106","1","0.018","45799","Pasco County Resource
Recovery","12/04/2018 09:50:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 02:24:00","TOT","500057","500057","YES","0.44",,"35429772"
"35434583001MSD","EPA 8011","35434583001MSD","E83079","96128","1,2-Dibromo-3-
chloropropane","0.48",,"ug/L",,"0.011","SPK","1","0","109","1","0.035","45799","Pasco County Resource
Recovery","12/04/2018 09:50:00","AQUEOUS-Other","MSD",,,"Gen Prep","RES","YES","12/11/2018
15:00:00","12/12/2018 02:24:00","TOT","500057","500057","YES","0.44",,"35429772"
"4MW-6","EPA 8011","35434827001","E83079","96128","1,2-Dibromo-3-
chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 07:08:00","TOT","500057","500057","YES",,,"35429772"
"4MW-6","EPA 8011","35434827001","E83079","106934","1,2-

Dibromoethane","0.0073",,"ug/L","U","0.0073","TRG","1","0",,"0","0.0097","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 07:08:00","TOT","500057","500057","YES",,,"35429772"
"4MW-27D","EPA 8011","35435576001","E83079","106934","1,2-Dibromoethane","0.0072",,"ug/L","U","0.0072","TRG","1","0",,"0","0.0097","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 07:39:00","TOT","500057","500057","YES",,,"35429772"
"4MW-27D","EPA 8011","35435576001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0062",,"ug/L","U","0.0062","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 07:39:00","TOT","500057","500057","YES",,,"35429772"
"35434583001","EPA 8011","35434583001","E83079","106934","1,2-Dibromoethane","0.0071",,"ug/L","U","0.0071","TRG","1","0",,"0","0.0095","45799","Pasco County Resource Recovery","12/04/2018 09:50:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 01:54:00","TOT","500057","500057","YES",,,"35429772"
"35434583001","EPA 8011","35434583001","E83079","96128","1,2-Dibromo-3-chloropropane","0.0061",,"ug/L","U","0.0061","TRG","1","0",,"0","0.019","45799","Pasco County Resource Recovery","12/04/2018 09:50:00","AQUEOUS-Other","N",,,"Gen Prep","RES","YES","12/11/2018 15:00:00","12/12/2018 01:54:00","TOT","500057","500057","YES",,,"35429772"
"2704186BLANK","SM18 2540 C","2704186","E84129","1705","Residues- Filterable (TDS)","5.0",,"mg/L","U","5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/11/2018 15:36:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 15:36:00","12/11/2018 15:36:00","TOT","500151","500151","YES",,,"35429772"
"2704187LCS","SM18 2540 C","2704187","E84129","1705","Residues- Filterable (TDS)","294",,"mg/L",,"5.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","12/11/2018 15:37:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 15:37:00","12/11/2018 15:37:00","TOT","500151","500151","YES","300",,"35429772"
"35435374001DUP","SM18 2540 C","35435374001DUP","E84129","1705","Residues- Filterable (TDS)","162",,"mg/L",,"5.0","TRG","1","0",,"4","5.0","45799","Pasco County Resource Recovery","12/06/2018 10:07:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/11/2018 15:37:00","12/11/2018 15:37:00","TOT","500151","500151","YES",,,"35429772"
"35435496006DUP","SM18 2540 C","35435496006DUP","E84129","1705","Residues- Filterable (TDS)","307",,"mg/L",,"5.0","TRG","1","0",,"2","5.0","45799","Pasco County Resource Recovery","12/06/2018 10:16:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/11/2018 15:45:00","12/11/2018 15:45:00","TOT","500151","500151","YES",,,"35429772"
"4MW-27D","SM18 2540 C","35435576001","E84129","1705","Residues- Filterable (TDS)","123",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/11/2018 15:47:00","12/11/2018 15:47:00","TOT","500151","500151","YES",,,"35429772"
"35435374001","SM18 2540 C","35435374001","E84129","1705","Residues- Filterable (TDS)","168",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 10:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/11/2018 15:37:00","12/11/2018 15:37:00","TOT","500151","500151","YES",,,"35429772"
"35435496006","SM18 2540 C","35435496006","E84129","1705","Residues- Filterable (TDS)","302",,"mg/L",,"5.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 10:16:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/11/2018 15:44:00","12/11/2018 15:44:00","TOT","500151","500151","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018

10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.5",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","79005","1,1,2-

Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/11/2018
10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018
10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No

Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA
8260","2704273","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","10061026","trans-1,3-

Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","DEP-SURR-038","Toluene-d8","40.5",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","107062","1,2-Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","56235","Carbon tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704273BLANK","EPA 8260","2704273","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/11/2018 10:20:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018 10:20:00","12/11/2018 10:20:00","TOT","500177","500177","YES",,,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","71432","Benzene","22.5",,"ug/L",,"0.10","SPK","1","0","112","0","1.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","124481","Dibromochloromethane","22.1",,"ug/L",,"0.45","SPK","1","0","110","0","2.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75694","Trichlorofluoromethane","17.6",,"ug/L",,"0.35","SPK","1","0","88","0","1.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","1330207","Xylenes-Total","73.9",,"ug/L",,"1.0","SPK","1","0","123","0","5.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","60.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75354","1,1-Dichloroethene","20.5",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","74839","Bromomethane","10.6",,"ug/L",,"4.0","SPK","1","0","53","0","5.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","107131","Acrylonitrile","188",,"ug/L",,"3.7","SPK","1","0","94","0","10.0","45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018

09:30:00","TOT","500177","500177","YES","200",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","108907","Chlorobenzene","21.7",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","
Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","108054","Vinyl
acetate","17.1",,"ug/L",,"0.19","SPK","1","0","86","0","10.0","45799","Pasco County Resource Recovery","12/11/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75150","Carbon
disulfide","15.3",,"ug/L",,"0.45","SPK","1","0","77","0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","56235","Carbon
tetrachloride","20.8",,"ug/L",,"0.50","SPK","1","0","104","0","3.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","100425","Styrene","21.3",,"ug/L",,"0.26","SPK","1","0","107","0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","DEP-SURR-038","Toluene-
d8","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","12/11/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","75003","Chloroethane","22.4",,"ug/L",,"3.7","SPK","1","0","112","0","10.0","45799","Pa
sco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","74975","Bromochloromethane","23.4",,"ug/L",,"0.37","SPK","1","0","117","0","1.0","457
99","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","10061015","cis-1,3-
Dichloropropene","23.0",,"ug/L",,"0.17","SPK","1","0","115","0","0.50","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","591786","2-
Hexanone","43.6",,"ug/L",,"0.85","SPK","1","0","109","0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.9",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","12/11/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","108101","4-Methyl-2-
pentanone","44.8",,"ug/L",,"0.32","SPK","1","0","112","0","10.0","45799","Pasco County Resource

Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","10061026","trans-1,3-
Dichloropropene","23.8",,"ug/L",,"0.17","SPK","1","0","119","0","0.50","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","100414","Ethylbenzene","23.0",,"ug/L",,"0.50","SPK","1","0","115","0","1.0","45799","P
asco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75343","1,1-
Dichloroethane","21.1",,"ug/L",,"0.34","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","79016","Trichloroethene","20.9",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","
Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","127184","Tetrachloroethene","21.4",,"ug/L",,"0.50","SPK","1","0","107","0","1.0","45799
","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","74953","Dibromomethane","22.4",,"ug/L",,"0.68","SPK","1","0","112","0","2.0","45799",
"Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","110576","trans-1,4-Dichloro-2-
butene","19.0",,"ug/L",,"2.5","SPK","1","0","95","0","10.0","45799","Pasco County Resource Recovery","12/11/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75014","Vinyl
chloride","17.0",,"ug/L",,"0.50","SPK","1","0","85","0","1.0","45799","Pasco County Resource Recovery","12/11/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","78933","2-
Butanone","45.8",,"ug/L",,"5.0","SPK","1","0","115","0","10.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","630206","1,1,1,2-
Tetrachloroethane","22.7",,"ug/L",,"0.32","SPK","1","0","114","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","74873","Chloromethane","18.1",,"ug/L",,"0.97","SPK","1","0","90","0","1.0","45799","Pa
sco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","96184","1,2,3-
Trichloropropane","21.7",,"ug/L",,"1.1","SPK","1","0","108","0","2.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018

09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","67641","Acetone","45.7",,"ug/L",,"5.3","SPK","1","0","114","0","20.0","45799","Pasco
County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","79345","1,1,2,2-
Tetrachloroethane","24.0",,"ug/L",,"0.20","SPK","1","0","120","0","0.50","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","108883","Toluene","23.4",,"ug/L",,"0.50","SPK","1","0","117","0","1.0","45799","Pasco
County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","107062","1,2-
Dichloroethane","20.6",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","156605","trans-1,2-
Dichloroethene","22.3",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","74884","Iodomethane","33.8",,"ug/L",,"9.3","SPK","1","0","84","0","10.0","45799","Pasc
o County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","40.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","71556","1,1,1-
Trichloroethane","21.0",,"ug/L",,"0.30","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","78875","1,2-
Dichloropropane","21.8",,"ug/L",,"0.23","SPK","1","0","109","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","75274","Bromodichloromethane","20.3",,"ug/L",,"0.19","SPK","1","0","101","0","0.60","
45799","Pasco County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","67663","Chloroform","20.7",,"ug/L",,"0.50","SPK","1","0","103","0","1.0","45799","Pasc
o County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/11/2018 09:30:00","12/11/2018
09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","156592","cis-1,2-
Dichloroethene","21.3",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA
8260","2704275","E83079","75252","Bromoform","20.9",,"ug/L",,"2.6","SPK","1","0","104","0","3.0","45799","Pasco
County Resource Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","106467","1,4-
Dichlorobenzene","21.2",,"ug/L",,"0.50","SPK","1","0","106","0","1.0","45799","Pasco County Resource

Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","95501","1,2-
Dichlorobenzene","22.4",,"ug/L",,"0.50","SPK","1","0","112","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","79005","1,1,2-
Trichloroethane","23.1",,"ug/L",,"0.30","SPK","1","0","115","0","1.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"2704275LCS","EPA 8260","2704275","E83079","75092","Methylene
Chloride","22.5",,"ug/L",,"2.0","SPK","1","0","112","0","5.0","45799","Pasco County Resource
Recovery","12/11/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018
09:30:00","12/11/2018 09:30:00","TOT","500177","500177","YES","20.0",,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"

"4MW-2DUP","EPA 8260","35433859001DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","DEP-SURR-038","Toluene-
d8","40.8",,"ug/L",,,"SURR","1","0","102","1",,"45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799",
"Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No

Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.9",,"ug/L",,,"SURR","1","0","102","2",,"45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018
11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.5",,"ug/L",,,"SURR","1","0","101","1",,"45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No

Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457
99","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA 8260","35433859001DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018
11:59:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2DUP","EPA
8260","35433859001DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",

"1.0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","DUP","Courier","3.1","No Prep","RES","YES","12/11/2018 11:59:00","12/11/2018 11:59:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","75354","1,1-Dichloroethene","20.5",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","100425","Styrene","19.9",,"ug/L",,"0.26","SPK","1","0","99","0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","107131","Acrylonitrile","152",,"ug/L",,"3.7","SPK","1","0","76","0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","200",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","67641","Acetone","24.7",,"ug/L",,"5.3","SPK","1","0","58","0","20.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","71556","1,1,1-Trichloroethane","20.7",,"ug/L",,"0.30","SPK","1","0","103","0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","75343","1,1-Dichloroethane","21.0",,"ug/L",,"0.34","SPK","1","0","105","0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","10061026","trans-1,3-Dichloropropene","21.7",,"ug/L",,"0.17","SPK","1","0","108","0","0.50","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","10061015","cis-1,3-Dichloropropene","20.7",,"ug/L",,"0.17","SPK","1","0","103","0","0.50","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","56235","Carbon tetrachloride","20.5",,"ug/L",,"0.50","SPK","1","0","103","0","3.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","106467","1,4-Dichlorobenzene","20.7",,"ug/L",,"0.50","SPK","1","0","104","0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA

8260","35433859002MS","E83079","127184","Tetrachloroethene","18.2",,"ug/L",,"0.50","SPK","1","0","91","0","1.0"
,"45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","630206","1,1,1,2-
Tetrachloroethane","21.5",,"ug/L",,"0.32","SPK","1","0","107","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","74873","Chloromethane","18.5",,"ug/L",,"0.97","SPK","1","0","92","0","1.0","45
799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","591786","2-
Hexanone","33.5",,"ug/L",,"0.85","SPK","1","0","84","0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","74953","Dibromomethane","20.3",,"ug/L",,"0.68","SPK","1","0","102","0","2.0",
"45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","74975","Bromochloromethane","22.6",,"ug/L",,"0.37","SPK","1","0","113","0","
1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","74884","Iodomethane","11.0",,"ug/L",,"9.3","SPK","1","0","28","0","10.0","4579
9","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.4",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","79345","1,1,2,2-
Tetrachloroethane","22.1",,"ug/L",,"0.20","SPK","1","0","110","0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","95501","1,2-
Dichlorobenzene","21.6",,"ug/L",,"0.50","SPK","1","0","108","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","79016","Trichloroethene","19.6",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","4
5799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"

"2MW-2MS","EPA
8260","35433859002MS","E83079","75694","Trichlorofluoromethane","19.2",,"ug/L",,"0.35","SPK","1","0","96","0","
1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","156605","trans-1,2-
Dichloroethene","22.8",,"ug/L",,"0.50","SPK","1","0","114","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","124481","Dibromochloromethane","20.6",,"ug/L",,"0.45","SPK","1","0","103","0
","2.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","75014","Vinyl
chloride","19.1",,"ug/L",,"0.50","SPK","1","0","96","0","1.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","156592","cis-1,2-
Dichloroethene","21.0",,"ug/L",,"0.50","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","75003","Chloroethane","27.0",,"ug/L",,"3.7","SPK","1","0","135","0","10.0","45
799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","78875","1,2-
Dichloropropane","21.1",,"ug/L",,"0.23","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","107062","1,2-
Dichloroethane","19.8",,"ug/L",,"0.50","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","78933","2-
Butanone","36.1",,"ug/L",,"5.0","SPK","1","0","90","0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","71432","Benzene","21.6",,"ug/L",,"0.10","SPK","1","0","108","0","1.0","45799",
"Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","79005","1,1,2-
Trichloroethane","21.2",,"ug/L",,"0.30","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"

"2MW-2MS","EPA 8260","35433859002MS","E83079","DEP-SURR-038","Toluene-
d8","39",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","108883","Toluene","22.2",,"ug/L",,"0.50","SPK","1","0","111","0","1.0","45799"
,"Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","100414","Ethylbenzene","22.0",,"ug/L",,"0.50","SPK","1","0","110","0","1.0","4
5799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","75274","Bromodichloromethane","19.4",,"ug/L",,"0.19","SPK","1","0","97","0","
0.60","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","96184","1,2,3-
Trichloropropane","19.4",,"ug/L",,"1.1","SPK","1","0","97","0","2.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","108907","Chlorobenzene","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","
45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","108054","Vinyl
acetate","17.1",,"ug/L",,"0.19","SPK","1","0","85","0","10.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","1330207","Xylenes-
Total","69.5",,"ug/L",,"1.0","SPK","1","0","116","0","5.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","60.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","110576","trans-1,4-Dichloro-2-
butene","16.9",,"ug/L",,"2.5","SPK","1","0","85","0","10.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","75092","Methylene
Chloride","21.9",,"ug/L",,"2.0","SPK","1","0","110","0","5.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","75150","Carbon
disulfide","17.8",,"ug/L",,"0.45","SPK","1","0","89","0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","67663","Chloroform","20.4",,"ug/L",,"0.50","SPK","1","0","102","0","1.0","4579
9","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No

Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","108101","4-Methyl-2-
pentanone","39.2",,"ug/L",,"0.32","SPK","1","0","98","0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA 8260","35433859002MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","39.9",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018
20:12:00","12/11/2018 20:12:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","74839","Bromomethane","4.0",,"ug/L","UJ","4.0","SPK","1","0","8","0","5.0","4
5799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","MS","Courier","3.1","No Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0","Matrix spike recovery exceeded QC limits. Batch accepted based
on laboratory control sample (LCS) recovery.","35429772"
"2MW-2MS","EPA
8260","35433859002MS","E83079","75252","Bromoform","18.5",,"ug/L",,"2.6","SPK","1","0","92","0","3.0","45799"
,"Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","MS","Courier","3.1","No
Prep","RES","YES","12/11/2018 20:12:00","12/11/2018
20:12:00","TOT","500177","500177","YES","20.0",,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 11:34:00","12/11/2018
11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","106467","1,4-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No

Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","DEP-SURR-038","Toluene-
d8","40.5",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 11:34:00","12/11/2018
11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 11:34:00","12/11/2018
11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-

Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 11:34:00","12/11/2018
11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.2",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018
11:34:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No

Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.1",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES","40.0",,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","95501","1,2-
Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA
8260","35433859001","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772"
"4MW-2","EPA 8260","35433859001","E83079","75354","1,1-

Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 11:38:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 11:34:00","12/11/2018 11:34:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","95501","1,2-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","74839","Bromomethane","4.0",,"ug/L","UJ","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772" "2MW-2","EPA 8260","35433859002","E83079","106467","1,4-Dichlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.7",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES","40.0",,"35429772" "2MW-2","EPA 8260","35433859002","E83079","71432","Benzene","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772" "2MW-2","EPA 8260","35433859002","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"

"2MW-2","EPA 8260","35433859002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018
12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","78933","2-
Butanone","5.0",,"ug/L","U","5.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","1330207","Xylenes-
Total","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","156592","cis-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","DEP-SURR-038","Toluene-
d8","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES","40.0",,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","108883","Toluene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","108907","Chlorobenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","108101","4-Methyl-2-

pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","75014","Vinyl
chloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","156605","trans-1,2-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","67663","Chloroform","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018
12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","107062","1,2-
Dichloroethane","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","127184","Tetrachloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","79016","Trichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457

99","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/29/2018
12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018
12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-
Groundwater","N","Courier","3.1","No Prep","RES","YES","12/11/2018 12:24:00","12/11/2018
12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","75354","1,1-
Dichloroethene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","100414","Ethylbenzene","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","56235","Carbon
tetrachloride","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA
8260","35433859002","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2MW-2","EPA 8260","35433859002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/29/2018 12:52:00","AQUEOUS-Groundwater","N","Courier","3.1","No
Prep","RES","YES","12/11/2018 12:24:00","12/11/2018 12:24:00","TOT","500177","500177","YES",,,"35429772"
"2705047BLANK","EPA 353.2 (Nitrate-Nitrite (N))","2705047","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/11/2018 15:51:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/11/2018
15:51:00","12/11/2018 15:51:00","TOT","500308","500308","YES",,,"35429772"
"2705048LCS","EPA 353.2 (Nitrate-Nitrite (N))","2705048","E83079","1820","Nitrate-Nitrite
(N)","1.9",,"mg/L",,"0.025","SPK","1","0","93","0","0.050","45799","Pasco County Resource Recovery","12/11/2018
15:54:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/11/2018 15:54:00","12/11/2018
15:54:00","TOT","500308","500308","YES","2.0",,"35429772"
"35435514001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35435514001DUP","E83079","1820","Nitrate-Nitrite
(N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/06/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/11/2018
15:58:00","12/11/2018 15:58:00","TOT","500308","500308","YES",,,"35429772"
"35435514001MS","EPA 353.2 (Nitrate-Nitrite (N))","35435514001MS","E83079","1820","Nitrate-Nitrite
(N)","1.7",,"mg/L","J","0.025","SPK","1","0","83","0","0.050","45799","Pasco County Resource
Recovery","12/06/2018 11:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/11/2018

15:59:00","12/11/2018 15:59:00","TOT","500308","500308","YES","2.0","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35435687001DUP","EPA 353.2 (Nitrate-Nitrite (N))","35435687001DUP","E83079","1820","Nitrate-Nitrite (N)","0.84",,"mg/L",,"0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018 08:30:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/11/2018 16:17:00","12/11/2018 16:17:00","TOT","500308","500308","YES",,,"35429772"
"35435687001MS","EPA 353.2 (Nitrate-Nitrite (N))","35435687001MS","E83079","1820","Nitrate-Nitrite (N)","2.6",,"mg/L","J","0.025","SPK","1","0","87","0","0.050","45799","Pasco County Resource Recovery","12/06/2018 08:30:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/11/2018 16:19:00","12/11/2018 16:19:00","TOT","500308","500308","YES","2.0","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"4MW-27D","EPA 353.2 (Nitrate-Nitrite (N))","35435576001","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","U","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/11/2018 16:05:00","12/11/2018 16:05:00","TOT","500308","500308","YES",,,"35429772"
"35435514001","EPA 353.2 (Nitrate-Nitrite (N))","35435514001","E83079","1820","Nitrate-Nitrite (N)","0.025",,"mg/L","UJ","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/11/2018 15:57:00","12/11/2018 15:57:00","TOT","500308","500308","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35435687001","EPA 353.2 (Nitrate-Nitrite (N))","35435687001","E83079","1820","Nitrate-Nitrite (N)","0.84",,"mg/L","J","0.025","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018 08:30:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/11/2018 16:16:00","12/11/2018 16:16:00","TOT","500308","500308","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA 6010","2706115","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA

6010","2706115","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706115BLANK","EPA
6010","2706115","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:33:00","TOT","500477","500477","YES",,,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440439","Cadmium","24.0",,"ug/L",,"0.33","SPK","1","0","96","0","1.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","25.0",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7439896","Iron","2420",,"ug/L",,"9.2","SPK","1","0","97","0","40.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","2500",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7439921","Lead","239",,"ug/L",,"4.6","SPK","1","0","96","0","10.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440224","Silver","23.5",,"ug/L",,"1.0","SPK","1","0","94","0","5.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","25.0",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440666","Zinc","1160",,"ug/L",,"11.0","SPK","1","0","93","0","20.0","45799","Pasco County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen

Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","1250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440622","Vanadium","238",,"ug/L",,"1.0","SPK","1","0","95","0","10.0","45799","Pasc
o County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440020","Nickel","241",,"ug/L",,"2.1","SPK","1","0","96","0","5.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440417","Beryllium","22.7",,"ug/L",,"1.6","SPK","1","0","91","0","4.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","25.0",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440235","Sodium","11.9",,"mg/L",,"0.27","SPK","1","0","95","0","2.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","12.5",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440508","Copper","232",,"ug/L",,"2.6","SPK","1","0","93","0","5.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440393","Barium","239",,"ug/L",,"0.84","SPK","1","0","96","0","10.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7782492","Selenium","227",,"ug/L",,"8.5","SPK","1","0","91","0","15.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440484","Cobalt","241",,"ug/L",,"0.96","SPK","1","0","96","0","10.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440473","Chromium","241",,"ug/L",,"1.7","SPK","1","0","96","0","5.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"2706116LCS","EPA
6010","2706116","E83079","7440382","Arsenic","224",,"ug/L",,"7.1","SPK","1","0","89","0","10.0","45799","Pasco
County Resource Recovery","12/12/2018 02:36:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:35:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7439896","Iron","2430",,"ug/L",,"9.2","SPK","1","0","97","0","40.0","45799","P

asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","2500",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440622","Vanadium","244",,"ug/L",,"1.0","SPK","1","0","96","0","10.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440417","Beryllium","22.8",,"ug/L",,"1.6","SPK","1","0","91","0","4.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440484","Cobalt","239",,"ug/L",,"0.96","SPK","1","0","96","0","10.0","45799",
"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440224","Silver","23.8",,"ug/L",,"1.0","SPK","1","0","94","0","5.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440473","Chromium","242",,"ug/L",,"1.7","SPK","1","0","96","0","5.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440393","Barium","243",,"ug/L",,"0.84","SPK","1","0","96","0","10.0","45799"
,"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440235","Sodium","14.5",,"mg/L",,"0.27","SPK","1","0","97","0","2.0","45799"
,"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","12.5",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7439921","Lead","240",,"ug/L",,"4.6","SPK","1","0","95","0","10.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7782492","Selenium","223",,"ug/L",,"8.5","SPK","1","0","89","0","15.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440508","Copper","234",,"ug/L",,"2.6","SPK","1","0","94","0","5.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA

6010","35434827001MS","E83079","7440439","Cadmium","23.8",,"ug/L",,"0.33","SPK","1","0","95","0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440382","Arsenic","221",,"ug/L",,"7.1","SPK","1","0","88","0","10.0","45799",
"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440666","Zinc","1150",,"ug/L",,"11.0","SPK","1","0","92","0","20.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","1250",,"35429772"
"4MW-6MS","EPA
6010","35434827001MS","E83079","7440020","Nickel","240",,"ug/L",,"2.1","SPK","1","0","96","0","5.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MS","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:41:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440508","Copper","240",,"ug/L",,"2.6","SPK","1","0","96","3","5.0","45799",
"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440224","Silver","24.2",,"ug/L",,"1.0","SPK","1","0","96","2","5.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440484","Cobalt","244",,"ug/L",,"0.96","SPK","1","0","97","2","10.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440439","Cadmium","24.2",,"ug/L",,"0.33","SPK","1","0","97","2","1.0","457
99","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440417","Beryllium","23.3",,"ug/L",,"1.6","SPK","1","0","93","2","4.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","25.0",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7439921","Lead","244",,"ug/L",,"4.6","SPK","1","0","97","2","10.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440020","Nickel","244",,"ug/L",,"2.1","SPK","1","0","98","2","5.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"

"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440382","Arsenic","228",,"ug/L",,"7.1","SPK","1","0","91","3","10.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440622","Vanadium","249",,"ug/L",,"1.0","SPK","1","0","98","2","10.0","457
99","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7439896","Iron","2460",,"ug/L",,"9.2","SPK","1","0","99","1","40.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","2500",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440393","Barium","247",,"ug/L",,"0.84","SPK","1","0","97","2","10.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7782492","Selenium","229",,"ug/L",,"8.5","SPK","1","0","91","3","15.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440235","Sodium","14.7",,"mg/L",,"0.27","SPK","1","0","99","1","2.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","12.5",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440666","Zinc","1170",,"ug/L",,"11.0","SPK","1","0","94","2","20.0","45799"
,"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","MSD","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","1250",,"35429772"
"4MW-6MSD","EPA
6010","35434827001MSD","E83079","7440473","Chromium","247",,"ug/L",,"1.7","SPK","1","0","99","2","5.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","Gen Prep","RES","YES","12/12/2018 02:36:00","12/14/2018
18:47:00","TOT","500477","500477","YES","250",,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440622","Vanadium","3.8",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco

County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440393","Barium","4.4",,"ug/L","I","0.84","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440235","Sodium","2.4",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-6","EPA
6010","35434827001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:38:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"

"4MW-27","EPA
6010","35434831001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440622","Vanadium","13.6",,"ug/L",,"1.0","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7439896","Iron","128",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440393","Barium","18.6",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440235","Sodium","32.8",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440020","Nickel","2.2",,"ug/L","I","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-27","EPA
6010","35434831001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:50:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7439896","Iron","132",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco

County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pa
sco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440235","Sodium","11.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440393","Barium","10.4",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pas
co County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"4MW-3A","EPA
6010","35434831002","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"

"4MW-3A","EPA
6010","35434831002","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:36:00","12/14/2018 18:53:00","TOT","500477","500477","YES",,,"35429772"
"2706123BLANK","EPA
6020","2706123","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 02:39:00","AQUEOUS-Other","MB",,,"Gen
Prep","RES","YES","12/12/2018 02:39:00","12/13/2018 11:29:00","TOT","500478","500478","YES",,,"35429772"
"2706123BLANK","EPA
6020","2706123","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/12/2018 02:39:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018
02:39:00","12/13/2018 11:29:00","TOT","500478","500478","YES",,,"35429772"
"2706124LCS","EPA
6020","2706124","E83079","7440280","Thallium","50.4",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 02:39:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:32:00","TOT","500478","500478","YES","50.0",,"35429772"
"2706124LCS","EPA
6020","2706124","E83079","7440360","Antimony","49.5",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 02:39:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:32:00","TOT","500478","500478","YES","50.0",,"35429772"
"4MW-27MS","EPA
6020","35434831001MS","E83079","7440280","Thallium","50.5",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","4579
9","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","MS","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:39:00","TOT","500478","500478","YES","50.0",,"35429772"
"4MW-27MS","EPA
6020","35434831001MS","E83079","7440360","Antimony","50.1",,"ug/L",,"0.50","SPK","1","0","100","0","1.0","457
99","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","MS","Courier","3.6","Gen
Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:39:00","TOT","500478","500478","YES","50.0",,"35429772"
"4MW-27MSD","EPA
6020","35434831001MSD","E83079","7440360","Antimony","51.1",,"ug/L",,"0.50","SPK","1","0","102","2","1.0","45
799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","MSD","Courier","3.6","Gen Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:44:00","TOT","500478","500478","YES","50.0",,"35429772"
"4MW-27MSD","EPA
6020","35434831001MSD","E83079","7440280","Thallium","51.2",,"ug/L",,"0.50","SPK","1","0","102","1","1.0","45
799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","MSD","Courier","3.6","Gen Prep","RES","YES","12/12/2018 02:39:00","12/13/2018
11:44:00","TOT","500478","500478","YES","50.0",,"35429772"
"4MW-6","EPA
6020","35434827001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:34:00","TOT","500478","500478","YES",,,"35429772"
"4MW-6","EPA
6020","35434827001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:34:00","TOT","500478","500478","YES",,,"35429772"
"4MW-27","EPA
6020","35434831001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:37:00","TOT","500478","500478","YES",,,"35429772"

"4MW-27","EPA
6020","35434831001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:37:00","TOT","500478","500478","YES",,,"35429772"
"4MW-3A","EPA
6020","35434831002","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:54:00","TOT","500478","500478","YES",,,"35429772"
"4MW-3A","EPA
6020","35434831002","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","Gen
Prep","RE","YES","12/12/2018 02:39:00","12/13/2018 11:54:00","TOT","500478","500478","YES",,,"35429772"
"2706447BLANK","EPA
7470","2706447","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","Pasco
County Resource Recovery","12/12/2018 09:59:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/12/2018
09:59:00","12/13/2018 15:37:00","TOT","500564","500564","YES",,,"35429772"
"2706448LCS","EPA
7470","2706448","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","98","0","0.20","45799","Pasco
County Resource Recovery","12/12/2018 09:59:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018
15:39:00","TOT","500564","500564","YES","2.0",,"35429772"
"35435496001MS","EPA
7470","35435496001MS","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","98","0","0.20","45799"
,"Pasco County Resource Recovery","12/06/2018 14:21:00","AQUEOUS-Other","MS",,,"Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018
15:44:00","TOT","500564","500564","YES","2.0",,"35429772"
"35435496001MSD","EPA
7470","35435496001MSD","E83079","7439976","Mercury","2.0",,"ug/L",,"0.10","SPK","1","0","98","1","0.20","4579
9","Pasco County Resource Recovery","12/06/2018 14:21:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018
15:46:00","TOT","500564","500564","YES","2.0",,"35429772"
"4MW-27D","EPA
7470","35435576001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018 16:05:00","TOT","500564","500564","YES",,,"35429772"
"35435496001","EPA
7470","35435496001","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","12/06/2018 14:21:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018 15:41:00","TOT","500564","500564","YES",,,"35429772"
"35435496002","EPA
7470","35435496002","E83079","7439976","Mercury","0.10",,"ug/L","U","0.10","TRG","1","0",,"0","0.20","45799","
Pasco County Resource Recovery","12/06/2018 12:27:00","AQUEOUS-Other","N",,,"Gen
Prep","RES","YES","12/12/2018 09:59:00","12/13/2018 15:48:00","TOT","500564","500564","YES",,,"35429772"
"2707234BLANK","EPA 350.1 No Distillation","2707234","E83079","1515","Ammonia
(N)","0.035",,"mg/L","U","0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource
Recovery","12/12/2018 18:57:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/12/2018
18:57:00","12/12/2018 18:57:00","TOT","500744","500744","YES",,,"35429772"
"2707235LCS","EPA 350.1 No Distillation","2707235","E83079","1515","Ammonia
(N)","1.1",,"mg/L",,"0.035","SPK","1","0","104","0","0.050","45799","Pasco County Resource Recovery","12/12/2018
18:59:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/12/2018 18:59:00","12/12/2018
18:59:00","TOT","500744","500744","YES","1.0",,"35429772"
"35435497002DUP","EPA 350.1 No Distillation","35435497002DUP","E83079","1515","Ammonia
(N)","0.73",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018
10:20:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/12/2018 19:03:00","12/12/2018

19:03:00","TOT","500744","500744","YES",,,"35429772"
"35435497002MS","EPA 350.1 No Distillation","35435497002MS","E83079","1515","Ammonia
(N)","1.7",,"mg/L",,"0.035","SPK","1","0","98","0","0.050","45799","Pasco County Resource Recovery","12/06/2018
10:20:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/12/2018 19:04:00","12/12/2018
19:04:00","TOT","500744","500744","YES","1.0",,"35429772"
"4MW-27D","EPA 350.1 No Distillation","35435576001","E83079","1515","Ammonia
(N)","0.25",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/12/2018
19:06:00","12/12/2018 19:06:00","TOT","500744","500744","YES",,,"35429772"
"35435497002","EPA 350.1 No Distillation","35435497002","E83079","1515","Ammonia
(N)","0.73",,"mg/L",,"0.035","TRG","1","0",,"0","0.050","45799","Pasco County Resource Recovery","12/06/2018
10:20:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/12/2018 19:01:00","12/12/2018
19:01:00","TOT","500744","500744","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.1",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","156592","cis-1,2-

Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","106467","1,4-Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","156605","trans-1,2-Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.7",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018

10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","DEP-SURR-038","Toluene-
d8","41.3",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/13/2018
10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018 10:17:00","12/13/2018
10:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708276BLANK","EPA

8260","2708276","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA
8260","2708276","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708276BLANK","EPA 8260","2708276","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 10:17:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/13/2018
10:17:00","12/13/2018 10:17:00","TOT","500923","500923","YES",,,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","108054","Vinyl
acetate","20.4",,"ug/L",,"0.19","SPK","1","0","102","0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","10061026","trans-1,3-
Dichloropropene","17.8",,"ug/L",,"0.17","SPK","1","0","89","0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","75343","1,1-
Dichloroethane","19.5",,"ug/L",,"0.34","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018

09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","107062","1,2-
Dichloroethane","18.9",,"ug/L",,"0.27","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","67663","Chloroform","18.6",,"ug/L",,"0.32","SPK","1","0","93","0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","1330207","Xylenes-
Total","58.6",,"ug/L",,"2.1","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","12/13/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","60.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","108907","Chlorobenzene","19.8",,"ug/L",,"0.35","SPK","1","0","99","0","1.0","45799","P
asco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.3",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","95501","1,2-
Dichlorobenzene","19.4",,"ug/L",,"0.29","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.5",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/13/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","78875","1,2-
Dichloropropane","19.1",,"ug/L",,"0.23","SPK","1","0","95","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","10061015","cis-1,3-
Dichloropropene","17.9",,"ug/L",,"0.17","SPK","1","0","90","0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","79345","1,1,2,2-
Tetrachloroethane","19.0",,"ug/L",,"0.20","SPK","1","0","95","0","0.50","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","108883","Toluene","20.4",,"ug/L",,"0.33","SPK","1","0","102","0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","106467","1,4-
Dichlorobenzene","19.3",,"ug/L",,"0.28","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","75014","Vinyl
chloride","18.1",,"ug/L",,"0.39","SPK","1","0","90","0","1.0","45799","Pasco County Resource Recovery","12/13/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"

"2708277LCS","EPA 8260","2708277","E83079","56235","Carbon
tetrachloride","16.9",,"ug/L",,"1.1","SPK","1","0","85","0","3.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","74884","Iodomethane","22.4",,"ug/L",,"9.3","SPK","1","0","56","0","10.0","45799","Pasc
o County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","78933","2-
Butanone","31.8",,"ug/L",,"7.5","SPK","1","0","79","0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","75694","Trichlorofluoromethane","22.0",,"ug/L",,"0.35","SPK","1","0","110","0","1.0","4
5799","Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","124481","Dibromochloromethane","16.2",,"ug/L",,"0.45","SPK","1","0","81","0","2.0","4
5799","Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","74873","Chloromethane","20.8",,"ug/L",,"0.97","SPK","1","0","104","0","1.0","45799","P
asco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","127184","Tetrachloroethene","20.8",,"ug/L",,"0.38","SPK","1","0","104","0","1.0","45799
","Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","100425","Styrene","19.2",,"ug/L",,"0.26","SPK","1","0","96","0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","79016","Trichloroethene","19.6",,"ug/L",,"0.36","SPK","1","0","98","0","1.0","45799","P
asco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","108101","4-Methyl-2-
pentanone","36.5",,"ug/L",,"0.32","SPK","1","0","91","0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","75274","Bromodichloromethane","16.3",,"ug/L",,"0.19","SPK","1","0","82","0","0.60","4
5799","Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","591786","2-
Hexanone","35.8",,"ug/L",,"0.85","SPK","1","0","89","0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018

09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","71432","Benzene","19.7",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","79005","1,1,2-
Trichloroethane","19.8",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","156605","trans-1,2-
Dichloroethene","18.1",,"ug/L",,"0.23","SPK","1","0","90","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","100414","Ethylbenzene","19.8",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pa
sco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","96184","1,2,3-
Trichloropropane","19.9",,"ug/L",,"1.1","SPK","1","0","99","0","2.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","75003","Chloroethane","21.8",,"ug/L",,"3.7","SPK","1","0","109","0","10.0","45799","Pa
sco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","74975","Bromochloromethane","19.1",,"ug/L",,"0.37","SPK","1","0","95","0","1.0","4579
9","Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","67641","Acetone","37.2",,"ug/L",,"5.3","SPK","1","0","93","0","20.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","630206","1,1,1,2-
Tetrachloroethane","18.2",,"ug/L",,"0.32","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","156592","cis-1,2-
Dichloroethene","19.1",,"ug/L",,"0.27","SPK","1","0","96","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","75150","Carbon
disulfide","19.9",,"ug/L",,"0.45","SPK","1","0","100","0","10.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","71556","1,1,1-
Trichloroethane","19.4",,"ug/L",,"0.30","SPK","1","0","97","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","DEP-SURR-038","Toluene-
d8","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","12/13/2018

09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","40.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","75092","Methylene
Chloride","20.6",,"ug/L",,"2.0","SPK","1","0","103","0","5.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","107131","Acrylonitrile","189",,"ug/L",,"3.7","SPK","1","0","95","0","10.0","45799","Pas
co County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","200",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","75252","Bromoform","13.6",,"ug/L",,"2.6","SPK","1","0","68","0","3.0","45799","Pasco
County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","110576","trans-1,4-Dichloro-2-
butene","15.2",,"ug/L",,"2.5","SPK","1","0","76","0","10.0","45799","Pasco County Resource Recovery","12/13/2018
09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","74953","Dibromomethane","20.0",,"ug/L",,"0.68","SPK","1","0","100","0","2.0","45799",
"Pasco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA 8260","2708277","E83079","75354","1,1-
Dichloroethene","19.8",,"ug/L",,"0.27","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/13/2018
09:30:00","12/13/2018 09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2708277LCS","EPA
8260","2708277","E83079","74839","Bromomethane","20.8",,"ug/L",,"4.0","SPK","1","0","104","0","5.0","45799","Pa
sco County Resource Recovery","12/13/2018 09:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 09:30:00","12/13/2018
09:30:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799
","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018
11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","
1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","
0.60","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","79005","1,1,2-

Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","56235","Carbon tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","41.7",,"ug/L",,,"SURR","1","0","104","1",,"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","75354","1,1-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","108054","Vinyl acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","78933","2-Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","75343","1,1-Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","75014","Vinyl chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","156592","cis-1,2-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No

Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","
Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018
11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018
11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA
8260","2612641008DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pa
sco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","DEP-SURR-038","Toluene-

d8","40.8",,"ug/L",,,"SURR","1","0","102","2",,"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.1",,"ug/L",,,"SURR","1","0","98","1",,"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","107062","1,2-Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","10061026","trans-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","10061015","cis-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No

Prep","RES","YES","12/13/2018 11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641008DUP","EPA 8260","2612641008DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/13/2018
11:05:00","12/13/2018 11:05:00","TOT","500923","500923","YES",,,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","110576","trans-1,4-Dichloro-2-
butene","15.1",,"ug/L",,"2.5","SPK","1","0","76","0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","75252","Bromoform","14.3",,"ug/L",,"2.6","SPK","1","0","72","0","3.0","45799","
Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","78875","1,2-
Dichloropropane","22.2",,"ug/L",,"0.23","SPK","1","0","111","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","67663","Chloroform","21.7",,"ug/L",,"0.32","SPK","1","0","109","0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","74884","Iodomethane","23.3",,"ug/L",,"9.3","SPK","1","0","58","0","10.0","45799
","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","74873","Chloromethane","26.7",,"ug/L",,"0.97","SPK","1","0","133","0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","108883","Toluene","23.1",,"ug/L",,"0.33","SPK","1","0","115","0","1.0","45799","
Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","75092","Methylene
Chloride","22.4",,"ug/L",,"2.0","SPK","1","0","112","0","5.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","75694","Trichlorofluoromethane","31.2",,"ug/L","J","0.35","SPK","1","0","156","
0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","156592","cis-1,2-
Dichloroethene","22.3",,"ug/L",,"0.27","SPK","1","0","111","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018

12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","75014","Vinyl
chloride","23.6",,"ug/L",,"0.39","SPK","1","0","118","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","95501","1,2-
Dichlorobenzene","20.6",,"ug/L",,"0.29","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","108101","4-Methyl-2-
pentanone","39.7",,"ug/L",,"0.32","SPK","1","0","99","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","108054","Vinyl
acetate","24.4",,"ug/L",,"0.19","SPK","1","0","122","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","56235","Carbon
tetrachloride","19.6",,"ug/L",,"1.1","SPK","1","0","98","0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","75003","Chloroethane","31.0",,"ug/L","J","3.7","SPK","1","0","155","0","10.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","100414","Ethylbenzene","22.0",,"ug/L",,"0.30","SPK","1","0","110","0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","71556","1,1,1-
Trichloroethane","23.3",,"ug/L",,"0.30","SPK","1","0","116","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","106467","1,4-
Dichlorobenzene","20.4",,"ug/L",,"0.28","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","124481","Dibromochloromethane","17.8",,"ug/L",,"0.45","SPK","1","0","89","0","
2.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","74953","Dibromomethane","22.1",,"ug/L",,"0.68","SPK","1","0","110","0","2.0","
45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA

8260","2612641009MS","E83079","75274","Bromodichloromethane","18.1",,"ug/L",,"0.19","SPK","1","0","90","0","0
.60","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.8",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","DEP-SURR-038","Toluene-
d8","39.2",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","75354","1,1-
Dichloroethene","23.4",,"ug/L",,"0.27","SPK","1","0","117","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","71432","Benzene","23.2",,"ug/L",,"0.30","SPK","1","0","116","0","1.0","45799","
Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","1330207","Xylenes-
Total","65.2",,"ug/L",,"2.1","SPK","1","0","109","0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","60.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","107062","1,2-
Dichloroethane","22.0",,"ug/L",,"0.27","SPK","1","0","110","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","79345","1,1,2,2-
Tetrachloroethane","21.0",,"ug/L",,"0.20","SPK","1","0","105","0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","107131","Acrylonitrile","185",,"ug/L",,"3.7","SPK","1","0","93","0","10.0","4579
9","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","200",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","67641","Acetone","46.8",,"ug/L",,"5.3","SPK","1","0","99","0","20.0","45799","P
asco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","630206","1,1,1,2-
Tetrachloroethane","20.2",,"ug/L",,"0.32","SPK","1","0","101","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","79005","1,1,2-
Trichloroethane","21.8",,"ug/L",,"0.30","SPK","1","0","109","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","591786","2-
Hexanone","37.3",,"ug/L",,"0.85","SPK","1","0","93","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018

12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","79016","Trichloroethene","22.5",,"ug/L",,"0.36","SPK","1","0","112","0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","10061026","trans-1,3-
Dichloropropene","19.8",,"ug/L",,"0.17","SPK","1","0","99","0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","100425","Styrene","21.3",,"ug/L",,"0.26","SPK","1","0","106","0","1.0","45799","
Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","96184","1,2,3-
Trichloropropane","22.2",,"ug/L",,"1.1","SPK","1","0","111","0","2.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","108907","Chlorobenzene","21.8",,"ug/L",,"0.35","SPK","1","0","109","0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","156605","trans-1,2-
Dichloroethene","23.2",,"ug/L",,"0.23","SPK","1","0","116","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","127184","Tetrachloroethene","21.1",,"ug/L",,"0.38","SPK","1","0","106","0","1.0"
,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","75150","Carbon
disulfide","26.1",,"ug/L",,"0.45","SPK","1","0","129","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","74839","Bromomethane","28.3",,"ug/L",,"4.0","SPK","1","0","141","0","5.0","457
99","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","75343","1,1-
Dichloroethane","22.8",,"ug/L",,"0.34","SPK","1","0","114","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA
8260","2612641009MS","E83079","74975","Bromochloromethane","22.0",,"ug/L",,"0.37","SPK","1","0","110","0","1.
0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 12:17:00","12/13/2018
12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","10061015","cis-1,3-
Dichloropropene","20.2",,"ug/L",,"0.17","SPK","1","0","101","0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018

12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","20.0",,"35429772"
"2612641009MS","EPA 8260","2612641009MS","E83079","78933","2-
Butanone","35.3",,"ug/L",,"7.5","SPK","1","0","88","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/13/2018
12:17:00","12/13/2018 12:17:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.2",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018
13:29:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"

"4MW-27","EPA 8260","35434831001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:29:00","12/13/2018
13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA

8260","35434831001","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:29:00","12/13/2018
13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource

Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","DEP-SURR-038","Toluene-
d8","40.8",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:29:00","12/13/2018
13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:29:00","12/13/2018
13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-27","EPA 8260","35434831001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.6",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","11/30/2018
12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-27","EPA
8260","35434831001","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:29:00","12/13/2018 13:29:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:53:00","12/13/2018
13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA

8260","35434831002","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No

Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:53:00","12/13/2018
13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:53:00","12/13/2018
13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-
Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018 13:53:00","12/13/2018
13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","11/30/2018

14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","DEP-SURR-038","Toluene-
d8","41.1",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","11/30/2018
14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No Prep","RES","YES","12/13/2018
13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES","40.0",,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"

"4MW-3A","EPA 8260","35434831002","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA
8260","35434831002","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018 13:53:00","TOT","500923","500923","YES",,,"35429772"
"4MW-3A","EPA 8260","35434831002","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.2",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/13/2018 13:53:00","12/13/2018
13:53:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641008","EPA
8260","2612641008","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA

8260","2612641008","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0"
,"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.307644",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES","40.1",,"35429772"
"2612641008","EPA 8260","2612641008","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60"
,"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018

10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","DEP-SURR-038","Toluene-
d8","41.538932",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES","39.9",,"35429772"
"2612641008","EPA
8260","2612641008","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","4579
9","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.409966",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/12/2018
11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018
10:41:00","TOT","500923","500923","YES","39.8",,"35429772"
"2612641008","EPA
8260","2612641008","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasc
o County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","457
99","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","71556","1,1,1-

Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0",
"45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA
8260","2612641008","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","1330207","Xylenes-Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","95501","1,2-Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","591786","2-Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641008","EPA 8260","2612641008","E83079","79345","1,1,2,2-Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 10:41:00","12/13/2018 10:41:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0"
,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","457
99","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018
11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA

8260","2612641009","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","DEP-SURR-038","Toluene-d8","41.318496",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES","40.1",,"35429772"
"2612641009","EPA 8260","2612641009","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.589647",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES","40.0",,"35429772"
"2612641009","EPA 8260","2612641009","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","42.209824",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES","39.8",,"35429772"
"2612641009","EPA 8260","2612641009","E83079","106467","1,4-Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","78933","2-Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75343","1,1-Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","UJ","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2612641009","EPA 8260","2612641009","E83079","75150","Carbon disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2612641009","EPA 8260","2612641009","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","95501","1,2-Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","156592","cis-1,2-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","630206","1,1,1,2-Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","75354","1,1-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","10061026","trans-1,3-Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","56235","Carbon tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","71556","1,1,1-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","107062","1,2-Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018

11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasc
o County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018
11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60"
,"45799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018
11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA
8260","2612641009","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:00:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 11:29:00","12/13/2018 11:29:00","TOT","500923","500923","YES",,,"35429772"
"2612641009","EPA 8260","2612641009","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:00:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/13/2018 11:29:00","12/13/2018
11:29:00","TOT","500923","500923","YES",,,"35429772"
"2708533BLANK","EPA 300.0
(Chloride)","2708533","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","12/13/2018 16:08:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/13/2018 16:08:00","12/13/2018 16:08:00","TOT","501013","501013","YES",,,"35429772"
"2708534LCS","EPA 300.0
(Chloride)","2708534","E83079","16887006","Chloride","47.1",,"mg/L",,"2.5","SPK","1","0","94","0","5.0","45799","
Pasco County Resource Recovery","12/13/2018 16:30:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/13/2018 16:30:00","12/13/2018
16:30:00","TOT","501013","501013","YES","50.0",,"35429772"
"35434746004MS","EPA 300.0
(Chloride)","35434746004MS","E83079","16887006","Chloride","1120",,"mg/L","L","25.0","SPK","10","0","96","0","
50.0","45799","Pasco County Resource Recovery","12/05/2018 10:15:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/13/2018 17:15:00","12/13/2018 17:15:00","TOT","501013","501013","YES","500","Analyte
concentration exceeded the calibration range. The reported result is estimated.","35429772"
"35434746004MSD","EPA 300.0
(Chloride)","35434746004MSD","E83079","16887006","Chloride","1130",,"mg/L","L","25.0","SPK","10","0","98","1
","50.0","45799","Pasco County Resource Recovery","12/05/2018 10:15:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","12/13/2018 17:37:00","12/13/2018 17:37:00","TOT","501013","501013","YES","500","Analyte
concentration exceeded the calibration range. The reported result is estimated.","35429772"
"4MW-6MS","EPA 300.0
(Chloride)","35434827001MS","E83079","16887006","Chloride","49.2",,"mg/L","J","2.5","SPK","1","0","89","0","5.0
","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MS","Courier","2.3","No Prep","RES","YES","12/14/2018 00:16:00","12/14/2018
00:16:00","TOT","501013","501013","YES","50.0","Matrix spike recovery exceeded QC limits. Batch accepted based
on laboratory control sample (LCS) recovery.","35429772"

"4MW-6MSD","EPA 300.0
(Chloride)","35434827001MSD","E83079","16887006","Chloride","49.5",,"mg/L",,"2.5","SPK","1","0","90","1","5.0",
"45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","MSD","Courier","2.3","No Prep","RES","YES","12/14/2018 00:38:00","12/14/2018
00:38:00","TOT","501013","501013","YES","50.0",,"35429772"
"4MW-6","EPA 300.0
(Chloride)","35434827001","E83079","16887006","Chloride","4.5",,"mg/L","I","2.5","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/13/2018 23:53:00","12/13/2018 23:53:00","TOT","501013","501013","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"4MW-27","EPA 300.0
(Chloride)","35434831001","E83079","16887006","Chloride","79.5",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/30/2018 12:32:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/14/2018 01:44:00","12/14/2018 01:44:00","TOT","501013","501013","YES",,,"35429772"
"4MW-3A","EPA 300.0
(Chloride)","35434831002","E83079","16887006","Chloride","23.6",,"mg/L",,"2.5","TRG","1","0",,"0","5.0","45799",
"Pasco County Resource Recovery","11/30/2018 14:00:00","AQUEOUS-Groundwater","N","Courier","3.6","No
Prep","RES","YES","12/14/2018 02:06:00","12/14/2018 02:06:00","TOT","501013","501013","YES",,,"35429772"
"35434746004","EPA 300.0
(Chloride)","35434746004","E83079","16887006","Chloride","638",,"mg/L",,"25.0","TRG","10","0",,"0","50.0","4579
9","Pasco County Resource Recovery","12/05/2018 10:15:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/13/2018 16:53:00","12/13/2018 16:53:00","TOT","501013","501013","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","DEP-SURR-038","Toluene-
d8","40.9",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"

"2710228BLANK","EPA 8260","2710228","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.5",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.9",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"

"2710228BLANK","EPA 8260","2710228","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA
8260","2710228","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/14/2018 11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/14/2018
11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018 11:13:00","12/14/2018
11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710228BLANK","EPA 8260","2710228","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/14/2018 11:13:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/14/2018
11:13:00","12/14/2018 11:13:00","TOT","501264","501264","YES",,,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","10061026","trans-1,3-
Dichloropropene","17.7",,"ug/L",,"0.17","SPK","1","0","89","0","0.50","45799","Pasco County Resource

Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","67663","Chloroform","20.3",,"ug/L",,"0.32","SPK","1","0","101","0","1.0","45799","Pasc
o County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","591786","2-
Hexanone","30.0",,"ug/L",,"0.85","SPK","1","0","75","0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","107131","Acrylonitrile","187",,"ug/L",,"3.7","SPK","1","0","93","0","10.0","45799","Pas
co County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","200",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","156592","cis-1,2-
Dichloroethene","21.0",,"ug/L",,"0.27","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","108101","4-Methyl-2-
pentanone","31.1",,"ug/L",,"0.32","SPK","1","0","78","0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","71432","Benzene","21.5",,"ug/L",,"0.30","SPK","1","0","108","0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","630206","1,1,1,2-
Tetrachloroethane","17.5",,"ug/L",,"0.32","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","96184","1,2,3-
Trichloropropane","22.1",,"ug/L",,"1.1","SPK","1","0","110","0","2.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","108883","Toluene","21.3",,"ug/L",,"0.33","SPK","1","0","107","0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","106467","1,4-
Dichlorobenzene","20.9",,"ug/L",,"0.28","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","124481","Dibromochloromethane","15.4",,"ug/L",,"0.45","SPK","1","0","77","0","2.0","4
5799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","79016","Trichloroethene","20.6",,"ug/L",,"0.36","SPK","1","0","103","0","1.0","45799","
Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"

"2710229LCS","EPA 8260","2710229","E83079","108054","Vinyl
acetate","17.6",,"ug/L",,"0.19","SPK","1","0","88","0","10.0","45799","Pasco County Resource Recovery","12/14/2018
10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","107062","1,2-
Dichloroethane","21.3",,"ug/L",,"0.27","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/14/2018
10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","95501","1,2-
Dichlorobenzene","20.4",,"ug/L",,"0.29","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","71556","1,1,1-
Trichloroethane","20.5",,"ug/L",,"0.30","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","100425","Styrene","19.9",,"ug/L",,"0.26","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","127184","Tetrachloroethene","20.7",,"ug/L",,"0.38","SPK","1","0","103","0","1.0","45799
","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75014","Vinyl
chloride","19.3",,"ug/L",,"0.39","SPK","1","0","97","0","1.0","45799","Pasco County Resource Recovery","12/14/2018
10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75343","1,1-
Dichloroethane","21.0",,"ug/L",,"0.34","SPK","1","0","105","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","78875","1,2-
Dichloropropane","21.2",,"ug/L",,"0.23","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","78933","2-
Butanone","27.4",,"ug/L",,"7.5","SPK","1","0","69","0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","74953","Dibromomethane","20.5",,"ug/L",,"0.68","SPK","1","0","103","0","2.0","45799",
"Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","74975","Bromochloromethane","20.7",,"ug/L",,"0.37","SPK","1","0","103","0","1.0","457
99","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018

10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75354","1,1-
Dichloroethene","22.6",,"ug/L",,"0.27","SPK","1","0","113","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","79005","1,1,2-
Trichloroethane","20.0",,"ug/L",,"0.30","SPK","1","0","100","0","1.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","75252","Bromoform","11.6",,"ug/L",,"2.6","SPK","1","0","58","0","3.0","45799","Pasco
County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","74839","Bromomethane","27.3",,"ug/L",,"4.0","SPK","1","0","137","0","5.0","45799","Pa
sco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","100414","Ethylbenzene","20.3",,"ug/L",,"0.30","SPK","1","0","102","0","1.0","45799","P
asco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75092","Methylene
Chloride","22.5",,"ug/L",,"2.0","SPK","1","0","112","0","5.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","75694","Trichlorofluoromethane","23.9",,"ug/L",,"0.35","SPK","1","0","119","0","1.0","4
5799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75150","Carbon
disulfide","19.7",,"ug/L",,"0.45","SPK","1","0","99","0","10.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","74884","Iodomethane","30.4",,"ug/L",,"9.3","SPK","1","0","76","0","10.0","45799","Pasc
o County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","10061015","cis-1,3-
Dichloropropene","18.5",,"ug/L",,"0.17","SPK","1","0","92","0","0.50","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA
8260","2710229","E83079","75274","Bromodichloromethane","17.5",,"ug/L",,"0.19","SPK","1","0","87","0","0.60","4
5799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/14/2018 10:25:00","12/14/2018
10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","56235","Carbon
tetrachloride","16.8",,"ug/L",,"1.1","SPK","1","0","84","0","3.0","45799","Pasco County Resource
Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018
10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"

"2710229LCS","EPA 8260","2710229","E83079","DEP-SURR-019","4-Bromofluorobenzene","38.6",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","DEP-SURR-002","1,2-Dichloroethane-d4","42.6",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","1330207","Xylenes-Total","61.3",,"ug/L",,"2.1","SPK","1","0","102","0","5.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","60.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","75003","Chloroethane","23.6",,"ug/L",,"3.7","SPK","1","0","118","0","10.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","74873","Chloromethane","22.5",,"ug/L",,"0.97","SPK","1","0","112","0","1.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","108907","Chlorobenzene","20.8",,"ug/L",,"0.35","SPK","1","0","104","0","1.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","67641","Acetone","33.6",,"ug/L",,"5.3","SPK","1","0","84","0","20.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","40.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","110576","trans-1,4-Dichloro-2-butene","12.4",,"ug/L",,"2.5","SPK","1","0","62","0","10.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","79345","1,1,2,2-Tetrachloroethane","20.3",,"ug/L",,"0.20","SPK","1","0","101","0","0.50","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"2710229LCS","EPA 8260","2710229","E83079","156605","trans-1,2-Dichloroethene","21.1",,"ug/L",,"0.23","SPK","1","0","106","0","1.0","45799","Pasco County Resource Recovery","12/14/2018 10:25:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/14/2018 10:25:00","12/14/2018 10:25:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","95501","1,2-Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","108101","4-Methyl-2-pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No

Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.5",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","DEP-SURR-038","Toluene-

d8","41",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018

12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457
99","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799",
"Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA

8260","35434371003DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018
12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA 8260","35434371003DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","43",,"ug/L",,,"SURR","1","0","108","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/14/2018 12:48:00","12/14/2018
12:48:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","
Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371003DUP","EPA
8260","35434371003DUP","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/14/2018 12:48:00","12/14/2018 12:48:00","TOT","501264","501264","YES",,,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","108883","Toluene","18.6",,"ug/L",,"0.33","SPK","1","0","93","0","1.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","107062","1,2-
Dichloroethane","17.9",,"ug/L",,"0.27","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","74873","Chloromethane","22.7",,"ug/L",,"0.97","SPK","1","0","114","0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","124481","Dibromochloromethane","12.0",,"ug/L","J","0.45","SPK","1","0","60",
"0","2.0","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","71432","Benzene","18.7",,"ug/L",,"0.30","SPK","1","0","94","0","1.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","95501","1,2-
Dichlorobenzene","16.3",,"ug/L",,"0.29","SPK","1","0","82","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","156592","cis-1,2-
Dichloroethene","18.5",,"ug/L",,"0.27","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018

20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","156605","trans-1,2-
Dichloroethene","17.2",,"ug/L",,"0.23","SPK","1","0","86","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","75014","Vinyl
chloride","20.4",,"ug/L",,"0.39","SPK","1","0","102","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","75092","Methylene
Chloride","19.6",,"ug/L",,"2.0","SPK","1","0","98","0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","100425","Styrene","16.2",,"ug/L",,"0.26","SPK","1","0","81","0","1.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","75694","Trichlorofluoromethane","26.0",,"ug/L",,"0.35","SPK","1","0","130","0"
,"1.0","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","100414","Ethylbenzene","17.6",,"ug/L",,"0.30","SPK","1","0","88","0","1.0","45
799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","67641","Acetone","31.8",,"ug/L",,"5.3","SPK","1","0","75","0","20.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","591786","2-
Hexanone","27.3",,"ug/L",,"0.85","SPK","1","0","68","0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","10061015","cis-1,3-
Dichloropropene","14.5",,"ug/L",,"0.17","SPK","1","0","73","0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","79016","Trichloroethene","17.6",,"ug/L",,"0.36","SPK","1","0","88","0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","56235","Carbon
tetrachloride","13.4",,"ug/L",,"1.1","SPK","1","0","67","0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","79345","1,1,2,2-
Tetrachloroethane","17.3",,"ug/L",,"0.20","SPK","1","0","87","0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"

"35434371004MS","EPA 8260","35434371004MS","E83079","78875","1,2-
Dichloropropane","18.1",,"ug/L",,"0.23","SPK","1","0","91","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","108054","Vinyl
acetate","14.3",,"ug/L",,"0.19","SPK","1","0","71","0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","75354","1,1-
Dichloroethene","21.1",,"ug/L",,"0.27","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","107131","Acrylonitrile","135",,"ug/L",,"3.7","SPK","1","0","67","0","10.0","457
99","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","200",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","10061026","trans-1,3-
Dichloropropene","13.9",,"ug/L",,"0.17","SPK","1","0","70","0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","108907","Chlorobenzene","17.8",,"ug/L",,"0.35","SPK","1","0","89","0","1.0","4
5799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","108101","4-Methyl-2-
pentanone","29.8",,"ug/L",,"0.32","SPK","1","0","75","0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","630206","1,1,1,2-
Tetrachloroethane","14.2",,"ug/L",,"0.32","SPK","1","0","71","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","127184","Tetrachloroethene","16.1",,"ug/L",,"0.38","SPK","1","0","80","0","1.0"
,"45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","74884","Iodomethane","20.1",,"ug/L",,"9.3","SPK","1","0","50","0","10.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","106467","1,4-
Dichlorobenzene","16.2",,"ug/L",,"0.28","SPK","1","0","81","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","43",,"ug/L",,,"SURR","1","0","108","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","1330207","Xylenes-
Total","51.2",,"ug/L",,"2.1","SPK","1","0","85","0","5.0","45799","Pasco County Resource Recovery","12/03/2018

12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","60.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","96184","1,2,3-
Trichloropropane","19.0",,"ug/L",,"1.1","SPK","1","0","95","0","2.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","75252","Bromoform","8.7",,"ug/L","J","2.6","SPK","1","0","44","0","3.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","75003","Chloroethane","27.2",,"ug/L",,"3.7","SPK","1","0","136","0","10.0","45
799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","67663","Chloroform","18.0",,"ug/L",,"0.32","SPK","1","0","90","0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","75274","Bromodichloromethane","13.7",,"ug/L","J","0.19","SPK","1","0","68","0
","0.60","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","71556","1,1,1-
Trichloroethane","17.4",,"ug/L",,"0.30","SPK","1","0","87","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","74975","Bromochloromethane","18.5",,"ug/L",,"0.37","SPK","1","0","92","0","1.
0","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","110576","trans-1,4-Dichloro-2-
butene","11.6",,"ug/L",,"2.5","SPK","1","0","58","0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","74953","Dibromomethane","17.7",,"ug/L",,"0.68","SPK","1","0","89","0","2.0","
45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.1",,"ug/L",,,"SURR","1","0","98","0",,"45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA
8260","35434371004MS","E83079","74839","Bromomethane","16.7",,"ug/L",,"4.0","SPK","1","0","84","0","5.0","457
99","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/14/2018 20:23:00","12/14/2018
20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","78933","2-

Butanone","28.1",,"ug/L",,"7.5","SPK","1","0","70","0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","40.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","75150","Carbon
disulfide","19.9",,"ug/L",,"0.45","SPK","1","0","100","0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","79005","1,1,2-
Trichloroethane","17.9",,"ug/L",,"0.30","SPK","1","0","89","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"35434371004MS","EPA 8260","35434371004MS","E83079","75343","1,1-
Dichloroethane","18.7",,"ug/L",,"0.34","SPK","1","0","94","0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/14/2018
20:23:00","12/14/2018 20:23:00","TOT","501264","501264","YES","20.0",,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018 17:35:00","12/14/2018
17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.8",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES","40.0",,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018

13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","DEP-SURR-038","Toluene-
d8","40.6",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES","40.0",,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"

"4MW-6","EPA 8260","35434827001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.4",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018
17:35:00","TOT","501264","501264","YES","40.0",,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018 17:35:00","12/14/2018
17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"

"4MW-6","EPA 8260","35434827001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018 17:35:00","12/14/2018
17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No
Prep","RES","YES","12/14/2018 17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA
8260","35434827001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","12/03/2018 13:42:00","AQUEOUS-
Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018 17:35:00","12/14/2018
17:35:00","TOT","501264","501264","YES",,,"35429772"
"4MW-6","EPA 8260","35434827001","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
13:42:00","AQUEOUS-Groundwater","N","Courier","2.3","No Prep","RES","YES","12/14/2018
17:35:00","12/14/2018 17:35:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"

"35434371003","EPA 8260","35434371003","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.984635",,"ug/L",,,"SURR","1","0","107","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES","40.2",,"35429772"
"35434371003","EPA 8260","35434371003","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","DEP-SURR-038","Toluene-
d8","41.076642",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES","39.9",,"35429772"
"35434371003","EPA
8260","35434371003","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"

"35434371003","EPA 8260","35434371003","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource

Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.604471",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES","39.8",,"35429772"
"35434371003","EPA
8260","35434371003","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA 8260","35434371003","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:17:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 12:25:00","12/14/2018
12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371003","EPA
8260","35434371003","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/03/2018 12:17:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 12:25:00","12/14/2018 12:25:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","DEP-SURR-038","Toluene-
d8","41.307499",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES","40.1",,"35429772"
"35434371004","EPA
8260","35434371004","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"

"35434371004","EPA 8260","35434371004","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","124481","Dibromochloromethane","0.45",,"ug/L","UJ","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004","EPA 8260","35434371004","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","108101","4-Methyl-2-

pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","75252","Bromoform","2.6",,"ug/L","UJ","2.6","TRG","1","0",,"0","3.0","45799","Pa
sco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,"Matrix spike
recovery exceeded QC limits.  Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004","EPA 8260","35434371004","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","75274","Bromodichloromethane","0.19",,"ug/L","UJ","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35434371004","EPA 8260","35434371004","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","42.269821",,"ug/L",,,"SURR","1","0","106","0",,"45799","Pasco County Resource Recovery","12/03/2018
12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018 13:12:00","12/14/2018
13:12:00","TOT","501264","501264","YES","39.9",,"35429772"
"35434371004","EPA 8260","35434371004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.219977",,"ug/L",,,"SURR","1","0","96","0",,"45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES","39.8",,"35429772"
"35434371004","EPA
8260","35434371004","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA
8260","35434371004","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","12/14/2018 13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"35434371004","EPA 8260","35434371004","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/03/2018 12:48:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/14/2018
13:12:00","12/14/2018 13:12:00","TOT","501264","501264","YES",,,"35429772"
"2713994BLANK","EPA 300.0
(Chloride)","2713994","E83079","16887006","Chloride","2.5",,"mg/L","U","2.5","TRG","1","0",,"0","5.0","45799","P
asco County Resource Recovery","12/18/2018 08:40:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 08:40:00","12/18/2018 08:40:00","TOT","502051","502051","YES",,,"35429772"
"2713995LCS","EPA 300.0
(Chloride)","2713995","E83079","16887006","Chloride","49.8",,"mg/L",,"2.5","SPK","1","0","100","0","5.0","45799",
"Pasco County Resource Recovery","12/18/2018 09:02:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 09:02:00","12/18/2018
09:02:00","TOT","502051","502051","YES","50.0",,"35429772"
"35435354001MS","EPA 300.0
(Chloride)","35435354001MS","E83079","16887006","Chloride","5460",,"mg/L","L","125","SPK","50","0","109","0",
"250","45799","Pasco County Resource Recovery","12/06/2018 10:31:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 09:46:00","12/18/2018 09:46:00","TOT","502051","502051","YES","2500","Analyte
concentration exceeded the calibration range. The reported result is estimated.","35429772"
"35435354001MSD","EPA 300.0
(Chloride)","35435354001MSD","E83079","16887006","Chloride","5590",,"mg/L","L","125","SPK","50","0","114","2
","250","45799","Pasco County Resource Recovery","12/06/2018 10:31:00","AQUEOUS-Other","MSD",,,"No
Prep","RES","YES","12/18/2018 10:08:00","12/18/2018 10:08:00","TOT","502051","502051","YES","2500","Analyte
concentration exceeded the calibration range. The reported result is estimated. Matrix spike and Matrix spike duplicate
recovery not evaluated against control limits due to sample dilution.","35429772"
"4MW-27D","EPA 300.0
(Chloride)","35435576001","E83079","16887006","Chloride","4.9",,"mg/L","I","2.5","TRG","1","0",,"0","5.0","45799
","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 12:42:00","12/18/2018 12:42:00","TOT","502051","502051","YES",,,"35429772"
"35435354001","EPA 300.0
(Chloride)","35435354001","E83079","16887006","Chloride","2740",,"mg/L",,"125","TRG","50","0",,"0","250","4579
9","Pasco County Resource Recovery","12/06/2018 10:31:00","AQUEOUS-Other","N",,,"No
Prep","DL3","YES","12/18/2018 09:24:00","12/18/2018 09:24:00","TOT","502051","502051","YES",,"Matrix spike
and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.","35429772"
"2714264BLANK","EPA
8260","2714264","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"

"2714264BLANK","EPA
8260","2714264","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","4
5799","Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasc
o County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource

Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pa
sco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.4",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"

"2714264BLANK","EPA
8260","2714264","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasc
o County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","
Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.0","4
5799","Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/18/2018
11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018 11:16:00","12/18/2018
11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No
Prep","RES","YES","12/18/2018 11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.8",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource

Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714264BLANK","EPA
8260","2714264","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714264BLANK","EPA 8260","2714264","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 11:16:00","AQUEOUS-Other","MB",,,"No Prep","RES","YES","12/18/2018
11:16:00","12/18/2018 11:16:00","TOT","502116","502116","YES",,,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","67641","Acetone","44.8",,"ug/L",,"5.3","SPK","1","0","112","0","20.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","75354","1,1-
Dichloroethene","21.3",,"ug/L",,"0.27","SPK","1","0","107","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","591786","2-
Hexanone","38.3",,"ug/L",,"0.85","SPK","1","0","96","0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","DEP-SURR-019","4-
Bromofluorobenzene","41.8",,"ug/L",,,"SURR","1","0","105","0",,"45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","127184","Tetrachloroethene","22.0",,"ug/L",,"0.38","SPK","1","0","110","0","1.0","45799
","Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","74873","Chloromethane","15.3",,"ug/L",,"0.97","SPK","1","0","76","0","1.0","45799","Pa
sco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","71556","1,1,1-
Trichloroethane","17.2",,"ug/L",,"0.30","SPK","1","0","86","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","74975","Bromochloromethane","19.2",,"ug/L",,"0.37","SPK","1","0","96","0","1.0","4579
9","Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","156592","cis-1,2-
Dichloroethene","18.4",,"ug/L",,"0.27","SPK","1","0","92","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","75003","Chloroethane","23.6",,"ug/L",,"3.7","SPK","1","0","118","0","10.0","45799","Pa
sco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"

"2714265LCS","EPA
8260","2714265","E83079","75274","Bromodichloromethane","14.4",,"ug/L",,"0.19","SPK","1","0","72","0","0.60","4
5799","Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","71432","Benzene","19.0",,"ug/L",,"0.30","SPK","1","0","95","0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","75150","Carbon
disulfide","23.1",,"ug/L",,"0.45","SPK","1","0","116","0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","67663","Chloroform","18.0",,"ug/L",,"0.32","SPK","1","0","90","0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","78875","1,2-
Dichloropropane","18.5",,"ug/L",,"0.23","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","79016","Trichloroethene","19.1",,"ug/L",,"0.36","SPK","1","0","96","0","1.0","45799","P
asco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","124481","Dibromochloromethane","14.5",,"ug/L",,"0.45","SPK","1","0","73","0","2.0","4
5799","Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","56235","Carbon
tetrachloride","13.5",,"ug/L",,"1.1","SPK","1","0","67","0","3.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","108101","4-Methyl-2-
pentanone","39.9",,"ug/L",,"0.32","SPK","1","0","100","0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","96184","1,2,3-
Trichloropropane","21.6",,"ug/L",,"1.1","SPK","1","0","108","0","2.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","107062","1,2-
Dichloroethane","18.5",,"ug/L",,"0.27","SPK","1","0","93","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","108907","Chlorobenzene","20.2",,"ug/L",,"0.35","SPK","1","0","101","0","1.0","45799","
Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","630206","1,1,1,2-
Tetrachloroethane","16.8",,"ug/L",,"0.32","SPK","1","0","84","0","1.0","45799","Pasco County Resource

Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","100414","Ethylbenzene","19.8",,"ug/L",,"0.30","SPK","1","0","99","0","1.0","45799","Pa
sco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","1330207","Xylenes-
Total","60.1",,"ug/L",,"2.1","SPK","1","0","100","0","5.0","45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","60.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","106467","1,4-
Dichlorobenzene","19.7",,"ug/L",,"0.28","SPK","1","0","99","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","108883","Toluene","20.6",,"ug/L",,"0.33","SPK","1","0","103","0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","100425","Styrene","19.7",,"ug/L",,"0.26","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","156605","trans-1,2-
Dichloroethene","16.9",,"ug/L",,"0.23","SPK","1","0","84","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","75014","Vinyl
chloride","18.7",,"ug/L",,"0.39","SPK","1","0","93","0","1.0","45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","107131","Acrylonitrile","171",,"ug/L",,"3.7","SPK","1","0","85","0","10.0","45799","Pas
co County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","200",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","95501","1,2-
Dichlorobenzene","19.5",,"ug/L",,"0.29","SPK","1","0","98","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","75092","Methylene
Chloride","19.4",,"ug/L",,"2.0","SPK","1","0","97","0","5.0","45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","75343","1,1-
Dichloroethane","18.4",,"ug/L",,"0.34","SPK","1","0","92","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","74839","Bromomethane","10.5",,"ug/L",,"4.0","SPK","1","0","53","0","5.0","45799","Pas
co County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","DEP-SURR-038","Toluene-

d8","38.8",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","75252","Bromoform","11.0",,"ug/L",,"2.6","SPK","1","0","55","0","3.0","45799","Pasco
County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","79345","1,1,2,2-
Tetrachloroethane","19.8",,"ug/L",,"0.20","SPK","1","0","99","0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","10061015","cis-1,3-
Dichloropropene","15.4",,"ug/L",,"0.17","SPK","1","0","77","0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","78933","2-
Butanone","37.9",,"ug/L",,"7.5","SPK","1","0","95","0","10.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","74953","Dibromomethane","19.3",,"ug/L",,"0.68","SPK","1","0","97","0","2.0","45799","
Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","108054","Vinyl
acetate","19.7",,"ug/L",,"0.19","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","74884","Iodomethane","20.5",,"ug/L",,"9.3","SPK","1","0","51","0","10.0","45799","Pasc
o County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA
8260","2714265","E83079","75694","Trichlorofluoromethane","25.8",,"ug/L",,"0.35","SPK","1","0","129","0","1.0","4
5799","Pasco County Resource Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No
Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","10061026","trans-1,3-
Dichloropropene","15.5",,"ug/L",,"0.17","SPK","1","0","78","0","0.50","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.7",,"ug/L",,,"SURR","1","0","102","0",,"45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","110576","trans-1,4-Dichloro-2-
butene","11.5",,"ug/L",,"2.5","SPK","1","0","57","0","10.0","45799","Pasco County Resource Recovery","12/18/2018
10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018 10:28:00","12/18/2018
10:28:00","TOT","502116","502116","YES","20.0",,"35429772"
"2714265LCS","EPA 8260","2714265","E83079","79005","1,1,2-
Trichloroethane","20.5",,"ug/L",,"0.30","SPK","1","0","103","0","1.0","45799","Pasco County Resource
Recovery","12/18/2018 10:28:00","AQUEOUS-Other","LCS",,,"No Prep","RES","YES","12/18/2018
10:28:00","12/18/2018 10:28:00","TOT","502116","502116","YES","20.0",,"35429772"

"35436824004DUP","EPA
8260","35436824004DUP","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799",
"Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","67641","Acetone","6.2",,"ug/L","I","5.3","TRG","1","0",,"0","20.0","45799","P
asco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0",
"0.60","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","457

99","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.5",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","DEP-SURR-038","Toluene-
d8","39.2",,"ug/L",,,"SURR","1","0","98","1",,"45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1
.0","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39",,"ug/L",,,"SURR","1","0","97","1",,"45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0
","2.0","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","457
99","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0",
"45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"

"35436824004DUP","EPA 8260","35436824004DUP","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799",
"Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","4579
9","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","

45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0",
"1.0","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018 14:28:00","12/18/2018
14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA
8260","35436824004DUP","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No
Prep","RES","YES","12/18/2018 14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824004DUP","EPA 8260","35436824004DUP","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","DUP",,,"No Prep","RES","YES","12/18/2018
14:28:00","12/18/2018 14:28:00","TOT","502116","502116","YES",,,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.6",,"ug/L",,,"SURR","1","0","104","0",,"45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","110576","trans-1,4-Dichloro-2-
butene","9.2",,"ug/L","I","2.5","SPK","1","0","46","0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","78875","1,2-
Dichloropropane","16.1",,"ug/L",,"0.23","SPK","1","0","80","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","127184","Tetrachloroethene","15.2",,"ug/L",,"0.38","SPK","1","0","76","0","1.0"
,"45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","79016","Trichloroethene","16.0",,"ug/L",,"0.36","SPK","1","0","80","0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","124481","Dibromochloromethane","10.9",,"ug/L","J","0.45","SPK","1","0","54",

"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75092","Methylene Chloride","17.0",,"ug/L",,"2.0","SPK","1","0","85","0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","DEP-SURR-019","4-Bromofluorobenzene","39.8",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","100425","Styrene","15.6",,"ug/L",,"0.26","SPK","1","0","78","0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","1330207","Xylenes-Total","48.9",,"ug/L",,"2.1","SPK","1","0","81","0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","60.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","74884","Iodomethane","10.2",,"ug/L",,"9.3","SPK","1","0","25","0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","74953","Dibromomethane","16.0",,"ug/L",,"0.68","SPK","1","0","80","0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","79345","1,1,2,2-Tetrachloroethane","17.1",,"ug/L",,"0.20","SPK","1","0","86","0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75354","1,1-Dichloroethene","19.8",,"ug/L",,"0.27","SPK","1","0","99","0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75694","Trichlorofluoromethane","30.1",,"ug/L","J","0.35","SPK","1","0","150","0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","106467","1,4-Dichlorobenzene","15.5",,"ug/L",,"0.28","SPK","1","0","78","0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75003","Chloroethane","29.9",,"ug/L","J","3.7","SPK","1","0","149","0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","100414","Ethylbenzene","16.6",,"ug/L",,"0.30","SPK","1","0","83","0","1.0","45

799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","107062","1,2-
Dichloroethane","16.5",,"ug/L",,"0.27","SPK","1","0","81","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","78933","2-
Butanone","31.0",,"ug/L",,"7.5","SPK","1","0","78","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","79005","1,1,2-
Trichloroethane","17.6",,"ug/L",,"0.30","SPK","1","0","88","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","108101","4-Methyl-2-
pentanone","37.0",,"ug/L",,"0.32","SPK","1","0","93","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","56235","Carbon
tetrachloride","11.3",,"ug/L","J","1.1","SPK","1","0","57","0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","10061026","trans-1,3-
Dichloropropene","12.0",,"ug/L","J","0.17","SPK","1","0","60","0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","95501","1,2-
Dichlorobenzene","15.6",,"ug/L",,"0.29","SPK","1","0","78","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","74839","Bromomethane","9.9",,"ug/L",,"4.0","SPK","1","0","49","0","5.0","4579
9","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","108883","Toluene","17.6",,"ug/L",,"0.33","SPK","1","0","88","0","1.0","45799","
Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","74873","Chloromethane","16.5",,"ug/L",,"0.97","SPK","1","0","83","0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75014","Vinyl
chloride","21.2",,"ug/L",,"0.39","SPK","1","0","106","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","591786","2-
Hexanone","33.0",,"ug/L",,"0.85","SPK","1","0","82","0","10.0","45799","Pasco County Resource

Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","10061015","cis-1,3-
Dichloropropene","12.0",,"ug/L","J","0.17","SPK","1","0","60","0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","96184","1,2,3-
Trichloropropane","18.9",,"ug/L",,"1.1","SPK","1","0","94","0","2.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","67641","Acetone","40.6",,"ug/L",,"5.3","SPK","1","0","92","0","20.0","45799","
Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","108907","Chlorobenzene","16.7",,"ug/L",,"0.35","SPK","1","0","83","0","1.0","4
5799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","74975","Bromochloromethane","17.1",,"ug/L",,"0.37","SPK","1","0","85","0","1.
0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","71556","1,1,1-
Trichloroethane","14.9",,"ug/L",,"0.30","SPK","1","0","75","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","156605","trans-1,2-
Dichloroethene","15.7",,"ug/L",,"0.23","SPK","1","0","78","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75150","Carbon
disulfide","22.3",,"ug/L",,"0.45","SPK","1","0","111","0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","DEP-SURR-038","Toluene-
d8","38.9",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","75252","Bromoform","7.9",,"ug/L","J","2.6","SPK","1","0","39","0","3.0","4579
9","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","67663","Chloroform","15.8",,"ug/L",,"0.32","SPK","1","0","79","0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","75343","1,1-
Dichloroethane","16.3",,"ug/L",,"0.34","SPK","1","0","81","0","1.0","45799","Pasco County Resource

Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","156592","cis-1,2-
Dichloroethene","15.8",,"ug/L",,"0.27","SPK","1","0","79","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","630206","1,1,1,2-
Tetrachloroethane","13.2",,"ug/L","J","0.32","SPK","1","0","66","0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018
20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","71432","Benzene","16.8",,"ug/L",,"0.30","SPK","1","0","84","0","1.0","45799","
Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA 8260","35436824005MS","E83079","108054","Vinyl
acetate","16.8",,"ug/L",,"0.19","SPK","1","0","84","0","10.0","45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","MS",,,"No Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","20.0",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","107131","Acrylonitrile","194",,"ug/L",,"3.7","SPK","1","0","97","0","10.0","457
99","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018
20:05:00","TOT","502116","502116","YES","200",,"35429772"
"35436824005MS","EPA
8260","35436824005MS","E83079","75274","Bromodichloromethane","11.7",,"ug/L","J","0.19","SPK","1","0","59","0
","0.60","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","MS",,,"No
Prep","RES","YES","12/18/2018 20:05:00","12/18/2018 20:05:00","TOT","502116","502116","YES","20.0","Matrix
spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"4MW-27D","EPA 8260","35435576001","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"

"4MW-27D","EPA 8260","35435576001","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","95501","1,2-Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.60","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"

"4MW-27D","EPA
8260","35435576001","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.1",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES","40.0",,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","DEP-SURR-038","Toluene-
d8","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES","40.0",,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018

14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018
13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018
14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018
13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA
8260","35435576001","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","N","Courier","0.7","No Prep","RES","YES","12/18/2018 13:40:00","12/18/2018
13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","DEP-SURR-019","4-
Bromofluorobenzene","39.6",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource

Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018
13:40:00","TOT","502116","502116","YES","40.0",,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"4MW-27D","EPA 8260","35435576001","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","No
Prep","RES","YES","12/18/2018 13:40:00","12/18/2018 13:40:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799
","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","75252","Bromoform","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","3.0","45799","Pas
co County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018

14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799"
,"Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","71556","1,1,1-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","156605","trans-1,2-
Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","
45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","79005","1,1,2-
Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","457
99","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","40.393598",,"ug/L",,,"SURR","1","0","101","0",,"45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004","EPA 8260","35436824004","E83079","75354","1,1-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","1330207","Xylenes-
Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","95501","1,2-

Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","156592","cis-1,2-
Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","78875","1,2-
Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","108054","Vinyl
acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","78933","2-
Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","110576","trans-1,4-Dichloro-2-
butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","
Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","107062","1,2-
Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","124481","Dibromochloromethane","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","96184","1,2,3-
Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018

14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","75092","Methylene
Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","DEP-SURR-019","4-
Bromofluorobenzene","38.772199",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004","EPA
8260","35436824004","E83079","75274","Bromodichloromethane","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","P
asco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA 8260","35436824004","E83079","DEP-SURR-038","Toluene-
d8","39.623797",,"ug/L",,,"SURR","1","0","99","0",,"45799","Pasco County Resource Recovery","12/12/2018
12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:04:00","12/18/2018
14:04:00","TOT","502116","502116","YES","40.0",,"35429772"
"35436824004","EPA 8260","35436824004","E83079","10061026","trans-1,3-
Dichloropropene","0.17",,"ug/L","U","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0
","45799","Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824004","EPA
8260","35436824004","E83079","75003","Chloroethane","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/12/2018 12:19:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:04:00","12/18/2018 14:04:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","100425","Styrene","0.26",,"ug/L","U","0.26","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75343","1,1-
Dichloroethane","0.34",,"ug/L","U","0.34","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75014","Vinyl
chloride","0.39",,"ug/L","U","0.39","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018
14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","71556","1,1,1-

Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","108054","Vinyl acetate","0.19",,"ug/L","U","0.19","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","78875","1,2-Dichloropropane","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","110576","trans-1,4-Dichloro-2-butene","2.5",,"ug/L","U","2.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","107131","Acrylonitrile","3.7",,"ug/L","U","3.7","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","1330207","Xylenes-Total","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","156592","cis-1,2-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","74975","Bromochloromethane","0.37",,"ug/L","U","0.37","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","107062","1,2-Dichloroethane","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75092","Methylene Chloride","2.0",,"ug/L","U","2.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75354","1,1-Dichloroethene","0.27",,"ug/L","U","0.27","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","79005","1,1,2-Trichloroethane","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","79016","Trichloroethene","0.36",,"ug/L","U","0.36","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","74884","Iodomethane","9.3",,"ug/L","U","9.3","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","67663","Chloroform","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","106467","1,4-
Dichlorobenzene","0.28",,"ug/L","U","0.28","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","DEP-SURR-002","1,2-Dichloroethane-
d4","41.006428",,"ug/L",,,"SURR","1","0","103","0",,"45799","Pasco County Resource Recovery","12/12/2018
11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018
14:52:00","TOT","502116","502116","YES","39.8",,"35429772"
"35436824005","EPA
8260","35436824005","E83079","75274","Bromodichloromethane","0.19",,"ug/L","UJ","0.19","TRG","1","0",,"0","0.6
0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","56235","Carbon
tetrachloride","1.1",,"ug/L","UJ","1.1","TRG","1","0",,"0","3.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","630206","1,1,1,2-
Tetrachloroethane","0.32",,"ug/L","UJ","0.32","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA
8260","35436824005","E83079","108883","Toluene","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pas
co County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","75003","Chloroethane","3.7",,"ug/L","UJ","3.7","TRG","1","0",,"0","10.0","45799","
Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike
recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","10061015","cis-1,3-
Dichloropropene","0.17",,"ug/L","UJ","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits.
Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","75150","Carbon
disulfide","0.45",,"ug/L","U","0.45","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","67641","Acetone","5.3",,"ug/L","U","5.3","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","591786","2-
Hexanone","0.85",,"ug/L","U","0.85","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"

"35436824005","EPA 8260","35436824005","E83079","DEP-SURR-019","4-Bromofluorobenzene","38.956199",,"ug/L",,,"SURR","1","0","97","0",,"45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES","40.2",,"35429772"
"35436824005","EPA 8260","35436824005","E83079","71432","Benzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","78933","2-Butanone","7.5",,"ug/L","U","7.5","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75694","Trichlorofluoromethane","0.35",,"ug/L","UJ","0.35","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","100414","Ethylbenzene","0.30",,"ug/L","U","0.30","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","74873","Chloromethane","0.97",,"ug/L","U","0.97","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","156605","trans-1,2-Dichloroethene","0.23",,"ug/L","U","0.23","TRG","1","0",,"0","1.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","10061026","trans-1,3-Dichloropropene","0.17",,"ug/L","UJ","0.17","TRG","1","0",,"0","0.50","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","96184","1,2,3-Trichloropropane","1.1",,"ug/L","U","1.1","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","75252","Bromoform","2.6",,"ug/L","UJ","2.6","TRG","1","0",,"0","3.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"35436824005","EPA 8260","35436824005","E83079","DEP-SURR-038","Toluene-d8","40.191626",,"ug/L",,,"SURR","1","0","100","0",,"45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES","40.2",,"35429772"
"35436824005","EPA 8260","35436824005","E83079","74953","Dibromomethane","0.68",,"ug/L","U","0.68","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","74839","Bromomethane","4.0",,"ug/L","U","4.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No

Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","95501","1,2-
Dichlorobenzene","0.29",,"ug/L","U","0.29","TRG","1","0",,"0","1.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","108101","4-Methyl-2-
pentanone","0.32",,"ug/L","U","0.32","TRG","1","0",,"0","10.0","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA 8260","35436824005","E83079","79345","1,1,2,2-
Tetrachloroethane","0.20",,"ug/L","U","0.20","TRG","1","0",,"0","0.50","45799","Pasco County Resource
Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No Prep","RES","YES","12/18/2018
14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","108907","Chlorobenzene","0.35",,"ug/L","U","0.35","TRG","1","0",,"0","1.0","4579
9","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","127184","Tetrachloroethene","0.38",,"ug/L","U","0.38","TRG","1","0",,"0","1.0","45
799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,,"35429772"
"35436824005","EPA
8260","35436824005","E83079","124481","Dibromochloromethane","0.45",,"ug/L","UJ","0.45","TRG","1","0",,"0","2.
0","45799","Pasco County Resource Recovery","12/12/2018 11:07:00","AQUEOUS-Other","N",,,"No
Prep","RES","YES","12/18/2018 14:52:00","12/18/2018 14:52:00","TOT","502116","502116","YES",,"Matrix spike
recovery exceeded QC limits.  Batch accepted based on laboratory control sample (LCS) recovery.","35429772"
"2717787BLANK","EPA
6020","2717787","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:05:00","AQUEOUS-Other","MB",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018 14:45:00","TOT","502743","502743","YES",,,"35429772"
"2717787BLANK","EPA
6020","2717787","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/20/2018 08:05:00","AQUEOUS-Other","MB",,,"Gen Prep","RE3","YES","12/20/2018
08:05:00","12/21/2018 14:45:00","TOT","502743","502743","YES",,,"35429772"
"2717788LCS","EPA
6020","2717788","E83079","7440360","Antimony","50.3",,"ug/L",,"0.50","SPK","1","0","101","0","1.0","45799","Pas
co County Resource Recovery","12/20/2018 08:05:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:47:00","TOT","502743","502743","YES","50.0",,"35429772"
"2717788LCS","EPA
6020","2717788","E83079","7440280","Thallium","49.3",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799","Pasco
County Resource Recovery","12/20/2018 08:05:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:47:00","TOT","502743","502743","YES","50.0",,"35429772"
"35436049001MS","EPA
6020","35436049001MS","E83079","7440280","Thallium","49.5",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","45799
","Pasco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:49:00","TOT","502743","502743","YES","50.0",,"35429772"
"35436049001MS","EPA
6020","35436049001MS","E83079","7440360","Antimony","49.7",,"ug/L",,"0.50","SPK","1","0","99","0","1.0","4579
9","Pasco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","MS",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:49:00","TOT","502743","502743","YES","50.0",,"35429772"

"35436049001MSD","EPA
6020","35436049001MSD","E83079","7440280","Thallium","50.4",,"ug/L",,"0.50","SPK","1","0","101","2","1.0","45
799","Pasco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:52:00","TOT","502743","502743","YES","50.0",,"35429772"
"35436049001MSD","EPA
6020","35436049001MSD","E83079","7440360","Antimony","50.3",,"ug/L",,"0.50","SPK","1","0","100","1","1.0","45
799","Pasco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","MSD",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018
14:52:00","TOT","502743","502743","YES","50.0",,"35429772"
"4MW-27D","EPA
6020","35435576001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018 14:54:00","TOT","502743","502743","YES",,,"35429772"
"4MW-27D","EPA
6020","35435576001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018 14:54:00","TOT","502743","502743","YES",,,"35429772"
"35436049001","EPA
6020","35436049001","E83079","7440280","Thallium","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","P
asco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","N",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018 14:56:00","TOT","502743","502743","YES",,,"35429772"
"35436049001","EPA
6020","35436049001","E83079","7440360","Antimony","0.50",,"ug/L","U","0.50","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","12/10/2018 15:00:00","AQUEOUS-Other","N",,,"Gen
Prep","RE3","YES","12/20/2018 08:05:00","12/21/2018 14:56:00","TOT","502743","502743","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440622","Vanadium","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"

"2717791BLANK","EPA
6010","2717791","E83079","7440393","Barium","0.84",,"ug/L","U","0.84","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7439896","Iron","9.2",,"ug/L","U","9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717791BLANK","EPA
6010","2717791","E83079","7440235","Sodium","0.27",,"mg/L","U","0.27","TRG","1","0",,"0","2.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","12/20/2018
08:08:00","12/20/2018 20:19:00","TOT","502744","502744","YES",,,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440439","Cadmium","24.9",,"ug/L",,"0.33","SPK","1","0","100","0","1.0","45799","Pas
co County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","25.0",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440393","Barium","252",,"ug/L",,"0.84","SPK","1","0","101","0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7439896","Iron","2530",,"ug/L",,"9.2","SPK","1","0","101","0","40.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018

20:22:00","TOT","502744","502744","YES","2500",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440280","Thallium","254",,"ug/L",,"6.6","SPK","1","0","102","0","15.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7782492","Selenium","251",,"ug/L",,"8.5","SPK","1","0","101","0","15.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440360","Antimony","245",,"ug/L",,"5.5","SPK","1","0","98","0","15.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440666","Zinc","1260",,"ug/L",,"11.0","SPK","1","0","101","0","20.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","1250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440484","Cobalt","250",,"ug/L",,"0.96","SPK","1","0","100","0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440417","Beryllium","25.2",,"ug/L",,"1.6","SPK","1","0","101","0","4.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","25.0",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440224","Silver","23.6",,"ug/L",,"1.0","SPK","1","0","94","0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","25.0",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440235","Sodium","12.0",,"mg/L",,"0.27","SPK","1","0","96","0","2.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","12.5",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440020","Nickel","253",,"ug/L",,"2.1","SPK","1","0","101","0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440508","Copper","245",,"ug/L",,"2.6","SPK","1","0","98","0","5.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7439921","Lead","250",,"ug/L",,"4.6","SPK","1","0","100","0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen

Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440622","Vanadium","248",,"ug/L",,"1.0","SPK","1","0","99","0","10.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440473","Chromium","252",,"ug/L",,"1.7","SPK","1","0","101","0","5.0","45799","Pasc
o County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"2717792LCS","EPA
6010","2717792","E83079","7440382","Arsenic","240",,"ug/L",,"7.1","SPK","1","0","96","0","10.0","45799","Pasco
County Resource Recovery","12/20/2018 08:08:00","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:22:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7439896","Iron","2600",,"ug/L",,"9.2","SPK","1","0","101","0","40.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","2500",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440666","Zinc","1240",,"ug/L",,"11.0","SPK","1","0","100","0","20.0","45799",
"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","1250",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440393","Barium","261",,"ug/L",,"0.84","SPK","1","0","100","0","10.0","45799
","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440473","Chromium","253",,"ug/L",,"1.7","SPK","1","0","101","0","5.0","4579
9","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440360","Antimony","245",,"ug/L",,"5.5","SPK","1","0","98","0","15.0","45799
","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440224","Silver","23.7",,"ug/L",,"1.0","SPK","1","0","95","0","5.0","45799","P
asco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440417","Beryllium","25.4",,"ug/L",,"1.6","SPK","1","0","101","0","4.0","4579
9","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:27:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27DMS","EPA
6010","35435576001MS","E83079","7440484","Cobalt","249",,"ug/L",,"0.96","SPK","1","0","99","0","10.0","45799",

"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7439921","Lead","250",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440020","Nickel","252",,"ug/L",,"2.1","SPK","1","0","101","0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440235","Sodium","15.2",,"mg/L",,"0.27","SPK","1","0","98","0","2.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","12.5",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440382","Arsenic","239",,"ug/L",,"7.1","SPK","1","0","95","0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440439","Cadmium","24.6",,"ug/L",,"0.33","SPK","1","0","98","0","1.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440508","Copper","247",,"ug/L",,"2.6","SPK","1","0","99","0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440622","Vanadium","250",,"ug/L",,"1.0","SPK","1","0","100","0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7440280","Thallium","254",,"ug/L",,"6.6","SPK","1","0","102","0","15.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMS","EPA 6010","35435576001MS","E83079","7782492","Selenium","251",,"ug/L",,"8.5","SPK","1","0","100","0","15.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MS","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:27:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA 6010","35435576001MSD","E83079","7440484","Cobalt","250",,"ug/L",,"0.96","SPK","1","0","100","0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA

6010","35435576001MSD","E83079","7440360","Antimony","246",,"ug/L",,"5.5","SPK","1","0","98","0","15.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440622","Vanadium","251",,"ug/L",,"1.0","SPK","1","0","100","0","10.0","45
799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7782492","Selenium","252",,"ug/L",,"8.5","SPK","1","0","101","0","15.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440235","Sodium","15.1",,"mg/L",,"0.27","SPK","1","0","97","0","2.0","4579
9","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","12.5",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440280","Thallium","254",,"ug/L",,"6.6","SPK","1","0","101","0","15.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440393","Barium","261",,"ug/L",,"0.84","SPK","1","0","100","0","10.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7439896","Iron","2600",,"ug/L",,"9.2","SPK","1","0","101","0","40.0","45799",
"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","2500",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440666","Zinc","1250",,"ug/L",,"11.0","SPK","1","0","100","0","20.0","45799
","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","1250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440020","Nickel","252",,"ug/L",,"2.1","SPK","1","0","101","0","5.0","45799",
"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7439921","Lead","249",,"ug/L",,"4.6","SPK","1","0","99","0","10.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440473","Chromium","253",,"ug/L",,"1.7","SPK","1","0","101","0","5.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"

"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440417","Beryllium","25.5",,"ug/L",,"1.6","SPK","1","0","102","1","4.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440382","Arsenic","243",,"ug/L",,"7.1","SPK","1","0","97","2","10.0","45799
","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440439","Cadmium","24.7",,"ug/L",,"0.33","SPK","1","0","98","0","1.0","457
99","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-
Groundwater","MSD","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440508","Copper","248",,"ug/L",,"2.6","SPK","1","0","99","0","5.0","45799",
"Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","250",,"35429772"
"4MW-27DMSD","EPA
6010","35435576001MSD","E83079","7440224","Silver","23.6",,"ug/L",,"1.0","SPK","1","0","95","0","5.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","MSD","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018
20:33:00","TOT","502744","502744","YES","25.0",,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440508","Copper","2.6",,"ug/L","U","2.6","TRG","1","0",,"0","5.0","45799","Pasco
County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7439896","Iron","69.2",,"ug/L",,"9.2","TRG","1","0",,"0","40.0","45799","Pasco
County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440417","Beryllium","1.6",,"ug/L","U","1.6","TRG","1","0",,"0","4.0","45799","Pa
sco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440622","Vanadium","1.3",,"ug/L","I","1.0","TRG","1","0",,"0","10.0","45799","Pa
sco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440280","Thallium","6.6",,"ug/L","U","6.6","TRG","1","0",,"0","15.0","45799","Pa
sco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440439","Cadmium","0.33",,"ug/L","U","0.33","TRG","1","0",,"0","1.0","45799","
Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA
6010","35435576001","E83079","7440666","Zinc","11.0",,"ug/L","U","11.0","TRG","1","0",,"0","20.0","45799","Pasc
o County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen
Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"
"4MW-27D","EPA

6010","35435576001","E83079","7440360","Antimony","5.5",,"ug/L","U","5.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440020","Nickel","2.1",,"ug/L","U","2.1","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440473","Chromium","1.7",,"ug/L","U","1.7","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7782492","Selenium","8.5",,"ug/L","U","8.5","TRG","1","0",,"0","15.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440235","Sodium","3.0",,"mg/L",,"0.27","TRG","1","0",,"0","2.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440382","Arsenic","7.1",,"ug/L","U","7.1","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440224","Silver","1.0",,"ug/L","U","1.0","TRG","1","0",,"0","5.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440393","Barium","10.8",,"ug/L",,"0.84","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7440484","Cobalt","0.96",,"ug/L","U","0.96","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772" "4MW-27D","EPA
6010","35435576001","E83079","7439921","Lead","4.6",,"ug/L","U","4.6","TRG","1","0",,"0","10.0","45799","Pasco County Resource Recovery","12/06/2018 14:50:00","AQUEOUS-Groundwater","N","Courier","0.7","Gen Prep","RES","YES","12/20/2018 08:08:00","12/20/2018 20:24:00","TOT","502744","502744","YES",,,"35429772"

1776,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2772,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
996,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4910,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4731,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4732,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4665,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4739,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4908,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1780,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2696,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2611,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
196,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2868,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2592,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1777,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1877,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1878,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for

dilution, if applicable).",,,,1,"A"
1988,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3159,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2060,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2132,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3158,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2627,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
195,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2946,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3157,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4225,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4105,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 25.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 20 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4033,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3961,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3851,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3890,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3872,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
944,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
943,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for

dilution, if applicable).",,,,1,"A"
1775,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3018,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2844,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
699,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
700,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3428,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3429,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4295,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4296,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3683,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 10.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 8 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3755,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3427,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4294,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4909,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
3090,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
2206,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
448,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
995,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for

dilution, if applicable).",,,,1,"A"
447,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
6005,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5240,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5190,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1639,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5264,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1206,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5738,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1541,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5386,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5993,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5239,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
6004,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1640,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
6026,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
6003,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 250 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 200 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5740,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5739,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 50.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 40 mg/L (corrected for

dilution, if applicable).",,,,1,"A"
1542,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5917,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5766,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
1205,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Other exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5846,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5830,"0007",,"ReportingLimit",,"The Chloride Reporting Limit value of 5.0 mg/L reported in this record for Method EPA 300.0 (Chloride) in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 4 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5730,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 250 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1,"A"
5731,"0007",,"ReportingLimit",,"The Residues- Filterable (TDS) Reporting Limit value of 250 mg/L reported in this record for Method SM18 2540 C in Matrix AQUEOUS-Other exceeds the project library reporting limit of 10 mg/L (corrected for dilution, if applicable).",,,,1,"A"
4876,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
639,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3507,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
901,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
275,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2249,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4480,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1937,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
358,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2475,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2344,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
322,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
677,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4352,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
880,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2409,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3544,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1852,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
460,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3235,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1803,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3334,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4621,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3114,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2966,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2546,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3619,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
417,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1923,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3724,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4102,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3846,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4251,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3286,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3636,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2907,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2650,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
765,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2173,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2048,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4319,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
524,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3935,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3420,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1091,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2744,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
3464,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4812,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2829,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
751,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3987,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4134,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2085,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2514,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4199,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3059,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1026,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1453,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1221,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5085,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4992,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1709,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5646,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1496,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
10,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5876,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5421,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
137,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1647,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5128,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5986,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5308,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1544,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1605,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5195,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1278,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
85,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5684,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5617,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
173,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5549,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5808,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
5044,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6224,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5465,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1353,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6244,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4433,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6299,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4560,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5352,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4744,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1392,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4712,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6066,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6172,"0007",,"ReportingLimit",,"The 1,2-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
690,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
716,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2974,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
407,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1829,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4836,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2732,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3340,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2112,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
905,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3534,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4249,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3379,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2799,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2035,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
793,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2489,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1925,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2680,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3953,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3433,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4143,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
3988,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2547,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1043,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1085,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3750,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
311,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3020,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3664,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3266,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4081,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4482,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3317,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2883,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4334,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2172,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
848,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2426,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1957,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
386,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2359,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4683,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3820,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3506,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
470,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4386,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3580,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4597,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1816,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
497,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4201,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2457,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2263,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4900,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3095,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
628,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
255,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5790,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5141,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5708,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4411,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
157,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6063,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4786,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1468,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5014,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6195,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6145,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5412,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6276,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4988,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5654,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
80,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5101,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
127,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1707,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5587,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5234,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5481,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5978,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5316,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5566,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1343,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5309,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4544,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5883,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1376,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6302,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1668,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1551,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1596,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1286,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1218,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1518,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
13,"0007",,"ReportingLimit",,"The 4-Methyl-2-pentanone Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 5 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4861,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1946,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4259,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3294,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4184,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2666,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3126,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3246,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4586,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4009,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2104,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
784,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4088,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4494,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3047,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1862,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3805,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3637,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3623,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2012,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2761,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4368,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
329,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3957,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3491,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
454,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2821,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
403,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
535,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3469,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2954,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2487,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1022,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2361,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2168,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2394,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4834,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2906,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1800,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1064,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2258,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4148,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3536,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
884,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2551,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1891,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2443,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
655,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
615,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
378,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4343,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
927,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3337,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
294,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3740,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
726,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3398,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5894,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1235,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6314,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1255,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6225,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5594,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5271,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4557,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
184,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6154,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4977,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1710,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5019,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
84,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5707,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4705,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5325,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5120,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5795,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1582,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5200,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6278,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5411,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5656,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1499,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5574,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
108,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1473,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5957,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1364,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5098,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6038,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4780,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4440,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1634,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1654,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1340,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5474,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1,"0007",,"ReportingLimit",,"The Chlorobenzene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3362,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3322,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3260,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3030,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3416,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2913,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3466,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3517,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
742,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3722,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
799,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3607,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3120,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3550,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
518,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
626,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
688,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
491,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4891,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3679,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2962,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2767,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2835,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1885,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1041,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4496,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2468,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2566,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
931,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3840,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4136,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4299,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
369,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
869,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4192,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2364,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2185,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1065,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2055,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4002,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
279,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2675,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4674,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2236,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2428,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2129,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1863,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3943,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4264,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4807,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
426,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4086,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2511,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
303,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1795,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1944,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4378,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4610,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5447,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
33,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1381,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1693,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1337,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5333,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
6284,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
109,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6231,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1289,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5948,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1651,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5541,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4549,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
186,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1451,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1515,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1610,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6279,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6146,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5218,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4416,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5082,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5027,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
88,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5633,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1234,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5657,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5286,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5145,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1586,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5423,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4787,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4974,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5909,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5710,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5785,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6037,"0007",,"ReportingLimit",,"The Tetrachloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2088,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4887,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4275,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3502,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2421,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4689,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3238,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4384,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4144,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4471,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3394,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3617,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2576,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4207,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1896,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2057,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
674,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
472,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1509,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5805,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5121,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
159,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5318,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
56,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1354,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5049,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1706,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1367,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4741,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5700,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
35,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6142,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6303,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4978,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4556,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5092,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6215,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5899,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5296,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1272,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5432,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1660,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1475,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6032,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
135,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1212,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4456,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5976,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1628,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5213,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5651,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1548,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6254,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5548,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5445,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5591,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4008,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1092,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
1495,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5567,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5442,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6163,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4762,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1214,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6322,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6064,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1722,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6232,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5961,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5434,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
333,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2665,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1868,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2751,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3848,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
779,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3268,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1035,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2991,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
531,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2010,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4222,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
635,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2107,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4485,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
423,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
471,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3727,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4860,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3353,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2825,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4585,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4330,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3509,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1971,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2517,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4021,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4847,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4135,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3106,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
723,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2429,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3642,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3037,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3467,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1814,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1077,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
890,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
280,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3393,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3568,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4377,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2578,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2881,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4059,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2179,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3065,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2381,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4141,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4481,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4216,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1801,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2446,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3279,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3823,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4871,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2128,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4693,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
453,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2422,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4851,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2801,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3505,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1956,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3733,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2571,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4609,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
387,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1919,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4348,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4281,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4333,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2967,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
601,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1072,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
652,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2896,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
338,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2679,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2484,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1832,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
805,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
511,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3091,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2033,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3639,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4098,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2245,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3938,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
914,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1033,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
414,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3555,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2765,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3600,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3343,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
733,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4013,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3288,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2190,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3402,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3441,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
267,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
854,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1217,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4539,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5902,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
130,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5403,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5791,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5288,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1675,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5069,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
20,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5689,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
65,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5954,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1350,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1697,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1558,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5353,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5236,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1530,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5670,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5137,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4445,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1275,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
154,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4765,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4970,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5555,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5013,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6323,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5615,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6162,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1399,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6197,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6056,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5462,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1455,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6242,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1595,"0007",,"ReportingLimit",,"The cis-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2116,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2232,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1934,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2414,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4127,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1875,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2911,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2358,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4262,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
853,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
911,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
374,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3444,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2464,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3032,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2160,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3655,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3737,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3406,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
431,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4083,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2510,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3596,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2028,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3097,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3540,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4191,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2558,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
613,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3320,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4300,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4388,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3824,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1066,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1785,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
308,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2693,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
687,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3361,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4580,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
759,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3989,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
259,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1893,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
807,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4465,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
462,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3484,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3926,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2796,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2970,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3245,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4840,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
514,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4898,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1039,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2759,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4412,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5988,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
22,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5640,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
138,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6268,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5459,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1665,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5196,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6317,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5416,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1523,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5024,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4751,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5809,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5595,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1717,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1460,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5341,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5690,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5550,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6151,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1284,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5068,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
185,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1638,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5293,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1393,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1223,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6192,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5900,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4548,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1572,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6031,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5138,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1338,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
72,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4706,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4990,"0007",,"ReportingLimit",,"The trans-1,2-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
808,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3830,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
4014,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2820,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2355,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
921,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3026,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
256,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2671,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
632,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
741,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
878,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3530,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2234,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3371,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1053,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2491,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3657,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1037,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3928,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
537,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
410,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4082,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1787,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2769,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3462,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1840,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2875,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4607,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2465,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3745,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3118,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2955,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4341,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
307,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
380,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2162,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4820,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1966,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3321,"0007",,"ReportingLimit",,"The Carbon tetrachloride Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3284,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2695,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1003,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2387,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
619,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
483,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3942,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4809,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2587,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4316,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1914,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
648,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3741,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2728,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3346,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3270,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
274,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
800,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
739,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1820,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3490,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2485,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1841,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
506,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3403,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4129,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2379,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2256,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3594,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2046,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3100,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3654,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4583,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4214,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3038,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3804,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3551,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3468,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
875,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4374,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2833,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2882,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
917,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
401,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4077,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2981,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4492,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2158,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4254,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2440,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
361,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4895,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
2098,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1968,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
321,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4701,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4996,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5109,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4451,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5718,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1398,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5039,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1702,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5787,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
71,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4529,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1295,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6196,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
148,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5338,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5603,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6140,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6321,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1580,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6250,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4755,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5417,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5311,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1339,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5223,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1213,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1484,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5480,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1497,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5987,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
99,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5102,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
27,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
5637,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5872,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6036,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1685,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1592,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5551,"0007",,"ReportingLimit",,"The Chloroform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4697,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
464,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4381,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4498,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1017,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4873,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3375,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4579,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
804,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2770,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3924,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
499,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3847,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1086,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3512,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2157,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2419,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1870,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2890,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
923,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1930,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4089,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
446,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3051,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4168,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4178,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3448,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3545,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
865,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3605,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3399,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
391,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2375,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2548,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3124,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2454,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2015,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2248,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3282,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1786,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
760,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2119,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
641,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3287,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3729,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4019,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2648,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
653,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
300,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2961,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2813,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1910,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2504,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4810,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
309,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3682,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4277,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4336,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1298,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5126,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5665,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4743,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
36,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1570,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5349,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6316,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6188,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5770,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5405,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4513,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1695,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1532,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5979,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1356,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6236,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5896,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5281,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5720,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1233,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5026,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5612,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1395,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6150,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4422,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6030,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1608,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
96,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5577,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
136,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1477,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5067,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5441,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5238,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1674,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
163,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4986,"0007",,"ReportingLimit",,"The 1,1,1-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
526,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2652,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2159,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3648,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4317,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4838,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
772,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4596,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2456,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2259,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1059,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
919,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4859,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1845,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3742,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4385,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3828,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1970,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
892,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2956,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3239,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
449,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4028,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1016,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2041,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
679,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4467,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3101,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3529,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
325,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2384,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3495,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4258,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4068,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3377,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
291,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1807,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2741,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2499,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3922,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4177,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3612,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2819,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3395,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3436,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4166,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2549,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2357,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2126,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
643,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2893,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
434,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3048,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1892,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3289,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
736,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
375,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5021,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1723,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5887,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
5090,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1228,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6198,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
42,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6274,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5951,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6171,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1362,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5393,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1470,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
61,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5725,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4742,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
113,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5658,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6046,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5798,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1540,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5207,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4534,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4702,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5572,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5150,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5351,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4966,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5280,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1673,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5616,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1332,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1276,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6306,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
188,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5483,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4443,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1550,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1620,"0007",,"ReportingLimit",,"The Bromomethane Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4814,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
286,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1810,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1905,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2338,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
867,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2270,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
529,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3350,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
735,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3723,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3128,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2424,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3516,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3249,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3618,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3052,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1075,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3667,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
363,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2439,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3569,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4486,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2950,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
774,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2897,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3472,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2496,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
664,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3404,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1021,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2583,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4314,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2034,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4197,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1962,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1864,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3998,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
326,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
469,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2662,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
933,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2183,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4363,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2766,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2828,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4159,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4679,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
614,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3843,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4857,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2083,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4085,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4282,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
4581,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
404,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3941,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3327,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1287,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5111,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1372,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5721,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5897,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1616,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5452,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6315,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
143,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4983,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1571,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5219,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
190,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4750,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
4558,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1679,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1696,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1315,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5020,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5268,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5588,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6035,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1458,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
66,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6152,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5813,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
11,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5655,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6206,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5429,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5970,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1527,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5095,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1216,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6243,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5582,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5343,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4425,"0007",,"ReportingLimit",,"The Bromochloromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.1 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3816,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4842,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3497,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2980,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1015,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4073,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2122,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3720,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1083,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3677,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3040,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4182,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
367,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3595,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2490,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3960,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3248,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1936,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2674,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4462,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2739,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4270,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3119,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1915,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4342,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
846,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
474,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
727,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4862,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1827,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2808,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3354,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2356,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2243,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2040,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
310,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
899,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
771,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
522,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4577,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
263,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2163,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
435,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3453,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2889,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
682,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2466,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3308,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
625,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2405,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4031,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3560,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2579,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3396,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4132,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1856,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4354,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4979,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5601,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1215,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5076,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5229,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6041,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1663,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5292,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
1457,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1277,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6297,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1632,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
160,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6184,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5634,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5151,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5575,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5433,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1526,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5905,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5717,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5947,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5768,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
49,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
126,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4709,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
1371,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4745,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5331,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6257,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5043,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4536,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1355,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1698,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5463,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1556,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4437,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6218,"0007",,"ReportingLimit",,"The Chloroethane Reporting Limit value of 10.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4681,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4613,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
331,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1960,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4190,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2339,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
370,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
871,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2268,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4474,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2450,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4162,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
260,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4291,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1851,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1054,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
409,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
999,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2182,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4093,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1898,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1813,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2114,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2050,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
904,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2391,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3036,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3325,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2817,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4001,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2978,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
754,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3736,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4878,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3643,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2904,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2686,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3479,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3413,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3936,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3564,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2756,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
493,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4818,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2523,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2545,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
640,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3345,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
761,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4331,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
534,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3256,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3501,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3576,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3111,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4390,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3807,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
662,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
51,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1721,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
122,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5332,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5692,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6245,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5783,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1231,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5099,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5123,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
41,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4533,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5543,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5201,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5643,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1404,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1534,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1314,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1671,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1622,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5974,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
152,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5275,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5017,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1463,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4973,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5388,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1267,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5599,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6175,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4769,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6287,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6059,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4454,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1553,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5888,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5478,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 2 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6230,"0007",,"ReportingLimit",,"The Methylene Chloride Reporting Limit value of 5.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 2 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1823,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3305,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4139,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3386,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
281,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2582,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3558,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1888,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4304,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
543,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2910,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
763,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1012,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3709,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2993,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1055,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
906,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2477,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
3450,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2669,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2056,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4070,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4287,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4183,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2742,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2812,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3914,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3849,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
755,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4394,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3659,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4848,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1941,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1861,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4872,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2154,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
489,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
305,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2406,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4022,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2101,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4672,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3525,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4475,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4615,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
440,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
382,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2341,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3332,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3113,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3577,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
634,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3057,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
691,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
3252,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2275,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
863,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2503,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1725,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4976,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5051,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1310,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5623,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
68,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5303,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
140,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5484,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1619,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6039,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1561,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
146,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5716,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
6320,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1262,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4757,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
29,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4434,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5893,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6147,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5975,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5198,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5565,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4527,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5063,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5329,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1400,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1641,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5130,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5789,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1536,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if

applicable).",,,,1,"A"
6185,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5415,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5663,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1476,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1229,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6271,"0007",,"ReportingLimit",,"The Bromoform Reporting Limit value of 3.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4078,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2030,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
402,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4195,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4677,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3829,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3923,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4612,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2735,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2811,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
334,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4846,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3751,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3385,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3565,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3132,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1790,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2887,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
397,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2947,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2460,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1006,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4464,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3614,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3021,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1071,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3638,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3442,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2425,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1948,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4364,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1874,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4877,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
475,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3336,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3481,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3276,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
292,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
540,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
680,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1907,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
745,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3319,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
622,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
773,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2584,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2117,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2376,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2156,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2682,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
868,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4152,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
920,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2500,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4271,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4024,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2267,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4332,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5059,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5320,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
62,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1471,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5127,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5792,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5226,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4989,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1333,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
34,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1649,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5032,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
123,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5608,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5659,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1379,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5729,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1612,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5877,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4524,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6234,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4426,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1568,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1264,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5306,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
189,"0007",,"ReportingLimit",,"The 1,1-Dichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
355,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3955,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
938,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2451,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
646,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3584,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4279,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1886,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3303,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2353,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2257,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4417,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5437,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4516,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6068,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5052,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5430,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5965,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
5146,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5080,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6158,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5542,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6246,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
30,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5772,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6190,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5334,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5206,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1539,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4713,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5006,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5647,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1617,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5704,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
133,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5312,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
1653,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1469,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1297,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5622,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4778,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
170,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1247,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5880,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1690,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1321,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1562,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
58,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1361,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6294,"0007",,"ReportingLimit",,"The 1,1-Dichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1869,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2493,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1940,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4502,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2982,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4370,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2725,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3272,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4824,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3476,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2238,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4323,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2161,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
903,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
273,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3571,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2463,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3330,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3652,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3611,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3064,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2554,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
315,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
753,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
500,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4156,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2367,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1029,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4018,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
881,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
789,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
657,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3423,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
486,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1791,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3136,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3499,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4874,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1068,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1899,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3944,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4618,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2089,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4224,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3844,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2914,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2677,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3746,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2398,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
422,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3360,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
597,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4261,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4694,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
377,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2044,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4072,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2832,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
1684,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6295,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
153,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1543,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6228,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4535,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5810,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1512,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1208,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5967,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1329,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1258,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5560,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6183,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4772,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5283,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5081,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1732,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6071,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5694,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5360,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5673,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4429,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6265,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5914,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5458,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
52,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5212,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1359,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5620,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4998,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5038,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5117,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1623,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
124,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5392,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L

(corrected for dilution, if applicable).",,,,1,"A"
1467,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
38,"0007",,"ReportingLimit",,"The Trichlorofluoromethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
766,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3850,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3752,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2745,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2184,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3023,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3952,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1073,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3115,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3483,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2371,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2247,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3666,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4325,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
258,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3300,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
427,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
729,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4667,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3452,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4603,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4811,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
350,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4153,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2561,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4023,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4097,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2649,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1828,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4188,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1897,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4389,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2385,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4491,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2886,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
636,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4265,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3262,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3426,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2029,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1846,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
910,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4875,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1007,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1972,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2522,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
371,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
465,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
873,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3537,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2841,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3579,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3357,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
663,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2105,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2979,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
512,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2445,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
147,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4444,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5022,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1703,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1342,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1613,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6047,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5464,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4764,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
112,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4961,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5307,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
43,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5395,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1283,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1483,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5972,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1232,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6219,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5879,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5091,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6283,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6238,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5619,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5779,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1396,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4540,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1650,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5702,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5132,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
6166,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5552,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1589,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5667,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1503,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5202,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5321,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
50,"0007",,"ReportingLimit",,"The 1,2-Dichloropropane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1879,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2985,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2501,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
261,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4307,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1060,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
935,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3465,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3559,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2244,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1028,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2916,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3721,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4497,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2552,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3831,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1842,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4604,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4169,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2127,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3250,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2036,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4899,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4360,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
794,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3129,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4202,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
328,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
3369,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3996,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1949,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
667,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
618,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4257,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2763,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2461,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
730,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
352,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3948,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1799,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2177,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3641,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
441,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3299,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
492,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3381,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2692,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3061,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4837,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2368,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2417,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
544,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4670,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3581,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
888,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2802,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4099,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3519,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6060,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4419,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1464,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
178,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5089,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5033,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5124,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1268,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5214,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
54,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6153,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6301,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1522,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5871,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4545,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5007,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6247,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1324,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
116,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4767,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5305,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5606,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1643,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1545,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
1736,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5728,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5982,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
45,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1403,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5784,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1220,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5468,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5568,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1618,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5398,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5638,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6226,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5324,"0007",,"ReportingLimit",,"The 1,1,2-Trichloroethane Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
627,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2472,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3754,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4602,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
4682,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2984,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2559,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2254,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
433,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1050,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3063,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3098,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3668,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4490,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3504,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
365,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3257,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
683,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1009,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4337,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2365,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
862,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2383,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3339,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3578,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
743,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2838,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1945,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2118,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
788,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2880,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4893,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4245,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1781,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1860,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3459,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
484,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4350,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
521,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3541,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
2165,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Fresh exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
257,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1903,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2498,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4146,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3390,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3311,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2656,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3842,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2019,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
346,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3991,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4220,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
3958,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4090,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
925,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4844,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
2727,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected

for dilution, if applicable).",,,,1,"A"
1681,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5590,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
69,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5457,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4553,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4747,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5359,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5699,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5029,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5679,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1445,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6141,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5777,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5209,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5136,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1517,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5571,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1380,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
180,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6285,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5094,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5913,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5424,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6248,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5949,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6043,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
114,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
5003,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
6204,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1290,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1704,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1603,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1253,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
4439,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1313,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for

dilution, if applicable).",,,,1,"A"
5282,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Groundwater exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
1560,"0007",,"ReportingLimit",,"The Trichloroethene Reporting Limit value of 1.0 ug/L reported in this record for Method EPA 8260 in Matrix AQUEOUS-Other exceeds the project library reporting limit of 0.8 ug/L (corrected for dilution, if applicable).",,,,1,"A"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project

library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,1,2-

Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project

library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,1,2-

Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,1,2-Trichloro-1,2,2-trifluoroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1,2-Trichloro-1,2,2-trifluoroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,1-Dichloropropene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for

this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,1-Dichloropropene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,1-Dichloropropene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for

this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichlorobenzene must be reported for

this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2,3-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Fresh'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35430556001 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35430983001 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432944001 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'. 1,2,3-Trichloropropane must be reported for

this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214001 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433693002 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434583001 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35435009004 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Other'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'.  1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and

libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and

libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this

method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2,3-Trichloropropane analyzed by EPA 8011 in MatrixID 'AQUEOUS-Groundwater'. 1,2,3-Trichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2,4-Trichlorobenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2,4-Trichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2,4-Trimethylbenzene must be reported

for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported

for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2,4-Trimethylbenzene must be reported

for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be

reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2,4-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2,4-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"

,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"

,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project

library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2-Dibromo-3-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromo-3-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for

this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this

method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this

method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported

for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2-Dibromoethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dibromoethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene

(mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,2-

Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"

,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene

(mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,2-Dichloroethene (mixed isomers) analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichloroethene (mixed isomers) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,3,5-

Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,3,5-

Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,3,5-Trimethylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3,5-Trimethylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,3-

Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,3-

Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,3-

Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,3-Dichlorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichlorobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for

1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,3-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,3-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,3-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,3-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,3-

Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,3-

Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,3-Dichloropropene- Total analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,3-Dichloropropene- Total must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,4-

Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,4-

Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,4-

Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for

1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1,4-

Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1,4-

Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1,4-

Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1,4-Dioxane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dioxane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 1-

Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 1-

Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 1-Chlorobutane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1-Chlorobutane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 2,2-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 2,2-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 2,2-

Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 2,2-Dichloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2,2-Dichloropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 2-

Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 2-

Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 2-

Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 2-

Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 2-Chloroethylvinyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chloroethylvinyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 2-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 2-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 2-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 2-

Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 2-

Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 2-

Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 2-Nitropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Nitropropane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 4-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 4-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 4-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 4-

Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 4-Chlorotoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Chlorotoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for 4-

Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for 4-

Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for 4-Isopropyltoluene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  4-Isopropyltoluene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Acetonitrile

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for

Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for

Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Acetonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acetonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for

Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for

Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for

Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Acrolein

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Acrolein analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Acrolein must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Allyl chloride analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Allyl chloride must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for

Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Aluminum

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for

Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Aluminum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Aluminum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Antimony

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Antimony

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Antimony analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Antimony must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for

Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Arsenic analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Arsenic must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Barium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Barium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Barium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Barium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for

Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Beryllium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Beryllium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Boron

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Boron

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Boron

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Boron

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Boron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Boron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for

Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for

Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for

Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Bromobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for

Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Cadmium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Cadmium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cadmium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for

Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Calcium

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Calcium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Calcium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Calcium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for

Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for

Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for

Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Chloroprene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Chloroprene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for

Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for

Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Chromium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Chromium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for cis-1,4-

Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for cis-

1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for cis-1,4-

Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for cis-1,4-Dichloro-2-butene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. cis-1,4-Dichloro-2-butene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Cobalt

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Cobalt

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Cobalt analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Cobalt must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for

Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Copper analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Copper must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for

Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for

Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for

Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for

Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Dichlorodifluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dichlorodifluoromethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Ethanol

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Ethanol

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for

Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Iron

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Iron analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Iron must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Isobutyl

alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Ethanol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethanol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Ethyl

methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for

Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for

Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Ethyl

methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Ethyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for

Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Ethyl

tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Ethyl

tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Ethyl tert-Butyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Ethyl tert-Butyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for

Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for

Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for

Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Hexachlorobutadiene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachlorobutadiene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for

Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for

Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for

Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Hexachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Hexachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for

Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Isobutyl

alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Isobutyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isobutyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for

Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for

Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for

Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Isopropyl

alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Isopropyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for

Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for

Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for

Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Isopropylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for

Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for

Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for

Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Isopropylether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Isopropylether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Lead

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Lead

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Lead analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Lead must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for

Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Lithium

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Lithium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Lithium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for

Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Magnesium

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for

Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Magnesium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Magnesium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for

Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for

Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for

Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Manganese analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Manganese must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for

Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for

Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for

Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for

Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Methacrylonitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methacrylonitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Methyl

acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for

Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Methyl

acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Methyl acrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl acrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Methyl

methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for

Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Methyl

methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Methyl methacrylate analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl methacrylate must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for

Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for

Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for

Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Methyl-t-

butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Methyl-t-butyl ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Methyl-t-butyl ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for

Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for

Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for

Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Molybdenum analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Molybdenum must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for

Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for

Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for

Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for

Naphthalene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Naphthalene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for n-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for n-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for n-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for n-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for

Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Nickel analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Nickel must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for

Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for

Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for

Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for

Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Nitrobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for N-

Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for N-

Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for N-Nitrosodibutylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  N-Nitrosodibutylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for n-

Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for n-

Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for n-

Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for n-Propylamine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylamine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for n-

Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for n-

Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for n-

Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for n-

Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for n-Propylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  n-Propylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for o-

Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for

o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for o-

Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for o-Toluidine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  o-Toluidine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for

Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for

Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for

Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Pentachloroethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentachloroethane must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for

Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for

Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Potassium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for

Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Potassium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'. Potassium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for

Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for

Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for

Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Propionitrile analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Propionitrile must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Pyridine

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for

Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Pyridine

analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Pyridine analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pyridine must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for sec-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for

sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for

sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for sec-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for sec-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  sec-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for

Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Selenium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Selenium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Silica

(SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Silica

(SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Silica (SiO2) analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica (SiO2) must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Silica-

Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Silica- Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Silica-

Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Silica-Dissolved analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Silica- Dissolved must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Silver

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Silver

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Silver analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Silver must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Sodium

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Sodium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Sodium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for

Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Strontium

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Strontium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Strontium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for t-Butyl

alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for t-

Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for t-Butyl

alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for t-Butyl alcohol analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butyl alcohol must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for t-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for

t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for

t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for t-

Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for t-Butylbenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  t-Butylbenzene must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for

tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for tert-

Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for tert-

Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for tert-Amyl Methyl Ether analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. tert-Amyl Methyl Ether must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for

Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Thallium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Thallium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Tin

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Tin

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Tin

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Tin

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Tin analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Tin must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Fresh'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268001 is missing a record where ReportableResult = YES for

Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318001 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553001 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434125002 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Other'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'. Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Titanium

analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Titanium analyzed by EPA 6010 in MatrixID 'AQUEOUS-Groundwater'.  Titanium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for

Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Vanadium analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Vanadium must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Xylene,

m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for

Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for

Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Xylene,

m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Xylene, m,p- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, m,p- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641008DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2612641009 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012001DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429012002 is missing a record where ReportableResult = YES for

Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407002DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429407003 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408008DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431408009 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421002DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431421004 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35432916012 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214003 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433403001DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553009 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433553010DUP is missing a record where ReportableResult = YES for

Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371003DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35434371004 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824004DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436824005 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-1DUP is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-21 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-22 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2DUP is missing a record where ReportableResult = YES for

Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-7 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-8 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Xylene, o- analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Xylene, o- must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-15DA is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-17S is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-18D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-19D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Fresh'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-2 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-24S is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-25D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-26D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 2MW-27S is missing a record where ReportableResult = YES for Zinc

analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35429268002 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35431318002 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433214002 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35433648001 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 35436049001 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Other'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-11D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-12D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-13D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-14D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-2 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-27D is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-3A is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-4 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-5 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-6 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0010",,"Missing record",,"ClientSampleID 4MW-9 is missing a record where ReportableResult = YES for Zinc analyzed by EPA 6020 in MatrixID 'AQUEOUS-Groundwater'.  Zinc must be reported for this method and libary MatrixID equivalent according to the project library.",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID

2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID

2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2662658 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2662662

for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2662662 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2668282 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2670915 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2670926 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID

2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2672035 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as

LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674244 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.

",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as

LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2674558 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2682109 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2682626

for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID

2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2682626 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID

2682630 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID

2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2683131 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2689670 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as

LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2690263 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2690366 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2690374 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as

LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2692271 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2694821 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2694829 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as

LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2695255 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID

2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID
2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID
2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID
2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified
as LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID
2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID
2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2697936 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as
LabSampleID 2699531 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID
2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as
LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701796 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2701800 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2701823 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701828 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2701848 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and

matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2701852 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as

LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2702517 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2703864 for Method EPA 8011 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as

LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2704275 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID

2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Thallium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Antimony is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2706116 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2706124

for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2706124 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as

LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as

LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified
as LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID
2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2708277 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as
LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID
2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this

method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as

LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2710229 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acrolein is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Propionitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylether is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pyridine is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"

,"0012",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chloroprene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethanol is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be

reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the LCS
identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte
must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK.
",,,,1,"B"
,"0012",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Naphthalene is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the LCS identified as LabSampleID
2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this
method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the LCS identified as
LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be
reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the LCS identified

as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the LCS identified as LabSampleID 2714265 for Method EPA 8260 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Iron is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lead is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Nickel is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silver is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Sodium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2717788

for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Arsenic is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Barium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Beryllium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cadmium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Chromium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Cobalt is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Copper is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Vanadium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Zinc is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Selenium is not reported as a spiked compound in the LCS identified as LabSampleID 2717788 for Method EPA 6020 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Aluminum is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Lithium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Magnesium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Manganese is not reported as a spiked compound in the LCS identified as LabSampleID

2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Molybdenum is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Potassium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Strontium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Tin is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Titanium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Boron is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0012",,"Missing record",,"Calcium is not reported as a spiked compound in the LCS identified as LabSampleID 2717792 for Method EPA 6010 with the same matrix equivalent as samples. This analyte must be reported for this method and matrix according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0018",,"Extra record(s)",,"LCS and/or LCSD reported for Method SM18 2540 C and Matrix AQUEOUS-Other but the project library does not require a LCS for this method and matrix equivalent.",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 493994 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 494386 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 494434 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 496096 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 497542 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 497915 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 499018 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 499758 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 500177 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 500923 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 501264 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record(s)",,"No Matrix Spike Duplicate results with a matrix equivalent to Water are reported in Method Batch 502116 for method EPA 8260. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 2612641009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429130004MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35429130004MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35429772002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35429772001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35429772001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and

matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433859002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35433859002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35433859002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35433859002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to
Water according to the project library.  Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID
35433859002MSD for Method EPA 6020.  This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35433859002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35433859002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429012002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35429268001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water
according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID
35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35429268002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35429268002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35429407003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35430556001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35430556001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35430983001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35430983001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35431318001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35431318002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to
Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID
35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35431318002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431408009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35431421004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432916012MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432944001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35432944001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433214001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35433214001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35433214002MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214002MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35433214003MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35433214003MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35433553001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35433553001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35433553009MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35433648001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35433648001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35433693002MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35433693002MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35434125002MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35434125002MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35434371004MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35434583001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35434583001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35435009004MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35435009004MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35436049001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35436049001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35436824005MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35429796001MS for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichloropropane is not reported as a spiked compound in the MSD identified as LabSampleID 35429796001MSD for Method EPA 8011. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35435576001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35435576001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MS identified as LabSampleID 35434831001MS for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Iron is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lead is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nickel is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silver is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Sodium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Arsenic is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Barium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Beryllium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cadmium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chromium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Cobalt is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Copper is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Vanadium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Zinc is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Selenium is not reported as a spiked compound in the MSD identified as LabSampleID 35434831001MSD for Method EPA 6020. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35434827001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Thallium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to

Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Antimony is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35434827001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MS identified as LabSampleID 35432456001MS for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica (SiO2) is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Silica- Dissolved is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Aluminum is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Lithium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Magnesium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Manganese is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Molybdenum is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Potassium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Strontium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Tin is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Titanium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Boron is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Calcium is not reported as a spiked compound in the MSD identified as LabSampleID 35432456001MSD for Method EPA 6010. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromoethane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acrolein is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Allyl chloride is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"n-Propylamine is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Propionitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylether is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3,5-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Bromobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1-Chlorobutane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chloroethylvinyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pyridine is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dioxane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methacrylonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Chloroprene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"sec-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"cis-1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl-t-butyl ether is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, m,p- is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water

according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dichloroethene (mixed isomers) is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,3-Dichloropropene- Total is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1-Dichloropropene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2,2-Dichloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl tert-Butyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethanol is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Acetonitrile is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Dichlorodifluoromethane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Pentachloroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,1,2-Trichloro-1,2,2-trifluoroethane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,4-Dichloro-2-butene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isobutyl alcohol is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Nitropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix

equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,3-Trichlorobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Hexachlorobutadiene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Naphthalene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"N-Nitrosodibutylamine is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Xylene, o- is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"2-Chlorotoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"o-Toluidine is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2,4-Trimethylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"1,2-Dibromo-3-chloropropane is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Methyl acrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Ethyl methacrylate is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"t-Butylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Isopropylbenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"Nitrobenzene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"tert-Amyl Methyl Ether is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0013",,"Missing record",,"4-Isopropyltoluene is not reported as a spiked compound in the MS identified as LabSampleID 35432458002MS for Method EPA 8260. This analyte must be reported for this method and matrix equivalent to Water according to the project library. Make sure that AnalyteType = SPK. ",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641008 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2612641009 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentafluorobenzene must be reported for this method

and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-15DA is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-17S is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'.  Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-18D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-19D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Fresh'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-2 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-24S is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-25D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-26D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 2MW-27S is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012001 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'. Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429012002 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407002 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35429407003 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408008 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431408009 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421002 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35431421004 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35432916012 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214002 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433214003 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433403001 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553009 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35433553010 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371003 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35434371004 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824004 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Pentafluorobenzene must be reported for this method and

libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 35436824005 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Other'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-1 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'.  Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-11D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-12D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-13D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-14D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-2 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-21 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-22 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-27D is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-3A is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-4 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-5 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-6 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-7 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary

MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-8 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for Pentafluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Pentafluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for 1,2-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,2-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for 2-Bromo-1-chloropropane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Bromo-1-chloropropane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for 2-Fluorobiphenyl analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 2-Fluorobiphenyl must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for Bromofluorobenzene analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Bromofluorobenzene must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for Nitrobenzene-d5 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Nitrobenzene-d5 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for Dibromofluoromethane analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. Dibromofluoromethane must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"
,"0015",,"Missing record",,"ClientSampleID 4MW-9 is missing a surrogate record for 1,4-Dichlorobenzene-d4 analyzed by EPA 8260 in MatrixID 'AQUEOUS-Groundwater'. 1,4-Dichlorobenzene-d4 must be reported for this method and libary MatrixID equivalent according to the project library surrogate table.",,,,1,"B"