### Johnson, Sabrina O

From: Wiesman, Ronald < WiesmanR@hillsboroughcounty.org>

Sent: Wednesday, April 15, 2020 7:51 AM

**To:** Morgan, Steve; SWD\_Waste

Cc: Madden, Melissa; Cope, Ronald; Byer, Kimberly; Ruiz, Larry; O'Neill, Joseph; Spradlin, Kollan; Curtis,

Bob

Subject: WACS ID 41193 - Qtr. 1 2020 Water Balance & Waste Tire Report for Southeast County

Attachments: 1Q2020 Water Balance Report.pdf; 1Q2020 Waste Tire Report.pdf

Mr. Morgan,

The Quarterly Water Balance and Waste Tire Report for the Southeast County Landfill are attached (WACS ID 41193).

Please advise should you have any questions concerning the information provided.

#### **Ron Wiesman II**

#### Manager

Solid Waste Management Division Public Utilities Department

P: (813) 671-7707 VOIP 42801

M: (813) 455-2194

E: wiesmanr@HCFLGov.net

W:http://HCFLGOV.net

#### **Hillsborough County**

15960 County Road 672 Lithia, FL 33547

Facebook | Twitter | YouTube | LinkedIn | HCFL Stay Safe

Please note: All correspondence to or from this office is subject to Florida's Public Records law.



#### SOLID WASTE MANAGEMENT

PO Box 1110 Tampa, FL 33601-1110 813-272-5680

April 15, 2020

Mr. Steve Morgan Solid Waste Section Florida Department of Environmental Protection Southwest District 13051 N. Telecom Pkwy Temple Terrace, Florida 33637

RE: Waste Tire Facility Quarterly Report - Permit No. 126787-

005-WT/02

Dear Mr. Morgan:

In accordance with Rule 62-711, F.A.C. and Permit No 126787-005-WT/02, the Solid Waste Management Division (SWMD) is submitting the Quarterly Report for the Waste Tire Facility for the period January 1, 2020 through March 31, 2020. The SWMD staff compiled the information from the site's daily reports for this Quarterly Report.

Should you have any questions or require additional information concerning this submittal, please contact me at (813) 671-7707.

Sincerely,

Larry E. Ruiz

Manager Landfill Operations Solid Waste Management Division

LER/rw Attachments

xc: Ron Cope, EPC

Kimberly Byer, SWMD

**BOARD OF COUNTY** COMMISSIONERS

Ken Hagan Pat Kemp Lesley "Les" Miller, Jr. Sandra L. Murman Kimberly Overman Mariella Smith Stacy R. White **COUNTY ADMINISTRATOR** 

Michael S. Merrill **COUNTY ATTORNEY** Christine M. Beck INTERNAL AUDITOR Peggy Caskey

**INFRASTRUCTURE SERVICES ADMINISTRATOR** 

John Lyons

## WASTE TIRE FACILITY QUARTERLY TONNAGE REPORT FIRST QUARTER 2020

		FIRST QUARTER	Beginning	g Tonnage
			(Jan. 1, 2020)	603.69
		Tires Removed by		
Month	Tires Received	Contractor	Tires to SCTS	Tons Adjusted
Jan. 2020	266.70	186.27	51.55	5.29
Beginning Tons	603.69			
Beginning Tons	870.39	-186.27	-51.55	-5.29
	070.37	100.27	Ending Tonnage	627.28
			\	027.20
		Tires Removed by		
Month	Tires Received	Contractor	Tires to SCTS	Tons Adjusted
Feb. 2020	216.77	247.81	99.50	5.12
Beginning Tons	627.28			
beginning rons	844.05	-247.81	-99.50	-5.12
	044.03	-247.01	Ending Tonnage	491.62
			Litting Tolliage	771.02
		Tires Removed by		_
Month	Tires Received	Contractor	Tires to SCTS	Tons Adjusted
Mar. 2020	314.85	45.87	120.59	0.00
Beginning Tons	491.62			
Degining Tons	806.47	-45.87	-120.59	0.00
	000.17	13.67	Ending Tonnage	640.01
		I	<b>T</b>	
N / 41-	Tires Received	Tires Removed by	Times to COTO	T A 1:4-1
Month Jan. 2020		Contractor	Tires to SCTS	Tons Adjusted
Feb. 2020	266.70 216.77	186.27 247.81	51.55 99.50	5.29 5.12
Mar. 2019	314.85	45.87		
Sub-Total	798.32	479.95		10.41
Beginning Tons	603.69	,	2.1101	20111
TOTAL	1,402.01	-479.95	-271.64	-10.41
	, :		Ending Tonnage	640.01



# Department of Environmental Protection

DEP Form # 62-701.900(21)
Waste Tire Processing Facility
Form Title Quarterly Report
Effective Date 3/22/00
DEP Application No
(Filled in by DEP)

## Waste Tire Processing Facility Quarterly Report

Pursuant to Rule 62-711.530, Florida Administrative Code, the owner or operator of a waste tire processing facility shall submit the following information to the Department quarterly.

Qua	rter covered b	y this report	1/1/20 thru 3	3/31/20	(First quarter	begins on Ja	nuary 1	of any	given year)
1.	Facility name	: Hillsborou	igh County S	outheast Lan	dfill Waste T	ire Facility			
2.	Facility mailin	g address:	332 N. Falker	nburg Road					
	city: Tampa	1		County: _	lillsborough		Zip:	33619	
3.	Facility permi	t number: 1	26787-005-W	/T/02					
4.	Facility teleph	none number	(813 ) 671-	7707					
5.	Authorized pe	erson preparii	ng report: L	arry E. Ruiz		•			
	Affiliation wit			esentative - I	Manager Lar	ndfill Operati	ons		
7.	Telephone nu	ımber (if diffe	erent from abo	ve): (	)				
8.	Activity: Re	port in tons							
		Beginning Inventory	Received	Processed	Consumed	Removed	Adjus	stments	Ending Inventory
	Used Tires	603.69	798.32			751.60	10.41		640.01
	Other whole Tires								
	Processed tires								
	Processing Waste								
	Other								
	Total	603.69	798.32			751.60	10.41		640.01
		f unprocesse	tments. 10.		ntory exceeds	ed the nermit	ted may	imum fo	or that
			ondition reliev			a the permit			
	For any exces Attach Additi		at the end of t if necessary.	he quarter, sta	ate how and	when this co	ndition v	will be r	elieved.
9.	Certification:								
	To the best o	f my knowledg	e and belief, I c	ertify the inform	ation provided	in this report i	is true, a	ccurate,	and complete.
	Larry E. Ru				arry &	3. fri		4/15/2	2020
	Print Nam	ne of Authoriz	zed Agent	Si	gnature of A	ithorized Age	ent		Date

Mail complete form to the appropriate district office



**SOLID WASTE MANAGEMENT** PO Box 1110 Tampa, FL 33601-1110 813-272-5680

April 15, 2020

Mr. Steve Morgan
Solid Waste Section
Florida Department of Environmental Protection, Southwest
District
13051 N. Telecom Pkwy
Temple Terrace, Florida 33637

RE: Southeast County Landfill - Leachate Data Quarterly Report

Dear Mr. Morgan:

In accordance with Specific Condition No. C.12.d of Permit No. 35435-023-SO/01, the Solid Waste Management Division (SWMD) is submitting the Quarterly Leachate Water Balance summary for the Southeast County Landfill for the quarter ending March 31, 2020.

The data is being submitted as separate monthly reports for January, February and March 2020. The attached reports include the leachate level in Pump Station B (PS-B).

Please advise should you have any questions concerning the attached submittal.

Sincerely,

Larry E. Ruiz, SC

Manager Landfill Operations

Solid Waste Management Division

LER/rw

Attachment

xc: Kollan Spradlin, SCS

Ron Cope, EPC

BOARD OF COUNTY COMMISSIONERS

Ken Hagan
Pat Kemp
Lesley "Les" Miller, Jr.
Sandra L. Murman
Kimberly Overman
Mariella Smith
Stacy R. White
COUNTY
ADMINISTRATOR
Michael S. Merrill
COUNTY ATTORNEY
Christine M. Beck

INFRASTRUCTURE SERVICES ADMINISTRATOR John Lyons

INTERNAL AUDITOR

Peggy Caskey



#### **SOLID WASTE MANAGEMENT**

PO Box 1110 Tampa, FL 33601-1110 813-272-5680

#### **MEMORANDUM**

**DATE:** February 10, 2020

**TO:** Larry E. Ruiz, Manager Landfill Operations, Solid

Waste Management Division

**FROM:** Ron W. Wiesman, Manager, Solid Waste

Management Division

**SUBJECT:** Leachate Water Balance Report Forms for January 2020

Southeast County Landfill, Hillsborough County, Florida

The Solid Waste Management Division (SWMD) staff has compiled and reviewed the leachate management operational data from the Southeast County Landfill Phases I-VI, Sections 7-8, and Section 9. Attached are the Leachate Water Balance Report Form (Table 1), the Leachate Field Data Entry Form (Table 2), and the 2020 Summary (Table 3). Also, attached find Figure 1 showing leachate levels in Pump Station B sump of Phases I-VI and rainfall for the month.

#### TABLE 1

#### Day (Column I)

Column I presents the calendar days for the month.

#### Rainfall (Column II)

Column II presents the average rainfall, in inches, as measured in the field from rainfall stations at the site. This month there was 0.58 inches of rainfall recorded at the Southeast County Landfill (SCLF).

#### **Depth in Pond A (Column III)**

Column III presents the daily depth, in feet, of effluent stored in effluent pond (Pond A). The daily depth in Pond A varies as a function of the spray irrigation frequency/duration and effluent hauled from the pond. This month the daily average of effluent stored in Pond A was 2.2 feet.

BOARD OF COUNTY COMMISSIONERS

Ken Hagan Pat Kemp Lesley "Les" Miller, Jr. Sandra L. Murman Kimberly Overman Mariella Smith Stacy R. White

COUNTY ADMINISTRATOR

Michael S. Merrill
COUNTY ATTORNEY
Christine M. Beck
INTERNAL AUDITOR
Peggy Caskey

INFRASTRUCTURE SERVICES
ADMINISTRATOR

John Lyons

Memorandum February 10, 2020 Page 2 of 5

#### **Depth in Pond B (Column IV)**

Column IV presents the daily depth, in feet, of effluent or leachate that is stored in the effluent/leachate storage pond (Pond B). The depth in Pond B varies as a function of the evaporation frequency/duration and effluent or leachate hauled from the pond. This month the daily average depth of effluent in Pond B was 0.6 feet.

#### Estimated Depth at Pump Station B Sump (PS-B) (Column V)

Column V presents the depth of leachate, in inches, in the PS-B sump. Leachate from Phases I-VI flows to the PS-B sump for removal from the landfill. PS-B then pumps the leachate to Pump Station A (PS-A). Daily depth readings from the PS-B sump are included in this column. The average recorded depth of leachate in the PS-B sump was 17.0 inches.

#### **Leachate Pumped to MLPS from Phases I-VI (Column VI)**

Column VI presents the daily amount of leachate, in gallons, collected from PS-A and pumped through the MLPS to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. This column also includes the Phase II data from the dewatering wells and PS-2. The average daily amount of leachate pumped from PS-A was 99,341 gallons. A total of 3,079,565 gallons of leachate was pumped this month.

#### **Leachate Pumped from Sections 7-8 LDS (Column VII)**

Column VII presents the quantity of leachate removed from the leak detection system (LDS) of Sections 7-8. The quantity is measured by a flow meter before being pumped for removal with Sections 7-8 leachate. The removal rate did not exceed 1,930 gallons per day. This month 832 gallons of leachate was removed from the leak detection system of Sections 7-8.

#### **Leachate Pumped to MLPS from Sections 7-8 (Column VIII)**

Column VIII presents the quantity of leachate collected at Sections 7-8 and pumped to the MLPS. The quantity is measured by a flow meter and includes any leachate removed from the leak detection system of Sections 7-8 (Column VII). This month a total of 217,468 gallons was removed.

#### **Leachate Pumped to LTRF from the MLPS (Column IX)**

Column IX presents the total quantity of leachate pumped to the LTRF from Phases I-VI (including condensate removed from LFG Wells and Condensate Traps), and Sections 7-8. This month a total of 3,288,232 gallons of leachate was pumped to the LTRF.

Memorandum February 10, 2020 Page 3 of 5

#### **Leachate Pumped to LTRF from Section 9 (Column X)**

Column X presents the daily amount of leachate, in gallons, collected from Section 9 and pumped to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. A total of 141,635 gallons of leachate was pumped this month.

#### **Leachate Pumped from Section 9 LDS (Column XI)**

Column XI presents the daily amount of leachate, in gallons, collected from the LDS of Section 9 and pumped to the 575,000-gallon storage tank at the LTRF for treatment or disposal. The removal rate did not exceed 4,651 gallons per day. This month zero gallons of leachate was removed from the leak detection system.

#### Leachate in 575,000-Gallon Tank (Column XII)

Column XII presents the daily amount of leachate, in gallons, stored in the 575,000-gallon leachate holding tank T1 at the LTRF. The amount of leachate stored in T1 is calculated based on the circumference of the tank and the daily level reading. This month an average of 235,400 gallons of leachate was stored in the tank.

#### **Effluent in 575,000-Gallon Tank (Column XIII)**

Column XIII typically presents the daily amount of effluent, in gallons, stored in the 575,000-gallon effluent holding tank T6 at the LTRF. The amount of effluent/leachate stored in T6 is calculated based on the circumference of the tank and the daily level reading. This month an average of 131,000 gallons of effluent was stored in the tank.

#### **Leachate Treated at LTRF (Column XIV)**

Column XIV presents the daily amount of leachate, in gallons, treated at the LTRF. On September 15, 2019, plant staff restarted treatment operations. This month a total of 853,457 gallons of leachate was treated at the plant.

#### **Total Leachate Hauled (Column XV)**

Column XV presents the daily amount of leachate, in gallons, hauled off site. This month a total of 2,360,372 gallons of leachate was hauled off site.

Memorandum February 10, 2020 Page 4 of 5

#### **Leachate Dust Control Sprayed (Column XVI)**

Column XVI presents the daily amount of leachate, in gallons, measured from the flow meter at the bypass-loading arm at the leachate storage tank. The leachate is used for dust control in the active area of the landfill. This month leachate was not used for dust control.

#### **Pond A Storage (Column XVII)**

Column XVII presents the daily amount of effluent, in gallons, stored in Pond A. The daily amount stored in the pond is calculated by using the daily depth of effluent in the Pond A (Column III). Under normal operating conditions, the daily amount of effluent stored in the pond varies depending upon the daily amount of leachate treated at the LTRF, the daily rainfall, daily effluent hauling operations, daily spray irrigation operations, and the daily amount of effluent used for dust control/evaporation. This month a daily average of 74,900 gallons of effluent was stored in Pond A.

#### **Pond B Storage (Column XVIII)**

Column XVIII presents the daily amount of effluent, in gallons, stored in Pond B. The daily amount stored in the pond is calculated by using the daily depth of liquid in Pond B (Column IV). Under normal operating conditions, the amount stored in the pond will vary depending upon the daily amount of leachate/effluent removed from the pond by the evaporation system, hauled from the pond, used for dust control or evaporated; was stored in Pond B. This month an average of 17,600 gallons per day of effluent was stored in Pond B.

#### **Effluent Sprayed at Pond B (Column XIX)**

Column XIX presents the daily amount of effluent, in gallons, sprayed for evaporation at Pond B. The amount evaporated is calculated by using 5 percent of the daily flow meter quantity sprayed at Pond B and it is included in Column XX. This month effluent was not sprayed in Pond B.

#### **Effluent Irrigation (Column XX)**

Column XX presents the daily amount of effluent, in gallons, used for spray irrigation on top of Phases IV-VI. The daily amount of effluent irrigation on Phases I-VI is measured from the flow meter at the irrigation pump station. This month a total of 544,716 gallons of effluent was sprayed.

Memorandum February 10, 2020 Page 5 of 5

#### **Effluent Dust Control Sprayed (Column XXI)**

Column XXI presents the daily amount of effluent, in gallons, sprayed for dust control in the active areas of the SCLF. The daily amount of effluent used for dust control, is measured from the flow meter at the bypass-loading arm. This month effluent was not sprayed as dust control.

#### **Total Effluent Hauled (Column XXII)**

Column XXII presents the daily amount of effluent, in gallons, hauled off site, as measured from the flow meter at the bypass-loading arm. This month effluent was not hauled off site.

#### **Total Evaporation (Column XXIII)**

Column XXIII presents the daily amount of leachate and effluent, in gallons, that evaporates and therefore will not be returned to the SCLF and/or requires treatment. Evaporation rates of 80 percent and 5 percent evaporation rate for spray in Pond B are assumed. Total evaporation estimated for this month was 435,800 gallons.

#### TABLE 2

Table 2 presents data assembled from daily logs compiled by the SWMD staff.

#### TABLE 3

#### **Leachate Balance Summary**

The Leachate Balance Summary (see Table 3) presents a review of inflow and outflow quantities for the LTRF, as well as rainfall and effluent disposal quantities at the landfill. Total inflow quantity to the LTRF was 3,439,577 gallons. Total outflow quantity from the LTRF was 3,213,829 gallons. The change in storage for the month increased by 225,748 gallons.

Please advise should you have any questions concerning the information provided.

#### TABLE 1. LEACHATE WATER BALANCE REPORT FORM JANUARY 2020 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

		III	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII	XIX	XX	XXI	XXII	XXIII
		Depth	Depth	Estimated	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Effluent	Leachate					Effluent				
		in	in	Depth	Pumped	Pumped from	Pumped	Pumped	Pumped	Pumped from	in	in	Treated	Total	Leachate	Pond	Pond	Sprayed	Effluent	Effluent	Total	
		Pond	Pond	at	to MLPS	Sections 7-8	to MLPS from	to LTRF from	to LTRF from	Section 9	575K	575K	at	Leachate	Dust Control	A	В	Pond	Irrigation	Dust Control	Effluent	Total
	Rainfall	A	В	PS-B	from Phases I-VI	LDS	Sections 7-8	MPLS	Section 9	LDS	Tank	Tank	LTRF	Hauled	(Sprayed)	Storage	Storage	В		(Sprayed)	Hauled	Evaporation
Day	(in.)	(ft.)	(ft.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)	(gal)	(gal.)	(gal.)	(gal.)	(gal.)
1	0.00	3.6	1.4	18.0	94,201	27	5,695	99,895	5,281	0	278,000	0	19,295	0	0	145,000	38,000	0	0	0	0	0
2	0.00	3.6	1.4		105,214	27	5,695	110,908	5,281	0	312,000	0	19,296	143,174	0	145,000	38,000	0	35,767	0	0	28,600
3	0.00	3.5	1.5		109,659	18	7,731	117,390	3,197	0	240,000	0	18,664	128,633	0	140,000	44,000	0	0	0	0	0
4	0.57	3.4	1.5		100,404	29	5,873	106,277	6,544	0	214,000	0	20,847	121,552	0	129,000	44,000	0	43,632	0	0	34,900
5	0.00	3.4	1.5	15.3	92,083	36	5,888	97,971	10,804	0	222,000	0	20,847	0	0	129,000	44,000	0	0	0	0	0
6	0.00	3.3	1.5		93,928	36	5,888	99,816	10,804	0	230,000	0	18,872	107,177	0	123,000	44,000	0	26,367	0	0	21,100
7	0.00	3.1	1.5		95,583	25	7,811	103,394	5,102	0	209,000	0	18,872	143,022	0	113,000	44,000	0	14,705	0	0	11,800
8	0.00	3.2	1.5		98,181	26	5,770	103,951	4,373	0	149,000	0	20,626	85,759	0	118,000	44,000	0	17,425	0	0	13,900
9	0.00	2.9	1.5		73,903	23	5,810	79,713	6,662	0	149,000	0	19,935	42,907	0	103,000	44,000	0	19,980	0	0	16,000
10	0.00	2.5	1.5		112,591	21	5,813	118,404	4,037	0	178,000	0	15,054	84,902	0	83,000	44,000	0	0	0	0	0
11	0.00	2.5	1.5		103,042	24	7,559	110,601	1,369	0	194,000	36,000	15,054	42,782	0	83,000	44,000	0	52,308	0	0	41,800
12	0.00	1.6	1.4	20.9	98,421	26	5,832	104,253	4,971	0	238,000	55,000	15,055	0	0	44,000	38,000	0	38,876	0	0	31,100
13	0.00	1.0	1.2		109,268	22	5,626	114,894	4,886	0	288,000	70,000	30,108	99,811	0	24,000	28,000	0	0	0	0	0
14	0.00	1.0	0.6	15.9	93,823	30	7,575	101,398	4,588	0	266,000	91,000	19,536	100,282	0	24,000	7,000	0	0	0	0	0
15	0.00	2.1	0.0		97,409	29	5,535	102,944	4,180	0	250,000	106,000	20,193	100,035	0	65,000	0	0	32,580	0	0	26,100
16	0.00	1.8	0.0		100,433	30	5,471	105,904	2,427	0	245,000	125,000	18,880	84,963	0	52,000	0	0	0	0	0	0
17	0.00	1.8	0.0	15.0	98,651	32	7,668	106,319	4,899	0	240,000	144,000	20,575	91,226	0	52,000	0	0	0	0	0	0
18	0.00	1.8	0.0	21.2	98,720	28	6,461	105,181	4,355	0	223,000	166,000	20,870	84,711	0	52,000	0	0	26,874	0	0	21,500
19	0.00	1.1	0.0	20.0	99,027	27	7,263	106,290	2,075	0	240,000	180,000	20,870	0	0	28,000	0	0	0	0	0	0
20	0.00	1.1	0.0	16.1	101,219	22	6,737	107,956	5,701	0	302,000	197,000	20,872	71,384	0	28,000	0	0	16,312	0	0	13,000
21	0.00	0.7	0.0	17.7	96,891	26	8,927	105,818	4,033	0	307,000	214,000	33,613	86,007	0	13,000	0	0	0	0	0	0
22	0.00	0.7	0.0	17.1	109,292	41	12,389	121,681	1,255	0	288,000	242,000	47,866	100,264	0	13,000	0	0	0	0	0	0
23	0.00	1.0	0.0	15.9	109,623	19	12,880	122,503	3,370	0	259,000	264,000	41,762	100,272	0	24,000	0	0	0	0	0	0
24	0.00	2.3	0.0	13.1	95,613	32	12,165	107,778	3,375	0	218,000	223,000	40,975	78,673	0	74,000	0	0	0	0	0	0
25	0.00	2.3	0.0	17.5	99,983	0	12,000	111,983	4,337	0	238,000	257,000	40,975	78,703	0	74,000	0	0	40,646	0	0	32,500
26	0.01	1.4	0.0	15.7	96,308	40	5,464	101,771	3,369	0	264,000	288,000	40,975	0	0	36,000	0	0	0	0	0	0
27	0.00	1.4	0.0	13.9	100,146	40	5,464	105,610	3,369	0	290,000	319,000	40,976	86,114	0	36,000	0	0	37,576	0	0	30,100
28	0.00	2.6	0.0	16.9	101,833	22	5,308	107,141	3,372	0	238,000	269,000	42,998	100,081	0	88,000	0	0	37,256	0	0	29,800
29	0.00	3.3	0.0	18.5	99,893	23	5,082	104,975	4,317	0	202,000	230,000	42,999	98,835	0	123,000	0	0	39,000	0	0	31,200
30	0.00	2.6	0.0	18.7	97,896	27	5,035	102,931	4,462	0	175,000	269,000	42,998	63,729	0	88,000	0	0	15,946	0	0	12,800
31	0.00	2.3	0.0	17.2	96,331	25	5,056	101,387	4,841	0	151,000	317,000	42,999	35,374	0	74,000	0	0	49,466	0	0	39,600
Γotal	0.58				3,079,565	832	217,468	3,297,033	141,635	0			853,457	2,360,372	0			0	544,716	0	0	435,800
Daily Average		2.2	0.6	17.0	99,341	27	7,015	106,356	4,569	0	235,400	131,000				74,900	17,600					
Mo. Average															0				17,600	0	0	14,060 \2020\1-20bal.xls

- Notes:

  1. NR = No Records, NA = Not Available.

  2. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values.

  3. Daily average is calculated by dividing the total by the actual days measured in the month.

  4. Monthly average calculated by dividing the total by the number of days of the month.

  5. Column II, Trace is less than 0.01 inches and is not included in total.

- 6. Columns III and IV, field measured at staff gauges.

- 7. Columns VII, Section 7-8 leak detection pumped into Section 7 leachate sump riser.

  8. Column XII and XIII, calculated from depth in 575,000 gal. tanks.

  9. Columns VI-XI, XIV, XV, XVI and XIX-XXII, quantities from flow meters.

  10. Column XXIII includes 80% of the daily values from Columns XVI, XX XXI, plus 5% of the daily values from column XIXI.

Form #5 - Leachate Balance Report Revised December 2018

# TABLE 2. FIELD DATA ENTRY FORM JANUARY 2020 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

A	В	С	D	E	F	G	Н	I	J	K	L	M	N	О	P	Q	R	S	T	U	V
										Pond B		Effluent	Depth in	Depth in	Leachate			Leachate			Effluent
		Flow Meter	Reading	Section 9	Section 9	Section 9	Sections 7-8	Sections 7-8	Pond B	Effluent	Pond A	Spray	575K Tank	575K Tank	Treated	Leachat	e Hauled	Dust Control	Effluent	Hauled	Dust Control
	Rainfall	Pump Sta. A	PS-B	Pump 1	Pump 2	LDS	Pump	LDS	Depth	Sprayed	Depth	Irrigation	Leachate	Effluent	at LTRF	Contractor	County	(Sprayed)	Contractor	County	(Sprayed)
Day	(in.)	(gal.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(ft.)	(gal)	(ft.)	(gal.)	(ft.)	(ft.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)
1	0.00	8,956,203	18.0	2,479,499	2,493,547	5,885,285	2,963,025	91,387	1.4	0.0	3.6	0	9.67	0.00	19,295	0	0	0	0	0	0
2	0.00	9,030,454	19.2	2,484,732	2,493,594	5,885,267	2,968,719	91,413	1.4	0.0	3.6	35,767	10.83	0.00	19,296	57,322	85,852	0	0	0	0
3	0.00	9,111,279	17.1	2,487,925	2,493,598	5,885,267	2,976,450	91,431	1.5	0.0	3.5	0	8.33	0.00	18,664	57,268	71,365	0	0	0	0
4	0.57	9,187,570	12.4	2,494,451	2,493,616	5,885,267	2,982,323	91,460	1.5	0	3.4	43,632	7.42	0.00	20,847	43,036	78,516	0	0	0	0
5	0.00	9,255,540	15.3	2,505,246	2,493,625	5,885,267	2,988,211	91,496	1.5	0.0	3.4	0	7.71	0.00	20,847	0	0	0	0	0	0
6	0.00	9,323,510	18.2	2,516,041	2,493,634	5,885,267	2,994,098	91,532	1.5	0	3.3	26,367	8.00	0.00	18,872	64,407	42,770	0	0	0	0
7	0.00	9,395,740	14.1	2,516,329	2,498,448	5,885,267	3,001,909	91,557	1.5	0	3.1	14,705	7.25	0.00	18,872	57,259	85,763	0	0	0	0
8	0.00	9,471,322	17.1	2,517,401	2,501,749	5,885,267	3,007,679	91,583	1.5	0.0	3.2	17,425	5.17	0.00	20,626	42,902	42,857	0	0	0	0
9	0.00	9,523,046	17.5	2,517,847	2,507,965	5,885,267	3,013,489	91,606	1.5	0.0	2.9	19,980	5.17	0.00	19,935	0	42,907	0	0	0	0
10	0.00	9,607,482	16.9	2,520,925	2,508,924	5,885,267	3,019,302	91,627	1.5	0	2.5	0	6.17	0.00	15,054	41,932	42,970	0	0	0	0
11	0.00	9,682,312	19.0	2,522,293	2,508,925	5,885,267	3,026,861	91,651	1.5	0.0	2.5	52,308	6.75	1.25	15,054	0	42,782	0	0	0	0
12	0.00	9,752,118	20.9	2,527,264	2,508,925	5,885,267	3,032,693	91,677	1.4	0.0	1.6	38,876	8.25	1.92	15,055	0	0	0	0	0	0
13	0.00	9,834,118	18.8	2,532,150	2,508,925	5,885,267	3,038,319	91,699	1.2	0	1.0	0	10.00	2.42	30,108	57,007	42,804	0	0	0	0
14	0.00	9,901,380	15.9	2,536,738	2,508,925	5,885,267	3,045,894	91,729	0.6	0.0	1.0	0	9.25	3.17	19,536	57,290	42,992	0	0	0	0
15	0.00	9,970,766	16.6	2,540,916	2,508,927	5,885,267	3,051,429	91,758	0.0	0.0	2.1	32,580	8.67	3.67	20,193	57,084	42,951	0	0	0	0
16	0.00	44,107	16.4	2,543,343	2,508,927	5,885,267	3,056,900	91,788	0.0	0.0	1.8	0	8.50	4.33	18,880	42,012	42,951	0	0	0	0
17	0.00	115,112	15.0	2,548,242	2,508,927	5,885,267	3,064,568	91,820	0.0	0.0	1.8	0	8.33	5.00	20,575	49,016	42,210	0	0	0	0
18	0.00	185,241	21.2	2,552,596	2,508,928	5,885,267	3,071,029	91,848	0.0	0.0	1.8	26,874	7.75	5.75	20,870	41,996	42,715	0	0	0	0
19	0.00	254,016	20.0	2,554,671	2,508,928	5,885,267	3,078,292	91,875	0.0	0.0	1.1	0	8.33	6.25	20,870	0	0	0	0	0	0
20	0.00	327,933	16.1	2,560,372	2,508,928	5,885,267	3,085,029	91,897	0.0	0.0	1.1	16,312	10.50	6.83	20,872	57,113	14,271	0	0	0	0
21	0.00	397,449	17.7	2,564,405	2,508,928	5,885,267	3,093,956	91,923	0.0	0.0	0.7	0	10.67	7.42	33,613	57,333	28,674	0	0	0	0
22	0.00	478,058	17.1	2,565,138	2,509,450	5,885,267	3,106,345	91,964	0.0	0.0	0.7	0	10.00	8.42	47,866	57,317	42,947	0	0	0	0
23	0.00	558,893	15.9	2,568,508	2,509,450	5,885,267	3,119,225	91,983	0.0	0.0	1.0	0	9.00	9.17	41,762	57,290	42,982	0	0	0	0
24	0.00	632,903	13.1	2,571,883	2,509,450	5,885,267	3,131,390	92,015	0.0	0.0	2.3	0	7.58	7.75	40,975	42,999	35,674	0	0	0	0
25	0.00	707,399	17.5	2,574,704	2,510,966	5,885,267	3,199	92,015	0.0	0.0	2.3	40,646	8.25	8.92	40,975	43,005	35,698	0	0	0	0
26	0.01	778,220	15.7	2,578,073	2,510,966	5,885,267	8,663	92,055	0.0	0.0	1.4	0	9.17	10.00	40,975	0	0	0	0	0	0
27	0.00	849,041	13.9	2,581,441	2,510,966	5,885,267	14,126	92,095	0.0	0.0	1.4	37,576	10.08	11.08	40,976	43,229	42,885	0	0	0	0
28	0.00	924,923	16.9	2,584,813	2,510,966	5,885,267	19,434	92,117	0.0	0.0	2.6	37,256	8.25	9.33	42,998	57,198	42,883	0	0	0	0
29	0.00	998,188	18.5	2,589,130	2,510,966	5,885,267	24,516	92,140	0.0	0.0	3.3	39,000	7.00	8.00	42,999	55,993	42,842	0	0	0	0
30	0.00	1,071,996	18.7	2,593,591	2,510,967	5,885,267	29,551	92,167	0.0	0.0	2.6	15,946	6.08	9.33	42,998	42,335	21,394	0	0	0	0
31	0.00	1,142,211	17.2	2,598,431	2,510,968	5,885,267	34,607	92,192	0.0	0.0	2.3	49,466	5.25	11.00	42,999	28,247	7,127	0	0	0	0
Totals	0.58									0		544,716			853,457	1,210,590	1,149,782	0	0	0	0

#### Notes:

- 1. NR = No Records, NA = Not Available.
- 2. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values
- 3. Columns G and J include quantities from leak detection system.

Type of Cover	Phases I-VI	Section 7-9
Type of Cover	acres	acres
Open	5	0
Intermediate	134.4	34.5
Final	23	0
Not Opened	0	0

4. Column B, trace is less than 0.01 inches.

5. Columns C, D, E, F, G, H, I, J, K, L, N, R-V and W are quantities from flow meters.

balance\2020\1-20bal.xls

6. Columns K and M measured from staff gages in each pond.

Form #6 - Leachate Balance Data




Figure 1. Leachate Levels in Pump Station B and Rainfall for January 2020.

# TABLE 3. LEACHATE BALANCE SUMMARY SOUTHEAST COUNTY LANDFILL HILLSBOROUGH COUNTY, FLORIDA YEAR-2020

			Leachate Ar	riving at LTRF		Leac	hate Leaving LT	RF		Effluent Disposal	l	Inflo	ow / Outflow For 1	LTRF
		Condensate	Leachate	Leachate	Leachate	Total Leachate	Leachate	Leachate	Total	Effluent	Effluent	Total Inflow	Total Outflow	Change
	Rainfall	from LFG	from Section 9	from Section 7-8	from Phases I-VI	Hauled	Dust Control	Treated at	Effluent	Dust Control	Irrigation	to	from	in
		CS-1	Pumped to LTRF	Pumped to LTRF	Pumped to LTRF	from LTRF	(Sprayed)	LTRF	Hauled	(Sprayed)		LTRF	LTRF	Storage <sup>3</sup>
Month	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)
January	0.58	909	141,635	217,468	3,079,565	2,360,372	0	853,457	0	0	544,716	3,439,577	3,213,829	225,748
February														
March														
April														
May														
June														
July														
August														
September														
October														
November														·
December														
YTD Total	0.58	909	141,635	217,468	3,079,565	2,360,372	0	853,457	0	0	544,716	3,439,577	3,213,829	225,748

#### Note:

- 1. If the bypass at the effluent pond is ever used to pump effluent back to the LTRF, this table must be modified.
- 2. Change in storage represents total inflow to LTRF minus total outflow from LTRF.



#### **SOLID WASTE MANAGEMENT**

PO Box 1110 Tampa, FL 33601-1110 813-272-5680

#### **MEMORANDUM**

**DATE:** March 9, 2020

**TO:** Larry E. Ruiz, Manager Landfill Operations, Solid

Waste Management Division

FROM: Ron W. Wiesman, Manager, Solid Waste

Management Division

**SUBJECT:** Leachate Water Balance Report Forms for February 2020

Southeast County Landfill, Hillsborough County, Florida

The Solid Waste Management Division (SWMD) staff has compiled and reviewed the leachate management operational data from the Southeast County Landfill Phases I-VI, Sections 7-8, and Section 9. Attached are the Leachate Water Balance Report Form (Table 1), the Leachate Field Data Entry Form (Table 2), and the 2020 Summary (Table 3). Also, attached find Figure 1 showing leachate levels in Pump Station B sump of Phases I-VI and rainfall for the month.

#### **TABLE 1**

#### Day (Column I)

Column I presents the calendar days for the month.

#### Rainfall (Column II)

Column II presents the average rainfall, in inches, as measured in the field from rainfall stations at the site. This month there was 1.65 inches of rainfall recorded at the Southeast County Landfill (SCLF).

#### **Depth in Pond A (Column III)**

Column III presents the daily depth, in feet, of effluent stored in effluent pond (Pond A). The daily depth in Pond A varies as a function of the spray irrigation frequency/duration and effluent hauled from the pond. This month the daily average of effluent stored in Pond A was 2.4 feet.

BOARD OF COUNTY COMMISSIONERS

Ken Hagan Pat Kemp Lesley "Les" Miller, Jr. Sandra L. Murman Kimberly Overman Mariella Smith Stacy R. White

COUNTY ADMINISTRATOR

Michael S. Merrill
COUNTY ATTORNEY
Christine M. Beck
INTERNAL AUDITOR
Peggy Caskey

INFRASTRUCTURE SERVICES
ADMINISTRATOR

John Lyons

Memorandum March 9, 2020 Page 2 of 5

#### **Depth in Pond B (Column IV)**

Column IV presents the daily depth, in feet, of effluent or leachate that is stored in the effluent/leachate storage pond (Pond B). The depth in Pond B varies as a function of the evaporation frequency/duration and effluent or leachate hauled from the pond. This month the daily average depth of effluent in Pond B was 0.6 feet.

#### Estimated Depth at Pump Station B Sump (PS-B) (Column V)

Column V presents the depth of leachate, in inches, in the PS-B sump. Leachate from Phases I-VI flows to the PS-B sump for removal from the landfill. PS-B then pumps the leachate to Pump Station A (PS-A). Daily depth readings from the PS-B sump are included in this column. The average recorded depth of leachate in the PS-B sump was 16.1 inches.

#### **Leachate Pumped to MLPS from Phases I-VI (Column VI)**

Column VI presents the daily amount of leachate, in gallons, collected from PS-A and pumped through the MLPS to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. This column also includes the Phase II data from the dewatering wells and PS-2. The average daily amount of leachate pumped from PS-A was 85,650 gallons. A total of 2,483,841 gallons of leachate was pumped this month.

#### **Leachate Pumped from Sections 7-8 LDS (Column VII)**

Column VII presents the quantity of leachate removed from the leak detection system (LDS) of Sections 7-8. The quantity is measured by a flow meter before being pumped for removal with Sections 7-8 leachate. The removal rate did not exceed 1,930 gallons per day. This month 736 gallons of leachate was removed from the leak detection system of Sections 7-8.

#### **Leachate Pumped to MLPS from Sections 7-8 (Column VIII)**

Column VIII presents the quantity of leachate collected at Sections 7-8 and pumped to the MLPS. The quantity is measured by a flow meter and includes any leachate removed from the leak detection system of Sections 7-8 (Column VII). This month a total of 152,518 gallons was removed.

#### **Leachate Pumped to LTRF from the MLPS (Column IX)**

Column IX presents the total quantity of leachate pumped to the LTRF from Phases I-VI (including condensate removed from LFG Wells and Condensate Traps), and Sections 7-8. This month a total of 2,636,359 gallons of leachate was pumped to the LTRF.

#### **Leachate Pumped to LTRF from Section 9 (Column X)**

Column X presents the daily amount of leachate, in gallons, collected from Section 9 and pumped to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. A total of 89,491 gallons of leachate was pumped this month.

#### **Leachate Pumped from Section 9 LDS (Column XI)**

Column XI presents the daily amount of leachate, in gallons, collected from the LDS of Section 9 and pumped to the 575,000-gallon storage tank at the LTRF for treatment or disposal. The removal rate did not exceed 4,651 gallons per day. This month zero gallons of leachate was removed from the leak detection system.

#### Leachate in 575,000-Gallon Tank (Column XII)

Column XII presents the daily amount of leachate, in gallons, stored in the 575,000-gallon leachate holding tank T1 at the LTRF. The amount of leachate stored in T1 is calculated based on the circumference of the tank and the daily level reading. This month an average of 307,400 gallons of leachate was stored in the tank.

#### Effluent in 575,000-Gallon Tank (Column XIII)

Column XIII typically presents the daily amount of effluent, in gallons, stored in the 575,000-gallon effluent holding tank T6 at the LTRF. The amount of effluent/leachate stored in T6 is calculated based on the circumference of the tank and the daily level reading. This month an average of 346,900 gallons of effluent was stored in the tank.

#### **Leachate Treated at LTRF (Column XIV)**

Column XIV presents the daily amount of leachate, in gallons, treated at the LTRF. On September 15, 2019, plant staff restarted treatment operations. This month a total of 883,611 gallons of leachate was treated at the plant.

#### **Total Leachate Hauled (Column XV)**

Column XV presents the daily amount of leachate, in gallons, hauled off site. This month a total of 1,621,644 gallons of leachate was hauled off site.

Memorandum March 9, 2020 Page 4 of 5

#### **Leachate Dust Control Sprayed (Column XVI)**

Column XVI presents the daily amount of leachate, in gallons, measured from the flow meter at the bypass-loading arm at the leachate storage tank. The leachate is used for dust control in the active area of the landfill. This month leachate was not used for dust control.

#### **Pond A Storage (Column XVII)**

Column XVII presents the daily amount of effluent, in gallons, stored in Pond A. The daily amount stored in the pond is calculated by using the daily depth of effluent in the Pond A (Column III). Under normal operating conditions, the daily amount of effluent stored in the pond varies depending upon the daily amount of leachate treated at the LTRF, the daily rainfall, daily effluent hauling operations, daily spray irrigation operations, and the daily amount of effluent used for dust control/evaporation. This month a daily average of 79,300 gallons of effluent was stored in Pond A.

#### **Pond B Storage (Column XVIII)**

Column XVIII presents the daily amount of effluent, in gallons, stored in Pond B. The daily amount stored in the pond is calculated by using the daily depth of liquid in Pond B (Column IV). Under normal operating conditions, the amount stored in the pond will vary depending upon the daily amount of leachate/effluent removed from the pond by the evaporation system, hauled from the pond, used for dust control or evaporated; was stored in Pond B. This month an average of 16,800 gallons per day of effluent was stored in Pond B.

#### **Effluent Sprayed at Pond B (Column XIX)**

Column XIX presents the daily amount of effluent, in gallons, sprayed for evaporation at Pond B. The amount evaporated is calculated by using 5 percent of the daily flow meter quantity sprayed at Pond B and it is included in Column XX. This month effluent was not sprayed in Pond B.

#### **Effluent Irrigation (Column XX)**

Column XX presents the daily amount of effluent, in gallons, used for spray irrigation on top of Phases IV-VI. The daily amount of effluent irrigation on Phases I-VI is measured from the flow meter at the irrigation pump station. This month a total of 435,684 gallons of effluent was sprayed.

Memorandum March 9, 2020 Page 5 of 5

#### **Effluent Dust Control Sprayed (Column XXI)**

Column XXI presents the daily amount of effluent, in gallons, sprayed for dust control in the active areas of the SCLF. The daily amount of effluent used for dust control, is measured from the flow meter at the bypass-loading arm. This month effluent was not sprayed as dust control.

#### **Total Effluent Hauled (Column XXII)**

Column XXII presents the daily amount of effluent, in gallons, hauled off site, as measured from the flow meter at the bypass-loading arm. This month a total of 507,900 gallons of effluent was hauled off site.

#### **Total Evaporation (Column XXIII)**

Column XXIII presents the daily amount of leachate and effluent, in gallons, that evaporates and therefore will not be returned to the SCLF and/or requires treatment. Evaporation rates of 80 percent and 5 percent evaporation rate for spray in Pond B are assumed. Total evaporation estimated for this month was 348,600 gallons.

#### TABLE 2

Table 2 presents data assembled from daily logs compiled by the SWMD staff.

#### **TABLE 3**

#### **Leachate Balance Summary**

The Leachate Balance Summary (see Table 3) presents a review of inflow and outflow quantities for the LTRF, as well as rainfall and effluent disposal quantities at the landfill. Total inflow quantity to the LTRF was 2,727,731 gallons. Total outflow quantity from the LTRF was 2,505,255 gallons. The change in storage for the month increased by 222,476 gallons.

Please advise should you have any questions concerning the information provided.

#### TABLE 1. LEACHATE WATER BALANCE REPORT FORM ${\bf FEBRUARY~2020}\\ {\bf SOUTHEAST~COUNTY~LANDFILL,~HILLSBOROUGH~COUNTY,~FLORIDA}$

I	П	Ш	IV	V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII	XIX	XX	XXI	XXII	XXIII
		Depth	Depth	Estimated	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Effluent	Leachate					Effluent				
		in	in	Depth	Pumped	Pumped from	Pumped	Pumped	Pumped	Pumped from	in	in	Treated	Total	Leachate	Pond	Pond	Sprayed	Effluent	Effluent	Total	
		Pond	Pond	at	to MLPS	Sections 7-8	to MLPS from	to LTRF from	to LTRF from	Section 9	575K	575K	at	Leachate	Dust Control	A	В	Pond	Irrigation	Dust Control	Effluent	Total
	Rainfall	A	В	PS-B	from Phases I-VI	LDS	Sections 7-8	MPLS	Section 9	LDS	Tank	Tank	LTRF	Hauled	(Sprayed)	Storage	Storage	В		(Sprayed)	Hauled	Evaporation
Day	(in.)	(ft.)	(ft.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)	(gal)	(gal.)	(gal.)	(gal.)	(gal.)
1	0.00	3.3	0.0	14.0	90,601	29	5,132	95,733	1,336	0	180,000	274,000	62,452	0	0	123,000	0	0	0	0	0	0
2	0.00	3.3	0.0	13.5	86,434	23	5,050	91,483	2,816	0	199,000	326,000	62,451	0	0	123,000	0	0	0	0	0	0
3	0.00	3.3	0.0	13.0	87,669	23	5,050	92,718	2,816	0	218,000	379,000	62,451	49,455	0	123,000	0	0	45,448	0	0	36,400
4	0.00	4.0	0.0		91,469	27	6,677	98,146	5,631	0	238,000	338,000	62,452	42,944	0	129,000	0	0	0	0	0	Ü
5	1.07	3.4	1.2		97,728	27	5,210	102,938	3,941	0	235,000	353,000	32,980	42,684	0	129,000	28,000	0	37,476	0	0	30,000
6	0.00	2.8	1.2		102,167	28	5,132	107,299	4,884	0	264,000	386,000	34,337	49,966	0	98,000	28,000	0	0	0	0	0
7	0.00	2.8	1.2		96,886	27	5,287	102,173	491	0	297,000	410,000	34,614	49,996	0	98,000	28,000	0	0	0	0	0
8	0.00	3.2	1.2	18.4	80,888	28	5,029	85,917	3,405	0	288,000	425,000	32,896	85,805	0	118,000	28,000	0	0	0	0	0
9	0.00	1.2	1.3	16.3	79,671	23	5,226	84,896	3,346	0	295,000	432,000	32,896	0	0	- 7	28,000	0	0	0	0	0
10	0.00	3.7	1.4		82,133	23	5,226	87,358	3,346	0	302,000	439,000	32,896	50,137	0	. ,	38,000	0	39,700	0	0	,
11	0.00	3.5	1.4		92,779	28	5,324	98,103	1,799	0	307,000	439,000	37,799	57,330	0	,	38,000	0	0	0	28,722	
12	0.00	4.0	1.4		92,506	0	5,433	97,939	3,104	0	317,000	403,000	32,428	57,334	0	129,000	38,000	0	34,962	0	35,612	
13	0.00	3.4	1.4		89,870	26	3,784	93,654	3,532	0	317,000	398,000	39,218	50,174	0	,	38,000	0	36,900	0	49,980	
14	0.23	2.8	1.4		77,613	29	6,213	83,826	3,024	0	322,000	374,000	30,845	50,146	0	98,000	38,000	0	0	0	28,568	
15	0.00	2.8	1.4	14.9	45,781	26	5,203	50,984	3,383	0	274,000	374,000	22,817	0	0	98,000	38,000	0	69,156	0	42,756	55,300
16	0.35	1.4	1.4	15.1	66,077	31	3,620	69,697	2,830	0	332,000	374,000	32,302	0	0	36,000	38,000	0	0	0	0	0
17	0.00	1.4	1.4		78,338		3,620	81,957	2,830	0	391,000	374,000	30,865	79,349	0	,	38,000	0	0	0	7,121	
18	0.00	1.2	1.5		122,813	29	20,900	143,713	3,331	0	394,000	403,000	19,510	72,369	0	32,000	44,000	0	36,960	0	28,568	
19	0.00	2.3	0.0		90,440	28	14	90,454	3,374	0	389,000	374,000	19,510	100,922	0	74,000	0	0	0	0	42,980	
20	0.00	2.5	0.0		87,590	31	3,745	91,335	3,682	0	360,000	343,000	13,687	92,929	0	83,000	0	0	19,230	0	50,128	
21	0.00	2.2	0.0		85,191	29	3,720	88,911	1,849	0	331,000	302,000	18,791	85,915	0		0	0	0	0	28,489	
22	0.00	2.2	0.0		80,711	29	5,229	85,940	4,228	0	326,000	286,000	17,066	78,696	0	,	0	0	49,026	0	7,184	39,200
23	0.00	2.2	0.0	17.6	81,381	25	5,130	86,510	2,561	0	359,000	296,000	17,067	0	0		0	0	0	0	0	0
24	0.00	1.6	0.0		86,371	25	5,130	91,501	2,561	0	391,000	307,000	17,066	51,127	0	,	0	0	34,178	0	28,473	
25	0.00	1.1	0.0	16.1	92,763	0	5,089	97,852	3,369	0	365,000	295,000	18,717	108,314	0	28,000	0	0	0	0	35,752	0
26	0.00	0.8	0.0		85,797	31	5,053	90,850	3,339	0	350,000	264,000	24,414	86,351	0	17,000	0	0	0	0	57,577	0
27	0.00	0.8	0.0	16.2	80,392	29	3,350	83,742	3,501	0	317,000	242,000	10,842	93,513	0	17,000	0	0	0	0	35,990	0
28	0.00	0.8	0.0		76,764	26	4,973	81,737	1,743	0	312,000	230,000	14,144	100,557	0	17,000	0	0	32,648	0	0	26,100
29	0.00	0.9	0.0	17.1	75,020	26	3,973	78,993	3,440	0	245,000	221,000	16,098	85,631	0	21,000	0	0	0	0	0	0
Total	1.65				2,483,841	736	152,518	2,636,359	89,491	0			883,611	1,621,644	0			0	435,684	0	507,900	348,600
Daily Average	2	2.4	0.6	16.1	85,650	25	5,259	90,909	3,086	0	307,400	346,900				79,300	16,800					
Mo. Average															0				15,000	0	17,500	
																					oaiance	\2020\2-20bal.xls

- NR = No Records, NA = Not Available.
- 1. NR NO RECORDS, IVA NOR AVAIRABLE.
  2. Values in bold are estimated; values in Italic are substitute for missing data and are based on averaged values.
  3. Daily average is calculated by dividing the total by the actual days measured in the month.
  4. Monthly average calculated by dividing the total by the number of days of the month.
  5. Column II, Trace is less than 0.01 inches and is not included in total.

- 6. Columns III and IV, field measured at staff gauges.

- Columns VII, Section 7-8 leak detection pumped into Section 7 leachate sump riser.
   Column XII and XIII, calculated from depth in 575,000 gal. tanks.

- Columns VI-XI, XIV, XV, XVI and XIX-XXII, quantities from flow meters.
   Column XXIII includes 80% of the daily values from Column XVI, XX XXI, plus 5% of the daily values from column XIX.

Form #5 - Leachate Balance Report Revised December 2018

# TABLE 2. FIELD DATA ENTRY FORM FEBRUARY 2020 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

A	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	P	Q	R	S	T	U	V
										Pond B		Effluent	Depth in	Depth in	Leachate			Leachate			Effluent
		Flow Meter	Reading	Section 9	Section 9	Section 9	Sections 7-8	Sections 7-8	Pond B	Effluent	Pond A	Spray	575K Tank	575K Tank	Treated	Leachate	e Hauled	Dust Control	Effluent		Dust Control
		Pump Sta. A	PS-B	Pump 1	Pump 2	LDS	Pump	LDS	Depth	Sprayed	Depth	Irrigation	Leachate	Effluent	at LTRF	Contractor	County	(Sprayed)	Contractor	County	(Sprayed)
Day	(in.)	(gal.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(ft.)	(gal)	(ft.)	(gal.)	(ft.)	(ft.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)
1	0.00	1,211,872	14.0	2,599,766	2,510,969	5,885,267	39,739	92,221	0.0	0.0	3.3	0	6.25	9.50	62,452	0	0	0	0	0	0
2	0.00	1,277,366	13.5	2,600,133	2,513,418	5,885,267	44,789	92,244	0.0	0.0	3.3	0	6.92	11.34	624,451	0	0	0	0	0	0
3	0.00	1,342,859	13.0	2,600,500	2,515,867	5,885,267	49,838	92,266	0.0	0.0	3.3	45,448	7.58	13.17	62,451	28,006	21,449	0	0	0	0
4	0.00	1,409,848	15.7	2,603,900	2,518,098	5,885,267	56,515	92,293	0.0	0.0	4.0	0	8.25	11.75	62,452	0	42,944	0	0	0	0
5	1.07	1,480,199	15.4	2,605,665	2,520,274	5,885,267	61,725	92,320	1.2	0.0	3.4	37,476	8.17	12.25	32,980	0	42,684	0	0	0	0
6	0.00	1,552,718	15.8	2,610,549	2,520,274	5,885,267	66,857	92,348	1.2	0.0	2.8	0	9.17	13.42	34,337	0	49,966	0	0	0	0
	0.00	1,629,153	19.7	2,611,040	2,520,274	5,885,267	72,144	92,375	1.2	0.0	2.8	0	10.33	14.25	34,614	0	49,996	0	0	0	0
8	0.00	1,690,033	18.4	2,614,445	2,520,274	5,885,267	77,173	92,403	1.2	0.0	3.2	0	10.00	14.75	32,896	42,995	42,810	0	0	0	0
	0.00	1,749,696 1,809,359	16.3 14.2	2,617,791 2,621,136	2,520,275 2,520,275	5,885,267 5,885,267	82,399 87,624	92,426 92,449	1.3 1.4	0.0	1.2 3.7	9 39,700	10.25 10.50	15.00 15.25	32,896 32,896	50,137	0	0	0	0	0
10	0.00	1,878,804	17.0	2,622,935	2,520,275	5,885,268	92,948	92,449	1.4	0.0	3.5	0	10.50	15.25	37,799	43.007	14,323	0	0	28,722	0
12	0.00	1,947,265	19.1	2,626,039	2,520,275	5,885,267	98,381	92,477	1.4	0.0	4.0	34,962	11.00	14.00	32,428	50,178	7,156	0	0	35,612	0
13	0.00	2,013,966	17.5	2,629,571	2,520,275	5,885,267	102,165	92,503	1.4	0.0	3.4	36,900	11.00	13.83	39,218	43,001	7,173	0	14,375	35,605	0
14	0.00	2,079,165	15.2	2,632,595	2,520,275	5,885,267	108,378	92,532	1.4	0.0	2.8	0	11.17	13.00	30,845	35,867	14,279	0	7,164	21,404	0
15	0.00	2,107,675	14.9	2,635,978	2,520,275	5,885,267	113,581	92,558	1.4	0.0	2.8	69,156	9.50	13.00	22,817	0	0	0	0	42,756	0
16	0.35	2,156,482	15.1	2,638,808	2,520,275	5.885.267	117,201	92,589	1.4	0.0	1.4	0	11.54	13.00	32,302	0	0	0	0	0	0
17	0.00	2,205,288	15.2	2,641,637	2,520,275	5,885,267	120,820	92,620	1.4	0.0	1.4	0	13.58	13.00	30,865	43,380	35,969	0	0	7,121	0
18	0.00	2,305,699	13.5	2,644,968	2,520,275	5,885,267	141,720	92,649	1.5	0.0	1.2	36,960	13.67	14.00	19,510	58,000	14,369	0	0	28,568	0
19	0.00	2,374,899	17.5	2,648,342	2,520,275	5,885,267	141,734	92,677	0.0	0.0	2.3	0	13.50	13.00	19,510	50,658	50,264	0	7,368	35,612	0
20	0.00	2,441,129	14.4	2,652,024	2,520,275	5,885,267	145,479	92,708	0.0	0.0	2.5	19,230	12.50	11.92	13,687	42,901	50,028	0	14,442	35,686	0
21	0.00	2,509,733	16.9	2,653,872	2,520,276	5,885,267	149,199	92,737	0.0	0.0	2.2	0	11.50	10.50	18,791	43,029	42,886	0	0	28,489	0
22	0.00	2,571,370	14.5	2,658,100	2,520,276	5,885,267	154,428	92,766	0.0	0.0	2.2	49,026	11.33	9.92	17,066	35,843	42,853	0	7,184	0	0
23	0.00	2,633,677	17.6	2,660,661	2,520,276	5,885,267	159,558	92,791	0.0	0.0	2.2	0	12.46	10.30	17,067	0	0	0	0	0	0
24	0.00	2,695,984	20.6	2,663,222	2,520,276	5,885,267	164,687	92,816	0.0	0.0	1.6	34,178	13.58	10.67	17,066	36,714	14,413	0	0	28,473	0
25	0.00	2,767,745	16.1	2,666,590	2,520,277	5,885,267	169,776	92,816	0.0	0.0	1.1	0	12.67	10.25	18,717	50,928	57,386	0	7,263	28,489	0
26	0.00	2,834,278	17.8	2,669,929	2,520,277	5,885,267	174,829	92,847	0.0	0.0	0.8	0	12.17	9.17	24,414	36,171	50,180	0	21,930	35,647	0
27	0.00	2,897,651	16.2	2,673,430	2,520,277	5,885,267	178,179	92,876	0.0	0.0	0.8	0	11.00	8.42	10,842	43,428	50,085	0	14,604	21,386	0
28	0.00	2,955,742	15.7	2,675,173	2,520,277	5,885,267	183,152	92,902	0.0	0.0	0.8	32,648	10.83	8.00	14,144	50,682	49,875	0	0	0	0
29	0.00	3,014,939	17.1	2,678,613	2,520,277	5,885,267	187,125	92,928	0.0	0.0	0.9	0	8.50	7.67	16,098	42,897	42,734	0	0	0	0
																		0	0	0	0
																		0	0	0	0
Totals	1.65									0		435,684			1,445,611	827,822	793,822	0	94,330	413,570	0
																				balance\	2020\2-20bal.xls

#### Notes:

- 1. NR = No Records, NA = Not Available.
- 2. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values
  - Columns G and J include quantities from leak detection system.

Type of Cover	Phases I-VI	Section 7-9
Type of Cover	acres	acres
Open	5	0
Intermediate	134.4	34.5
Final	23	0
Not Opened	0	0

- 4. Column B, trace is less than 0.01 inches.
- 5. Columns C, D, E, F, G, H, I, J, K, L, N, R-V and W are quantities from flow meters.
- 6. Columns K and M measured from staff gages in each pond.

Form #6 - Leachate Balance Data




Figure 1. Leachate Levels in Pump Station B and Rainfall for February 2020.

#### TABLE 3. LEACHATE BALANCE SUMMARY SOUTHEAST COUNTY LANDFILL HILLSBOROUGH COUNTY, FLORIDA YEAR-2020

			Leachate Ar	riving at LTRF		Leac	hate Leaving LT	RF		Effluent Disposal		Inflo	w / Outflow For I	LTRF
		Condensate	Leachate	Leachate	Leachate	Total Leachate	Leachate	Leachate	Total	Effluent	Effluent	Total Inflow	Total Outflow	Change
	Rainfall	from LFG	from Section 9	from Section 7-8	from Phases I-VI	Hauled	Dust Control	Treated at	Effluent	Dust Control	Irrigation	to	from	in
		CS-1	Pumped to LTRF	Pumped to LTRF	Pumped to LTRF	from LTRF	(Sprayed)	LTRF	Hauled	(Sprayed)		LTRF	LTRF	Storage <sup>3</sup>
Month	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)
January	0.58	909	141,635	217,468	3,079,565	2,360,372	0	853,457	0	0	544,716	3,439,577	3,213,829	225,748
February	1.65	1,881	89,491	152,518	2,483,841	1,621,644	0	883,611	507,900	0	435,684	2,727,731	2,505,255	222,476
March														
April														
May														
June														
July														
August														
September														
October														
November														
December														
											·			·
YTD Total	2.23	2,790	231,126	369,986	5,563,406	3,982,016	0	1,737,068	507,900	0	980,400	6,167,308	5,719,084	448,224

#### Note:

- If the bypass at the effluent pond is ever used to pump effluent back to the LTRF, this table must be modified.
   Change in storage represents total inflow to LTRF minus total outflow from LTRF.



#### **SOLID WASTE MANAGEMENT**

PO Box 1110 Tampa, FL 33601-1110 813-272-5680

#### **MEMORANDUM**

**DATE:** April 10, 2020

**TO:** Larry E. Ruiz, Manager Landfill Operations, Solid

Waste Management Division

FROM: Ron W. Wiesman, Manager, Solid Waste

Management Division

**SUBJECT:** Leachate Water Balance Report Forms for March 2020

Southeast County Landfill, Hillsborough County, Florida

The Solid Waste Management Division (SWMD) staff has compiled and reviewed the leachate management operational data from the Southeast County Landfill Phases I-VI, Sections 7-8, and Section 9. Attached are the Leachate Water Balance Report Form (Table 1), the Leachate Field Data Entry Form (Table 2), and the 2020 Summary (Table 3). Also, attached find Figure 1 showing leachate levels in Pump Station B sump of Phases I-VI and rainfall for the month.

#### **TABLE 1**

#### Day (Column I)

Column I presents the calendar days for the month.

### Rainfall (Column II)

Column II presents the average rainfall, in inches, as measured in the field from rainfall stations at the site. This month there was .01 inches of rainfall recorded at the Southeast County Landfill (SCLF).

#### **Depth in Pond A (Column III)**

Column III presents the daily depth, in feet, of effluent stored in effluent pond (Pond A). The daily depth in Pond A varies as a function of the spray irrigation frequency/duration and effluent hauled from the pond. This month the daily average of effluent stored in Pond A was 2.1 feet.

BOARD OF COUNTY COMMISSIONERS

Ken Hagan Pat Kemp Lesley "Les" Miller, Jr. Sandra L. Murman Kimberly Overman Mariella Smith Stacy R. White

COUNTY ADMINISTRATOR

Michael S. Merrill
COUNTY ATTORNEY
Christine M. Beck
INTERNAL AUDITOR
Peggy Caskey

INFRASTRUCTURE SERVICES
ADMINISTRATOR

John Lyons

Memorandum April 10, 2020 Page 2 of 5

#### **Depth in Pond B (Column IV)**

Column IV presents the daily depth, in feet, of effluent or leachate that is stored in the effluent/leachate storage pond (Pond B). The depth in Pond B varies as a function of the evaporation frequency/duration and effluent or leachate hauled from the pond. This month the daily average depth of effluent in Pond B was zero feet.

#### Estimated Depth at Pump Station B Sump (PS-B) (Column V)

Column V presents the depth of leachate, in inches, in the PS-B sump. Leachate from Phases I-VI flows to the PS-B sump for removal from the landfill. PS-B then pumps the leachate to Pump Station A (PS-A). Daily depth readings from the PS-B sump are included in this column. The average recorded depth of leachate in the PS-B sump was 17.6 inches.

#### **Leachate Pumped to MLPS from Phases I-VI (Column VI)**

Column VI presents the daily amount of leachate, in gallons, collected from PS-A and pumped through the MLPS to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. This column also includes the Phase II data from the dewatering wells and PS-2. The average daily amount of leachate pumped from PS-A was 76,322 gallons. A total of 2,365,967 gallons of leachate was pumped this month.

#### **Leachate Pumped from Sections 7-8 LDS (Column VII)**

Column VII presents the quantity of leachate removed from the leak detection system (LDS) of Sections 7-8. The quantity is measured by a flow meter before being pumped for removal with Sections 7-8 leachate. The removal rate did not exceed 1,930 gallons per day. This month 730 gallons of leachate was removed from the leak detection system of Sections 7-8.

#### **Leachate Pumped to MLPS from Sections 7-8 (Column VIII)**

Column VIII presents the quantity of leachate collected at Sections 7-8 and pumped to the MLPS. The quantity is measured by a flow meter and includes any leachate removed from the leak detection system of Sections 7-8 (Column VII). This month a total of 145,289 gallons was removed.

#### **Leachate Pumped to LTRF from the MLPS (Column IX)**

Column IX presents the total quantity of leachate pumped to the LTRF from Phases I-VI (including condensate removed from LFG Wells and Condensate Traps), and Sections 7-8. This month a total of 2,511,256 gallons of leachate was pumped to the LTRF.

#### **Leachate Pumped to LTRF from Section 9 (Column X)**

Column X presents the daily amount of leachate, in gallons, collected from Section 9 and pumped to the 575,000-gallon storage tank at the Leachate Treatment and Reclamation Facility (LTRF) for treatment or disposal. A total of 88,920 gallons of leachate was pumped this month.

#### **Leachate Pumped from Section 9 LDS (Column XI)**

Column XI presents the daily amount of leachate, in gallons, collected from the LDS of Section 9 and pumped to the 575,000-gallon storage tank at the LTRF for treatment or disposal. The removal rate did not exceed 4,651 gallons per day. This month 1,426 gallons of leachate was removed from the leak detection system.

#### Leachate in 575,000-Gallon Tank (Column XII)

Column XII presents the daily amount of leachate, in gallons, stored in the 575,000-gallon leachate holding tank T1 at the LTRF. The amount of leachate stored in T1 is calculated based on the circumference of the tank and the daily level reading. This month an average of 248,700 gallons of leachate was stored in the tank.

#### Effluent in 575,000-Gallon Tank (Column XIII)

Column XIII typically presents the daily amount of effluent, in gallons, stored in the 575,000-gallon effluent holding tank T6 at the LTRF. The amount of effluent/leachate stored in T6 is calculated based on the circumference of the tank and the daily level reading. This month an average of 292,600 gallons of effluent was stored in the tank.

#### **Leachate Treated at LTRF (Column XIV)**

Column XIV presents the daily amount of leachate, in gallons, treated at the LTRF. On September 15, 2019, plant staff restarted treatment operations. This month a total of 716,248 gallons of leachate was treated at the plant.

#### **Total Leachate Hauled (Column XV)**

Column XV presents the daily amount of leachate, in gallons, hauled off site. This month a total of 1,725,209 gallons of leachate was hauled off site.

Memorandum April 10, 2020 Page 4 of 5

#### **Leachate Dust Control Sprayed (Column XVI)**

Column XVI presents the daily amount of leachate, in gallons, measured from the flow meter at the bypass-loading arm at the leachate storage tank. The leachate is used for dust control in the active area of the landfill. This month leachate was not used for dust control.

#### **Pond A Storage (Column XVII)**

Column XVII presents the daily amount of effluent, in gallons, stored in Pond A. The daily amount stored in the pond is calculated by using the daily depth of effluent in the Pond A (Column III). Under normal operating conditions, the daily amount of effluent stored in the pond varies depending upon the daily amount of leachate treated at the LTRF, the daily rainfall, daily effluent hauling operations, daily spray irrigation operations, and the daily amount of effluent used for dust control/evaporation. This month a daily average of 69,800 gallons of effluent was stored in Pond A.

#### **Pond B Storage (Column XVIII)**

Column XVIII presents the daily amount of effluent, in gallons, stored in Pond B. The daily amount stored in the pond is calculated by using the daily depth of liquid in Pond B (Column IV). Under normal operating conditions, the amount stored in the pond will vary depending upon the daily amount of leachate/effluent removed from the pond by the evaporation system, hauled from the pond, used for dust control or evaporated; was stored in Pond B. This month an average of zero gallons per day of effluent was stored in Pond B.

#### **Effluent Sprayed at Pond B (Column XIX)**

Column XIX presents the daily amount of effluent, in gallons, sprayed for evaporation at Pond B. The amount evaporated is calculated by using 5 percent of the daily flow meter quantity sprayed at Pond B and it is included in Column XX. This month effluent was not sprayed in Pond B.

#### **Effluent Irrigation (Column XX)**

Column XX presents the daily amount of effluent, in gallons, used for spray irrigation on top of Phases IV-VI. The daily amount of effluent irrigation on Phases I-VI is measured from the flow meter at the irrigation pump station. This month a total of 342,461 gallons of effluent was sprayed.

Memorandum April 10, 2020 Page 5 of 5

#### **Effluent Dust Control Sprayed (Column XXI)**

Column XXI presents the daily amount of effluent, in gallons, sprayed for dust control in the active areas of the SCLF. The daily amount of effluent used for dust control, is measured from the flow meter at the bypass-loading arm. This month effluent was not sprayed as dust control.

#### **Total Effluent Hauled (Column XXII)**

Column XXII presents the daily amount of effluent, in gallons, hauled off site, as measured from the flow meter at the bypass-loading arm. This month a total of 200,631 gallons of effluent was hauled off site.

#### **Total Evaporation (Column XXIII)**

Column XXIII presents the daily amount of leachate and effluent, in gallons, that evaporates and therefore will not be returned to the SCLF and/or requires treatment. Evaporation rates of 80 percent and 5 percent evaporation rate for spray in Pond B are assumed. Total evaporation estimated for this month was 273,800 gallons.

#### TABLE 2

Table 2 presents data assembled from daily logs compiled by the SWMD staff.

#### **TABLE 3**

#### **Leachate Balance Summary**

The Leachate Balance Summary (see Table 3) presents a review of inflow and outflow quantities for the LTRF, as well as rainfall and effluent disposal quantities at the landfill. Total inflow quantity to the LTRF was 2,601,712 gallons. Total outflow quantity from the LTRF was 2,441,457 gallons. The change in storage for the month increased by 160,255 gallons.

Please advise should you have any questions concerning the information provided.

### TABLE 1. LEACHATE WATER BALANCE REPORT FORM MARCH 2020 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

				V	VI	VII	VIII	IX	X	XI	XII	XIII	XIV	XV	XVI	XVII	XVIII	XIX	XX	XXI	XXII	XXIII
		Depth	Depth	Estimated	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Leachate	Effluent	Leachate					Effluent				
		in	in	Depth	Pumped	Pumped from	Pumped	Pumped	Pumped	Pumped from	in	in	Treated	Total	Leachate	Pond	Pond	Sprayed	Effluent	Effluent	Total	
		Pond	Pond	at	to MLPS	Sections 7-8	to MLPS from	to LTRF from	to LTRF from	Section 9	575K	575K	at	Leachate	Dust Control	A	В	Pond	Irrigation	Dust Control	Effluent	Total
	Rainfall	A	В	PS-B	from Phases I-VI	LDS	Sections 7-8	MPLS	Section 9	LDS	Tank	Tank	LTRF	Hauled	(Sprayed)	Storage	Storage	В		(Sprayed)	Hauled	Evaporation
Day	(in.)	(ft.)	(ft.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)	(gal)	(gal.)	(gal.)	(gal.)	(gal.)
1	0.00	1.0	0.0	18.8	72,987	26	4,266	77,253	2,867	0	259,000	216,000	16,099	0	0	24,000	0	0	0	0	0	0
2	0.00	1.0	0.0	20.8	84,456	26	4,299	88,755	2,308	0	288,000	230,000	16,098	77,997	0	24,000	0	0	38,638	0	7,120	30,900
3	0.00	0.0	0.0	15.7	86,755	25	5,290	92,045	3,468	0	288,000	211,000	16,257	85,053	0	800	0	0	0	0	0	0
4	0.00	1.4	0.0		71,114	20	5,330	76,444	3,470	0	274,000	202,000	15,266	84,960	0	36,000	0	0	0	0	0	0
5	0.00	1.4	0.0	17.7	95,549	28	3,565	99,114	3,250	0	240,000	218,000	23,027	85,359	0	36,000	0	0	0	0	0	0
6	0.00	1.4	0.0	17.2	78,646	25	1,965	80,611	2,781	80	233,000	238,000	22,873	85,041	0	36,000	0	0	0	0	0	0
7	0.00	1.8	0.0		77,015	23	7,765	84,780	3,015	28	216,000	240,000	24,303	79,230	0	52,000	0	-	0	0	0	0
8	0.00	1.8	0.0	16.6	64,328	27	4,647	68,975	2,393	9	218,000	260,000	24,303	0	0	52,000	0	0	0	0	0	0
9	0.00	1.8	0.0	18.4	66,884	27	4,647	71,531	2,393	9	221,000	281,000	34,303	85,665	0	52,000	0	0	0	0	0	0
10	0.00	3.6	0.0	19.9	77,000	0	5,152	82,152	3,851	14	180,000	211,000	29,487	86,667	0	145,000	0	0	38,640	0	0	30,900
11	0.00	2.9	0.0	15.0	78,944	25	8,176	87,120	2,872	7	182,000	238,000	30,787	21,449	0	103,000	0	0	43,420	0	21,347	34,700
12	0.00	2.1	0.0	19.0	84,794	32	14,965	99,759	2,119	272	218,000	238,000	32,075	7,159	0	65,000	0	0	0	0	28,511	0
13	0.00	2.1	0.0	17.1	78,440	17	21	78,461	2,800	15	269,000	240,000	28,429	35,711	0	65,000	0	0	0	0	7,124	0
14	0.00	2.1	0.0	16.9	76,185	28	3,332	79,517	3,054	185	274,000	266,000	33,452	42,796	0	65,000	0	0	0	0	0	0
15	0.00	2.1	0.0	17.4	76,961	25	4,174	81,134	2,842	121	283,000	295,000	33,453	0	0	65,000	0	0	0	0	0	0
16	0.00	2.1	0.0	17.8	76,687	25	4,174	80,861	2,842	121	293,000	324,000	33,452	79,708	0	65,000	0	0	0	0	7,118	0
17	0.00	2.1	0.0	22.3	74,183	26	3,451	77,634	3,864	0	240,000	353,000	40,517	86,758	0	65,000	0	0	0	0	0	0
18	0.00	2.1	0.0	17.6	72,962	20	4,968	77,930	3,032	69	216,000	381,000	31,405	86,628	0	65,000	0	0	0	0	0	0
19	0.00	3.4	0.0	15.6	71,491	28	3,426	74,917	1,606	0	178,000	353,000	39,482	64,756	0	129,000	0	0	0	0	21,332	0
20	0.00	3.4	0.0	20.9	73,609	0	4,992	78,601	3,103	102	197,000	345,000	31,325	0	0	129,000	0	0	0	0	14,336	0
21	0.00	3.2	0.0	18.6	69,174	0	3,287	72,461	2,756	87	233,000	355,000	32,261	0	0	118,000	0	0	61,236	0	0	49,000
22	0.00	3.2	0.0	18.7	73,729	0	4,153	77,882	2,822	110	256,000	385,000	32,661	0	0	118,000	0	0	0	0	0	0
23	0.00	2.1	0.0	18.7	74,642	0	4,153	78,795	2,822	110	278,000	415,000	32,661	79,107	0	65,000	0	0	0	0	7,122	0
24	0.00	3.8	0.0	17.5	79,289	0	4,908	84,197	2,466	0	276,000	322,000	6,804	63,914	0	157,000	0	0	0	0	20,692	0
25	0.00	3.7	0.0	14.8	78,558	0	4,990	83,548	3,302	16	288,000	317,000	6,804	85,269	0	151,000	0	0	55,308	0	0	44,200
26	0.00	1.6	0.0	17.4	84,685	0	3,375	88,060	3,168	0	269,000	317,000	2,794	87,125	0	44,000	0	0	55,307	0	0	44,200
27	0.00	1.5	0.0	16.0	72,517	0	4,938	77,455	3,285	16	240,000	338,000	5,196	75,411	0	40,000	0	0	0	0	0	0
28	0.00	1.5	0.0	19.0	70,912	0	3,368	74,280	1,428	7	221,000	345,000	16,643	44,725	0	40,000	0	0	0	0	37,169	0
29	0.00	1.5	0.0	17.3	70,565	0	4,159	74,723	2,987	15	269,000	331,000	2,519	0	0	40,000	0	0	0	0	0	0
30	0.00	1.6	0.0	15.5	72,436	0	4,159	76,595	2,987	15	317,000	317,000	2,793	86,756	0	44,000	0	0	49,912	0	0	39,900
31	0.01	2.3	0.0	14.5	80,475	278	5,196	85,671	2,970	21	297,000	290,000	18,719	107,973	0	74,000	0	0	0	0	28,752	0
Total	0.01				2,365,967	730	145,289	2,511,256	88,920	1,426			716,248	1,725,217	0			0	342,461	0	200,623	273,800
		2.1	0.0	17.6	76,322	24	4,687	2,511,256 81,008	2,868	1,426	248,700	292,600	/10,248	1,/23,21/	0	69,800	0	0	342,401	0	200,023	2/3,800
Daily Average		2.1	0.0	17.6	/6,322	24	4,687	81,008	2,868	46	248,700	292,600			^	69,800	0		11.000		6.500	0.030
Mo. Average															0				11,000	0	6,500	8,830 \2020\3-20bal.xls

- Notes:

  1. NR = No Records, NA = Not Available.

  2. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values.

  3. Daily average is calculated by dividing the total by the actual days measured in the month.

  4. Monthly average calculated by dividing the total by the number of days of the month.

  5. Column II, Trace is less than 0.01 inches and is not included in total.

- 6. Columns III and IV, field measured at staff gauges.

- 7. Columns VII, Section 7-8 leak detection pumped into Section 7 leachate sump riser.

  8. Column XII and XIII, calculated from depth in 575,000 gal. tanks.

  9. Columns VI-XI, XIV, XV, XVI and XIX-XXII, quantities from flow meters.

  10. Column XXIII includes 80% of the daily values from Columns XVI, XX XXI, plus 5% of the daily values from column XIXI.

Form #5 - Leachate Balance Report Revised December 2018

# TABLE 2. FIELD DATA ENTRY FORM MARCH 2020 SOUTHEAST COUNTY LANDFILL, HILLSBOROUGH COUNTY, FLORIDA

A	В	С	D	E	F	G	Н	I	J	K	L	M	N	О	P	Q	R	S	T	U	V
										Pond B		Effluent	Depth in	Depth in	Leachate			Leachate			Effluent
		Flow Meter	Reading	Section 9	Section 9	Section 9	Sections 7-8	Sections 7-8	Pond B	Effluent	Pond A	Spray	575K Tank	575K Tank	Treated	Leachate Hauled Dust Control		Effluent Hauled		Dust Control	
	Rainfall	Pump Sta. A	PS-B	Pump 1	Pump 2	LDS	Pump	LDS	Depth	Sprayed	Depth	Irrigation	Leachate	Effluent	at LTRF	Contractor	County	(Sprayed)	Contractor	County	(Sprayed)
Day	(in.)	(gal.)	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(ft.)	(gal)	(ft.)	(gal.)	(ft.)	(ft.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal)
1	0.00	3,068,989	18.8	2,681,480	2,520,277	5,885,267	191,391	92,954	0.0	0.0	1.0	0	9.00	7.50	16,099	0	0	0	0	0	0
2	0.00	3,129,433	20.8	2,683,788	2,520,277	5,885,267	195,690	92,980	0.0	0.0	1.0	38,638	10.00	8.00	16,098	42,188	35,809	0	0	7,120	0
3	0.00	3,195,013	15.7	2,687,255	2,520,278	5,885,267	200,980	93,005	0.0	0.0	0.0	0	10.00	7.33	16,257	42,051	43,002	0	0	0	0
4	0.00	3,257,640	19.9	2,690,725	2,520,278	5,885,267	206,310	93,025	0.0	0	1.4	0	9.50	7.00	15,266	42,030	42,930	0	0	0	0
5	0.00	3,326,160	17.7	2,693,914	2,520,339	5,885,267	209,875	93,053	0.0	0.0	1.4	0	8.33	7.58	23,027	42,434	42,925	0	0	0	0
6	0.00	3,385,056	17.2	2,694,559	2,522,475	5,885,347	211,840	93,078	0.0	0	1.4	0	8.08	8.25	22,873	42,266	42,775	0	0	0	0
7	0.00	3,447,599	14.7	2,697,574	2,522,475	5,885,375	219,605	93,101	0.0	0	1.8	0	7.50	8.33	24,303	36,474	42,756	0	0	0	0
8	0.00	3,497,455	16.6	2,699,967	2,522,475	5,885,384	224,252	93,128	0.0	0.0	1.8	0	7.59	9.04	24,303	0	0	0	0	0	0
9	0.00	3,547,310	18.4	2,702,359	2,522,475	5,885,393	228,899	93,155	0.0	0.0	1.8	0	7.67	9.75	34,303	42,987	42,678	0	0	0	0
10	0.00	3,604,280	19.9	2,706,210	2,522,475	5,885,407	234,051	93,155	0.0	0	3.6	38,640	6.25	7.33	29,487	43,832	42,835	0	0	0	0
11	0.00	3,662,920	15.0	2,709,082	2,522,475	5,885,414	242,227	93,180	0.0	0.0	2.9	43,420	6.33	8.25	30,787	0	21,449	0	0	21,347	0
12	0.00	3,729,979	19.0	2,711,199	2,522,477	5,885,686	257,192	93,212	0.0	0.0	2.1	0	7.58	8.25	32,075	0	7,159	0	0	28,511	0
13	0.00	3,790,473	17.1	2,713,999	2,522,477	5,885,701	257,213	93,229	0.0	0	2.1	0	9.33	8.33	28,429	0	35,711	0	0	7,124	0
14	0.00	3,849,117	16.9	2,717,053	2,522,477	5,885,886	260,545	93,257	0.0	0.0	2.1	0	9.50	9.25	33,452	0	42,796	0	0	0	0
15	0.00	3,908,537	17.4	2,719,895	2,522,477	5,886,007	264,719	93,282	0.0	0.0	2.1	0	9.84	10.25	33,453	0	0	0	0	0	0
16	0.00	3,967,957	17.8	2,722,737	2,522,477	5,886,127	268,892	93,306	0.0	0.0	2.1	0	10.17	11.25	33,452	43,875	35,833	0	0	7,118	0
17	0.00	4,027,638	22.3	2,726,601	2,522,477	5,886,120	272,343	93,332	0.0	0.0	2.1	0	8.33	12.25	40,517	43,865	42,893	0	0	0	0
18	0.00	4,082,102	17.6	2,729,633	2,522,477	5,886,189	277,311	93,352	0.0	0.0	2.1	0	7.50	13.25	31,405	43,698	42,930	0	0	0	0
19	0.00	4,136,160	15.6	2,731,239	2,522,477	5,886,189	280,737	93,380	0.0	0.0	3.4	0	6.17	12.25	39,482	43,268	21,488	0	0	21,332	0
20	0.00	4,193,483	20.9	2,734,342	2,522,477	5,886,291	285,729	93,380	0.0	0.0	3.4	0	6.83	12.00	31,325	0	0	0	0	14,336	0
21	0.00	4,245,704	18.6	2,737,097	2,522,478	5,886,378	289,016	93,380	0.0	0.0	3.2	61,236	8.08	12.33	32,261	0	0	0	0	0	0
22	0.00	4,302,480	18.7	2,739,919	2,522,478	5,886,488	293,169	93,380	0.0	0.0	3.2	0	8.88	13.38	32,661	0	0	0	0	0	0
23	0.00	4,359,256	18.7	2,742,740	2,522,478	5,886,597	297,322	93,380	0.0	0.0	2.1	0	9.67	14.42	32,661	43,276	35,831	0	0	7,122	0
24	0.00	4,419,655	17.5	2,745,206	2,522,478	5,886,597	302,230	93,380	0.0	0.0	3.8	0	9.58	11.17	6,804	21,001	42,913	0	20,692	0	0
25	0.00	4,477,943	14.8	2,748,508	2,522,478	5,886,613	307,220	93,380	0.0	0.0	3.7	55,308	10.00	11.00	6,804	42,302	42,967	0	0	0	0
26	0.00	4,544,263	17.4	2,751,676	2,522,478	5,886,613	310,595	93,380	0.0	0.0	1.6	55,307	9.33	11.00	2,794	44,141	42,984	0	0	0	0
27	0.00	4,601,510	16.0	2,754,961	2,522,478	5,886,629	315,533	93,380	0.0	0.0	1.5	0	8.33	11.75	5,196	46,864	28,547	0	0	0	0
28	0.00	4,656,353	19.0	2,756,388	2,522,479	5,886,636	318,901	93,380	0.0	0.0	1.5	0	7.67	12.00	16,643	23,349	21,376	0	15,545	21,624	0
29	0.00	4,710,849	17.3	2,759,375	2,522,479	5,886,651	323,060	93,380	0.0	0.0	1.5	0	9.34	11.50	2,519	0	0	0	0	0	0
30	0.00	4,765,345	15.5	2,762,361	2,522,479	5,886,665	327,218	93,380	0.0	0.0	1.6	49,912	11.00	11.00	2,793	44,066	42,690	0	0	0	0
31	0.01	4,823,032	14.5	2,765,331	2,522,479	5,886,686	332,414	93,658	0.0	0.0	2.3	0	10.33	10.08	18,719	43,585	64,388	0	0	28,752	0
Totals	0.01									0		342,461			716,248	817,552	907,665	0	36,237	164,386	0

#### Notes:

1. NR = No Records, NA = Not Available.

- 2. Values in bold are estimated; values in italic are substitute for missing data and are based on averaged values
- 3. Columns G and J include quantities from leak detection system.

Type of Cover	Phases I-VI	Section 7-9				
Type of cover	acres	acres				
Open	5	0				
Intermediate	134.4	34.5				
Final	23	0				
Not Opened	0	0				

4. Column B, trace is less than 0.01 inches.

- 5. Columns C, D, E, F, G, H, I, J, K, L, N, R-V and W are quantities from flow meters.
- 6. Columns K and M measured from staff gages in each pond.

Form #6 - Leachate Balance Data

balance\2020\3-20bal.xls




Figure 1. Leachate Levels in Pump Station B and Rainfall for March 2020.

#### TABLE 3. LEACHATE BALANCE SUMMARY SOUTHEAST COUNTY LANDFILL HILLSBOROUGH COUNTY, FLORIDA YEAR-2020

		Leachate Arriving at LTRF					hate Leaving LT	RF	I	Effluent Disposal		Inflow / Outflow For LTRF		
		Condensate	Leachate	Leachate	Leachate	Total Leachate	Leachate	Leachate	Total	Effluent	Effluent	Total Inflow	Total Outflow	Change
	Rainfall	from LFG	from Section 9	from Section 7-8	from Phases I-VI	Hauled	Dust Control	Treated at	Effluent	Dust Control	Irrigation	to	from	in
		CS-1	Pumped to LTRF	Pumped to LTRF	Pumped to LTRF	from LTRF	(Sprayed)	LTRF	Hauled	(Sprayed)		LTRF	LTRF	Storage <sup>3</sup>
Month	(in.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)	(gal.)
January	0.58	909	141,635	217,468	3,079,565	2,360,372	0	853,457	0	0	544,716	3,439,577	3,213,829	225,748
February	1.66	1,881	89,491	152,518	2,483,841	1,621,644	0	883,611	507,900	0	435,684	2,727,731	2,505,255	222,476
March	0.01	110	90,346	145,289	2,365,967	1,725,209	0	716,248	200,631	0	342,461	2,601,712	2,441,457	160,255
April														
May														
June														
July														
August														
September														
October														
November														
December			`											
YTD Total	2.25	2,900	321,472	515,275	7,929,373	5,707,225	0	2,453,316	708,531	0	1,322,861	8,769,020	8,160,541	608,479

#### Note:

- If the bypass at the effluent pond is ever used to pump effluent back to the LTRF, this table must be modified.
   Change in storage represents total inflow to LTRF minus total outflow from LTRF.