

Johnson, Sabrina O

From: Candia Mulhern <cmulhern@pascocountyfl.net>
Sent: Thursday, October 8, 2020 2:30 PM
To: SWD_Waste
Cc: Charles Cullen; John Power; Justin G. Roessler
Subject: WACS #45799 Resource Recovery Gas Monitoring, QIII 2020
Attachments: 2020_QIII_Res_Rec_Gas_Submittal.pdf

Attached are the results of gas monitoring conducted at the Pasco County Resource Recovery site (WACS #45799) for Quarter III, 2020.

If you have any questions please feel free to contact me.



Candia E. Mulhern
Laboratory Manager
Utilities Environmental Lab
Pasco County
P 727-847-8902
F 727-847-8112
8864 Government Dr.
New Port Richey, FL 34654
cmulhern@pascocountyfl.net

"Serving our community to create a better future."



The information transmitted, including attachments, is intended only for the person(s) or entity to which it is addressed and may contain material that is confidential, privileged and/or exempt from disclosure under applicable law. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon this information by persons or entities other than the intended recipient is prohibited. If you received this in error, please contact the sender and destroy any copies of this information. Under Florida law, email addresses are public records. If you do not want your email address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact this office by phone or in writing.

CUSA18A7



Pasco County Utilities Services Branch
Environmental Laboratory
8864 Government Dr.
New Port Richey, FL 34654

Office (727) 847-8902

Fax (727) 847-8112

DHRS #E44123

October 8, 2020

Florida Department of
Environmental Protection
13051 N. Telecom Pkwy.
Temple Terrace, FL 33637

RE: Pasco County Resource Recovery
WACS ID 45799
Quarter III, 2020 Gas Monitoring

To Whom It May Concern:

Enclosed please find the results of gas monitoring conducted at Pasco County Resource Recovery as required in the permit for this facility. The gas monitoring was conducted using a CES Landtec 5000 Gas Meter. The meter was allowed to run until a stable reading was obtained. Readings recorded at the site were $\leq 0.10\%$ LEL.

This completes the Quarter III, 2020 gas monitoring requirement at this facility. If you have any questions please feel free to contact me.

Sincerely,

Candia E. Mulhern
Laboratory Manager

ENC.

cc: Charles Cullen, Utilities Engineering Director
John Power, Solid Waste Director
Justin Roessler, Solid Waste Deputy Director

UTILITIES ENVIRONMENTAL LABORATORY

727-847-8902 | Environmental Laboratory | 8864 Government Dr. | New Port Richey, FL 34654



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00306**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 09:40
Sampled By: GTORREY

Sample ID: 2MW1 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	09:40	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	09:40	GST	14.71	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00307	Sample ID:	4MW1 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	09:42	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	09:42	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	09:42	GST	15.06	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00308	Sample ID:	2MW2 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	07:50	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	07:50	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	07:50	GST	20.4	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00309**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 07:50
Sampled By: GTORREY

Sample ID: 4MW2 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	07:50	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	07:50	GST	20.4	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00310**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 13:15
Sampled By: GTORREY

Sample ID: 2MW4 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:15	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:15	GST	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00311**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 13:10
Sampled By: GTORREY

Sample ID: 4MW4 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	13:10	GST	23.3	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	13:10	GST	0.1	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00312**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 08:05
Sampled By: GTORREY

Sample ID: 2MW5 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	08:05	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	08:05	GST	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00313**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 08:05
Sampled By: GTORREY

Sample ID: 4MW5 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	08:05	GST	20.5	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	08:05	GST	0.1	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00314**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 13:01
Sampled By: GTORREY

Sample ID: 2MW6 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:01	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:01	GST	DRY	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, FL

John Power

Sample Number: **AD00315**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 13:03
Sampled By: GTORREY

Sample ID: 4MW6 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:03	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:03	GST	23.43	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00319**

Sample ID: 4MW11D @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 13:32

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	13:32	GST	32.95	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	13:32	GST	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00320	Sample ID:	4MW12D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	10:28	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:28	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	10:28	GST	24.14	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.
 I = Reported value is greater than or equal to the detection limit, but less than PQL.
 XC = Reported value exceeds the MCL (F.A.C. 62-550).
 MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00321**

Sample ID: 2MW13 @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 10:10

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:10	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	10:10	GST	DRY	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00322	Sample ID:	4MW13D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	10:08	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:08	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	10:08	GST	23.65	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00323**

Sample ID: 4MW14D @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 10:05

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	10:05	GST	20.68	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	10:05	GST	0.0	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00324	Sample ID:	2MW15 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	12:47	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	12:47	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	12:47	GST	20.1	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00325	Sample ID:	2MW17S @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	10:50	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:50	GST	0.1	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	10:50	GST	25.81	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number:	AD00326	Sample ID:	2MW18D @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	10:55	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	10:55	GST	25.23	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	10:55	GST	0.1	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00327**

Sample ID: 2MW19 @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 13:19

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:19	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:19	GST	23.73	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco
Class III Landfill
Hays Road
Shady Hills, Fl

Report Date: 10/6/2020

John Power

Sample Number:	AD00316	Sample ID:	2MW7 @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	13:35	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:35	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:35	GST	DRY	D	Feet	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco
Class III Landfill
Hays Road
Shady Hills, Fl

Report Date: 10/6/2020

John Power

Sample Number:	AD00317	Sample ID:	2MW8 @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	13:27	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Water Level	DEP-SOP	10/05/2020	13:27	GST	DRY	D	Feet	0
Percent Lower Explosive Lin	METER	10/05/2020	13:27	GST	0.0	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class III Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00318**

Sample ID: 2MW10 @ CLASS III

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 13:25

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:25	GST	0.0	D	% LEL	0
Water Level	DEP-SOP	10/05/2020	13:25	GST	DRY	D	Feet	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco
Class III Landfill
Hays Road
Shady Hills, FL

Report Date: 10/6/2020

John Power

Sample Number:	AD00334	Sample ID:	LF OPERATIONS OFF @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	13:30	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:30	GST	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

West Pasco Landfill

Report Date: 10/6/2020

Hays Road
Shady Hills, FL

John Power

Sample Number:	AD00335	Sample ID:	SCALE HOUSE @ CLASS III
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	13:40	Time Received:	14:33
Sampled By:	GTORREY	Received By:	
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:40	GST	0.0	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, FL

John Power

Sample Number:	AD00328	Sample ID:	GMP1 @ RESREC
Sample Method:	Pumped	Sample Matrix:	GAS
Date Sampled:	10/05/2020	Date Received:	10/05/2020
Time Sampled:	10:52	Time Received:	14:33
Sampled By:	GTORREY	Received By:	LAB
		Delivered By:	GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:52	GST	0.1	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00329**

Sample ID: GMP2 @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 10:46

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:46	GST	0.1	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00330**

Sample ID: GMP3 @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 10:43

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:43	GST	0.1	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00331**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 13:17
Sampled By: GTORREY

Sample ID: GMP4 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:17	GST	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00332**

Sample ID: GMP5 @ RESREC

Sample Method: Pumped

Sample Matrix: GAS

Date Sampled: 10/05/2020

Date Received: 10/05/2020

Time Sampled: 13:20

Time Received: 14:33

Sampled By: GTORREY

Received By: LAB

Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	13:20	GST	0.0	D	% LEL	0

Analysis Comments

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

Candia E. Mulhern, Laboratory Manager

This Document Meets All the Requirements of the 2016 TNI Standards



Pasco County Utilities Environmental Laboratory Report

8864 Government Drive

New Port Richey, FL 34654

Phone: (727) 847-8902 Fax: (727) 847-8112

Contacts: Annamarie Cangialosi, Administrative Secretary

Chris Childress, QA/QC Officer

CLIENT/SAMPLE INFORMATION

Hours: Mon-Fri 8am-5pm

Resource Recovery

Report Date: 10/6/2020

Class I Landfill

Hays Road

Shady Hills, Fl

John Power

Sample Number: **AD00333**
Sample Method: Pumped
Date Sampled: 10/05/2020
Time Sampled: 10:40
Sampled By: GTORREY

Sample ID: GMP6 @ RESREC
Sample Matrix: GAS
Date Received: 10/05/2020
Time Received: 14:33
Received By: LAB
Delivered By: GT

REPORT OF ANALYSES

These results relate only to the sample indicated above and meet all requirements of the 2016 TNI standards.

Analysis	Method	Date	Time	By	Result	Qualifier	Unit	Detection Limit
Percent Lower Explosive Lin	METER	10/05/2020	10:40	GST	0.1	D	% LEL	0

Analysis Comments

Candia E. Mulhern, Laboratory Manager

U = Indicates that the compound was analyzed for but not detected.

I = Reported value is greater than or equal to the detection limit, but less than PQL.

XC = Reported value exceeds the MCL (F.A.C. 62-550).

MCL=Maximum Contaminant Level

This Document Meets All the Requirements of the 2016 TNI Standards

State Laboratory ID: E44123

EPA Lab Code: FL00137