

Johnson, Sabrina O

From: Rocco, Jamie <JRocco@covanta.com>
Sent: Tuesday, January 25, 2022 9:06 AM
To: Madden, Melissa; SWD_Waste
Cc: Allois, Stephanie; Spence, Chris; Hartmier, Bruce
Subject: PCRRF: Solid Waste Permit Inspection 1/19/22 WACS ID 45799
Attachments: Tire Pile Reinspection.pdf; Pasco Qtrly Waste Tire Report 202112 Dec signed.pdf; Ramp2.jpg; Roadway.jpg; Roadway2.jpg; Ramp.jpg; tennant-sentinel-street-sweeper-brochure.pdf

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Hello Ms. Madden,

I apologize for being unavailable during your site visit on January 19, 2022; I was off site for compliance testing at my other facility. Despite my absence, I have prepared this response to provide you with the requested documents on behalf of Bruce Hartmier and the facility.

Please see attached the following items, per your request:

- Copy of waste tire report showing zero processed at EfW
- Photos of roadway post clean-up
- Photos of exit ramp post clean-up
- Copy of sweeper brochure that has been purchased, is onsite, and being prepared to be put in service as of 1/24/22

We have noted your concerns and have/are addressing them. The sweeper is onsite as of today and will be in service asap, significantly improving housekeeping best management practices. Also, the damaged curb near ash building sump, as Mr. Hartmier had mentioned during your visit, has a work order to be repaired within the next week.

Please feel free to reach out to me should you have any further questions. Thank you for your time.

Thank you,

Jamie Rocco

Jamie Rocco

Hqylurqp hqwdq#shflddw#

Covanta Pasco

14230 Hays Rd.

Spring Hill, FL 34610

Cell: 941-567-7472

Office: 352-365-1611

Covanta Lake II, Inc.

3830 Rogers Industrial Park Rd.

Okahumpka, FL 34762

Cell: 941-567-7472

Office: 352-365-1611



CONFIDENTIALITY AND PRIVACY NOTICE: Information transmitted in this email is proprietary to Covanta and is intended for use only by the individual or entity to which it is addressed. It may contain information that is private, privileged, confidential or exempt from disclosure under applicable law. If you are not the intended recipient or it appears that this mail has been forwarded to you without proper authority, you are notified that any use or dissemination of this information in any manner is strictly prohibited. In such cases, please inform the sender and delete this mail from your records.



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Reset Form

Print Form

DEP Form # 62-701.800(21)

Form Title: Waste Tire Processing Facility Quarterly
Report

Effective Date: January 6, 2010

DEP Application No.

(Completed by DEP)

WASTE TIRE PROCESSING FACILITY QUARTERLY REPORT

Pursuant to Rule 62-711.530, Florida Administrative Code, the owner or operator of a waste tire processing facility shall submit the following information to the Department quarterly.

Quarter covered by this report Q4 Oct-Dec 2021 (First quarter begins on January 1 of any given year)

1. Facility name: West Pasco Processing Facility
2. Facility mailing address: 19420 Central Blvd., Utilities Administration Building
City: Land O' Lakes County: Pasco Zip: 34637
3. Facility permit number: 126935-004-WT-02
4. Facility telephone number (727) 856-0119
5. Authorized person preparing report: Joanne M. Chamberlain
6. Affiliation with facility: Accountant II, Public Infrastructure Fiscal and Business Administration
7. Telephone number (if different from above): (813) 235-6196 X6881
8. Activity: Report in tons

	Beginning Inventory	Received	Processed	Consumed	Removed	Adjustments	Ending Inventory
Used Tires	44.23	173.83	0	0	-212.16	0	5.9
Other Whole Tires							
Processed Tires	0		0	0			0
Processing Waste							
Other							
Total	44.23	173.83	0	0	-212.16	0	5.9

a. Explain all inventory adjustments.

b. List any period in which one or more category of inventory exceeded the permitted maximum for that category. How was that condition relieved?

For any excess inventory at the end of the quarter, state how and when this condition will be relieved. Attach Additional sheets, if necessary.

9. Certification: To the best of my knowledge and belief, I certify the information provided in this report is true, accurate, and complete.

John Battista

Print Name of Authorized Agent

Signature of Authorized Agent

Jan 14, 2022

Date

Mail completed form to the
appropriate District office listed below

Northwest District
180 Government Center
Pensacola, FL 32501-5794
850-595-8360

Northeast District
7825 Baymeadows Way, Ste. 200 B
Jacksonville, FL 32256-7590
904-807-3300

Central District
3319 Maguire Blvd., Ste. 232
Orlando, FL 32803-3767
407-894-7555

Southwest District
13061 N. Telecom Pkwy.
Tempe Terrace, FL
813-632-7800

South District
2295 Victoria Ave., Ste. 364
Fort Myers, FL 33802-2549
239-332-6975

Southeast District
400 North Congress Ave.
West Palm Beach, FL 33401
561-881-8800

Business Name: WEST PASCO CLASS III LANDFILL Phone #: 727-861-3053
Business Address: 14606 HAYS RD Hazard Class: 1 2 3 4 N/A
City: SPRING HILL State: FL ZIP: 34610
Occupancy: STORAGE Stories: 1 Const. Type: ORD
Sprinklers: Y / N Standpipes: Y / N Alarm System: Y / N Max Occupant Load: _____
Access Box: Y / N Location: _____ Sq. Feet: _____

Date: 11 / 19 / 21 Time: 07:00 Type of Inspection: TIRE STORAGE

[illegible]

Page _____ of _____









UNLOADING INSTRUCTIONS

Inform Facility that you are on site. (727-856-2917)

Before exiting cab, ensure parking brake is engaged, and then chock your vehicles wheels and ground vehicle.

Locate available eyewash stations and safety showers.


ALL standard PPE must be worn including: Gloves, Goggles, Face Shield, Protective Apron, Rubber Boots on hand, and a Full-Face Respirator with approved cartridge readily available in unloading area at all times.

Inspect all Valves, Hoses, Couplings, and Connections to ensure that they are all in proper working order.

Clean up and report all spills to a COVANTA employee immediately.



Think Safe!





CREATING A CLEANER, SAFER, HEALTHIER WORLD.



Sentinel[®]

HEAVY-DUTY OUTDOOR SWEEPER

- Excellent sweeping performance in the harshest, most congested sweeping environments
- Environmentally friendly, all-weather dry dust control
- Full-view, cab-forward design offers clear view of sweeper cleaning path



800.440.6723
www.southeasternequipment.net

HIGHLY MANEUVERABLE OUTDOOR SWEEPER FOR VIRTUALLY DUST-FREE CLEANING



Delivering proven Tennant quality, reliability and performance, the surprisingly maneuverable Sentinel sweeps virtually any debris, in any season – from sand, rocks, and large debris to broken glass and light litter.

HIGH PERFORMANCE, LOW COST DUST CONTROL

With a unique twin-vacuum design, the Sentinel dust control system meets the most stringent PM-10 environmental requirements – without requiring water tanks, trucks, or special dust-reduction kits.

UNSURPASSED MANEUVERABILITY

Weave in and out of obstacles, down alleyways, and over thoroughfares with the Sentinel's four-wheeled power steering 13 ft turning radius. And with a height of just 100 in / 2,540 mm, the Sentinel can slip under low clearances.


SAFE, COMFORTABLE, FULL VIEW CAB

Full-length TotalView™ glass doors and windshield give operators a clear view of the sweeping area to maximize safety and concentrate on the job at hand.

800.440.6723 • www.southeasternequipment.net

INSIDE THE

Sentinel



A Ensure environmentally safe sweeping with maximum dust control from twin vacuum fans.

B Achieve consistent performance – any season – with state-of-the art, dry dust control system.

C Capture virtually all types of debris with exclusive corrosion-proof stainless steel hopper.

D Automatically adjust to surface variations with the industry's only center suspended, floating main broom.

E Sweeping functions within easy reach on easy-to-use, dynamic operator panel.

F Maximize operator comfort with roomy, sealed cab interior that keeps out noise and dust down to 3 microns.

G Maneuver through the most congested areas with a 13 ft / 3,960 mm turning radius and four-wheel power steering.

H Maximize sweeping safety with TotalView™ glass doors and cab-forward design.

HIGH DUMP, MAXIMUM SAFETY, EASY ACCESS

- ▶ 114 in high dump enables discharging into large roll offs and dump trucks.
- ▶ Cab-forward design for maximum safety.
- ▶ Quick, easy maintenance with full access to engine.



MUST-HAVE OPTIONS

Extend your cleaning reach. An optional 38 in / 965 mm Vario Sweeping Brush™ provides greater flexibility in hard-to-reach areas.

Maximize your productivity. The optional vacuum wand enables operators to clean under and around obstructions and in small areas such as drains.

Multi-level dumping. Optional 9.5 ft / 2900 mm multi-level dump, with hopper overload indicator, enables you to easily empty debris in most places you need.

OPTIMIZE CLEANING PERFORMANCE WITH TENNANT^{True}®

Maximize the uptime and life of your Tennant equipment with Tennant^{True} parts and service. Benefit from the unmatched knowledge of our team of over 400 factory trained and certified Tennant Service Reps. Improve productivity with quality parts and supplies that are designed to enhance equipment results. Depend on Tennant^{True} to help you maximize the effectiveness of cleaning operations.

SENTINEL HEAVY-DUTY OUTDOOR SWEEPER

SWEEPING SYSTEM

Cleaning path	
Main brush	51 in / 1,300 mm
With right side brush	69 in / 1,750 mm
With opt. dual side brushes	87 in / 2,210 mm
With opt. dual side brushes and Vario Sweeping Brush™	126 in / 3,200 mm
Main brush	
Main brush length	51 in / 1,300 mm
Main brush diameter	24 in / 610 mm
Vario Sweeping Brush™ Diameter	38 in / 970 mm
Debris hopper	
Volume capacity	3.4 yd ³ / 2.6 m ³
Weight capacity	
Low dump	7,000 lb / 3,175 kg
High dump	4,000 lb / 1,814 kg
Dump height	
Low dump	40 in / 1,020 mm
High dump	114 in / 2,900 mm

PROPELLING SYSTEM

Engine, turbo diesel	Caterpillar 99 hp / Caterpillar 74 kW
Gradeability	
Full hopper	8 deg
Empty hopper	12 deg

DUST CONTROL SYSTEM

Filter system	Dry-filtering
Filter description	Mildew resistant, synthetic envelope
Filter area	221 ft ² / 21 m ² panel filter
Vacuum fan (2) motor	15 hp each / 11 kW each

MACHINE SPECIFICATIONS

Length	
Standard machine	175 in / 4,450 mm
With Vario Sweeping Brush	206 in / 5,200 mm
Width	70 in / 1,780 mm
Height	100 in / 2,540 mm
Weight-net base machine	12,500 lb / 5,670 kg
Turning radius	13 ft / 4 m

WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

Choose GE Capital, U.S. Bancorp, or
All-Line Leasing for simple, quick
financing with flexible upgrade options.



800.440.6723

www.southeasternequipment.net