



FDEP Automated Data Evaluation

Trail Ridge Landfill

Human Review Statement:

This is an automated data review produced by the FDEP Validator software. This report does not supercede FDEP rules or standards and may not contain all violations of FDEP rules and standards. This report should be reviewed by a qualified staff member.

Sample ID: 660-24481-1

Matrix: W

Well Type: BG - Background

Monitoring Site: MWB2S

Sample Date: August 5, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	510		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 300 ug/L
Exceeds by factor of: 1.70

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.72 ug/L

2-Naphthylamine	1 U		ug/L
-----------------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 1 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24481-2 Matrix: W Well Type: DE - Detection
Monitoring Site: MWB34S Sample Date: August 5, 2008

Evaluation Type: A positive result, above the applied criteria was detected.			
Investigate - this MAY represent a potential violation			
Parameter Name	Rslt	Qual	Units
Ammonia	6		mg/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L Exceeds by factor of: 2.14		
Sodium	220		mg/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 160 mg/L Exceeds by factor of: 1.38		
Total Dissolved Solids	1100		mg/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500 mg/L Exceeds by factor of: 2.20		

Evaluation Type: The detection limit is greater than the applied action level or criteria.			
Investigate - the detection limit is too high to support the standard.			
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L		
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L		
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L		
2,4-Dichlorophenol	1.8	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L		
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L		
2,6-Dichlorophenol	1.6	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L		
2,6-Dinitrotoluene	0.72	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.72 ug/L
2-Naphthylamine	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 5 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24481-3 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB12D Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	710		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 2.37	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 8 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24481-4**

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MWB11I(R)

Sample Date: August 5, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	390		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 1.30

Iron	1500		ug/L
------	------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 5.00

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.72 ug/L

2-Naphthylamine	1 U		ug/L
-----------------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 10 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24481-5 Matrix: W Well Type:

Monitoring Site: Trip Blank Sample Date: August 5, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.18 ug/L
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.2 ug/L
				Detection Limit: 2.5 ug/L
Acetonitrile	75	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 42 ug/L
				Detection Limit: 75 ug/L
Acrolein	3.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 3.5 ug/L
				Detection Limit: 3.8 ug/L
Acrylonitrile	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.2 ug/L
Ethylene Dibromide	0.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.5 ug/L
Methacrylonitrile	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.7 ug/L
				Detection Limit: 1.8 ug/L

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008
Page 13 of 115
H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-1

Matrix: W

Well Type: CO - Compliance

Monitoring Site: MWB22S

Sample Date: August 5, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.99	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4,5-Trichlorophenol	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4-Dichlorophenol	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L
Comment:				
2,4-Dinitrotoluene	0.91	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L
Comment:				
2,6-Dichlorophenol	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L
Comment:				
2,6-Dinitrotoluene	0.72	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L
Comment:				
2-Naphthylamine	1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L
Comment:				
2-Toluidine	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.2 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.6 ug/L
Comment:				
3,3'-Dimethylbenzidine	14	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 14 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.6 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.4 U	ug/L	Detection Limit: 2.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.7 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	1 U	ug/L	Detection Limit: 1.7 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.4 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Detection Limit: 2.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.9 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.6 U	ug/L	Detection Limit: 1.9 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.2 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.5 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24485-10**

Matrix: W

Well Type: OT - Other

Monitoring Site: Not Blank-DUP2

Sample Date: August 5, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	910		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 300 ug/L
Exceeds by factor of: 3.03

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,2-Dibromo-3-Chloropropane	2.5 U		ug/L
-----------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 2.5 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.72 ug/L

2-Naphthylamine	1 U		ug/L
-----------------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 17 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-11 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB12I Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	410		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.37	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 21 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-12 Matrix: W Well Type: DE - Detection
Monitoring Site: MWB34I Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	450		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.50	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 24 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-13 Matrix: W Well Type: BG - Background
Monitoring Site: MWB2I Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	360		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.20	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 27 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-14 Matrix: W Well Type: OT - Other
Monitoring Site: Not Blank-DUP1 Sample Date: August 5, 2008

Evaluation Type:	A positive result, above the applied criteria was detected.		
	Investigate - this MAY represent a potential violation		
Parameter Name	Rslt	Qual	Units
Iron	420		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.40		

Evaluation Type:	The detection limit is greater than the applied action level or criteria.		
	Investigate - the detection limit is too high to support the standard.		
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L		
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L		
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L		
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L		
2,4-Dichlorophenol	1.8	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L		
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L		
2,6-Dichlorophenol	1.6	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L		
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L		
2-Naphthylamine	1	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 30 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24485-15**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MWB34D

Sample Date: August 5, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Bis(2-ethylhexyl) phthalate	8		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 6 ug/L

Exceeds by factor of: 1.33

Iron	450		ug/L
------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 1.50

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,3-Dinitrobenzene	0.99 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.99 ug/L

2,2'-oxybis(2-chloropropane)	2.1 U		ug/L
------------------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1 U		ug/L
-----------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.91 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.91 ug/L

2,6-Dichlorophenol	1.6 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.72 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.72 ug/L

2-Naphthylamine	1 U		ug/L
-----------------	-----	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 32 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-16 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB12S Sample Date: August 5, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.99	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4,5-Trichlorophenol	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4-Dichlorophenol	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L
Comment:				
2,4-Dinitrotoluene	0.91	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L
Comment:				
2,6-Dichlorophenol	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L
Comment:				
2,6-Dinitrotoluene	0.72	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L
Comment:				
2-Naphthylamine	1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L
Comment:				
2-Toluidine	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.2 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.6 ug/L
Comment:				
3,3'-Dimethylbenzidine	14	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 14 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.6 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.4 U	ug/L	Detection Limit: 2.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.048 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.7 U	ug/L	Detection Limit: 0.048 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	1 U	ug/L	Detection Limit: 1.7 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.4 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Detection Limit: 2.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.9 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.6 U	ug/L	Detection Limit: 1.9 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.2 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.5 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-17 Matrix: W Well Type:
Monitoring Site: Trip Blank Sample Date: August 5, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L
Comment:				
Acetonitrile	75	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Detection Limit: 75 ug/L
Comment:				
Acrolein	3.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Detection Limit: 3.8 ug/L
Comment:				
Acrylonitrile	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L
Comment:				
Ethylene Dibromide	0.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.5 ug/L
Comment:				
Methacrylonitrile	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 1.8 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008
Page 38 of 115
H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-2 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB13I Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	430		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.43	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-3 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB13S Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
3 & 4 Methylphenol	7.6	I	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Exceeds by factor of: 2.17	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-4 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB27D Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	910		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 3.03	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-5 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB27I Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	450		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.50	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-6 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB27S Sample Date: August 5, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.99	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4,5-Trichlorophenol	2.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L
Comment:				
2,4-Dichlorophenol	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L
Comment:				
2,4-Dinitrotoluene	0.91	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L
Comment:				
2,6-Dichlorophenol	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L
Comment:				
2,6-Dinitrotoluene	0.72	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L
Comment:				
2-Naphthylamine	1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L
Comment:				
2-Toluidine	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.2 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.6 ug/L
Comment:				
3,3'-Dimethylbenzidine	14	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 14 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.6 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.4 U	ug/L	Detection Limit: 2.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.7 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	1 U	ug/L	Detection Limit: 1.7 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.4 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Detection Limit: 2.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.9 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.6 U	ug/L	Detection Limit: 1.9 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.2 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.5 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-7 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB29D Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	690		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 2.30	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 55 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-8 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB29I Sample Date: August 5, 2008

Evaluation Type: A positive result, above the applied criteria was detected.			
Investigate - this MAY represent a potential violation			
Parameter Name	Rslt	Qual	Units
Iron	450		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.50		
Iron	380		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.27		

Evaluation Type: The detection limit is greater than the applied action level or criteria.			
Investigate - the detection limit is too high to support the standard.			
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L		
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L		
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L		
2,4-Dichlorophenol	1.8	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L		
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L		
2,6-Dichlorophenol	1.6	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L		
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L		
2-Naphthylamine	1	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	1 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24485-9 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB29S Sample Date: August 5, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	520		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.73	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.99	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.99 ug/L	
2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2.1 ug/L	
2,4,5-Trichlorophenol	2.1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2.1 ug/L	
2,4-Dichlorophenol	1.8	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.8 ug/L	
2,4-Dinitrotoluene	0.91	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.91 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.72	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.72 ug/L	
2-Naphthylamine	1	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 1 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.6 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-1 Matrix: W Well Type: DE - Detection
Monitoring Site: MWB33S Sample Date: August 6, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	440		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.47	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.96	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.96 ug/L	
2,2'-oxybis(2-chloropropane)	2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L	
2,4,5-Trichlorophenol	2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L	
2,4-Dichlorophenol	1.7	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L	
2,4-Dinitrotoluene	0.88	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.88 ug/L	
2,6-Dichlorophenol	1.6	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.6 ug/L	
2,6-Dinitrotoluene	0.7	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.7 ug/L	
2-Naphthylamine	0.97	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.97 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	0.97 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.97 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 64 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-10 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB7D Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.94	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L
Comment:				
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L
Comment:				
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L
Comment:				
2,4-Dinitrotoluene	0.87	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.87 ug/L
Comment:				
2,6-Dichlorophenol	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L
Comment:				
2,6-Dinitrotoluene	0.69	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L
Comment:				
2-Naphthylamine	0.95	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.95 ug/L
Comment:				
2-Toluidine	1.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.1 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.5 ug/L
Comment:				
3,3'-Dimethylbenzidine	13	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 13 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.5 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.3 U	ug/L	Detection Limit: 2.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.6 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	0.95 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 0.95 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.4 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.3 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Detection Limit: 2.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.8 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.1 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.4 U	ug/L	Detection Limit: 1.1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.4 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-11

Matrix: W

Well Type: DE - Detection

Monitoring Site: MWB32I

Sample Date: August 6, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Bis(2-ethylhexyl) phthalate	12	V	ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 6 ug/L

Exceeds by factor of: 2.00

Iron	780		ug/L
------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 300 ug/L

Exceeds by factor of: 2.60

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,3-Dinitrobenzene	0.97	U	ug/L
--------------------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.97 ug/L

2,2'-oxybis(2-chloropropane)	2.1	U	ug/L
------------------------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2.1 ug/L

2,4,5-Trichlorophenol	2.1	U	ug/L
-----------------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2.1 ug/L

2,4-Dichlorophenol	1.8	U	ug/L
--------------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.8 ug/L

2,4-Dinitrotoluene	0.89	U	ug/L
--------------------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.89 ug/L

2,6-Dichlorophenol	1.6	U	ug/L
--------------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 1.6 ug/L

2,6-Dinitrotoluene	0.71	U	ug/L
--------------------	------	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.71 ug/L

2-Naphthylamine	0.98	U	ug/L
-----------------	------	---	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 69 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	0.98 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	0.98 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.98 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 70 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.4 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.9 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24506-12**

Matrix: W

Well Type:

Monitoring Site: Field Blank

Sample Date: August 6, 2008

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
----------------	------	------	-------

1,2,3-Trichloropropane	0.18	U	ug/L
------------------------	------	---	------

Comment:

1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
-----------------------------	-----	---	------

Comment:

1,3-Dinitrobenzene	0.93	U	ug/L
--------------------	------	---	------

Comment:

2,2'-oxybis(2-chloropropane)	2	U	ug/L
------------------------------	---	---	------

Comment:

2,4,5-Trichlorophenol	2	U	ug/L
-----------------------	---	---	------

Comment:

2,4-Dichlorophenol	1.7	U	ug/L
--------------------	-----	---	------

Comment:

2,4-Dinitrotoluene	0.86	U	ug/L
--------------------	------	---	------

Comment:

2,6-Dichlorophenol	1.5	U	ug/L
--------------------	-----	---	------

Comment:

2,6-Dinitrotoluene	0.68	U	ug/L
--------------------	------	---	------

Comment:

2-Naphthylamine	0.94	U	ug/L
-----------------	------	---	------

Comment:

2-Toluidine	1.1	U	ug/L
-------------	-----	---	------

Comment:

3,3'-Dichlorobenzidine	1.5	U	ug/L
------------------------	-----	---	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 2.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.7 ug/L

Detection Limit: 0.93 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.5 ug/L

Detection Limit: 2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 1 ug/L

Detection Limit: 2 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.3 ug/L

Detection Limit: 1.7 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.86 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.2 ug/L

Detection Limit: 1.5 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.05 ug/L

Detection Limit: 0.68 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.0003 ug/L

Detection Limit: 0.94 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.1 ug/L

Detection Limit: 1.1 ug/L

Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Criterion: 0.08 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 72 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

3,3'-Dimethylbenzidine	13 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Acetonitrile	75 U	ug/L	Detection Limit: 13 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.5 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.3 U	ug/L	Detection Limit: 2.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Ethylene Dibromide	0.5 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Hexachlorobenzene	1.6 U	ug/L	Detection Limit: 0.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	0.94 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 0.94 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.4 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodimethylamine	2.3 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Detection Limit: 2.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.1 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.4 U	ug/L	Detection Limit: 1.1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			
Pentachlorophenol	1.4 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 1.4 ug/L
Comment:			

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-13 Matrix: W Well Type:
Monitoring Site: Trip Blank Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L
Comment:				
Acetonitrile	75	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Detection Limit: 75 ug/L
Comment:				
Acrolein	3.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Detection Limit: 3.8 ug/L
Comment:				
Acrylonitrile	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L
Comment:				
Ethylene Dibromide	0.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.5 ug/L
Comment:				
Methacrylonitrile	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 1.8 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-2 Matrix: W Well Type: OT - Other
Monitoring Site: Not Blank-DUP3 Sample Date: August 6, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	420		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.40		

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L		
1,3-Dinitrobenzene	0.94	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L		
2,2'-oxybis(2-chloropropane)	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L		
2,4,5-Trichlorophenol	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L		
2,4-Dichlorophenol	1.7	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L		
2,4-Dinitrotoluene	0.86	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.86 ug/L		
2,6-Dichlorophenol	1.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L		
2,6-Dinitrotoluene	0.68	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.68 ug/L		
2-Naphthylamine	0.95	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	0.95 ug/L
2-Toluidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.1 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Ethylene Dibromide	0.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	0.5 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.95 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.95 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 77 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.1 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L
Pentachlorophenol	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-3 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB21S Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.95	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.95 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L
Comment:				
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L
Comment:				
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L
Comment:				
2,4-Dinitrotoluene	0.88	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.88 ug/L
Comment:				
2,6-Dichlorophenol	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L
Comment:				
2,6-Dinitrotoluene	0.69	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L
Comment:				
2-Naphthylamine	0.96	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.96 ug/L
Comment:				
2-Toluidine	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.2 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.5 ug/L
Comment:				
3,3'-Dimethylbenzidine	13	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 13 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.5 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.3 U	ug/L	Detection Limit: 2.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.048 U	ug/L	Detection Limit: 1.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.6 U	ug/L	Detection Limit: 0.048 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	0.96 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 0.96 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.4 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.3 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Detection Limit: 2.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.8 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.2 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.4 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.4 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-4 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB11S Sample Date: August 6, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	1400		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 4.67		

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,3-Dinitrobenzene	0.95	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.95 ug/L		
2,2'-oxybis(2-chloropropane)	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L		
2,4,5-Trichlorophenol	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L		
2,4-Dichlorophenol	1.7	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L		
2,4-Dinitrotoluene	0.88	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.88 ug/L		
2,6-Dichlorophenol	1.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L		
2,6-Dinitrotoluene	0.69	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L		
2-Naphthylamine	0.96	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.96 ug/L		
2-Toluidine	1.2	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.96 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.96 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-5 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB20S Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.94	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L
Comment:				
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L
Comment:				
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L
Comment:				
2,4-Dinitrotoluene	0.87	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.87 ug/L
Comment:				
2,6-Dichlorophenol	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L
Comment:				
2,6-Dinitrotoluene	0.69	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L
Comment:				
2-Naphthylamine	0.95	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.95 ug/L
Comment:				
2-Toluidine	1.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.1 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.5 ug/L
Comment:				
3,3'-Dimethylbenzidine	13	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 13 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.5 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.3 U	ug/L	Detection Limit: 2.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.048 U	ug/L	Detection Limit: 1.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.6 U	ug/L	Detection Limit: 0.048 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	0.95 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 0.95 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.4 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.3 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Detection Limit: 2.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.8 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.1 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.4 U	ug/L	Detection Limit: 1.1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.4 ug/L

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24506-6**

Matrix: W

Well Type: DE - Detection

Monitoring Site: MWB32S

Sample Date: August 6, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Iron	560		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 300 ug/L
Exceeds by factor of: 1.87

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18 U		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.02 ug/L

Detection Limit: 0.18 ug/L

1,3-Dinitrobenzene	0.94 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.7 ug/L

Detection Limit: 0.94 ug/L

2,2'-oxybis(2-chloropropane)	2 U		ug/L
------------------------------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.5 ug/L

Detection Limit: 2 ug/L

2,4,5-Trichlorophenol	2 U		ug/L
-----------------------	-----	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 1 ug/L

Detection Limit: 2 ug/L

2,4-Dichlorophenol	1.7 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.3 ug/L

Detection Limit: 1.7 ug/L

2,4-Dinitrotoluene	0.86 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.86 ug/L

2,6-Dichlorophenol	1.5 U		ug/L
--------------------	-------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.2 ug/L

Detection Limit: 1.5 ug/L

2,6-Dinitrotoluene	0.68 U		ug/L
--------------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.05 ug/L

Detection Limit: 0.68 ug/L

2-Naphthylamine	0.95 U		ug/L
-----------------	--------	--	------

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 0.0003 ug/L

Detection Limit: 0.95 ug/L

2-Toluidine	1.1 U		ug/L
-------------	-------	--	------

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 88 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.1 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.048 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.048 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.95 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.95 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

Monday, November 24, 2008

Page 89 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.1 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-7 Matrix: W Well Type: DE - Detection
Monitoring Site: MWB32D Sample Date: August 6, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	840		ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 300 ug/L	
		Exceeds by factor of: 2.80	

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.02 ug/L	
		Detection Limit: 0.18 ug/L	
1,3-Dinitrobenzene	0.95	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.7 ug/L	
		Detection Limit: 0.95 ug/L	
2,2'-oxybis(2-chloropropane)	2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.5 ug/L	
		Detection Limit: 2 ug/L	
2,4,5-Trichlorophenol	2	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 1 ug/L	
		Detection Limit: 2 ug/L	
2,4-Dichlorophenol	1.7	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.3 ug/L	
		Detection Limit: 1.7 ug/L	
2,4-Dinitrotoluene	0.88	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.88 ug/L	
2,6-Dichlorophenol	1.5	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.2 ug/L	
		Detection Limit: 1.5 ug/L	
2,6-Dinitrotoluene	0.69	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.05 ug/L	
		Detection Limit: 0.69 ug/L	
2-Naphthylamine	0.96	U	ug/L
Comment:		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	
		Criterion: 0.0003 ug/L	
		Detection Limit: 0.96 ug/L	
2-Toluidine	1.2	U	ug/L
		Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)	

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
2-Toluidine	1.2 QU	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.96 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.96 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.2 QU	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-8 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB7S Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.94	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L
Comment:				
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L
Comment:				
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L
Comment:				
2,4-Dinitrotoluene	0.86	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.86 ug/L
Comment:				
2,6-Dichlorophenol	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L
Comment:				
2,6-Dinitrotoluene	0.68	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.68 ug/L
Comment:				
2-Naphthylamine	0.95	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.95 ug/L
Comment:				
2-Toluidine	1.1	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 1.1 ug/L
Comment:				
3,3'-Dichlorobenzidine	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.08 ug/L Detection Limit: 1.5 ug/L
Comment:				
3,3'-Dimethylbenzidine	13	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Acetonitrile	75 U	ug/L	Detection Limit: 13 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L
Comment:			
Acrolein	3.8 U	ug/L	Detection Limit: 75 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L
Comment:			
Acrylonitrile	1.2 U	ug/L	Detection Limit: 3.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L
Comment:			
Beryllium	5 U	ug/L	Detection Limit: 1.2 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L
Comment:			
Bis(2-chloroethyl)ether	2.5 U	ug/L	Detection Limit: 5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.03 ug/L
Comment:			
Diallate	1.3 U	ug/L	Detection Limit: 2.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.6 ug/L
Comment:			
Dibenz(a,h)anthracene	0.05 U	ug/L	Detection Limit: 1.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
Hexachlorobenzene	1.6 U	ug/L	Detection Limit: 0.05 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Hexachlorobutadiene	0.95 U	ug/L	Detection Limit: 1.6 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.4 ug/L
Comment:			
Kepone	0.083 U	ug/L	Detection Limit: 0.95 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.004 ug/L
Comment:			
Methacrylonitrile	1.8 U	ug/L	Detection Limit: 0.083 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:			
N-Nitrosodiethylamine	1.4 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0002 ug/L
Comment:			
N-Nitrosodimethylamine	2.3 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0007 ug/L
Comment:			
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Detection Limit: 2.3 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.006 ug/L
Comment:			

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

N-Nitrosodi-n-propylamine	1.8 U	ug/L	Detection Limit: 1.4 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.005 ug/L
Comment:			
N-Nitrosomethylethylamine	1.5 U	ug/L	Detection Limit: 1.8 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.002 ug/L
Comment:			
N-Nitrosopyrrolidine	1.1 U	ug/L	Detection Limit: 1.5 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:			
Pentachloronitrobenzene	1.4 U	ug/L	Detection Limit: 1.1 ug/L Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L
Comment:			Detection Limit: 1.4 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24506-9 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB7I Sample Date: August 6, 2008

Evaluation Type:		A positive result, above the applied criteria was detected.	
		Investigate - this MAY represent a potential violation	
Parameter Name	Rslt	Qual	Units
Iron	330		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.10		

Evaluation Type:		The detection limit is greater than the applied action level or criteria.	
		Investigate - the detection limit is too high to support the standard.	
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
1,3-Dinitrobenzene	0.94	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L		
2,2'-oxybis(2-chloropropane)	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L		
2,4,5-Trichlorophenol	2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L		
2,4-Dichlorophenol	1.7	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L		
2,4-Dinitrotoluene	0.87	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.87 ug/L		
2,6-Dichlorophenol	1.5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L		
2,6-Dinitrotoluene	0.69	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L		
2-Naphthylamine	0.95	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.0003 ug/L Detection Limit: 0.95 ug/L		
2-Toluidine	1.1	U	ug/L
	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.1 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acetonitrile	75 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	42 ug/L
			Detection Limit:	75 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	5 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.05 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.05 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.95 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.95 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0

Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.1 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24508-1 Matrix: W Well Type: OT - Other
Monitoring Site: LCS Sample Date: August 6, 2008

Evaluation Type: A positive result, above the applied criteria was detected.
Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	
3 & 4 Methylphenol	120		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Exceeds by factor of: 34.29
Comment:				
Acetonitrile	170	I	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Exceeds by factor of: 4.05
Comment:				
Ammonia	1000		mg/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L Exceeds by factor of: 357.14
Comment:				
Ammonia	1000		mg/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L Exceeds by factor of: 357.14
Comment:				
Antimony	39	I	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 6 ug/L Exceeds by factor of: 6.50
Comment:				
Arsenic	160		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L Exceeds by factor of: 16.00
Comment:				
Benzene	2.8		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Exceeds by factor of: 2.80
Comment:				
Chloride	1900		mg/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Exceeds by factor of: 7.60
Comment:				
Chromium	130		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 100 ug/L Exceeds by factor of: 1.30
Comment:				
Iron	11000		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 36.67
Comment:				
Nickel	220		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 100 ug/L Exceeds by factor of: 2.20
Comment:				
Phenol	140		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L
Comment:				

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	1600	mg/L	Exceeds by factor of: 14.00 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 160 mg/L
Comment:			
Total Dissolved Solids	5700	mg/L	Exceeds by factor of: 10.00 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500 mg/L
Comment:			
Vanadium	63	ug/L	Exceeds by factor of: 11.40 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 49 ug/L
Comment:			
Vinyl chloride	1.1	ug/L	Exceeds by factor of: 1.29 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:			
Xylenes, Total	64	ug/L	Exceeds by factor of: 1.10 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 20 ug/L
Comment:			Exceeds by factor of: 3.20

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L
Comment:				Detection Limit: 0.18 ug/L
1,3-Dinitrobenzene	0.96	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L
Comment:				Detection Limit: 0.96 ug/L
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L
Comment:				Detection Limit: 2 ug/L
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L
Comment:				Detection Limit: 2 ug/L
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L
Comment:				Detection Limit: 1.7 ug/L
2,4-Dinitrotoluene	0.88	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L
Comment:				Detection Limit: 0.88 ug/L
2,6-Dichlorophenol	1.6	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L
Comment:				Detection Limit: 1.6 ug/L
2,6-Dinitrotoluene	0.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 101 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.05 ug/L
			Detection Limit:	0.7 ug/L
2-Naphthylamine	0.97 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	0.97 ug/L
2-Toluidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.2 ug/L
3,3'-Dichlorobenzidine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.6 ug/L
3,3'-Dimethylbenzidine	14 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	14 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Benzo[a]anthracene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.6 ug/L
Benzo[a]pyrene	0.96 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.2 ug/L
			Detection Limit:	0.96 ug/L
Benzo[b]fluoranthene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.6 ug/L
Benzo[k]fluoranthene	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.5 ug/L
			Detection Limit:	1.3 ug/L
Beryllium	10 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	10 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.4 ug/L
Dibenz(a,h)anthracene	0.97 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.97 ug/L
Hexachlorobenzene	1.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	1.7 ug/L
Hexachlorobutadiene	0.97 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.97 ug/L
Indeno[1,2,3-cd]pyrene	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.2 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.6 ug/L
N-Nitrosopyrrolidine	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.2 ug/L
Pentachloronitrobenzene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.5 ug/L

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 103 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24508-2 Matrix: W Well Type: SO - Source
Monitoring Site: LDSS Sample Date: August 6, 2008

Evaluation Type: A positive result, above the applied criteria was detected.
Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	
3 & 4 Methylphenol	120		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Exceeds by factor of: 34.29
Comment:				
Acetonitrile	150	I	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Exceeds by factor of: 3.57
Comment:				
Ammonia	1100		mg/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 2.8 mg/L Exceeds by factor of: 392.86
Comment:				
Antimony	44		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 6 ug/L Exceeds by factor of: 7.33
Comment:				
Arsenic	160		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L Exceeds by factor of: 16.00
Comment:				
Benzene	2.7		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Exceeds by factor of: 2.70
Comment:				
Chloride	2000		mg/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 250 mg/L Exceeds by factor of: 8.00
Comment:				
Chromium	130		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 100 ug/L Exceeds by factor of: 1.30
Comment:				
Iron	29000		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 96.67
Comment:				
Lead	19	I	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 15 ug/L Exceeds by factor of: 1.27
Comment:				
Nickel	230		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 100 ug/L Exceeds by factor of: 2.30
Comment:				
Phenol	90		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 10 ug/L
Comment:				

Versions
Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sodium	1600	mg/L	Exceeds by factor of: 9.00 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 160 mg/L
Comment:			
Total Dissolved Solids	5900	mg/L	Exceeds by factor of: 10.00 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 500 mg/L
Comment:			
Vanadium	61	ug/L	Exceeds by factor of: 11.80 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 49 ug/L
Comment:			
Xylenes, Total	57	ug/L	Exceeds by factor of: 1.24 Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 20 ug/L
Comment:			Exceeds by factor of: 2.85

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,3-Dinitrobenzene	0.94	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 0.94 ug/L
Comment:				
2,2'-oxybis(2-chloropropane)	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.5 ug/L Detection Limit: 2 ug/L
Comment:				
2,4,5-Trichlorophenol	2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 1 ug/L Detection Limit: 2 ug/L
Comment:				
2,4-Dichlorophenol	1.7	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.3 ug/L Detection Limit: 1.7 ug/L
Comment:				
2,4-Dinitrotoluene	0.87	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.87 ug/L
Comment:				
2,6-Dichlorophenol	1.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 1.5 ug/L
Comment:				
2,6-Dinitrotoluene	0.69	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.05 ug/L Detection Limit: 0.69 ug/L
Comment:				
2-Naphthylamine	0.95	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 105 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	0.0003 ug/L
			Detection Limit:	0.95 ug/L
2-Toluidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.1 ug/L
3,3'-Dichlorobenzidine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.08 ug/L
			Detection Limit:	1.5 ug/L
3,3'-Dimethylbenzidine	13 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	13 ug/L
Acrolein	3.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	3.8 ug/L
Acrylonitrile	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.06 ug/L
			Detection Limit:	1.2 ug/L
Benzo[a]anthracene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.5 ug/L
Benzo[a]pyrene	0.94 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.2 ug/L
			Detection Limit:	0.94 ug/L
Benzo[b]fluoranthene	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.5 ug/L
Benzo[k]fluoranthene	1.2 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.5 ug/L
			Detection Limit:	1.2 ug/L
Beryllium	10 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	4 ug/L
			Detection Limit:	10 ug/L
Bis(2-chloroethyl)ether	2.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.03 ug/L
			Detection Limit:	2.5 ug/L
Diallate	1.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.6 ug/L
			Detection Limit:	1.3 ug/L
Dibenz(a,h)anthracene	0.95 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	0.95 ug/L
Hexachlorobenzene	1.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions			
Report:	3.0.0		
Database:	3.7.51	6/24/2005	12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	1 ug/L
			Detection Limit:	1.6 ug/L
Hexachlorobutadiene	0.95 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	0.95 ug/L
Indeno[1,2,3-cd]pyrene	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.05 ug/L
			Detection Limit:	1.1 ug/L
Kepone	0.083 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.004 ug/L
			Detection Limit:	0.083 ug/L
Methacrylonitrile	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.7 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosodiethylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0002 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodimethylamine	2.3 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.0007 ug/L
			Detection Limit:	2.3 ug/L
N-Nitrosodi-n-butylamine	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.006 ug/L
			Detection Limit:	1.4 ug/L
N-Nitrosodi-n-propylamine	1.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.005 ug/L
			Detection Limit:	1.8 ug/L
N-Nitrosomethylethylamine	1.5 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.002 ug/L
			Detection Limit:	1.5 ug/L
N-Nitrosopyrrolidine	1.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.02 ug/L
			Detection Limit:	1.1 ug/L
Pentachloronitrobenzene	1.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.1 ug/L
			Detection Limit:	1.4 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24508-3 Matrix: W Well Type:
Monitoring Site: Trip Blank Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	
1,2,3-Trichloropropane	0.18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L
Comment:				
1,2-Dibromo-3-Chloropropane	2.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.2 ug/L Detection Limit: 2.5 ug/L
Comment:				
Acetonitrile	75	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 42 ug/L Detection Limit: 75 ug/L
Comment:				
Acrolein	3.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 3.5 ug/L Detection Limit: 3.8 ug/L
Comment:				
Acrylonitrile	1.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L
Comment:				
Ethylene Dibromide	0.5	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.5 ug/L
Comment:				
Methacrylonitrile	1.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.7 ug/L Detection Limit: 1.8 ug/L
Comment:				

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24509-1 Matrix: W Well Type: OT - Other
Monitoring Site: SW-1 Sample Date: August 6, 2008

Evaluation Type:	A positive result, above the applied criteria was detected.		
	Investigate - this MAY represent a potential violation		
Parameter Name	Rslt	Qual	Units
Iron	3800		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 12.67		

Evaluation Type:	The detection limit is greater than the applied action level or criteria.		
	Investigate - the detection limit is too high to support the standard.		
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
Acrylonitrile	1.2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L		
Beryllium	5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L Detection Limit: 5 ug/L		
Phosphorus, Total	0.075	U	mg/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 0.075 mg/L		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24509-2 Matrix: W Well Type: OT - Other
Monitoring Site: SW-2 Sample Date: August 6, 2008

Evaluation Type:	A positive result, above the applied criteria was detected.		
	Investigate - this MAY represent a potential violation		
Parameter Name	Rslt	Qual	Units
Iron	320		ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 300 ug/L Exceeds by factor of: 1.07		

Evaluation Type:	The detection limit is greater than the applied action level or criteria.		
	Investigate - the detection limit is too high to support the standard.		
Parameter Name	Rslt	Qual	Units
1,2,3-Trichloropropane	0.18	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.02 ug/L Detection Limit: 0.18 ug/L		
Acrylonitrile	1.2	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.06 ug/L Detection Limit: 1.2 ug/L		
Beryllium	5	U	ug/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 4 ug/L Detection Limit: 5 ug/L		
Phosphorus, Total	0.075	U	mg/L
Comment:	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005) Criterion: 0.1 ug/L Detection Limit: 0.075 mg/L		

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-24509-3

Matrix: W

Well Type:

Monitoring Site: Trip Blank

Sample Date: August 6, 2008

Evaluation Type: The detection limit is greater than the applied action level or criteria.
Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,2,3-Trichloropropane	0.18	U	ug/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.02 ug/L
				Detection Limit: 0.18 ug/L
Acrylonitrile	1.2	U	ug/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.06 ug/L
				Detection Limit: 1.2 ug/L

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: **660-24510-1**

Matrix: W

Well Type: OT - Other

Monitoring Site: Cond

Sample Date: August 6, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**

Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units	Compliance Check:
2-Butanone	6400		ug/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 4200 ug/L
				Exceeds by factor of: 1.52
Arsenic	810	I	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 10 ug/L
				Exceeds by factor of: 81.00
m & p - Cresol	1600		ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 3.5 ug/L
				Exceeds by factor of: 457.14

Evaluation Type: **The detection limit is greater than the applied action level or criteria.**

Investigate - the detection limit is too high to support the standard.

Parameter Name	Rslt	Qual	Units	Compliance Check:
1,1-Dichloroethene	7.2	U	ug/L	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 7 ug/L
				Detection Limit: 7.2 ug/L
1,2-Dichloroethane	6.2	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 3 ug/L
				Detection Limit: 6.2 ug/L
2,4,5-Trichlorophenol	6.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1 ug/L
				Detection Limit: 6.8 ug/L
2,4,6-Trichlorophenol	4.8	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 3.2 ug/L
				Detection Limit: 4.8 ug/L
2,4-Dinitrotoluene	5.4	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 0.05 ug/L
				Detection Limit: 5.4 ug/L
Benzene	6.4	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 1 ug/L
				Detection Limit: 6.4 ug/L
Cadmium	18	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:				Criterion: 5 ug/L
				Detection Limit: 18 ug/L
Carbon tetrachloride	5.4	U	ug/L	Compliance Check: Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions

Report: 3.0.0
Database: 3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 112 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:			Criterion:	3 ug/L
			Detection Limit:	5.4 ug/L
Chlordane (technical)	3.4 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2 ug/L
			Detection Limit:	3.4 ug/L
gamma-BHC (Lindane)	0.21 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.2 ug/L
			Detection Limit:	0.21 ug/L
Heptachlor epoxide	0.22 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.2 ug/L
			Detection Limit:	0.22 ug/L
Hexachlorobenzene	4.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	4.8 ug/L
Hexachlorobutadiene	9.7 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	0.4 ug/L
			Detection Limit:	9.7 ug/L
Hexachloroethane	8.9 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	2.5 ug/L
			Detection Limit:	8.9 ug/L
Lead	40 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	15 ug/L
			Detection Limit:	40 ug/L
Nitrobenzene	6.1 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3.5 ug/L
			Detection Limit:	6.1 ug/L
Pentachlorophenol	5.8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	1 ug/L
			Detection Limit:	5.8 ug/L
Pyridine	8.6 JU	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:	Accuracy limits exceeded or Precision limits exceeded		Criterion:	7 ug/L
			Detection Limit:	8.6 ug/L
Selenium	150 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	50 ug/L
			Detection Limit:	150 ug/L
Tetrachloroethene	5.6 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3 ug/L
			Detection Limit:	5.6 ug/L
Toxaphene	19 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:			Criterion:	3 ug/L
			Detection Limit:	19 ug/L
Trichloroethene	8 U	ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

Monday, November 24, 2008

Page 113 of 115

H:\68.tmp

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Comment:		Criterion:	3 ug/L
		Detection Limit:	8 ug/L
Vinyl chloride	4 U ug/L	Compliance Check:	Groundwater - CTLs: 62-777, F.A.C. (04/17/2005)
Comment:		Criterion:	1 ug/L
		Detection Limit:	4 ug/L

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00

FDEP Automated Data Evaluation

Trail Ridge Landfill

This is an automated data review. Please see the Human Review Statement on page 1 of this report.

Sample ID: 660-25245-1 Matrix: W Well Type: CO - Compliance
Monitoring Site: MWB12S Sample Date: September 18, 2008

Evaluation Type: **A positive result, above the applied criteria was detected.**
Investigate - this MAY represent a potential violation

Parameter Name	Rslt	Qual	Units
Vanadium	53		ug/L

Comment:

Compliance Check: Groundwater - CTLs: 62-777, F.A.C.
(04/17/2005)
Criterion: 49 ug/L
Exceeds by factor of: 1.08

Versions	
Report:	3.0.0
Database:	3.7.51 6/24/2005 12:00