

Florida Department of Environmental Protection Inspection Checklist

FACILITY INFORMATION:

Facility Name: CITRUS CENTRAL SLF

On-Site Inspection Start Date: 05/06/2009
On-Site Inspection End Date: 05/06/2009

WACS No.: 39859

Facility Street Address: 3MI E LECANTO, SR44

City: LECANTO

County Name: CITRUS

Zip: 34452

INSPECTION PARTICIPANTS:

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Dinah L Frazier, Inspector

Other Participants: Melissa Madden, Inspector; Bill Gilmore, Supervisor; Prime DeVaughn, Supervisor

INSPECTION TYPE:

Routine Operation Inspection for Landfill - Class I facility

Routine Long Term Care Inspection for Landfill - Class I Closed - Long Term Care facility

Routine Operation Inspection for Other Facilities - Waste Tire Collection Center facility

Routine Operation Inspection for Other Facilities - Yard Trash Processing Facility

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

SECTION 1.0 - FILE REVIEW

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

SECTION 3.0 - LANDFILL LONG-TERM CARE

SECTION 9.0 - WASTE TIRE FACILITIES

SECTION 10.0 - YARD TRASH PROCESSING FACILITIES

SECTION 1.0 - FILE REVIEW

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Item No.			Not Ok	Unk	N/A
1.1	For landfills, is the method and sequence of filling wastes according to plans? 62-701.500(2)(f)			~	
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK.) Waste reports (quarterly) 62-701.500(4) Annual estimate of remaining life 62-701.500(13)(c)	~			
1.3	Is leachate sampled, tested and disposed as required? 62-701.500(8)(a) & 62-701.510(6)(c)	~			
1.4	Is gas monitoring being performed as required by the permit? 62-701.500(9) & 62-701.530(2)	~			
1.5	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)	~			
1.6	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? See 62-701.510(2) for landfills; 62-701.730(4)(b) & (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.	~			
1.7	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) & (4)			>	
1.8	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.610(3) & 62-701.730(9)(c)			>	
1.9	Is financial assurance adequate? See 62-701.630 for landfills; 62-710(7)(a) & (10)(a) for WPFs; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.	~			
1.10	Are cost estimates current and adjusted every year? See 62-701.630(4) for landfills; 62-701.710(7)(b) & (10)(a) for WPFs; 62-701.730(11)(b) for C&D debris facilities; 62-713.600(6)(b) & (c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	~			
1.11	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by April 1st of each year? 62-701.730(12)				~
1.12	For C&D recycling facilities with no disposal, is an Annual Report for the recycling operation submitted to the Department by April 1st of each year? 62-701.710(9)(b)				~
1.13	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				~
1.14	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				~

CITRUS CENTRAL SLF

Page 3 of 15

Inspection Date: 05/06/2009

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

2.1 Unauthorized disposal/storage prohibited, except yard trash, within 500' of a potable water well? 62- 2.2 Unauthorized disposal/storage prohibited, except yard trash, within 1000' of a potable water well serving a community water system? 62:701.300(2)(h) 2.3 Unauthorized storage/disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62:701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for ommunity water supply wells? 2.4 Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62:701.300(2)(d) 2.5 Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62:701.300(2)(e) 2.6 Unauthorized disposal/storage prohibited in any natural or artificial body of water, including wellands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no of-site discharge? 62:701.300(2)(f) 2.7 Unauthorized open burning of solid waste prohibited except in accordance with Department requirements 92:701.300(3) 2.8 Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62:701.300(8)(e) Whole waste tires 62:701.300(8)(e) Whole waste tires 62:701.300(8)(e) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62:701.300(8)(d) Liquids 62:701.300(8)(d) Liquids 62:701.300(10)	Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16)) Completed	Ok	Not Ok	Unk	N/A
2.3 Unauthorized storage/disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for potable water wells (except on-site)? 50 feet for community water supply wells? Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62-701.300(2)(d) 2.5	2.1		>			
that are Not OK) 62-701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for water bodies? 200 feet for community water supply wells? 2.4	2.2	serving a community water system? 62-701.300(2)(h)	>			
flood protection measures in place? 62-701.300(2)(d) 2.5 Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62-701.300(2)(e) 2.6 Unauthorized disposal/storage prohibited, except yard trash, within 200° of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f) 2.7 Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3) Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(8)(d) Liquids 62-701.300(10)	2.3	that are Not OK) 62-701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for water bodies? 200 feet for community water supply wells?	>			
water? 62-701.300(2)(e) 2.6 Unauthorized disposal/storage prohibited, except yard trash, within 200' of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f) 2.7 Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3) 2.8 Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)	2.4		>			
body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f) 2.7 Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3) 2.8 Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(8)(d) Lead-acid batteries 62-701.300(8)(d) Liquids 62-701.300(10)	2.5		~			
requirements? 62-701.300(3) 2.8 Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(d) Liquids 62-701.300(10)	2.6	body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water	>			
(Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)	2.7		٧			
2.9 Are only permitted waste types disposed at facility? 62-701.340(3), 62-701.500(6)(a)&(2)(c)	2.8	(Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d)	>			
	2.9	Are only permitted waste types disposed at facility? 62-701.340(3), 62-701.500(6)(a)&(2)(c)	~			

Item No.	LANDFILL OPERATION AND MAINTENANCE Completed		Not Ok	Unk	N/A
2.10	s there a trained operator on-site at Class I and III landfills when receiving wastes? 62-701.500(1)				
2.11	Is there at least one spotter at each working face when receiving wastes at Class I and III landfills? 62 -701.500(1)				
2.12	Are the following records or plans current and available on-site? (Check any that are Not OK.) Training Plan 62-701.320(15)(a) Operating Plan 62-701.500(2) Waste weight records 62-701.500(4) Precipitation records 62-701.500(8)(g) Load-checking program records 62-701.500(6)(a) Training records 62-701.320(15)(a)	>			

Item No.	LANDFILL OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
2.12	Operation record 62-701.500(3)	84			
	Quantity of leachate 62-701.500(8)(f)	~			
2.13	Is the operation plan substantially followed? 62-701.500(2)		~		
2.14	Is incoming waste weighed? 62-701.500(4)(a)&(2)(d)	~			
2.15	Is the method and sequence of filling wastes according to plans? 62-701.500(2)(f)			~	
2.16	Is access properly controlled to prevent unauthorized waste disposal? 62-701.500(5)	~			
2.17	Is waste compacted as required? 62-701.500(7)(a)	~			
2.18	Are the working face and side slopes above ground graded to a slope no greater than 3 ft. horizontal to 1 ft. vertical rise? 62-701.500(7)(c)	~			
2.19	Is a narrow working face practiced? 62-701.500(7)(d)	~			
2.20	Is the frequency, amount and quality of initial cover, as required? 62-701.500(7)(e)		~		
2.21	Is the frequency, amount and quality of intermediate cover, as required? 62-701.500(7)(f)		~		
2.22	Is litter controlled and are litter control devices maintained? 62-701.500(7)(i) and (11)(f)	~			
2.23	Is erosion control adequate? 62-701.500(7)(j)	~			
2.24	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) & (h)	~			
2.25	Is leachate disposed of or treated as required? 62-701.500(8)(b), (c) and (d)	~			
2.26	If leachate recirculation is practiced at the facility, is it done in accordance with Department requirements and the Operation Plan? 62-701.400(5)				~
2.27	Is gas controlled to not cause objectionable odors beyond the property boundary? 62-701.530(3)(b)	~			
2.28	Is gas controlled to not allow combustible gas concentrations to exceed specified limits? 62-701.530(3)(a)	~			
2.29	Are gas vents intact and functioning properly? 62-701.500(9) & 62-701.530(1)(a)3.			~	
2.30	Is mixing of leachate and stormwater prevented or minimized? 62-701.500(10) & 62-701.400(9)(c)		~		
2.31	Is stormwater management system maintained and operated as required? 62-701.500(10)	~			
2.32	Is there sufficient operating equipment? 62-701.500(11)(a)	~			
2.33	Is there sufficient reserve equipment (or other arrangements)? 62-701.500(11)(b)	~			
2.34	Are communication facilities adequate? 62-701.500(11)(c)	~			
2.35	Are approved dust control methods adequate? 62-701.500(11)(d)	~			
2.36	Are fire protection and fire fighting capabilities adequate and operational? 62-701.500(11)(e)	~			
2.37	Are there required signs for operational directions and public information? 62-701.500(11)(g)	~			
2.38	Are all-weather access roads and inside perimeter roads properly maintained? 62-701.500(12)	~			
2.39	Are ground water wells intact and properly maintained? 62-701.510(2)(b), 62-701.620(9)	~			
2.40	Are all specific conditions in the permit being followed? 62-701.320(1)		~		

SECTION 3.0 - LANDFILL LONG-TERM CARE

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Type Of Cover: PVC/Soil Closure/Final Cover Date:01/01/1990

Post-Closure Firearms training facility.
Surrounding Land Use: Withlacoochee State Forest

Item No.	LANDFILL LONG-TERM CARE Completed	Ok	Not Ok	Unk	N/A
3.1	Is site access controlled to prevent any unauthorized dumping? 62-701.600(5)(i)	~			
3.2	Are any unauthorized wastes stored or disposed at the site? 62-701.600(5)(i)	~			
3.3	Is stormwater management system maintained and operated as required? 62-701.600(5)(h)	~			
3.4	Is the final cover properly vegetated? 62-701.600(5)(f)2.	~			
3.5	Are there any signs of erosion of the final cover? 62-701.600(5)(f)2.	~			
3.6	Is there any evidence of damage to the barrier layer of the final cover? 62-701.620(1)	~			
3.7	Are areas of differential settlement being properly filled? 62-701.600(5)(f)4.	~			
3.8	Are there any areas of ponding water on the final cover? 62-701.600(5)(f)3.	~			
3.9	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) & (h)	~			
3.10	Is leachate disposed of or treated as required? 62-701.500(8)(b), (c) and (d)	~			
3.11	Are there any signs of leachate seeps at the closed landfill? 62-701.500(8)(b) and 62-701.620(1)	~			
3.12	Condition of the ground water monitoring wells. 62-701.620(1) (Check any that are Not OK.) Access to monitoring wells Damage to monitoring wells Monitoring wells protected, secured and labeled.			v	
3.13	Are the wells for gas monitoring and detection intact and operable? 62-701.620(5)	~			
3.14	Is the gas collection system (active or passive) operating and maintained? 62-701.620(5)			~	
3.15	Is gas monitoring being conducted as required? 62-701.620(5)	~			
3.16	Are there any signs of stressed vegetation of the final cover? 62-701.620(5)	~			
3.17	Is there any evidence that gas pressure is interfering with or causing failure of the final cover? 62-701.530(1)(a)4.	~			
3.18	If required, are survey monuments properly installed? 62-701.610(2)			~	
3.19	Is there a potential hazard to public health and the environment resulting from the post-closure utilization of the landfill? 62-701.610(7)	~			
3.20	Is there a potential hazard to public health resulting from land-use changes surrounding the closed landfill?	~			
3.21	If waste is being relocated, is this performed according to the Department's requirements? 62-701.620(8)				~
3.22	Are all specific conditions in the closure or long-term care permit being followed? 62-701.620(2)	~			

CITRUS CENTRAL SLF

Inspection Date: 05/06/2009

SECTION 9.0 - WASTE TIRE FACILITIES

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Page 6 of 15

Item	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16)) Completed		Not	Unk	N/A
No.	` "		Ok		
9.1	Unauthorized disposal/storage prohibited, except yard trash, within 500' of a potable water well? 62-701.300(2)(b)	>			
9.2	Unauthorized disposal/storage prohibited, except yard trash, within 1000' of a potable water well serving a community water system? 62-701.300(2)(h)	>			
9.3	Unauthorized storage/disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12)				
	100 feet for potable water wells (except on-site)?				
	50 feet for water bodies?	>			
	200 feet for community water supply wells?				
9.4	Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62-701.300(2)(d)	~			
9.5	Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62-701.300(2)(e)	٧			
9.6	Unauthorized disposal/storage prohibited, except yard trash, within 200' of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f)	>			
9.7	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	٧			
9.8	Are the following prohibited wastes or special wastes properly managed? (Check any that are Not				
	OK) Hazardous waste 62-701.300(4)				
	Biomedical waste 62-701.300(6)				
	Yard trash 62-701.300(8)(c)				
	☐ Whole waste tires 62-701.300(8)(e)				
	Used oil, except as exempted 62-701.300(11)	~			
	Lead-acid batteries, mercury-containing switches and lamps in WTEs 62-				
	PCB wastes 62-701.300(5)				
	Lead-acid batteries 62-701.300(8)(a)				
	White goods 62-701.300(8)(d)				
	Liquids 62-701.300(10)				

Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE Completed		Not Ok	Unk	N/A
9.9	If the facility accepts tires from the public, is a sign posted at the facility entrance stating operating hours, cost of disposal and site rules? 62-711.540(1)(a)	>			
9.10	Are operations involving the use of open flames conducted no closer than 25 feet of a waste tire pile? 62-711.540(1)(b)	>			
9.11	If the facility accepts tires from the public, is an attendant always present on site when the site is open for business? 62-711.540(1)(c)	>			
9.12	Are fire protection services assured through notification to local fire protection authorities? 62-711.540(1)(d)	~			
9.13	Is an annual fire safety survey conducted? 62-711.540(1)(d)	\			
9.14	Is a copy of the annual fire safety report made part of the next quarterly report? 62-711.540(1)(d)			٧	
9.15	Does the facility have an Emergency Preparedness Manual (EPM) on-site? 62-711.540(1)(e)	>			
9.16	Does the EPM contain the following information? (Check all that are Not OK.) Contact names and numbers 62-711.540(1)(e)1.	Y			

CITRUS CENTRAL SLF Page 7 of 15

Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE Completed		Not Ok	Unk	N/A
9.16	List of emergency response equipment and locations on-site 62-711.540 Procedures to be followed in the event of a fire 62-711.540(1)(e)3.	~			
9.17	Is the operator at the facility maintaining records of the quantity of WT received at the site, stored at the site, and shipped from the site? 62-711.540(1)(g) and 62-711.400(5)	~			
9.18	If the operator of the site is not the owner of the property, has written authorization been obtained from the property owner to operate the facility? 62-711.540(1)(h)				~
9.19	Is adequate communications equipment available at the site? 62-711.540(1)(i)	٧			
9.20	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j)	>			

Item No.	WASTE TIRE FACILITY - STORAGE INDOORS Completed	Ok	Not Ok	Unk	N/A
9.21	Are WT piles more than 50 feet in width? 62-711.540(2)(a)				>
9.22	Are WT piles along a wall more than 25 feet in width? 62-711.540(2)(a)				~
9.23	Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)				~
9.24	Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)				~
9.25	Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(c)				~
9.26	If waste tires are stored up to15 feet in height, do walls have at least a 4-hour fire rating? 62-711.540(2)(e)				Y
9.27	If waste tires are stored >15 feet in height, do walls have a fire rating of not less than 6 hours and columns one hour FR? If > 20 feet, do columns and its connections with other structural members have two hour FR? 62-711.540(2)(f)				~
9.28	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)				~

Item No.	WASTE TIRE FACILITY - STORAGE OUTDOORS Completed	Ok	Not Ok	Unk	N/A
9.29	Is the waste tire site operated >200 feet from a body of water? 62-711.540(3)(a)	~			
9.30	Does the waste tire pile have a width < 50 feet? 62-711.540(3)(b)	~			
9.31	Does the waste tire pile have an area < 10,000 sq. ft? 62-711.540(3)(b)	~			
9.32	Does the waste tire pile have a height < 15 ft.? 62-711.540(3)(b)	~			
9.33	Is there a 50 ft. wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)	~			
9.34	Is there unobstructed access to the fire lane? 62-711.540(3)(c)	~			
9.35	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)	~			
9.36	Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(f)	~			
9.37	Is the site bermed or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(e)	~			
9.38	Are residuals contained on-site and disposed of in a permitted SW management facility? 62-711.540(5)				~
9.39	Does the waste tire site qualify for the exceptions to the technical and operational standards as allowed by rule? 62-711.540(6)				>

Item No.	WASTE TIRE FACILITY - COLLECTION CENTER Completed	Ok	Not Ok	Unk	N/A
9.40	Are no more than 1500 tires at the CC at any one time? 62-711.550(1)(a)	>			
9.41	Are all waste tires, which are not used tires, removed from site yearly for recycling, processing, or disposal? 62-711.550(1)(b)	>			

CITRUS CENTRAL SLF Page 8 of 15

Inspection Date: 05/06/2009

SECTION 10.0 - YARD TRASH PROCESSING FACILITIES

Requirements:

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

TYPE OF	FACILITY (check all that apply)	Method of Composting	Produces				
☐ Yard 1	Trash Transfer Station	Windrow (turning equipment)	Mulch				
☐ Yard 7	Trash Recycling	■ Passive aerated windrows	Firewood				
X Accep	ts vegetative debris	Aerated static piles	☐ Fuel				
Accep	ets clean wood	☐ In-vessel composting	Other				
Item No.	SOLID WASTE PROHIBITIO 701.300(16)) Completed	DNS (unless "grandfathered" in, see 6	62-	Ok	Not Ok	Unk	N/A
10.1	Unauthorized disposal/storage prohi 701.300(2)(b)	oited, except yard trash, within 500' of a potable w	ater well? 62-	>			
10.2	Unauthorized disposal/storage prohi serving a community water system?	oited, except yard trash, within 1000' of a potable 62-701.300(2)(h)	water well	>			
10.3	Unauthorized storage/disposal of ya that are Not OK) 62-701.300(12) & 100 feet for potable water 50 feet for water bodies?	r wells (except on-site)?	f (Check any	>			
10.4	Unauthorized disposal/storage in a c	ewatered pit without liner or leachate controls? 62	2-701.300(2)(c)	>			
10.5	Unauthorized disposal/storage prohi flood protection measures in place?	oited in an area subject to frequent and periodic fl 62-701.300(2)(d) & 62-709.320(3)	ooding unless	>			
10.6	Unauthorized disposal/storage prohi water? 62-701.300(2)(e) & 62-709.3	oited in any natural or artificial body of water inclu 20(3)	ding ground	>			
10.7	body of water, including wetlands wi	bited, except yard trash, within 200' of any natural hout permanent leachate controls, except impour site, permitted stormwater management system -701.300(2)(f) & 62-709.320(3)	ndments or	>			
10.8	Unauthorized open burning of solid v requirements? 62-701.300(3) & 62-7	vaste prohibited except in accordance with Depart 09.320(3)	tment	~			
10.9	OK) Hazardous waste 62-70 Biomedical waste 62-70 Yard trash 62-701.300(8 Whole waste tires 62-70 Used oil, except as exen Lead-acid batteries, mer PCB wastes 62-701.300 Lead-acid batteries 62-7 White goods 62-701.300(10)	.300(6) 0(c) 1.300(8)(e) 1.900(11) 0.0000000000000000000000000000000000	that are Not	>			

Item No.	YARD TRASH PROCESSING FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
10.10	Is there an effective barrier to prevent unauthorized entry and dumping into the facility site? 62-709.320(4)(a)1.	>			
10.11	Are dust control methods adequate? 62-709.320(4)(a)2.	\			

CITRUS CENTRAL SLF Page 9 of 15

Item No.	YARD TRASH PROCESSING FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
10.12	Are there fire protection and control methods to deal with accidental burning of solid waste? 62-709.320(4)(a)3.	~			
10.13	Is all weather access road, at least 20 feet wide, all around the perimeter of the site? 62-709.320(4)(a)3.a.	~			
10.14	Are interior lanes at least 15 feet wide? 62-709.320(4)(a)3.b.	~			
10.15	Is no part of the area that is occupied by processed or unprocessed material more than 50 feet from access by motorized fire fighting equipment? 62-709.320(4)(a)3.c.	~			
10.16	Is facility operated in a manner to control disease vectors, and to control objectionable odors? 62-709.320(4)(b)	>			
10.17	Is yard trash received at the facility processed or removed within 6 months, or within the period required to receive 3,000 tons or 12,000 cubic yards, whichever is greatest? [Segregated logs must be processed or removed within 12 months.] 62-709.320(4)(c)	~			
10.18	Is processed material removed from the facility within 18 months, if not authorized under another Department solid waste management facility permit? 62-709.320(4)(d)	~			
10.19	Are only yard trash and bags used to collect yard trash accepted at the facility? 62-709.320(4)(e)	~			
10.20	Are unauthorized wastes containerized and putrescible materials removed within 48 hours? 62-709.320(4)(e)	~			

Item No.	YARD TRASH REGISTRATION Completed	Ok	Not Ok	Unk	N/A
10.21	Is the registration for the facility current and on file with the Department? 62-709.320(5)(b)	<			
10.22	Are renewal applications for annual registration of the facility submitted to the Department by April 1st, if applicable? 62-709.320(5)(c)	^			
10.23	Are monthly records of incoming and outgoing material kept on-site or at another location as indicated in the registration form for at least three years? 62-709.320(6)	<			
10.24	Are Annual Reports, based upon the preceding calendar year, summarizing monthly records, submitted to the Department as required? 62-709.320(6)	<			

Pre-existing Potential Violations:

Area: Phase II Landfill

Rule: 62-701.500(7)(e)

Question Number: 2.20

Explanation: Initial cover was not adequate. Exposed waste was visible in the fill area that had been

identified as the active working face for the previous week. Compaction was

inconsistent. Photos 1 - 3 are close-up pictures showing the exposed waste. Photos 4 -

5 are wide angle pictures taken from a distance for perpsective.

Corrective Action: Ensure there is 6 inches of initial cover. Regrade after re-applying initial cover. Send

photos documenting repair.

Attachments:

Photo 1 Inadequate initial cover.



Photo 3 Inadequate initial cover.



Photo 2 Inadequate initial cover.



Photo 4 Wide angle view of slope.



CITRUS CENTRAL SLF

Page 11 of 15

Inspection Date: 05/06/2009

Photo 5 Wide angle view of slope.



Pre-existing Area Of Concern:

Rule: 62-701.500(2)

Question Number: 2.13

Explanation: Refer to Items 2.20, 2.21 and 2.30.

Corrective Action: Refer to Items 2.20, 2.21 and 2.30.

Rule: 62-701.500(7)(f)

Question Number: 2.21

Explanation: Intermediate cover was inconsistent in application. There were several areas of

exposed waste. Additionally, the compactor and other vehicles using this area for access to the working face created some of the intermediate cover concerns. Photo 1

identifies the specific area of concern. Refer to Photos 1 - 5 below.

Corrective Action: Reapply intermediate cover and regrade. Limit areas of equipment and vehicle traffic to

minimize impact to the intermediate cover. Send photos documenting repairs.

Attachments:

Photo 1 Area of concern.



Photo 3 Insufficient cover.



Photo 5 Insuff. cover/traffic.



Photo 2 Insufficient cover.



Phot 4 Insufficient cover.



Rule: 62-701.500(10), 62-701.400(9)(c)

Question Number: 2.30

Explanation: An interceptor berm, which was built around the working face contained visible amounts

of waste. Any runoff from outside the working face will not be considered stormwater if the flow passes over areas where waste is exposed: Specific condition Part C 12 b.

Note: No liquids or runoff were observed during the inspection.

Corrective Action: Only use clean fill in interceptor berms to prevent mixing of stormwater and

leachate.

Attachments:

Interceptor berm.



Rule: 62-701.320(1)

Question Number: 2.40

Explanation: Refer to Items 2.20, 2.21 and 2.30. Corrective Action: Refer to Items 2.20, 2.21 and 2.30.

COMMENTS:

05/06/2009

Item 1. The facility was conducting maintenance on the main leachate pumps in Phase 1A. While removing the pump, it became lodged in the pipe. Further investigations concluded the pipe was malformed in an area about 5-6 feet from the bottom, and the pump was too large to fit through this smaller opening. It was determined that other pipes in this area were also malformed, some nearly collapsed. The facility is currently investigating the cause of these abnormalities and the best method to remove and replace the pump. The secondary pump from the 1A sump is currently operational.

Item 2. The used oil filter drum should have a lid on the drum at all times (Photo 1). The label on the used oil filter drum should identify the contents of the drum, when the drum is put into service (Photo 2).

ATTACHMENTS:

Photo 1: Used Oil Filter drum.



Photo 2: Drum label.



Signed:

Dinah L Frazier	Inspector				
PRINCIPAL INSPECTOR NAME	PRINCIPAL INSPECTOR TITLE				
/					
druk frezin	FDEP	5/6/2009			
PRINCIPAL INSPECTOR SIGNATURE	ORGANIZATION	DATE			
Melissa Madden	Inspector				
INSPECTOR NAME	INSPECTOR TITLE				
NO SIGNATURE	FDEP				
INSPECTOR SIGNATURE	ORGANIZATION	_			
Bill Gilmore	Supervisor				
REPRESENTATIVE NAME	REPRESENTATIVE TITLE				
NO SIGNATURE	Citrus County Solid Waste				
REPRESENTATIVE SIGNATURE	ORGANIZATION	_			
Report Approvers:					
Prime DeVaughn	Supervisor				
SUPERVISOR NAME	SUPERVISOR TITLE				
NO SIGNATURE	Citrus County Solid Waste				
SUPERVISOR SIGNATURE	ORGANIZATION	_			

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Not Ok" or areas of concern.