

87895_200904_swfdd.txt

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "65", "umhos/cm", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "5.41", "mg/l", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "4.93", "SU", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "359.3", "mV", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "20.11", "degrees C", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "22.9", "NTU", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19573", "MW-5A", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "65.6", "FT", "D", "Dan Lichtenwalter", "04/16/2009 09:06", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "282", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "3.35", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "7.47", "SU", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "44.3", "mV", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "24.62", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.770", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19574", "MW-5B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "60.9", "FT", "D", "Dan Lichtenwalter", "04/15/2009 12:12", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "213", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "0.83", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "9.25", "SU", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "-56.9", "mV", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "25.77", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "1.91", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19577", "MW-7BR", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "59.2", "FT", "D", "Dan Lichtenwalter", "04/15/2009 13:09", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "209", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "6.13", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "6.46", "SU", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "143.4", "mV", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "24.52", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "1.54", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19581", "MW-11B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "60.9", "FT", "D", "Dan Lichtenwalter", "04/15/2009 16:44", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "166", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "7.57", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "5.79", "SU", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "244.7", "mV", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "25.27", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.340", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"19583", "MW-12B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "61.2", "FT", "D", "Dan Lichtenwalter", "04/15/2009 17:50", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "698", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "0.11", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "6.96", "SU", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "-89.5", "mV", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "27.90", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.270", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

"21323", "MW-8B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "54.1", "FT", "D", "Dan Lichtenwalter", "04/15/2009 14:22", "A901379", "Y", "SEMGW"

87895_200904_swfdd.txt

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "230", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "5.15", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "7.35", "SU", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "-64.6", "mV", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "26.13", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.160", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21325", "MW-10B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "61.2", "FT", "D", "Dan Lichtenwalter", "04/15/2009 15:28", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "EPA 120.1", "Specific Conductance", "318", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "EPA 360.1", "Dissolved Oxygen", "4.12", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "EPA 150.1", "pH", "7.28", "SU", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "DEP-SOP", "Oxidation Reduction Potential", "31.1", "mV", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "EPA 170.1", "Temperature, Water", "23.86", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21326", "SUPPLY WELL", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "BP", "W", "EPA 180.1", "Turbidity", "0.230", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 18:47", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "345", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "2.68", "mg/l", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "7.34", "SU", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "93.4", "mV", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "24.30", "degrees C", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.320", "NTU", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21964", "MW-3B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "61.0", "FT", "D", "Dan Lichtenwalter", "04/15/2009 10:10", "A901379", "Y", "SEMGW"

"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 120.1", "Specific Conductance", "280", "umhos/cm", "D", "Dan Lichtenwalter", "04/15/2009 11:10", "A901379", "Y", "SEMGW"

87895_200904_swfdd.txt

"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 360.1", "Dissolved Oxygen", "3.41", "mg/l", "D", , "Dan Lichtenwalter", "04/15/2009 11:10", "A901379", "Y", "SEMGW"
"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 150.1", "pH", "7.53", "SU", "D", , "Dan Lichtenwalter", , "04/15/2009 11:10", "A901379", "Y", "SEMGW"
"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Oxidation Reduction Potential", "51.4", "mV", "D", , "Dan Lichtenwalter", "04/15/2009 11:10", "A901379", "Y", "SEMGW"
"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 170.1", "Temperature, Water", "24.74", "degrees C", "D", , "Dan Lichtenwalter", "04/15/2009 11:10", "A901379", "Y", "SEMGW"
"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "EPA 180.1", "Turbidity", "0.500", "NTU", "D", , "Dan Lichtenwalter", "04/15/2009 11:10", "A901379", "Y", "SEMGW"
"21965", "MW-4B", "87895", "ENTERPRISE LF & RECYC (FKA SID LARKIN & SON, INC.)", "SP", "W", "DEP-SOP", "Water Level (NGVD)", "61.0", "FT", "D", , "Dan Lichtenwalter", , "04/15/2009 11:10", "A901379", "Y", "SEMGW"