

Florida Department of Environmental Protection Inspection Checklist

FACILITY INFORMATION:

Facility Name: SARASOTA CENTRAL LANDFILL COMPLEX

On-Site Inspection Start Date: 06/02/2010
On-Site Inspection End Date: 06/02/2010

WACS No.: 51614

Facility Street Address: 4000 KNIGHTS TRAIL ROAD

City: NOKOMIS

County Name: SARASOTA

Zip: 34241

INSPECTION PARTICIPANTS:

(Include ALL Landfill and Department Personnel with Corresponding Titles)

Principal Inspector: Melissa Madden, Inspector

Other Participants: Lois Rose; Jim Szala

INSPECTION TYPE:

Routine Operation Inspection for Landfill - Class I facility

Routine Operation Inspection for Waste Processing - C&D Recycling facility

Routine Operation Inspection for Other Facilities - Waste Tire Facility

Routine Operation Inspection for Other Facilities - Yard Trash Processing Facility

Construction Completion Certification Inspection for Other Facilities - Landfill Gas Management System facility

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

SECTION 1.0 - FILE REVIEW

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

SECTION 4.0 - WASTE PROCESSING FACILITIES

SECTION 9.0 - WASTE TIRE FACILITIES

SECTION 10.0 - YARD TRASH PROCESSING FACILITIES

SECTION 1.0 - FILE REVIEW

Requirements:

Item No.	FILE REVIEW (Pre- or Post-Inspection, as appropriate.) Completed	Ok	Not Ok	Unk	N/A
1.1	For landfills and C&D disposal facilities, does the facility have a current plan for the method and sequence of filling wastes? 62-701.500(2)(f) for landfills; 62-701.730(7)(a) for C&D debris sites	>			
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK) Waste reports (annually) 62-701.500(4)	>			
	Annual estimate of remaining life 62-701.500(13)(c)				
1.3	Is leachate sampled, tested and disposed as required? 62-701.500(8)(a), 62-701.510(6)(c)	>			
1.4	Is gas monitoring being performed as required by the permit? 62-701.500(9), 62-701.530(2)	>			
1.5	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)(c)	~			
1.6	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? 62-701.510(2) for landfills; 62-701.730(4)(b) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.	>			
1.7	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) and (4); 62-701.730(4)(c) and (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.			>	
1.8	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.600(6)(b), 62-701.730(9)(d)				٧
1.9	Is financial assurance adequate? 62-701.630 for landfills; 62-701.710(7)(a) and (10)(a) for waste processing facilities; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.			>	
1.10	Are cost estimates current and adjusted every year? 62-701.630(4) for landfills; 62-701.710(7)(b) and (10)(a) for waste processing facilities; 62-701.730(11)(b) and (c) for C&D debris facilities; 62-713.600(6)(b) and (c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	>			
1.11	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by April 1st of each year? 62-701.730(12)				~
1.12	For C&D recycling facilities with no disposal, is an Annual Report for the recycling facility submitted to the Department by April 1st of each year? 62-701.710(9)(b)			>	
1.13	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				~
1.14	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				~

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

Requirements:

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18)) Completed	Ok	Not Ok	Unk	N/A
2.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility. 62-701.300(1)(a)	>			
2.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	>			
2.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet from potable water wells (except on-site)? 50 feet from water bodies?	>			
2.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	>			
2.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	>			
2.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	>			
2.6	Are the following unauthorized wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Regulated asbestos waste 62-701.520(3), 62-701.730(19) Used oil and oily wastes, except as exempted 62-701.300(11) PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10) CCA treated wood 62-701.300(14)		8		
2.7	Are only permitted waste types disposed at facility? 62-701.340(2), 62-701.500(6)(a), 62-701.500(2)(c)	~			

Item No.	LANDFILL OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
2.8	Is there a trained operator on-site at Class I and III landfills when receiving wastes? 62-701.500(1)	~			
2.9	Is there at least one trained spotter at each working face when receiving wastes at Class I and III landfills? 62-701.500(1)	~			
2.10	Are the following records or plans current and available on-site? (Check any that are Not OK) Training Plan 62-701.320(15)(a) Operating Plan 62-701.500(2) Waste weight records 62-701.500(4) Precipitation records 62-701.500(8)(g) Load-checking program records 62-701.500(6)(a)	~			

Item No.	LANDFILL OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
2.10	Training records 62-701.320(15)(a)				
	Operation record 62-701.500(3)	~			
	Quantity of leachate 62-701.500(8)(f)				
2.11	Is the operation plan substantially followed? 62-701.500(2)	~			
2.12	Is incoming waste weighed? 62-701.500(4)(a) and (2)(d)	~			
2.13	Is the method and sequence of filling waste according to plans? 62-701.500(2)(f)	~			
2.14	Is access properly controlled to prevent unauthorized waste disposal? 62-701.500(5)	~			
2.15	Is waste compacted as required? 62-701.500(7)(a)	~			
2.16	Are the working face and side slopes above ground graded to a slope no greater than 3 feet horizontal to 1 foot vertical rise? 62-701.500(7)(c)	~			
2.17	Is a narrow working face practiced? 62-701.500(7)(d)	~			
2.18	Is the frequency, amount and quality of initial cover, as required? 62-701.500(7)(e)	~			
2.19	Is the frequency, amount and quality of intermediate cover, as required? 62-701.500(7)(f)	~			
2.20	Is litter controlled and are litter control devices maintained? 62-701.500(7)(i) and (11)(f)	~			
2.21	Is erosion control adequate? 62-701.500(7)(j)	~			
2.22	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) and (h)	~			
2.23	Is leachate disposed of or treated as required? 62-701.500(8)(b), (c) and (d)	~			
2.24	If leachate recirculation is practiced at the facility, is it done in accordance with Department requirements and the Operation Plan? 62-701.400(5)				٧
2.25	Is gas controlled to not cause objectionable odors beyond the property boundary? 62-701.530(3)(b)	~			
2.26	Is gas controlled to not allow combustible gas concentrations to exceed specified limits? 62-701.530(3)(a)	~			
2.27	Are gas vents intact and functioning properly? 62-701.500(9), 62-701.530(1)(a)3				>
2.28	Is mixing of leachate and stormwater prevented or minimized? 62-701.500(10), 62-701.400(9)(c)	~			
2.29	Is stormwater management system maintained and operated as required? 62-701.500(10)	~			
2.30	Is there sufficient operating equipment? 62-701.500(11)(a)	~			
2.31	Is there sufficient reserve equipment (or other arrangements)? 62-701.500(11)(b)	~			
2.32	Are communication facilities adequate? 62-701.500(11)(c)	~			
2.33	Are approved dust control methods adequate? 62-701.500(11)(d)	~			
2.34	Are fire protection and fire fighting capabilities adequate and operational? 62-701.500(11)(e)	~			
2.35	Are there required signs for operational directions and public information? 62-701.500(11)(g)	~			
2.36	Are all-weather access roads and inside perimeter roads properly maintained? 62-701.500(12)	~			
2.37	Are ground water wells intact and properly maintained? 62-701.510(2)(b), 62-701.620(8)	~			
2.38	Are all additional specific conditions (not otherwise addressed above) in the permit, Department order, or certification, if any, being followed? 62-701.320(1), 403.161, F.S.	~			

SECTION 4.0 - WASTE PROCESSING FACILITIES

Requirements:

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18)) Completed	Ok	Not Ok	Unk	N/A
4.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	>			
4.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	>			
4.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet from potable water wells (except on-site)? 50 feet from water bodies?	>			
4.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	>			
4.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	>			
4.5	Unauthorized open burning of solid waste prohibited, except in accordance with Department requirements? 62-701.300(3)	٧			
4.6	Are the following unauthorized wastes or special wastes properly managed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Used oil and oily wastes, except as exempted 62-701.300(11) PCB wastes 62-701.300(5) Liquids 62-701.300(10)	>			

Item No.	WASTE PROCESSING FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
4.7	Do the tipping, processing, sorting, storage and compaction areas that are in an enclosed building or covered area have adequate ventilation? 62-701.710(3)(a)	~			
4.8	For areas not enclosed, is litter controlled and are litter control devices maintained? 62-701.710(3)(a)	~			
4.9	Is leachate collection and removal system maintained and operated as required? 62-701.710(3)(b)	~			
4.10	Are all drains and leachate conveyances kept clean so that leachate flow is not impeded? 62-701.710(4)(b)	~			
4.11	Are the following records or plans current and available on-site? (Check any that are Not OK) Operation and Maintenance Manual 62-701.710(4)(a)1 Contingency Plan 62-701.710(4)(a)3 Operation records 62-701.710(9)(a)	~			
4.12	Is the Operation and Maintenance Manual substantially followed? 62-701.710(4)(a)1	>			
4.13	Are putrescible wastes stored no longer than 48 hours or as otherwise allowed in the Operation and Maintenance Plan? 62-701.710(4)(b)	~			
4.14	Are areas where putrescible waste is stored or processed cleaned at least weekly to prevent odor and vector problems? 62-701.710(4)(b)	>			
4.15	Are the operating hours posted at the facility? 62-701.710(4)(c)1	~			
4.16	Is a trained operator on duty whenever the facility is operating? 62-701.710(4)(c)1	~			
4.17	Is at least one trained spotter on duty at all times that waste is received at the facility to inspect the incoming waste? 62-701.710(4)(c)2	~			

Item No.	WASTE PROCESSING FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
4.17		~			
4.18	Are unauthorized wastes removed from the waste stream and placed into appropriate containers for disposal at a permitted facility? 62-701.710(4)(c)2	~			
4.19	Is the facility operated to control objectionable odors? 62-701.710(4)(d)	~			
4.20	Is adequate fire protection equipment available and operational? 62-701.710(4)(e)	~			
4.21	Is access to the facility controlled by fencing or other effective barriers to prevent disposal of unauthorized solid waste? 62-701.710(4)(f)	~			
4.22	If the facility is a Transfer Station and is claiming the financial assurance exemption, does it manage the waste on a first-in, first-out basis and store waste for no greater than 7 days? 62-701.710(10)(a)				~
4.23	Is stormwater effectively controlled? 62-701.710(8)	~			
4.24	Are all additional specific conditions (not otherwise addressed above) in the permit, Department order, or certification, if any, being followed? 62-701.320(1), 403.161, F.S.		~		

Item No.	WASTE PROCESSING FACILITY CLOSURE Completed	Ok	Not Ok	Unk	N/A
4.25	Has the solid waste or residue been properly disposed of within 30 days after receiving the final solid waste shipment? 62-701.710(6)(c)			·	~
4.26	Has closure been completed within 180 days after receiving the final solid waste shipment? 62-701.710(6)(d)				>

SECTION 9.0 - WASTE TIRE FACILITIES

Requirements:

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(18)) Completed	Ok	Not Ok	Unk	N/A
9.1.1	Unauthorized storage, processing, or disposal of solid waste except as authorized at a permitted solid waste management facility or other exempt facility? 62-701.300(1)(a)	>			
9.1.2	Unauthorized disposal or storage prohibited, except yard trash, within 500 feet of a potable water well? 62-701.300(2)(b)	٧			
9.2	Unauthorized storage or disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet from potable water wells (except on-site)? 50 feet from water bodies?	>			
9.3	Unauthorized disposal or storage prohibited in any natural or artificial body of water including ground water and wetlands? (Does not apply to standing water after a storm event.) 62-701.300(2)(d)	>			
9.4	Unauthorized disposal or storage prohibited, except yard trash, within 200 feet of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(e)	>			
9.5	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62-701.300(3)	>			

Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE Completed	Ok	Not Ok	Unk	N/A
9.6	If the facility accepts tires from the public, is a sign posted at the facility entrance stating operating hours, cost of disposal and site rules? 62-711.540(1)(a)	٧			
9.7	Are operations involving the use of open flames conducted no closer than 25 feet of a waste tire pile? 62-711.540(1)(b)	٧			
9.8	If the facility accepts tires from the public, is an attendant always present on site when the site is open for business? 62-711.540(1)(c)	>			
9.9	Are fire protection services assured through notification to local fire protection authorities? 62-711.540(1)(d)	>			
9.10	Is an annual fire safety survey conducted? 62-711.540(1)(d)			٧	
9.11	Is a copy of the annual fire safety report made part of the next quarterly report? 62-711.540(1)(d)				~
9.12	Does the facility have an Emergency Preparedness Manual (EPM) on-site? 62-711.540(1)(e)	٧			
9.13	Does the EPM contain the following information? (Check all that are Not OK) Contact names and numbers 62-711.540(1)(e)1 List of emergency response equipment and locations on-site 62-711.540(1)(e)2	>			
	Procedures to be followed in the event of a fire 62-711.540(1)(e)3				
9.14	Is the operator at the facility maintaining records of the quantity of waste tires received at the site, stored at the site, and shipped from the site? 62-711.540(1)(g) and 62-711.400(5)	٧			
9.15	If the operator of the site is not the owner of the property, has written authorization been obtained from the property owner to operate the facility? 62-711.540(1)(h)				٧
9.16	Is adequate communications equipment available at the site? 62-711.540(1)(i)	>		_	
9.17	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j)	>			

Item No.	WASTE TIRE FACILITY - STORAGE INDOORS Completed	Ok	Not Ok	Unk	N/A
9.18	Are waste tire piles more than 50 feet in width? 62-711.540(2)(a)				>
9.19	Are waste tire piles along a wall more than 25 feet in width? 62-711.540(2)(a)				~

Item No.	WASTE TIRE FACILITY - STORAGE INDOORS Completed	Ok	Not Ok	Unk	N/A
9.20	Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)				~
9.21	Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)				~
9.22	Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(d)				>
9.23	If waste tires are stored up to15 feet in height, do walls have at least a 4- hour fire rating? 62-711.540(2)(e)				>
9.24	If waste tires are stored more than 15 feet in height, do walls have a fire rating of not less than 6 hours and columns one hour FR? If more than 20 feet, do columns and its connections with other structural members have two hour FR? 62-711.540(2)(f)				>
9.25	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)				>

Item No.	WASTE TIRE FACILITY - STORAGE OUTDOORS Completed	Ok	Not Ok	Unk	N/A
9.26	Is the waste tire site operated within 200 feet from a body of water? 62-711.540(3)(a)	~			
9.27	Does the waste tire pile have a width less than 50 feet? 62-711.540(3)(b)	~			
9.28	Does the waste tire pile have an area less than 10,000 sq. ft? 62-711.540(3)(b)	~			
9.29	Does the waste tire pile have a height less than 15 feet? 62-711.540(3)(b)	~			
9.30	Is there a 50 feet wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)	~			
9.31	Is there unobstructed access to the fire lane? 62-711.540(3)(c)	~			
9.32	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)	V			
9.33	Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(f)	~			
9.34	Is the site bermed or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(e)	~			
9.35	Are residuals contained on-site and disposed of in a permitted solid waste management facility or properly recycled? 62-711.540(5)	~			
9.36	Does the waste tire site qualify for the exceptions to the technical and operational standards as allowed by rule? 62-711.540(6)				~

Item No.	WASTE TIRE FACILITY - COLLECTION CENTER Completed	Ok	Not Ok	Unk	N/A
9.37	Are no more than 1,500 tires at the collection center at any one time? 62-711.550(1)(a)				~
9.38	Are all waste tires, which are not used tires, removed from site yearly for recycling, processing, or disposal? 62-711.550(1)(b)				~

Produces

Ok

Not

Ok

Unk

N/A

Inspection Date: 06/02/2010

TYPE OF FACILITY (check all that apply)

SECTION 10.0 - YARD TRASH PROCESSING FACILITIES

Requirements:

Item

No.

Completed

The requirements listed in this section provide an opportunity for the Department's inspector to indicate the conditions found at the time of the inspection. A "Not Ok" response to a requirement indicates either a potential violation of the corresponding rule or an area of concern that requires more attention. Both potential violations and areas of concern are discussed further at the end of this inspection report.

Method of Composting

Yard Trash Tra	insfer Station	✓ Windrow (turning equipment)	Mulch				
X Yard Trash Re	cycling	Passive aerated windrows	Firewood				
Accepts vegeta	ative debris	Aerated static piles	☐ Fuel				
Accepts clean	wood	☐ In-vessel composting	Other				
	D WASTE PROHIE 0(18)) Completed	BITIONS (unless "grandfathered" in,	see 62-	Ok	Not Ok	Unk	N/A
		ing, or disposal of solid waste except as authorized ment facility or other exempt facility? 62-701.30		>			
	orized disposal or stora 2-701.300(2)(b)	ge prohibited, except yard trash, within 500 feet	of a potable water	>			
	Not OK) 62-701.300(1	sal of yard trash prohibited within the minimum solon, & 62-709.320(3)(a), (b) & (c) ole water wells (except on-site)?	etbacks of (Check any	>			
10.3 Unautho	orized disposal/storage	in a dewatered pit without liner or leachate contr	rols? 62-701.300(2)(c)	>			
	nd wetlands? (This doe	ge prohibited in any natural or artificial body of w s not apply to standing water after a storm event		>			
artificial impound	body of water, includin dments or conveyances	ge prohibited, except yard trash, within 200 feet g wetlands without permanent leachate controls, which are part of an on-site, permitted stormwa with no off-site discharge? 62-701.300(2)(e), 62	, except ater management	>			
	orized open burning of snents? 62-701.300(3),	solid waste prohibited except in accordance with & 62-709.320(3)	n Department	>			
10.7 Are the OK) C C C C C C C C C C C C C C C C C C	Hazardous waste 6 Biomedical waste 6 Yard trash 62-701.3 Whole waste tires 6 Used oil and oily waste described batteries 701.300(9) PCB wastes 62-70 Lead-acid batteries White goods 62-70 Liquids 62-701.300 CCA treated wood NOTE: Rule 62-709 and removed immediates	62-701.300(6) 300(8)(c) 62-701.300(8)(e) astes, except as exempted 62-701.300(11) 6, mercury-containing switches and lamps in WTI 1.300(5) 62-701.300(8)(a) 1.300(8)(d)	Es 62- ontainerized	>			

YARD TRASH PROCESSING FACILITY OPERATION AND MAINTENANCE

Item No.	YARD TRASH PROCESSING FACILITY OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
10.8	Is there an effective barrier to prevent unauthorized entry and dumping into the facility site? 62-709.320(4)(a)1.	~			
10.9	Are dust control methods adequate? 62-709.320(4)(a)2.	~			
10.10	Are there fire protection and control methods to deal with accidental burning of solid waste? 62-709.320(4)(a)3.	~			
10.11	Is all weather access road, at least 20 feet wide, all around the perimeter of the site? 62-709.320(4)(a)3.a.	~			
10.12	Are interior lanes at least 15 feet wide? 62-709.320(4)(a)3.b.	~			
10.13	Is none of the processed or unprocessed material more than 50 feet from access by motorized firefighting equipment? 62-709.320(4)(a)3.c.	~			
10.14	Is facility operated in a manner to control vectors, and to control objectionable odors? 62-709.320(4)(b)	~			
10.15	Is yard trash received at the facility processed or removed within 6 months, or within the period required to receive 3,000 tons or 12,000 cubic yards, whichever is greatest? [Segregated logs must be processed or removed within 12 months.] 62-709.320(4)(c)	~			
10.16	Is processed material removed from the facility within 18 months, if not authorized under another Department solid waste management facility permit? 62-709.320(4)(d)	~			
10.17	Are only yard trash and bags used to collect yard trash accepted at the facility? 62-709.320(4)(e)	~			
10.18	Are unauthorized wastes containerized and putrescible materials removed within 48 hours? 62-709.320(4)(e)	~			

Item No.	YARD TRASH REGISTRATION Completed	Ok	Not Ok	Unk	N/A
10.19	Is the registration for the facility current and on file with the Department? 62-709.320(5)(b)				~
10.20	Are renewal applications for annual registration of the facility submitted to the Department by July 1st, if applicable? 62-709.320(5)(c)				>
10.21	Are monthly records of incoming and outgoing material kept on-site or at another location as indicated on the registration form for at least three years? 62-709.320(6)	~			
10.22	Are Annual Reports, based upon the preceding calendar year, summarizing monthly records, submitted to the Department as required? 62-709.320(6)			٧	

Pre-existing Area Of Concern:

Rule: 62-701.300(11)(b), 62-701.300(6), 62-701.730(19), 62-701.300(4), 62-701.520(3), 62-

701.300(8)(d), 62-701.300(14), 62-701.300(5), 62-701.300(11)(a), 62-701.300(8)(a),

62-701.300(8)(e), 62-701.300(10), 62-701.300(8)(c)

Question Number: 2.6

Explanation: Department staff observed shredded tires being used for sediment control/drainage

material in the temporary leachate infiltration area located adjacent to the access road on top of Cell 5. Many of the tires appeared larger (quarter's and halves) than the acceptable size for disposal in a landfill. Facility indicated that the infiltration area would typically be covered with waste once filling operations moved to that location and the

tires would not be removed.

Corrective Action: Rule 62-711.400(3)(b) indicates tires may be disposed of in a landfill if "the tire has

been cut into eight substantially equally pieces" and receive initial cover once per week. In order to use tires for initial cover (or as drainage material), tires shall meet 62-711.400(3)(a), which states that 70% of the waste tire material be cut into pieces of 4

square inches or less.

During the inspection, Operator indicated the tires would be reprocessed prior to

disposal.

Attachments:

tires for sediment control



tires for sediment control



tires for sediment control



tires for sediment control



Rule: 62-701.320(1), 403.161

Question Number: 4.24

Explanation: An area on the southeast side of the tipping floor (and loading ramp) appeared

damaged. A depression in the concrete was observed which may be capable of holding

water and prevent proper drainage to the leachate collection system.

Corrective Action: The damaged portion of the tipping floor should be evaluated for proper drainage and

repaired in accordance with SC C.6.a as necessary. Please provide documentation of

repairs.

Attachments:

MRF tipping floor



MRF tipping area



COMMENTS:

06/21/2010

Department staff observed a water main being installed along the entrance roadway. During the inspection, operator indicated they this water main closely parallels the County's leachate forcemain and that due to concern about damage to the line, the leachate tank was intentionally being kept below two feet for emergency storage.

06/21/2010

The landfill gas construction had been substantially completed at the time of the inspection, with only small punch list items remaining. The flare was operational at the time of the inspection. LFG electronic display indicated flare flow at 882 SCFM, flare temp at 1400 degrees F.

Compressor blow-off was observed around the base of the air compressor unit. Operator indicated the County intends to manage the liquids to prevent them from discharging on the ground around the compressor. Please provide additional information.

06/21/2010

Tank inspection conducted March 1, 2010, received April 6, 2010.

06/21/2010

Facility was filling near the Cell 4/5 boundary at the time of the inspection.

The top and eastern slope of Cell 1 was recently finished, "saw-tooth" top, and has received temporary final cover and seeded.

06/24/2010

Item 1.7 - Did not review

Item 1.9 - Awaiting Tallahassee approval

Item 1.12 - To Tallahassee, did not check

Items 9.10, 10.22 - Did not check during inspection

06/24/2010

Item 2.28 - The eastern portion of the WF interceptor berm appeared inconsistent and low in some areas.

06/24/2010

Item 4.10 - Department staff observed sediment build-up on the MRF floor which had slowed the

flow of leachate to the N drains. Also, the truck load out appeared to contain standing leachate and should be pumped out.

ATTACHMENTS:

Leachate Tank



Compressor blow-off



MRF truck loading ramp sump



LFG display



MRF tipping floor - sediment



YTPF



Cell 1 - E saw tooth



WF



NE corner Cell 1 - prep for sod



E slope



E interceptor berm



Phase II



metal for recycling



WT area



Signed:

Melissa Madden	Inspector	
PRINCIPAL INSPECTOR NAME	PRINCIPAL INSPECTOR TITLE	
MAN		0/04/0040
	<u> </u>	6/24/2010
PRINCIPAL INSPECTOR SIGNATURE		DATE
Lois Rose		
REPRESENTATIVE NAME		
NO SIGNATURE		
REPRESENTATIVE SIGNATURE		
Jim Szala		
REPRESENTATIVE NAME		
NO SIGNATURE		
REPRESENTATIVE SIGNATURE	<u> </u>	

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Not Ok" or areas of concern.