



LEE COUNTY

SOUTHWEST FLORIDA

BOARD OF COUNTY COMMISSIONERS

John E. Manning August 27, 2010
District One

A. Brian Bigelow
District Two

Ray Judah
District Three

Tammy Hall
District Four

Frank Mann
District Five

Karen B. Hawes
County Manager

David M. Owen
County Attorney

Diana M. Parker
County Hearing
Examiner

Mr. Charles Emery, III, Solid Waste Administrator
Florida Department of Environmental Protection, South District
2295 Victoria Ave.
Ft. Myers, FL 33901

Re: Lee County Solid Waste Energy Recovery Facility, WACS ID No. 93715
Conditions of Certification, PA90-30H
Request for Approval of Revisions to the Groundwater Monitoring Plan

Dear Mr. Emery:

The Lee County Solid Waste Division (SWD) requests Department approval of revisions to the Groundwater Monitoring Plan (GWMP) for the Lee County Solid Waste Energy Recovery Facility (SWERF). The revised GWMP, which was developed as a stand-alone document, is provided in Attachment 1. A brief history of the ground water monitoring program is provided below followed by a summary and justification of the proposed revisions to the GWMP. As demonstrated in the following paragraphs, the SWD believes the revised monitoring program is consistent with the intent of the Conditions of Certification as it will sufficiently monitor the quality of the shallow aquifer to identify any impacts that may result from the SWERF's operations.

Background

The initial GWMP was prepared pursuant to the SWERF Conditions of Certification (Power Plant Siting Act Permit Application PA 90-30), and submitted to the Florida Department of Environment Protection (Department) in August 1992. The GWMP was implemented in July 1993 and the SWERF began operations in December 1994. The initial monitoring program consisted of quarterly and annual monitoring of six shallow or water table monitoring wells and six 'deep' or sandstone aquifer wells. The quarterly program monitored a number of secondary water quality parameters and general indicators and the annual program monitored several primary drinking water parameters and volatile organic compounds (VOCs).

A revised ground water monitoring program dated April 3, 1996 was approved by the Department on August 14, 1996. Ground water monitoring is currently performed in accordance with the April 1996 GWMP. The April 1996 GWMP included the same inorganic parameters as the initial program but reduced the monitoring frequency of the detection wells and limited monitoring for volatile and semi-volatile organic



Entered into
OCULUS
South District

P.O. Box 398, Fort Myers, Florida 33902-0398 (239) 533-2111
Internet address <http://www.lee-county.com>
AN EQUAL OPPORTUNITY AFFIRMATIVE ACTION EMPLOYER

RECEIVED
AUG 30 2010

D.E.P. South District

compounds (VOCs/SVOCs) to the shallow wells. Monitoring for VOCs/SVOCs in the 'deep' wells (sandstone aquifer wells) was required only if any of these compounds were detected and confirmed in the shallow wells. Note that the April 1996 GWMP referenced monitoring for VOCs/SVOCs, where the initial GWMP only included monitoring for 10 VOCs. This difference is discussed in more detail below as it pertains to the proposed revisions to the GWMP. The April 1996 GWMP effectively reduced the monitoring frequency of the detection wells from quarterly to semi-annually by alternating the wells monitored during each successive quarterly monitoring event. The wells monitored alternated between two groups: Well Group 1 consisted of wells WTE-1S/1D, WTE-2S/2D and WTE-4S/4D, and well Group 2 consisted of wells WTE-1S/1D, WTE-3S/3D, WTE-5S/5D and WTE-6S/6D. The alternating well pattern also applied to the annual monitoring program thereby effectively reducing the annual monitoring frequency of the detection wells to biennially, e.g., monitoring of all detection wells for the annual program parameters took two years to complete. The alternating well pattern did not change the monitoring frequency of the upgradient wells, WTE-1S/1D, as these wells were in both well groups. A summary of the April 1996 GWMP is provided in Attachment 2.

In June 2010, the GWMP was modified for three of the SWERF's six shallow monitoring wells as a result of the Facility's plans to construct and operate a Construction and Demolition Debris Recycling Facility (CDDRF). The Department approved a revised GWMP for these wells on June 18, 2010 with the approval issued for the CDDRF. The ground water monitoring well network for the CDDRF consists of well WTE-2S as the upgradient well, and wells WTE-3SR (the replacement for WTE-3S which is located in the footprint of the CDDRF) and WTE-4S as the downgradient wells. The revised GWMP for these wells consist of semi-annual monitoring for the parameters listed in Rule 62-701.730(4)(b)4., F.A.C. The GWMP for the other three shallow monitoring wells (WTE-1S, WTE-5S, and WTE-6S) and the six deep monitoring wells did not change under the June 2010 modification.

Proposed Modification

The proposed GWMP will expand the ground water monitoring program approved for the three CDDRF monitoring wells to the SWERF's remaining three shallow monitoring wells or wells WTE-1S, WTE-5S and WTE-6S. Thus, the proposed GWMP consists of monitoring all six shallow monitoring wells semi-annually for the parameters listed in Rule 62-701.730(4)(b)4., F.A.C. The proposed GWMP also eliminates the 'deep' or sandstone aquifer monitoring wells from the monitoring program.

The most recent five years of analytical data for all monitoring wells was summarized and is presented in Attachment 3. The data shows that, although certain parameters, namely Iron and TDS and, on occasion, Arsenic, Manganese and Chlorides, have exceeded the Department's corresponding water quality standard, most of the parameters have been below Department standards and/or the background concentrations established for these parameters. Moreover, no increasing trends in

concentrations have been identified for these parameters. Iron and TDS are typically found to be above the corresponding water quality standard in this geographical region. Further, exceedances reported at well WTE-3D, e.g., TDS, Iron, Chlorides, have been attributed to the flowing well that was previously located in the vicinity of this monitoring well and are not due to the Facility's operations. The data indicates that no contamination of the aquifers has resulted from the SWERF's operations. As the SWERF has been operating for approximately 15 years, the data suggests that the Facility's operations do not impact ground water quality.

The main objectives of the proposed GWMP are to implement the same monitoring program at all of the shallow monitoring wells, eliminate the alternating well pattern established in the April 1996 GWMP, and eliminate routine monitoring of the sandstone wells from the monitoring program. The proposed GWMP was recently approved for the three wells that will monitor the CDDRF and, as these wells comprise half of the SWERF's shallow monitoring well network, the proposed GWMP should also be acceptable for the SWERF's other shallow monitoring wells.

The proposed GWMP implements a semi-annual monitoring frequency which is equivalent to quarterly monitoring of alternating well groups under the current quarterly monitoring program. Monitoring all shallow wells semi-annually is preferred over quarterly and annual monitoring of alternating well groups which is confusing and time-consuming to track over time to ensure the correct well group is sampled during each monitoring event. Moreover, the proposed GWMP will increase the monitoring frequency of the detection wells for the primary drinking water parameters from biennially to semi-annually.

The proposed GWMP will monitor for the volatile organic compounds (VOCs) listed in EPA Methods 601 and 602 and Xylenes. Note that EPA Method 8260 includes all of these compounds and is also the appropriate method for ground water monitoring. The parameters from the above-noted methods include 9 of the 10 VOCs listed in the initial GWMP. The single VOC that will be eliminated from the initially approved monitoring program is Ethylene Dibromide also known as EDB or 1,2-Dibromoethane. This parameter has not been detected in the previous five (5) years of monitoring as demonstrated in the summary of the VOC/SVOC data presented in Attachment 4.

Although the data summary shows that several VOCs were occasionally detected, they were either not confirmed by subsequent confirmation sampling or they were also found in one or more of the quality control (QC) blanks collected during the monitoring event. A summary of the monitoring data for QC blanks over the same time period is also provided in Attachment 4. Volatile and semi-volatile organic compound (VOC/SVOC) detects in the control blanks indicates that lab or other contamination caused the detection in the sample and that the VOC/SVOC was not present in the aquifer.

During the January 2008 annual monitoring event, the semi-volatile organic compounds m&p-Cresol and Phenol were detected in monitoring well WTE-3S. A resample event was scheduled and performed by our new laboratory, Flowers Chemical Laboratories,

Inc. (FCL), in April 2008 for WTE-3S for EPA Method 625 which, according to the January 2008 lab report, was the analytical method by which these compounds were identified. The resample confirmed that Phenol was not present; however, results for m&p-Cresol were not included in the report. When questioned recently, the chemist that performed the resample analyses confirmed that m&p-Cresol was not detected in the resample of WTE-3S. The chemist said that m&p-Cresol is not an EPA Method 625 compound, therefore, it could not be included in the report. The chemist also said that because their analytical equipment is calibrated to detect other parameters such as m&p-Cresol, they can determine whether these other parameters are present even though the results can not be included in the report. It is unknown why the laboratory which performed the initial analyses (January 2008) reported this compound under EPA Method 625; however, based on the confirmation from the chemist that performed the resample analyses, m&p-Cresol was not detected in the resample of WTE-3S. Therefore, based on the above and a review of the data provided in Attachment 4, VOCs/SVOCs have not been detected and confirmed in the shallow monitoring wells during the past 5 years of monitoring. Therefore, the VOCs included in the revised GWMP, which are those listed in EPA Methods 601 and 602 along with Xylenes, will be sufficient to detect potential contamination in the shallow aquifer.

The revised GWMP will eliminate several parameters from the current monitoring program, including Zinc, Total Organic Carbon (TOC), Manganese, Total Kjeldhal Nitrogen (TKN) and Selenium but will also add several parameters, including Aluminum, Cadmium, and Nitrate. The historical monitoring data for these five parameters are summarized and presented in Attachment 5. This data shows that the concentrations of these parameters have primarily been below the corresponding drinking water standard and/or below background concentrations. Further, no increasing trends in the concentrations of these parameters have been identified.

Two of these parameters, TKN and TOC, do not have corresponding drinking water standards and, while they both can indicate water quality, TOC is used primarily in the drinking water purification process to determine the level of natural organic matter (NOM) in the source water. Source water with high levels of NOM may increase the amount of cancer-causing chlorinated disinfection byproducts in the processed drinking water. TKN is one of several forms of nitrogen and high levels of TKN may indicate manure or sewer discharge to the water which is more appropriate for surface water bodies and is not likely to occur at the SWERF. Further, two other forms of nitrogen, ammonia as nitrogen and nitrates, are included in the ground water monitoring program, therefore, TKN is not necessary.

Both Zinc and Manganese are secondary drinking water parameters and Zinc has never been detected above its corresponding drinking water standard of 5 mg/L. Manganese has been detected infrequently in concentrations above the Department's secondary drinking water standard of 0.05 mg/L. The presence of manganese in concentrations above this standard are primarily a concern in public water supplies for both aesthetic and maintenance reasons. Historical monitoring results for Manganese show that the manganese concentration has fluctuated from below to above the standard in several of

the facility's monitoring wells; however, and more importantly, no trends for manganese were noted in the historical ground water data. This indicates that manganese is naturally occurring in the ground water and the manganese concentration fluctuates to some degree over time as conditions in the aquifer change.

Finally, Selenium has never been detected above its drinking water standard of 0.05 mg/L. In conclusion, the historical concentrations of these parameters indicate no adverse effects will result from eliminating these parameters from the monitoring program. Further, numerous other parameters which are more suitable for determining water quality of the aquifer will be monitored under the revised GWMP.

The revised GWMP will increase the monitoring frequency of the primary drinking water parameters Sodium, Chromium and Lead to semi-annually. These parameters are currently monitored under the annual program; however, as explained above, annual monitoring of alternating well groups is equivalent to biennial monitoring of all the detection wells. Thus, the revised GWMP will increase the monitoring for these parameters from biennially to semi-annually.

The proposed GWMP will eliminate the sandstone aquifer monitoring wells (also referred to as 'deep' wells) from the monitoring program. Monitoring of the shallow wells only is consistent with the intent of the Conditions of Certification. Section B., Specific Condition I.H.2.c.(1), which states in part 'Sampling of the shallow aquifer ground water quality shall be conducted in at least six well clusters in the site vicinity.' Thus, although the well clusters were installed in both the shallow and sandstone aquifers, the focus was primarily on monitoring the quality of the shallow aquifer. An excerpt from the March 22, 2010 Conditions of Certification containing the referenced language is provided in Attachment 6.

As the monitoring program is intended to identify ground water contamination resulting from the Facility's operations, any contamination caused by the Facility's operations would be detected first in the shallow aquifer. Further, any contamination in of the shallow aquifer is unlikely to migrate to the sandstone aquifer due to the presence of the Upper Hawthorne Confining Layer below the water table aquifer. The confining layer is approximately 5 feet thick across the site. For these reasons, the SWD believes it is sufficient and appropriate to monitor only the shallow aquifer monitoring wells.

The SWD will continue to inspect the sandstone aquifer monitoring wells on a semi-annual basis and will make repairs to the wells as needed. Water levels in the sandstone wells will also be measured during the semi-annual monitoring events and ground water contour maps of the sandstone aquifer will be prepared and submitted with the Water Quality Monitoring Reports. Therefore, although the revised GWMP proposes to monitor only the shallow aquifer, if future monitoring data identifies contamination in the shallow aquifer, and if deemed necessary by the Department, monitoring can resume in the sandstone wells.

Mr. Charles Emery, III

August 27, 2010


Page 6 of 6

In conclusion, based on the evaluation of historical monitoring data and the discussion of the changes to the monitoring program proposed herein, the intent of the Conditions of Certification will be maintained under the revised GWMP. Therefore, we request Department approval of the revised GWMP provided in Attachment 1.

If you have any questions pertaining to the information or data provided herein, please do not hesitate to call me at 239.530.8920.

Sincerely,

8/27
Laura A. Gray, PE
Engineering Manager
Solid Waste Division



Attachments

Cc: Lindsey J. Sampson, SWD
Keith Howard, SWD
George Ball-Llovera, Covanta
Kristen Chardo, Covanta
File II E107

Attachment 1

Ground Water Monitoring Plan, Lee County Solid Waste Energy Recovery Facility, August 2010 (Proposed)

Ground Water Monitoring Plan

Lee County Solid Waste Energy Recovery Facility

This Ground Water Monitoring Plan (GWMP) was developed by the Lee County Solid Waste Division (SWD) to summarize the ground water monitoring program for the Lee County Solid Waste Energy Recovery Facility (SWERF) as required by the Facility's Conditions of Certification, PA90-30H, dated March 22, 2010.

Ground Water Monitoring Well Network

In accordance with Section B., Specific Condition I.H.2.c., of the Facility's Conditions of Certification, the Facility will monitor the quality of the shallow aquifer by sampling ground water monitoring wells WTE-1S, WTE-2S, WTE-3SR, WTE-4S, WTE-5S and WTE-6S. Note that well WTE-3SR replaced well for WTE-3S which had to be moved as it was located in the footprint of the proposed Construction and Demolition Debris Recycling Facility (CDDRF). The Department approved the location proposed for replacement well WTE-3SR in correspondence dated June 18, 2010 which approved the Facility's request to construct and operate a CDDRF at the SWERF. Figure 1, Ground Water Monitoring Well Location Map, shows the approximate locations of the monitoring wells which comprise the SWERF's ground water monitoring well network.

Ground Water Sampling and Analyses

Ground water samples will be collected from monitoring wells WTE-1S, WTE-2S, WTE-3SR, WTE-4S, WTE-5S and WTE-6S on a semi-annual frequency and analyzed for the parameters listed in F.A.C. Rule 62-701.730(4)(b) as shown in Table 1.

Table 1

Field Parameters	Lab Parameters	Lab Parameters	Lab Parameters
pH	Aluminum	Arsenic	Xylenes
Turbidity	Chlorides	Cadmium	The parameters listed
Temperature	Nitrate	Chromium	in EPA Methods
Specific Conductivity	Sulfate	Lead	601 & 602
Dissolved Oxygen	TDS	Mercury	
Water Elevations	Iron	Total Ammonia – N	
Colors/Sheens (visual)	Sodium		

Note: Xylenes and the parameters listed in Methods 601 and 602 are all contained in EPA Method 8260

Sampling will be conducted in accordance with the Department's Standard Operating Procedures, DEP-SOP-001/01, and specifically in accordance with FS 2200, Ground Water Sampling. One of the two semi-annual sampling events will be conducted in the dry season and the other in the wet season, approximately 6 months apart. Laboratories selected to perform environmental sampling and analyses required by Department permits or rules will hold a valid certification from the Department of Health's Environmental Lab Certification Program as required by Chapter 62-160, FAC. All field and laboratory records will be made available to the Department.

Ground Water Monitoring Reports

Semi-annual water quality monitoring reports will be prepared and submitted to the Department in accordance with Rule 62-701.510, FAC. The semi-annual monitoring reports will include the information listed in Rule 62-701.510 (9)(a), FAC. A technical report which has been prepared and signed by a professional engineer or geologist with experience in hydrogeological investigations, will be submitted to the Department as required by 62-701.510(9)(b), FAC. The report will contain a summary of all water level and water quality data collected in the previous 2 ½ years plus, at a minimum, all information listed in Chapter 62-701.510 (9)(b), FAC.

Ground Water Monitoring Well Installation and Abandonment

If a monitoring well becomes damaged, the following procedures will be implemented. The Facility will notify the Department within 30 days of discovery of a damaged well. The Facility will hire a Licensed Well Driller to install a replacement well and to properly abandon the existing, damaged well. The Well Driller will secure the required well construction and abandonment permits prior to performing the work.

Monitoring wells will be installed in general accordance with ASTM D-5092, Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers, and in accordance with the Department's Bureau of Petroleum Storage Systems Petroleum Cleanup Program's Standard Operating Procedures PCS-006 for the Design, Installation and Placement of Monitoring Wells.

New monitoring wells will be fully developed in accordance with procedures outlined in the above-referenced documents. The existing wells will be properly abandoned in accordance with the procedures in the above-referenced documents which generally consist of grouting from the bottom up using a tremie pipe.

A boring log and a Well Construction and Development Log (provided in PCS-006) will be completed for each well installed. A Department Monitor Well Completion Report (DEP Form # 62-522.900(3)) will also be completed and submitted for each well installed.

Lee County Solid Waste Energy Recovery Facility

PA90-30H




Figure 1-Ground Water Monitoring Well Network Location Map

Attachment 2

Lee County Solid Waste Energy Recovery Facility, Ground Water Monitoring Program Summary (April 1996) (Current)

Lee County Solid Waste Energy Recovery Facility (SWERF) Ground Water Monitoring Program Summary (April 1996)

Summarized from Table 4-1 (attached) of the Lee County Solid Waste Energy Recovery Facility Ground Water and Surface Water Monitoring Plan, prepared by Malcolm Pirnie, August 1992, contained in the Power Plant Siting Act Permit Application PA 90-30, as revised in April 1996.

Quarterly Monitoring Program

Monitor the appropriate well group (alternates between well Groups 1 and 2) quarterly for the Secondary Drinking Water Parameters (SDWP) and General Indicators (GI) identified below.

Annual Monitoring Program

Monitor the appropriate well group (alternates between well Groups 1 and 2) annually for the Primary Drinking Water Parameters identified below, and the SDWP and GI. Methods 504, 524, and 625 (volatile and semi-volatile organic compounds (VOCs/SVOCs)) are performed on the shallow wells only; if any parameter is detected and confirmed in the shallow wells, the noted Methods will be performed on the deep (sandstone aquifer) wells. The annual program is typically performed in the first calendar quarter.

Well Groups

Group: 1. WTE-1S, -1D, -2S, -2D, -4S, -4D

Group: 2. WTE-1S, -1D, -3S, -3D, -5S, -5D, -6S, -6D

Program Parameters

PDWP	SDWP	GI
Chromium	Chloride	TOC
Lead	Iron	Ammonia (as N)
Sodium	PH	Specific Conductance
*EPA Method 504	Zinc	TKN
*EPA Method 524	Manganese	Arsenic
*EPA Method 625	Sulfate	Selenium
	TDS	Mercury

**The noted Methods were identified from the parameters presented in the request for revisions to the GWMP dated April 1996 and approved by the Department in August 1996.*

Alternating Monitoring Well Schedule Based on Past Monitoring

	1 st Qtr 10	2 nd Qtr 10	3 rd Qtr 10	4 th Qtr 10
Quarterly	1, 2, 4	1, 3, 5, 6	1, 2, 4	1, 3, 5, 6
Annual	1, 3, 5, 6			
	1 st Qtr 11	2 nd Qtr 11	3 rd Qtr 11	4 th Qtr 11
Quarterly	1, 2, 4	1, 3, 5, 6	1, 2, 4	1, 3, 5, 6
Annual	1, 2, 4			

TABLE 4-1		
PROPOSED ANNUAL WATER QUALITY PARAMETERS FOR GROUND WATER MONITOR WELLS*		
BASIS	PARAMETERS	
Section 17-550.310, F.A.C., for Primary Maximum Contaminant Levels for Drinking Water		
Subsection (1) (a)	Chromium Lead	Sodium
Subsection (2) (d)	Trichloroethene Tetrachloroethene Carbon tetrachloride Vinyl chloride 1,1,1-trichloroethane	1,2-dichloroethane Benzene Ethylene dibromide p-dichlorobenzene 1,1-dichloroethene
Section 17-550.320, F.A.C., for Secondary Maximum Contaminant Levels for Drinking Water:		
	Chloride Iron pH Zinc	Manganese Sulfate Total Dissolved Solids
General Indicators	Total Organic Carbon Ammonia (as N) Specific Conductance Total Kjeldahl Nitrogen (as N)	Arsenic Selenium Mercury
* Results from analyses will be evaluated after the initial characterization, and after each annual sampling event, to re-evaluate appropriate, individual constituents for continued monitoring.		

From the 'Lee County Solid Waste Energy Recovery Facility Ground Water and Surface Water Monitoring Plan', prepared by Malcolm Pirnie, August 1992, contained in the Power Plant Siting Act Permit Application PA 90-30.

Attachment 3

Summary of Five (5) Years of Ground Water Monitoring Data (Inorganic Laboratory Data Only)

- Lee County Environmental Laboratory (LCEL) performed analyses through January 2008
- Flowers Chemical Laboratories, Inc. (FCL) performed analyses from April 2008 through present (data attached is through April 2010)

Identification and Description of the Qualifiers Noted in the Data Summaries)

- LCEL's Data Qualifiers and FCL List of Qualifiers

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	4/27/2005	Ammonia (as N)	0.213		0.013	mg/L
WTE-1S	7/21/2005	Ammonia (as N)	0.29		0.013	mg/L
WTE-1S	10/13/2005	Ammonia (as N)	0.288		0.013	mg/L
WTE-1S	10/13/2005	Ammonia (as N)	0.284		0.013	mg/L
WTE-1S	1/25/2006	Ammonia (as N)	0.253		0.013	mg/L
WTE-1S	1/25/2006	Ammonia (as N)	0.249		0.013	mg/L
WTE-1S	4/20/2006	Ammonia (as N)	0.271		0.013	mg/L
WTE-1S	7/27/2006	Ammonia (as N)	0.279		0.01	mg/L
WTE-1S	10/30/2006	Ammonia (as N)	0.365		0.014	mg/L
WTE-1S	1/19/2007	Ammonia (as N)	0.238		0.014	mg/L
WTE-1S	1/19/2007	Ammonia (as N)	0.228		0.014	mg/L
WTE-1S	4/26/2007	Ammonia (as N)	0.204		0.014	mg/L
WTE-1S	7/30/2007	Ammonia (as N)	0.237		0.014	mg/L
WTE-1S	10/29/2007	Ammonia (as N)	0.015	I	0.014	mg/L
WTE-1S	1/25/2008	Ammonia (as N)	0.207		0.014	mg/L
WTE-1S	1/25/2008	Ammonia (as N)	0.253	J3	0.014	mg/L
WTE-1S	4/17/2008	Ammonia (as N)	0.147		0.01	mg/L
WTE-1S	8/5/2008	Ammonia (as N)	0.178		0.01	mg/L
WTE-1S	10/28/2008	Ammonia (as N)	0.0805		0.01	mg/L
WTE-1S	1/7/2009	Ammonia (as N)	0.12		0.01	mg/L
WTE-1S	4/15/2009	Ammonia (as N)	0.0991		0.01	mg/L
WTE-1S	7/8/2009	Ammonia (as N)	0.132		0.01	mg/L
WTE-1S	10/6/2009	Ammonia (as N)	0.234		0.01	mg/L
WTE-1S	1/7/2010	Ammonia (as N)	0.195		0.01	mg/L
WTE-1S	4/7/2010	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-1S	4/27/2005	Arsenic	3.4	I	1	µg/L
WTE-1S	7/21/2005	Arsenic	7.3		1	µg/L
WTE-1S	10/13/2005	Arsenic	5.5		1	µg/L
WTE-1S	10/13/2005	Arsenic	5.1		1	µg/L
WTE-1S	1/25/2006	Arsenic	4.5		1	µg/L
WTE-1S	1/25/2006	Arsenic	4.4		1	µg/L
WTE-1S	4/20/2006	Arsenic	3.9	I	1	µg/L
WTE-1S	7/27/2006	Arsenic	1	U	1	µg/L
WTE-1S	10/30/2006	Arsenic	3.97	I	1	µg/L
WTE-1S	1/19/2007	Arsenic	1.7	I	1	µg/L
WTE-1S	1/19/2007	Arsenic	1.4	I	1	µg/L
WTE-1S	4/26/2007	Arsenic	1.25	I	1	µg/L
WTE-1S	7/30/2007	Arsenic	2.26	I	1	µg/L
WTE-1S	10/29/2007	Arsenic	1	U	1	µg/L
WTE-1S	1/25/2008	Arsenic	1	U	1	µg/L
WTE-1S	1/25/2008	Arsenic	1	U	1	µg/L
WTE-1S	4/17/2008	Arsenic	0.00393		0.001	mg/L
WTE-1S	8/5/2008	Arsenic	0.00239		0.001	mg/L
WTE-1S	10/28/2008	Arsenic	0.0033		0.001	mg/L
WTE-1S	4/15/2009	Arsenic	0.00217		0.001	mg/L
WTE-1S	7/8/2009	Arsenic	0.00283		0.001	mg/L
WTE-1S	10/6/2009	Arsenic	0.00239		0.001	mg/L
WTE-1S	1/7/2010	Arsenic	0.00249		0.001	mg/L
WTE-1S	4/7/2010	Arsenic	0.001	U	0.001	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFRMDL	UNITS
WTE-1S	4/27/2005	Chloride	44		1.2 mg/L
WTE-1S	7/21/2005	Chloride	45.2		1.2 mg/L
WTE-1S	10/13/2005	Chloride	39		1.2 mg/L
WTE-1S	10/13/2005	Chloride	39		1.2 mg/L
WTE-1S	1/25/2006	Chloride	33.5		1.2 mg/L
WTE-1S	1/25/2006	Chloride	33		1.2 mg/L
WTE-1S	4/20/2006	Chloride	33.2		1.2 mg/L
WTE-1S	7/27/2006	Chloride	81		1.2 mg/L
WTE-1S	10/30/2006	Chloride	80		1.2 mg/L
WTE-1S	1/19/2007	Chloride	27.5		1.2 mg/L
WTE-1S	1/19/2007	Chloride	26.5		1.2 mg/L
WTE-1S	4/26/2007	Chloride	31.1		1.2 mg/L
WTE-1S	7/30/2007	Chloride	28.4		1.2 mg/L
WTE-1S	10/29/2007	Chloride	31.7		1.2 mg/L
WTE-1S	1/25/2008	Chloride	31.7		1.6 mg/L
WTE-1S	1/25/2008	Chloride	31.7		1.6 mg/L
WTE-1S	4/17/2008	Chloride	11.9		5 mg/L
WTE-1S	8/5/2008	Chloride	23		10 mg/L
WTE-1S	10/28/2008	Chloride	23.4		10 mg/L
WTE-1S	1/7/2009	Chloride	25.2		5 mg/L
WTE-1S	4/15/2009	Chloride	21		8 mg/L
WTE-1S	7/8/2009	Chloride	20.5		8 mg/L
WTE-1S	10/6/2009	Chloride	19.9		8 mg/L
WTE-1S	1/7/2010	Chloride	23.8		4 mg/L
WTE-1S	4/7/2010	Chloride	24.8		12 mg/L
WTE-1S	1/25/2006	Chromium	1 U		1 µg/L
WTE-1S	1/25/2006	Chromium	1 U		1 µg/L
WTE-1S	1/19/2007	Chromium	1.1 U		1.1 µg/L
WTE-1S	1/19/2007	Chromium	1.1 U		1.1 µg/L
WTE-1S	1/25/2008	Chromium	1.1 U		1.1 µg/L
WTE-1S	1/25/2008	Chromium	1.1 U		1.1 µg/L
WTE-1S	1/7/2009	Chromium	0.001 U		0.001 mg/L
WTE-1S	1/7/2010	Chromium	0.001 U		0.001 mg/L
WTE-1S	4/27/2005	Iron	4.2		0.04 mg/L
WTE-1S	7/21/2005	Iron	4.5		0.04 mg/L
WTE-1S	10/13/2005	Iron	4.3		0.04 mg/L
WTE-1S	10/13/2005	Iron	4.3		0.04 mg/L
WTE-1S	1/25/2006	Iron	4		0.04 mg/L
WTE-1S	1/25/2006	Iron	4		0.04 mg/L
WTE-1S	4/20/2006	Iron	4.3		0.04 mg/L
WTE-1S	7/27/2006	Iron	3.64		0.04 mg/L
WTE-1S	10/30/2006	Iron	2.8		0.04 mg/L
WTE-1S	1/19/2007	Iron	3.4		0.04 mg/L
WTE-1S	1/19/2007	Iron	3.4		0.04 mg/L
WTE-1S	4/26/2007	Iron	3.32		0.04 mg/L
WTE-1S	7/30/2007	Iron	3.56		0.04 mg/L
WTE-1S	10/29/2007	Iron	3.64		0.04 mg/L
WTE-1S	1/25/2008	Iron	3.36		0.04 mg/L
WTE-1S	1/25/2008	Iron	3.42		0.04 mg/L
WTE-1S	4/17/2008	Iron	3.27		0.01 mg/L
WTE-1S	8/5/2008	Iron	3.36		0.01 mg/L
WTE-1S	10/28/2008	Iron	3.82		0.01 mg/L
WTE-1S	1/7/2009	Iron	3.04		0.01 mg/L
WTE-1S	4/15/2009	Iron	3.7		0.01 mg/L
WTE-1S	7/8/2009	Iron	4.21		0.01 mg/L
WTE-1S	10/6/2009	Iron	3.73		0.01 mg/L
WTE-1S	1/7/2010	Iron	2.23		0.01 mg/L
WTE-1S	4/7/2010	Iron	2.35		0.01 mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/25/2006	Lead	1	U		1 µg/L
WTE-1S	1/25/2006	Lead	1	U		1 µg/L
WTE-1S	1/19/2007	Lead	1	U		1 µg/L
WTE-1S	1/19/2007	Lead	1	U		1 µg/L
WTE-1S	1/25/2008	Lead	1	U		1 µg/L
WTE-1S	1/25/2008	Lead	1	U		1 µg/L
WTE-1S	1/7/2009	Lead	0.001	U		0.001 mg/L
WTE-1S	1/7/2010	Lead	0.001	U		0.001 mg/L
WTE-1S	4/27/2005	Manganese	0.01	U		0.01 mg/L
WTE-1S	7/21/2005	Manganese	0.01	U		0.01 mg/L
WTE-1S	10/13/2005	Manganese	0.01	U		0.01 mg/L
WTE-1S	10/13/2005	Manganese	0.01	U		0.01 mg/L
WTE-1S	1/25/2006	Manganese	0.02	I		0.01 mg/L
WTE-1S	1/25/2006	Manganese	0.02	I		0.01 mg/L
WTE-1S	4/20/2006	Manganese	0.01	U		0.01 mg/L
WTE-1S	7/27/2006	Manganese	0.02	I		0.01 mg/L
WTE-1S	10/30/2006	Manganese	0.01	U		0.01 mg/L
WTE-1S	1/19/2007	Manganese	0.01	U		0.01 mg/L
WTE-1S	1/19/2007	Manganese	0.01	U		0.01 mg/L
WTE-1S	4/26/2007	Manganese	0.022	I		0.01 mg/L
WTE-1S	7/30/2007	Manganese	0.01	U		0.01 mg/L
WTE-1S	10/29/2007	Manganese	0.015	ELAB		0.0025 mg/L
WTE-1S	1/25/2008	Manganese	0.01	I		0.01 mg/L
WTE-1S	1/25/2008	Manganese	0.01	I		0.01 mg/L
WTE-1S	4/17/2008	Manganese	0.0155			0.01 mg/L
WTE-1S	8/5/2008	Manganese	0.0122			0.01 mg/L
WTE-1S	10/28/2008	Manganese	0.0126			0.01 mg/L
WTE-1S	1/7/2009	Manganese	0.0194			0.01 mg/L
WTE-1S	4/15/2009	Manganese	0.0225			0.01 mg/L
WTE-1S	7/8/2009	Manganese	0.0145			0.01 mg/L
WTE-1S	10/6/2009	Manganese	0.0119			0.01 mg/L
WTE-1S	1/7/2010	Manganese	0.015			0.01 mg/L
WTE-1S	4/7/2010	Manganese	0.0126			0.01 mg/L
WTE-1S	4/27/2005	Mercury	0.2	U		0.2 mg/L
WTE-1S	7/21/2005	Mercury	0.2	U		0.2 mg/L
WTE-1S	10/13/2005	Mercury	0.2	U		0.2 mg/L
WTE-1S	10/13/2005	Mercury	0.2	U		0.2 mg/L
WTE-1S	1/25/2006	Mercury	0.2	U		0.2 mg/L
WTE-1S	1/25/2006	Mercury	0.2	U		0.2 mg/L
WTE-1S	4/20/2006	Mercury	0.2	U		0.2 mg/L
WTE-1S	7/27/2006	Mercury	0.2	U		0.2 mg/L
WTE-1S	10/30/2006	Mercury	0.2	U		0.2 mg/L
WTE-1S	1/19/2007	Mercury	0.2	U		0.2 mg/L
WTE-1S	1/19/2007	Mercury	0.2	U		0.2 mg/L
WTE-1S	4/26/2007	Mercury	0.0001	U ELAB		0.0001 mg/L
WTE-1S	7/30/2007	Mercury	0.0001	U ELAB		0.0001 mg/L
WTE-1S	10/29/2007	Mercury	0.0001	U ELAB		0.0001 mg/L
WTE-1S	1/25/2008	Mercury	0.0001	U ELAB		0.0001 mg/L
WTE-1S	1/25/2008	Mercury	0.0001	U ELAB		0.0001 mg/L
WTE-1S	4/17/2008	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	8/5/2008	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	10/28/2008	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	1/7/2009	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	4/15/2009	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	7/8/2009	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	10/6/2009	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	1/7/2010	Mercury	0.000017	U		0.000017 mg/L
WTE-1S	4/7/2010	Mercury	0.00002	U		0.00002 mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1S	1/7/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1S	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1S	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1S	4/27/2005	Selenium	2	U	2	µg/L
WTE-1S	7/21/2005	Selenium	1	I	1	µg/L
WTE-1S	10/13/2005	Selenium	1	U	1	µg/L
WTE-1S	10/13/2005	Selenium	1	U	1	µg/L
WTE-1S	1/25/2006	Selenium	1	U	1	µg/L
WTE-1S	1/25/2006	Selenium	1	U	1	µg/L
WTE-1S	4/20/2006	Selenium	1	U	1	µg/L
WTE-1S	7/27/2006	Selenium	1	U	1	µg/L
WTE-1S	10/30/2006	Selenium	1	U	1	µg/L
WTE-1S	1/19/2007	Selenium	1	U	1	µg/L
WTE-1S	1/19/2007	Selenium	1	U	1	µg/L
WTE-1S	4/26/2007	Selenium	1	U	1	µg/L
WTE-1S	7/30/2007	Selenium	1	U	1	µg/L
WTE-1S	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-1S	1/25/2008	Selenium	1	U	1	µg/L
WTE-1S	1/25/2008	Selenium	1	U	1	µg/L
WTE-1S	4/17/2008	Selenium	0.00764		0.002	mg/L
WTE-1S	8/5/2008	Selenium	0.00592		0.002	mg/L
WTE-1S	10/28/2008	Selenium	0.002	U	0.002	mg/L
WTE-1S	1/7/2009	Selenium	0.00212		0.002	mg/L
WTE-1S	4/15/2009	Selenium	0.002	U	0.002	mg/L
WTE-1S	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-1S	10/6/2009	Selenium	0.002	U	0.002	mg/L
WTE-1S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-1S	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-1S	1/25/2006	Sodium	18.9		0.2	mg/L
WTE-1S	1/25/2006	Sodium	19.2		0.2	mg/L
WTE-1S	1/19/2007	Sodium	17		0.2	mg/L
WTE-1S	1/19/2007	Sodium	17.1		0.2	mg/L
WTE-1S	1/25/2008	Sodium	16.7		0.2	mg/L
WTE-1S	1/25/2008	Sodium	16.8		0.2	mg/L
WTE-1S	1/7/2009	Sodium	17.6		0.5	mg/L
WTE-1S	1/7/2010	Sodium	15.1		0.5	mg/L
WTE-1S	4/27/2005	Sulfate	47.3		0.2	mg/L
WTE-1S	7/21/2005	Sulfate	26.6		0.1	mg/L
WTE-1S	10/13/2005	Sulfate	22		0.1	mg/L
WTE-1S	10/13/2005	Sulfate	22		0.1	mg/L
WTE-1S	1/25/2006	Sulfate	18.8		0.1	mg/L
WTE-1S	1/25/2006	Sulfate	18.8		0.1	mg/L
WTE-1S	4/20/2006	Sulfate	21.3		0.1	mg/L
WTE-1S	7/27/2006	Sulfate	23.4		0.05	mg/L
WTE-1S	10/30/2006	Sulfate	21.5		0.05	mg/L
WTE-1S	1/19/2007	Sulfate	21.4		0.05	mg/L
WTE-1S	1/19/2007	Sulfate	21.4		0.05	mg/L
WTE-1S	4/26/2007	Sulfate	23.6		0.05	mg/L
WTE-1S	7/30/2007	Sulfate	24.5		0.05	mg/L
WTE-1S	10/29/2007	Sulfate	21.7		0.05	mg/L
WTE-1S	1/25/2008	Sulfate	22.9		0.05	mg/L
WTE-1S	1/25/2008	Sulfate	22.9		0.05	mg/L
WTE-1S	4/17/2008	Sulfate	27.4		5	mg/L
WTE-1S	8/5/2008	Sulfate	21		5	mg/L
WTE-1S	10/28/2008	Sulfate	26.1		5	mg/L
WTE-1S	1/7/2009	Sulfate	19.7		5	mg/L
WTE-1S	4/15/2009	Sulfate	22.8		5	mg/L
WTE-1S	7/8/2009	Sulfate	21.1		5	mg/L
WTE-1S	10/6/2009	Sulfate	19.7		5	mg/L
WTE-1S	1/7/2010	Sulfate	13.8		5	mg/L
WTE-1S	4/7/2010	Sulfate	15.3		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	4/27/2005	TDS	482			5 mg/L
WTE-1S	7/21/2005	TDS	512			5.5 mg/L
WTE-1S	10/13/2005	TDS	486			5.5 mg/L
WTE-1S	10/13/2005	TDS	472			5.5 mg/L
WTE-1S	1/25/2006	TDS	430			5.5 mg/L
WTE-1S	1/25/2006	TDS	366			5.5 mg/L
WTE-1S	4/20/2006	TDS	404			5.5 mg/L
WTE-1S	7/27/2006	TDS	472			5.5 mg/L
WTE-1S	10/30/2006	TDS	439			5.5 mg/L
WTE-1S	1/19/2007	TDS	409			5.5 mg/L
WTE-1S	1/19/2007	TDS	420			5.5 mg/L
WTE-1S	4/26/2007	TDS	321			5.5 mg/L
WTE-1S	7/30/2007	TDS	374			5.5 mg/L
WTE-1S	10/29/2007	TDS	340			5.5 mg/L
WTE-1S	1/25/2008	TDS	385			5.5 mg/L
WTE-1S	1/25/2008	TDS	383			5.5 mg/L
WTE-1S	4/17/2008	TDS	420			2.5 mg/L
WTE-1S	8/5/2008	TDS	442			2.5 mg/L
WTE-1S	10/28/2008	TDS	414			2.5 mg/L
WTE-1S	1/7/2009	TDS	414			2.5 mg/L
WTE-1S	4/15/2009	TDS	430			2.5 mg/L
WTE-1S	7/8/2009	TDS	416			2.5 mg/L
WTE-1S	10/6/2009	TDS	426			2.5 mg/L
WTE-1S	1/7/2010	TDS	448			2.5 mg/L
WTE-1S	4/7/2010	TDS	396			2.5 mg/L
WTE-1S	4/27/2005	TKN	0.63			0.1 mg/L as N
WTE-1S	7/21/2005	TKN	1.01			0.1 mg/L as N
WTE-1S	10/13/2005	TKN	1.09			0.1 mg/L as N
WTE-1S	10/13/2005	TKN	0.95			0.1 mg/L as N
WTE-1S	1/25/2006	TKN	0.67			0.1 mg/L as N
WTE-1S	1/25/2006	TKN	0.61			0.1 mg/L as N
WTE-1S	4/20/2006	TKN	0.52			0.1 mg/L as N
WTE-1S	7/27/2006	TKN	0.46			0.1 mg/L as N
WTE-1S	10/30/2006	TKN	0.57			0.1 mg/L as N
WTE-1S	1/19/2007	TKN	0.48			0.1 mg/L as N
WTE-1S	1/19/2007	TKN	0.48			0.1 mg/L as N
WTE-1S	4/26/2007	TKN	0.46			0.05 mg/L as N
WTE-1S	7/30/2007	TKN	0.41			0.05 mg/L as N
WTE-1S	10/29/2007	TKN	0.55			0.05 mg/L as N
WTE-1S	1/25/2008	TKN	0.57			0.05 mg/L as N
WTE-1S	1/25/2008	TKN	0.54			0.05 mg/L as N
WTE-1S	4/17/2008	TKN	0.953			0.2 mg/L as N
WTE-1S	8/5/2008	TKN	0.812			0.2 mg/L as N
WTE-1S	10/28/2008	TKN	0.782			0.2 mg/L as N
WTE-1S	1/7/2009	TKN	1.01			0.2 mg/L as N
WTE-1S	4/15/2009	TKN	0.95			0.2 mg/L as N
WTE-1S	7/8/2009	TKN	0.96			0.2 mg/L as N
WTE-1S	10/6/2009	TKN	0.867			0.2 mg/L as N
WTE-1S	1/7/2010	TKN	0.907			0.2 mg/L as N
WTE-1S	4/7/2010	TKN	0.81			0.2 mg/L as N

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	4/27/2005	TOC	13	ELAB	0.08	mg/L
WTE-1S	7/21/2005	TOC	12	ELAB	0.08	mg/L
WTE-1S	10/13/2005	TOC	12	ELAB	0.08	mg/L
WTE-1S	10/13/2005	TOC	12	ELAB	0.08	mg/L
WTE-1S	1/25/2006	TOC	13.1		0.08	mg/L
WTE-1S	1/25/2006	TOC	13.2		0.08	mg/L
WTE-1S	4/20/2006	TOC	13.8		0.08	mg/L
WTE-1S	7/27/2006	TOC	11.5		0.2	mg/L
WTE-1S	10/30/2006	TOC	11.5		0.5	mg/L
WTE-1S	1/19/2007	TOC	11.9		0.5	mg/L
WTE-1S	1/19/2007	TOC	11.8		0.5	mg/L
WTE-1S	4/26/2007	TOC	11.8		0.5	mg/L
WTE-1S	7/30/2007	TOC	11.8		0.5	mg/L
WTE-1S	10/29/2007	TOC	11.2		1	mg/L
WTE-1S	1/25/2008	TOC	11.9		1	mg/L
WTE-1S	1/25/2008	TOC	12.1		1	mg/L
WTE-1S	4/17/2008	TOC	11		1	mg/L
WTE-1S	8/5/2008	TOC	12.8		1	mg/L
WTE-1S	10/28/2008	TOC	12.2		1	mg/L
WTE-1S	1/7/2009	TOC	84.2		1	mg/L
WTE-1S	4/15/2009	TOC	12.5		1	mg/L
WTE-1S	7/8/2009	TOC	12.2		1	mg/L
WTE-1S	10/6/2009	TOC	12.2		1	mg/L
WTE-1S	1/7/2010	TOC	14.1		1	mg/L
WTE-1S	4/7/2010	TOC	11.6		1	mg/L
WTE-1S	4/27/2005	Zinc	0.09		0.004	mg/L
WTE-1S	7/21/2005	Zinc	0.01	U	0.01	mg/L
WTE-1S	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-1S	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-1S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-1S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-1S	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-1S	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-1S	10/30/2006	Zinc	0.005	U	0.005	mg/L
WTE-1S	1/19/2007	Zinc	0.024		0.005	mg/L
WTE-1S	1/19/2007	Zinc	0.029		0.005	mg/L
WTE-1S	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-1S	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-1S	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-1S	1/25/2008	Zinc	0.005	U	0.005	mg/L
WTE-1S	1/25/2008	Zinc	0.005	U	0.005	mg/L
WTE-1S	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-1S	8/5/2008	Zinc	0.01	U	0.01	mg/L
WTE-1S	10/28/2008	Zinc	0.016		0.01	mg/L
WTE-1S	1/7/2009	Zinc	0.01	U	0.01	mg/L
WTE-1S	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-1S	7/8/2009	Zinc	0.01	U	0.01	mg/L
WTE-1S	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-1S	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-1S	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	4/27/2005	Ammonia (as N)	0.326		0.013	mg/L
WTE-1D	7/21/2005	Ammonia (as N)	0.353		0.013	mg/L
WTE-1D	10/13/2005	Ammonia (as N)	0.379		0.013	mg/L
WTE-1D	1/25/2006	Ammonia (as N)	0.385		0.013	mg/L
WTE-1D	4/20/2006	Ammonia (as N)	0.391		0.013	mg/L
WTE-1D	7/27/2006	Ammonia (as N)	0.37		0.01	mg/L
WTE-1D	7/27/2006	Ammonia (as N)	0.374		0.01	mg/L
WTE-1D	10/30/2006	Ammonia (as N)	0.438		0.014	mg/L
WTE-1D	1/19/2007	Ammonia (as N)	0.277		0.014	mg/L
WTE-1D	4/26/2007	Ammonia (as N)	0.212		0.014	mg/L
WTE-1D	4/26/2007	Ammonia (as N)	0.216		0.014	mg/L
WTE-1D	7/30/2007	Ammonia (as N)	0.35		0.014	mg/L
WTE-1D	7/30/2007	Ammonia (as N)	0.349		0.014	mg/L
WTE-1D	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-1D	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-1D	1/25/2008	Ammonia (as N)	0.328		0.014	mg/L
WTE-1D	4/17/2008	Ammonia (as N)	0.239		0.01	mg/L
WTE-1D	8/5/2008	Ammonia (as N)	0.282		0.01	mg/L
WTE-1D	10/28/2008	Ammonia (as N)	0.205		0.01	mg/L
WTE-1D	1/7/2009	Ammonia (as N)	0.206		0.01	mg/L
WTE-1D	4/15/2009	Ammonia (as N)	0.19		0.01	mg/L
WTE-1D	7/8/2009	Ammonia (as N)	0.237		0.01	mg/L
WTE-1D	10/6/2009	Ammonia (as N)	0.31		0.01	mg/L
WTE-1D	1/7/2010	Ammonia (as N)	0.315		0.01	mg/L
WTE-1D	4/7/2010	Ammonia (as N)	0.0637		0.01	mg/L
WTE-1D	4/27/2005	Arsenic	2.2	I	0.001	mg/L
WTE-1D	7/21/2005	Arsenic	0.001	U	0.001	mg/L
WTE-1D	10/13/2005	Arsenic	1	U	0.001	mg/L
WTE-1D	1/25/2006	Arsenic	1	U	0.001	mg/L
WTE-1D	4/20/2006	Arsenic	1	U	0.001	mg/L
WTE-1D	7/27/2006	Arsenic	1	U	0.001	mg/L
WTE-1D	7/27/2006	Arsenic	1	U J4	0.001	mg/L
WTE-1D	10/30/2006	Arsenic	1	U	0.001	mg/L
WTE-1D	1/19/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	4/26/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	4/26/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	7/30/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	7/30/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	10/29/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	10/29/2007	Arsenic	1	U	0.001	mg/L
WTE-1D	1/25/2008	Arsenic	1	U	0.001	mg/L
WTE-1D	4/17/2008	Arsenic	0.00118		0.001	mg/L
WTE-1D	8/5/2008	Arsenic	0.001	U	0.001	mg/L
WTE-1D	10/28/2008	Arsenic	0.001	U	0.001	mg/L
WTE-1D	1/7/2009	Arsenic	0.001	U	0.001	mg/L
WTE-1D	4/15/2009	Arsenic	0.00122		0.001	mg/L
WTE-1D	7/8/2009	Arsenic	0.001	U	0.001	mg/L
WTE-1D	10/6/2009	Arsenic	0.001	U	0.001	mg/L
WTE-1D	1/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-1D	4/7/2010	Arsenic	0.001	U	0.001	mg/L

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	4/27/2005	Chloride	99		1.2	mg/L
WTE-1D	7/21/2005	Chloride	104		1.2	mg/L
WTE-1D	10/13/2005	Chloride	112		1.2	mg/L
WTE-1D	1/25/2006	Chloride	101.9		1.2	mg/L
WTE-1D	4/20/2006	Chloride	97.6		1.2	mg/L
WTE-1D	7/27/2006	Chloride	97		1.2	mg/L
WTE-1D	7/27/2006	Chloride	97		1.2	mg/L
WTE-1D	10/30/2006	Chloride	96		1.2	mg/L
WTE-1D	1/19/2007	Chloride	98.5		1.2	mg/L
WTE-1D	4/26/2007	Chloride	101		1.2	mg/L
WTE-1D	4/26/2007	Chloride	103		1.2	mg/L
WTE-1D	7/30/2007	Chloride	108		1.2	mg/L
WTE-1D	7/30/2007	Chloride	108		1.2	mg/L
WTE-1D	10/29/2007	Chloride	115		1.2	mg/L
WTE-1D	10/29/2007	Chloride	106		1.2	mg/L
WTE-1D	1/25/2008	Chloride	112		1.6	mg/L
WTE-1D	4/17/2008	Chloride	102		20	mg/L
WTE-1D	8/5/2008	Chloride	96.5		20	mg/L
WTE-1D	10/28/2008	Chloride	102		20	mg/L
WTE-1D	1/7/2009	Chloride	83.1		20	mg/L
WTE-1D	4/15/2009	Chloride	103		16	mg/L
WTE-1D	7/8/2009	Chloride	106		16	mg/L
WTE-1D	10/6/2009	Chloride	112		16	mg/L
WTE-1D	1/7/2010	Chloride	106		16	mg/L
WTE-1D	4/7/2010	Chloride	106		16	mg/L
WTE-1D	1/25/2006	Chromium	0.001	U	0.001	mg/L
WTE-1D	1/19/2007	Chromium	0.0011	U	0.0011	mg/L
WTE-1D	1/25/2008	Chromium	0.0011	U	0.0011	mg/L
WTE-1D	1/7/2009	Chromium	0.001	U	0.001	mg/L
WTE-1D	1/7/2010	Chromium	0.001	U	0.001	mg/L
WTE-1D	4/27/2005	Iron	0.04	U	0.04	mg/L
WTE-1D	7/21/2005	Iron	0.04	U	0.04	mg/L
WTE-1D	10/13/2005	Iron	0.04	U	0.04	mg/L
WTE-1D	1/25/2006	Iron	0.04	U	0.04	mg/L
WTE-1D	4/20/2006	Iron	0.04	U	0.04	mg/L
WTE-1D	7/27/2006	Iron	0.04	U	0.04	mg/L
WTE-1D	7/27/2006	Iron	0.04	U	0.04	mg/L
WTE-1D	10/30/2006	Iron	0.04	U	0.04	mg/L
WTE-1D	1/19/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	4/26/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	4/26/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	7/30/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	7/30/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	10/29/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	10/29/2007	Iron	0.04	U	0.04	mg/L
WTE-1D	1/25/2008	Iron	0.04	U	0.04	mg/L
WTE-1D	4/17/2008	Iron	0.012		0.01	mg/L
WTE-1D	8/5/2008	Iron	0.01	U	0.01	mg/L
WTE-1D	10/28/2008	Iron	0.01	U	0.01	mg/L
WTE-1D	1/7/2009	Iron	0.01	U	0.01	mg/L
WTE-1D	4/15/2009	Iron	0.035		0.01	mg/L
WTE-1D	7/8/2009	Iron	0.012		0.01	mg/L
WTE-1D	10/6/2009	Iron	0.01	U	0.01	mg/L
WTE-1D	1/7/2010	Iron	0.0189		0.01	mg/L
WTE-1D	4/7/2010	Iron	0.0156	V	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	1/25/2006	Lead	0.001	U	0.001	mg/L
WTE-1D	1/19/2007	Lead	0.001	U	0.001	mg/L
WTE-1D	1/25/2008	Lead	0.001	U	0.001	mg/L
WTE-1D	1/7/2009	Lead	0.001	U	0.001	mg/L
WTE-1D	1/7/2010	Lead	0.001	U	0.001	mg/L
WTE-1D	4/27/2005	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/21/2005	Manganese	0.01	U	0.01	mg/L
WTE-1D	10/13/2005	Manganese	0.01	U	0.01	mg/L
WTE-1D	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/20/2006	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/27/2006	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/27/2006	Manganese	0.01	U	0.01	mg/L
WTE-1D	10/30/2006	Manganese	0.01	U	0.01	mg/L
WTE-1D	1/19/2007	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/26/2007	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/26/2007	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/30/2007	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/30/2007	Manganese	0.01	U	0.01	mg/L
WTE-1D	10/29/2007	Manganese	0.0025	U ELAB	0.0025	mg/L
WTE-1D	10/29/2007	Manganese	0.0025	U ELAB	0.0025	mg/L
WTE-1D	1/25/2008	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/17/2008	Manganese	0.01	U	0.01	mg/L
WTE-1D	8/5/2008	Manganese	0.01	U	0.01	mg/L
WTE-1D	10/28/2008	Manganese	0.01	U	0.01	mg/L
WTE-1D	1/7/2009	Manganese	0.0182		0.01	mg/L
WTE-1D	4/15/2009	Manganese	0.01	U	0.01	mg/L
WTE-1D	7/8/2009	Manganese	0.01	U	0.01	mg/L
WTE-1D	10/6/2009	Manganese	0.01	U	0.01	mg/L
WTE-1D	1/7/2010	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/7/2010	Manganese	0.01	U	0.01	mg/L
WTE-1D	4/27/2005	Mercury	0.2	U	0.2	mg/L
WTE-1D	7/21/2005	Mercury	0.2	U	0.2	mg/L
WTE-1D	10/13/2005	Mercury	0.2	U	0.2	mg/L
WTE-1D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-1D	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-1D	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-1D	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-1D	10/30/2006	Mercury	0.2	U	0.2	mg/L
WTE-1D	1/19/2007	Mercury	0.2	U	0.2	mg/L
WTE-1D	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	7/30/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	7/30/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	1/25/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-1D	4/17/2008	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	8/5/2008	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	10/28/2008	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	1/7/2009	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	4/15/2009	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	7/8/2009	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	10/6/2009	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	1/7/2010	Mercury	1.7E-05	U	1.7E-05	mg/L
WTE-1D	4/7/2010	Mercury	0.00002	U	0.00002	mg/L

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1D	1/7/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1D	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1D	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-1D	4/27/2005	Selenium	2	U	2	µg/L
WTE-1D	7/21/2005	Selenium	3.8	I	1	µg/L
WTE-1D	10/13/2005	Selenium	2.8	I	1	µg/L
WTE-1D	1/25/2006	Selenium	1	U	1	µg/L
WTE-1D	4/20/2006	Selenium	1	U	1	µg/L
WTE-1D	7/27/2006	Selenium	1	U	1	µg/L
WTE-1D	7/27/2006	Selenium	1	U	1	µg/L
WTE-1D	10/30/2006	Selenium	1	U	1	µg/L
WTE-1D	1/19/2007	Selenium	1	U	1	µg/L
WTE-1D	4/26/2007	Selenium	1	U	1	µg/L
WTE-1D	4/26/2007	Selenium	1	U	1	µg/L
WTE-1D	7/30/2007	Selenium	1	U	1	µg/L
WTE-1D	7/30/2007	Selenium	1	U	1	µg/L
WTE-1D	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-1D	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-1D	1/25/2008	Selenium	1	U	1	µg/L
WTE-1D	4/17/2008	Selenium	0.00922		0.002	mg/L
WTE-1D	8/5/2008	Selenium	0.00533		0.002	mg/L
WTE-1D	10/28/2008	Selenium	0.00429		0.002	mg/L
WTE-1D	1/7/2009	Selenium	0.002	U	0.002	mg/L
WTE-1D	4/15/2009	Selenium	0.00294		0.002	mg/L
WTE-1D	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-1D	10/6/2009	Selenium	0.00223		0.002	mg/L
WTE-1D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-1D	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-1D	1/25/2006	Sodium	66.1		0.2	mg/L
WTE-1D	1/19/2007	Sodium	58.4		0.2	mg/L
WTE-1D	1/25/2008	Sodium	62.9		0.2	mg/L
WTE-1D	1/7/2009	Sodium	56.5		0.5	mg/L
WTE-1D	1/7/2010	Sodium	62.5		0.5	mg/L
WTE-1D	4/27/2005	Sulfate	52.9		0.2	mg/L
WTE-1D	7/21/2005	Sulfate	41.2		0.1	mg/L
WTE-1D	10/13/2005	Sulfate	43		0.1	mg/L
WTE-1D	1/25/2006	Sulfate	53.8		0.1	mg/L
WTE-1D	4/20/2006	Sulfate	43.3		0.1	mg/L
WTE-1D	7/27/2006	Sulfate	42.7		0.05	mg/L
WTE-1D	7/27/2006	Sulfate	42.6		0.05	mg/L
WTE-1D	10/30/2006	Sulfate	44.3		0.05	mg/L
WTE-1D	1/19/2007	Sulfate	52.6		0.05	mg/L
WTE-1D	4/26/2007	Sulfate	52.8		0.05	mg/L
WTE-1D	4/26/2007	Sulfate	53		0.05	mg/L
WTE-1D	7/30/2007	Sulfate	45.9		0.05	mg/L
WTE-1D	7/30/2007	Sulfate	45.4		0.05	mg/L
WTE-1D	10/29/2007	Sulfate	49		0.05	mg/L
WTE-1D	10/29/2007	Sulfate	52.4		0.05	mg/L
WTE-1D	1/25/2008	Sulfate	54.8		0.05	mg/L
WTE-1D	4/17/2008	Sulfate	57.1		5	mg/L
WTE-1D	8/5/2008	Sulfate	58.6		5	mg/L
WTE-1D	10/28/2008	Sulfate	57.2		5	mg/L
WTE-1D	1/7/2009	Sulfate	63.4		5	mg/L
WTE-1D	4/15/2009	Sulfate	50.9		5	mg/L
WTE-1D	7/8/2009	Sulfate	52.4		5	mg/L
WTE-1D	10/6/2009	Sulfate	56		5	mg/L
WTE-1D	1/7/2010	Sulfate	45.5		5	mg/L
WTE-1D	4/7/2010	Sulfate	60.8		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	4/27/2005	TDS	506		5	mg/L
WTE-1D	7/21/2005	TDS	532		5.5	mg/L
WTE-1D	10/13/2005	TDS	406		5.5	mg/L
WTE-1D	1/25/2006	TDS	428		5.5	mg/L
WTE-1D	4/20/2006	TDS	524		5.5	mg/L
WTE-1D	7/27/2006	TDS	598		5.5	mg/L
WTE-1D	7/27/2006	TDS	635		5.5	mg/L
WTE-1D	10/30/2006	TDS	543		5.5	mg/L
WTE-1D	1/19/2007	TDS	544		5.5	mg/L
WTE-1D	4/26/2007	TDS	679		5.5	mg/L
WTE-1D	4/26/2007	TDS	451		5.5	mg/L
WTE-1D	7/30/2007	TDS	575		5.5	mg/L
WTE-1D	7/30/2007	TDS	509		5.5	mg/L
WTE-1D	10/29/2007	TDS	534		5.5	mg/L
WTE-1D	10/29/2007	TDS	474		5.5	mg/L
WTE-1D	1/25/2008	TDS	477		5.5	mg/L
WTE-1D	4/17/2008	TDS	538		2.5	mg/L
WTE-1D	8/5/2008	TDS	592		2.5	mg/L
WTE-1D	10/28/2008	TDS	608		2.5	mg/L
WTE-1D	1/7/2009	TDS	504		2.5	mg/L
WTE-1D	4/15/2009	TDS	568		2.5	mg/L
WTE-1D	7/8/2009	TDS	576		2.5	mg/L
WTE-1D	10/6/2009	TDS	572		2.5	mg/L
WTE-1D	1/7/2010	TDS	548		2.5	mg/L
WTE-1D	4/7/2010	TDS	506		2.5	mg/L
WTE-1D	4/27/2005	TKN	0.49		0.1	mg/L as N
WTE-1D	7/21/2005	TKN	0.75		0.1	mg/L as N
WTE-1D	10/13/2005	TKN	0.67		0.1	mg/L as N
WTE-1D	1/25/2006	TKN	0.49		0.1	mg/L as N
WTE-1D	4/20/2006	TKN	0.51		0.1	mg/L as N
WTE-1D	7/27/2006	TKN	0.4		0.1	mg/L as N
WTE-1D	7/27/2006	TKN	0.45		0.1	mg/L as N
WTE-1D	10/30/2006	TKN	0.54		0.1	mg/L as N
WTE-1D	1/19/2007	TKN	0.53	J4	0.1	mg/L as N
WTE-1D	4/26/2007	TKN	0.42		0.05	mg/L as N
WTE-1D	4/26/2007	TKN	0.35		0.05	mg/L as N
WTE-1D	7/30/2007	TKN	0.36		0.05	mg/L as N
WTE-1D	7/30/2007	TKN	0.35		0.05	mg/L as N
WTE-1D	10/29/2007	TKN	0.53		0.05	mg/L as N
WTE-1D	10/29/2007	TKN	0.44		0.05	mg/L as N
WTE-1D	1/25/2008	TKN	0.58		0.05	mg/L as N
WTE-1D	4/17/2008	TKN	0.731		0.2	mg/L as N
WTE-1D	8/5/2008	TKN	0.769		0.2	mg/L as N
WTE-1D	10/28/2008	TKN	0.782		0.2	mg/L as N
WTE-1D	1/7/2009	TKN	1.13		0.2	mg/L as N
WTE-1D	4/15/2009	TKN	0.814		0.2	mg/L as N
WTE-1D	7/8/2009	TKN	0.812		0.2	mg/L as N
WTE-1D	10/6/2009	TKN	0.765		0.2	mg/L as N
WTE-1D	1/7/2010	TKN	0.659		0.2	mg/L as N
WTE-1D	4/7/2010	TKN	0.626		0.2	mg/L as N

WELL ID	DATE	PARAMETER	RESULT	QLF	MDL	UNITS
WTE-1D	4/27/2005	TOC	5.1	ELAB	0.08	mg/L
WTE-1D	7/21/2005	TOC	5.4	ELAB	0.08	mg/L
WTE-1D	10/13/2005	TOC	6.4	ELAB	0.08	mg/L
WTE-1D	1/25/2006	TOC	5.74		0.08	mg/L
WTE-1D	4/20/2006	TOC	6.17		0.08	mg/L
WTE-1D	7/27/2006	TOC	5.98		0.2	mg/L
WTE-1D	7/27/2006	TOC	5.84		0.2	mg/L
WTE-1D	10/30/2006	TOC	5.84		0.5	mg/L
WTE-1D	1/19/2007	TOC	5.97		0.5	mg/L
WTE-1D	4/26/2007	TOC	5.45		0.5	mg/L
WTE-1D	4/26/2007	TOC	5.47		0.5	mg/L
WTE-1D	7/30/2007	TOC	5.56		0.5	mg/L
WTE-1D	7/30/2007	TOC	5.54		0.5	mg/L
WTE-1D	10/29/2007	TOC	5.31		1	mg/L
WTE-1D	10/29/2007	TOC	5.29		1	mg/L
WTE-1D	1/25/2008	TOC	5.74		1	mg/L
WTE-1D	4/17/2008	TOC	4.46		1	mg/L
WTE-1D	8/5/2008	TOC	5.87		1	mg/L
WTE-1D	10/28/2008	TOC	5.95		1	mg/L
WTE-1D	1/7/2009	TOC	6.97		1	mg/L
WTE-1D	4/15/2009	TOC	6.09		1	mg/L
WTE-1D	7/8/2009	TOC	5.87		1	mg/L
WTE-1D	10/6/2009	TOC	6.82		1	mg/L
WTE-1D	1/7/2010	TOC	7.78		1	mg/L
WTE-1D	4/7/2010	TOC	5.78		1	mg/L
WTE-1D	4/27/2005	Zinc	0.004	U V1	0.004	mg/L
WTE-1D	7/21/2005	Zinc	0.01	U	0.01	mg/L
WTE-1D	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-1D	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-1D	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-1D	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-1D	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-1D	10/30/2006	Zinc	0.005	U	0.005	mg/L
WTE-1D	1/19/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-1D	1/25/2008	Zinc	0.005	U	0.005	mg/L
WTE-1D	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-1D	8/5/2008	Zinc	0.01	U	0.01	mg/L
WTE-1D	10/28/2008	Zinc	0.0152		0.01	mg/L
WTE-1D	1/7/2009	Zinc	0.01	U	0.01	mg/L
WTE-1D	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-1D	7/8/2009	Zinc	0.01	U	0.01	mg/L
WTE-1D	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-1D	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-1D	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	7/21/2005	Ammonia	0.998		0.013	mg/L as N
WTE-2S	1/25/2006	Ammonia	0.267		0.013	mg/L as N
WTE-2S	7/27/2006	Ammonia	0.301		0.01	mg/L as N
WTE-2S	1/19/2007	Ammonia	0.241		0.014	mg/L as N
WTE-2S	7/30/2007	Ammonia	0.271		0.014	mg/L as N
WTE-2S	1/25/2008	Ammonia	0.244		0.014	mg/L as N
WTE-2S	8/5/2008	Ammonia	0.0951		0.01	mg/L as N
WTE-2S	1/7/2009	Ammonia	0.146		0.01	mg/L as N
WTE-2S	7/8/2009	Ammonia	0.189		0.01	mg/L as N
WTE-2S	1/7/2010	Ammonia	0.195		0.01	mg/L as N
WTE-2S	7/21/2005	Arsenic	5.3		1	µg/L
WTE-2S	1/25/2006	Arsenic	2.1	I	1	µg/L
WTE-2S	7/27/2006	Arsenic	1	U	1	µg/L
WTE-2S	1/19/2007	Arsenic	1	U	1	µg/L
WTE-2S	7/30/2007	Arsenic	1	U	1	µg/L
WTE-2S	1/25/2008	Arsenic	1	U	1	µg/L
WTE-2S	8/5/2008	Arsenic	0.00109		0.001	mg/L
WTE-2S	1/7/2009	Arsenic	0.00171		0.001	mg/L
WTE-2S	7/8/2009	Arsenic	0.0013		0.001	mg/L
WTE-2S	1/7/2010	Arsenic	0.00184		0.001	mg/L
WTE-2S	7/21/2005	Chloride	22.9		1.2	mg/L
WTE-2S	1/25/2006	Chloride	50.5		1.2	mg/L
WTE-2S	7/27/2006	Chloride	89		1.2	mg/L
WTE-2S	1/19/2007	Chloride	42.6		1.2	mg/L
WTE-2S	7/30/2007	Chloride	47.1		1.2	mg/L
WTE-2S	1/25/2008	Chloride	51		1.6	mg/L
WTE-2S	8/5/2008	Chloride	99.7		20	mg/L
WTE-2S	1/7/2009	Chloride	43.2		15	mg/L
WTE-2S	7/8/2009	Chloride	47.2		12	mg/L
WTE-2S	1/7/2010	Chloride	38.2		12	mg/L
WTE-2S	1/19/2007	Chromium	1.1	U	1.1	µg/L
WTE-2S	1/7/2009	Chromium	0.001	U	0.001	mg/L
WTE-2S	7/21/2005	Iron	1.2		0.04	mg/L
WTE-2S	1/25/2006	Iron	2.7		0.04	mg/L
WTE-2S	7/27/2006	Iron	2.53		0.04	mg/L
WTE-2S	1/19/2007	Iron	2.6		0.04	mg/L
WTE-2S	7/30/2007	Iron	2.73		0.04	mg/L
WTE-2S	1/25/2008	Iron	2.63		0.04	mg/L
WTE-2S	8/5/2008	Iron	2.63		0.01	mg/L
WTE-2S	1/7/2009	Iron	2.28		0.01	mg/L
WTE-2S	7/8/2009	Iron	3.29		0.01	mg/L
WTE-2S	1/7/2010	Iron	1.49		0.01	mg/L
WTE-2S	1/19/2007	Lead	1	U	1	µg/L
WTE-2S	1/7/2009	Lead	0.001	U	0.001	mg/L
WTE-2S	7/21/2005	Manganese	0.01	U	0.01	mg/L
WTE-2S	1/25/2006	Manganese	0.03	I	0.01	mg/L
WTE-2S	7/27/2006	Manganese	0.03	I	0.01	mg/L
WTE-2S	1/19/2007	Manganese	0.01	U	0.01	mg/L
WTE-2S	7/30/2007	Manganese	0.012	I	0.01	mg/L
WTE-2S	1/25/2008	Manganese	0.01	U	0.01	mg/L
WTE-2S	8/5/2008	Manganese	0.0238		0.01	mg/L
WTE-2S	1/7/2009	Manganese	0.0342		0.01	mg/L
WTE-2S	7/8/2009	Manganese	0.0231		0.01	mg/L
WTE-2S	1/7/2010	Manganese	0.0251		0.01	mg/L
WTE-2S	7/21/2005	Mercury	0.2	U	0.2	mg/L
WTE-2S	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-2S	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-2S	1/19/2007	Mercury	0.2	U	0.2	mg/L
WTE-2S	7/30/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-2S	1/25/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-2S	8/5/2008	Mercury	0.000017	U	0.000017	mg/L
WTE-2S	1/7/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-2S	7/8/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-2S	1/7/2010	Mercury	0.000017	U	0.000017	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-2S	1/7/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-2S	7/21/2005	Selenium	1	U	1	µg/L
WTE-2S	1/25/2006	Selenium	1	U	1	µg/L
WTE-2S	7/27/2006	Selenium	1	U	1	µg/L
WTE-2S	1/19/2007	Selenium	1	U	1	µg/L
WTE-2S	7/30/2007	Selenium	1	U	1	µg/L
WTE-2S	1/25/2008	Selenium	1	U	1	µg/L
WTE-2S	8/5/2008	Selenium	0.00582		0.002	mg/L
WTE-2S	1/7/2009	Selenium	0.00263		0.002	mg/L
WTE-2S	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-2S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-2S	1/19/2007	Sodium	22.8		0.2	mg/L
WTE-2S	1/7/2009	Sodium	24.7		0.5	mg/L
WTE-2S	7/21/2005	Sulfate	76.1		0.1	mg/L
WTE-2S	1/25/2006	Sulfate	25.3		0.1	mg/L
WTE-2S	7/27/2006	Sulfate	15.6		0.05	mg/L
WTE-2S	1/19/2007	Sulfate	12.5		0.05	mg/L
WTE-2S	7/30/2007	Sulfate	7.77		0.05	mg/L
WTE-2S	1/25/2008	Sulfate	9.91		0.05	mg/L
WTE-2S	8/5/2008	Sulfate	59.1		5	mg/L
WTE-2S	1/7/2009	Sulfate	27.7		5	mg/L
WTE-2S	7/8/2009	Sulfate	31.3		5	mg/L
WTE-2S	1/7/2010	Sulfate	35.7		5	mg/L
WTE-2S	7/21/2005	TDS	436		5.5	mg/L
WTE-2S	1/25/2006	TDS	518		5.5	mg/L
WTE-2S	7/27/2006	TDS	528		5.5	mg/L
WTE-2S	1/19/2007	TDS	465		5.5	mg/L
WTE-2S	7/30/2007	TDS	460		5.5	mg/L
WTE-2S	1/25/2008	TDS	466		5.5	mg/L
WTE-2S	8/5/2008	TDS	602		2.5	mg/L
WTE-2S	1/7/2009	TDS	492		2.5	mg/L
WTE-2S	7/8/2009	TDS	512		2.5	mg/L
WTE-2S	1/7/2010	TDS	508		2.5	mg/L
WTE-2S	7/21/2005	TKN(as N)	1.56		0.1	mg/L
WTE-2S	1/25/2006	TKN(as N)	0.5		0.1	mg/L
WTE-2S	7/27/2006	TKN(as N)	0.53		0.1	mg/L
WTE-2S	1/19/2007	TKN(as N)	0.53		0.1	mg/L
WTE-2S	7/30/2007	TKN(as N)	0.47		0.05	mg/L
WTE-2S	1/25/2008	TKN(as N)	0.55		0.05	mg/L
WTE-2S	8/5/2008	TKN(as N)	0.817		0.2	mg/L
WTE-2S	1/7/2009	TKN(as N)	1.22		0.2	mg/L
WTE-2S	7/8/2009	TKN(as N)	1.1		0.2	mg/L
WTE-2S	1/7/2010	TKN(as N)	1.23		0.2	mg/L
WTE-2S	7/21/2005	TOC	7.6	ELAB	0.08	mg/L
WTE-2S	1/25/2006	TOC	13		0.08	mg/L
WTE-2S	7/27/2006	TOC	12.7		0.2	mg/L
WTE-2S	1/19/2007	TOC	12.5		0.5	mg/L
WTE-2S	7/30/2007	TOC	12.8		0.5	mg/L
WTE-2S	1/25/2008	TOC	12.7		1	mg/L
WTE-2S	8/5/2008	TOC	6.33		1	mg/L
WTE-2S	1/7/2009	TOC	87.8		1	mg/L
WTE-2S	7/8/2009	TOC	12.7		1	mg/L
WTE-2S	1/7/2010	TOC	14.1		1	mg/L
WTE-2S	7/21/2005	Zinc	0.01	U	0.01	mg/L
WTE-2S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-2S	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-2S	1/19/2007	Zinc	0.009	I	0.005	mg/L
WTE-2S	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-2S	1/25/2008	Zinc	0.005	U	0.005	mg/L
WTE-2S	8/5/2008	Zinc	0.01	U	0.01	mg/L
WTE-2S	1/7/2009	Zinc	0.01	U	0.01	mg/L
WTE-2S	7/8/2009	Zinc	0.01	U	0.01	mg/L
WTE-2S	1/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2D	7/21/2005	Ammonia (as N)	0.244		0.013	mg/L
WTE-2D	1/25/2006	Ammonia (as N)	0.324		0.013	mg/L
WTE-2D	7/27/2006	Ammonia (as N)	0.324		0.01	mg/L
WTE-2D	1/19/2007	Ammonia (as N)	0.303		0.014	mg/L
WTE-2D	7/30/2007	Ammonia (as N)	0.29		0.014	mg/L
WTE-2D	1/25/2008	Ammonia (as N)	0.314		0.014	mg/L
WTE-2D	8/5/2008	Ammonia (as N)	0.206		0.01	mg/L
WTE-2D	1/7/2009	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-2D	7/8/2009	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-2D	1/7/2010	Ammonia (as N)	0.0719		0.01	mg/L
WTE-2D	7/21/2005	Arsenic	4.7		1	µg/L
WTE-2D	1/25/2006	Arsenic	1	U	1	µg/L
WTE-2D	7/27/2006	Arsenic	1	U	1	µg/L
WTE-2D	1/19/2007	Arsenic	1	U	1	µg/L
WTE-2D	7/30/2007	Arsenic	1	U	1	µg/L
WTE-2D	1/25/2008	Arsenic	1	U	1	µg/L
WTE-2D	8/5/2008	Arsenic	0.001	U	0.001	mg/L
WTE-2D	1/7/2009	Arsenic	0.001	U	0.001	mg/L
WTE-2D	7/8/2009	Arsenic	0.001	U	0.001	mg/L
WTE-2D	1/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-2D	7/21/2005	Chloride	164		1.2	mg/L
WTE-2D	1/25/2006	Chloride	109.2		1.2	mg/L
WTE-2D	7/27/2006	Chloride	102		1.2	mg/L
WTE-2D	1/19/2007	Chloride	95.6		1.2	mg/L
WTE-2D	7/30/2007	Chloride	110		1.2	mg/L
WTE-2D	1/25/2008	Chloride	117		1.6	mg/L
WTE-2D	8/5/2008	Chloride	44.1		15	mg/L
WTE-2D	1/7/2009	Chloride	92.3		20	mg/L
WTE-2D	7/8/2009	Chloride	98.6		16	mg/L
WTE-2D	1/7/2010	Chloride	95		16	mg/L
WTE-2D	1/19/2007	Chromium	1.1	U	1.1	µg/L
WTE-2D	1/7/2009	Chromium	0.001	U	0.001	mg/L
WTE-2D	7/21/2005	Iron	0.65		0.04	mg/L
WTE-2D	1/25/2006	Iron	0.04	U	0.04	mg/L
WTE-2D	7/27/2006	Iron	0.04	U	0.04	mg/L
WTE-2D	1/19/2007	Iron	0.04	U	0.04	mg/L
WTE-2D	7/30/2007	Iron	0.04	U	0.04	mg/L
WTE-2D	1/25/2008	Iron	0.04	U	0.04	mg/L
WTE-2D	8/5/2008	Iron	0.01	U	0.01	mg/L
WTE-2D	1/7/2009	Iron	0.01	U	0.01	mg/L
WTE-2D	7/8/2009	Iron	0.16		0.01	mg/L
WTE-2D	1/7/2010	Iron	0.0198		0.01	mg/L
WTE-2D	1/19/2007	Lead	1	U	1	µg/L
WTE-2D	1/7/2009	Lead	0.001	U	0.001	mg/L
WTE-2D	7/21/2005	Manganese	0.01	U	0.01	mg/L
WTE-2D	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-2D	7/27/2006	Manganese	0.01	U	0.01	mg/L
WTE-2D	1/19/2007	Manganese	0.01	U	0.01	mg/L
WTE-2D	7/30/2007	Manganese	0.01	U	0.01	mg/L
WTE-2D	1/25/2008	Manganese	0.01	U	0.01	mg/L
WTE-2D	8/5/2008	Manganese	0.01	U	0.01	mg/L
WTE-2D	1/7/2009	Manganese	0.01	U	0.01	mg/L
WTE-2D	7/8/2009	Manganese	0.01	U	0.01	mg/L
WTE-2D	1/7/2010	Manganese	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2D	7/21/2005	Mercury	0.2	U	0.2	mg/L
WTE-2D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-2D	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-2D	1/19/2007	Mercury	0.2	U	0.2	mg/L
WTE-2D	7/30/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-2D	1/25/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-2D	8/5/2008	Mercury	0.000017	U	0.000017	mg/L
WTE-2D	1/7/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-2D	7/8/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-2D	1/7/2010	Mercury	0.000017	U	0.000017	mg/L
WTE-2D	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-2D	1/7/2009	Nitrate(as N)	0.0244		0.01	mg/L
WTE-2D	7/21/2005	Selenium	1	U	1	µg/L
WTE-2D	1/25/2006	Selenium	1	U	1	µg/L
WTE-2D	7/27/2006	Selenium	1	U	1	µg/L
WTE-2D	1/19/2007	Selenium	1	U	1	µg/L
WTE-2D	7/30/2007	Selenium	1	U	1	µg/L
WTE-2D	1/25/2008	Selenium	1	U	1	µg/L
WTE-2D	8/5/2008	Selenium	0.00919		0.002	mg/L
WTE-2D	1/7/2009	Selenium	0.00275		0.002	mg/L
WTE-2D	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-2D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-2D	1/19/2007	Sodium	60.4		0.2	mg/L
WTE-2D	1/7/2009	Sodium	63.5		0.5	mg/L
WTE-2D	7/21/2005	Sulfate	75.8		0.1	mg/L
WTE-2D	1/25/2006	Sulfate	56.4		0.1	mg/L
WTE-2D	7/27/2006	Sulfate	46.6		0.05	mg/L
WTE-2D	1/19/2007	Sulfate	49		0.05	mg/L
WTE-2D	7/30/2007	Sulfate	47.3		0.05	mg/L
WTE-2D	1/25/2008	Sulfate	53.6		0.05	mg/L
WTE-2D	8/5/2008	Sulfate	18.3		5	mg/L
WTE-2D	1/7/2009	Sulfate	63.6		5	mg/L
WTE-2D	7/8/2009	Sulfate	54		5	mg/L
WTE-2D	1/7/2010	Sulfate	52.3		5	mg/L
WTE-2D	7/21/2005	TDS	608		5.5	mg/L
WTE-2D	1/25/2006	TDS	554		5.5	mg/L
WTE-2D	7/27/2006	TDS	578		5.5	mg/L
WTE-2D	1/19/2007	TDS	574		5.5	mg/L
WTE-2D	7/30/2007	TDS	480		5.5	mg/L
WTE-2D	1/25/2008	TDS	526		5.5	mg/L
WTE-2D	8/5/2008	TDS	522		2.5	mg/L
WTE-2D	1/7/2009	TDS	542		2.5	mg/L
WTE-2D	7/8/2009	TDS	586		2.5	mg/L
WTE-2D	1/7/2010	TDS	588		2.5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2D	7/21/2005	TKN	0.71			0.1 mg/L as N
WTE-2D	1/25/2006	TKN	0.33	I		0.1 mg/L as N
WTE-2D	7/27/2006	TKN	0.3	I		0.1 mg/L as N
WTE-2D	1/19/2007	TKN	0.44			0.1 mg/L as N
WTE-2D	7/30/2007	TKN	0.45	J4		0.05 mg/L as N
WTE-2D	1/25/2008	TKN	0.56			0.05 mg/L as N
WTE-2D	8/5/2008	TKN	0.876			0.2 mg/L as N
WTE-2D	1/7/2009	TKN	0.53			0.2 mg/L as N
WTE-2D	7/8/2009	TKN	0.314			0.2 mg/L as N
WTE-2D	1/7/2010	TKN	0.465			0.2 mg/L as N
WTE-2D	7/21/2005	TOC	4.3	ELAB		0.08 mg/L
WTE-2D	1/25/2006	TOC	5.54			0.08 mg/L
WTE-2D	7/27/2006	TOC	5.92			0.2 mg/L
WTE-2D	1/19/2007	TOC	5.67			0.5 mg/L
WTE-2D	7/30/2007	TOC	5.42			0.5 mg/L
WTE-2D	1/25/2008	TOC	5.61			1 mg/L
WTE-2D	8/5/2008	TOC	11.9			1 mg/L
WTE-2D	1/7/2009	TOC	5.8			1 mg/L
WTE-2D	7/8/2009	TOC	5.87			1 mg/L
WTE-2D	1/7/2010	TOC	7.27			1 mg/L
WTE-2D	7/21/2005	Zinc	0.01	U		0.01 mg/L
WTE-2D	1/25/2006	Zinc	0.01	U		0.01 mg/L
WTE-2D	7/27/2006	Zinc	0.01	U		0.01 mg/L
WTE-2D	1/19/2007	Zinc	0.005	U		0.005 mg/L
WTE-2D	7/30/2007	Zinc	0.005	U		0.005 mg/L
WTE-2D	1/25/2008	Zinc	0.005	U		0.005 mg/L
WTE-2D	8/5/2008	Zinc	0.01	U		0.01 mg/L
WTE-2D	1/7/2009	Zinc	0.01	U		0.01 mg/L
WTE-2D	7/8/2009	Zinc	0.01	U		0.01 mg/L
WTE-2D	1/7/2010	Zinc	0.01	U		0.01 mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	4/27/2005	Ammonia (as N)	0.182		0.013	mg/L
WTE-3S	10/13/2005	Ammonia (as N)	2.98		0.013	mg/L
WTE-3S	1/25/2006	Ammonia (as N)	2.31		0.013	mg/L
WTE-3S	4/20/2006	Ammonia (as N)	2.17		0.013	mg/L
WTE-3S	10/31/2006	Ammonia (as N)	1.33		0.014	mg/L
WTE-3S	4/26/2007	Ammonia (as N)	0.297		0.014	mg/L
WTE-3S	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-3S	1/24/2008	Ammonia (as N)	0.727		0.014	mg/L
WTE-3S	4/17/2008	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-3S	10/28/2008	Ammonia (as N)	0.245		0.01	mg/L
WTE-3S	4/15/2009	Ammonia (as N)	0.404		0.01	mg/L
WTE-3S	10/6/2009	Ammonia (as N)	0.14		0.01	mg/L
WTE-3S	1/7/2010	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-3S	4/7/2010	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-3S	4/27/2005	Arsenic	1	U	1	µg/L
WTE-3S	10/13/2005	Arsenic	13.6		1	µg/L
WTE-3S	1/25/2006	Arsenic	6.1		1	µg/L
WTE-3S	4/20/2006	Arsenic	5.1		1	µg/L
WTE-3S	10/31/2006	Arsenic	16.4		1	µg/L
WTE-3S	4/26/2007	Arsenic	2.79	I	1	µg/L
WTE-3S	10/29/2007	Arsenic	2.86	I	1	µg/L
WTE-3S	1/24/2008	Arsenic	3.98	I	1	µg/L
WTE-3S	4/17/2008	Arsenic	0.00466		0.001	mg/L
WTE-3S	10/28/2008	Arsenic	0.00609		0.001	mg/L
WTE-3S	4/15/2009	Arsenic	0.00366		0.001	mg/L
WTE-3S	10/6/2009	Arsenic	0.00484		0.001	mg/L
WTE-3S	1/7/2010	Arsenic	0.00211		0.001	mg/L
WTE-3S	4/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-3S	4/27/2005	Chloride	23		1.2	mg/L
WTE-3S	10/13/2005	Chloride	12		1.2	mg/L
WTE-3S	1/25/2006	Chloride	19.4		1.2	mg/L
WTE-3S	4/20/2006	Chloride	28.8		1.2	mg/L
WTE-3S	10/31/2006	Chloride	27		1.2	mg/L
WTE-3S	4/26/2007	Chloride	44.7		1.2	mg/L
WTE-3S	10/29/2007	Chloride	12		1.2	mg/L
WTE-3S	1/24/2008	Chloride	18.6		1.6	mg/L
WTE-3S	4/17/2008	Chloride	5	U	5	mg/L
WTE-3S	10/28/2008	Chloride	12.9		5	mg/L
WTE-3S	4/15/2009	Chloride	28.1		8	mg/L
WTE-3S	10/6/2009	Chloride	4	U	4	mg/L
WTE-3S	1/7/2010	Chloride	5.63		4	mg/L
WTE-3S	4/7/2010	Chloride	209		32	mg/L
WTE-3S	1/25/2006	Chromium	1	U	1	µg/L
WTE-3S	1/24/2008	Chromium	1.1	U	1.1	µg/L
WTE-3S	1/7/2010	Chromium	0.001	U	0.001	mg/L
WTE-3S	4/27/2005	Iron	0.8		0.04	mg/L
WTE-3S	10/13/2005	Iron	2.9		0.04	mg/L
WTE-3S	1/25/2006	Iron	4.4		0.04	mg/L
WTE-3S	4/20/2006	Iron	8		0.04	mg/L
WTE-3S	10/31/2006	Iron	7.46		0.04	mg/L
WTE-3S	4/26/2007	Iron	5		0.04	mg/L
WTE-3S	10/29/2007	Iron	4.44		0.04	mg/L
WTE-3S	1/24/2008	Iron	7.08		0.04	mg/L
WTE-3S	4/17/2008	Iron	0.926		0.01	mg/L
WTE-3S	10/28/2008	Iron	3.57		0.01	mg/L
WTE-3S	4/15/2009	Iron	3.98		0.01	mg/L
WTE-3S	10/6/2009	Iron	2.82		0.01	mg/L
WTE-3S	1/7/2010	Iron	0.713		0.01	mg/L
WTE-3S	4/7/2010	Iron	1.25		0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/25/2006	Lead	1	U	1	µg/L
WTE-3S	1/24/2008	Lead	1	U	1	µg/L
WTE-3S	1/7/2010	Lead	0.001	U	0.001	mg/L
WTE-3S	4/27/2005	Manganese	0.01	U	0.01	mg/L
WTE-3S	10/13/2005	Manganese	0.01	U	0.01	mg/L
WTE-3S	1/25/2006	Manganese	0.03	I	0.01	mg/L
WTE-3S	4/20/2006	Manganese	0.03	I	0.01	mg/L
WTE-3S	10/31/2006	Manganese	0.04	I	0.01	mg/L
WTE-3S	4/26/2007	Manganese	0.044		0.01	mg/L
WTE-3S	10/29/2007	Manganese	0.056	ELAB	0.0025	mg/L
WTE-3S	1/24/2008	Manganese	0.04	I	0.01	mg/L
WTE-3S	4/17/2008	Manganese	0.0245		0.01	mg/L
WTE-3S	10/28/2008	Manganese	0.0475		0.01	mg/L
WTE-3S	4/15/2009	Manganese	0.0419		0.01	mg/L
WTE-3S	10/6/2009	Manganese	0.0401		0.01	mg/L
WTE-3S	1/7/2010	Manganese	0.0215		0.01	mg/L
WTE-3S	4/7/2010	Manganese	0.0101		0.01	mg/L
WTE-3S	4/27/2005	Mercury	0.2	U	0.2	mg/L
WTE-3S	10/13/2005	Mercury	0.2	U	0.2	mg/L
WTE-3S	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-3S	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-3S	10/31/2006	Mercury	0.2	U	0.2	mg/L
WTE-3S	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-3S	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-3S	1/24/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-3S	4/17/2008	Mercury	0.000134		2E-05	mg/L
WTE-3S	10/28/2008	Mercury	0.000017	U	2E-05	mg/L
WTE-3S	4/15/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-3S	10/6/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-3S	1/7/2010	Mercury	0.000017	U	2E-05	mg/L
WTE-3S	4/7/2010	Mercury	0.00002	U	2E-05	mg/L
WTE-3S	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-3S	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-3S	4/27/2005	Selenium	2	U	2	µg/L
WTE-3S	10/13/2005	Selenium	1	U	1	µg/L
WTE-3S	1/25/2006	Selenium	1	U	1	µg/L
WTE-3S	4/20/2006	Selenium	1	U	1	µg/L
WTE-3S	10/31/2006	Selenium	1	U	1	µg/L
WTE-3S	4/26/2007	Selenium	1	U	1	µg/L
WTE-3S	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-3S	1/24/2008	Selenium	1	U	1	µg/L
WTE-3S	4/17/2008	Selenium	0.00599		0.002	mg/L
WTE-3S	10/28/2008	Selenium	0.00343		0.002	mg/L
WTE-3S	4/15/2009	Selenium	0.002	U	0.002	mg/L
WTE-3S	10/6/2009	Selenium	0.002	U	0.002	mg/L
WTE-3S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-3S	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-3S	1/25/2006	Sodium	7.68		0.2	mg/L
WTE-3S	1/24/2008	Sodium	6.15		0.2	mg/L
WTE-3S	1/7/2010	Sodium	1.1		0.5	mg/L
WTE-3S	4/27/2005	Sulfate	89.4		0.2	mg/L
WTE-3S	10/13/2005	Sulfate	35		0.1	mg/L
WTE-3S	1/25/2006	Sulfate	53.9		0.1	mg/L
WTE-3S	4/20/2006	Sulfate	96		0.1	mg/L
WTE-3S	10/31/2006	Sulfate	50.2		0.05	mg/L
WTE-3S	4/26/2007	Sulfate	94.5		0.05	mg/L
WTE-3S	10/29/2007	Sulfate	19.6		0.05	mg/L
WTE-3S	1/24/2008	Sulfate	36.1		0.05	mg/L
WTE-3S	4/17/2008	Sulfate	8.38		5	mg/L
WTE-3S	10/28/2008	Sulfate	29.4		5	mg/L
WTE-3S	4/15/2009	Sulfate	50.6		5	mg/L
WTE-3S	10/6/2009	Sulfate	7.23		5	mg/L
WTE-3S	1/7/2010	Sulfate	8.03		5	mg/L
WTE-3S	4/7/2010	Sulfate	8.49		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	4/27/2005	TDS	414		5	mg/L
WTE-3S	10/13/2005	TDS	408		5.5	mg/L
WTE-3S	1/25/2006	TDS	388		5.5	mg/L
WTE-3S	4/20/2006	TDS	490		5.5	mg/L
WTE-3S	10/31/2006	TDS	399		5.5	mg/L
WTE-3S	4/26/2007	TDS	444		5.5	mg/L
WTE-3S	10/29/2007	TDS	338		5.5	mg/L
WTE-3S	1/24/2008	TDS	370		5.5	mg/L
WTE-3S	4/17/2008	TDS	310		2.5	mg/L
WTE-3S	10/28/2008	TDS	358		2.5	mg/L
WTE-3S	4/15/2009	TDS	456		2.5	mg/L
WTE-3S	10/6/2009	TDS	282		2.5	mg/L
WTE-3S	1/7/2010	TDS	264		2.5	mg/L
WTE-3S	4/7/2010	TDS	248		2.5	mg/L
WTE-3S	4/27/2005	TKN(as N)	0.48		0.1	mg/L
WTE-3S	10/13/2005	TKN(as N)	3.75		0.1	mg/L
WTE-3S	1/25/2006	TKN(as N)	2.64		0.1	mg/L
WTE-3S	4/20/2006	TKN(as N)	2.29		0.1	mg/L
WTE-3S	10/31/2006	TKN(as N)	1.5		0.1	mg/L
WTE-3S	4/26/2007	TKN(as N)	0.63		0.05	mg/L
WTE-3S	10/29/2007	TKN(as N)	0.77		0.05	mg/L
WTE-3S	1/24/2008	TKN(as N)	0.86		0.05	mg/L
WTE-3S	4/17/2008	TKN(as N)	0.506		0.2	mg/L
WTE-3S	10/28/2008	TKN(as N)	0.918		0.2	mg/L
WTE-3S	4/15/2009	TKN(as N)	1.04		0.2	mg/L
WTE-3S	10/6/2009	TKN(as N)	0.714		0.2	mg/L
WTE-3S	1/7/2010	TKN(as N)	0.476		0.2	mg/L
WTE-3S	4/7/2010	TKN(as N)	0.459		0.2	mg/L
WTE-3S	4/27/2005	TOC	5.5	ELAB	0.08	mg/L
WTE-3S	10/13/2005	TOC	13	ELAB	0.08	mg/L
WTE-3S	1/25/2006	TOC	10.9		0.08	mg/L
WTE-3S	4/20/2006	TOC	9.85		0.08	mg/L
WTE-3S	10/31/2006	TOC	8.9		0.5	mg/L
WTE-3S	4/26/2007	TOC	8.45		0.5	mg/L
WTE-3S	10/29/2007	TOC	6.05		1	mg/L
WTE-3S	1/24/2008	TOC	6.59		1	mg/L
WTE-3S	4/17/2008	TOC	2.08		1	mg/L
WTE-3S	10/28/2008	TOC	6.87		1	mg/L
WTE-3S	4/15/2009	TOC	6.36		1	mg/L
WTE-3S	10/6/2009	TOC	6.62		1	mg/L
WTE-3S	1/7/2010	TOC	4.92		1	mg/L
WTE-3S	4/7/2010	TOC	51.4		1	mg/L
WTE-3S	4/27/2005	Zinc	0.004	U V1	0.004	mg/L
WTE-3S	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-3S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-3S	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-3S	10/31/2006	Zinc	0.005	U	0.005	mg/L
WTE-3S	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-3S	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-3S	1/24/2008	Zinc	0.005	U	0.005	mg/L
WTE-3S	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-3S	10/28/2008	Zinc	0.0254		0.01	mg/L
WTE-3S	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-3S	10/6/2009	Zinc	0.0142		0.01	mg/L
WTE-3S	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-3S	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIF	MDL	UNITS
WTE-3D	4/27/2005	Ammonia (as N)	0.306		0.013	mg/L
WTE-3D	10/14/2005	Ammonia (as N)	0.409		0.013	mg/L
WTE-3D	1/25/2006	Ammonia (as N)	0.501		0.013	mg/L
WTE-3D	4/20/2006	Ammonia (as N)	0.693		0.013	mg/L
WTE-3D	10/31/2006	Ammonia (as N)	0.552		0.014	mg/L
WTE-3D	4/26/2007	Ammonia (as N)	0.276		0.014	mg/L
WTE-3D	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-3D	1/24/2008	Ammonia (as N)	0.707		0.014	mg/L
WTE-3D	4/17/2008	Ammonia (as N)	0.424		0.01	mg/L
WTE-3D	10/28/2008	Ammonia (as N)	0.431		0.01	mg/L
WTE-3D	4/15/2009	Ammonia (as N)	0.565		0.01	mg/L
WTE-3D	10/6/2009	Ammonia (as N)	0.744		0.01	mg/L
WTE-3D	1/7/2010	Ammonia (as N)	0.665		0.01	mg/L
WTE-3D	4/7/2010	Ammonia (as N)	0.414		0.01	mg/L
WTE-3D	4/27/2005	Arsenic	1	U	1	µg/L
WTE-3D	10/14/2005	Arsenic	10.5		1	µg/L
WTE-3D	1/25/2006	Arsenic	5.2		1	µg/L
WTE-3D	4/20/2006	Arsenic	1.3	I	1	µg/L
WTE-3D	10/31/2006	Arsenic	1.18	I	1	µg/L
WTE-3D	4/26/2007	Arsenic	1	U	1	µg/L
WTE-3D	10/29/2007	Arsenic	1	U	1	µg/L
WTE-3D	1/24/2008	Arsenic	1	U	1	µg/L
WTE-3D	4/17/2008	Arsenic	0.00363		0.001	mg/L
WTE-3D	10/28/2008	Arsenic	0.0015		0.001	mg/L
WTE-3D	4/15/2009	Arsenic	0.00353		0.001	mg/L
WTE-3D	10/6/2009	Arsenic	0.00215		0.001	mg/L
WTE-3D	1/7/2010	Arsenic	0.00283		0.001	mg/L
WTE-3D	4/7/2010	Arsenic	0.00258		0.001	mg/L
WTE-3D	4/27/2005	Chloride	386		1.2	mg/L
WTE-3D	10/14/2005	Chloride	95.5		1.2	mg/L
WTE-3D	1/25/2006	Chloride	296.1		1.2	mg/L
WTE-3D	4/20/2006	Chloride	375		1.2	mg/L
WTE-3D	10/31/2006	Chloride	386		1.2	mg/L
WTE-3D	4/26/2007	Chloride	425		1.2	mg/L
WTE-3D	10/29/2007	Chloride	421		1.2	mg/L
WTE-3D	1/24/2008	Chloride	517		1.6	mg/L
WTE-3D	4/17/2008	Chloride	485		50	mg/L
WTE-3D	10/28/2008	Chloride	472		50	mg/L
WTE-3D	4/15/2009	Chloride	467		40	mg/L
WTE-3D	10/6/2009	Chloride	464		40	mg/L
WTE-3D	1/7/2010	Chloride	503		40	mg/L
WTE-3D	4/7/2010	Chloride	516		40	mg/L
WTE-3D	1/25/2006	Chromium	1	U	1	µg/L
WTE-3D	1/24/2008	Chromium	1.1	U	1.1	µg/L
WTE-3D	1/7/2010	Chromium	0.00129		0.001	mg/L
WTE-3D	4/27/2005	Iron	0.04	U	0.04	mg/L
WTE-3D	10/14/2005	Iron	1.2		0.04	mg/L
WTE-3D	1/25/2006	Iron	1		0.04	mg/L
WTE-3D	4/20/2006	Iron	1.4		0.04	mg/L
WTE-3D	10/31/2006	Iron	0.71		0.04	mg/L
WTE-3D	4/26/2007	Iron	0.406		0.04	mg/L
WTE-3D	10/29/2007	Iron	0.393		0.04	mg/L
WTE-3D	1/24/2008	Iron	0.39		0.04	mg/L
WTE-3D	4/17/2008	Iron	0.937		0.01	mg/L
WTE-3D	10/28/2008	Iron	0.161		0.01	mg/L
WTE-3D	4/15/2009	Iron	0.0965		0.01	mg/L
WTE-3D	10/6/2009	Iron	0.0625		0.01	mg/L
WTE-3D	1/7/2010	Iron	0.357		0.01	mg/L
WTE-3D	4/7/2010	Iron	0.132	V	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFF	MDL	UNITS
WTE-3D	1/25/2006	Lead	1	U	1	µg/L
WTE-3D	1/24/2008	Lead	1	U	1	µg/L
WTE-3D	1/7/2010	Lead	0.00157		0.001	mg/L
WTE-3D	4/27/2005	Manganese	0.01	U	0.01	mg/L
WTE-3D	10/14/2005	Manganese	0.01	U	0.01	mg/L
WTE-3D	1/25/2006	Manganese	0.02	I	0.01	mg/L
WTE-3D	4/20/2006	Manganese	0.01	U	0.01	mg/L
WTE-3D	10/31/2006	Manganese	0.01	U	0.01	mg/L
WTE-3D	4/26/2007	Manganese	0.013	I	0.01	mg/L
WTE-3D	10/29/2007	Manganese	0.0089	ELAB	0.003	mg/L
WTE-3D	1/24/2008	Manganese	0.01	U	0.01	mg/L
WTE-3D	4/17/2008	Manganese	0.0133		0.01	mg/L
WTE-3D	10/28/2008	Manganese	0.0121		0.01	mg/L
WTE-3D	4/15/2009	Manganese	0.0168		0.01	mg/L
WTE-3D	10/6/2009	Manganese	0.0144		0.01	mg/L
WTE-3D	1/7/2010	Manganese	0.0167		0.01	mg/L
WTE-3D	4/7/2010	Manganese	0.0163		0.01	mg/L
WTE-3D	4/27/2005	Mercury	0.2	U	0.2	mg/L
WTE-3D	10/14/2005	Mercury	0.2	U	0.2	mg/L
WTE-3D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-3D	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-3D	10/31/2006	Mercury	0.2	U	0.2	mg/L
WTE-3D	4/26/2007	Mercury	0.0001	U ELAB	1E-04	mg/L
WTE-3D	10/29/2007	Mercury	0.0001	U ELAB	1E-04	mg/L
WTE-3D	1/24/2008	Mercury	0.0001	U ELAB	1E-04	mg/L
WTE-3D	4/17/2008	Mercury	0.000017	U	2E-05	mg/L
WTE-3D	10/28/2008	Mercury	0.000017	U	2E-05	mg/L
WTE-3D	4/15/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-3D	10/6/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-3D	1/7/2010	Mercury	0.000017	U	2E-05	mg/L
WTE-3D	4/7/2010	Mercury	0.00002	U	2E-05	mg/L
WTE-3D	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-3D	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-3D	4/27/2005	Selenium	2	U	2	µg/L
WTE-3D	10/14/2005	Selenium	1	U	1	µg/L
WTE-3D	1/25/2006	Selenium	1	U	1	µg/L
WTE-3D	4/20/2006	Selenium	1	U	1	µg/L
WTE-3D	10/31/2006	Selenium	1	U	1	µg/L
WTE-3D	4/26/2007	Selenium	1	U	1	µg/L
WTE-3D	10/29/2007	Selenium	0.0075	U ELAB	0.008	mg/L
WTE-3D	1/24/2008	Selenium	1	U	1	µg/L
WTE-3D	4/17/2008	Selenium	0.0152		0.002	mg/L
WTE-3D	10/28/2008	Selenium	0.00821		0.002	mg/L
WTE-3D	4/15/2009	Selenium	0.00932		0.002	mg/L
WTE-3D	10/6/2009	Selenium	0.00716		0.002	mg/L
WTE-3D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-3D	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-3D	1/25/2006	Sodium	106		0.2	mg/L
WTE-3D	1/24/2008	Sodium	250		0.2	mg/L
WTE-3D	4/17/2008	Sodium	213		0.5	mg/L
WTE-3D	1/7/2010	Sodium	261		0.5	mg/L
WTE-3D	4/27/2005	Sulfate	127		0.2	mg/L
WTE-3D	10/14/2005	Sulfate	45		0.1	mg/L
WTE-3D	1/25/2006	Sulfate	97		0.1	mg/L
WTE-3D	4/20/2006	Sulfate	117		0.1	mg/L
WTE-3D	10/31/2006	Sulfate	127		0.05	mg/L
WTE-3D	4/26/2007	Sulfate	156		0.05	mg/L
WTE-3D	10/29/2007	Sulfate	135		0.05	mg/L
WTE-3D	1/24/2008	Sulfate	155		0.05	mg/L
WTE-3D	4/17/2008	Sulfate	176		5	mg/L
WTE-3D	10/28/2008	Sulfate	153		5	mg/L
WTE-3D	4/15/2009	Sulfate	129		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIF	MDL	UNITS
WTE-3D	10/6/2009	Sulfate	149		5	mg/L
WTE-3D	1/7/2010	Sulfate	168		5	mg/L
WTE-3D	4/7/2010	Sulfate	170		5	mg/L
WTE-3D	4/27/2005	TDS	1090		5	mg/L
WTE-3D	10/14/2005	TDS	420		5.5	mg/L
WTE-3D	1/25/2006	TDS	862		5.5	mg/L
WTE-3D	4/20/2006	TDS	1110		5.5	mg/L
WTE-3D	10/31/2006	TDS	1130		5.5	mg/L
WTE-3D	4/26/2007	TDS	1110		5.5	mg/L
WTE-3D	10/29/2007	TDS	1120		5.5	mg/L
WTE-3D	1/24/2008	TDS	1030		5.5	mg/L
WTE-3D	4/17/2008	TDS	1370		2.5	mg/L
WTE-3D	10/28/2008	TDS	1530		2.5	mg/L
WTE-3D	4/15/2009	TDS	1370		2.5	mg/L
WTE-3D	10/6/2009	TDS	1330		2.5	mg/L
WTE-3D	1/7/2010	TDS	1290		2.5	mg/L
WTE-3D	4/7/2010	TDS	1440		2.5	mg/L
WTE-3D	4/27/2005	TKN(as N)	0.52		0.1	mg/L
WTE-3D	10/14/2005	TKN(as N)	1.03		0.1	mg/L
WTE-3D	1/25/2006	TKN(as N)	0.67		0.1	mg/L
WTE-3D	4/20/2006	TKN(as N)	1.01		0.1	mg/L
WTE-3D	10/31/2006	TKN(as N)	0.65		0.1	mg/L
WTE-3D	4/26/2007	TKN(as N)	0.75		0.05	mg/L
WTE-3D	10/29/2007	TKN(as N)	0.32		0.05	mg/L
WTE-3D	1/24/2008	TKN(as N)	0.71		0.05	mg/L
WTE-3D	4/17/2008	TKN(as N)	1.05		0.2	mg/L
WTE-3D	10/28/2008	TKN(as N)	1.01		0.2	mg/L
WTE-3D	4/15/2009	TKN(as N)	1.16		0.2	mg/L
WTE-3D	10/6/2009	TKN(as N)	1.11		0.2	mg/L
WTE-3D	1/7/2010	TKN(as N)	3.98		0.2	mg/L
WTE-3D	4/7/2010	TKN(as N)	1.07		0.2	mg/L
WTE-3D	4/27/2005	TOC	12	ELAB	0.08	mg/L
WTE-3D	10/14/2005	TOC	7.6	ELAB	0.08	mg/L
WTE-3D	1/25/2006	TOC	4.59		0.08	mg/L
WTE-3D	4/20/2006	TOC	6.52		0.08	mg/L
WTE-3D	10/31/2006	TOC	4.64		0.5	mg/L
WTE-3D	4/26/2007	TOC	4.59		0.5	mg/L
WTE-3D	10/29/2007	TOC	4.09		1	mg/L
WTE-3D	1/24/2008	TOC	4.71		1	mg/L
WTE-3D	4/17/2008	TOC	4.05		1	mg/L
WTE-3D	10/28/2008	TOC	5.1		1	mg/L
WTE-3D	4/15/2009	TOC	4.78		1	mg/L
WTE-3D	10/6/2009	TOC	5.46		1	mg/L
WTE-3D	1/7/2010	TOC	6.86		1	mg/L
WTE-3D	4/7/2010	TOC	4.89		1	mg/L
WTE-3D	4/27/2005	Zinc	0.004	U V1	0.004	mg/L
WTE-3D	10/14/2005	Zinc	0.01	U	0.01	mg/L
WTE-3D	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-3D	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-3D	10/31/2006	Zinc	0.005	U	0.005	mg/L
WTE-3D	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-3D	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-3D	1/24/2008	Zinc	0.005	U	0.005	mg/L
WTE-3D	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-3D	10/28/2008	Zinc	0.0209		0.01	mg/L
WTE-3D	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-3D	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-3D	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-3D	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-4S	7/21/2005	Ammonia (as N)	0.226		0.013	mg/L
WTE-4S	1/25/2006	Ammonia (as N)	0.284		0.013	mg/L
WTE-4S	7/27/2006	Ammonia (as N)	0.425		0.01	mg/L
WTE-4S	1/19/2007	Ammonia (as N)	0.388		0.014	mg/L
WTE-4S	7/30/2007	Ammonia (as N)	0.423		0.014	mg/L
WTE-4S	1/25/2008	Ammonia (as N)	0.444		0.014	mg/L
WTE-4S	8/5/2008	Ammonia (as N)	0.532		0.01	mg/L
WTE-4S	1/7/2009	Ammonia (as N)	0.448		0.01	mg/L
WTE-4S	7/8/2009	Ammonia (as N)	0.58		0.01	mg/L
WTE-4S	1/7/2010	Ammonia (as N)	0.471		0.01	mg/L
WTE-4S	7/21/2005	Arsenic	1	U	1	µg/L
WTE-4S	1/25/2006	Arsenic	1.3	I	1	µg/L
WTE-4S	7/27/2006	Arsenic	1	U	1	µg/L
WTE-4S	1/19/2007	Arsenic	1	U	1	µg/L
WTE-4S	7/30/2007	Arsenic	1	U	1	µg/L
WTE-4S	1/25/2008	Arsenic	1	U	1	µg/L
WTE-4S	8/5/2008	Arsenic	0.001	U	0.001	mg/L
WTE-4S	1/7/2009	Arsenic	0.001	U	0.001	mg/L
WTE-4S	7/8/2009	Arsenic	0.00209		0.001	mg/L
WTE-4S	1/7/2010	Arsenic	0.0012		0.001	mg/L
WTE-4S	7/21/2005	Chloride	41		1.2	mg/L
WTE-4S	1/25/2006	Chloride	39.3		1.2	mg/L
WTE-4S	7/27/2006	Chloride	96		1.2	mg/L
WTE-4S	1/19/2007	Chloride	45.1		1.2	mg/L
WTE-4S	7/30/2007	Chloride	57.8		1.2	mg/L
WTE-4S	1/25/2008	Chloride	58.8		1.6	mg/L
WTE-4S	8/5/2008	Chloride	30.2		15	mg/L
WTE-4S	1/7/2009	Chloride	27		5	mg/L
WTE-4S	7/8/2009	Chloride	25.3		8	mg/L
WTE-4S	1/7/2010	Chloride	20.1		4	mg/L
WTE-4S	1/19/2007	Chromium	1.1	U	1.1	µg/L
WTE-4S	1/7/2009	Chromium	0.001	U	0.001	mg/L
WTE-4S	7/21/2005	Iron	2.6		0.04	mg/L
WTE-4S	1/25/2006	Iron	1.9		0.04	mg/L
WTE-4S	7/27/2006	Iron	1.79		0.04	mg/L
WTE-4S	1/19/2007	Iron	2.2		0.04	mg/L
WTE-4S	7/30/2007	Iron	2.36		0.04	mg/L
WTE-4S	1/25/2008	Iron	2.15		0.04	mg/L
WTE-4S	8/5/2008	Iron	1.92		0.01	mg/L
WTE-4S	1/7/2009	Iron	1.71		0.01	mg/L
WTE-4S	7/8/2009	Iron	3.85		0.01	mg/L
WTE-4S	1/7/2010	Iron	1.07		0.01	mg/L
WTE-4S	1/19/2007	Lead	1	U	1	µg/L
WTE-4S	1/7/2009	Lead	0.001	U	0.001	mg/L
WTE-4S	7/21/2005	Manganese	0.01	U	0.01	mg/L
WTE-4S	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-4S	7/27/2006	Manganese	0.01	I	0.01	mg/L
WTE-4S	1/19/2007	Manganese	0.01	U	0.01	mg/L
WTE-4S	7/30/2007	Manganese	0.01	U	0.01	mg/L
WTE-4S	1/25/2008	Manganese	0.01	U	0.01	mg/L
WTE-4S	8/5/2008	Manganese	0.0125		0.01	mg/L
WTE-4S	1/7/2009	Manganese	0.0156		0.01	mg/L
WTE-4S	7/8/2009	Manganese	0.0149		0.01	mg/L
WTE-4S	1/7/2010	Manganese	0.0132		0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-4S	7/21/2005	Mercury	0.2	U	0.2	mg/L
WTE-4S	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-4S	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-4S	1/19/2007	Mercury	0.2	U	0.2	mg/L
WTE-4S	7/30/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-4S	1/25/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-4S	8/5/2008	Mercury	0.000017	U	1.7E-05	mg/L
WTE-4S	1/7/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-4S	7/8/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-4S	1/7/2010	Mercury	0.000017	U	1.7E-05	mg/L
WTE-4S	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-4S	1/7/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-4S	7/21/2005	Selenium	1	U	1	µg/L
WTE-4S	1/25/2006	Selenium	1	U	1	µg/L
WTE-4S	7/27/2006	Selenium	1	U	1	µg/L
WTE-4S	1/19/2007	Selenium	1	U	1	µg/L
WTE-4S	7/30/2007	Selenium	1	U	1	µg/L
WTE-4S	1/25/2008	Selenium	1	U	1	µg/L
WTE-4S	8/5/2008	Selenium	0.00639		0.002	mg/L
WTE-4S	1/7/2009	Selenium	0.00208		0.002	mg/L
WTE-4S	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-4S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-4S	1/7/2009	Sodium	21.3		0.5	mg/L
WTE-4S	1/19/2007	Sodium	22.8		0.2	mg/L
WTE-4S	7/21/2005	Sulfate	173		0.1	mg/L
WTE-4S	1/25/2006	Sulfate	110		0.1	mg/L
WTE-4S	7/27/2006	Sulfate	85.3		0.05	mg/L
WTE-4S	1/19/2007	Sulfate	90.8		0.05	mg/L
WTE-4S	7/30/2007	Sulfate	67.9		0.05	mg/L
WTE-4S	1/25/2008	Sulfate	76.3		0.05	mg/L
WTE-4S	8/5/2008	Sulfate	67		5	mg/L
WTE-4S	1/7/2009	Sulfate	82.6		5	mg/L
WTE-4S	7/8/2009	Sulfate	74.3		5	mg/L
WTE-4S	1/7/2010	Sulfate	52.1		5	mg/L
WTE-4S	7/21/2005	TDS	668		5.5	mg/L
WTE-4S	1/25/2006	TDS	568		5.5	mg/L
WTE-4S	7/27/2006	TDS	586		5.5	mg/L
WTE-4S	1/19/2007	TDS	596		5.5	mg/L
WTE-4S	7/30/2007	TDS	550		5.5	mg/L
WTE-4S	1/25/2008	TDS	550		5.5	mg/L
WTE-4S	8/5/2008	TDS	530		2.5	mg/L
WTE-4S	1/7/2009	TDS	484		2.5	mg/L
WTE-4S	7/8/2009	TDS	516		2.5	mg/L
WTE-4S	1/7/2010	TDS	454		2.5	mg/L
WTE-4S	7/21/2005	TKN(as N)	0.88		0.1	mg/L
WTE-4S	1/25/2006	TKN(as N)	0.41		0.1	mg/L
WTE-4S	7/27/2006	TKN(as N)	0.39	I	0.1	mg/L
WTE-4S	1/19/2007	TKN(as N)	0.55		0.1	mg/L
WTE-4S	7/30/2007	TKN(as N)	0.52		0.05	mg/L
WTE-4S	1/25/2008	TKN(as N)	0.69		0.05	mg/L
WTE-4S	8/5/2008	TKN(as N)	1.18		0.2	mg/L
WTE-4S	1/7/2009	TKN(as N)	1.21		0.2	mg/L
WTE-4S	7/8/2009	TKN(as N)	1.15		0.2	mg/L
WTE-4S	1/7/2010	TKN(as N)	0.902		0.2	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-4S	7/21/2005	TOC	9	ELAB	0.08	mg/L
WTE-4S	1/25/2006	TOC	6.73		0.08	mg/L
WTE-4S	7/27/2006	TOC	6.54		0.2	mg/L
WTE-4S	1/19/2007	TOC	6.96		0.5	mg/L
WTE-4S	7/30/2007	TOC	7.22		0.5	mg/L
WTE-4S	1/25/2008	TOC	6.65		1	mg/L
WTE-4S	8/5/2008	TOC	6.42		1	mg/L
WTE-4S	1/7/2009	TOC	80.7		1	mg/L
WTE-4S	7/8/2009	TOC	6.69		1	mg/L
WTE-4S	1/7/2010	TOC	7.78		1	mg/L
WTE-4S	7/21/2005	Zinc	0.01	U	0.01	mg/L
WTE-4S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-4S	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-4S	1/19/2007	Zinc	0.039		0.005	mg/L
WTE-4S	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-4S	1/25/2008	Zinc	0.005	U	0.005	mg/L
WTE-4S	8/5/2008	Zinc	0.01	U	0.01	mg/L
WTE-4S	1/7/2009	Zinc	0.01	U	0.01	mg/L
WTE-4S	7/8/2009	Zinc	0.01	U	0.01	mg/L
WTE-4S	1/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUAL	MDL	UNITS
WTE-4D	8/5/2008	Ammonia (as N)	0.0318		0.01	mg/L
WTE-4D	1/7/2009	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-4D	7/8/2009	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-4D	1/7/2010	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-4D	7/21/2005	Ammonia (as N)	0.362		0.013	mg/L
WTE-4D	1/25/2006	Ammonia (as N)	0.313		0.013	mg/L
WTE-4D	7/27/2006	Ammonia (as N)	0.367		0.01	mg/L
WTE-4D	1/19/2007	Ammonia (as N)	0.269		0.014	mg/L
WTE-4D	7/30/2007	Ammonia (as N)	0.303		0.014	mg/L
WTE-4D	1/25/2008	Ammonia (as N)	0.332		0.014	mg/L
WTE-4D	8/5/2008	Arsenic	0.00539		0.001	mg/L
WTE-4D	1/7/2009	Arsenic	0.00216		0.001	mg/L
WTE-4D	7/8/2009	Arsenic	0.00172		0.001	mg/L
WTE-4D	1/7/2010	Arsenic	0.00179		0.001	mg/L
WTE-4D	7/21/2005	Arsenic	1	U	1	µg/L
WTE-4D	1/25/2006	Arsenic	1	U	1	µg/L
WTE-4D	7/27/2006	Arsenic	1	U	1	µg/L
WTE-4D	1/19/2007	Arsenic	1	U	1	µg/L
WTE-4D	7/30/2007	Arsenic	1	U	1	µg/L
WTE-4D	1/25/2008	Arsenic	1	U	1	µg/L
WTE-4D	8/5/2008	Chloride	16.3		5	mg/L
WTE-4D	1/7/2009	Chloride	38.2		5	mg/L
WTE-4D	7/8/2009	Chloride	36.7		4	mg/L
WTE-4D	1/7/2010	Chloride	11.6		4	mg/L
WTE-4D	7/21/2005	Chloride	160		1.2	mg/L
WTE-4D	1/25/2006	Chloride	194.2		1.2	mg/L
WTE-4D	7/27/2006	Chloride	246		1.2	mg/L
WTE-4D	1/19/2007	Chloride	202		1.2	mg/L
WTE-4D	7/30/2007	Chloride	288		1.2	mg/L
WTE-4D	9/13/2007	Chloride	282		1.2	mg/L
WTE-4D	1/25/2008	Chloride	278		1.6	mg/L
WTE-4D	1/7/2009	Chromium	0.00132		0.001	mg/L
WTE-4D	1/19/2007	Chromium	1.1	U	1.1	µg/L
WTE-4D	8/5/2008	Iron	0.585		0.01	mg/L
WTE-4D	1/7/2009	Iron	0.01	U	0.01	mg/L
WTE-4D	7/8/2009	Iron	0.0703		0.01	mg/L
WTE-4D	1/7/2010	Iron	0.116		0.01	mg/L
WTE-4D	7/21/2005	Iron	1.02		0.04	mg/L
WTE-4D	1/25/2006	Iron	0.04	U	0.04	mg/L
WTE-4D	7/27/2006	Iron	0.04	U	0.04	mg/L
WTE-4D	1/19/2007	Iron	0.04	U	0.04	mg/L
WTE-4D	7/30/2007	Iron	0.04	U	0.04	mg/L
WTE-4D	1/25/2008	Iron	0.04	U	0.04	mg/L
WTE-4D	1/7/2009	Lead	0.001	U	0.001	mg/L
WTE-4D	1/19/2007	Lead	1	U	1	µg/L
WTE-4D	8/5/2008	Manganese	0.106		0.01	mg/L
WTE-4D	1/7/2009	Manganese	0.0132		0.01	mg/L
WTE-4D	7/8/2009	Manganese	0.01	U	0.01	mg/L
WTE-4D	1/7/2010	Manganese	0.0102		0.01	mg/L
WTE-4D	7/21/2005	Manganese	0.01	U	0.01	mg/L
WTE-4D	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-4D	7/27/2006	Manganese	0.01	U	0.01	mg/L
WTE-4D	1/19/2007	Manganese	0.01	U	0.01	mg/L
WTE-4D	7/30/2007	Manganese	0.01	U	0.01	mg/L
WTE-4D	1/25/2008	Manganese	0.01	U	0.01	mg/L
WTE-4D	8/5/2008	Mercury	0.000017	U	0.000017	mg/L
WTE-4D	1/7/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-4D	7/8/2009	Mercury	0.000017	U	0.000017	mg/L
WTE-4D	1/7/2010	Mercury	0.000017	U	0.000017	mg/L
WTE-4D	7/30/2007	Mercury	0.0001	U ELA	0.0001	mg/L
WTE-4D	1/25/2008	Mercury	0.0001	U ELA	0.0001	mg/L
WTE-4D	7/21/2005	Mercury	0.2	U	0.2	mg/L
WTE-4D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-4D	7/27/2006	Mercury	0.2	U	0.2	mg/L
WTE-4D	1/19/2007	Mercury	0.2	U	0.2	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUAL	MDL	UNITS
WTE-4D	8/5/2008	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-4D	1/7/2009	Nitrate(as N)	0.26		0.01	mg/L
WTE-4D	7/21/2005	TKN(as N)	1.05		0.1	mg/L
WTE-4D	1/25/2006	TKN(as N)	0.38	I	0.1	mg/L
WTE-4D	7/27/2006	TKN(as N)	0.47		0.1	mg/L
WTE-4D	1/19/2007	TKN(as N)	0.44		0.1	mg/L
WTE-4D	7/30/2007	TKN(as N)	0.49		0.05	mg/L
WTE-4D	1/25/2008	TKN(as N)	0.46		0.05	mg/L
WTE-4D	8/5/2008	Selenium	0.00792		0.002	mg/L
WTE-4D	1/7/2009	Selenium	0.00369		0.002	mg/L
WTE-4D	7/8/2009	Selenium	0.002	U	0.002	mg/L
WTE-4D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-4D	7/21/2005	Selenium	1	U	1	µg/L
WTE-4D	1/25/2006	Selenium	1	U	1	µg/L
WTE-4D	7/27/2006	Selenium	1	U	1	µg/L
WTE-4D	1/19/2007	Selenium	1	U	1	µg/L
WTE-4D	7/30/2007	Selenium	1	U	1	µg/L
WTE-4D	1/25/2008	Selenium	1	U	1	µg/L
WTE-4D	1/7/2009	Sodium	15.8		0.5	mg/L
WTE-4D	1/19/2007	Sodium	91.5		0.2	mg/L
WTE-4D	8/5/2008	Sulfate	23.6		5	mg/L
WTE-4D	1/7/2009	Sulfate	48.1		5	mg/L
WTE-4D	7/8/2009	Sulfate	37.1		5	mg/L
WTE-4D	1/7/2010	Sulfate	15.9		5	mg/L
WTE-4D	7/21/2005	Sulfate	48.7		0.1	mg/L
WTE-4D	1/25/2006	Sulfate	48.6		0.1	mg/L
WTE-4D	7/27/2006	Sulfate	55.4		0.05	mg/L
WTE-4D	1/19/2007	Sulfate	50.4		0.05	mg/L
WTE-4D	7/30/2007	Sulfate	68.2		0.05	mg/L
WTE-4D	1/25/2008	Sulfate	59.2		0.05	mg/L
WTE-4D	8/5/2008	TDS	304		2.5	mg/L
WTE-4D	1/7/2009	TDS	276		2.5	mg/L
WTE-4D	7/8/2009	TDS	296		2.5	mg/L
WTE-4D	1/7/2010	TDS	208		2.5	mg/L
WTE-4D	8/5/2008	TKN(as N)	0.956		0.2	mg/L
WTE-4D	1/7/2009	TKN(as N)	0.992		0.2	mg/L
WTE-4D	7/8/2009	TKN(as N)	0.303		0.2	mg/L
WTE-4D	1/7/2010	TKN(as N)	0.433		0.2	mg/L
WTE-4D	8/5/2008	TOC	7.45		1	mg/L
WTE-4D	1/7/2009	TOC	4.6		1	mg/L
WTE-4D	7/8/2009	TOC	3.36		1	mg/L
WTE-4D	1/7/2010	TOC	4.66		1	mg/L
WTE-4D	7/21/2005	TDS	656		5.5	mg/L
WTE-4D	1/25/2006	TDS	622		5.5	mg/L
WTE-4D	7/27/2006	TDS	594		5.5	mg/L
WTE-4D	1/19/2007	TDS	559		5.5	mg/L
WTE-4D	7/30/2007	TDS	760		5.5	mg/L
WTE-4D	9/13/2007	TDS	797		5.5	mg/L
WTE-4D	1/25/2008	TDS	725		5.5	mg/L
WTE-4D	7/21/2005	TOC	8	ELAB	0.08	mg/L
WTE-4D	1/25/2006	TOC	4.59		0.08	mg/L
WTE-4D	7/27/2006	TOC	4.54		0.2	mg/L
WTE-4D	1/19/2007	TOC	4.15		0.5	mg/L
WTE-4D	7/30/2007	TOC	4.16		0.5	mg/L
WTE-4D	1/25/2008	TOC	4.25		1	mg/L
WTE-4D	8/5/2008	Zinc	0.01	U	0.01	mg/L
WTE-4D	1/7/2009	Zinc	0.01	U	0.01	mg/L
WTE-4D	7/8/2009	Zinc	0.01	U	0.01	mg/L
WTE-4D	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-4D	7/21/2005	Zinc	0.01	U	0.01	mg/L
WTE-4D	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-4D	7/27/2006	Zinc	0.01	U	0.01	mg/L
WTE-4D	1/19/2007	Zinc	0.005	U	0.005	mg/L
WTE-4D	7/30/2007	Zinc	0.005	U	0.005	mg/L
WTE-4D	1/25/2008	Zinc	0.005	U	0.005	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	4/28/2005	Ammonia (as N)	0.447		0.013	mg/L
WTE-5S	10/14/2005	Ammonia (as N)	1.13		0.013	mg/L
WTE-5S	1/25/2006	Ammonia (as N)	1.28		0.013	mg/L
WTE-5S	4/20/2006	Ammonia (as N)	1.29		0.013	mg/L
WTE-5S	10/30/2006	Ammonia (as N)	0.719		0.014	mg/L
WTE-5S	4/26/2007	Ammonia (as N)	0.682		0.014	mg/L
WTE-5S	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-5S	1/24/2008	Ammonia (as N)	3.12		0.014	mg/L
WTE-5S	4/17/2008	Ammonia (as N)	0.781		0.01	mg/L
WTE-5S	10/28/2008	Ammonia (as N)	0.549		0.01	mg/L
WTE-5S	4/15/2009	Ammonia (as N)	0.437		0.01	mg/L
WTE-5S	10/6/2009	Ammonia (as N)	0.688		0.01	mg/L
WTE-5S	1/7/2010	Ammonia (as N)	0.479		0.01	mg/L
WTE-5S	4/7/2010	Ammonia (as N)	0.251		0.01	mg/L
WTE-5S	4/28/2005	Arsenic	1	U	1	µg/L
WTE-5S	10/14/2005	Arsenic	1	U	1	µg/L
WTE-5S	1/25/2006	Arsenic	1	U	1	µg/L
WTE-5S	4/20/2006	Arsenic	1	U	1	µg/L
WTE-5S	10/30/2006	Arsenic	1	U	1	µg/L
WTE-5S	4/26/2007	Arsenic	1	U	1	µg/L
WTE-5S	10/29/2007	Arsenic	1	U	1	µg/L
WTE-5S	1/24/2008	Arsenic	1	U	1	µg/L
WTE-5S	4/17/2008	Arsenic	0.00164		0.001	mg/L
WTE-5S	10/28/2008	Arsenic	0.00175		0.001	mg/L
WTE-5S	4/15/2009	Arsenic	0.00108		0.001	mg/L
WTE-5S	10/6/2009	Arsenic	0.001	U	0.001	mg/L
WTE-5S	1/7/2010	Arsenic	0.00107		0.001	mg/L
WTE-5S	4/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-5S	4/28/2005	Chloride	55		1.2	mg/L
WTE-5S	10/14/2005	Chloride	61.5		1.2	mg/L
WTE-5S	1/25/2006	Chloride	51.9		1.2	mg/L
WTE-5S	4/20/2006	Chloride	42.3		1.2	mg/L
WTE-5S	10/30/2006	Chloride	51		1.2	mg/L
WTE-5S	4/26/2007	Chloride	31.1		1.2	mg/L
WTE-5S	10/29/2007	Chloride	32.7		1.2	mg/L
WTE-5S	1/24/2008	Chloride	46.2		1.6	mg/L
WTE-5S	4/17/2008	Chloride	56.3		25	mg/L
WTE-5S	10/28/2008	Chloride	66.2		25	mg/L
WTE-5S	4/15/2009	Chloride	63.8		20	mg/L
WTE-5S	10/6/2009	Chloride	25.6		4	mg/L
WTE-5S	1/7/2010	Chloride	20		4	mg/L
WTE-5S	4/7/2010	Chloride	15.9		4	mg/L
WTE-5S	1/25/2006	Chromium	1	U	1	µg/L
WTE-5S	1/24/2008	Chromium	1.1	U	1.1	µg/L
WTE-5S	1/7/2010	Chromium	0.00101		0.001	mg/L
WTE-5S	4/28/2005	Iron	2.3		0.04	mg/L
WTE-5S	10/14/2005	Iron	2.7	J4	0.04	mg/L
WTE-5S	1/25/2006	Iron	2.7		0.04	mg/L
WTE-5S	4/20/2006	Iron	2.8		0.04	mg/L
WTE-5S	10/30/2006	Iron	3.28		0.04	mg/L
WTE-5S	4/26/2007	Iron	2.85		0.04	mg/L
WTE-5S	10/29/2007	Iron	2.69		0.04	mg/L
WTE-5S	1/24/2008	Iron	2.85		0.04	mg/L
WTE-5S	4/17/2008	Iron	2.89		0.01	mg/L
WTE-5S	10/28/2008	Iron	3.41		0.01	mg/L
WTE-5S	4/15/2009	Iron	3.54		0.01	mg/L
WTE-5S	10/6/2009	Iron	3.16		0.01	mg/L
WTE-5S	1/7/2010	Iron	1.64		0.01	mg/L
WTE-5S	4/7/2010	Iron	2.16		0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/25/2006	Lead	1	U	1	µg/L
WTE-5S	1/24/2008	Lead	1	U	1	µg/L
WTE-5S	1/7/2010	Lead	0.001	U	0.001	mg/L
WTE-5S	4/28/2005	Manganese	0.01	U	0.01	mg/L
WTE-5S	10/14/2005	Manganese	0.01	U	0.01	mg/L
WTE-5S	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-5S	4/20/2006	Manganese	0.01	U	0.01	mg/L
WTE-5S	10/30/2006	Manganese	0.01	U	0.01	mg/L
WTE-5S	4/26/2007	Manganese	0.029	I	0.01	mg/L
WTE-5S	10/29/2007	Manganese	0.016	ELAB	0.0025	mg/L
WTE-5S	1/24/2008	Manganese	0.01	U	0.01	mg/L
WTE-5S	4/17/2008	Manganese	0.0158		0.01	mg/L
WTE-5S	10/28/2008	Manganese	0.0215		0.01	mg/L
WTE-5S	4/15/2009	Manganese	0.0265		0.01	mg/L
WTE-5S	10/6/2009	Manganese	0.0149		0.01	mg/L
WTE-5S	1/7/2010	Manganese	0.0212		0.01	mg/L
WTE-5S	4/7/2010	Manganese	0.018		0.01	mg/L
WTE-5S	4/28/2005	Mercury	0.2	U	0.2	mg/L
WTE-5S	10/14/2005	Mercury	0.2	U	0.2	mg/L
WTE-5S	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-5S	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-5S	10/30/2006	Mercury	0.2	U	0.2	mg/L
WTE-5S	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5S	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5S	1/24/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5S	4/17/2008	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5S	10/28/2008	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5S	4/15/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5S	10/6/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5S	1/7/2010	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5S	4/7/2010	Mercury	0.00002	U	0.00002	mg/L
WTE-5S	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-5S	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-5S	4/28/2005	Selenium	2	U	2	µg/L
WTE-5S	10/14/2005	Selenium	1	U	1	µg/L
WTE-5S	1/25/2006	Selenium	1	U	1	µg/L
WTE-5S	4/20/2006	Selenium	1	U	1	µg/L
WTE-5S	10/30/2006	Selenium	1	U	1	µg/L
WTE-5S	4/26/2007	Selenium	1.05	I	1	µg/L
WTE-5S	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-5S	1/24/2008	Selenium	1	U	1	µg/L
WTE-5S	4/17/2008	Selenium	0.0107		0.002	mg/L
WTE-5S	10/28/2008	Selenium	0.0064		0.002	mg/L
WTE-5S	4/15/2009	Selenium	0.00373		0.002	mg/L
WTE-5S	10/6/2009	Selenium	0.002	U	0.002	mg/L
WTE-5S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-5S	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-5S	1/25/2006	Sodium	37.7		0.2	mg/L
WTE-5S	1/24/2008	Sodium	24.8		0.2	mg/L
WTE-5S	1/7/2010	Sodium	9.02		0.5	mg/L
WTE-5S	4/28/2005	Sulfate	192		0.2	mg/L
WTE-5S	10/14/2005	Sulfate	236		0.1	mg/L
WTE-5S	1/25/2006	Sulfate	294		0.1	mg/L
WTE-5S	4/20/2006	Sulfate	242		0.1	mg/L
WTE-5S	10/30/2006	Sulfate	350		0.05	mg/L
WTE-5S	4/26/2007	Sulfate	186		0.05	mg/L
WTE-5S	10/29/2007	Sulfate	146		0.05	mg/L
WTE-5S	1/24/2008	Sulfate	164		0.05	mg/L
WTE-5S	4/17/2008	Sulfate	217		5	mg/L
WTE-5S	10/28/2008	Sulfate	134		5	mg/L
WTE-5S	4/15/2009	Sulfate	92.6		5	mg/L
WTE-5S	10/6/2009	Sulfate	168		5	mg/L
WTE-5S	1/7/2010	Sulfate	139		5	mg/L
WTE-5S	4/7/2010	Sulfate	137		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	4/28/2005	TDS	762			5 mg/L
WTE-5S	10/14/2005	TDS	882			5.5 mg/L
WTE-5S	1/25/2006	TDS	838			5.5 mg/L
WTE-5S	4/20/2006	TDS	1000			5.5 mg/L
WTE-5S	10/30/2006	TDS	776			5.5 mg/L
WTE-5S	4/26/2007	TDS	748			5.5 mg/L
WTE-5S	10/29/2007	TDS	644			5.5 mg/L
WTE-5S	1/24/2008	TDS	808			5.5 mg/L
WTE-5S	4/17/2008	TDS	836			2.5 mg/L
WTE-5S	10/28/2008	TDS	830			2.5 mg/L
WTE-5S	4/15/2009	TDS	770			2.5 mg/L
WTE-5S	10/6/2009	TDS	668			2.5 mg/L
WTE-5S	1/7/2010	TDS	596			2.5 mg/L
WTE-5S	4/7/2010	TDS	600			2.5 mg/L
WTE-5S	4/28/2005	TKN(as N)	1.02			0.1 mg/L
WTE-5S	10/14/2005	TKN(as N)	2.13			0.1 mg/L
WTE-5S	1/25/2006	TKN(as N)	1.69			0.1 mg/L
WTE-5S	4/20/2006	TKN(as N)	1.62			0.1 mg/L
WTE-5S	10/30/2006	TKN(as N)	1.7			0.1 mg/L
WTE-5S	4/26/2007	TKN(as N)	1.9			0.05 mg/L
WTE-5S	10/29/2007	TKN(as N)	1.7			0.05 mg/L
WTE-5S	1/24/2008	TKN(as N)	1.4	J4		0.05 mg/L
WTE-5S	4/17/2008	TKN(as N)	1.86			0.2 mg/L
WTE-5S	10/28/2008	TKN(as N)	1.33			0.2 mg/L
WTE-5S	4/15/2009	TKN(as N)	1.71			0.2 mg/L
WTE-5S	10/6/2009	TKN(as N)	1.44			0.2 mg/L
WTE-5S	1/7/2010	TKN(as N)	1.16			0.2 mg/L
WTE-5S	4/7/2010	TKN(as N)	1.23			0.2 mg/L
WTE-5S	4/28/2005	TOC	18	ELAB		0.08 mg/L
WTE-5S	10/14/2005	TOC	23	ELAB		0.08 mg/L
WTE-5S	1/25/2006	TOC	21.4			0.08 mg/L
WTE-5S	4/20/2006	TOC	22.6			0.08 mg/L
WTE-5S	10/30/2006	TOC	19.9			0.5 mg/L
WTE-5S	4/26/2007	TOC	19.8			0.5 mg/L
WTE-5S	10/29/2007	TOC	15.8			1 mg/L
WTE-5S	1/24/2008	TOC	17.9			1 mg/L
WTE-5S	4/17/2008	TOC	15.8			1 mg/L
WTE-5S	10/28/2008	TOC	17.2			1 mg/L
WTE-5S	4/15/2009	TOC	18.5			1 mg/L
WTE-5S	10/6/2009	TOC	15			1 mg/L
WTE-5S	1/7/2010	TOC	15.4			1 mg/L
WTE-5S	4/7/2010	TOC	12			1 mg/L
WTE-5S	4/28/2005	Zinc	0.1			0.004 mg/L
WTE-5S	10/14/2005	Zinc	0.01	U		0.01 mg/L
WTE-5S	1/25/2006	Zinc	0.01	U		0.01 mg/L
WTE-5S	4/20/2006	Zinc	0.01	U		0.01 mg/L
WTE-5S	10/30/2006	Zinc	0.005	U		0.005 mg/L
WTE-5S	4/26/2007	Zinc	0.005	U		0.005 mg/L
WTE-5S	10/29/2007	Zinc	0.005	U		0.005 mg/L
WTE-5S	1/24/2008	Zinc	0.005	U		0.005 mg/L
WTE-5S	4/17/2008	Zinc	0.01	U		0.01 mg/L
WTE-5S	10/28/2008	Zinc	0.0158			0.01 mg/L
WTE-5S	4/15/2009	Zinc	0.01	U		0.01 mg/L
WTE-5S	10/6/2009	Zinc	0.01	U		0.01 mg/L
WTE-5S	1/7/2010	Zinc	0.01	U		0.01 mg/L
WTE-5S	4/7/2010	Zinc	0.01	U		0.01 mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5D	4/28/2005	Ammonia (as N)	0.331		0.013	mg/L
WTE-5D	1/25/2006	Ammonia (as N)	0.335		0.013	mg/L
WTE-5D	4/20/2006	Ammonia (as N)	0.431		0.013	mg/L
WTE-5D	10/31/2006	Ammonia (as N)	0.38		0.014	mg/L
WTE-5D	4/26/2007	Ammonia (as N)	0.167		0.014	mg/L
WTE-5D	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-5D	1/24/2008	Ammonia (as N)	0.483		0.014	mg/L
WTE-5D	4/17/2008	Ammonia (as N)	0.243		0.01	mg/L
WTE-5D	10/28/2008	Ammonia (as N)	0.183		0.01	mg/L
WTE-5D	4/15/2009	Ammonia (as N)	0.24		0.01	mg/L
WTE-5D	10/6/2009	Ammonia (as N)	0.396		0.01	mg/L
WTE-5D	1/7/2010	Ammonia (as N)	0.35		0.01	mg/L
WTE-5D	4/7/2010	Ammonia (as N)	0.127		0.01	mg/L
WTE-5D	4/28/2005	Arsenic	1	U	1	µg/L
WTE-5D	1/25/2006	Arsenic	1	U	1	µg/L
WTE-5D	4/20/2006	Arsenic	1	U	1	µg/L
WTE-5D	10/31/2006	Arsenic	1	U	1	µg/L
WTE-5D	4/26/2007	Arsenic	1	U	1	µg/L
WTE-5D	10/29/2007	Arsenic	1	U	1	µg/L
WTE-5D	1/24/2008	Arsenic	1	U	1	µg/L
WTE-5D	4/17/2008	Arsenic	0.00158		0.001	mg/L
WTE-5D	10/28/2008	Arsenic	0.001	U	0.001	mg/L
WTE-5D	4/15/2009	Arsenic	0.00151		0.001	mg/L
WTE-5D	10/6/2009	Arsenic	0.001	U	0.001	mg/L
WTE-5D	1/7/2010	Arsenic	0.0013		0.001	mg/L
WTE-5D	4/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-5D	4/28/2005	Chloride	162		1.2	mg/L
WTE-5D	1/25/2006	Chloride	157.3		1.2	mg/L
WTE-5D	4/20/2006	Chloride	149		1.2	mg/L
WTE-5D	10/31/2006	Chloride	142		1.2	mg/L
WTE-5D	4/26/2007	Chloride	151		1.2	mg/L
WTE-5D	10/29/2007	Chloride	169		1.2	mg/L
WTE-5D	1/24/2008	Chloride	181		1.6	mg/L
WTE-5D	4/17/2008	Chloride	162		25	mg/L
WTE-5D	10/28/2008	Chloride	156		25	mg/L
WTE-5D	4/15/2009	Chloride	166		20	mg/L
WTE-5D	10/6/2009	Chloride	156		20	mg/L
WTE-5D	1/7/2010	Chloride	159		20	mg/L
WTE-5D	4/7/2010	Chloride	177		20	mg/L
WTE-5D	1/25/2006	Chromium	1	U	1	µg/L
WTE-5D	1/24/2008	Chromium	1.1	U	1.1	µg/L
WTE-5D	1/7/2010	Chromium	0.001	U	0.001	mg/L
WTE-5D	4/28/2005	Iron	0.04	U	0.04	mg/L
WTE-5D	1/25/2006	Iron	0.04	U	0.04	mg/L
WTE-5D	4/20/2006	Iron	0.04	U	0.04	mg/L
WTE-5D	10/31/2006	Iron	0.04	U	0.04	mg/L
WTE-5D	4/26/2007	Iron	0.04	U	0.04	mg/L
WTE-5D	10/29/2007	Iron	0.04	U	0.04	mg/L
WTE-5D	1/24/2008	Iron	0.04	U	0.04	mg/L
WTE-5D	4/17/2008	Iron	0.01	U	0.01	mg/L
WTE-5D	10/28/2008	Iron	0.01	U	0.01	mg/L
WTE-5D	4/15/2009	Iron	0.0211		0.01	mg/L
WTE-5D	10/6/2009	Iron	0.0113		0.01	mg/L
WTE-5D	1/7/2010	Iron	0.039		0.01	mg/L
WTE-5D	4/7/2010	Iron	0.012	V	0.01	mg/L
WTE-5D	1/25/2006	Lead	1	U	1	µg/L
WTE-5D	1/24/2008	Lead	1	U	1	µg/L
WTE-5D	1/7/2010	Lead	0.001	U	0.001	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5D	4/28/2005	Manganese	0.01	U	0.01	mg/L
WTE-5D	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-5D	4/20/2006	Manganese	0.01	U	0.01	mg/L
WTE-5D	10/31/2006	Manganese	0.01	U	0.01	mg/L
WTE-5D	4/26/2007	Manganese	0.01	U	0.01	mg/L
WTE-5D	10/29/2007	Manganese	0.0025	U ELAB	0.0025	mg/L
WTE-5D	1/24/2008	Manganese	0.01	U	0.01	mg/L
WTE-5D	4/17/2008	Manganese	0.01	U	0.01	mg/L
WTE-5D	10/28/2008	Manganese	0.01	U	0.01	mg/L
WTE-5D	4/15/2009	Manganese	0.01	U	0.01	mg/L
WTE-5D	10/6/2009	Manganese	0.011		0.01	mg/L
WTE-5D	1/7/2010	Manganese	0.0118		0.01	mg/L
WTE-5D	4/7/2010	Manganese	0.0115		0.01	mg/L
WTE-5D	4/28/2005	Mercury	0.2	U	0.2	mg/L
WTE-5D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-5D	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-5D	10/31/2006	Mercury	0.2	U	0.2	mg/L
WTE-5D	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5D	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5D	1/24/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-5D	4/17/2008	Mercury	0.00015		1.7E-05	mg/L
WTE-5D	10/28/2008	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5D	4/15/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5D	10/6/2009	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5D	1/7/2010	Mercury	0.000017	U	1.7E-05	mg/L
WTE-5D	4/7/2010	Mercury	0.00002	U	0.00002	mg/L
WTE-5D	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-5D	10/6/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-5D	4/28/2005	Selenium	2	U	2	µg/L
WTE-5D	1/25/2006	Selenium	1	U	1	µg/L
WTE-5D	4/20/2006	Selenium	1	U	1	µg/L
WTE-5D	10/31/2006	Selenium	1	U	1	µg/L
WTE-5D	4/26/2007	Selenium	1.26	I	1	µg/L
WTE-5D	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-5D	1/24/2008	Selenium	1.28	I	1	µg/L
WTE-5D	4/17/2008	Selenium	0.0109		0.002	mg/L
WTE-5D	10/28/2008	Selenium	0.00395		0.002	mg/L
WTE-5D	4/15/2009	Selenium	0.00454		0.002	mg/L
WTE-5D	10/6/2009	Selenium	0.00347		0.002	mg/L
WTE-5D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-5D	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-5D	1/25/2006	Sodium	78.7		0.2	mg/L
WTE-5D	1/24/2008	Sodium	79.7		0.2	mg/L
WTE-5D	1/7/2010	Sodium	83.3		0.5	mg/L
WTE-5D	4/28/2005	Sulfate	59.1		0.2	mg/L
WTE-5D	1/25/2006	Sulfate	66.9		0.1	mg/L
WTE-5D	4/20/2006	Sulfate	63.6		0.1	mg/L
WTE-5D	10/31/2006	Sulfate	57.3		0.05	mg/L
WTE-5D	4/26/2007	Sulfate	62.2		0.05	mg/L
WTE-5D	10/29/2007	Sulfate	56.6		0.05	mg/L
WTE-5D	1/24/2008	Sulfate	61.4		0.05	mg/L
WTE-5D	4/17/2008	Sulfate	62.4		5	mg/L
WTE-5D	10/28/2008	Sulfate	63.4		5	mg/L
WTE-5D	4/15/2009	Sulfate	53.7		5	mg/L
WTE-5D	10/6/2009	Sulfate	60.2		5	mg/L
WTE-5D	1/7/2010	Sulfate	51.9		5	mg/L
WTE-5D	4/7/2010	Sulfate	65		5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5D	4/28/2005	TDS	622		5	mg/L
WTE-5D	1/25/2006	TDS	656		5.5	mg/L
WTE-5D	4/20/2006	TDS	674		5.5	mg/L
WTE-5D	10/31/2006	TDS	657		5.5	mg/L
WTE-5D	4/26/2007	TDS	573		5.5	mg/L
WTE-5D	10/29/2007	TDS	570		5.5	mg/L
WTE-5D	1/24/2008	TDS	593		5.5	mg/L
WTE-5D	4/17/2008	TDS	640		2.5	mg/L
WTE-5D	10/28/2008	TDS	718		2.5	mg/L
WTE-5D	4/15/2009	TDS	664		2.5	mg/L
WTE-5D	10/6/2009	TDS	654		2.5	mg/L
WTE-5D	1/7/2010	TDS	676		2.5	mg/L
WTE-5D	4/7/2010	TDS	668		2.5	mg/L
WTE-5D	4/28/2005	TKN(as N)	0.49		0.1	mg/L as N
WTE-5D	1/25/2006	TKN(as N)	0.4		0.1	mg/L as N
WTE-5D	4/20/2006	TKN(as N)	0.45		0.1	mg/L as N
WTE-5D	10/31/2006	TKN(as N)	0.49		0.1	mg/L as N
WTE-5D	4/26/2007	TKN(as N)	0.63		0.05	mg/L as N
WTE-5D	10/29/2007	TKN(as N)	0.43		0.05	mg/L as N
WTE-5D	1/24/2008	TKN(as N)	0.5		0.05	mg/L as N
WTE-5D	4/17/2008	TKN(as N)	0.829		0.2	mg/L
WTE-5D	10/28/2008	TKN(as N)	0.826		0.2	mg/L
WTE-5D	4/15/2009	TKN(as N)	0.918		0.2	mg/L
WTE-5D	10/6/2009	TKN(as N)	0.914		0.2	mg/L
WTE-5D	1/7/2010	TKN(as N)	1.57	J	0.2	mg/L
WTE-5D	4/7/2010	TKN(as N)	0.957		0.2	mg/L
WTE-5D	4/28/2005	TOC	4.7	ELAB	0.08	mg/L
WTE-5D	1/25/2006	TOC	4.94		0.08	mg/L
WTE-5D	4/20/2006	TOC	5.19		0.08	mg/L
WTE-5D	10/31/2006	TOC	5.04		0.5	mg/L
WTE-5D	4/26/2007	TOC	4.7		0.5	mg/L
WTE-5D	10/29/2007	TOC	4.35		1	mg/L
WTE-5D	1/24/2008	TOC	4.99		1	mg/L
WTE-5D	4/17/2008	TOC	4.45		1	mg/L
WTE-5D	10/28/2008	TOC	5.6		1	mg/L
WTE-5D	4/15/2009	TOC	5.27		1	mg/L
WTE-5D	10/6/2009	TOC	6.35		1	mg/L
WTE-5D	1/7/2010	TOC	6.48		1	mg/L
WTE-5D	4/7/2010	TOC	4.84		1	mg/L
WTE-5D	4/28/2005	Zinc	0.004	U V1	0.004	mg/L
WTE-5D	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-5D	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-5D	10/31/2006	Zinc	0.005	U	0.005	mg/L
WTE-5D	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-5D	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-5D	1/24/2008	Zinc	0.005	U	0.005	mg/L
WTE-5D	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-5D	10/28/2008	Zinc	0.0139		0.01	mg/L
WTE-5D	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-5D	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-5D	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-5D	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6S	4/27/2005	Ammonia (as N)	0.214		0.013	mg/L
WTE-6S	4/27/2005	Ammonia (as N)	0.204		0.013	mg/L
WTE-6S	10/13/2005	Ammonia (as N)	0.212		0.013	mg/L
WTE-6S	1/25/2006	Ammonia (as N)	0.214		0.013	mg/L
WTE-6S	4/20/2006	Ammonia (as N)	0.205		0.013	mg/L
WTE-6S	4/20/2006	Ammonia (as N)	0.21		0.013	mg/L
WTE-6S	10/30/2006	Ammonia (as N)	0.258		0.014	mg/L
WTE-6S	4/26/2007	Ammonia (as N)	0.188		0.014	mg/L
WTE-6S	10/29/2007	Ammonia (as N)	1.13		0.014	mg/L
WTE-6S	1/24/2008	Ammonia (as N)	0.408		0.014	mg/L
WTE-6S	4/17/2008	Ammonia (as N)	0.21		0.01	mg/L
WTE-6S	10/28/2008	Ammonia (as N)	0.532		0.01	mg/L
WTE-6S	4/15/2009	Ammonia (as N)	0.553		0.01	mg/L
WTE-6S	10/6/2009	Ammonia (as N)	0.765		0.01	mg/L
WTE-6S	1/7/2010	Ammonia (as N)	0.568		0.01	mg/L
WTE-6S	4/7/2010	Ammonia (as N)	0.377		0.01	mg/L
WTE-6S	4/27/2005	Arsenic	1 U		1	µg/L
WTE-6S	4/27/2005	Arsenic	1 U		1	µg/L
WTE-6S	10/13/2005	Arsenic	1 U		1	µg/L
WTE-6S	1/25/2006	Arsenic	1 U		1	µg/L
WTE-6S	4/20/2006	Arsenic	1 U		1	µg/L
WTE-6S	4/20/2006	Arsenic	1 U		1	µg/L
WTE-6S	10/30/2006	Arsenic	1 U		1	µg/L
WTE-6S	4/26/2007	Arsenic	1 U		1	µg/L
WTE-6S	10/29/2007	Arsenic	1 U		1	µg/L
WTE-6S	1/24/2008	Arsenic	1 U		1	µg/L
WTE-6S	4/17/2008	Arsenic	0.00127		0.001	mg/L
WTE-6S	10/28/2008	Arsenic	0.001 U		0.001	mg/L
WTE-6S	4/15/2009	Arsenic	0.001 U		0.001	mg/L
WTE-6S	10/6/2009	Arsenic	0.001 U		0.001	mg/L
WTE-6S	1/7/2010	Arsenic	0.001 U		0.001	mg/L
WTE-6S	4/7/2010	Arsenic	0.001 U		0.001	mg/L
WTE-6S	4/27/2005	Chloride	47		1.2	mg/L
WTE-6S	4/27/2005	Chloride	45		1.2	mg/L
WTE-6S	10/13/2005	Chloride	37		1.2	mg/L
WTE-6S	1/25/2006	Chloride	42.2		1.2	mg/L
WTE-6S	4/20/2006	Chloride	42.8		1.2	mg/L
WTE-6S	4/20/2006	Chloride	42.3		1.2	mg/L
WTE-6S	10/30/2006	Chloride	40.5		1.2	mg/L
WTE-6S	4/26/2007	Chloride	46.6		1.2	mg/L
WTE-6S	10/29/2007	Chloride	45.2		1.2	mg/L
WTE-6S	1/24/2008	Chloride	46.6		1.6	mg/L
WTE-6S	4/17/2008	Chloride	39.7		15	mg/L
WTE-6S	10/28/2008	Chloride	20.4		10	mg/L
WTE-6S	4/15/2009	Chloride	18.1		8	mg/L
WTE-6S	10/6/2009	Chloride	18.5		8	mg/L
WTE-6S	1/7/2010	Chloride	24		4	mg/L
WTE-6S	4/7/2010	Chloride	21.8		8	mg/L
WTE-6S	1/25/2006	Chromium	1 U		1	µg/L
WTE-6S	1/24/2008	Chromium	1.1 U		1.1	µg/L
WTE-6S	1/7/2010	Chromium	0.001 U		0.001	mg/L
WTE-6S	4/27/2005	Iron	3.2		0.04	mg/L
WTE-6S	4/27/2005	Iron	3.3		0.04	mg/L
WTE-6S	10/13/2005	Iron	2.3		0.04	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6S	1/25/2006	Iron	2.2		0.04	mg/L
WTE-6S	4/20/2006	Iron	2.3		0.04	mg/L
WTE-6S	4/20/2006	Iron	2.3		0.04	mg/L
WTE-6S	10/30/2006	Iron	1.7		0.04	mg/L
WTE-6S	4/26/2007	Iron	2.47		0.04	mg/L
WTE-6S	10/29/2007	Iron	2.25		0.04	mg/L
WTE-6S	1/24/2008	Iron	2.23		0.04	mg/L
WTE-6S	4/17/2008	Iron	2.32		0.01	mg/L
WTE-6S	10/28/2008	Iron	2.38		0.01	mg/L
WTE-6S	4/15/2009	Iron	4.58		0.01	mg/L
WTE-6S	10/6/2009	Iron	2.49		0.01	mg/L
WTE-6S	1/7/2010	Iron	1.64		0.01	mg/L
WTE-6S	4/7/2010	Iron	1.84		0.01	mg/L
WTE-6S	1/25/2006	Lead	1 U		1	µg/L
WTE-6S	1/24/2008	Lead	1 U		1	µg/L
WTE-6S	1/7/2010	Lead	0.001 U		0.001	mg/L
WTE-6S	4/27/2005	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/27/2005	Manganese	0.01 U		0.01	mg/L
WTE-6S	10/13/2005	Manganese	0.01 U		0.01	mg/L
WTE-6S	1/25/2006	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/20/2006	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/20/2006	Manganese	0.01 U		0.01	mg/L
WTE-6S	10/30/2006	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/26/2007	Manganese	0.01 U		0.01	mg/L
WTE-6S	10/29/2007	Manganese	0.0063 U	ELAB	0.003	mg/L
WTE-6S	1/24/2008	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/17/2008	Manganese	0.01 U		0.01	mg/L
WTE-6S	10/28/2008	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/15/2009	Manganese	0.01 U		0.01	mg/L
WTE-6S	10/6/2009	Manganese	0.01 U		0.01	mg/L
WTE-6S	1/7/2010	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/7/2010	Manganese	0.01 U		0.01	mg/L
WTE-6S	4/27/2005	Mercury	0.2 U		0.2	mg/L
WTE-6S	4/27/2005	Mercury	0.2 U		0.2	mg/L
WTE-6S	10/13/2005	Mercury	0.2 U		0.2	mg/L
WTE-6S	1/25/2006	Mercury	0.2 U		0.2	mg/L
WTE-6S	4/20/2006	Mercury	0.2 U		0.2	mg/L
WTE-6S	4/20/2006	Mercury	0.2 U		0.2	mg/L
WTE-6S	10/30/2006	Mercury	0.2 U		0.2	mg/L
WTE-6S	4/26/2007	Mercury	0.0001 U	ELAB	1E-04	mg/L
WTE-6S	10/29/2007	Mercury	0.0001 U	ELAB	1E-04	mg/L
WTE-6S	1/24/2008	Mercury	0.0001 U	ELAB	1E-04	mg/L
WTE-6S	4/17/2008	Mercury	0.000017 U		2E-05	mg/L
WTE-6S	10/28/2008	Mercury	0.000017 U		2E-05	mg/L
WTE-6S	4/15/2009	Mercury	0.000017 U		2E-05	mg/L
WTE-6S	10/6/2009	Mercury	0.000017 U		2E-05	mg/L
WTE-6S	1/7/2010	Mercury	0.000017 U		2E-05	mg/L
WTE-6S	4/7/2010	Mercury	0.00002 U		2E-05	mg/L
WTE-6S	4/15/2009	Nitrate(as N)	0.01 U		0.01	mg/L
WTE-6S	10/6/2009	Nitrate(as N)	0.01 U		0.01	mg/L
WTE-6S	4/27/2005	Selenium	2 U		2	µg/L
WTE-6S	4/27/2005	Selenium	2 U		2	µg/L
WTE-6S	10/13/2005	Selenium	1 U		1	µg/L
WTE-6S	1/25/2006	Selenium	1 U		1	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6S	4/20/2006	Selenium	1	U	1	µg/L
WTE-6S	4/20/2006	Selenium	1	U	1	µg/L
WTE-6S	10/30/2006	Selenium	1	U	1	µg/L
WTE-6S	4/26/2007	Selenium	1	U	1	µg/L
WTE-6S	10/29/2007	Selenium	0.0075	U ELAB	0.008	mg/L
WTE-6S	1/24/2008	Selenium	1	U	1	µg/L
WTE-6S	4/17/2008	Selenium	0.00838		0.002	mg/L
WTE-6S	10/28/2008	Selenium	0.002	U	0.002	mg/L
WTE-6S	4/15/2009	Selenium	0.002	U	0.002	mg/L
WTE-6S	10/6/2009	Selenium	0.002	U	0.002	mg/L
WTE-6S	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-6S	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-6S	1/7/2010	Sodium	15.3		0.5	mg/L
WTE-6S	1/25/2006	Sodium	26.1		0.2	mg/L
WTE-6S	1/24/2008	Sodium	19.8		0.2	mg/L
WTE-6S	4/27/2005	Sulfate	194		0.2	mg/L
WTE-6S	4/27/2005	Sulfate	193		0.2	mg/L
WTE-6S	10/13/2005	Sulfate	130		0.1	mg/L
WTE-6S	1/25/2006	Sulfate	85.6		0.1	mg/L
WTE-6S	4/20/2006	Sulfate	76		0.1	mg/L
WTE-6S	4/20/2006	Sulfate	75.7		0.1	mg/L
WTE-6S	10/30/2006	Sulfate	54.9		0.05	mg/L
WTE-6S	4/26/2007	Sulfate	54.3		0.05	mg/L
WTE-6S	10/29/2007	Sulfate	41.9		0.05	mg/L
WTE-6S	1/24/2008	Sulfate	46		0.05	mg/L
WTE-6S	4/17/2008	Sulfate	51.9		5	mg/L
WTE-6S	10/28/2008	Sulfate	53.3		5	mg/L
WTE-6S	4/15/2009	Sulfate	43.3		5	mg/L
WTE-6S	10/6/2009	Sulfate	42.7		5	mg/L
WTE-6S	1/7/2010	Sulfate	35		5	mg/L
WTE-6S	4/7/2010	Sulfate	34		5	mg/L
WTE-6S	4/27/2005	TDS	734		5	mg/L
WTE-6S	4/27/2005	TDS	738		5	mg/L
WTE-6S	10/13/2005	TDS	558		5.5	mg/L
WTE-6S	1/25/2006	TDS	474		5.5	mg/L
WTE-6S	4/20/2006	TDS	644		5.5	mg/L
WTE-6S	4/20/2006	TDS	512		5.5	mg/L
WTE-6S	10/30/2006	TDS	435		5.5	mg/L
WTE-6S	4/26/2007	TDS	656		5.5	mg/L
WTE-6S	10/29/2007	TDS	395		5.5	mg/L
WTE-6S	1/24/2008	TDS	390		5.5	mg/L
WTE-6S	4/17/2008	TDS	514		2.5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIF	MDL	UNITS
WTE-6S	10/28/2008	TDS	444		2.5	mg/L
WTE-6S	4/15/2009	TDS	444		2.5	mg/L
WTE-6S	10/6/2009	TDS	434		2.5	mg/L
WTE-6S	1/7/2010	TDS	414		2.5	mg/L
WTE-6S	4/7/2010	TDS	418		2.5	mg/L
WTE-6S	4/27/2005	TKN(as N)	0.63		0.1	mg/L as N
WTE-6S	4/27/2005	TKN(as N)	0.66		0.1	mg/L as N
WTE-6S	10/13/2005	TKN(as N)	0.28		0.1	mg/L as N
WTE-6S	1/25/2006	TKN(as N)	0.41		0.1	mg/L as N
WTE-6S	4/20/2006	TKN(as N)	0.47		0.1	mg/L as N
WTE-6S	4/20/2006	TKN(as N)	0.45		0.1	mg/L as N
WTE-6S	10/30/2006	TKN(as N)	0.54		0.1	mg/L as N
WTE-6S	4/26/2007	TKN(as N)	0.49		0.05	mg/L as N
WTE-6S	10/29/2007	TKN(as N)	0.5		0.05	mg/L as N
WTE-6S	1/24/2008	TKN(as N)	0.72		0.05	mg/L as N
WTE-6S	4/17/2008	TKN(as N)	0.742		0.2	mg/L
WTE-6S	10/28/2008	TKN(as N)	1.2		0.2	mg/L
WTE-6S	4/15/2009	TKN(as N)	1.35		0.2	mg/L
WTE-6S	10/6/2009	TKN(as N)	1.28		0.2	mg/L
WTE-6S	1/7/2010	TKN(as N)	1.36		0.2	mg/L
WTE-6S	4/7/2010	TKN(as N)	1.12		0.2	mg/L
WTE-6S	4/27/2005	TOC	12	ELAB	0.08	mg/L
WTE-6S	4/27/2005	TOC	11	ELAB	0.08	mg/L
WTE-6S	10/13/2005	TOC	9	ELAB	0.08	mg/L
WTE-6S	1/25/2006	TOC	9.85		0.08	mg/L
WTE-6S	4/20/2006	TOC	10.6		0.08	mg/L
WTE-6S	4/20/2006	TOC	10.9		0.08	mg/L
WTE-6S	10/30/2006	TOC	10.1		0.5	mg/L
WTE-6S	4/26/2007	TOC	10.5		0.5	mg/L
WTE-6S	10/29/2007	TOC	8.66		1	mg/L
WTE-6S	1/24/2008	TOC	9.83		1	mg/L
WTE-6S	4/17/2008	TOC	8.99		1	mg/L
WTE-6S	10/28/2008	TOC	8.73		1	mg/L
WTE-6S	4/15/2009	TOC	9.7		1	mg/L
WTE-6S	10/6/2009	TOC	11		1	mg/L
WTE-6S	1/7/2010	TOC	10.3		1	mg/L
WTE-6S	4/7/2010	TOC	8.73		1	mg/L
WTE-6S	4/27/2005	Zinc	0.04	V1	0.004	mg/L
WTE-6S	4/27/2005	Zinc	0.04	V1	0.004	mg/L
WTE-6S	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-6S	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-6S	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-6S	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-6S	10/30/2006	Zinc	0.005	U	0.005	mg/L
WTE-6S	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-6S	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-6S	1/24/2008	Zinc	0.005	U	0.005	mg/L
WTE-6S	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-6S	10/28/2008	Zinc	0.0231		0.01	mg/L
WTE-6S	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-6S	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-6S	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-6S	4/7/2010	Zinc	0.01	U	0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6D	4/27/2005	Ammonia (as N)	0.35		0.013	mg/L
WTE-6D	10/13/2005	Ammonia (as N)	0.391		0.013	mg/L
WTE-6D	1/25/2006	Ammonia (as N)	0.397		0.013	mg/L
WTE-6D	4/20/2006	Ammonia (as N)	0.4		0.013	mg/L
WTE-6D	10/30/2006	Ammonia (as N)	1.56		0.014	mg/L
WTE-6D	4/26/2007	Ammonia (as N)	0.27		0.014	mg/L
WTE-6D	10/29/2007	Ammonia (as N)	0.014	U	0.014	mg/L
WTE-6D	1/24/2008	Ammonia (as N)	0.56		0.014	mg/L
WTE-6D	4/17/2008	Ammonia (as N)	0.29		0.01	mg/L
WTE-6D	10/28/2008	Ammonia (as N)	0.761		0.01	mg/L
WTE-6D	4/15/2009	Ammonia (as N)	0.791		0.01	mg/L
WTE-6D	10/6/2009	Ammonia (as N)	0.0776		0.01	mg/L
WTE-6D	1/7/2010	Ammonia (as N)	0.164		0.01	mg/L
WTE-6D	4/7/2010	Ammonia (as N)	0.01	U	0.01	mg/L
WTE-6D	4/27/2005	Arsenic	1	U	1	µg/L
WTE-6D	10/13/2005	Arsenic	1	U	1	µg/L
WTE-6D	1/25/2006	Arsenic	1	U	1	µg/L
WTE-6D	4/20/2006	Arsenic	1	U	1	µg/L
WTE-6D	10/30/2006	Arsenic	1	U	1	µg/L
WTE-6D	4/26/2007	Arsenic	1	U	1	µg/L
WTE-6D	10/29/2007	Arsenic	1	U	1	µg/L
WTE-6D	1/24/2008	Arsenic	1	U	1	µg/L
WTE-6D	4/17/2008	Arsenic	0.00281		0.001	mg/L
WTE-6D	10/28/2008	Arsenic	0.0109		0.001	mg/L
WTE-6D	10/28/2008	Arsenic	0.013		0.001	mg/L
WTE-6D	4/15/2009	Arsenic	0.00602		0.001	mg/L
WTE-6D	10/6/2009	Arsenic	0.00558		0.001	mg/L
WTE-6D	1/7/2010	Arsenic	0.0098		0.001	mg/L
WTE-6D	4/7/2010	Arsenic	0.001	U	0.001	mg/L
WTE-6D	4/27/2005	Chloride	170		1.2	mg/L
WTE-6D	10/13/2005	Chloride	164		1.2	mg/L
WTE-6D	1/25/2006	Chloride	181.6		1.2	mg/L
WTE-6D	4/20/2006	Chloride	181		1.2	mg/L
WTE-6D	10/30/2006	Chloride	190		1.2	mg/L
WTE-6D	4/26/2007	Chloride	183		1.2	mg/L
WTE-6D	10/29/2007	Chloride	200		1.2	mg/L
WTE-6D	1/24/2008	Chloride	224		1.6	mg/L
WTE-6D	4/17/2008	Chloride	213		25	mg/L
WTE-6D	10/28/2008	Chloride	5	U	5	mg/L
WTE-6D	4/15/2009	Chloride	6.25		4	mg/L
WTE-6D	10/6/2009	Chloride	5.23		4	mg/L
WTE-6D	1/7/2010	Chloride	35.5		4	mg/L
WTE-6D	4/7/2010	Chloride	18.9		4	mg/L
WTE-6D	1/25/2006	Chromium	1	U	1	µg/L
WTE-6D	1/24/2008	Chromium	1.3	I	1.1	µg/L
WTE-6D	1/7/2010	Chromium	0.00217		0.001	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6D	4/27/2005	Iron	0.2		0.04	mg/L
WTE-6D	10/13/2005	Iron	0.83		0.04	mg/L
WTE-6D	1/25/2006	Iron	0.14	I	0.04	mg/L
WTE-6D	4/20/2006	Iron	0.14		0.04	mg/L
WTE-6D	10/30/2006	Iron	1.27		0.04	mg/L
WTE-6D	4/26/2007	Iron	0.643		0.04	mg/L
WTE-6D	10/29/2007	Iron	0.525		0.04	mg/L
WTE-6D	1/24/2008	Iron	0.15	I	0.04	mg/L
WTE-6D	4/17/2008	Iron	0.513		0.01	mg/L
WTE-6D	10/28/2008	Iron	3.78		0.01	mg/L
WTE-6D	4/15/2009	Iron	2.99		0.01	mg/L
WTE-6D	10/6/2009	Iron	1.08		0.01	mg/L
WTE-6D	1/7/2010	Iron	2.34		0.01	mg/L
WTE-6D	4/7/2010	Iron	0.207	V	0.01	mg/L
WTE-6D	1/25/2006	Lead	1	U	1	µg/L
WTE-6D	1/24/2008	Lead	1	U	1	µg/L
WTE-6D	1/7/2010	Lead	0.001	U	0.001	mg/L
WTE-6D	4/27/2005	Manganese	0.01	U	0.01	mg/L
WTE-6D	10/13/2005	Manganese	0.01	U	0.01	mg/L
WTE-6D	1/25/2006	Manganese	0.01	U	0.01	mg/L
WTE-6D	4/20/2006	Manganese	0.01	U	0.01	mg/L
WTE-6D	10/30/2006	Manganese	0.01	U	0.01	mg/L
WTE-6D	4/26/2007	Manganese	0.02	I	0.01	mg/L
WTE-6D	10/29/2007	Manganese	0.014	ELAB	0.0025	mg/L
WTE-6D	1/24/2008	Manganese	0.01	U	0.01	mg/L
WTE-6D	4/17/2008	Manganese	0.01	U	0.01	mg/L
WTE-6D	10/28/2008	Manganese	0.104		0.01	mg/L
WTE-6D	10/28/2008	Manganese	0.11		0.01	mg/L
WTE-6D	4/15/2009	Manganese	0.101		0.01	mg/L
WTE-6D	10/6/2009	Manganese	0.173		0.01	mg/L
WTE-6D	1/7/2010	Manganese	0.142		0.01	mg/L
WTE-6D	4/7/2010	Manganese	0.01	U	0.01	mg/L
WTE-6D	4/27/2005	Mercury	0.2	U	0.2	mg/L
WTE-6D	10/13/2005	Mercury	0.2	U	0.2	mg/L
WTE-6D	1/25/2006	Mercury	0.2	U	0.2	mg/L
WTE-6D	4/20/2006	Mercury	0.2	U	0.2	mg/L
WTE-6D	10/30/2006	Mercury	0.2	U	0.2	mg/L
WTE-6D	4/26/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-6D	10/29/2007	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-6D	1/24/2008	Mercury	0.0001	U ELAB	0.0001	mg/L
WTE-6D	4/17/2008	Mercury	0.000017	U	2E-05	mg/L
WTE-6D	10/28/2008	Mercury	0.000017	U	2E-05	mg/L
WTE-6D	4/15/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-6D	10/6/2009	Mercury	0.000017	U	2E-05	mg/L
WTE-6D	1/7/2010	Mercury	0.000017	U	2E-05	mg/L
WTE-6D	4/7/2010	Mercury	0.00002	U	2E-05	mg/L
WTE-6D	4/15/2009	Nitrate(as N)	0.01	U	0.01	mg/L
WTE-6D	10/6/2009	Nitrate(as N)	0.141		0.01	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6D	4/27/2005	Selenium	2	U	2	µg/L
WTE-6D	10/13/2005	Selenium	1	U	1	µg/L
WTE-6D	1/25/2006	Selenium	1	U	1	µg/L
WTE-6D	4/20/2006	Selenium	1	U	1	µg/L
WTE-6D	10/30/2006	Selenium	1	U	1	µg/L
WTE-6D	4/26/2007	Selenium	1	U	1	µg/L
WTE-6D	10/29/2007	Selenium	0.0075	U ELAB	0.0075	mg/L
WTE-6D	1/24/2008	Selenium	1	U	1	µg/L
WTE-6D	4/17/2008	Selenium	0.0111		0.002	mg/L
WTE-6D	10/28/2008	Selenium	0.00322		0.002	mg/L
WTE-6D	4/15/2009	Selenium	0.00225		0.002	mg/L
WTE-6D	10/6/2009	Selenium	0.00217		0.002	mg/L
WTE-6D	1/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-6D	4/7/2010	Selenium	0.002	U	0.002	mg/L
WTE-6D	1/7/2010	Sodium	10.7		0.5	mg/L
WTE-6D	1/25/2006	Sodium	86.3		0.2	mg/L
WTE-6D	1/24/2008	Sodium	91.6		0.2	mg/L
WTE-6D	4/17/2008	Sulfate	57.2		5	mg/L
WTE-6D	10/28/2008	Sulfate	12.4		5	mg/L
WTE-6D	4/15/2009	Sulfate	8.38		5	mg/L
WTE-6D	10/6/2009	Sulfate	83.3		5	mg/L
WTE-6D	1/7/2010	Sulfate	66.5		5	mg/L
WTE-6D	4/7/2010	Sulfate	155		5	mg/L
WTE-6D	4/27/2005	Sulfate	55.6		0.2	mg/L
WTE-6D	10/13/2005	Sulfate	46		0.1	mg/L
WTE-6D	1/25/2006	Sulfate	57.8		0.1	mg/L
WTE-6D	4/20/2006	Sulfate	55.3		0.1	mg/L
WTE-6D	10/30/2006	Sulfate	37.8		0.05	mg/L
WTE-6D	4/26/2007	Sulfate	50.7		0.05	mg/L
WTE-6D	10/29/2007	Sulfate	52.2		0.05	mg/L
WTE-6D	1/24/2008	Sulfate	59.5	J4	0.05	mg/L
WTE-6D	4/27/2005	TDS	648		5	mg/L
WTE-6D	10/13/2005	TDS	702		5.5	mg/L
WTE-6D	1/25/2006	TDS	656		5.5	mg/L
WTE-6D	4/20/2006	TDS	644		5.5	mg/L
WTE-6D	10/30/2006	TDS	669		5.5	mg/L
WTE-6D	4/26/2007	TDS	694		5.5	mg/L
WTE-6D	10/29/2007	TDS	699		5.5	mg/L
WTE-6D	1/24/2008	TDS	631		5.5	mg/L
WTE-6D	4/17/2008	TDS	736		2.5	mg/L
WTE-6D	10/28/2008	TDS	586		2.5	mg/L
WTE-6D	4/15/2009	TDS	578		2.5	mg/L
WTE-6D	10/6/2009	TDS	750		2.5	mg/L
WTE-6D	1/7/2010	TDS	710		2.5	mg/L
WTE-6D	4/7/2010	TDS	704		2.5	mg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-6D	4/27/2005	TKN(as N)	0.54		0.1	mg/L
WTE-6D	10/13/2005	TKN(as N)	1.13		0.1	mg/L
WTE-6D	1/25/2006	TKN(as N)	0.49		0.1	mg/L
WTE-6D	4/20/2006	TKN(as N)	0.57		0.1	mg/L
WTE-6D	10/30/2006	TKN(as N)	1.7		0.1	mg/L
WTE-6D	4/26/2007	TKN(as N)	0.33		0.05	mg/L
WTE-6D	10/29/2007	TKN(as N)	0.37	J4	0.05	mg/L
WTE-6D	1/24/2008	TKN(as N)	0.7		0.05	mg/L
WTE-6D	4/17/2008	TKN(as N)	0.698		0.2	mg/L
WTE-6D	10/28/2008	TKN(as N)	2.68		0.2	mg/L
WTE-6D	4/15/2009	TKN(as N)	3.12		0.2	mg/L
WTE-6D	10/6/2009	TKN(as N)	2.14		0.2	mg/L
WTE-6D	1/7/2010	TKN(as N)	2.85		0.2	mg/L
WTE-6D	4/7/2010	TKN(as N)	1.68		0.2	mg/L
WTE-6D	4/27/2005	TOC	5.3	ELAB	0.08	mg/L
WTE-6D	10/13/2005	TOC	11	ELAB	0.08	mg/L
WTE-6D	1/25/2006	TOC	6.16		0.08	mg/L
WTE-6D	4/20/2006	TOC	5.83		0.08	mg/L
WTE-6D	10/30/2006	TOC	22.1		0.5	mg/L
WTE-6D	4/26/2007	TOC	8.1		0.5	mg/L
WTE-6D	10/29/2007	TOC	7.12		1	mg/L
WTE-6D	1/24/2008	TOC	6.64		1	mg/L
WTE-6D	4/17/2008	TOC	5.36		1	mg/L
WTE-6D	10/28/2008	TOC	41.3		1	mg/L
WTE-6D	4/15/2009	TOC	41.2		1	mg/L
WTE-6D	10/6/2009	TOC	42.4		1	mg/L
WTE-6D	1/7/2010	TOC	38.3		1	mg/L
WTE-6D	4/7/2010	TOC	29.5		1	mg/L
WTE-6D	4/27/2005	Zinc	0.004	U V1	0.004	mg/L
WTE-6D	10/13/2005	Zinc	0.01	U	0.01	mg/L
WTE-6D	1/25/2006	Zinc	0.01	U	0.01	mg/L
WTE-6D	4/20/2006	Zinc	0.01	U	0.01	mg/L
WTE-6D	10/30/2006	Zinc	0.005	U	0.005	mg/L
WTE-6D	4/26/2007	Zinc	0.005	U	0.005	mg/L
WTE-6D	10/29/2007	Zinc	0.005	U	0.005	mg/L
WTE-6D	1/24/2008	Zinc	0.005	U	0.005	mg/L
WTE-6D	4/17/2008	Zinc	0.01	U	0.01	mg/L
WTE-6D	10/28/2008	Zinc	0.0166		0.01	mg/L
WTE-6D	4/15/2009	Zinc	0.01	U	0.01	mg/L
WTE-6D	10/6/2009	Zinc	0.01	U	0.01	mg/L
WTE-6D	1/7/2010	Zinc	0.01	U	0.01	mg/L
WTE-6D	4/7/2010	Zinc	0.01	U	0.01	mg/L


Identification and Description of the Qualifiers Noted in the Data Summaries

Lee County Environmental Laboratory's Data Qualifiers

!	Data deviate from historically established concentration ranges.
*	Not reported due to interference.
?	Data rejected and should not be used. Some or all the quality control data for the Analyte were outside criteria, and presence or absence cannot be determined.
A	Value reported is the arithmetic mean of two or more determinations.
AAP	Analysis performed by Alta Analytical Perspectives - DOH # E87608
B	Results based upon colony counts outside the acceptable range.
BC	Analysis performed by client not a NELAC certified laboratory.
D	Measurement made in the Field.
DOHJ	Analysis performed by Florida Department of Health, Jacksonville, Lab Accession # IRC 180-2002
DOHT	Analysis performed by Florida Department of Health, Tampa, FL, DOH # E14157
E	Extra samples were taken at composite stations.
ELAB	Analysis performed by ELAB, Inc. of Ormond Beach, FL, DOH # E83079
EMSL	Analysis performed by EMSL Analytical, Inc., Miami Beach, FL - DOH # E86795
FRS	Analysis performed by Florida Radiochemistry Services Inc., Orlando, FL - DOH # E83033
GWL	Analysis performed by Green Water Laboratories, Palatka, FL
H	Value based on field kit determination; result may not be accurate.
I	the value is equal to or between the laboratory method detection limit and the laboratory practical quantification limit.
J	Estimated value; value may not be accurate.
J1	Surrogate recovery limits have been exceeded.
J2	No known quality control criteria exist for the component.
J3	The reported value failed to meet the established quality control criteria for either precision or accuracy.
J4	The sample matrix interfered with the ability to make any accurate determination.
J5	The data are questionable because of improper laboratory or field protocols.
J6	The field calibration verification did not meet calibration acceptance criteria.
J98	Correlation coefficient of calibration curve < 0.995.
J99	Seeded BOD samples did not exhibit dissolved oxygen drop of at least 2 mg/L.
K	Off scale low. Actual value is known to be less than value given.
K1	The value is less than the lowest calibration standard and the calibration curve is known to be non-linear.
K2	The value is known to be less than the reported value based on sample size, dilution or some other variable.
KNL	Analysis performed by KNL Laboratory Services DOH # E84025
L	Off scale high. Actual value is known to be greater than value given.
M	Presence of material verified, but not quantified; actual value is less than the value given.
N	Presumptive evidence of presence of material.
O	Sampled, but analysis not performed.
P	Although 2 dissimilar GC columns confirmed the presence of the target analyte, relative % difference is >40%.
Q	Sample held beyond the accepted holding time.
R	Significant rain in the last 48 hours.
STLT	Analysis performed by Severn Trent Laboratories, Tallahassee, FL, DOH # E81005.
T	Value reported is less than the laboratory method detection limit.
U	Indicates that the compound was analyzed for but not detected.
ULI	Analysis performed by Underwriters Laboratories Inc. DOH # E87775
V	Indicates that the analyte was detected in both the sample and the associated method blank.
V1	Indicates that the analyte was detected in both the sample and associated field blank at a level of <5X the blank value.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.
Z	Too many colonies were present (TNTC); the numeric value represents the filtration volume.

Lee County Environmental Laboratory's Data Qualifiers

I	Data deviate from historically established concentration ranges.
*	Not reported due to interference.
?	Data rejected and should not be used. Some or all the quality control data for the Analyte were outside criteria, and presence or absence cannot be determined.
A	Value reported is the arithmetic mean of two or more determinations.
AAP	Analysis performed by Alta Analytical Perspectives - DOH # E87608
B	Results based upon colony counts outside the acceptable range.
BC	Analysis performed by client not a NELAC certified laboratory.
D	Measurement made in the Field.
DOHJ	Analysis performed by Florida Department of Health, Jacksonville, Lab Accession # IRC 180-2002
DOHT	Analysis performed by Florida Department of Health, Tampa, FL, DOH # E14157
E	Extra samples were taken at composite stations.
ELAB	Analysis performed by ELAB, Inc. of Ormond Beach, FL, DOH # E83079
EMSL	Analysis performed by EMSL Analytical, Inc., Miami Beach, FL - DOH # E86795
FRS	Analysis performed by Florida Radiochemistry Services Inc., Orlando, FL - DOH # E83033
GWL	Analysis performed by Green Water Laboratories, Palatka, FL
H	Value based on field kit determination; result may not be accurate.
I	the value is equal to or between the laboratory method detection limit and the laboratory practical quantification limit.
J	Estimated value; value may not be accurate.
J1	Surrogate recovery limits have been exceeded.
J2	No known quality control criteria exist for the component.
J3	The reported value failed to meet the established quality control criteria for either precision or accuracy.
J4	The sample matrix interfered with the ability to make any accurate determination.
J5	The data are questionable because of improper laboratory or field protocols.
J6	The field calibration verification did not meet calibration acceptance criteria.
J98	Correlation coefficient of calibration curve < 0.995.
J99	Seeded BOD samples did not exhibit dissolved oxygen drop of at least 2 mg/L.
K	Off scale low. Actual value is known to be less than value given.
K1	The value is less than the lowest calibration standard and the calibration curve is known to be non-linear.
K2	The value is known to be less than the reported value based on sample size, dilution or some other variable.
KNL	Analysis performed by KNL Laboratory Services DOH # E84025
L	Off scale high. Actual value is known to be greater than value given.
M	Presence of material verified, but not quantified; actual value is less than the value given.
N	Presumptive evidence of presence of material.
O	Sampled, but analysis not performed.
P	Although 2 dissimilar GC columns confirmed the presence of the target analyte, relative % difference is >40%.
Q	Sample held beyond the accepted holding time.
R	Significant rain in the last 48 hours.
STLT	Analysis performed by Severn Trent Laboratories, Tallahassee, FL, DOH # E81005.
T	Value reported is less than the laboratory method detection limit.
U	Indicates that the compound was analyzed for but not detected.
ULI	Analysis performed by Underwriters Laboratories Inc. DOH # E87775
V	Indicates that the analyte was detected in both the sample and the associated method blank.
V1	Indicates that the analyte was detected in both the sample and associated field blank at a level of <5X the blank value.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.
Z	Too many colonies were present (TNTC); the numeric value represents the filtration volume.



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs FL 32715-0597
571 NW Mercantile Pl. Suite 111, Port St. Lucie FL 34986
P.O. Box 1200, Madison FL 32341
3980 Overseas Hwy Suite 103, Marathon FL 33050

Phone: 407-339-5984 / Fax: 407-260-6110
Phone: 772-343-8006 / Fax: 772-343-8089
Phone: 850-973-6878 / Fax: 850-973-6878
Phone: 305-743-8598 / Fax: 305-743-8598

E83018 (Main Lab)
E86562 (South Lab)
E82405 (North Lab)
E35834 (Keys Lab)

FCL DATA QUALIFIERS (BELOW)
(APPLIES TO ALL FCL DATA)

Lee County Solid Waste Division
10500 Buckingham Rd. (2nd Floor)
Ft. Myers, FL 33905

PO #: RFP-08-01
Client Project #: WTE Group 2-Q-wells
Date Sampled: Apr 7, 2010
May 3, 2010; Invoice: 120621

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted. Sample results reported as dissolved were field filtered.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody
Field Data

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	One or more QC samples associated with this data value exceeded QC limits.
J1	Surrogate recovery limits have been exceeded.
J2	No known quality control criteria exist for the component.
J3	Reported value failed to meet established quality control criteria for either precision or accuracy.
J4	Sample matrix interfered with the ability to make an accurate determination on the spiked sample.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
ZTNTC	Too numerous to count. Numeric value represents filtration volume.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.

Attachment 4

Summary of Five (5) Years of Ground Water Monitoring Data (Volatile and Semi-Volatile Organic Compounds (VOCs/SVOCs) Only);

Summary of Five (5) Years of Monitoring Data (Quality Control Blanks for VOC/SVOCs Only)

Solid Waste Energy Recovery Facility (SWERF)
Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-1S

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	4/15/2005	1,1,1-Trichloroethane	0.12	U STL	0.12	µg/L
WTE-1S	4/15/2005	1,1,2-Trichloroethane	0.082	U STL	0.082	µg/L
WTE-1S	4/15/2005	1,1-Dichloroethene	0.11	U STL	0.11	µg/L
WTE-1S	4/15/2005	1,2,4-Trichlorobenzene	0.25	U STL	0.25	µg/L
WTE-1S	4/15/2005	1,2-Dichlorobenzene	0.28	U STL	0.28	µg/L
WTE-1S	4/15/2005	1,2-Dichloroethane	0.1	U STL	0.1	µg/L
WTE-1S	4/15/2005	1,2-Dichloropropane	0.064	U STL	0.064	µg/L
WTE-1S	4/15/2005	1,4-Dichlorobenzene	0.26	U STL	0.26	µg/L
WTE-1S	4/15/2005	Benzene (Note 1)	0.14	I STL	0.063	µg/L
WTE-1S	4/15/2005	Carbon tetrachloride	0.12	U STL	0.12	µg/L
WTE-1S	4/15/2005	Chlorobenzene	0.11	U STL	0.11	µg/L
WTE-1S	4/15/2005	cis-1,2-Dichloroethene	0.081	U STL	0.081	µg/L
WTE-1S	4/15/2005	Ethylbenzene	0.082	U STL	0.082	µg/L
WTE-1S	4/15/2005	Methyl t-butyl ether (MTBE) (Note 1)	0.082	I STL	0.065	µg/L
WTE-1S	4/15/2005	Methylene Chloride (Dichloromethane)	0.34	U STL	0.34	µg/L
WTE-1S	4/15/2005	Styrene	0.12	U STL	0.12	µg/L
WTE-1S	4/15/2005	Tetrachloroethene	0.15	U STL	0.15	µg/L
WTE-1S	4/15/2005	Toluene (Note 1)	0.21	I STL	0.095	µg/L
WTE-1S	4/15/2005	Total Xylenes	0.2	U STL	0.2	µg/L
WTE-1S	4/15/2005	trans-1,2-Dichloroethene	0.07	U STL	0.07	µg/L
WTE-1S	4/15/2005	Trichloroethene	0.085	U STL	0.085	µg/L
WTE-1S	4/15/2005	Vinyl Chloride	0.12	U STL	0.12	µg/L
WTE-1S	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-1S	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-1S	1/25/2006	1,2-Dibromo-3-chloropropane	0.0056	U ELAB	0.0056	µg/L
WTE-1S	1/25/2006	1,2-Dibromo-3-chloropropane	0.0055	U ELAB	0.0055	µg/L
WTE-1S	1/25/2006	1,2-Dibromoethane	0.01	U ELAB	0.01	µg/L
WTE-1S	1/25/2006	1,2-Dibromoethane	0.0099	U ELAB	0.0099	µg/L
WTE-1S	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-1S	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-1S	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-1S	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-1S	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-1S	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-1S	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-1S	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-1S	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-1S	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-1S	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-1S	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-1S	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2006	Methyl t-butyl ether (MTBE)	0.065	U ELAB	0.065	µg/L
WTE-1S	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-1S	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-1S	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-1S	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-1S	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-1S	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-1S	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-1S	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-1S	1/19/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-1S	1/19/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-1S	1/19/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/19/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/19/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/19/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/19/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/19/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/19/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-1S	1/19/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-1S	1/19/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-1S	1/19/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-1S	1/19/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-1S	1/19/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-1S	1/19/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-1S	1/19/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-1S	1/19/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-1S	1/19/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-1S	1/19/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-1S	1/19/2007	1,2,4-Trichlorobenzene	0.84	U ELAB	0.84	µg/L
WTE-1S	1/19/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/19/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/19/2007	1,2-Dibromo-3-chloropropane	0.006	U ELAB	0.006	µg/L
WTE-1S	1/19/2007	1,2-Dibromo-3-chloropropane	0.006	U ELAB	0.006	µg/L
WTE-1S	1/19/2007	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-1S	1/19/2007	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-1S	1/19/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-1S	1/19/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-1S	1/19/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-1S	1/19/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-1S	1/19/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-1S	1/19/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-1S	1/19/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-1S	1/19/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-1S	1/19/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-1S	1/19/2007	1,3-Dichlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-1S	1/19/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/19/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-1S	1/19/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/19/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-1S	1/19/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-1S	1/19/2007	1,4-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-1S	1/19/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-1S	1/19/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-1S	1/19/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-1S	1/19/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-1S	1/19/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-1S	1/19/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-1S	1/19/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-1S	1/19/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-1S	1/19/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-1S	1/19/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-1S	1/19/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/19/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/19/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-1S	1/19/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-1S	1/19/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-1S	1/19/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-1S	1/19/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-1S	1/19/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/19/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-1S	1/19/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-1S	1/19/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-1S	1/19/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-1S	1/19/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-1S	1/19/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-1S	1/19/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/19/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/19/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-1S	1/19/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-1S	1/19/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-1S	1/19/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-1S	1/19/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-1S	1/19/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-1S	1/19/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-1S	1/19/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-1S	1/19/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-1S	1/19/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-1S	1/19/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-1S	1/19/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-1S	1/19/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-1S	1/19/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-1S	1/19/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-1S	1/19/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-1S	1/19/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-1S	1/19/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-1S	1/19/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-1S	1/19/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-1S	1/19/2007	bis((2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-1S	1/19/2007	bis((2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-1S	1/19/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-1S	1/19/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-1S	1/19/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	bis(2-Ethylhexyl)phthalate	0.81	U ELAB	0.81	µg/L
WTE-1S	1/19/2007	bis(2-Ethylhexyl)phthalate (Note 2)	62	ELAB	0.81	µg/L
WTE-1S	1/19/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/19/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/19/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/19/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/19/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-1S	1/19/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-1S	1/19/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-1S	1/19/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-1S	1/19/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-1S	1/19/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-1S	1/19/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-1S	1/19/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-1S	1/19/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-1S	1/19/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-1S	1/19/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-1S	1/19/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-1S	1/19/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-1S	1/19/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-1S	1/19/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-1S	1/19/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-1S	1/19/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-1S	1/19/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-1S	1/19/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-1S	1/19/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/19/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-1S	1/19/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-1S	1/19/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-1S	1/19/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-1S	1/19/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-1S	1/19/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-1S	1/19/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-1S	1/19/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-1S	1/19/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-1S	1/19/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-1S	1/19/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-1S	1/19/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-1S	1/19/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-1S	1/19/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-1S	1/19/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-1S	1/19/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-1S	1/19/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-1S	1/19/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-1S	1/19/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-1S	1/19/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-1S	1/19/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-1S	1/19/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-1S	1/19/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	Iodomethane	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Iodomethane (Note 1)	2 V V1		0.35	µg/L
WTE-1S	1/19/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-1S	1/19/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-1S	1/19/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-1S	1/19/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-1S	1/19/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-1S	1/19/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-1S	1/19/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-1S	1/19/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-1S	1/19/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-1S	1/19/2007	Naphthalene	0.79	U ELAB	0.79	µg/L
WTE-1S	1/19/2007	Naphthalene	0.79	U ELAB	0.79	µg/L
WTE-1S	1/19/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-1S	1/19/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-1S	1/19/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-1S	1/19/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-1S	1/19/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L
WTE-1S	1/19/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L
WTE-1S	1/19/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-1S	1/19/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-1S	1/19/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/19/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-1S	1/19/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-1S	1/19/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-1S	1/19/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-1S	1/19/2007	Phenol	0.55	U ELAB	0.55	µg/L
WTE-1S	1/19/2007	Phenol	0.55	U ELAB	0.55	µg/L
WTE-1S	1/19/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/19/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/19/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/19/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/19/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/19/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/19/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-1S	1/19/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/19/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-1S	1/19/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-1S	1/19/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/19/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-1S	1/19/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-1S	1/19/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-1S	1/19/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-1S	1/19/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-1S	1/19/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-1S	3/8/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-1S	3/8/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-1S	3/8/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-1S	3/8/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-1S	3/8/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-1S	3/8/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-1S	3/8/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	3/8/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-1S	3/8/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-1S	3/8/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-1S	3/8/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-1S	3/8/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-1S	3/8/2007	1,2,4-Trichlorobenzene	0.86	U ELAB	0.86	µg/L
WTE-1S	3/8/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-1S	3/8/2007	1,2-Dibromoethane	0.23	U ELAB	0.23	µg/L
WTE-1S	3/8/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-1S	3/8/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	3/8/2007	1,2-Dichlorobenzene	0.71	U ELAB	0.71	µg/L
WTE-1S	3/8/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-1S	3/8/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-1S	3/8/2007	1,2-Diphenylhydrazine	0.69	U ELAB	0.69	µg/L
WTE-1S	3/8/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	3/8/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-1S	3/8/2007	1,3-Dichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-1S	3/8/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-1S	3/8/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-1S	3/8/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-1S	3/8/2007	1,4-Dichlorobenzene	0.8	U ELAB	0.8	µg/L
WTE-1S	3/8/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-1S	3/8/2007	2,4,6-Trichlorophenol	0.72	U ELAB	0.72	µg/L
WTE-1S	3/8/2007	2,4-Dichlorophenol	0.58	U ELAB	0.58	µg/L
WTE-1S	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-1S	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-1S	3/8/2007	2,4-Dinitrotoluene	0.55	U ELAB	0.55	µg/L
WTE-1S	3/8/2007	2,6-Dinitrotoluene	0.67	U ELAB	0.67	µg/L
WTE-1S	3/8/2007	2-Chloronaphthalene	0.83	U ELAB	0.83	µg/L
WTE-1S	3/8/2007	2-Chlorophenol	0.71	U ELAB	0.71	µg/L
WTE-1S	3/8/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-1S	3/8/2007	2-Hexanone	0.21	U ELAB	0.21	µg/L
WTE-1S	3/8/2007	2-Methyl-4,6-dinitrophenol	1.4	U ELAB	1.4	µg/L
WTE-1S	3/8/2007	2-Nitrophenol	0.84	U ELAB	0.84	µg/L
WTE-1S	3/8/2007	3,3-Dichlorobenzidine	0.72	U ELAB	0.72	µg/L
WTE-1S	3/8/2007	4-Bromophenyl phenyl ether	0.7	U ELAB	0.7	µg/L
WTE-1S	3/8/2007	4-Chloro-3-methyl phenol	0.65	U ELAB	0.65	µg/L
WTE-1S	3/8/2007	4-Chlorophenyl phenyl ether	0.66	U ELAB	0.66	µg/L
WTE-1S	3/8/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-1S	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-1S	3/8/2007	Acenaphthene	0.9	U ELAB	0.9	µg/L
WTE-1S	3/8/2007	Acenaphthylene	0.99	U ELAB	0.99	µg/L
WTE-1S	3/8/2007	Anthracene	0.62	U ELAB	0.62	µg/L
WTE-1S	3/8/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-1S	3/8/2007	Benzidine	0.8	U ELAB	0.8	µg/L
WTE-1S	3/8/2007	Benzo(a)anthracene	0.66	U ELAB	0.66	µg/L
WTE-1S	3/8/2007	Benzo(a)pyrene	0.6	U ELAB	0.6	µg/L
WTE-1S	3/8/2007	Benzo(b)fluoranthene	0.65	U ELAB	0.65	µg/L
WTE-1S	3/8/2007	Benzo(g,h,i)perylene	0.71	U ELAB	0.71	µg/L
WTE-1S	3/8/2007	Benzo(k)fluoranthene	0.53	U ELAB	0.53	µg/L
WTE-1S	3/8/2007	bis((2-Chloroethyl)ether	0.78	U ELAB	0.78	µg/L
WTE-1S	3/8/2007	bis(2-Chloroethoxy)methane	3.1	U ELAB	3.1	µg/L
WTE-1S	3/8/2007	bis(2-Chloroisopropyl)ether	0.76	U ELAB	0.76	µg/L
WTE-1S	3/8/2007	bis(2-Ethylhexyl)phthalate (Note 2-R)	0.83	U ELAB	0.83	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	3/8/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-1S	3/8/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-1S	3/8/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-1S	3/8/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-1S	3/8/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-1S	3/8/2007	Butyl benzyl phthalate	0.75	U ELAB	0.75	µg/L
WTE-1S	3/8/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-1S	3/8/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-1S	3/8/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-1S	3/8/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-1S	3/8/2007	Chrysene	0.39	U ELAB	0.39	µg/L
WTE-1S	3/8/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-1S	3/8/2007	Dibenzo(a,h)anthracene	0.68	U ELAB	0.68	µg/L
WTE-1S	3/8/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-1S	3/8/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-1S	3/8/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-1S	3/8/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-1S	3/8/2007	Diethylphthalate	0.53	U ELAB	0.53	µg/L
WTE-1S	3/8/2007	Dimethylphthalate	0.67	U ELAB	0.67	µg/L
WTE-1S	3/8/2007	Di-n-butylphthalate	0.43	U ELAB	0.43	µg/L
WTE-1S	3/8/2007	Di-n-octylphthalate	0.94	U ELAB	0.94	µg/L
WTE-1S	3/8/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	3/8/2007	Fluoranthene	0.56	U ELAB	0.56	µg/L
WTE-1S	3/8/2007	Fluorene	0.58	U ELAB	0.58	µg/L
WTE-1S	3/8/2007	Hexachlorobenzene	0.83	U ELAB	0.83	µg/L
WTE-1S	3/8/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-1S	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-1S	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-1S	3/8/2007	Hexachloroethane	0.74	U ELAB	0.74	µg/L
WTE-1S	3/8/2007	Indeno(1,2,3-cd)pyrene	0.76	U ELAB	0.76	µg/L
WTE-1S	3/8/2007	Iodomethane	0.36	U ELAB	0.36	µg/L
WTE-1S	3/8/2007	Isophorone	0.76	U ELAB	0.76	µg/L
WTE-1S	3/8/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-1S	3/8/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-1S	3/8/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-1S	3/8/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	3/8/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-1S	3/8/2007	Napthalene	0.81	U ELAB	0.81	µg/L
WTE-1S	3/8/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-1S	3/8/2007	n-Nitrosodimethylamine	1	U ELAB	1	µg/L
WTE-1S	3/8/2007	n-Nitrosodi-n-propylamine	0.98	U ELAB	0.98	µg/L
WTE-1S	3/8/2007	n-Nitrosodiphenylamine	0.52	U ELAB	0.52	µg/L
WTE-1S	3/8/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	3/8/2007	Pentachlorophenol	0.69	U ELAB	0.69	µg/L
WTE-1S	3/8/2007	Phenanthrene	0.54	U ELAB	0.54	µg/L
WTE-1S	3/8/2007	Phenol	0.56	U ELAB	0.56	µg/L
WTE-1S	3/8/2007	Pyrene	0.71	U ELAB	0.71	µg/L
WTE-1S	3/8/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	3/8/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-1S	3/8/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-1S	3/8/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-1S	3/8/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-1S	3/8/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-1S	3/8/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-1S	3/8/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-1S	3/8/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-1S	3/8/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-1S	1/25/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-1S	1/25/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-1S	1/25/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-1S	1/25/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-1S	1/25/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/25/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-1S	1/25/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-1S	1/25/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-1S	1/25/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-1S	1/25/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-1S	1/25/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-1S	1/25/2008	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-1S	1/25/2008	1,2-Dibromoethane	0.0064	U ELAB	0.0064	µg/L
WTE-1S	1/25/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-1S	1/25/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-1S	1/25/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-1S	1/25/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-1S	1/25/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/25/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/25/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/25/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-1S	1/25/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-1S	1/25/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-1S	1/25/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-1S	1/25/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-1S	1/25/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-1S	1/25/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-1S	1/25/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-1S	1/25/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-1S	1/25/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-1S	1/25/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-1S	1/25/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Dichloromethane	0.46	U ELAB	0.46	µg/L
WTE-1S	1/25/2008	Dichloromethane	0.46	U ELAB	0.46	µg/L
WTE-1S	1/25/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-1S	1/25/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-1S	1/25/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-1S	1/25/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-1S	1/25/2008	Iodomethane	0.38	U ELAB	0.38	µg/L
WTE-1S	1/25/2008	Iodomethane	0.38	U ELAB	0.38	µg/L
WTE-1S	1/25/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-1S	1/25/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-1S	1/25/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-1S	1/25/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-1S	1/25/2008	Methylene chloride (Dichloromethane)	0.46	U ELAB	0.46	µg/L
WTE-1S	1/25/2008	Methylene chloride (Dichloromethane)	0.46	U ELAB	0.46	µg/L
WTE-1S	1/25/2008	Monochlorobenzene	0.28	U ELAB	0.28	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/25/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/25/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-1S	1/25/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-1S	1/25/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-1S	1/25/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/25/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-1S	1/25/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-1S	1/25/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-1S	1/25/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-1S	1/25/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-1S	1/25/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-1S	1/25/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-1S	1/25/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-1S	1/25/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-1S	1/31/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-1S	1/31/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-1S	1/31/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L
WTE-1S	1/31/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L
WTE-1S	1/31/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-1S	1/31/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-1S	1/31/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-1S	1/31/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-1S	1/31/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-1S	1/31/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-1S	1/31/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-1S	1/31/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-1S	1/31/2008	2,4-Dinitrotoluene	0.5	U ELAB	0.5	µg/L
WTE-1S	1/31/2008	2,4-Dinitrotoluene	0.5	U ELAB	0.5	µg/L
WTE-1S	1/31/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-1S	1/31/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-1S	1/31/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-1S	1/31/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-1S	1/31/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-1S	1/31/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-1S	1/31/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-1S	1/31/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-1S	1/31/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-1S	1/31/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-1S	1/31/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-1S	1/31/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-1S	1/31/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-1S	1/31/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-1S	1/31/2008	Acenaphthylene	0.9	U ELAB	0.9	µg/L
WTE-1S	1/31/2008	Acenaphthylene	0.9	U ELAB	0.9	µg/L
WTE-1S	1/31/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-1S	1/31/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-1S	1/31/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-1S	1/31/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-1S	1/31/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-1S	1/31/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/31/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-1S	1/31/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-1S	1/31/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-1S	1/31/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/31/2008	Benzo(k)fluoranthene	0.48	U ELAB	0.48	µg/L
WTE-1S	1/31/2008	Benzo(k)fluoranthene	0.49	U ELAB	0.49	µg/L
WTE-1S	1/31/2008	bis(2-Chloroethyl)ether	0.71	U ELAB	0.71	µg/L
WTE-1S	1/31/2008	bis(2-Chloroethyl)ether	0.71	U ELAB	0.71	µg/L
WTE-1S	1/31/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-1S	1/31/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-1S	1/31/2008	bis(2-Chloroisopropyl)ether	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	bis(2-Chloroisopropyl)ether	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	bis(2-Ethylhexyl)phthalate	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	bis(2-Ethylhexyl)phthalate	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	Butyl benzyl phthalate	0.68	U ELAB	0.68	µg/L
WTE-1S	1/31/2008	Butyl benzyl phthalate	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-1S	1/31/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-1S	1/31/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/31/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-1S	1/31/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-1S	1/31/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-1S	1/31/2008	Diethyl phthalate	0.48	U ELAB	0.48	µg/L
WTE-1S	1/31/2008	Diethyl phthalate	0.49	U ELAB	0.49	µg/L
WTE-1S	1/31/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-1S	1/31/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-1S	1/31/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-1S	1/31/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-1S	1/31/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-1S	1/31/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-1S	1/31/2008	Fluoranthene	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	Fluoranthene	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-1S	1/31/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-1S	1/31/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-1S	1/31/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-1S	1/31/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-1S	1/31/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-1S	1/31/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-1S	1/31/2008	Indeno(1,2,3-cd)pyrene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	Indeno(1,2,3-cd)pyrene	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	Isophorone	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	Isophorone	0.69	U ELAB	0.69	µg/L
WTE-1S	1/31/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-1S	1/31/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-1S	1/31/2008	n-Decane	0.68	U ELAB	0.68	µg/L
WTE-1S	1/31/2008	n-Decane (Note 1)	0.69	U V1	0.69	µg/L
WTE-1S	1/31/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-1S	1/31/2008	n-Nitrosodimethylamine	0.92	U ELAB	0.92	µg/L
WTE-1S	1/31/2008	n-Nitrosodimethylamine	0.92	U ELAB	0.92	µg/L
WTE-1S	1/31/2008	n-Nitrosodi-n-propylamine	0.89	U ELAB	0.89	µg/L
WTE-1S	1/31/2008	n-Nitrosodi-n-propylamine	0.89	U ELAB	0.89	µg/L
WTE-1S	1/31/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-1S	1/31/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-1S	1/31/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-1S	1/31/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-1S	1/31/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-1S	1/31/2008	Phenanthrene	0.49	U ELAB	0.49	µg/L
WTE-1S	1/31/2008	Phenanthrene	0.5	U ELAB	0.5	µg/L
WTE-1S	1/31/2008	Phenol	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	Phenol	0.51	U ELAB	0.51	µg/L
WTE-1S	1/31/2008	Pyrene	0.65	U ELAB	0.65	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/31/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-1S	1/7/2009	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-1S	1/7/2009	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-1S	1/7/2009	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-1S	1/7/2009	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-1S	1/7/2009	2,4-Dichlorophenol	2	U	2	ug/L
WTE-1S	1/7/2009	2,4-Dimethylphenol	2	U	2	ug/L
WTE-1S	1/7/2009	2,4-Dinitrophenol	5	U	5	ug/L
WTE-1S	1/7/2009	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-1S	1/7/2009	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-1S	1/7/2009	2-Butanone (MEK)	1	U	1	ug/L
WTE-1S	1/7/2009	2-Chloronaphthalene	2	U	2	ug/L
WTE-1S	1/7/2009	2-chlorophenol	2	U	2	ug/L
WTE-1S	1/7/2009	2-Hexanone	1	U	1	ug/L
WTE-1S	1/7/2009	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-1S	1/7/2009	2-Nitrophenol	2	U	2	ug/L
WTE-1S	1/7/2009	3,3'-Dichlorobenzidine	2	U	2	ug/L
WTE-1S	1/7/2009	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-1S	1/7/2009	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-1S	1/7/2009	4-Nitrophenol	5	U	5	ug/L
WTE-1S	1/7/2009	Acenaphthene	2	U	2	ug/L
WTE-1S	1/7/2009	Acenaphthylene	2	U	2	ug/L
WTE-1S	1/7/2009	Acetone	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Acrylonitrile	5	U	5	ug/L
WTE-1S	1/7/2009	Anthracene	2	U	2	ug/L
WTE-1S	1/7/2009	Benzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Benzidine	20	U	20	ug/L
WTE-1S	1/7/2009	Benzo(a)anthracene	2	U	2	ug/L
WTE-1S	1/7/2009	Benzo(a)pyrene	2	U	2	ug/L
WTE-1S	1/7/2009	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2009	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-1S	1/7/2009	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2009	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-1S	1/7/2009	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-1S	1/7/2009	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-1S	1/7/2009	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Bromochloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Bromoforn	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Bromomethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Butyl benzyl phthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Carbon Disulfide	1	U	1	ug/L
WTE-1S	1/7/2009	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Chlorobenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Chloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Chloroform	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Chloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Chrysene	2	U	2	ug/L
WTE-1S	1/7/2009	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-1S	1/7/2009	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Dibromomethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Diethylphthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Dimethylphthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Di-n-butylphthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Di-n-octylphthalate	3	U	3	ug/L
WTE-1S	1/7/2009	Ethylbenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2009	Fluorene	2	U	2	ug/L
WTE-1S	1/7/2009	Hexachlorobenzene	2	U	2	ug/L
WTE-1S	1/7/2009	Hexachlorobutadiene	2	U	2	ug/L
WTE-1S	1/7/2009	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-1S	1/7/2009	Hexachloroethane	2	U	2	ug/L
WTE-1S	1/7/2009	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-1S	1/7/2009	Isophorone	2	U	2	ug/L
WTE-1S	1/7/2009	Methyl Iodide	1	U	1	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/7/2009	Methyl isobutyl ketone	1	U	1	ug/L
WTE-1S	1/7/2009	Methylene chloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Naphthalene	2	U	2	ug/L
WTE-1S	1/7/2009	Nitrobenzene	2	U	2	ug/L
WTE-1S	1/7/2009	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-1S	1/7/2009	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-1S	1/7/2009	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-1S	1/7/2009	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-1S	1/7/2009	Pentachlorophenol	2	U	2	ug/L
WTE-1S	1/7/2009	Phenanthrene	2	U	2	ug/L
WTE-1S	1/7/2009	Phenol	2	U	2	ug/L
WTE-1S	1/7/2009	Pyrene	2	U	2	ug/L
WTE-1S	1/7/2009	Styrene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Toluene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-1S	1/7/2009	Trichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Vinyl chloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2009	Xylenes	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,2,3-Trichloropropane	0.2	U	0.2	ug/L
WTE-1S	1/7/2010	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-1S	1/7/2010	1,2-dibromo-3-chloropropane	0.02	U	0.02	ug/L
WTE-1S	1/7/2010	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-1S	1/7/2010	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-1S	1/7/2010	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-1S	1/7/2010	2,4-Dichlorophenol	2	U	2	ug/L
WTE-1S	1/7/2010	2,4-Dimethylphenol	2	U	2	ug/L
WTE-1S	1/7/2010	2,4-Dinitrophenol	5	U	5	ug/L
WTE-1S	1/7/2010	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-1S	1/7/2010	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-1S	1/7/2010	2-Butanone (MEK)	1	U	1	ug/L
WTE-1S	1/7/2010	2-Chloronaphthalene	2	U	2	ug/L
WTE-1S	1/7/2010	2-chlorophenol	2	U	2	ug/L
WTE-1S	1/7/2010	2-Hexanone	1	U	1	ug/L
WTE-1S	1/7/2010	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-1S	1/7/2010	2-Nitrophenol	2	U	2	ug/L
WTE-1S	1/7/2010	3,3'-Dichlorobenzidine	2	U	2	ug/L
WTE-1S	1/7/2010	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-1S	1/7/2010	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-1S	1/7/2010	4-Nitrophenol	5	U	5	ug/L
WTE-1S	1/7/2010	Acenaphthene	2	U	2	ug/L
WTE-1S	1/7/2010	Acenaphthylene	2	U	2	ug/L
WTE-1S	1/7/2010	Acetone	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Acrylonitrile	5	U	5	ug/L
WTE-1S	1/7/2010	Anthracene	2	U	2	ug/L
WTE-1S	1/7/2010	Benzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Benzidine	20	U	20	ug/L
WTE-1S	1/7/2010	Benzo(a)anthracene	2	U	2	ug/L
WTE-1S	1/7/2010	Benzo(a)pyrene	2	U	2	ug/L
WTE-1S	1/7/2010	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2010	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-1S	1/7/2010	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2010	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-1S	1/7/2010	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-1S	1/7/2010	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-1S	1/7/2010	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Bromochloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Bromoform	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Bromomethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Butyl benzyl phthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Carbon Disulfide	1	U	1	ug/L
WTE-1S	1/7/2010	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Chlorobenzene	0.5	U	0.5	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-1S	1/7/2010	Chloroethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Chloroform	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Chloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Chrysene	2	U	2	ug/L
WTE-1S	1/7/2010	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-1S	1/7/2010	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Dibromomethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Diethylphthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Dimethylphthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Di-n-butylphthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Di-n-octylphthalate	3	U	3	ug/L
WTE-1S	1/7/2010	Ethylbenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Fluoranthene	2	U	2	ug/L
WTE-1S	1/7/2010	Fluorene	2	U	2	ug/L
WTE-1S	1/7/2010	Hexachlorobenzene	2	U	2	ug/L
WTE-1S	1/7/2010	Hexachlorobutadiene	2	U	2	ug/L
WTE-1S	1/7/2010	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-1S	1/7/2010	Hexachloroethane	2	U	2	ug/L
WTE-1S	1/7/2010	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-1S	1/7/2010	Isophorone	2	U	2	ug/L
WTE-1S	1/7/2010	Methyl iodide	1	U	1	ug/L
WTE-1S	1/7/2010	Methyl isobutyl ketone	1	U	1	ug/L
WTE-1S	1/7/2010	Methylene chloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Naphthalene	2	U	2	ug/L
WTE-1S	1/7/2010	Nitrobenzene	2	U	2	ug/L
WTE-1S	1/7/2010	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-1S	1/7/2010	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-1S	1/7/2010	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-1S	1/7/2010	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-1S	1/7/2010	Pentachlorophenol	2	U	2	ug/L
WTE-1S	1/7/2010	Phenanthrene	2	U	2	ug/L
WTE-1S	1/7/2010	Phenol	2	U	2	ug/L
WTE-1S	1/7/2010	Pyrene	2	U	2	ug/L
WTE-1S	1/7/2010	Styrene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Toluene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-1S	1/7/2010	Trichloroethene	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Vinyl chloride	0.5	U	0.5	ug/L
WTE-1S	1/7/2010	Xylenes	0.5	U	0.5	ug/L

Note 1: The following VOC/SVOC detected as shown in table above were also found in the one or more of the blanks indicating the compounds were due to lab/other contamination and were not present in the well (See VOC/SVOC in Blanks Summary)
Compounds (also in blanks): Benzene, MTBE, Toluene (4/15/05 sample); Iodomethane (1/19/07 sample) and n-Decane (1/31/08 sample)
Note 2: Bis(2-Ethylhexyl)phthalate detection on 1/19/07 was not confirmed in resample of 3/8/07 (noted in table above as '(Note 2-R)').

Solid Waste Energy Recovery Facility (SWERF)

Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-2S

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	4/15/2005	1,1,1-Trichloroethane	0.12	U STL	0.12	µg/L
WTE-2S	4/15/2005	1,1,2-Trichloroethane	0.082	U STL	0.082	µg/L
WTE-2S	4/15/2005	1,1-Dichloroethene	0.11	U STL	0.11	µg/L
WTE-2S	4/15/2005	1,2,4-Trichlorobenzene	0.25	U STL	0.25	µg/L
WTE-2S	4/15/2005	1,2-Dichlorobenzene	0.28	U STL	0.28	µg/L
WTE-2S	4/15/2005	1,2-Dichloroethane	0.1	U STL	0.1	µg/L
WTE-2S	4/15/2005	1,2-Dichloropropane	0.064	U STL	0.064	µg/L
WTE-2S	4/15/2005	1,4-Dichlorobenzene	0.26	U STL	0.26	µg/L
WTE-2S	4/15/2005	Benzene (Note 1)	0.095	I STL	0.063	µg/L
WTE-2S	4/15/2005	Carbon tetrachloride	0.12	U STL	0.12	µg/L
WTE-2S	4/15/2005	Chlorobenzene	0.11	U STL	0.11	µg/L
WTE-2S	4/15/2005	cis-1,2-Dichloroethene	0.081	U STL	0.081	µg/L
WTE-2S	4/15/2005	Ethylbenzene	0.082	U STL	0.082	µg/L
WTE-2S	4/15/2005	Methyl t-butyl ether (MTBE) (Note 1)	0.081	I STL	0.065	µg/L
WTE-2S	4/15/2005	Methylene Chloride (Dichloromethane)	0.34	U STL	0.34	µg/L
WTE-2S	4/15/2005	Styrene	0.12	U STL	0.12	µg/L
WTE-2S	4/15/2005	Tetrachloroethene	0.15	U STL	0.15	µg/L
WTE-2S	4/15/2005	Toluene (Note 1)	0.15	I STL	0.095	µg/L
WTE-2S	4/15/2005	Total Xylenes	0.2	U STL	0.2	µg/L
WTE-2S	4/15/2005	trans-1,2-Dichloroethene	0.07	U STL	0.07	µg/L
WTE-2S	4/15/2005	Trichloroethene	0.085	U STL	0.085	µg/L
WTE-2S	4/15/2005	Vinyl Chloride	0.12	U STL	0.12	µg/L
WTE-2S	1/19/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-2S	1/19/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-2S	1/19/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-2S	1/19/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-2S	1/19/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-2S	1/19/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-2S	1/19/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-2S	1/19/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-2S	1/19/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-2S	1/19/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-2S	1/19/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-2S	1/19/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-2S	1/19/2007	1,2,4-Trichlorobenzene	0.84	U ELAB	0.84	µg/L
WTE-2S	1/19/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-2S	1/19/2007	1,2-Dibromo-3-chloropropane	0.006	U ELAB	0.006	µg/L
WTE-2S	1/19/2007	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-2S	1/19/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-2S	1/19/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-2S	1/19/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L
WTE-2S	1/19/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-2S	1/19/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-2S	1/19/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-2S	1/19/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-2S	1/19/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-2S	1/19/2007	1,3-Dichlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-2S	1/19/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-2S	1/19/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-2S	1/19/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-2S	1/19/2007	1,4-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-2S	1/19/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-2S	1/19/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-2S	1/19/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-2S	1/19/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-2S	1/19/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-2S	1/19/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-2S	1/19/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-2S	1/19/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-2S	1/19/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-2S	1/19/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	1/19/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-2S	1/19/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-2S	1/19/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-2S	1/19/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-2S	1/19/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-2S	1/19/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-2S	1/19/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-2S	1/19/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-2S	1/19/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-2S	1/19/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-2S	1/19/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-2S	1/19/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-2S	1/19/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-2S	1/19/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-2S	1/19/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-2S	1/19/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-2S	1/19/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-2S	1/19/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-2S	1/19/2007	bis((2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-2S	1/19/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-2S	1/19/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-2S	1/19/2007	bis(2-Ethylhexyl)phthalate (Note 2)	1.7	U ELAB	0.81	µg/L
WTE-2S	1/19/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-2S	1/19/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-2S	1/19/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-2S	1/19/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-2S	1/19/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-2S	1/19/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-2S	1/19/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-2S	1/19/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-2S	1/19/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-2S	1/19/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-2S	1/19/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-2S	1/19/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-2S	1/19/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-2S	1/19/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-2S	1/19/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-2S	1/19/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-2S	1/19/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-2S	1/19/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-2S	1/19/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-2S	1/19/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-2S	1/19/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-2S	1/19/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-2S	1/19/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-2S	1/19/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-2S	1/19/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-2S	1/19/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-2S	1/19/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-2S	1/19/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-2S	1/19/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-2S	1/19/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-2S	1/19/2007	Iodomethane (Note 1)	2	V V1	0.35	µg/L
WTE-2S	1/19/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-2S	1/19/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-2S	1/19/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-2S	1/19/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-2S	1/19/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-2S	1/19/2007	Napthalene	0.06	U ELAB	0.06	µg/L
WTE-2S	1/19/2007	Napthalene	0.79	U ELAB	0.79	µg/L
WTE-2S	1/19/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-2S	1/19/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-2S	1/19/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-2S	1/19/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	1/19/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-2S	1/19/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-2S	1/19/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-2S	1/19/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-2S	1/19/2007	Phenol	0.55	U ELAB	0.55	µg/L
WTE-2S	1/19/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-2S	1/19/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-2S	1/19/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-2S	1/19/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-2S	1/19/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-2S	1/19/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-2S	1/19/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-2S	1/19/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-2S	1/19/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-2S	1/19/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-2S	1/19/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-2S	3/8/2007	1,2,4-Trichlorobenzene	0.86	U ELAB	0.86	µg/L
WTE-2S	3/8/2007	1,2-Dichlorobenzene	0.71	U ELAB	0.71	µg/L
WTE-2S	3/8/2007	1,2-Diphenylhydrazine	0.69	U ELAB	0.69	µg/L
WTE-2S	3/8/2007	1,3-Dichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-2S	3/8/2007	1,4-Dichlorobenzene	0.8	U ELAB	0.8	µg/L
WTE-2S	3/8/2007	2,4,6-Trichlorophenol	0.72	U ELAB	0.72	µg/L
WTE-2S	3/8/2007	2,4-Dichlorophenol	0.58	U ELAB	0.58	µg/L
WTE-2S	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-2S	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-2S	3/8/2007	2,4-Dinitrotoluene	0.55	U ELAB	0.55	µg/L
WTE-2S	3/8/2007	2,6-Dinitrotoluene	0.67	U ELAB	0.67	µg/L
WTE-2S	3/8/2007	2-Chloronaphthalene	0.83	U ELAB	0.83	µg/L
WTE-2S	3/8/2007	2-Chlorophenol	0.71	U ELAB	0.71	µg/L
WTE-2S	3/8/2007	2-Methyl-4,6-dinitrophenol	1.4	U ELAB	1.4	µg/L
WTE-2S	3/8/2007	2-Nitrophenol	0.84	U ELAB	0.84	µg/L
WTE-2S	3/8/2007	3,3-Dichlorobenzidine	0.72	U ELAB	0.72	µg/L
WTE-2S	3/8/2007	4-Bromophenyl phenyl ether	0.7	U ELAB	0.7	µg/L
WTE-2S	3/8/2007	4-Chloro-3-methyl phenol	0.65	U ELAB	0.65	µg/L
WTE-2S	3/8/2007	4-Chlorophenyl phenyl ether	0.66	U ELAB	0.66	µg/L
WTE-2S	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-2S	3/8/2007	Acenaphthene	0.9	U ELAB	0.9	µg/L
WTE-2S	3/8/2007	Acenaphthylene	0.99	U ELAB	0.99	µg/L
WTE-2S	3/8/2007	Anthracene	0.62	U ELAB	0.62	µg/L
WTE-2S	3/8/2007	Benzidine	0.8	U ELAB	0.8	µg/L
WTE-2S	3/8/2007	Benzo(a)anthracene	0.66	U ELAB	0.66	µg/L
WTE-2S	3/8/2007	Benzo(a)pyrene	0.6	U ELAB	0.6	µg/L
WTE-2S	3/8/2007	Benzo(b)fluoranthene	0.65	U ELAB	0.65	µg/L
WTE-2S	3/8/2007	Benzo(g,h,i)perylene	0.71	U ELAB	0.71	µg/L
WTE-2S	3/8/2007	Benzo(k)fluoranthene	0.53	U ELAB	0.53	µg/L
WTE-2S	3/8/2007	bis((2-Chloroethyl)ether	0.78	U ELAB	0.78	µg/L
WTE-2S	3/8/2007	bis(2-Chloroethoxy)methane	3.1	U ELAB	3.1	µg/L
WTE-2S	3/8/2007	bis(2-Chloroisopropyl)ether	0.76	U ELAB	0.76	µg/L
WTE-2S	3/8/2007	bis(2-Ethylhexyl)phthalate (Note 2-R)	0.83	U ELAB	0.83	µg/L
WTE-2S	3/8/2007	Butyl benzyl phthalate	0.75	U ELAB	0.75	µg/L
WTE-2S	3/8/2007	Chrysene	0.39	U ELAB	0.39	µg/L
WTE-2S	3/8/2007	Dibenzo(a,h)anthracene	0.68	U ELAB	0.68	µg/L
WTE-2S	3/8/2007	Diethylphthalate	0.53	U ELAB	0.53	µg/L
WTE-2S	3/8/2007	Dimethylphthalate	0.67	U ELAB	0.67	µg/L
WTE-2S	3/8/2007	Di-n-butylphthalate	0.43	U ELAB	0.43	µg/L
WTE-2S	3/8/2007	Di-n-octylphthalate	0.94	U ELAB	0.94	µg/L
WTE-2S	3/8/2007	Fluoranthene	0.56	U ELAB	0.56	µg/L
WTE-2S	3/8/2007	Fluorene	0.58	U ELAB	0.58	µg/L
WTE-2S	3/8/2007	Hexachlorobenzene	0.83	U ELAB	0.83	µg/L
WTE-2S	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-2S	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-2S	3/8/2007	Hexachloroethane	0.74	U ELAB	0.74	µg/L
WTE-2S	3/8/2007	Indeno(1,2,3-cd)pyrene	0.76	U ELAB	0.76	µg/L
WTE-2S	3/8/2007	Isophorone	0.76	U ELAB	0.76	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	3/8/2007	Napthalene	0.81	U ELAB	0.81	ug/L
WTE-2S	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	ug/L
WTE-2S	3/8/2007	n-Nitrosodimethylamine	1	U ELAB	1	ug/L
WTE-2S	3/8/2007	n-Nitrosodi-n-propylamine	0.98	U ELAB	0.98	ug/L
WTE-2S	3/8/2007	n-Nitrosodiphenylamine	0.52	U ELAB	0.52	ug/L
WTE-2S	3/8/2007	Pentachlorophenol	0.69	U ELAB	0.69	ug/L
WTE-2S	3/8/2007	Phenanthrene	0.54	U ELAB	0.54	ug/L
WTE-2S	3/8/2007	Phenol	0.56	U ELAB	0.56	ug/L
WTE-2S	3/8/2007	Pyrene	0.71	U ELAB	0.71	ug/L
WTE-2S	1/7/2009	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-2S	1/7/2009	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-2S	1/7/2009	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-2S	1/7/2009	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-2S	1/7/2009	2,4-Dichlorophenol	2	U	2	ug/L
WTE-2S	1/7/2009	2,4-Dimethylphenol	2	U	2	ug/L
WTE-2S	1/7/2009	2,4-Dinitrophenol	5	U	5	ug/L
WTE-2S	1/7/2009	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-2S	1/7/2009	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-2S	1/7/2009	2-Butanone (MEK)	1	U	1	ug/L
WTE-2S	1/7/2009	2-Chloronapthalene	2	U	2	ug/L
WTE-2S	1/7/2009	2-chlorophenol	2	U	2	ug/L
WTE-2S	1/7/2009	2-Hexanone	1	U	1	ug/L
WTE-2S	1/7/2009	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-2S	1/7/2009	2-Nitrophenol	2	U	2	ug/L
WTE-2S	1/7/2009	3,3'-Dichlorobenzidene	2	U	2	ug/L
WTE-2S	1/7/2009	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-2S	1/7/2009	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-2S	1/7/2009	4-Nitrophenol	5	U	5	ug/L
WTE-2S	1/7/2009	Acenaphthene	2	U	2	ug/L
WTE-2S	1/7/2009	Acenaphthylene	2	U	2	ug/L
WTE-2S	1/7/2009	Acetone	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Acrylonitrile	5	U	5	ug/L
WTE-2S	1/7/2009	Anthracene	2	U	2	ug/L
WTE-2S	1/7/2009	Benzene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Benzidene	20	U	20	ug/L
WTE-2S	1/7/2009	Benzo(a)anthracene	2	U	2	ug/L
WTE-2S	1/7/2009	Benzo(a)pyrene	2	U	2	ug/L
WTE-2S	1/7/2009	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-2S	1/7/2009	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-2S	1/7/2009	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-2S	1/7/2009	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-2S	1/7/2009	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-2S	1/7/2009	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-2S	1/7/2009	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Bromochloromethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Bromoform	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Bromomethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Butyl benzyl phthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Carbon Disulfide	1	U	1	ug/L
WTE-2S	1/7/2009	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Chlorobenzene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Chloroethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Chloroform	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Chloromethane	0.5	U	0.5	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-2S	1/7/2009	Chrysene	2	U	2	ug/L
WTE-2S	1/7/2009	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-2S	1/7/2009	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Dibromomethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Diethylphthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Dimethylphthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Di-n-butylphthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Di-n-octylphthalate	3	U	3	ug/L
WTE-2S	1/7/2009	Ethylbenzene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Fluoranthene	2	U	2	ug/L
WTE-2S	1/7/2009	Fluorene	2	U	2	ug/L
WTE-2S	1/7/2009	Hexachlorobenzene	2	U	2	ug/L
WTE-2S	1/7/2009	Hexachlorobutadiene	2	U	2	ug/L
WTE-2S	1/7/2009	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-2S	1/7/2009	Hexachloroethane	2	U	2	ug/L
WTE-2S	1/7/2009	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-2S	1/7/2009	Isophorone	2	U	2	ug/L
WTE-2S	1/7/2009	Methyl Iodide	1	U	1	ug/L
WTE-2S	1/7/2009	Methyl isobutyl ketone	1	U	1	ug/L
WTE-2S	1/7/2009	Methylene chloride	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Naphthalene	2	U	2	ug/L
WTE-2S	1/7/2009	Nitrobenzene	2	U	2	ug/L
WTE-2S	1/7/2009	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-2S	1/7/2009	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-2S	1/7/2009	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-2S	1/7/2009	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-2S	1/7/2009	Pentachlorophenol	2	U	2	ug/L
WTE-2S	1/7/2009	Phenanthrene	2	U	2	ug/L
WTE-2S	1/7/2009	Phenol	2	U	2	ug/L
WTE-2S	1/7/2009	Pyrene	2	U	2	ug/L
WTE-2S	1/7/2009	Styrene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Toluene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-2S	1/7/2009	Trichloroethene	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Vinyl chloride	0.5	U	0.5	ug/L
WTE-2S	1/7/2009	Xylenes	0.5	U	0.5	ug/L

Note 1: The following VOC/SVOC detected as highlighted in table above were also found in the one or more of the blanks indicating the compounds were due to lab/other contamination and were not present in the well (See VOC/SVOC in Blanks Summary).

Compounds (also in blanks): Benzene, MTBE, Toluene (4/15/05 sample) and Iodomethane (1/19/07 sample)

Note 2: Bis(2-Ethylhexyl)phthalate detection on 1/19/07 was not confirmed in resample of 3/8/07 (noted in table above as '(Note 2-R)').

Solid Waste Energy Recovery Facility (SWERF)

Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-3S

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-3S	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-3S	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-3S	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-3S	1/25/2006	1,2-Dibromo-3-chloropropane	0.0055	U ELAB	0.0055	µg/L
WTE-3S	1/25/2006	1,2-Dibromoethane	0.0099	U ELAB	0.0099	µg/L
WTE-3S	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-3S	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-3S	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-3S	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-3S	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-3S	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-3S	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-3S	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-3S	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-3S	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-3S	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-3S	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-3S	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-3S	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-3S	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-3S	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-3S	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-3S	1/24/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-3S	1/24/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-3S	1/24/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-3S	1/24/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-3S	1/24/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-3S	1/24/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-3S	1/24/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-3S	1/24/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-3S	1/24/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-3S	1/24/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-3S	1/24/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-3S	1/24/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-3S	1/24/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-3S	1/24/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-3S	1/24/2008	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-3S	1/24/2008	1,2-Dibromoethane	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-3S	1/24/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-3S	1/24/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-3S	1/24/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-3S	1/24/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-3S	1/24/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-3S	1/24/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	1,3-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-3S	1/24/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-3S	1/24/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-3S	1/24/2008	1,4-Dichlorobenzene	0.74	U ELAB	0.74	µg/L
WTE-3S	1/24/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-3S	1/24/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-3S	1/24/2008	2,4-Dichlorophenol	0.54	U ELAB	0.54	µg/L
WTE-3S	1/24/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/24/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-3S	1/24/2008	2,4-Dinitrotoluene	0.51	U ELAB	0.51	µg/L
WTE-3S	1/24/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-3S	1/24/2008	2-Chloronaphthalene	0.77	U ELAB	0.77	µg/L
WTE-3S	1/24/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-3S	1/24/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-3S	1/24/2008	2-Nitrophenol	0.78	U ELAB	0.78	µg/L
WTE-3S	1/24/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.74	µg/L
WTE-3S	1/24/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-3S	1/24/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-3S	1/24/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-3S	1/24/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-3S	1/24/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-3S	1/24/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-3S	1/24/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-3S	1/24/2008	Acenaphthylene	0.91	U ELAB	0.91	µg/L
WTE-3S	1/24/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-3S	1/24/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-3S	1/24/2008	Benzidine	0.74	U ELAB	0.74	µg/L
WTE-3S	1/24/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-3S	1/24/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-3S	1/24/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-3S	1/24/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-3S	1/24/2008	Benzo(k)fluoranthene	0.49	U ELAB	0.49	µg/L
WTE-3S	1/24/2008	bis((2-Chloroethyl)ether	0.72	U ELAB	0.72	µg/L
WTE-3S	1/24/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-3S	1/24/2008	bis(2-Chloroisopropyl)ether	0.7	U ELAB	0.7	µg/L
WTE-3S	1/24/2008	bis(2-Ethylhexyl)phthalate (Note 2)	3.6	IVELAB	0.77	µg/L
WTE-3S	1/24/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-3S	1/24/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-3S	1/24/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-3S	1/24/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-3S	1/24/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-3S	1/24/2008	Butyl benzyl phthalate	0.69	U ELAB	0.69	µg/L
WTE-3S	1/24/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-3S	1/24/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-3S	1/24/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-3S	1/24/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-3S	1/24/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-3S	1/24/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-3S	1/24/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-3S	1/24/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-3S	1/24/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-3S	1/24/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-3S	1/24/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-3S	1/24/2008	Dichloromethane (methylene chloride)	0.46	U ELAB	0.46	µg/L
WTE-3S	1/24/2008	Diethyl phthalate	0.49	U ELAB	0.49	µg/L
WTE-3S	1/24/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-3S	1/24/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-3S	1/24/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-3S	1/24/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-3S	1/24/2008	Fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-3S	1/24/2008	Fluorene	0.54	U ELAB	0.54	µg/L
WTE-3S	1/24/2008	Hexachlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-3S	1/24/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-3S	1/24/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-3S	1/24/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-3S	1/24/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/24/2008	Indeno(1,2,3-cd)pyrene	0.7	U ELAB	0.7	µg/L
WTE-3S	1/24/2008	Isophorone	0.7	U ELAB	0.7	µg/L
WTE-3S	1/24/2008	m&p-Cresol (Note 2)	1.5	U ELAB	0.63	µg/L
WTE-3S	1/24/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-3S	1/24/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-3S	1/24/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-3S	1/24/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-3S	1/24/2008	Naphthalene	0.75	U ELAB	0.75	µg/L
WTE-3S	1/24/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-3S	1/24/2008	n-Decane	0.69	U ELAB	0.69	µg/L
WTE-3S	1/24/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-3S	1/24/2008	n-Nitrosodimethylamine	0.93	U ELAB	0.93	µg/L
WTE-3S	1/24/2008	n-Nitrosodi-n-propylamine	0.9	U ELAB	0.9	µg/L
WTE-3S	1/24/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-3S	1/24/2008	n-Octadecane	0.52	U ELAB	0.52	µg/L
WTE-3S	1/24/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-3S	1/24/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-3S	1/24/2008	Phenanthrene	0.5	U ELAB	0.5	µg/L
WTE-3S	1/24/2008	Phenol (Note 2)	3	U ELAB	0.52	µg/L
WTE-3S	1/24/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-3S	1/24/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-3S	1/24/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-3S	1/24/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-3S	1/24/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-3S	1/24/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-3S	1/24/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-3S	1/24/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-3S	1/24/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-3S	1/24/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-3S	4/17/2008	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-3S	4/17/2008	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-3S	4/17/2008	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-3S	4/17/2008	2,4-Dichlorophenol	2	U	2	ug/L
WTE-3S	4/17/2008	2,4-Dimethylphenol	2	U	2	ug/L
WTE-3S	4/17/2008	2,4-Dinitrophenol	5	U	5	ug/L
WTE-3S	4/17/2008	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-3S	4/17/2008	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-3S	4/17/2008	2-Chloronaphthalene	2	U	2	ug/L
WTE-3S	4/17/2008	2-chlorophenol	2	U	2	ug/L
WTE-3S	4/17/2008	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-3S	4/17/2008	2-Nitrophenol	2	U	2	ug/L
WTE-3S	4/17/2008	3,3'-Dichlorobenzidene	2	U	2	ug/L
WTE-3S	4/17/2008	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-3S	4/17/2008	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-3S	4/17/2008	4-Nitrophenol	5	U	5	ug/L
WTE-3S	4/17/2008	Acenaphthene	2	U	2	ug/L
WTE-3S	4/17/2008	Acenaphthylene	2	U	2	ug/L
WTE-3S	4/17/2008	Anthracene	2	U	2	ug/L
WTE-3S	4/17/2008	Benzidene	20	U	20	ug/L
WTE-3S	4/17/2008	Benzo(a)anthracene	2	U	2	ug/L
WTE-3S	4/17/2008	Benzo(a)pyrene	2	U	2	ug/L
WTE-3S	4/17/2008	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-3S	4/17/2008	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-3S	4/17/2008	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-3S	4/17/2008	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-3S	4/17/2008	Bis(2-chloroethyl)ether	2	U	2	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	4/17/2008	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-3S	4/17/2008	Bis(2-ethylhexyl)phthalate (Note 2-R)	3	U	3	ug/L
WTE-3S	4/17/2008	Butyl benzyl phthalate	3	U	3	ug/L
WTE-3S	4/17/2008	Chrysene	2	U	2	ug/L
WTE-3S	4/17/2008	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-3S	4/17/2008	Diethylphthalate	3	U	3	ug/L
WTE-3S	4/17/2008	Dimethylphthalate	3	U	3	ug/L
WTE-3S	4/17/2008	Di-n-butylphthalate	3	U	3	ug/L
WTE-3S	4/17/2008	Di-n-octylphthalate	3	U	3	ug/L
WTE-3S	4/17/2008	Fluoranthene	2	U	2	ug/L
WTE-3S	4/17/2008	Fluorene	2	U	2	ug/L
WTE-3S	4/17/2008	Hexachlorobenzene	2	U	2	ug/L
WTE-3S	4/17/2008	Hexachlorobutadiene	2	U	2	ug/L
WTE-3S	4/17/2008	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-3S	4/17/2008	Hexachloroethane	2	U	2	ug/L
WTE-3S	4/17/2008	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-3S	4/17/2008	Isophorone	2	U	2	ug/L
WTE-3S	4/17/2008	Naphthalene	2	U	2	ug/L
WTE-3S	4/17/2008	Nitrobenzene	2	U	2	ug/L
WTE-3S	4/17/2008	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-3S	4/17/2008	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-3S	4/17/2008	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-3S	4/17/2008	p-Chloro-m-Cresol (Note 2-R)	2	U	2	ug/L
WTE-3S	4/17/2008	Pentachlorophenol	2	U	2	ug/L
WTE-3S	4/17/2008	Phenanthrene	2	U	2	ug/L
WTE-3S	4/17/2008	Phenol (Note 2-R)	2	U	2	ug/L
WTE-3S	4/17/2008	Pyrene	2	U	2	ug/L
WTE-3S	1/7/2010	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,2,3-Trichloropropane	0.2	U	0.2	ug/L
WTE-3S	1/7/2010	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-3S	1/7/2010	1,2-dibromo-3-chloropropane	0.02	U	0.02	ug/L
WTE-3S	1/7/2010	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-3S	1/7/2010	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-3S	1/7/2010	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-3S	1/7/2010	2,4-Dichlorophenol	2	U	2	ug/L
WTE-3S	1/7/2010	2,4-Dimethylphenol	2	U	2	ug/L
WTE-3S	1/7/2010	2,4-Dinitrophenol	5	U	5	ug/L
WTE-3S	1/7/2010	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-3S	1/7/2010	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-3S	1/7/2010	2-Butanone (MEK)	1	U	1	ug/L
WTE-3S	1/7/2010	2-Chloronaphthalene	2	U	2	ug/L
WTE-3S	1/7/2010	2-chlorophenol	2	U	2	ug/L
WTE-3S	1/7/2010	2-Hexanone	1	U	1	ug/L
WTE-3S	1/7/2010	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-3S	1/7/2010	2-Nitrophenol	2	U	2	ug/L
WTE-3S	1/7/2010	3,3'-Dichlorobenzidene	2	U	2	ug/L
WTE-3S	1/7/2010	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-3S	1/7/2010	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-3S	1/7/2010	4-Nitrophenol	5	U	5	ug/L
WTE-3S	1/7/2010	Acenaphthene	2	U	2	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/7/2010	Acenaphthylene	2	U	2	ug/L
WTE-3S	1/7/2010	Acetone	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Acrylonitrile	5	U	5	ug/L
WTE-3S	1/7/2010	Anthracene	2	U	2	ug/L
WTE-3S	1/7/2010	Benzene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Benzidene	20	U	20	ug/L
WTE-3S	1/7/2010	Benzo(a)anthracene	2	U	2	ug/L
WTE-3S	1/7/2010	Benzo(a)pyrene	2	U	2	ug/L
WTE-3S	1/7/2010	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-3S	1/7/2010	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-3S	1/7/2010	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-3S	1/7/2010	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-3S	1/7/2010	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-3S	1/7/2010	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-3S	1/7/2010	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Bromochloromethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Bromoform	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Bromomethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Butyl benzyl phthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Carbon Disulfide	1	U	1	ug/L
WTE-3S	1/7/2010	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Chlorobenzene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Chloroethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Chloroform	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Chloromethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Chrysene	2	U	2	ug/L
WTE-3S	1/7/2010	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-3S	1/7/2010	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Dibromomethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Diethylphthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Dimethylphthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Di-n-butylphthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Di-n-octylphthalate	3	U	3	ug/L
WTE-3S	1/7/2010	Ethylbenzene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Fluoranthene	2	U	2	ug/L
WTE-3S	1/7/2010	Fluorene	2	U	2	ug/L
WTE-3S	1/7/2010	Hexachlorobenzene	2	U	2	ug/L
WTE-3S	1/7/2010	Hexachlorobutadiene	2	U	2	ug/L
WTE-3S	1/7/2010	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-3S	1/7/2010	Hexachloroethane	2	U	2	ug/L
WTE-3S	1/7/2010	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-3S	1/7/2010	Isophorone	2	U	2	ug/L
WTE-3S	1/7/2010	Methyl Iodide	1	U	1	ug/L
WTE-3S	1/7/2010	Methyl isobutyl ketone	1	U	1	ug/L
WTE-3S	1/7/2010	Methylene chloride	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Naphthalene	2	U	2	ug/L
WTE-3S	1/7/2010	Nitrobenzene	2	U	2	ug/L
WTE-3S	1/7/2010	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-3S	1/7/2010	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-3S	1/7/2010	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-3S	1/7/2010	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-3S	1/7/2010	Pentachlorophenol	2	U	2	ug/L
WTE-3S	1/7/2010	Phenanthrene	2	U	2	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-3S	1/7/2010	Phenol	2	U	2	ug/L
WTE-3S	1/7/2010	Pyrene	2	U	2	ug/L
WTE-3S	1/7/2010	Styrene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Toluene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	trans-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-3S	1/7/2010	Trichloroethene	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Vinyl chloride	0.5	U	0.5	ug/L
WTE-3S	1/7/2010	Xylenes	0.5	U	0.5	ug/L

Note 2: Phenol, and Bis(2-ethylhexyl)phthalate detected in 1/24/08 sample were not confirmed in resample performed on 4/17/08 (noted in table above as '(Note 2-R)'). Although m&p-Cresol detected in 1/24/08 sample was not reported in the 4/17/08 resample results, the chemist that performed the resample analyses confirmed that m&p-Cresol was not detected in resample; however, they also stated that because m&p-Cresol was not a compound listed in Method 625 the results for the compound (undetected) could not be reported for Method 625 on the lab report.

Solid Waste Energy Recovery Facility (SWERF)
Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-4S

WELL ID	DATE	PARAMETER	RESULT	QUALIFYING	MDL	UNITS
WTE-4S	4/15/2005	1,1,1-Trichloroethane	0.12	U STL	0.12	µg/L
WTE-4S	4/15/2005	1,1,2-Trichloroethane	0.082	U STL	0.082	µg/L
WTE-4S	4/15/2005	1,1-Dichloroethene	0.11	U STL	0.11	µg/L
WTE-4S	4/15/2005	1,2,4-Trichlorobenzene	0.25	U STL	0.25	µg/L
WTE-4S	4/15/2005	1,2-Dichlorobenzene	0.28	U STL	0.28	µg/L
WTE-4S	4/15/2005	1,2-Dichloroethane	0.1	U STL	0.1	µg/L
WTE-4S	4/15/2005	1,2-Dichloropropane	0.064	U STL	0.064	µg/L
WTE-4S	4/15/2005	1,4-Dichlorobenzene	0.26	U STL	0.26	µg/L
WTE-4S	4/15/2005	Benzene	0.13	U STL	0.063	µg/L
WTE-4S	4/15/2005	Carbon tetrachloride	0.12	U STL	0.12	µg/L
WTE-4S	4/15/2005	Chlorobenzene	0.11	U STL	0.11	µg/L
WTE-4S	4/15/2005	cis-1,2-Dichloroethene	0.081	U STL	0.081	µg/L
WTE-4S	4/15/2005	Ethylbenzene	0.082	U STL	0.082	µg/L
WTE-4S	4/15/2005	Methyl t-butyl ether (MTBE)	0.065	U STL	0.065	µg/L
WTE-4S	4/15/2005	Methylene Chloride (Dichloromethane)	0.34	U STL	0.34	µg/L
WTE-4S	4/15/2005	Styrene	0.12	U STL	0.12	µg/L
WTE-4S	4/15/2005	Tetrachloroethene	0.15	U STL	0.15	µg/L
WTE-4S	4/15/2005	Toluene (Note 1)	0.17	U STL	0.095	µg/L
WTE-4S	4/15/2005	Total Xylenes	0.2	U STL	0.2	µg/L
WTE-4S	4/15/2005	trans-1,2-Dichloroethene	0.07	U STL	0.07	µg/L
WTE-4S	4/15/2005	Trichloroethene	0.085	U STL	0.085	µg/L
WTE-4S	4/15/2005	Vinyl Chloride	0.12	U STL	0.12	µg/L
WTE-4S	1/19/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-4S	1/19/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-4S	1/19/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-4S	1/19/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-4S	1/19/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-4S	1/19/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-4S	1/19/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-4S	1/19/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-4S	1/19/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-4S	1/19/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-4S	1/19/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-4S	1/19/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-4S	1/19/2007	1,2,4-Trichlorobenzene	0.84	U ELAB	0.84	µg/L
WTE-4S	1/19/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-4S	1/19/2007	1,2-Dibromo-3-chloropropane	0.006	U ELAB	0.006	µg/L
WTE-4S	1/19/2007	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-4S	1/19/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-4S	1/19/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-4S	1/19/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L
WTE-4S	1/19/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-4S	1/19/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-4S	1/19/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-4S	1/19/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-4S	1/19/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-4S	1/19/2007	1,3-Dichlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-4S	1/19/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-4S	1/19/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-4S	1/19/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-4S	1/19/2007	1,4-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-4S	1/19/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-4S	1/19/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-4S	1/19/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-4S	1/19/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-4S	1/19/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-4S	1/19/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-4S	1/19/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-4S	1/19/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-4S	1/19/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-4S	1/19/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-4S	1/19/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-4S	1/19/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-4S	1/19/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-4S	1/19/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-4S	1/19/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-4S	1/19/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-4S	1/19/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-4S	1/19/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-4S	1/19/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-4S	1/19/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-4S	1/19/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-4S	1/19/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-4S	1/19/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-4S	1/19/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-4S	1/19/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-4S	1/19/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-4S	1/19/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-4S	1/19/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-4S	1/19/2007	bis((2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-4S	1/19/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-4S	1/19/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-4S	1/19/2007	bis(2-Ethylhexyl)phthalate (Note 2)	3.7	U ELAB	0.81	µg/L
WTE-4S	1/19/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-4S	1/19/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-4S	1/19/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-4S	1/19/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-4S	1/19/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-4S	1/19/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-4S	1/19/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-4S	1/19/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-4S	1/19/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-4S	1/19/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-4S	1/19/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-4S	1/19/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-4S	1/19/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-4S	1/19/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-4S	1/19/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-4S	1/19/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-4S	1/19/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-4S	1/19/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-4S	1/19/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-4S	1/19/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-4S	1/19/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-4S	1/19/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-4S	1/19/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-4S	1/19/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-4S	1/19/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-4S	1/19/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-4S	1/19/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-4S	1/19/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-4S	1/19/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-4S	1/19/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-4S	1/19/2007	Iodomethane (Note 1 and 2)	2	V V1	0.35	µg/L
WTE-4S	1/19/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-4S	1/19/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-4S	1/19/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-4S	1/19/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-4S	1/19/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-4S	1/19/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-4S	1/19/2007	Napthalene	0.79	U ELAB	0.79	µg/L
WTE-4S	1/19/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-4S	1/19/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-4S	1/19/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-4S	1/19/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L
WTE-4S	1/19/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-4S	1/19/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-4S	1/19/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-4S	1/19/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-4S	1/19/2007	Phenol	0.55	U ELAB	0.55	µg/L
WTE-4S	1/19/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-4S	1/19/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-4S	1/19/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-4S	1/19/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-4S	1/19/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-4S	1/19/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-4S	1/19/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-4S	1/19/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-4S	1/19/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-4S	1/19/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-4S	1/19/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-4S	3/8/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-4S	3/8/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-4S	3/8/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-4S	3/8/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-4S	3/8/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-4S	3/8/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-4S	3/8/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-4S	3/8/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-4S	3/8/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-4S	3/8/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-4S	3/8/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-4S	3/8/2007	1,2,4-Trichlorobenzene	0.86	U ELAB	0.86	µg/L
WTE-4S	3/8/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-4S	3/8/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-4S	3/8/2007	1,2-Dibromoethane	0.23	U ELAB	0.23	µg/L
WTE-4S	3/8/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-4S	3/8/2007	1,2-Dichlorobenzene	0.7	U ELAB	0.7	µg/L
WTE-4S	3/8/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-4S	3/8/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-4S	3/8/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-4S	3/8/2007	1,2-Diphenylhydrazine	0.68	U ELAB	0.68	µg/L
WTE-4S	3/8/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-4S	3/8/2007	1,3-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-4S	3/8/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-4S	3/8/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-4S	3/8/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-4S	3/8/2007	1,4-Dichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-4S	3/8/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-4S	3/8/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-4S	3/8/2007	2,4,6-Trichlorophenol	0.71	U ELAB	0.71	µg/L
WTE-4S	3/8/2007	2,4-Dichlorophenol	0.58	U ELAB	0.58	µg/L
WTE-4S	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-4S	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-4S	3/8/2007	2,4-Dinitrotoluene	0.55	U ELAB	0.55	µg/L
WTE-4S	3/8/2007	2,6-Dinitrotoluene	0.66	U ELAB	0.66	µg/L
WTE-4S	3/8/2007	2-Chloronaphthalene	0.82	U ELAB	0.82	µg/L
WTE-4S	3/8/2007	2-Chlorophenol	0.7	U ELAB	0.7	µg/L
WTE-4S	3/8/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-4S	3/8/2007	2-Hexanone	0.21	U ELAB	0.21	µg/L
WTE-4S	3/8/2007	2-Methyl-4,6-dinitrophenol	1.4	U ELAB	1.4	µg/L
WTE-4S	3/8/2007	2-Nitrophenol	0.84	U ELAB	0.84	µg/L
WTE-4S	3/8/2007	3,3-Dichlorobenzidine	0.71	U ELAB	0.71	µg/L
WTE-4S	3/8/2007	4-Bromophenyl phenyl ether	0.69	U ELAB	0.69	µg/L
WTE-4S	3/8/2007	4-Chloro-3-methyl phenol	0.64	U ELAB	0.64	µg/L
WTE-4S	3/8/2007	4-Chlorophenyl phenyl ether	0.65	U ELAB	0.65	µg/L
WTE-4S	3/8/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-4S	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-4S	3/8/2007	Acenaphthene	0.89	U ELAB	0.89	µg/L
WTE-4S	3/8/2007	Acenaphthylene	0.98	U ELAB	0.98	µg/L
WTE-4S	3/8/2007	Anthracene	0.62	U ELAB	0.62	µg/L
WTE-4S	3/8/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-4S	3/8/2007	Benzidine	0.79	U ELAB	0.79	µg/L
WTE-4S	3/8/2007	Benzo(a)anthracene	0.65	U ELAB	0.65	µg/L
WTE-4S	3/8/2007	Benzo(a)pyrene	0.6	U ELAB	0.6	µg/L
WTE-4S	3/8/2007	Benzo(b)fluoranthene	0.64	U ELAB	0.64	µg/L
WTE-4S	3/8/2007	Benzo(g,h,i)perylene	0.7	U ELAB	0.7	µg/L
WTE-4S	3/8/2007	Benzo(k)fluoranthene	0.53	U ELAB	0.53	µg/L
WTE-4S	3/8/2007	bis(2-Chloroethyl)ether	0.77	U ELAB	0.77	µg/L
WTE-4S	3/8/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-4S	3/8/2007	bis(2-Chloroisopropyl)ether	0.75	U ELAB	0.75	µg/L
WTE-4S	3/8/2007	bis(2-Ethylhexyl)phthalate (Note 2-R)	0.82	U ELAB	0.82	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-4S	3/8/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-4S	3/8/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-4S	3/8/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-4S	3/8/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-4S	3/8/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-4S	3/8/2007	Butyl benzyl phthalate	0.74	U ELAB	0.74	µg/L
WTE-4S	3/8/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-4S	3/8/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-4S	3/8/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-4S	3/8/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-4S	3/8/2007	Chrysene	0.38	U ELAB	0.38	µg/L
WTE-4S	3/8/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-4S	3/8/2007	Dibenzo(a,h)anthracene	0.67	U ELAB	0.67	µg/L
WTE-4S	3/8/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-4S	3/8/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-4S	3/8/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-4S	3/8/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-4S	3/8/2007	Diethylphthalate	0.53	U ELAB	0.53	µg/L
WTE-4S	3/8/2007	Dimethylphthalate	0.66	U ELAB	0.66	µg/L
WTE-4S	3/8/2007	Di-n-butylphthalate	0.42	U ELAB	0.42	µg/L
WTE-4S	3/8/2007	Di-n-octylphthalate	0.93	U ELAB	0.93	µg/L
WTE-4S	3/8/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-4S	3/8/2007	Fluoranthene	0.56	U ELAB	0.56	µg/L
WTE-4S	3/8/2007	Fluorene	0.58	U ELAB	0.58	µg/L
WTE-4S	3/8/2007	Hexachlorobenzene	0.82	U ELAB	0.82	µg/L
WTE-4S	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-4S	3/8/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-4S	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-4S	3/8/2007	Hexachloroethane	0.73	U ELAB	0.73	µg/L
WTE-4S	3/8/2007	Indeno(1,2,3-cd)pyrene	0.75	U ELAB	0.75	µg/L
WTE-4S	3/8/2007	Iodomethane (Note 2-R)	0.36	U ELAB	0.36	µg/L
WTE-4S	3/8/2007	Isophorone	0.75	U ELAB	0.75	µg/L
WTE-4S	3/8/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-4S	3/8/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-4S	3/8/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-4S	3/8/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-4S	3/8/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-4S	3/8/2007	Napthalene	0.8	U ELAB	0.8	µg/L
WTE-4S	3/8/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-4S	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-4S	3/8/2007	n-Nitrosodimethylamine	1	U ELAB	1	µg/L
WTE-4S	3/8/2007	n-Nitrosodi-n-propylamine	0.97	U ELAB	0.97	µg/L
WTE-4S	3/8/2007	n-Nitrosodiphenylamine	0.52	U ELAB	0.52	µg/L
WTE-4S	3/8/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-4S	3/8/2007	Pentachlorophenol	0.68	U ELAB	0.68	µg/L
WTE-4S	3/8/2007	Phenanthrene	0.54	U ELAB	0.54	µg/L
WTE-4S	3/8/2007	Phenol	0.56	U ELAB	0.56	µg/L
WTE-4S	3/8/2007	Pyrene	0.7	U ELAB	0.7	µg/L
WTE-4S	3/8/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-4S	3/8/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-4S	3/8/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-4S	3/8/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-4S	3/8/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-4S	3/8/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-4S	3/8/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-4S	3/8/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-4S	3/8/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-4S	3/8/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-4S	1/7/2009	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-4S	1/7/2009	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-4S	1/7/2009	1,2-dichloroethane	0.5	U	0.5	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-4S	1/7/2009	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-4S	1/7/2009	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-4S	1/7/2009	2,4-Dichlorophenol	2	U	2	ug/L
WTE-4S	1/7/2009	2,4-Dimethylphenol	2	U	2	ug/L
WTE-4S	1/7/2009	2,4-Dinitrophenol	5	U	5	ug/L
WTE-4S	1/7/2009	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-4S	1/7/2009	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-4S	1/7/2009	2-Butanone (MEK)	1	U	1	ug/L
WTE-4S	1/7/2009	2-Chloronaphthalene	2	U	2	ug/L
WTE-4S	1/7/2009	2-chlorophenol	2	U	2	ug/L
WTE-4S	1/7/2009	2-Hexanone	1	U	1	ug/L
WTE-4S	1/7/2009	2-methyl-4,6-dinitrophenol	2	U	2	ug/L
WTE-4S	1/7/2009	2-Nitrophenol	2	U	2	ug/L
WTE-4S	1/7/2009	3,3'-Dichlorobenzidine	2	U	2	ug/L
WTE-4S	1/7/2009	4-Bromophenylphenyl ether	2	U	2	ug/L
WTE-4S	1/7/2009	4-Chlorophenylphenyl ether	2	U	2	ug/L
WTE-4S	1/7/2009	4-Nitrophenol	5	U	5	ug/L
WTE-4S	1/7/2009	Acenaphthene	2	U	2	ug/L
WTE-4S	1/7/2009	Acenaphthylene	2	U	2	ug/L
WTE-4S	1/7/2009	Acetone	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Acrylonitrile	5	U	5	ug/L
WTE-4S	1/7/2009	Anthracene	2	U	2	ug/L
WTE-4S	1/7/2009	Benzene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Benzidine	20	U	20	ug/L
WTE-4S	1/7/2009	Benzo(a)anthracene	2	U	2	ug/L
WTE-4S	1/7/2009	Benzo(a)pyrene	2	U	2	ug/L
WTE-4S	1/7/2009	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-4S	1/7/2009	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-4S	1/7/2009	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-4S	1/7/2009	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-4S	1/7/2009	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-4S	1/7/2009	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-4S	1/7/2009	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Bromochloromethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Bromoform	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Bromomethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Butyl benzyl phthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Carbon Disulfide	1	U	1	ug/L
WTE-4S	1/7/2009	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Chlorobenzene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Chloroethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Chloroform	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Chloromethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Chrysene	2	U	2	ug/L
WTE-4S	1/7/2009	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-4S	1/7/2009	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Dibromomethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Diethylphthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Dimethylphthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Di-n-butylphthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Di-n-octylphthalate	3	U	3	ug/L
WTE-4S	1/7/2009	Ethylbenzene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Fluoranthene	2	U	2	ug/L
WTE-4S	1/7/2009	Fluorene	2	U	2	ug/L
WTE-4S	1/7/2009	Hexachlorobenzene	2	U	2	ug/L
WTE-4S	1/7/2009	Hexachlorobutadiene	2	U	2	ug/L
WTE-4S	1/7/2009	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-4S	1/7/2009	Hexachloroethane	2	U	2	ug/L
WTE-4S	1/7/2009	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-4S	1/7/2009	Isophorone	2	U	2	ug/L
WTE-4S	1/7/2009	Methyl Iodide	1	U	1	ug/L
WTE-4S	1/7/2009	Methyl isobutyl ketone	1	U	1	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFY	MDL	UNITS
WTE-4S	1/7/2009	Methylene chloride	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Naphthalene	2	U	2	ug/L
WTE-4S	1/7/2009	Nitrobenzene	2	U	2	ug/L
WTE-4S	1/7/2009	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-4S	1/7/2009	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-4S	1/7/2009	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-4S	1/7/2009	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-4S	1/7/2009	Pentachlorophenol	2	U	2	ug/L
WTE-4S	1/7/2009	Phenanthrene	2	U	2	ug/L
WTE-4S	1/7/2009	Phenol	2	U	2	ug/L
WTE-4S	1/7/2009	Pyrene	2	U	2	ug/L
WTE-4S	1/7/2009	Styrene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Toluene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-4S	1/7/2009	Trichloroethene	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Vinyl chloride	0.5	U	0.5	ug/L
WTE-4S	1/7/2009	Xylenes	0.5	U	0.5	ug/L

Note 1: The following VOC/SVOC detected as highlighted in table above were also found in the one or more of the blanks indicating the compounds were due to lab/other contamination and were not present in the well (See VOC/SVOC in Blanks Summary).

Compounds (also in blanks): Toluene (4/15/05 sample) and Iodomethane (1/19/07 sample)

Note 2: Bis(2-Ethylhexyl)phthalate and Iodomethane detected in 1/19/07 sample was not confirmed in resample of 3/8/07 (noted in table above as '(Note 2-R)').

Solid Waste Energy Recovery Facility (SWERF)

Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-5S

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-5S	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-5S	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-5S	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-5S	1/25/2006	1,2-Dibromo-3-chloropropane	0.0055	U ELAB	0.0055	µg/L
WTE-5S	1/25/2006	1,2-Dibromoethane	0.0099	U ELAB	0.0099	µg/L
WTE-5S	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-5S	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-5S	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-5S	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-5S	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-5S	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-5S	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-5S	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-5S	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-5S	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-5S	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-5S	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-5S	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-5S	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-5S	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-5S	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-5S	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-5S	1/24/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-5S	1/24/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-5S	1/24/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-5S	1/24/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-5S	1/24/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-5S	1/24/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-5S	1/24/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-5S	1/24/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-5S	1/24/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-5S	1/24/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-5S	1/24/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-5S	1/24/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-5S	1/24/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-5S	1/24/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-5S	1/24/2008	1,2-Dibromoethane	0.0064	U ELAB	0.0064	µg/L
WTE-5S	1/24/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-5S	1/24/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-5S	1/24/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-5S	1/24/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-5S	1/24/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-5S	1/24/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-5S	1/24/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	1,3-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-5S	1/24/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-5S	1/24/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-5S	1/24/2008	1,4-Dichlorobenzene	0.74	U ELAB	0.74	µg/L
WTE-5S	1/24/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-5S	1/24/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/24/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-5S	1/24/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-5S	1/24/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-5S	1/24/2008	2,4-Dinitrotoluene	0.51	U ELAB	0.51	µg/L
WTE-5S	1/24/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-5S	1/24/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-5S	1/24/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-5S	1/24/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-5S	1/24/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-5S	1/24/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.74	µg/L
WTE-5S	1/24/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-5S	1/24/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-5S	1/24/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-5S	1/24/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-5S	1/24/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-5S	1/24/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-5S	1/24/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-5S	1/24/2008	Acenaphthylene	0.91	U ELAB	0.91	µg/L
WTE-5S	1/24/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-5S	1/24/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-5S	1/24/2008	Benidine	0.74	U ELAB	0.74	µg/L
WTE-5S	1/24/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-5S	1/24/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-5S	1/24/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-5S	1/24/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-5S	1/24/2008	Benzo(k)fluoranthene	0.49	U ELAB	0.49	µg/L
WTE-5S	1/24/2008	bis((2-Chloroethyl)ether	0.72	U ELAB	0.72	µg/L
WTE-5S	1/24/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-5S	1/24/2008	bis(2-Chloroisopropyl)ether	0.7	U ELAB	0.7	µg/L
WTE-5S	1/24/2008	bis(2-Ethylhexyl)phthalate (Note 1)	1	U ELAB	0.76	µg/L
WTE-5S	1/24/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-5S	1/24/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-5S	1/24/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-5S	1/24/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-5S	1/24/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-5S	1/24/2008	Butyl benzyl phthalate	0.69	U ELAB	0.69	µg/L
WTE-5S	1/24/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-5S	1/24/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-5S	1/24/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-5S	1/24/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-5S	1/24/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-5S	1/24/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-5S	1/24/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-5S	1/24/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-5S	1/24/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-5S	1/24/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-5S	1/24/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-5S	1/24/2008	Dichloromethane (methylene chloride)	0.46	U ELAB	0.46	µg/L
WTE-5S	1/24/2008	Diethyl phthalate	0.49	U ELAB	0.49	µg/L
WTE-5S	1/24/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-5S	1/24/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-5S	1/24/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-5S	1/24/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-5S	1/24/2008	Fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-5S	1/24/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-5S	1/24/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/24/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-5S	1/24/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-5S	1/24/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-5S	1/24/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-5S	1/24/2008	Indeno(1,2,3-cd)pyrene	0.7	U ELAB	0.7	µg/L
WTE-5S	1/24/2008	Isophorone	0.7	U ELAB	0.7	µg/L
WTE-5S	1/24/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-5S	1/24/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-5S	1/24/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-5S	1/24/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-5S	1/24/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-5S	1/24/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-5S	1/24/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-5S	1/24/2008	n-Decane (Note 1)	0.77	IVELAB	0.69	µg/L
WTE-5S	1/24/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-5S	1/24/2008	n-Nitrosodimethylamine	0.93	U ELAB	0.93	µg/L
WTE-5S	1/24/2008	n-Nitrosodi-n-propylamine	0.9	U ELAB	0.9	µg/L
WTE-5S	1/24/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-5S	1/24/2008	n-Octadecane	0.52	U ELAB	0.52	µg/L
WTE-5S	1/24/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-5S	1/24/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-5S	1/24/2008	Phenanthrene	0.5	U ELAB	0.5	µg/L
WTE-5S	1/24/2008	Phenol	0.52	U ELAB	0.52	µg/L
WTE-5S	1/24/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-5S	1/24/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-5S	1/24/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-5S	1/24/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-5S	1/24/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-5S	1/24/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-5S	1/24/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-5S	1/24/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-5S	1/24/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-5S	1/24/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-5S	1/7/2010	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,2,3-Trichloropropane	0.2	U	0.2	ug/L
WTE-5S	1/7/2010	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,2,4-trichlorobenzene	2	U	2	ug/L
WTE-5S	1/7/2010	1,2-dibromo-3-chloropropane	0.02	U	0.02	ug/L
WTE-5S	1/7/2010	1,2-Dibromoethane (EDB)	0.01	U	0.01	ug/L
WTE-5S	1/7/2010	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	1,2-Diphenylhydrazine	2	U	2	ug/L
WTE-5S	1/7/2010	2,4,6-Trichlorophenol	2	U	2	ug/L
WTE-5S	1/7/2010	2,4-Dichlorophenol	2	U	2	ug/L
WTE-5S	1/7/2010	2,4-Dimethylphenol	2	U	2	ug/L
WTE-5S	1/7/2010	2,4-Dinitrophenol	5	U	5	ug/L
WTE-5S	1/7/2010	2,4-Dinitrotoluene	2	U	2	ug/L
WTE-5S	1/7/2010	2,6-Dinitrotoluene	2	U	2	ug/L
WTE-5S	1/7/2010	2-Butanone (MEK)	1	U	1	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/7/2010	2-Chloronaphthalene	2 U		2	ug/L
WTE-5S	1/7/2010	2-chlorophenol	2 U		2	ug/L
WTE-5S	1/7/2010	2-Hexanone	1 U		1	ug/L
WTE-5S	1/7/2010	2-methyl-4,6-dinitrophenol	2 U		2	ug/L
WTE-5S	1/7/2010	2-Nitrophenol	2 U		2	ug/L
WTE-5S	1/7/2010	3,3'-Dichlorobenzidene	2 U		2	ug/L
WTE-5S	1/7/2010	4-Bromophenylphenyl ether	2 U		2	ug/L
WTE-5S	1/7/2010	4-Chlorophenylphenyl ether	2 U		2	ug/L
WTE-5S	1/7/2010	4-Nitrophenol	5 U		5	ug/L
WTE-5S	1/7/2010	Acenaphthene	2 U		2	ug/L
WTE-5S	1/7/2010	Acenaphthylene	2 U		2	ug/L
WTE-5S	1/7/2010	Acetone	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Acrylonitrile	5 U		5	ug/L
WTE-5S	1/7/2010	Anthracene	2 U		2	ug/L
WTE-5S	1/7/2010	Benzene	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Benzidene	20 U		20	ug/L
WTE-5S	1/7/2010	Benzo(a)anthracene	2 U		2	ug/L
WTE-5S	1/7/2010	Benzo(a)pyrene	2 U		2	ug/L
WTE-5S	1/7/2010	Benzo(b)fluoranthene	2 U		2	ug/L
WTE-5S	1/7/2010	Benzo(g,h,i)perylene	2 U		2	ug/L
WTE-5S	1/7/2010	Benzo(k)fluoranthene	2 U		2	ug/L
WTE-5S	1/7/2010	Bis(2-chloroethoxy)methane	2 U		2	ug/L
WTE-5S	1/7/2010	Bis(2-chloroethyl)ether	2 U		2	ug/L
WTE-5S	1/7/2010	Bis(2-chloroisopropyl)ether	2 U		2	ug/L
WTE-5S	1/7/2010	Bis(2-ethylhexyl)phthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Bromochloromethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Bromodichloromethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Bromoform	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Bromomethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Butyl benzyl phthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Carbon Disulfide	1 U		1	ug/L
WTE-5S	1/7/2010	Carbon Tetrachloride	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Chlorobenzene	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Chloroethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Chloroform	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Chloromethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Chrysene	2 U		2	ug/L
WTE-5S	1/7/2010	cis-1,2-dichloroethene	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	cis-1,3-Dichloropropene	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Dibenz(a,h)anthracene	2 U		2	ug/L
WTE-5S	1/7/2010	Dibromochloromethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Dibromomethane	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Diethylphthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Dimethylphthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Di-n-butylphthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Di-n-octylphthalate	3 U		3	ug/L
WTE-5S	1/7/2010	Ethylbenzene	0.5 U		0.5	ug/L
WTE-5S	1/7/2010	Fluoranthene	2 U		2	ug/L
WTE-5S	1/7/2010	Fluorene	2 U		2	ug/L
WTE-5S	1/7/2010	Hexachlorobenzene	2 U		2	ug/L
WTE-5S	1/7/2010	Hexachlorobutadiene	2 U		2	ug/L
WTE-5S	1/7/2010	Hexachlorocyclopentadiene	2 U		2	ug/L
WTE-5S	1/7/2010	Hexachloroethane	2 U		2	ug/L
WTE-5S	1/7/2010	Indeno(1,2,3-cd)pyrene	2 U		2	ug/L
WTE-5S	1/7/2010	Isophorone	2 U		2	ug/L
WTE-5S	1/7/2010	Methyl iodide	1 U		1	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-5S	1/7/2010	Methyl isobutyl ketone	1	U	1	ug/L
WTE-5S	1/7/2010	Methylene chloride	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Naphthalene	2	U	2	ug/L
WTE-5S	1/7/2010	Nitrobenzene	2	U	2	ug/L
WTE-5S	1/7/2010	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-5S	1/7/2010	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-5S	1/7/2010	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-5S	1/7/2010	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-5S	1/7/2010	Pentachlorophenol	2	U	2	ug/L
WTE-5S	1/7/2010	Phenanthrene	2	U	2	ug/L
WTE-5S	1/7/2010	Phenol	2	U	2	ug/L
WTE-5S	1/7/2010	Pyrene	2	U	2	ug/L
WTE-5S	1/7/2010	Styrene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Toluene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-5S	1/7/2010	Trichloroethene	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Vinyl chloride	0.5	U	0.5	ug/L
WTE-5S	1/7/2010	Xylenes	0.5	U	0.5	ug/L

Note 1: The following VOC/SVOC detected as shown in table above were also found in the one or more of the blanks indicating the compounds were due to lab/other contamination and were not present in the well (See VOC/SVOC in Blanks Summary Compounds (also in blanks): n-Decane and bis(2-Ethylhexyl)phthalate in 1/24/08 sample

Solid Waste Energy Recovery Facility (SWERF)

Ground Water Monitoring Results for Volatile and Semi-Volatile Organic Compounds - Well WTE-6S

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-6S	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-6S	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-6S	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-6S	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-6S	1/25/2006	1,2-Dibromo-3-chloropropane	0.0055	U ELAB	0.0055	µg/L
WTE-6S	1/25/2006	1,2-Dibromoethane	0.0099	U ELAB	0.0099	µg/L
WTE-6S	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-6S	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-6S	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-6S	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-6S	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-6S	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-6S	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-6S	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-6S	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-6S	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-6S	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-6S	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-6S	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-6S	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-6S	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-6S	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-6S	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-6S	1/24/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-6S	1/24/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-6S	1/24/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-6S	1/24/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-6S	1/24/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-6S	1/24/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-6S	1/24/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-6S	1/24/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-6S	1/24/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-6S	1/24/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-6S	1/24/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-6S	1/24/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-6S	1/24/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-6S	1/24/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-6S	1/24/2008	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-6S	1/24/2008	1,2-Dibromoethane	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-6S	1/24/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-6S	1/24/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-6S	1/24/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-6S	1/24/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-6S	1/24/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-6S	1/24/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L
WTE-6S	1/24/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-6S	1/24/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-6S	1/24/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-6S	1/24/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-6S	1/24/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-6S	1/24/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-6S	1/24/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-6S	1/24/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-6S	1/24/2008	2,4-Dinitrotoluene	0.5	U ELAB	0.5	µg/L
WTE-6S	1/24/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-6S	1/24/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-6S	1/24/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-6S	1/24/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-6S	1/24/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-6S	1/24/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.74	µg/L
WTE-6S	1/24/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-6S	1/24/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-6S	1/24/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-6S	1/24/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-6S	1/24/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-6S	1/24/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-6S	1/24/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-6S	1/24/2008	Acenaphthylene	0.9	U ELAB	0.9	µg/L
WTE-6S	1/24/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-6S	1/24/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-6S	1/24/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-6S	1/24/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-6S	1/24/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-6S	1/24/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-6S	1/24/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-6S	1/24/2008	Benzo(k)fluoranthene	0.48	U ELAB	0.48	µg/L
WTE-6S	1/24/2008	bis((2-Chloroethyl)ether	0.71	U ELAB	0.71	µg/L
WTE-6S	1/24/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-6S	1/24/2008	bis(2-Chloroisopropyl)ether	0.69	U ELAB	0.69	µg/L
WTE-6S	1/24/2008	bis(2-Ethylhexyl)phthalate	0.76	U ELAB	0.76	µg/L
WTE-6S	1/24/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-6S	1/24/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-6S	1/24/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-6S	1/24/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-6S	1/24/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-6S	1/24/2008	Butyl benzyl phthalate	0.68	U ELAB	0.68	µg/L
WTE-6S	1/24/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-6S	1/24/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-6S	1/24/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-6S	1/24/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-6S	1/24/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-6S	1/24/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-6S	1/24/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-6S	1/24/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-6S	1/24/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-6S	1/24/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-6S	1/24/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-6S	1/24/2008	Dichloromethane (methylene chloride)	0.46	U ELAB	0.46	µg/L
WTE-6S	1/24/2008	Diethyl phthalate	0.48	U ELAB	0.48	µg/L
WTE-6S	1/24/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-6S	1/24/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-6S	1/24/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-6S	1/24/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-6S	1/24/2008	Fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-6S	1/24/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-6S	1/24/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-6S	1/24/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-6S	1/24/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-6S	1/24/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-6S	1/24/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-6S	1/24/2008	Indeno(1,2,3-cd)pyrene	0.69	U ELAB	0.69	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-6S	1/24/2008	Isophorone	0.69	U ELAB	0.69	µg/L
WTE-6S	1/24/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-6S	1/24/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-6S	1/24/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-6S	1/24/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-6S	1/24/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-6S	1/24/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-6S	1/24/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-6S	1/24/2008	n-Decane	0.75	U ELAB	0.69	µg/L
WTE-6S	1/24/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-6S	1/24/2008	n-Nitrosodimethylamine	0.92	U ELAB	0.92	µg/L
WTE-6S	1/24/2008	n-Nitrosodi-n-propylamine	0.89	U ELAB	0.89	µg/L
WTE-6S	1/24/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-6S	1/24/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-6S	1/24/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-6S	1/24/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-6S	1/24/2008	Phenanthrene	0.49	U ELAB	0.49	µg/L
WTE-6S	1/24/2008	Phenol	0.51	U ELAB	0.51	µg/L
WTE-6S	1/24/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-6S	1/24/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-6S	1/24/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-6S	1/24/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-6S	1/24/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-6S	1/24/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-6S	1/24/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-6S	1/24/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-6S	1/24/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-6S	1/24/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-6S	1/7/2010	1,1,1,2-Tetrachloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,1,1-Trichloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,1,2,2-Tetrachloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,1,2-Trichloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,1-Dichloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,1-Dichloroethene	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,2,3-Trichloropropane	0.2	U	0.2	µg/L
WTE-6S	1/7/2010	1,2,3-Trichloropropane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,2,4-trichlorobenzene	2	U	2	µg/L
WTE-6S	1/7/2010	1,2-dibromo-3-chloropropane	0.02	U	0.02	µg/L
WTE-6S	1/7/2010	1,2-Dibromoethane (EDB)	0.01	U	0.01	µg/L
WTE-6S	1/7/2010	1,2-dichloroethane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,2-dichloropropane	0.5	U	0.5	µg/L
WTE-6S	1/7/2010	1,2-Diphenylhydrazine	2	U	2	µg/L
WTE-6S	1/7/2010	2,4,6-Trichlorophenol	2	U	2	µg/L
WTE-6S	1/7/2010	2,4-Dichlorophenol	2	U	2	µg/L
WTE-6S	1/7/2010	2,4-Dimethylphenol	2	U	2	µg/L
WTE-6S	1/7/2010	2,4-Dinitrophenol	5	U	5	µg/L
WTE-6S	1/7/2010	2,4-Dinitrotoluene	2	U	2	µg/L
WTE-6S	1/7/2010	2,6-Dinitrotoluene	2	U	2	µg/L
WTE-6S	1/7/2010	2-Butanone (MEK)	1	U	1	µg/L
WTE-6S	1/7/2010	2-Chloronaphthalene	2	U	2	µg/L
WTE-6S	1/7/2010	2-chlorophenol	2	U	2	µg/L
WTE-6S	1/7/2010	2-Hexanone	1	U	1	µg/L
WTE-6S	1/7/2010	2-methyl-4,6-dinitrophenol	2	U	2	µg/L
WTE-6S	1/7/2010	2-Nitrophenol	2	U	2	µg/L
WTE-6S	1/7/2010	3,3'-Dichlorobenzidene	2	U	2	µg/L
WTE-6S	1/7/2010	4-Bromophenylphenyl ether	2	U	2	µg/L
WTE-6S	1/7/2010	4-Chlorophenylphenyl ether	2	U	2	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-6S	1/7/2010	4-Nitrophenol	5	U	5	ug/L
WTE-6S	1/7/2010	Acenaphthene	2	U	2	ug/L
WTE-6S	1/7/2010	Acenaphthylene	2	U	2	ug/L
WTE-6S	1/7/2010	Acetone	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Acrylonitrile	5	U	5	ug/L
WTE-6S	1/7/2010	Anthracene	2	U	2	ug/L
WTE-6S	1/7/2010	Benzene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Benzidene	20	U	20	ug/L
WTE-6S	1/7/2010	Benzo(a)anthracene	2	U	2	ug/L
WTE-6S	1/7/2010	Benzo(a)pyrene	2	U	2	ug/L
WTE-6S	1/7/2010	Benzo(b)fluoranthene	2	U	2	ug/L
WTE-6S	1/7/2010	Benzo(g,h,i)perylene	2	U	2	ug/L
WTE-6S	1/7/2010	Benzo(k)fluoranthene	2	U	2	ug/L
WTE-6S	1/7/2010	Bis(2-chloroethoxy)methane	2	U	2	ug/L
WTE-6S	1/7/2010	Bis(2-chloroethyl)ether	2	U	2	ug/L
WTE-6S	1/7/2010	Bis(2-chloroisopropyl)ether	2	U	2	ug/L
WTE-6S	1/7/2010	Bis(2-ethylhexyl)phthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Bromochloromethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Bromoform	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Bromomethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Butyl benzyl phthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Carbon Disulfide	1	U	1	ug/L
WTE-6S	1/7/2010	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Chlorobenzene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Chloroethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Chloroform	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Chloromethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Chrysene	2	U	2	ug/L
WTE-6S	1/7/2010	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Dibenz(a,h)anthracene	2	U	2	ug/L
WTE-6S	1/7/2010	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Dibromomethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Diethylphthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Dimethylphthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Di-n-butylphthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Di-n-octylphthalate	3	U	3	ug/L
WTE-6S	1/7/2010	Ethylbenzene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Fluoranthene	2	U	2	ug/L
WTE-6S	1/7/2010	Fluorene	2	U	2	ug/L
WTE-6S	1/7/2010	Hexachlorobenzene	2	U	2	ug/L
WTE-6S	1/7/2010	Hexachlorobutadiene	2	U	2	ug/L
WTE-6S	1/7/2010	Hexachlorocyclopentadiene	2	U	2	ug/L
WTE-6S	1/7/2010	Hexachloroethane	2	U	2	ug/L
WTE-6S	1/7/2010	Indeno(1,2,3-cd)pyrene	2	U	2	ug/L
WTE-6S	1/7/2010	Isophorone	2	U	2	ug/L
WTE-6S	1/7/2010	Methyl Iodide	1	U	1	ug/L
WTE-6S	1/7/2010	Methyl isobutyl ketone	1	U	1	ug/L
WTE-6S	1/7/2010	Methylene chloride	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Naphthalene	2	U	2	ug/L
WTE-6S	1/7/2010	Nitrobenzene	2	U	2	ug/L
WTE-6S	1/7/2010	N-Nitrosodimethylamine	2	U	2	ug/L
WTE-6S	1/7/2010	N-Nitrosodi-n-propylamine	2	U	2	ug/L
WTE-6S	1/7/2010	N-Nitrosodiphenylamine	2	U	2	ug/L
WTE-6S	1/7/2010	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	p-Chloro-m-Cresol	2	U	2	ug/L
WTE-6S	1/7/2010	Pentachlorophenol	2	U	2	ug/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFI	MDL	UNITS
WTE-6S	1/7/2010	Phenanthrene	2	U	2	ug/L
WTE-6S	1/7/2010	Phenol	2	U	2	ug/L
WTE-6S	1/7/2010	Pyrene	2	U	2	ug/L
WTE-6S	1/7/2010	Styrene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Toluene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-6S	1/7/2010	Trichloroethene	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Vinyl chloride	0.5	U	0.5	ug/L
WTE-6S	1/7/2010	Xylenes	0.5	U	0.5	ug/L

Note 1: The following VOC/SVOC detected as shown above were also found in the one or more of the blanks indicating the compounds were due to lab/other contamination and were not present in the well (See VOC/SVOC in Blanks Summary)
Compounds (also in blanks): n-Decane in /24/08 sample

Summary of Five (5) Years of Monitoring Data (Quality Control Blanks for VOC/SVOCs Only)

Lee County Solid Waste Energy Recovery Facility

Summary of Equipment and Field Blank Results for Volatile and Semi-Volatile Organic Compounds

2nd Quarter 2005 through 2nd Quarter 2010

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	4/15/2005	1,1,1-Trichloroethane	0.12	U STL	0.12	µg/L
WTE-EQB	4/15/2005	1,1,2-Trichloroethane	0.082	U STL	0.082	µg/L
WTE-EQB	4/15/2005	1,1-Dichloroethene	0.11	U STL	0.11	µg/L
WTE-EQB	4/15/2005	1,2,4-Trichlorobenzene	0.25	U STL	0.25	µg/L
WTE-EQB	4/15/2005	1,2-Dichlorobenzene	0.28	U STL	0.28	µg/L
WTE-EQB	4/15/2005	1,2-Dichloroethane	0.1	U STL	0.1	µg/L
WTE-EQB	4/15/2005	1,2-Dichloropropane	0.064	U STL	0.064	µg/L
WTE-EQB	4/15/2005	1,4-Dichlorobenzene	0.26	U STL	0.26	µg/L
WTE-EQB	4/15/2005	Benzene	0.11	U STL	0.063	µg/L
WTE-EQB	4/15/2005	Carbon tetrachloride	0.12	U STL	0.12	µg/L
WTE-EQB	4/15/2005	Chlorobenzene	0.11	U STL	0.11	µg/L
WTE-EQB	4/15/2005	cis-1,2-Dichloroethene	0.081	U STL	0.081	µg/L
WTE-EQB	4/15/2005	Ethylbenzene	0.082	U STL	0.082	µg/L
WTE-EQB	4/15/2005	Methyl t-butyl ether (MTBE)	0.085	U STL	0.065	µg/L
WTE-EQB	4/15/2005	Methylene Chloride (Dichloromethane)	0.34	U STL	0.34	µg/L
WTE-EQB	4/15/2005	Styrene	0.12	U STL	0.12	µg/L
WTE-EQB	4/15/2005	Tetrachloroethene	0.15	U STL	0.15	µg/L
WTE-EQB	4/15/2005	Toluene	0.098	U STL	0.095	µg/L
WTE-EQB	4/15/2005	Total Xylenes	0.2	U STL	0.2	µg/L
WTE-EQB	4/15/2005	trans-1,2-Dichloroethene	0.07	U STL	0.07	µg/L
WTE-EQB	4/15/2005	Trichloroethene	0.085	U STL	0.085	µg/L
WTE-EQB	4/15/2005	Vinyl Chloride	0.12	U STL	0.12	µg/L
WTE-EQB	1/25/2006	1,1,1-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-EQB	1/25/2006	1,1,2-Trichloroethane	0.08	U ELAB	0.08	µg/L
WTE-EQB	1/25/2006	1,1-Dichloroethene	0.22	U ELAB	0.22	µg/L
WTE-EQB	1/25/2006	1,2,4-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-EQB	1/25/2006	1,2-Dibromo-3-chloropropane	0.0055	U ELAB	0.0055	µg/L
WTE-EQB	1/25/2006	1,2-Dibromoethane	0.0099	U ELAB	0.0099	µg/L
WTE-EQB	1/25/2006	1,2-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-EQB	1/25/2006	1,2-Dichloroethane	0.13	U ELAB	0.13	µg/L
WTE-EQB	1/25/2006	1,2-Dichloropropane	0.09	U ELAB	0.09	µg/L
WTE-EQB	1/25/2006	1,4-Dichlorobenzene	0.07	U ELAB	0.07	µg/L
WTE-EQB	1/25/2006	Benzene	0.12	U ELAB	0.12	µg/L
WTE-EQB	1/25/2006	Carbon tetrachloride	0.12	U ELAB	0.12	µg/L
WTE-EQB	1/25/2006	cis-1,2-Dichloroethene	0.11	U ELAB	0.11	µg/L
WTE-EQB	1/25/2006	Ethylbenzene	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/25/2006	Methylene Chloride (Dichloromethane)	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2006	Monochlorobenzene	0.08	U ELAB	0.08	µg/L
WTE-EQB	1/25/2006	Styrene	0.08	U ELAB	0.08	µg/L
WTE-EQB	1/25/2006	Tetrachloroethene	0.09	U ELAB	0.09	µg/L
WTE-EQB	1/25/2006	Toluene	0.06	U ELAB	0.06	µg/L
WTE-EQB	1/25/2006	Total Xylenes	0.13	U ELAB	0.13	µg/L
WTE-EQB	1/25/2006	trans-1,2-Dichloroethene	0.13	U ELAB	0.13	µg/L
WTE-EQB	1/25/2006	Trichloroethene	0.14	U ELAB	0.14	µg/L
WTE-EQB	1/25/2006	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-EQB	1/19/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-EQB	1/19/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-EQB	1/19/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	1/19/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-EQB	1/19/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	1/19/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-EQB	1/19/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/19/2007	1,1-Dichloropropane	0.36	U ELAB	0.36	µg/L
WTE-EQB	1/19/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-EQB	1/19/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-EQB	1/19/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	1/19/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-EQB	1/19/2007	1,2,4-Trichlorobenzene	0.84	U ELAB	0.84	µg/L
WTE-EQB	1/19/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/19/2007	1,2-Dibromo-3-chloropropane	0.006	U ELAB	0.006	µg/L
WTE-EQB	1/19/2007	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-EQB	1/19/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	1/19/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/19/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	1/19/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-EQB	1/19/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-EQB	1/19/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-EQB	1/19/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/19/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-EQB	1/19/2007	1,3-Dichlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-EQB	1/19/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-EQB	1/19/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-EQB	1/19/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	1/19/2007	1,4-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-EQB	1/19/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/19/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-EQB	1/19/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-EQB	1/19/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	1/19/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	1/19/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-EQB	1/19/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-EQB	1/19/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-EQB	1/19/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-EQB	1/19/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-EQB	1/19/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-EQB	1/19/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-EQB	1/19/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-EQB	1/19/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-EQB	1/19/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-EQB	1/19/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-EQB	1/19/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/19/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-EQB	1/19/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-EQB	1/19/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-EQB	1/19/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-EQB	1/19/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-EQB	1/19/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-EQB	1/19/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-EQB	1/19/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-EQB	1/19/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-EQB	1/19/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-EQB	1/19/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-EQB	1/19/2007	bis(2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-EQB	1/19/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-EQB	1/19/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-EQB	1/19/2007	bis(2-Ethylhexyl)phthalate	0.81	U ELAB	0.81	µg/L
WTE-EQB	1/19/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-EQB	1/19/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	1/19/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	1/19/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-EQB	1/19/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-EQB	1/19/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-EQB	1/19/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-EQB	1/19/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-EQB	1/19/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-EQB	1/19/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-EQB	1/19/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-EQB	1/19/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-EQB	1/19/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-EQB	1/19/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-EQB	1/19/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/19/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-EQB	1/19/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-EQB	1/19/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-EQB	1/19/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-EQB	1/19/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-EQB	1/19/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-EQB	1/19/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/19/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-EQB	1/19/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-EQB	1/19/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-EQB	1/19/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/19/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	1/19/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-EQB	1/19/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-EQB	1/19/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-EQB	1/19/2007	Iodomethane	2.4	V	0.35	µg/L
WTE-EQB	1/19/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-EQB	1/19/2007	Methyl ethyl ketone	0.71	U ELAB	0.71	µg/L
WTE-EQB	1/19/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-EQB	1/19/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-EQB	1/19/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/19/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-EQB	1/19/2007	Naphthalene	0.79	U ELAB	0.79	µg/L
WTE-EQB	1/19/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/19/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-EQB	1/19/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-EQB	1/19/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L
WTE-EQB	1/19/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-EQB	1/19/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/19/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-EQB	1/19/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-EQB	1/19/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-EQB	1/19/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	1/19/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/19/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/19/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-EQB	1/19/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/19/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-EQB	1/19/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/19/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-EQB	1/19/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-EQB	1/19/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	1,1,1,2-Tetrachloroethane	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	1,1,1-Trichloroethane	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1,2,2-Tetrachloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloro-1,2,2-trifluoroethane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1,2-Trichloroethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethane	0.41	U ELAB	0.41	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	1,1-Dichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	1,1-Dichloropropene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichlorobenzene	0.1	U ELAB	0.1	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-EQB	3/8/2007	1,2,3-Trichloropropane	0.21	U ELAB	0.21	µg/L
WTE-EQB	3/8/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	1,2,3-Trimethylbenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.84	U ELAB	0.84	µg/L
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.85	U ELAB	0.85	µg/L
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.86	U ELAB	0.86	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	3/8/2007	1,2,4-Trichlorobenzene	0.17	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	1,2,4-Trimethylbenzene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	1,2-Dibromoethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dibromoethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dibromoethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dibromomethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	1,2-Dichlorobenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-EQB	3/8/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-EQB	3/8/2007	1,2-Dichloroethane	0.24	U ELAB	0.24	µg/L
WTE-EQB	3/8/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	1,2-Dichloropropane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-EQB	3/8/2007	1,2-Diphenylhydrazine	0.67	U ELAB	0.67	µg/L
WTE-EQB	3/8/2007	1,2-Diphenylhydrazine	0.68	U ELAB	0.68	µg/L
WTE-EQB	3/8/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	1,3,5-Trimethylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-EQB	3/8/2007	1,3-Dichlorobenzene	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropane	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-EQB	3/8/2007	1,3-Dichloropropene	0.08	U ELAB	0.08	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.78	U ELAB	0.78	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-EQB	3/8/2007	1,4-Dichlorobenzene	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	2,2-Dichloropropane	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	2,4,6-Trichlorophenol	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	2,4,6-Trichlorophenol	0.71	U ELAB	0.71	µg/L
WTE-EQB	3/8/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-EQB	3/8/2007	2,4-Dichlorophenol	0.57	U ELAB	0.57	µg/L
WTE-EQB	3/8/2007	2,4-Dichlorophenol	0.58	U ELAB	0.58	µg/L
WTE-EQB	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dimethylphenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrophenol	1.6	U ELAB	1.6	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrotoluene	0.54	U ELAB	0.54	µg/L
WTE-EQB	3/8/2007	2,4-Dinitrotoluene	0.55	U ELAB	0.55	µg/L
WTE-EQB	3/8/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	2,6-Dinitrotoluene	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	2,6-Dinitrotoluene	0.66	U ELAB	0.66	µg/L
WTE-EQB	3/8/2007	2-Chloronaphthalene	0.81	U ELAB	0.81	µg/L
WTE-EQB	3/8/2007	2-Chloronaphthalene	0.82	U ELAB	0.82	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	3/8/2007	2-Chloronaphthalene	0.82	U ELAB	0.82	µg/L
WTE-EQB	3/8/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	2-Chlorophenol	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	2-Chlorophenol	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-EQB	3/8/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-EQB	3/8/2007	2-Chlorotoluene	0.09	U ELAB	0.09	µg/L
WTE-EQB	3/8/2007	2-Hexanone	0.59	I	0.21	µg/L
WTE-EQB	3/8/2007	2-Hexanone	1.7		0.21	µg/L
WTE-EQB	3/8/2007	2-Hexanone	0.21	U ELAB	0.21	µg/L
WTE-EQB	3/8/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-EQB	3/8/2007	2-Methyl-4,6-dinitrophenol	1.3	U ELAB	1.3	µg/L
WTE-EQB	3/8/2007	2-Methyl-4,6-dinitrophenol	1.4	U ELAB	1.4	µg/L
WTE-EQB	3/8/2007	2-Nitrophenol	0.82	U ELAB	0.82	µg/L
WTE-EQB	3/8/2007	2-Nitrophenol	0.83	U ELAB	0.83	µg/L
WTE-EQB	3/8/2007	2-Nitrophenol	0.84	U ELAB	0.84	µg/L
WTE-EQB	3/8/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	3,3-Dichlorobenzidine	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	3,3-Dichlorobenzidine	0.71	U ELAB	0.71	µg/L
WTE-EQB	3/8/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-EQB	3/8/2007	4-Bromophenyl phenyl ether	0.68	U ELAB	0.68	µg/L
WTE-EQB	3/8/2007	4-Bromophenyl phenyl ether	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-EQB	3/8/2007	4-Chloro-3-methyl phenol	0.63	U ELAB	0.63	µg/L
WTE-EQB	3/8/2007	4-Chloro-3-methyl phenol	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	4-Chlorophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	4-Chlorophenyl phenyl ether	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	4-Nitrophenol	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Acenaphthene	0.87	U ELAB	0.87	µg/L
WTE-EQB	3/8/2007	Acenaphthene	0.88	U ELAB	0.88	µg/L
WTE-EQB	3/8/2007	Acenaphthene	0.89	U ELAB	0.89	µg/L
WTE-EQB	3/8/2007	Acenaphthylene	0.96	U ELAB	0.96	µg/L
WTE-EQB	3/8/2007	Acenaphthylene	0.97	U ELAB	0.97	µg/L
WTE-EQB	3/8/2007	Acenaphthylene	0.98	U ELAB	0.98	µg/L
WTE-EQB	3/8/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-EQB	3/8/2007	Anthracene	0.61	U ELAB	0.61	µg/L
WTE-EQB	3/8/2007	Anthracene	0.62	U ELAB	0.62	µg/L
WTE-EQB	3/8/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	Benzene	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	Benzidine	0.78	U ELAB	0.78	µg/L
WTE-EQB	3/8/2007	Benzidine	0.79	U ELAB	0.79	µg/L
WTE-EQB	3/8/2007	Benzidine	0.79	U ELAB	0.79	µg/L
WTE-EQB	3/8/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	Benzo(a)anthracene	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	Benzo(a)anthracene	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-EQB	3/8/2007	Benzo(a)pyrene	0.59	U ELAB	0.59	µg/L
WTE-EQB	3/8/2007	Benzo(a)pyrene	0.6	U ELAB	0.6	µg/L
WTE-EQB	3/8/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-EQB	3/8/2007	Benzo(b)fluoranthene	0.63	U ELAB	0.63	µg/L
WTE-EQB	3/8/2007	Benzo(b)fluoranthene	0.64	U ELAB	0.64	µg/L
WTE-EQB	3/8/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	Benzo(g,h,i)perylene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	Benzo(g,h,i)perylene	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-EQB	3/8/2007	Benzo(k)fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-EQB	3/8/2007	Benzo(k)fluoranthene	0.53	U ELAB	0.53	µg/L
WTE-EQB	3/8/2007	bis((2-Chloroethyl)ether	0.76	U ELAB	0.76	µg/L
WTE-EQB	3/8/2007	bis((2-Chloroethyl)ether	0.77	U ELAB	0.77	µg/L
WTE-EQB	3/8/2007	bis((2-Chloroethyl)ether	0.77	U ELAB	0.77	µg/L
WTE-EQB	3/8/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	3/8/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-EQB	3/8/2007	bis(2-Chloroethoxy)methane	3	U ELAB	3	µg/L
WTE-EQB	3/8/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	bis(2-Chloroisopropyl)ether	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	bis(2-Chloroisopropyl)ether	0.75	U ELAB	0.75	µg/L
WTE-EQB	3/8/2007	bis(2-Ethylhexyl)phthalate	4.8	I	0.81	µg/L
WTE-EQB	3/8/2007	bis(2-Ethylhexyl)phthalate	0.82	U ELAB	0.82	µg/L
WTE-EQB	3/8/2007	bis(2-Ethylhexyl)phthalate	1.5	I V1	0.82	µg/L
WTE-EQB	3/8/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-EQB	3/8/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-EQB	3/8/2007	Bromobenzene	0.28	U ELAB	0.28	µg/L
WTE-EQB	3/8/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	Bromochloromethane	0.26	U ELAB	0.26	µg/L
WTE-EQB	3/8/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	Bromodichloromethane	0.23	U ELAB	0.23	µg/L
WTE-EQB	3/8/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-EQB	3/8/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-EQB	3/8/2007	Bromoform	0.22	U ELAB	0.22	µg/L
WTE-EQB	3/8/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Bromomethane (methyl bromide)	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-EQB	3/8/2007	Butyl benzyl phthalate	0.73	U ELAB	0.73	µg/L
WTE-EQB	3/8/2007	Butyl benzyl phthalate	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	Carbon tetrachloride	0.34	U ELAB	0.34	µg/L
WTE-EQB	3/8/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	Chloroethane	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Chloroform	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-EQB	3/8/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-EQB	3/8/2007	Chloromethane	0.43	U ELAB	0.43	µg/L
WTE-EQB	3/8/2007	Chrysene	0.37	U ELAB	0.37	µg/L
WTE-EQB	3/8/2007	Chrysene	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	Chrysene	0.38	U ELAB	0.38	µg/L
WTE-EQB	3/8/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	cis-1,2-Dichloroethene	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-EQB	3/8/2007	Dibenzo(a,h)anthracene	0.66	U ELAB	0.66	µg/L
WTE-EQB	3/8/2007	Dibenzo(a,h)anthracene	0.67	U ELAB	0.67	µg/L
WTE-EQB	3/8/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	Dibromochloromethane	0.14	U ELAB	0.14	µg/L
WTE-EQB	3/8/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	Dibromomethane	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	Dichlorodifluoromethane	0.18	U ELAB	0.18	µg/L
WTE-EQB	3/8/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Dichloromethane	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-EQB	3/8/2007	Diethylphthalate	0.52	U ELAB	0.52	µg/L
WTE-EQB	3/8/2007	Diethylphthalate	0.53	U ELAB	0.53	µg/L
WTE-EQB	3/8/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	Dimethylphthalate	0.65	U ELAB	0.65	µg/L
WTE-EQB	3/8/2007	Dimethylphthalate	0.66	U ELAB	0.66	µg/L
WTE-EQB	3/8/2007	Di-n-butylphthalate	0.41	U ELAB	0.41	µg/L
WTE-EQB	3/8/2007	Di-n-butylphthalate	0.42	U ELAB	0.42	µg/L
WTE-EQB	3/8/2007	Di-n-butylphthalate	0.42	U ELAB	0.42	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	3/8/2007	Di-n-octylphthalate	0.91	U ELAB	0.91	µg/L
WTE-EQB	3/8/2007	Di-n-octylphthalate	0.92	U ELAB	0.92	µg/L
WTE-EQB	3/8/2007	Di-n-octylphthalate	0.93	U ELAB	0.93	µg/L
WTE-EQB	3/8/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Ethylbenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-EQB	3/8/2007	Fluoranthene	0.55	U ELAB	0.55	µg/L
WTE-EQB	3/8/2007	Fluoranthene	0.56	U ELAB	0.56	µg/L
WTE-EQB	3/8/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-EQB	3/8/2007	Fluorene	0.57	U ELAB	0.57	µg/L
WTE-EQB	3/8/2007	Fluorene	0.58	U ELAB	0.58	µg/L
WTE-EQB	3/8/2007	Hexachlorobenzene	0.81	U ELAB	0.81	µg/L
WTE-EQB	3/8/2007	Hexachlorobenzene	0.82	U ELAB	0.82	µg/L
WTE-EQB	3/8/2007	Hexachlorobenzene	0.82	U ELAB	0.82	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Hexachlorobutadiene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-EQB	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-EQB	3/8/2007	Hexachlorocyclopentadiene	1.3	U ELAB	1.3	µg/L
WTE-EQB	3/8/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-EQB	3/8/2007	Hexachloroethane	0.72	U ELAB	0.72	µg/L
WTE-EQB	3/8/2007	Hexachloroethane	0.73	U ELAB	0.73	µg/L
WTE-EQB	3/8/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	Indeno(1,2,3-cd)pyrene	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	Indeno(1,2,3-cd)pyrene	0.75	U ELAB	0.75	µg/L
WTE-EQB	3/8/2007	Iodomethane	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Iodomethane	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Iodomethane	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	Isophorone	0.74	U ELAB	0.74	µg/L
WTE-EQB	3/8/2007	Isophorone	0.75	U ELAB	0.75	µg/L
WTE-EQB	3/8/2007	Methyl ethyl ketone	7.4	I	0.71	µg/L
WTE-EQB	3/8/2007	Methyl ethyl ketone	10	I	0.71	µg/L
WTE-EQB	3/8/2007	Methyl ethyl ketone	4.2	I V1	0.71	µg/L
WTE-EQB	3/8/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-EQB	3/8/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-EQB	3/8/2007	Methyl tert-butyl ether	0.16	U ELAB	0.16	µg/L
WTE-EQB	3/8/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Methylene chloride (Dichloromethane)	0.4	U ELAB	0.4	µg/L
WTE-EQB	3/8/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-EQB	3/8/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-EQB	3/8/2007	Naphthalene	0.06	U ELAB	0.06	µg/L
WTE-EQB	3/8/2007	Napthalene	0.79	U ELAB	0.79	µg/L
WTE-EQB	3/8/2007	Napthalene	0.8	U ELAB	0.8	µg/L
WTE-EQB	3/8/2007	Napthalene	0.8	U ELAB	0.8	µg/L
WTE-EQB	3/8/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	n-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	Nitrobenzene	1.1	U ELAB	1.1	µg/L
WTE-EQB	3/8/2007	n-Nitrosodimethylamine	0.98	U ELAB	0.98	µg/L
WTE-EQB	3/8/2007	n-Nitrosodimethylamine	0.99	U ELAB	0.99	µg/L
WTE-EQB	3/8/2007	n-Nitrosodimethylamine	1	U ELAB	1	µg/L
WTE-EQB	3/8/2007	n-Nitrosodi-n-propylamine	0.95	U ELAB	0.95	µg/L
WTE-EQB	3/8/2007	n-Nitrosodi-n-propylamine	0.96	U ELAB	0.96	µg/L
WTE-EQB	3/8/2007	n-Nitrosodi-n-propylamine	0.97	U ELAB	0.97	µg/L
WTE-EQB	3/8/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L
WTE-EQB	3/8/2007	n-Nitrosodiphenylamine	0.51	U ELAB	0.51	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	3/8/2007	n-Nitrosodiphenylamine	0.52	U ELAB	0.52	µg/L
WTE-EQB	3/8/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	n-Propylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	3/8/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-EQB	3/8/2007	Pentachlorophenol	0.67	U ELAB	0.67	µg/L
WTE-EQB	3/8/2007	Pentachlorophenol	0.68	U ELAB	0.68	µg/L
WTE-EQB	3/8/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-EQB	3/8/2007	Phenanthrene	0.53	U ELAB	0.53	µg/L
WTE-EQB	3/8/2007	Phenanthrene	0.54	U ELAB	0.54	µg/L
WTE-EQB	3/8/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	Pyrene	0.69	U ELAB	0.69	µg/L
WTE-EQB	3/8/2007	Pyrene	0.7	U ELAB	0.7	µg/L
WTE-EQB	3/8/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	sec-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	3/8/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	Styrene	0.25	U ELAB	0.25	µg/L
WTE-EQB	3/8/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	tert-Butylbenzene	0.29	U ELAB	0.29	µg/L
WTE-EQB	3/8/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Tetrachloroethene	0.36	U ELAB	0.36	µg/L
WTE-EQB	3/8/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	Toluene	0.35	U ELAB	0.35	µg/L
WTE-EQB	3/8/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	trans-1,2-Dichloroethene	0.2	U ELAB	0.2	µg/L
WTE-EQB	3/8/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Trichloroethene	0.3	U ELAB	0.3	µg/L
WTE-EQB	3/8/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-EQB	3/8/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-EQB	3/8/2007	Trichlorofluoromethane	0.12	U ELAB	0.12	µg/L
WTE-EQB	3/8/2007	Vinyl Chloride	0.32	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	Vinyl Chloride	0.17	U ELAB	0.17	µg/L
WTE-EQB	3/8/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-EQB	3/8/2007	Xylenes (total)	0.13	U ELAB	0.13	µg/L
WTE-FB	1/24/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-FB	1/24/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-FB	1/24/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-FB	1/24/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-FB	1/24/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-FB	1/24/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-FB	1/24/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-FB	1/24/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-FB	1/24/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-FB	1/24/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-FB	1/24/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-FB	1/24/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-FB	1/24/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/24/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-FB	1/24/2008	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-FB	1/24/2008	1,2-Dibromoethane	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-FB	1/24/2008	1,2-Dichlorobenzene	0.64	U ELAB	0.64	µg/L
WTE-FB	1/24/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-FB	1/24/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/24/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-FB	1/24/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-FB	1/24/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/24/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-FB	1/24/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/24/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-FB	1/24/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-FB	1/24/2008	2,4,6-Trichlorophenol	0.65	U ELAB	0.65	µg/L
WTE-FB	1/24/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-FB	1/24/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/24/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/24/2008	2,4-Dinitrotoluene	0.5	U ELAB	0.5	µg/L
WTE-FB	1/24/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-FB	1/24/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/24/2008	2-Chlorophenol	0.64	U ELAB	0.64	µg/L
WTE-FB	1/24/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-FB	1/24/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-FB	1/24/2008	3,3'-Dichlorobenzidine	0.65	U ELAB	0.73	µg/L
WTE-FB	1/24/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-FB	1/24/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-FB	1/24/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-FB	1/24/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-FB	1/24/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-FB	1/24/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-FB	1/24/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-FB	1/24/2008	Acenaphthylene	0.9	U ELAB	0.9	µg/L
WTE-FB	1/24/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-FB	1/24/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-FB	1/24/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-FB	1/24/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-FB	1/24/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-FB	1/24/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-FB	1/24/2008	Benzo(g,h,i)perylene	0.64	U ELAB	0.64	µg/L
WTE-FB	1/24/2008	Benzo(k)fluoranthene	0.48	U ELAB	0.48	µg/L
WTE-FB	1/24/2008	bis((2-Chloroethyl)ether	0.71	U ELAB	0.71	µg/L
WTE-FB	1/24/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-FB	1/24/2008	bis(2-Chloroisopropyl)ether	0.69	U ELAB	0.69	µg/L
WTE-FB	1/24/2008	bis(2-Ethylhexyl)phthalate	0.99	U ELAB	0.76	µg/L
WTE-FB	1/24/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/24/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-FB	1/24/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/24/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-FB	1/24/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-FB	1/24/2008	Butyl benzyl phthalate	0.68	U ELAB	0.68	µg/L
WTE-FB	1/24/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-FB	1/24/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-FB	1/24/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-FB	1/24/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-FB	1/24/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-FB	1/24/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-FB	1/24/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-FB	1/24/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-FB	1/24/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-FB	1/24/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-FB	1/24/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/24/2008	Dichloromethane (methylene chloride)	0.46	U ELAB	0.46	µg/L
WTE-FB	1/24/2008	Diethyl phthalate	0.48	U ELAB	0.48	µg/L
WTE-FB	1/24/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-FB	1/24/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-FB	1/24/2008	Di-n-octyl phthalate	0.85	U ELAB	0.85	µg/L
WTE-FB	1/24/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-FB	1/24/2008	Fluoranthene	0.51	U ELAB	0.51	µg/L
WTE-FB	1/24/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-FB	1/24/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/24/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-FB	1/24/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-FB	1/24/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-FB	1/24/2008	Hexachloroethane	0.67	U ELAB	0.67	µg/L
WTE-FB	1/24/2008	Indeno(1,2,3-cd)pyrene	0.69	U ELAB	0.69	µg/L
WTE-FB	1/24/2008	Isophorone	0.69	U ELAB	0.69	µg/L
WTE-FB	1/24/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/24/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-FB	1/24/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-FB	1/24/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-FB	1/24/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-FB	1/24/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-FB	1/24/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-FB	1/24/2008	n-Decane	0.78	U ELAB	0.68	µg/L
WTE-FB	1/24/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-FB	1/24/2008	n-Nitrosodimethylamine	0.92	U ELAB	0.92	µg/L
WTE-FB	1/24/2008	n-Nitrosodi-n-propylamine	0.89	U ELAB	0.89	µg/L
WTE-FB	1/24/2008	n-Nitrosodiphenylamine	0.47	U ELAB	0.47	µg/L
WTE-FB	1/24/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-FB	1/24/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-FB	1/24/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-FB	1/24/2008	Phenanthrene	0.49	U ELAB	0.49	µg/L
WTE-FB	1/24/2008	Pyrene	0.64	U ELAB	0.64	µg/L
WTE-FB	1/24/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-FB	1/24/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-FB	1/24/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-FB	1/24/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-FB	1/24/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/24/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-FB	1/24/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/24/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-FB	1/24/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/25/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-FB	1/25/2008	1,1,1,2-Tetrachloroethane	0.28	U ELAB	0.28	µg/L
WTE-EQB	1/25/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-FB	1/25/2008	1,1,1-Trichloroethane	0.42	U ELAB	0.42	µg/L
WTE-EQB	1/25/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-FB	1/25/2008	1,1,2,2-Tetrachloroethane	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-FB	1/25/2008	1,1,2-Trichloro-1,2,2-trifluoroethane	0.39	U ELAB	0.39	µg/L
WTE-EQB	1/25/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-FB	1/25/2008	1,1,2-Trichloroethane	0.33	U ELAB	0.33	µg/L
WTE-EQB	1/25/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-FB	1/25/2008	1,1-Dichloroethane	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/25/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-FB	1/25/2008	1,1-Dichloroethene	0.24	U ELAB	0.24	µg/L
WTE-EQB	1/25/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-FB	1/25/2008	1,1-Dichloropropene	0.33	U ELAB	0.33	µg/L
WTE-EQB	1/25/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-FB	1/25/2008	1,2,3-Trichlorobenzene	0.39	U ELAB	0.39	µg/L
WTE-EQB	1/25/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-FB	1/25/2008	1,2,3-Trichloropropane	0.4	U ELAB	0.4	µg/L
WTE-EQB	1/25/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-FB	1/25/2008	1,2,3-Trimethylbenzene	0.21	U ELAB	0.21	µg/L
WTE-EQB	1/25/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-FB	1/25/2008	1,2,4-Trichlorobenzene	0.28	U ELAB	0.28	µg/L
WTE-EQB	1/25/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/25/2008	1,2,4-Trimethylbenzene	0.23	U ELAB	0.23	µg/L
WTE-EQB	1/25/2008	1,2-Dibromo-3-chloropropane	0.004	U ELAB	0.004	µg/L
WTE-FB	1/25/2008	1,2-Dibromo-3-chloropropane	0.0041	U ELAB	0.0041	µg/L
WTE-EQB	1/25/2008	1,2-Dibromoethane	0.0063	U ELAB	0.0063	µg/L
WTE-FB	1/25/2008	1,2-Dibromoethane	0.0064	U ELAB	0.0064	µg/L
WTE-EQB	1/25/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-FB	1/25/2008	1,2-Dibromomethane	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-FB	1/25/2008	1,2-Dichlorobenzene	0.2	U ELAB	0.2	µg/L
WTE-EQB	1/25/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-FB	1/25/2008	1,2-Dichloroethane	0.37	U ELAB	0.37	µg/L
WTE-EQB	1/25/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/25/2008	1,2-Dichloropropane	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/25/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-FB	1/25/2008	1,3,5-Trimethylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	1/25/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/25/2008	1,3-Dichlorobenzene	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-FB	1/25/2008	1,3-Dichloropropane	0.26	U ELAB	0.26	µg/L
WTE-EQB	1/25/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/25/2008	1,4-Dichlorobenzene	0.23	U ELAB	0.23	µg/L
WTE-EQB	1/25/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-FB	1/25/2008	2,2-Dichloropropane	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/25/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-FB	1/25/2008	2-Chlorotoluene	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/25/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-FB	1/25/2008	4-Chlorotoluene	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/25/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-FB	1/25/2008	Benzene	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/25/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-FB	1/25/2008	Bromobenzene	0.23	U ELAB	0.23	µg/L
WTE-EQB	1/25/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-FB	1/25/2008	Bromochloromethane	0.39	U ELAB	0.39	µg/L
WTE-EQB	1/25/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/25/2008	Bromodichloromethane	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/25/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-FB	1/25/2008	Bromoform	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/25/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-FB	1/25/2008	Bromomethane (methyl bromide)	0.48	U ELAB	0.48	µg/L
WTE-EQB	1/25/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-FB	1/25/2008	Carbon tetrachloride	0.39	U ELAB	0.39	µg/L
WTE-EQB	1/25/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-FB	1/25/2008	Chloroethane	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/25/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-FB	1/25/2008	Chloroform	0.33	U ELAB	0.33	µg/L
WTE-EQB	1/25/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-FB	1/25/2008	Chloromethane	0.29	U ELAB	0.29	µg/L
WTE-EQB	1/25/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-FB	1/25/2008	cis-1,2-Dichloroethene	0.28	U ELAB	0.28	µg/L
WTE-EQB	1/25/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-FB	1/25/2008	Dibromochloromethane	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/25/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-FB	1/25/2008	Dibromomethane	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/25/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/25/2008	Dichlorodifluoromethane	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/25/2008	Dichloromethane	0.46	U ELAB	0.46	µg/L
WTE-FB	1/25/2008	Dichloromethane	0.46	U ELAB	0.46	µg/L
WTE-EQB	1/25/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-FB	1/25/2008	Ethylbenzene	0.15	U ELAB	0.15	µg/L
WTE-EQB	1/25/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-FB	1/25/2008	Hexachlorobutadiene	0.47	U ELAB	0.47	µg/L
WTE-EQB	1/25/2008	Iodomethane	0.38	U ELAB	0.38	µg/L
WTE-FB	1/25/2008	Iodomethane	0.38	U ELAB	0.38	µg/L
WTE-EQB	1/25/2008	Methyl ethyl ketone	2.5	U ELAB	0.62	µg/L
WTE-FB	1/25/2008	Methyl ethyl ketone	0.62	U ELAB	0.62	µg/L
WTE-EQB	1/25/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-FB	1/25/2008	Methyl tert-butyl ether	0.48	U ELAB	0.48	µg/L
WTE-EQB	1/25/2008	Methylene chloride (Dichloromethane)	0.46	U ELAB	0.46	µg/L
WTE-FB	1/25/2008	Methylene chloride (Dichloromethane)	0.46	U ELAB	0.46	µg/L
WTE-EQB	1/25/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-FB	1/25/2008	Monochlorobenzene	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/25/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-FB	1/25/2008	Naphthalene	0.22	U ELAB	0.22	µg/L
WTE-EQB	1/25/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-FB	1/25/2008	n-Butylbenzene	0.36	U ELAB	0.36	µg/L
WTE-EQB	1/25/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/25/2008	n-Propylbenzene	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-FB	1/25/2008	sec-Butylbenzene	0.32	U ELAB	0.32	µg/L
WTE-EQB	1/25/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/25/2008	Styrene	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-FB	1/25/2008	tert-Butylbenzene	0.31	U ELAB	0.31	µg/L
WTE-EQB	1/25/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/25/2008	Tetrachloroethene	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/25/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-FB	1/25/2008	Toluene	0.33	U ELAB	0.33	µg/L
WTE-EQB	1/25/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-FB	1/25/2008	trans-1,2-Dichloroethene	0.27	U ELAB	0.27	µg/L
WTE-EQB	1/25/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-FB	1/25/2008	Trichloroethene	0.22	U ELAB	0.22	µg/L
WTE-EQB	1/25/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-FB	1/25/2008	Trichlorofluoromethane	0.25	U ELAB	0.25	µg/L
WTE-EQB	1/25/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-FB	1/25/2008	Vinyl Chloride	0.42	U ELAB	0.42	µg/L
WTE-EQB	1/25/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-FB	1/25/2008	Xylenes (total)	0.3	U ELAB	0.3	µg/L
WTE-EQB	1/31/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-FB	1/31/2008	1,2,4-Trichlorobenzene	0.79	U ELAB	0.79	µg/L
WTE-FB	1/31/2008	1,2,4-Trichlorobenzene	0.8	U ELAB	0.8	µg/L
WTE-EQB	1/31/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	1,2-Dichlorobenzene	0.65	U ELAB	0.65	µg/L
WTE-EQB	1/31/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	1,2-Diphenylhydrazine	0.63	U ELAB	0.63	µg/L
WTE-EQB	1/31/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L
WTE-FB	1/31/2008	1,3-Dichlorobenzene	0.72	U ELAB	0.72	µg/L
WTE-FB	1/31/2008	1,3-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-EQB	1/31/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	1,4-Dichlorobenzene	0.73	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	1,4-Dichlorobenzene	0.74	U ELAB	0.74	µg/L
WTE-EQB	1/31/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-FB	1/31/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-FB	1/31/2008	2,4,6-Trichlorophenol	0.66	U ELAB	0.66	µg/L
WTE-EQB	1/31/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-FB	1/31/2008	2,4-Dichlorophenol	0.53	U ELAB	0.53	µg/L
WTE-FB	1/31/2008	2,4-Dichlorophenol	0.54	U ELAB	0.54	µg/L
WTE-EQB	1/31/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/31/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/31/2008	2,4-Dimethylphenol	1.5	U ELAB	1.5	µg/L
WTE-EQB	1/31/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/31/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-FB	1/31/2008	2,4-Dinitrophenol	1.5	U ELAB	1.5	µg/L
WTE-EQB	1/31/2008	2,4-Dinitrotoluene	0.51	U ELAB	0.51	µg/L
WTE-FB	1/31/2008	2,4-Dinitrotoluene	0.5	U ELAB	0.5	µg/L
WTE-FB	1/31/2008	2,4-Dinitrotoluene	0.51	U ELAB	0.51	µg/L
WTE-EQB	1/31/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-FB	1/31/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-FB	1/31/2008	2,6-Dinitrotoluene	0.61	U ELAB	0.61	µg/L
WTE-EQB	1/31/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	2-Chloronaphthalene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	2-Chloronaphthalene	0.77	U ELAB	0.77	µg/L
WTE-EQB	1/31/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	2-Chlorophenol	0.65	U ELAB	0.65	µg/L
WTE-EQB	1/31/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-FB	1/31/2008	2-Nitrophenol	0.77	U ELAB	0.77	µg/L
WTE-FB	1/31/2008	2-Nitrophenol	0.78	U ELAB	0.78	µg/L
WTE-EQB	1/31/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	3,3'-Dichlorobenzidine	0.66	U ELAB	0.74	µg/L
WTE-EQB	1/31/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-FB	1/31/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-FB	1/31/2008	4,6-Dinitro-2-methylphenol	1.3	U ELAB	1.3	µg/L
WTE-EQB	1/31/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-FB	1/31/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-FB	1/31/2008	4-Bromophenyl phenyl ether	0.64	U ELAB	0.64	µg/L
WTE-EQB	1/31/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-FB	1/31/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-FB	1/31/2008	4-Chloro-3-methylphenol	0.59	U ELAB	0.59	µg/L
WTE-EQB	1/31/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-FB	1/31/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/31/2008	4-Chlorophenyl phenyl ether	0.6	U ELAB	0.6	µg/L
WTE-EQB	1/31/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	4-Nitrophenol	1	U ELAB	1	µg/L
WTE-EQB	1/31/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-FB	1/31/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-FB	1/31/2008	Acenaphthene	0.82	U ELAB	0.82	µg/L
WTE-EQB	1/31/2008	Acenaphthylene	0.91	U ELAB	0.91	µg/L
WTE-FB	1/31/2008	Acenaphthylene	0.9	U ELAB	0.9	µg/L
WTE-FB	1/31/2008	Acenaphthylene	0.91	U ELAB	0.91	µg/L
WTE-EQB	1/31/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-FB	1/31/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-FB	1/31/2008	Anthracene	0.57	U ELAB	0.57	µg/L
WTE-EQB	1/31/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	Benzidine	0.73	U ELAB	0.73	µg/L
WTE-FB	1/31/2008	Benzidine	0.74	U ELAB	0.74	µg/L
WTE-EQB	1/31/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-FB	1/31/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-FB	1/31/2008	Benzo(a)anthracene	0.6	U ELAB	0.6	µg/L
WTE-EQB	1/31/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-FB	1/31/2008	Benzo(a)pyrene	0.55	U ELAB	0.55	µg/L
WTE-FB	1/31/2008	Benzo(a)pyrene	0.56	U ELAB	0.56	µg/L
WTE-EQB	1/31/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-FB	1/31/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-FB	1/31/2008	Benzo(b)fluoranthene	0.59	U ELAB	0.59	µg/L
WTE-EQB	1/31/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	Benzo(g,h,i)perylene	0.65	U ELAB	0.65	µg/L
WTE-EQB	1/31/2008	Benzo(k)fluoranthene	0.49	U ELAB	0.49	µg/L
WTE-FB	1/31/2008	Benzo(k)fluoranthene	0.48	U ELAB	0.48	µg/L
WTE-FB	1/31/2008	Benzo(k)fluoranthene	0.49	U ELAB	0.49	µg/L
WTE-EQB	1/31/2008	bis((2-Chloroethyl)ether	0.72	U ELAB	0.72	µg/L
WTE-FB	1/31/2008	bis((2-Chloroethyl)ether	0.71	U ELAB	0.71	µg/L
WTE-FB	1/31/2008	bis((2-Chloroethyl)ether	0.72	U ELAB	0.72	µg/L
WTE-EQB	1/31/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-FB	1/31/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-FB	1/31/2008	bis(2-Chloroethoxy)methane	2.8	U ELAB	2.8	µg/L
WTE-EQB	1/31/2008	bis(2-Chloroisopropyl)ether	0.7	U ELAB	0.7	µg/L
WTE-FB	1/31/2008	bis(2-Chloroisopropyl)ether	0.69	U ELAB	0.69	µg/L
WTE-FB	1/31/2008	bis(2-Chloroisopropyl)ether	0.7	U ELAB	0.7	µg/L
WTE-EQB	1/31/2008	bis(2-Ethylhexyl)phthalate	1.2	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	bis(2-Ethylhexyl)phthalate	0.76	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	bis(2-Ethylhexyl)phthalate	0.77	U ELAB	0.77	µg/L
WTE-EQB	1/31/2008	Butyl benzyl phthalate	0.69	U ELAB	0.69	µg/L
WTE-FB	1/31/2008	Butyl benzyl phthalate	0.68	U ELAB	0.68	µg/L
WTE-FB	1/31/2008	Butyl benzyl phthalate	0.69	U ELAB	0.69	µg/L
WTE-EQB	1/31/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-FB	1/31/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-FB	1/31/2008	Carbazole	0.45	U ELAB	0.45	µg/L
WTE-EQB	1/31/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-FB	1/31/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-FB	1/31/2008	Chrysene	0.35	U ELAB	0.35	µg/L
WTE-EQB	1/31/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-FB	1/31/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-FB	1/31/2008	Dibenzo(a,h)anthracene	0.62	U ELAB	0.62	µg/L
WTE-EQB	1/31/2008	Diethyl phthalate	0.49	U ELAB	0.49	µg/L
WTE-FB	1/31/2008	Diethyl phthalate	0.48	U ELAB	0.48	µg/L
WTE-FB	1/31/2008	Diethyl phthalate	0.49	U ELAB	0.49	µg/L
WTE-EQB	1/31/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-FB	1/31/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-FB	1/31/2008	Dimethyl phthalate	0.61	U ELAB	0.61	µg/L
WTE-EQB	1/31/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-FB	1/31/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-FB	1/31/2008	Di-n-butyl phthalate	0.39	U ELAB	0.39	µg/L
WTE-EQB	1/31/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-FB	1/31/2008	Di-n-octyl phthalate	0.85	U ELAB	0.85	µg/L
WTE-FB	1/31/2008	Di-n-octyl phthalate	0.86	U ELAB	0.86	µg/L
WTE-EQB	1/31/2008	Fluoranthene	0.51	U ELAB	0.51	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-FB	1/31/2008	Fluoranthene	0.51	U ELAB	0.51	µg/L
WTE-FB	1/31/2008	Fluoranthene	0.52	U ELAB	0.52	µg/L
WTE-EQB	1/31/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-FB	1/31/2008	Fluorene	0.53	U ELAB	0.53	µg/L
WTE-FB	1/31/2008	Fluorene	0.54	U ELAB	0.54	µg/L
WTE-EQB	1/31/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	Hexachlorobenzene	0.76	U ELAB	0.76	µg/L
WTE-FB	1/31/2008	Hexachlorobenzene	0.77	U ELAB	0.77	µg/L
WTE-EQB	1/31/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	Hexachlorobutadiene	1	U ELAB	1	µg/L
WTE-EQB	1/31/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-FB	1/31/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-FB	1/31/2008	Hexachlorocyclopentadiene	1.2	U ELAB	1.2	µg/L
WTE-EQB	1/31/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-FB	1/31/2008	Hexachloroethane	0.67	U ELAB	0.67	µg/L
WTE-FB	1/31/2008	Hexachloroethane	0.68	U ELAB	0.68	µg/L
WTE-EQB	1/31/2008	Indeno(1,2,3-cd)pyrene	0.7	U ELAB	0.7	µg/L
WTE-FB	1/31/2008	Indeno(1,2,3-cd)pyrene	0.69	U ELAB	0.69	µg/L
WTE-FB	1/31/2008	Indeno(1,2,3-cd)pyrene	0.7	U ELAB	0.7	µg/L
WTE-EQB	1/31/2008	Isophorone	0.7	U ELAB	0.7	µg/L
WTE-FB	1/31/2008	Isophorone	0.69	U ELAB	0.69	µg/L
WTE-FB	1/31/2008	Isophorone	0.7	U ELAB	0.7	µg/L
WTE-EQB	1/31/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	m&p-Cresol	0.63	U ELAB	0.63	µg/L
WTE-EQB	1/31/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-FB	1/31/2008	Naphthalene	0.74	U ELAB	0.74	µg/L
WTE-FB	1/31/2008	Naphthalene	0.75	U ELAB	0.75	µg/L
WTE-EQB	1/31/2008	n-Decane	0.69	I V1	0.69	µg/L
WTE-FB	1/31/2008	n-Decane	0.83	I V1	0.68	µg/L
WTE-FB	1/31/2008	n-Decane	0.96	I V1	0.69	µg/L
WTE-EQB	1/31/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	Nitrobenzene	1	U ELAB	1	µg/L
WTE-FB	1/31/2008	Nitrobenzene	1	U ELAB	1	µg/L

WELL ID	DATE	PARAMETER	RESULT	QUALIFR	MDL	UNITS
WTE-EQB	1/31/2008	n-Nitrosodimethylamine	0.93	U ELAB	0.93	µg/L
WTE-FB	1/31/2008	n-Nitrosodimethylamine	0.92	U ELAB	0.92	µg/L
WTE-FB	1/31/2008	n-Nitrosodimethylamine	0.93	U ELAB	0.93	µg/L
WTE-EQB	1/31/2008	n-Nitrosodi-n-propylamine	0.9	U ELAB	0.9	µg/L
WTE-FB	1/31/2008	n-Nitrosodi-n-propylamine	0.89	U ELAB	0.89	µg/L
WTE-FB	1/31/2008	n-Nitrosodi-n-propylamine	0.9	U ELAB	0.9	µg/L
WTE-EQB	1/31/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-FB	1/31/2008	n-Nitrosodiphenylamine	0.47	U ELAB	0.47	µg/L
WTE-FB	1/31/2008	n-Nitrosodiphenylamine	0.48	U ELAB	0.48	µg/L
WTE-EQB	1/31/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-FB	1/31/2008	n-Octadecane	0.51	U ELAB	0.51	µg/L
WTE-FB	1/31/2008	n-Octadecane	0.52	U ELAB	0.52	µg/L
WTE-EQB	1/31/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-FB	1/31/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-FB	1/31/2008	o-Cresol	1.4	U ELAB	1.4	µg/L
WTE-EQB	1/31/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-FB	1/31/2008	Pentachlorophenol	0.63	U ELAB	0.63	µg/L
WTE-EQB	1/31/2008	Phenanthrene	0.5	U ELAB	0.5	µg/L
WTE-FB	1/31/2008	Phenanthrene	0.49	U ELAB	0.49	µg/L
WTE-FB	1/31/2008	Phenanthrene	0.5	U ELAB	0.5	µg/L
WTE-EQB	1/31/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-FB	1/31/2008	Pyrene	0.65	U ELAB	0.65	µg/L
WTE-TRPB	1/7/2010	1,1,1,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,1,1-Trichloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,1,2,2-Tetrachloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,1,2-Trichloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,1-Dichloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,1-Dichloroethene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,2,3-Trichloropropane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,2-dichloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	1,2-dichloropropane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	2-Butanone (MEK)	1	U	1	ug/L
WTE-TRPB	1/7/2010	2-Hexanone	1	U	1	ug/L
WTE-TRPB	1/7/2010	Acetone	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Acrylonitrile	5	U	5	ug/L
WTE-TRPB	1/7/2010	Benzene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Bromochloromethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Bromodichloromethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Bromoform	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Bromomethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Carbon Disulfide	1	U	1	ug/L
WTE-TRPB	1/7/2010	Carbon Tetrachloride	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Chlorobenzene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Chloroethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Chloroform	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Chloromethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	cis-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	cis-1,3-Dichloropropene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Dibromochloromethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Dibromomethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Ethylbenzene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Methyl Iodide	1	U	1	ug/L
WTE-TRPB	1/7/2010	Methyl isobutyl ketone	1	U	1	ug/L
WTE-TRPB	1/7/2010	Methylene chloride	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	o-dichlorobenzene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Para-dichlorobenzene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Styrene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Tetrachloroethene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Toluene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	trans-1,2-dichloroethene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	trans-1,3,-Dichloropropene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	trans-1,4-dichloro-2-butene	1	U	1	ug/L
WTE-TRPB	1/7/2010	Trichloroethene	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Trichlorofluoromethane	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Vinyl chloride	0.5	U	0.5	ug/L
WTE-TRPB	1/7/2010	Xylenes	0.5	U	0.5	ug/L

Attachment 5

Summary of Ground Water Monitoring Data for all Wells for 5 parameters to be Eliminated (TOC, Manganese, Zinc, TKN, and Selenium)

- Historical Zinc, TOC, and Manganese Concentrations in wells WTE-1S/1D through WTE-6S/6D
- Historical TKN and Selenium Concentrations in wells WTE-1S/1D through WTE-6S/6D

Historical Zinc, TOC, and Manganese Concentrations in WTE-1S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.01		0.01	7/27/1994	35		1	7/27/1993	0.04		0.01
7/27/1994	0.01		0.01	7/11/1995	23		1	7/27/1994	0.02		0.01
7/11/1995	0.01		0.01	7/23/1996	78		1	3/26/2003	0.02		0.01
7/23/1996	0.01		0.01	1/9/1997	15.6		1	3/26/2003	0.03		0.01
1/9/1997	0.01		0.01	2/11/1998	12		1	5/21/2003	0.02		0.01
2/11/1998	Not detected		0.01	2/4/1999	12		1	5/21/2003	0.02		0.01
2/4/1999	0.02		0.01	1/27/2000	15		1	7/14/2003	Not detected		0.01
1/27/2000	Not detected		0.01	1/31/2001	13		1	10/20/2003	0.01		0.01
1/31/2001	Not detected		0.01	3/26/2003	6.1	STL	1	1/7/2004	0.02		0.01
3/26/2003	Not detected		0.01	3/26/2003	12	STL	1	1/7/2004	0.02		0.01
3/26/2003	Not detected		0.01	5/21/2003	14	STL	1	4/20/2004	0.02		0.01
5/21/2003	Not detected		0.01	5/21/2003	8.1	STL	1	4/20/2004	0.02		0.01
5/21/2003	Not detected		0.01	7/14/2003	10	STL	1	7/21/2004	0.03		0.01
10/20/2003	Not detected		0.01	10/20/2003	13	STL	1	10/22/2004	Not detected	U	0.01
1/7/2004	0.01		0.01	1/7/2004	25	STL	0.53	1/13/2005	0.01	U	0.01
1/7/2004	0.01		0.01	1/7/2004	18	STL	0.53	4/27/2005	0.01	U	0.01
4/20/2004	Not detected		0.01	4/20/2004	15	STL	0.53	7/21/2005	0.01	U	0.01
4/20/2004	Not detected		0.01	4/20/2004	15	STL	0.53	10/13/2005	0.01	U	0.01
7/21/2004	0.02		0.01	7/21/2004	13	STL	0.53	10/13/2005	0.01	U	0.01
10/22/2004	Not detected	U	0.01	10/22/2004	17	STL	0.53	1/25/2006	0.02	I	0.01
1/13/2005	0.01	U	0.01	1/13/2005	16	STL	0.53	1/25/2006	0.02	I	0.01
4/27/2005	0.09		0.004	4/27/2005	13	ELAB	0.08	4/20/2006	0.01	U	0.01
7/21/2005	0.01	U	0.01	7/21/2005	12	ELAB	0.08	7/27/2006	0.02	I	0.01
10/13/2005	0.01	U	0.01	10/13/2005	12	ELAB	0.08	10/30/2006	0.01	U	0.01
10/13/2005	0.01	U	0.01	10/13/2005	12	ELAB	0.08	1/19/2007	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/25/2006	13.1		0.08	1/19/2007	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/25/2006	13.2		0.08	4/26/2007	0.022	I	0.01
4/20/2006	0.01	U	0.01	4/20/2006	13.8		0.08	7/30/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	7/27/2006	11.5		0.2	10/29/2007	0.015	ELAB	0.0025
10/30/2006	0.005	U	0.005	10/30/2006	11.5		0.5	1/25/2008	0.01	I	0.01
1/19/2007	0.024		0.005	1/19/2007	11.9		0.5	1/25/2008	0.01	I	0.01
1/19/2007	0.029		0.005	1/19/2007	11.8		0.5	4/17/2008	0.0155		0.01
4/26/2007	0.005	U	0.005	4/26/2007	11.8		0.5	8/5/2008	0.0122		0.01
7/30/2007	0.005	U	0.005	7/30/2007	11.8		0.5	10/28/2008	0.0126		0.01
10/29/2007	0.005	U	0.005	10/29/2007	11.2		1	1/7/2009	0.0194		0.01
1/25/2008	0.005	U	0.005	1/25/2008	11.9		1	4/15/2009	0.0225		0.01
1/25/2008	0.005	U	0.005	1/25/2008	12.1		1	7/8/2009	0.0145		0.01
4/17/2008	0.01	U	0.01	4/17/2008	11		1	10/6/2009	0.0119		0.01
8/5/2008	0.01	U	0.01	8/5/2008	12.8		1	1/7/2010	0.015		0.01
10/28/2008	0.016		0.01	10/28/2008	12.2		1	4/7/2010	0.0126		0.01
1/7/2009	0.01	U	0.01	1/7/2009	84.2		1				
4/15/2009	0.01	U	0.01	4/15/2009	12.5		1				
7/8/2009	0.01	U	0.01	7/8/2009	12.2		1				
10/6/2009	0.01	U	0.01	10/6/2009	12.2		1				
1/7/2010	0.01	U	0.01	1/7/2010	14.1		1				
4/7/2010	0.01	U	0.01	4/7/2010	11.6		1				

Historical Zinc, TOC, and Manganese Concentrations in WTE-1D

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	Not detected		0.01	7/27/1994	14		1	7/27/1993	0.01		0.01
7/27/1994	0.01		0.01	7/11/1995	24		1	7/27/1994	Not detected		0.01
7/11/1995	Not detected		0.01	7/23/1996	55		1	3/27/2003	0.02		0.01
7/23/1996	Not detected		0.01	1/9/1997	29.3		1	5/21/2003	Not detected		0.01
1/9/1997	0.07		0.01	2/11/1998	4.8		1	7/14/2003	Not detected		0.01
2/11/1998	Not detected		0.01	2/4/1999	5.9		1	10/20/2003	Not detected		0.01
2/4/1999	0.02		0.01	4/20/2000	5.8		1	1/7/2004	Not detected		0.01
4/20/2000	0.03		0.01	1/31/2001	6.5		1	4/20/2004	Not detected		0.01
1/31/2001	0.01		0.01	3/27/2003	5.6	STL	1	7/21/2004	0.01		0.01
3/27/2003	0.01		0.01	5/21/2003	5.3	STL	1	10/22/2004	Not detected	U	0.01
5/21/2003	Not detected		0.01	7/14/2003	5.4	STL	1	1/13/2005	0.01	U	0.01
10/20/2003	Not detected		0.01	10/20/2003	5.9	STL	1	4/27/2005	0.01	U	0.01
1/7/2004	0.01		0.01	1/7/2004	7.5	STL	1	7/21/2005	0.01	U	0.01
4/20/2004	Not detected		0.01	4/20/2004	6.9	STL	0.53	10/13/2005	0.01	U	0.01
7/21/2004	0.02		0.01	7/21/2004	6	STL	0.53	1/25/2006	0.01	U	0.01
10/22/2004	Not detected	U	0.01	10/22/2004	9.3	STL	0.53	4/20/2006	0.01	U	0.01
1/13/2005	0.01	U	0.01	1/13/2005	7.9	STL	0.53	7/27/2006	0.01	U	0.01
4/27/2005	0.004	U V1	0.004	4/27/2005	5.1	ELAB	0.08	7/27/2006	0.01	U	0.01
7/21/2005	0.01	U	0.01	7/21/2005	5.4	ELAB	0.08	10/30/2006	0.01	U	0.01
10/13/2005	0.01	U	0.01	10/13/2005	6.4	ELAB	0.08	1/19/2007	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/25/2006	5.74		0.08	4/26/2007	0.01	U	0.01
4/20/2006	0.01	U	0.01	4/20/2006	6.17		0.08	4/26/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	7/27/2006	5.98		0.2	7/30/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	7/27/2006	5.84		0.2	7/30/2007	0.01	U	0.01
10/30/2006	0.005	U	0.005	10/30/2006	5.84		0.5	10/29/2007	0.0025	U ELAB	0.0025
1/19/2007	0.005	U	0.005	1/19/2007	5.97		0.5	10/29/2007	0.0025	U ELAB	0.0025
4/26/2007	0.005	U	0.005	4/26/2007	5.45		0.5	1/25/2008	0.01	U	0.01
4/26/2007	0.005	U	0.005	4/26/2007	5.47		0.5	4/17/2008	0.01	U	0.01
7/30/2007	0.005	U	0.005	7/30/2007	5.56		0.5	8/5/2008	0.01	U	0.01
7/30/2007	0.005	U	0.005	7/30/2007	5.54		0.5	10/28/2008	0.01	U	0.01
10/29/2007	0.005	U	0.005	10/29/2007	5.31		1	1/7/2009	0.0182		0.01
10/29/2007	0.005	U	0.005	10/29/2007	5.29		1	4/15/2009	0.01	U	0.01
1/25/2008	0.005	U	0.005	1/25/2008	5.74		1	7/8/2009	0.01	U	0.01
4/17/2008	0.01	U	0.01					10/6/2009	0.01	U	0.01
8/5/2008	0.01	U	0.01					1/7/2010	0.01	U	0.01
10/28/2008	0.0152		0.01					4/7/2010	0.01	U	0.01
1/7/2009	0.01	U	0.01								
4/15/2009	0.01	U	0.01								
7/8/2009	0.01	U	0.01								
10/6/2009	0.01	U	0.01								
1/7/2010	0.01	U	0.01								
4/7/2010	0.01	U	0.01								

Historical Zinc, TOC, and Manganese Concentrations in WTE-2S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.01		0.01	7/27/1994	140		1	7/27/1993	0.1		0.01
7/27/1994	0.02		0.01	7/11/1995	69		1	7/27/1994	0.05		0.01
7/11/1995	0.01		0.01	7/23/1996	124		1	3/26/2003	0.05		0.01
7/23/1996	0.02		0.01	2/11/1998	14		1	7/14/2003	Not detected		0.01
2/11/1998	0.02		0.01	1/27/2000	17		1	1/7/2004	0.05		0.01
1/27/2000	Not detected		0.01	3/26/2003	14	STL	1	7/21/2004	0.03		0.01
1/7/2004	0.02		0.01	7/14/2003	18	STL	1	1/13/2005	0.01	U	0.01
7/21/2004	0.02		0.01	1/7/2004	22	STL	0.53	7/21/2005	0.01	U	0.01
1/13/2005	0.01	U	0.01	7/21/2004	15	STL	0.53	1/25/2006	0.03	I	0.01
7/21/2005	0.01	U	0.01	1/13/2005	17	STL	0.53	7/27/2006	0.03	I	0.01
1/25/2006	0.01	U	0.01	7/21/2005	7.6	ELAB	0.08	1/19/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	1/25/2006	13		0.08	7/30/2007	0.012	I	0.01
1/19/2007	0.009	I	0.005	7/27/2006	12.7		0.2	1/25/2008	0.01	U	0.01
7/30/2007	0.005	U	0.005	1/19/2007	12.5		0.5	8/5/2008	0.0238		0.01
1/25/2008	0.005	U	0.005	7/30/2007	12.8		0.5	1/7/2009	0.0342		0.01
8/5/2008	0.01	U	0.01	1/25/2008	12.7		1	7/8/2009	0.0231		0.01
1/7/2009	0.01	U	0.01	8/5/2008	6.33		1	1/7/2010	0.0251		0.01
7/8/2009	0.01	U	0.01	1/7/2009	87.8		1				
1/7/2010	0.01	U	0.01	7/8/2009	12.7		1				
				1/7/2010	14.1		1				

Historical Zinc, TOC and Manganese Concentrations in WTE-2D

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/28/1993	0.01		0.01	7/27/1994	10		1	7/28/1993	0.02		0.01
7/27/1994	0.02		0.01	7/11/1995	7		1	7/27/1994	0.01		0.01
7/11/1995	0.02		0.01	7/23/1996	55		1	3/27/2003	Not detected		0.01
7/23/1996	0.11		0.01	2/11/1998	4.6		1	7/14/2003	Not detected		0.01
2/11/1998	0.01		0.01	4/20/2000	5.6		1	1/7/2004	Not detected		0.01
4/20/2000	0.03		0.01	3/27/2003	5.4	STL	1	7/21/2004	Not detected		0.01
3/27/2003	0.01		0.01	7/14/2003	5.1	STL	1	1/13/2005	0.01	U	0.01
1/7/2004	0.02		0.01	1/7/2004	7.2	STL	1	1/13/2005	0.01	U	0.01
7/21/2004	0.02		0.01	7/21/2004	6	STL	0.53	7/21/2005	0.01	U	0.01
1/13/2005	0.01	U	0.01	1/13/2005	7.5	STL	0.53	1/25/2006	0.01	U	0.01
1/13/2005	0.01	U	0.01	1/13/2005	7.7	STL	0.53	7/27/2006	0.01	U	0.01
7/21/2005	0.01	U	0.01	7/21/2005	4.3	ELAB	0.08	1/19/2007	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/25/2006	5.54		0.08	7/30/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	7/27/2006	5.92		0.2	1/25/2008	0.01	U	0.01
1/19/2007	0.005	U	0.005	1/19/2007	5.67		0.5	8/5/2008	0.01	U	0.01
7/30/2007	0.005	U	0.005	7/30/2007	5.42		0.5	1/7/2009	0.01	U	0.01
1/25/2008	0.005	U	0.005	1/25/2008	5.61		1	7/8/2009	0.01	U	0.01
8/5/2008	0.01	U	0.01	8/5/2008	11.9		1	1/7/2010	0.01	U	0.01
1/7/2009	0.01	U	0.01	1/7/2009	5.8		1				
7/8/2009	0.01	U	0.01	7/8/2009	5.87		1				
1/7/2010	0.01	U	0.01	1/7/2010	7.27		1				

Historical Zinc, TOC and Manganese Concentrations in WTE-3S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.04		0.01	7/27/1994	30		1	7/27/1993	0.03		0.01
7/27/1994	0.02		0.01	7/11/1995	13		1	7/27/1994	0.02		0.01
7/11/1995	0.02		0.01	7/23/1996	48		1	3/26/2003	0.04		0.01
7/23/1996	0.01		0.01	1/9/1997	11.6		1	5/21/2003	0.05		0.01
1/9/1997	0.01		0.01	2/4/1999	7.6		1	10/20/2003	0.01		0.01
2/4/1999	0.01		0.01	1/31/2001	5.9		1	10/20/2003	0.01		0.01
1/31/2001	Not detected		0.01	3/26/2003	8.3		1	1/7/2004	0.03		0.01
3/26/2003	Not detected		0.01	5/21/2003	11	STL	1	4/20/2004	0.02		0.01
5/21/2003	Not detected		0.01	10/20/2003	6.2	STL	1	10/22/2004	Not detected	U	0.01
10/20/2003	Not detected		0.01	10/20/2003	6.2	STL	1	4/27/2005	0.01	U	0.01
10/20/2003	Not detected		0.01	1/7/2004	17	STL	0.53	10/13/2005	0.01	U	0.01
1/7/2004	0.02		0.01	4/20/2004	9.1	STL	0.53	1/25/2006	0.03	I	0.01
4/20/2004	Not detected		0.01	10/22/2004	8.7	STL	0.53	4/20/2006	0.03	I	0.01
10/22/2004	Not detected	U	0.01	4/27/2005	5.5	ELAB	0.08	10/31/2006	0.04	I	0.01
4/27/2005	0.004	U V1	0.004	10/13/2005	13	ELAB	0.08	4/26/2007	0.044		0.01
10/13/2005	0.01	U	0.01	1/25/2006	10.9		0.08	10/29/2007	0.056	ELAB	0.0025
1/25/2006	0.01	U	0.01	4/20/2006	9.85		0.08	1/24/2008	0.04	I	0.01
4/20/2006	0.01	U	0.01	10/31/2006	8.9		0.5	4/17/2008	0.0245		0.01
10/31/2006	0.005	U	0.005	4/26/2007	8.45		0.5	10/28/2008	0.0475		0.01
4/26/2007	0.005	U	0.005	10/29/2007	6.05		1	4/15/2009	0.0419		0.01
10/29/2007	0.005	U	0.005	1/24/2008	6.59		1	10/6/2009	0.0401		0.01
1/24/2008	0.005	U	0.005	4/17/2008	2.08		1	1/7/2010	0.0215		0.01
4/17/2008	0.01	U	0.01	10/28/2008	6.87		1	4/7/2010	0.0101		0.01
10/28/2008	0.0254		0.01	4/15/2009	6.36		1				
4/15/2009	0.01	U	0.01	10/6/2009	6.62		1				
10/6/2009	0.0142		0.01	1/7/2010	4.92		1				
1/7/2010	0.01	U	0.01	4/7/2010	51.4		1				
4/7/2010	0.01	U	0.01								

Historical Zinc, TOC, and Manganese Concentrations in WTE-3D

[illegible]

Historical Zinc, TOC and Manganese Concentrations in WTE-4S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.01		0.01	7/27/1994	27		1	7/27/1993	0.02		0.01
7/27/1994	0.02		0.01	7/11/1995	12		1	7/27/1994	0.02		0.01
7/11/1995	0.01		0.01	7/23/1996	60		1	3/26/2003	0.03		0.01
7/23/1996	0.02		0.01	2/11/1998	8.5		1	7/14/2003	Not detected		0.01
2/11/1998	0.02		0.01	1/27/2000	28		1	7/14/2003	Not detected		0.01
1/27/2000	Not detected		0.01	3/26/2003	6.2	STL	1	1/7/2004	0.01		0.01
1/7/2004	0.02		0.01	7/14/2003	6.5	STL	1	7/21/2004	0.02		0.01
7/21/2004	0.02		0.01	7/14/2003	6.2	STL	1	1/13/2005	0.01	U	0.01
1/13/2005	0.01	U	0.01	1/7/2004	9.3	STL	0.53	7/21/2005	0.01	U	0.01
7/21/2005	0.01	U	0.01	7/21/2004	7.6	STL	0.53	1/25/2006	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/13/2005	9	STL	0.53	7/27/2006	0.01	I	0.01
7/27/2006	0.01	U	0.01	7/21/2005	9	ELAB	0.08	1/19/2007	0.01	U	0.01
1/19/2007	0.039		0.005	1/25/2006	6.73		0.08	7/30/2007	0.01	U	0.01
7/30/2007	0.005	U	0.005	7/27/2006	6.54		0.2	1/25/2008	0.01	U	0.01
1/25/2008	0.005	U	0.005	1/19/2007	6.96		0.5	8/5/2008	0.0125		0.01
8/5/2008	0.01	U	0.01	7/30/2007	7.22		0.5	1/7/2009	0.0156		0.01
1/7/2009	0.01	U	0.01	1/25/2008	6.65		1	7/8/2009	0.0149		0.01
7/8/2009	0.01	U	0.01	8/5/2008	6.42		1	1/7/2010	0.0132		0.01
1/7/2010	0.01	U	0.01	1/7/2009	80.7		1				
				7/8/2009	6.69		1				
				1/7/2010	7.78		1				

Historical Zinc, TOC and Manganese Concentrations in WTE-4D

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/28/1993	0.01		0.01	7/27/1994	6		1	7/28/1993	0.02		0.01
7/27/1994	0.01		0.01	7/11/1995	40		1	7/27/1994	Not detected		0.01
7/11/1995	Not detected		0.01	2/11/1998	2.9		1	3/27/2003	Not detected		0.01
2/11/1998	Not detected		0.01	4/20/2000	3.9		1	7/14/2003	Not detected		0.01
4/20/2000	0.01		0.01	3/27/2003	4	STL	1	1/7/2004	0.01		0.01
3/27/2003	0.03		0.01	7/14/2003	4.1	STL	1	7/21/2004	0.01		0.01
1/7/2004	0.03		0.01	1/7/2004	18	STL	1	1/13/2005	0.01	U	0.01
7/21/2004	0.01		0.01	7/21/2004	4.8	STL	0.53	7/21/2005	0.01	U	0.01
1/13/2005	0.01	U	0.01	1/13/2005	6.2	STL	0.53	1/25/2006	0.01	U	0.01
7/21/2005	0.01	U	0.01	7/21/2005	8	ELAB	0.08	7/27/2006	0.01	U	0.01
1/25/2006	0.01	U	0.01	1/25/2006	4.59		0.08	1/19/2007	0.01	U	0.01
7/27/2006	0.01	U	0.01	7/27/2006	4.54		0.2	7/30/2007	0.01	U	0.01
1/19/2007	0.005	U	0.005	1/19/2007	4.15		0.5	1/25/2008	0.01	U	0.01
7/30/2007	0.005	U	0.005	7/30/2007	4.16		0.5	8/5/2008	0.106		0.01
1/25/2008	0.005	U	0.005	1/25/2008	4.25		1	1/7/2009	0.0132		0.01
8/5/2008	0.01	U	0.01	8/5/2008	7.45		1	7/8/2009	0.01	U	0.01
1/7/2009	0.01	U	0.01	1/7/2009	4.6		1	1/7/2010	0.0102		0.01
7/8/2009	0.01	U	0.01	7/8/2009	3.36		1				
1/7/2010	0.01	U	0.01	1/7/2010	4.66		1				

Historical Zinc, TOC and Manganese Concentrations in WTE-5S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.03		0.01	7/27/1994	32		1	7/27/1993	0.03		0.01
7/27/1994	0.03		0.01	7/11/1995	14		1	7/27/1994	0.02		0.01
7/11/1995	0.02		0.01	7/23/1996	71		1	3/26/2003	0.03		0.01
7/23/1996	0.02		0.01	1/9/1997	18.4		1	5/21/2003	0.04		0.01
1/9/1997	0.02		0.01	2/4/1999	15		1	10/20/2003	0.01		0.01
2/4/1999	0.01		0.01	1/31/2001	15		1	1/7/2004	0.01		0.01
1/31/2001	0.01		0.01	3/26/2003	13	STL	1	4/20/2004	0.02		0.01
3/26/2003	Not detected		0.01	5/21/2003	13	STL	1	10/22/2004	Not detected	U	0.01
5/21/2003	Not detected		0.01	10/20/2003	15	STL	1	4/28/2005	0.01	U	0.01
10/20/2003	Not detected		0.01	1/7/2004	19	STL	0.53	10/14/2005	0.01	U	0.01
1/7/2004	0.02		0.01	4/20/2004	17	STL	0.53	1/25/2006	0.01	U	0.01
4/20/2004	Not detected		0.01	10/22/2004	20	STL	0.53	4/20/2006	0.01	U	0.01
10/22/2004	Not detected	U	0.01	4/28/2005	18	ELAB	0.08	10/30/2006	0.01	U	0.01
4/28/2005	0.1		0.004	10/14/2005	23	ELAB	0.08	4/26/2007	0.029	I	0.01
10/14/2005	0.01	U	0.01	1/25/2006	21.4		0.08	10/29/2007	0.016	ELAB	0.0025
1/25/2006	0.01	U	0.01	4/20/2006	22.6		0.08	1/24/2008	0.01	U	0.01
4/20/2006	0.01	U	0.01	10/30/2006	19.9		0.5	4/17/2008	0.0158		0.01
10/30/2006	0.005	U	0.005	4/26/2007	19.8		0.5	10/28/2008	0.0215		0.01
4/26/2007	0.005	U	0.005	10/29/2007	15.8		1	4/15/2009	0.0265		0.01
10/29/2007	0.005	U	0.005	1/24/2008	17.9		1	10/6/2009	0.0149		0.01
1/24/2008	0.005	U	0.005	4/17/2008	15.8		1	1/7/2010	0.0212		0.01
4/17/2008	0.01	U	0.01	10/28/2008	17.2		1	4/7/2010	0.018		0.01
10/28/2008	0.0158		0.01	4/15/2009	18.5		1				
4/15/2009	0.01	U	0.01	10/6/2009	15		1				
10/6/2009	0.01	U	0.01	1/7/2010	15.4		1				
1/7/2010	0.01	U	0.01	4/7/2010	12		1				
4/7/2010	0.01	U	0.01								

Historical Zinc, TOC, and Manganese Concentrations in WTE-5D

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.01		0.01	7/27/1994	8		1	7/27/1993	0.01		0.01
7/27/1994	0.02		0.01	7/11/1995	6		1	7/27/1994	0.01		0.01
7/11/1995	0.02		0.01	7/23/1996	50		1	10/14/2000	0.01	U	0.01
7/23/1996	0.02		0.01	1/9/1997	8.8		1	3/27/2003	0.02		0.01
1/9/1997	0.02		0.01	2/4/1999	4.1		1	5/21/2003	Not detected		0.01
2/4/1999	0.01		0.01	10/14/2000	5.7	ELAB	0.08	10/20/2003	Not detected		0.01
10/14/2000	0.01	U	0.01	1/31/2001	5.3		1	1/7/2004	Not detected		0.01
1/31/2001	0.02		0.01	3/27/2003	4.5	STL	1	4/20/2004	Not detected		0.01
3/27/2003	0.01		0.01	5/21/2003	4.7	STL	1	10/22/2004	Not detected	U	0.01
5/21/2003	Not detected		0.01	10/20/2003	4.9	STL	1	4/28/2005	0.01	U	0.01
10/20/2003	Not detected		0.01	1/7/2004	6.3	STL	1	1/25/2006	0.01	U	0.01
1/7/2004	0.02		0.01	4/20/2004	5.7	STL	0.53	4/20/2006	0.01	U	0.01
4/20/2004	Not detected		0.01	10/22/2004	7	STL	0.53	10/31/2006	0.01	U	0.01
10/22/2004	Not detected	U	0.01	4/28/2005	4.7	ELAB	0.08	4/26/2007	0.01	U	0.01
4/28/2005	0.004	U V1	0.004	1/25/2006	4.94		0.08	10/29/2007	0.0025	U ELAB	0.0025
1/25/2006	0.01	U	0.01	4/20/2006	5.19		0.08	1/24/2008	0.01	U	0.01
4/20/2006	0.01	U	0.01	10/31/2006	5.04		0.5	4/17/2008	0.01	U	0.01
10/31/2006	0.005	U	0.005	4/26/2007	4.7		0.5	10/28/2008	0.01	U	0.01
4/26/2007	0.005	U	0.005	10/29/2007	4.35		1	4/15/2009	0.01	U	0.01
10/29/2007	0.005	U	0.005	1/24/2008	4.99		1	10/6/2009	0.011		0.01
1/24/2008	0.005	U	0.005	4/17/2008	4.45		1	1/7/2010	0.0118		0.01
4/17/2008	0.01	U	0.01	10/28/2008	5.6		1	4/7/2010	0.0115		0.01
10/28/2008	0.0139		0.01	4/15/2009	5.27		1				
4/15/2009	0.01	U	0.01	10/6/2009	6.35		1				
10/6/2009	0.01	U	0.01	1/7/2010	6.48		1				
1/7/2010	0.01	U	0.01	4/7/2010	4.84		1				
4/7/2010	0.01	U	0.01								

Historical Zinc, TOC and Manganese Concentrations in WTE-6S

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.01		0.01	7/27/1994	38		1	7/27/1993	Not detected		0.01
7/27/1994	0.02		0.01	7/11/1995	74		1	7/27/1994	0.02		0.01
7/11/1995	0.02		0.01	7/23/1996	75		1	3/26/2003	0.04		0.01
7/23/1996	0.02		0.01	1/9/1997	13.4		1	5/21/2003	0.06		0.01
1/9/1997	0.02		0.01	2/4/1999	13		1	10/20/2003	0.01		0.01
2/4/1999	0.02		0.01	1/31/2001	12		1	1/7/2004	0.01		0.01
1/31/2001	0.01		0.01	3/26/2003	11	STL	1	4/20/2004	0.02		0.01
3/26/2003	Not detected		0.01	5/21/2003	13	STL	1	10/22/2004	Not detected	U	0.01
5/21/2003	Not detected		0.01	10/20/2003	13	STL	1	10/22/2004	Not detected	U	0.01
10/20/2003	Not detected		0.01	1/7/2004	20	STL	0.53	4/27/2005	0.01	U	0.01
1/7/2004	0.02		0.01	4/20/2004	14	STL	0.53	4/27/2005	0.01	U	0.01
4/20/2004	Not detected		0.01	10/22/2004	16	STL	0.53	10/13/2005	0.01	U	0.01
10/22/2004	Not detected	U	0.01	10/22/2004	15	STL	0.53	1/25/2006	0.01	U	0.01
10/22/2004	Not detected	U	0.01	4/27/2005	12	ELAB	0.08	4/20/2006	0.01	U	0.01
4/27/2005	0.04	V1	0.004	4/27/2005	11	ELAB	0.08	4/20/2006	0.01	U	0.01
4/27/2005	0.04	V1	0.004	10/13/2005	9	ELAB	0.08	10/30/2006	0.01	U	0.01
10/13/2005	0.01	U	0.01	1/25/2006	9.85		0.08	4/26/2007	0.01	U	0.01
1/25/2006	0.01	U	0.01	4/20/2006	10.6		0.08	10/29/2007	0.0063	ELAB	0.0025
4/20/2006	0.01	U	0.01	4/20/2006	10.9		0.08	1/24/2008	0.01	U	0.01
4/20/2006	0.01	U	0.01	10/30/2006	10.1		0.5	4/17/2008	0.01	U	0.01
10/30/2006	0.005	U	0.005	4/26/2007	10.5		0.5	10/28/2008	0.01	U	0.01
4/26/2007	0.005	U	0.005	10/29/2007	8.66		1	4/15/2009	0.01	U	0.01
10/29/2007	0.005	U	0.005	1/24/2008	9.83		1	10/6/2009	0.01	U	0.01
1/24/2008	0.005	U	0.005	4/17/2008	8.99		1	1/7/2010	0.01	U	0.01
4/17/2008	0.01	U	0.01	10/28/2008	8.73		1	4/7/2010	0.01	U	0.01
10/28/2008	0.0231		0.01	4/15/2009	9.7		1				
4/15/2009	0.01	U	0.01	10/6/2009	11		1				
10/6/2009	0.01	U	0.01	1/7/2010	10.3		1				
1/7/2010	0.01	U	0.01	4/7/2010	8.73		1				
4/7/2010	0.01	U	0.01								

Historical Zinc, TOC and Manganese Concentrations in WTE-6D

Date	Zinc (mg/L)	QLF	MDL (mg/L)	Date	TOC (mg/L)	QLF	MDL (mg/L)	Date	Manganese (mg/L)	QLF	MDL (mg/L)
7/27/1993	0.02		0.01	7/27/1994	17		1	7/27/1993	0.02		0.01
7/27/1994	0.02		0.01	7/11/1995	21		1	7/27/1994	Not detected		0.01
7/11/1995	0.03		0.01	7/23/1996	90		1	3/27/2003	0.03		0.01
7/23/1996	0.07		0.01	1/9/1997	6.5		1	10/20/2003	Not detected		0.01
1/9/1997	0.02		0.01	2/4/1999	8		1	1/7/2004	Not detected		0.01
2/4/1999	0.01		0.01	1/31/2001	5.2		1	4/20/2004	Not detected		0.01
1/31/2001	0.02		0.01	3/27/2003	5	STL	1	10/22/2004	0.1		0.01
3/27/2003	0.01		0.01	10/20/2003	5	STL	1	4/27/2005	0.01	U	0.01
10/20/2003	Not detected		0.01	1/7/2004	7.2	STL	1	10/13/2005	0.01	U	0.01
1/7/2004	0.01		0.01	4/20/2004	5.7	STL	0.53	1/25/2006	0.01	U	0.01
4/20/2004	Not detected		0.01	10/22/2004	43	STL	0.53	4/20/2006	0.01	U	0.01
10/22/2004	Not detected	U	0.01	4/27/2005	5.3	ELAB	0.08	10/30/2006	0.01	U	0.01
4/27/2005	0.004	U V1	0.004	10/13/2005	11	ELAB	0.08	4/26/2007	0.02	I	0.01
10/13/2005	0.01	U	0.01	1/25/2006	6.16		0.08	10/29/2007	0.014	ELAB	0.0025
1/25/2006	0.01	U	0.01	4/20/2006	5.83		0.08	1/24/2008	0.01	U	0.01
4/20/2006	0.01	U	0.01	10/30/2006	22.1		0.5	4/17/2008	0.01	U	0.01
10/30/2006	0.005	U	0.005	4/26/2007	8.1		0.5	10/28/2008	0.104		0.01
4/26/2007	0.005	U	0.005	10/29/2007	7.12		1	10/28/2008	0.11		0.01
10/29/2007	0.005	U	0.005	1/24/2008	6.64		1	4/15/2009	0.101		0.01
1/24/2008	0.005	U	0.005	4/17/2008	5.36		1	10/6/2009	0.173		0.01
4/17/2008	0.01	U	0.01	10/28/2008	41.3		1	1/7/2010	0.142		0.01
10/28/2008	0.0166		0.01	4/15/2009	41.2		1	4/7/2010	0.01	U	0.01
4/15/2009	0.01	U	0.01	10/6/2009	42.4		1				
10/6/2009	0.01	U	0.01	1/7/2010	38.3		1				
1/7/2010	0.01	U	0.01	4/7/2010	29.5		1				
4/7/2010	0.01	U	0.01								

Historical TKN and Selenium Concentrations in WTE-1S

Date	TKN (mg/L)	QLR	MDL (mg/L)	Date	Selenium	QLR	MDL	Units-See Note 1
11/4/1993	0.27		0.01	7/27/1993	0.002		0.002	mg/L
1/24/1994	0.79		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	1.73		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.03		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.07		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.02		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	1.05		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	0.05		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.35		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.93		0.01	7/11/1995	0.002		0.002	mg/L
1/18/1996	0.93		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	1.66		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	0.95		0.01	6/5/1996	0.004		0.002	mg/L
10/23/1996	0.28		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	1.04		0.01	10/23/1996	Not detected		0.002	mg/L
4/3/1997	1.23		0.01	1/9/1997	Not detected		0.002	mg/L
7/3/1997	0.11		0.01	4/3/1997	Not detected		0.002	mg/L
10/30/1997	0.01		0.01	7/3/1997	Not detected		0.002	mg/L
2/11/1998	Not detected		0.01	10/30/1997	Not detected		0.002	mg/L
4/27/1998	1.44		0.01	2/11/1998	Not detected		0.002	mg/L
8/4/1998	Not detected		0.01	4/27/1998	Not detected		0.002	mg/L
11/10/1998	1.41		0.05	8/4/1998	Not detected		0.003	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
4/15/1999	0.8		0.05	2/4/1999	Not detected		0.003	mg/L
7/22/1999	0.81		0.05	4/15/1999	Not detected		0.003	mg/L
10/28/1999	0.63		0.05	7/22/1999	Not detected		0.003	mg/L
1/27/2000	0.56		0.05	10/28/1999	Not detected		0.003	mg/L
4/27/2000	0.65		0.05	1/27/2000	Not detected		0.003	mg/L
7/6/2000	0.91		0.05	4/27/2000	Not detected		0.003	mg/L
10/31/2000	0.66		0.05	10/31/2000	Not detected		0.003	mg/L
1/31/2001	0.51		0.05	1/31/2001	Not detected		0.003	mg/L
4/24/2001	0.7		0.05	4/24/2001	Not detected		0.003	mg/L
8/21/2001	0.46		0.1	8/21/2001	Not detected		0.003	mg/L
10/23/2001	0.55		0.1	10/23/2001	Not detected		0.003	mg/L
2/21/2002	0.67		0.1	2/21/2002	Not detected		0.003	mg/L
6/6/2002	0.67		0.1	6/6/2002	Not detected		3	µg/L
9/18/2002	0.6		0.1	9/18/2002	Not detected		3	µg/L
12/11/2002	0.57		0.1	12/11/2002	Not detected		3	µg/L
12/11/2002	0.57		0.1	12/11/2002	Not detected		3	µg/L
3/26/2003	0.41		0.2	3/26/2003	Not detected		3	µg/L
3/26/2003	0.45		0.2	3/26/2003	Not detected		3	µg/L
5/21/2003	0.85		0.02	5/21/2003	Not detected		3	µg/L
5/21/2003	0.55		0.02	5/21/2003	Not detected		3	µg/L
7/14/2003	0.54		0.02	7/14/2003	Not detected		3	µg/L
10/20/2003	0.801		0.02	10/20/2003	Not detected		3	µg/L
1/7/2004	0.509		0.05	1/7/2004	Not detected		5	µg/L
1/7/2004	0.47		0.05	1/7/2004	Not detected		5	µg/L
4/20/2004	0.572		0.2	4/20/2004	Not detected		2	µg/L
4/20/2004	0.614		0.2	4/20/2004	Not detected		2	µg/L
7/21/2004	0.378	I J98	0.2	7/21/2004	Not detected		2	µg/L
10/22/2004	0.436		0.1	10/22/2004	Not detected	U	2	µg/L
1/13/2005	0.961		0.1	1/13/2005	2	U	2	µg/L
4/27/2005	0.63		0.1	4/27/2005	2	U	2	µg/L
7/21/2005	1.01		0.1	7/21/2005	1	I	1	µg/L

Units (Column) Applies to Selenium and Corresponding MDL Concentrations Only

Date	TKN (mg/L)	QLR	MDL (mg/L)	Date	Selenium	QLR	MDL	Units-See Note 1
10/13/2005	1.09		0.1	10/13/2005	1	U	1	µg/L
10/13/2005	0.95		0.1	10/13/2005	1	U	1	µg/L
1/25/2006	0.67		0.1	1/25/2006	1	U	1	µg/L
1/25/2006	0.61		0.1	1/25/2006	1	U	1	µg/L
4/20/2006	0.52		0.1	4/20/2006	1	U	1	µg/L
7/27/2006	0.46		0.1	7/27/2006	1	U	1	µg/L
10/30/2006	0.57		0.1	10/30/2006	1	U	1	µg/L
1/19/2007	0.48		0.1	1/19/2007	1	U	1	µg/L
1/19/2007	0.48		0.1	1/19/2007	1	U	1	µg/L
4/26/2007	0.46		0.05	4/26/2007	1	U	1	µg/L
7/30/2007	0.41		0.05	7/30/2007	1	U	1	µg/L
10/29/2007	0.55		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
1/25/2008	0.57		0.05	1/25/2008	1	U	1	µg/L
1/25/2008	0.54		0.05	1/25/2008	1	U	1	µg/L
4/17/2008	0.953		0.2	4/17/2008	0.00764		0.002	mg/L
8/5/2008	0.812		0.2	8/5/2008	0.00592		0.002	mg/L
10/28/2008	0.782		0.2	10/28/2008	0.002	U	0.002	mg/L
1/7/2009	1.01		0.2	1/7/2009	0.00212		0.002	mg/L
4/15/2009	0.95		0.2	4/15/2009	0.002	U	0.002	mg/L
7/8/2009	0.96		0.2	7/8/2009	0.002	U	0.002	mg/L
10/6/2009	0.867		0.2	10/6/2009	0.002	U	0.002	mg/L
1/7/2010	0.907		0.2	1/7/2010	0.002	U	0.002	mg/L
4/7/2010	0.81		0.2	4/7/2010	0.002	U	0.002	mg/L

Historical TKN and Selenium Concentrations in WTE-1D

Date	TKN (mg/L as N)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units- See Note 1
11/4/1993	Not detected		0.01	7/27/1993	0.002		0.002	mg/L
1/24/1994	0.67		0.01	11/4/1993	ND		0.002	mg/L
4/14/1994	1.39		0.01	1/24/1994	ND		0.002	mg/L
7/27/1994	1.02		0.01	4/14/1994	ND		0.002	mg/L
10/21/1994	0.04		0.01	7/27/1994	ND		0.002	mg/L
12/8/1994	0.05		0.01	10/21/1994	ND		0.002	mg/L
1/12/1995	1.1		0.01	12/8/1994	ND		0.002	mg/L
4/20/1995	0.8		0.01	1/12/1995	ND		0.002	mg/L
7/11/1995	0.46		0.01	4/20/1995	ND		0.002	mg/L
10/23/1995	0.75		0.01	7/11/1995	ND		0.002	mg/L
1/18/1996	1.13		0.01	10/23/1995	ND		0.002	mg/L
6/5/1996	1.41		0.01	1/18/1996	ND		0.002	mg/L
7/23/1996	0.56		0.01	6/5/1996	ND		0.002	mg/L
10/23/1996	0.17		0.01	7/23/1996	ND		0.002	mg/L
1/9/1997	0.46		0.01	10/23/1996	ND		0.002	mg/L
4/3/1997	0.99		0.01	1/9/1997	ND		0.002	mg/L
7/3/1997	Not detected		0.01	4/3/1997	ND		0.002	mg/L
10/30/1997	Not detected		0.01	7/3/1997	ND		0.002	mg/L
2/11/1998	Not detected		0.01	10/30/1997	ND		0.002	mg/L
4/27/1998	0.58		0.01	2/11/1998	ND		0.002	mg/L
8/4/1998	Not detected		0.01	4/27/1998	ND		0.002	mg/L
11/10/1998	1.43		0.05	8/4/1998	ND		0.003	mg/L
2/4/1999	Not detected		0.05	11/10/1998	ND		0.003	mg/L
4/15/1999	0.62		0.05	2/4/1999	ND		0.003	mg/L
7/22/1999	0.66		0.05	4/15/1999	ND		0.003	mg/L
11/29/1999	0.48		0.05	7/22/1999	ND		0.003	mg/L
4/20/2000	0.96		0.05	11/29/1999	ND		0.003	mg/L
7/6/2000	0.85		0.05	4/20/2000	ND		0.003	mg/L
10/31/2000	0.43		0.05	7/6/2000	ND		0.003	mg/L
1/31/2001	0.48		0.05	10/31/2000	ND		0.003	mg/L
4/24/2001	0.44		0.05	1/31/2001	ND		0.003	mg/L
8/21/2001	0.8		0.1	4/24/2001	ND		0.003	mg/L
10/23/2001	0.35		0.1	8/21/2001	ND		0.003	mg/L
2/21/2002	0.51		0.1	10/23/2001	ND		0.003	mg/L
6/6/2002	0.55		0.1	2/21/2002	ND		0.003	mg/L
9/18/2002	0.46		0.1	6/6/2002	ND		3	µg/L
12/11/2002	0.45		0.1	9/18/2002	ND		3	µg/L
3/27/2003	0.4		0.2	12/11/2002	ND		3	µg/L
5/21/2003	0.58		0.02	3/27/2003	ND		3	µg/L
7/14/2003	0.66		0.02	5/21/2003	ND		3	µg/L
10/20/2003	0.626		0.02	7/14/2003	ND		3	µg/L
1/7/2004	0.289		0.05	10/20/2003	ND		3	µg/L
4/20/2004	0.388		0.2	1/7/2004	ND		5	µg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Date	TKN (mg/L as N)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units- See Note 1
7/21/2004	Not detected	J98	0.2	4/20/2004	ND		2	µg/L
10/22/2004	0.228	I	0.1	7/21/2004	ND		2	µg/L
1/13/2005	0.916		0.1	10/22/2004	ND	U	2	µg/L
4/27/2005	0.49		0.1	1/13/2005	2	U	2	µg/L
7/21/2005	0.75		0.1	4/27/2005	2	U	2	µg/L
10/13/2005	0.67		0.1	7/21/2005	3.8	I	1	µg/L
1/25/2006	0.49		0.1	10/13/2005	2.8	I	1	µg/L
4/20/2006	0.51		0.1	1/25/2006	1	U	1	µg/L
7/27/2006	0.4		0.1	4/20/2006	1	U	1	µg/L
7/27/2006	0.45		0.1	7/27/2006	1	U	1	µg/L
10/30/2006	0.54		0.1	7/27/2006	1	U	1	µg/L
1/19/2007	0.53	J4	0.1	10/30/2006	1	U	1	µg/L
4/26/2007	0.42		0.05	1/19/2007	1	U	1	µg/L
4/26/2007	0.35		0.05	4/26/2007	1	U	1	µg/L
7/30/2007	0.36		0.05	4/26/2007	1	U	1	µg/L
7/30/2007	0.35		0.05	7/30/2007	1	U	1	µg/L
10/29/2007	0.53		0.05	7/30/2007	1	U	1	µg/L
10/29/2007	0.44		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
1/25/2008	0.58		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	0.731		0.2	1/25/2008	1	U	1	µg/L
8/5/2008	0.769		0.2	4/17/2008	0.00922		0.002	mg/L
10/28/2008	0.782		0.2	8/5/2008	0.00533		0.002	mg/L
1/7/2009	1.13		0.2	10/28/2008	0.00429		0.002	mg/L
4/15/2009	0.814		0.2	1/7/2009	0.002	U	0.002	mg/L
7/8/2009	0.812		0.2	4/15/2009	0.00294		0.002	mg/L
10/6/2009	0.765		0.2	7/8/2009	0.002	U	0.002	mg/L
1/7/2010	0.659		0.2	10/6/2009	0.00223		0.002	mg/L
4/7/2010	0.626		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Historical TKN and Selenium Concentrations in WTE-2S at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units- See Note 1
11/4/1993	0.22		0.01	7/27/1993	0.003		0.002	mg/L
1/24/1994	0.84		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	1.39		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.08		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.07		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.01		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	0.77		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	0.29		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.44		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	1.14		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	1.06		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	1.14		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	0.97		0.01	6/5/1996	Not detected		0.002	mg/L
4/3/1997	1.62		0.01	7/23/1996	Not detected		0.002	mg/L
10/30/1997	Not detected		0.01	4/3/1997	Not detected		0.002	mg/L
2/11/1998	Not detected		0.01	10/30/1997	Not detected		0.002	mg/L
8/4/1998	Not detected		0.01	2/11/1998	Not detected		0.002	mg/L
4/15/1999	0.78		0.05	8/4/1998	Not detected		0.003	mg/L
10/28/1999	0.54		0.05	4/15/1999	Not detected		0.003	mg/L
1/27/2000	0.56		0.05	10/28/1999	Not detected		0.003	mg/L
7/6/2000	Not detected		0.05	1/27/2000	Not detected		0.003	mg/L
4/24/2001	0.69		0.05	7/6/2000	Not detected		0.003	mg/L
10/23/2001	0.39		0.1	4/24/2001	Not detected		0.003	mg/L
2/21/2002	0.55		0.1	10/23/2001	Not detected		0.003	mg/L
9/18/2002	0.59		0.1	2/21/2002	Not detected		0.003	mg/L
3/26/2003	0.52		0.2	9/18/2002	Not detected		3	µg/L
7/14/2003	0.53		0.02	3/26/2003	Not detected		3	µg/L
1/7/2004	0.479		0.05	7/14/2003	Not detected		3	µg/L
7/21/2004	0.345	I J98	0.2	1/7/2004	Not detected		5	µg/L
1/13/2005	0.905		0.1	7/21/2004	Not detected		2	µg/L
7/21/2005	1.56		0.1	1/13/2005	2	U	2	µg/L
1/25/2006	0.5		0.1	7/21/2005	1	U	1	µg/L
7/27/2006	0.53		0.1	1/25/2006	1	U	1	µg/L
1/19/2007	0.53		0.1	7/27/2006	1	U	1	µg/L
7/30/2007	0.47		0.05	1/19/2007	1	U	1	µg/L
1/25/2008	0.55		0.05	7/30/2007	1	U	1	µg/L
8/5/2008	0.817		0.2	1/25/2008	1	U	1	µg/L
1/7/2009	1.22		0.2	8/5/2008	0.00582		0.002	mg/L
7/8/2009	1.1		0.2	1/7/2009	0.00263		0.002	mg/L
1/7/2010	1.23		0.2	7/8/2009	0.002	U	0.002	mg/L
				1/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-2D at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1)
11/4/1993	Not detected		0.01	7/28/1993	0.002		0.002	mg/L
1/24/1994	0.39		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	1.46		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	0.73		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.03		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.02		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	2.64		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	1		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.14		0.01	4/20/1995	0.006		0.002	mg/L
10/23/1995	0.64		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.65		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.78		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	0.8		0.01	6/5/1996	Not detected		0.002	mg/L
4/3/1997	1.23		0.01	7/23/1996	Not detected		0.002	mg/L
10/30/1997	Not detected		0.01	4/3/1997	Not detected		0.002	mg/L
2/11/1998	Not detected		0.01	10/30/1997	Not detected		0.002	mg/L
8/4/1998	Not detected		0.01	2/11/1998	Not detected		0.002	mg/L
4/15/1999	0.44		0.05	8/4/1998	Not detected		0.003	mg/L
11/10/1999	0.75		0.05	4/15/1999	Not detected		0.003	mg/L
4/20/2000	0.97		0.05	11/10/1999	Not detected		0.003	mg/L
7/20/2000	1.07		0.05	4/20/2000	Not detected		0.003	mg/L
4/24/2001	0.27		0.05	7/20/2000	Not detected		0.003	mg/L
10/23/2001	0.35		0.1	4/24/2001	Not detected		0.003	mg/L
2/21/2002	0.43		0.1	10/23/2001	Not detected		0.003	mg/L
9/18/2002	0.39		0.1	2/21/2002	Not detected		0.003	mg/L
3/27/2003	0.36		0.2	9/18/2002	Not detected		3	µg/L
7/14/2003	0.46		0.02	3/27/2003	Not detected		3	µg/L
1/7/2004	0.246		0.05	7/14/2003	Not detected		3	µg/L
7/21/2004	Not detected	J98	0.2	1/7/2004	Not detected		5	µg/L
1/13/2005	0.956		0.1	7/21/2004	Not detected		2	µg/L
1/13/2005	0.876		0.1	1/13/2005	2	U	2	µg/L
7/21/2005	0.71		0.1	1/13/2005	2	U	2	µg/L
1/25/2006	0.33	I	0.1	7/21/2005	1	U	1	µg/L
7/27/2006	0.3	I	0.1	1/25/2006	1	U	1	µg/L
1/19/2007	0.44		0.1	7/27/2006	1	U	1	µg/L
7/30/2007	0.45	J4	0.05	1/19/2007	1	U	1	µg/L
1/25/2008	0.56		0.05	7/30/2007	1	U	1	µg/L
8/5/2008	0.876		0.2	1/25/2008	1	U	1	µg/L
1/7/2009	0.53		0.2	8/5/2008	0.00919		0.002	mg/L
7/8/2009	0.314		0.2	1/7/2009	0.00275		0.002	mg/L
1/7/2010	0.465		0.2	7/8/2009	0.002	U	0.002	mg/L
				1/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-3S at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.22		0.01	7/27/1993	Not detected		0.002	mg/L
1/24/1994	0.82		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.5		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	0.91		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.04		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	Not detected		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	1.8		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	Not detected		0.01	1/12/1995	0.002		0.002	mg/L
7/11/1995	0.37		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.43		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.9		0.01	10/23/1995	0.003		0.002	mg/L
6/5/1996	1.07		0.01	1/18/1996	0.005		0.002	mg/L
7/23/1996	0.85		0.01	6/5/1996	Not detected		0.002	mg/L
10/23/1996	0.1		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.53		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	Not detected		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.75		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.45		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	1.33		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	0.33		0.05	7/22/1999	Not detected		0.003	mg/L
10/31/2000	0.52		0.05	4/20/2000	Not detected		0.003	mg/L
1/31/2001	0.41		0.05	10/31/2000	Not detected		0.003	mg/L
6/6/2002	0.5		0.1	1/31/2001	Not detected		0.003	mg/L
12/11/2002	0.81		0.1	6/6/2002	Not detected		3	µg/L
3/26/2003	0.43		0.2	12/11/2002	Not detected		3	µg/L
5/21/2003	0.7		0.02	3/26/2003	Not detected		3	µg/L
10/20/2003	0.56		0.02	5/21/2003	Not detected		3	µg/L
10/20/2003	0.565		0.02	10/20/2003	Not detected		3	µg/L
1/7/2004	0.755		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.61		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	0.354	I	0.1	4/20/2004	Not detected		2	µg/L
4/27/2005	0.48		0.1	10/22/2004	Not detected	U	2	µg/L
10/13/2005	3.75		0.1	4/27/2005	2	U	2	µg/L
1/25/2006	2.64		0.1	10/13/2005	1	U	1	µg/L
4/20/2006	2.29		0.1	1/25/2006	1	U	1	µg/L
10/31/2006	1.5		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	0.63		0.05	10/31/2006	1	U	1	µg/L
10/29/2007	0.77		0.05	4/26/2007	1	U	1	µg/L
1/24/2008	0.86		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	0.506		0.2	1/24/2008	1	U	1	µg/L
10/28/2008	0.918		0.2	4/17/2008	0.00599		0.002	mg/L
4/15/2009	1.04		0.2	10/28/2008	0.00343		0.002	mg/L
10/6/2009	0.714		0.2	4/15/2009	0.002	U	0.002	mg/L
1/7/2010	0.476		0.2	10/6/2009	0.002	U	0.002	mg/L
4/7/2010	0.459		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-3D

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.37		0.01	7/28/1993	Not detected		0.002	mg/L
1/24/1994	0.43		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.72		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	0.87		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.04		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.08		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	2.43		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	0.77		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.37		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.5		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.76		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.68		0.01	1/18/1996	0.002		0.002	mg/L
7/23/1996	0.7		0.01	6/5/1996	Not detected		0.002	mg/L
10/23/1996	0.15		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.62		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	Not detected		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.71		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.46		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	0.58		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	0.31		0.05	7/22/1999	Not detected		0.003	mg/L
10/31/2000	0.55		0.05	4/20/2000	Not detected		0.003	mg/L
1/31/2001	0.46		0.05	10/31/2000	Not detected		0.003	mg/L
8/21/2001	0.34		0.1	1/31/2001	Not detected		0.003	mg/L
6/6/2002	0.46		0.1	8/21/2001	Not detected		0.003	mg/L
12/11/2002	0.49		0.1	6/6/2002	Not detected		3	µg/L
3/27/2003	0.43		0.2	12/11/2002	Not detected		3	µg/L
5/21/2003	0.47		0.02	3/27/2003	Not detected		3	µg/L
10/20/2003	0.615		0.02	5/21/2003	Not detected		3	µg/L
1/7/2004	1.021		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.382		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	0.254	I	0.1	4/20/2004	Not detected		2	µg/L
4/27/2005	0.52		0.1	10/22/2004	Not detected	U	2	µg/L
10/14/2005	1.03		0.1	4/27/2005	2	U	2	µg/L
1/25/2006	0.67		0.1	10/14/2005	1	U	1	µg/L
4/20/2006	1.01		0.1	1/25/2006	1	U	1	µg/L
10/31/2006	0.65		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	0.75		0.05	10/31/2006	1	U	1	µg/L
10/29/2007	0.32		0.05	4/26/2007	1	U	1	µg/L
1/24/2008	0.71		0.05	10/29/2007	0.0075	J ELA	0.0075	mg/L
4/17/2008	1.05		0.2	1/24/2008	1	U	1	µg/L
10/28/2008	1.01		0.2	4/17/2008	0.0152		0.002	mg/L
4/15/2009	1.16		0.2	10/28/2008	0.00821		0.002	mg/L
10/6/2009	1.11		0.2	4/15/2009	0.00932		0.002	mg/L
1/7/2010	3.98		0.2	10/6/2009	0.00716		0.002	mg/L
4/7/2010	1.07		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-4S

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.18		0.01	7/27/1993	0.002		0.002	mg/L
1/24/1994	0.69		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.67		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.74		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.06		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	ot detected		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	1.23		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	ot detected		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.3		0.01	4/20/1995	0.003		0.002	mg/L
10/23/1995	0.67		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.88		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.87		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	0.89		0.01	6/5/1996	Not detected		0.002	mg/L
4/3/1997	1.83		0.01	7/23/1996	Not detected		0.002	mg/L
10/30/1997	ot detected		0.01	4/3/1997	Not detected		0.002	mg/L
2/11/1998	ot detected		0.01	10/30/1997	Not detected		0.002	mg/L
8/4/1998	ot detected		0.01	2/11/1998	Not detected		0.002	mg/L
4/15/1999	0.74		0.05	8/4/1998	Not detected		0.003	mg/L
10/28/1999	0.68		0.05	4/15/1999	Not detected		0.003	mg/L
1/27/2000	0.49		0.05	10/28/1999	Not detected		0.003	mg/L
7/6/2000	0.73		0.05	1/27/2000	Not detected		0.003	mg/L
4/24/2001	0.47		0.05	7/6/2000	Not detected		0.003	mg/L
10/23/2001	0.25		0.1	4/24/2001	Not detected		0.003	mg/L
2/21/2002	0.47		0.1	10/23/2001	Not detected		0.003	mg/L
9/18/2002	0.4		0.1	2/21/2002	Not detected		0.003	mg/L
9/18/2002	0.44		0.1	9/18/2002	Not detected		3	µg/L
3/26/2003	0.44		0.2	9/18/2002	Not detected		3	µg/L
7/14/2003	0.37		0.02	3/26/2003	Not detected		3	µg/L
7/14/2003	0.28		0.02	7/14/2003	Not detected		3	µg/L
1/7/2004	0.46		0.05	7/14/2003	Not detected		3	µg/L
7/21/2004	ot detected	J98	0.2	1/7/2004	Not detected		5	µg/L
1/13/2005	0.556	I	0.1	7/21/2004	Not detected		2	µg/L
7/21/2005	0.88		0.1	1/13/2005	2	U	2	µg/L
1/25/2006	0.41		0.1	7/21/2005	1	U	1	µg/L
7/27/2006	0.39	I	0.1	1/25/2006	1	U	1	µg/L
1/19/2007	0.55		0.1	7/27/2006	1	U	1	µg/L
7/30/2007	0.52		0.05	1/19/2007	1	U	1	µg/L
1/25/2008	0.69		0.05	7/30/2007	1	U	1	µg/L
				1/25/2008	1	U	1	µg/L
				8/5/2008	0.00639		0.002	mg/L
				7/8/2009	0.002	U	0.002	mg/L
				1/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-4D at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.06		0.01	7/28/1993	Not detected		0.002	mg/L
1/24/1994	0.31		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.54		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.57		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.02		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.05		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	2.88		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	0.39		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.62		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.48		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.94		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.55		0.01	1/18/1996	Not detected		0.002	mg/L
4/3/1997	1.47		0.01	6/5/1996	Not detected		0.002	mg/L
10/30/1997	Not detected		0.01	4/3/1997	Not detected		0.002	mg/L
2/11/1998	Not detected		0.01	10/30/1997	Not detected		0.002	mg/L
8/4/1998	Not detected		0.01	2/11/1998	Not detected		0.002	mg/L
4/15/1999	0.63		0.05	8/4/1998	Not detected		0.003	mg/L
11/10/1999	0.42		0.05	4/15/1999	Not detected		0.003	mg/L
4/20/2000	0.33		0.05	11/10/1999	Not detected		0.003	mg/L
7/6/2000	2.07		0.05	4/20/2000	Not detected		0.003	mg/L
4/24/2001	0.07		0.05	7/6/2000	Not detected		0.003	mg/L
10/23/2001	0.15		0.1	4/24/2001	Not detected		0.003	mg/L
2/21/2002	0.34		0.1	10/23/2001	Not detected		0.003	mg/L
9/18/2002	0.14		0.1	2/21/2002	Not detected		0.003	mg/L
3/27/2003	0.28		0.2	9/18/2002	Not detected		3	µg/L
7/14/2003	0.24		0.02	3/27/2003	Not detected		3	µg/L
1/7/2004	0.558		0.05	7/14/2003	Not detected		3	µg/L
7/21/2004	0.327	I J98	0.2	1/7/2004	Not detected		5	µg/L
1/13/2005	0.458	I	0.1	7/21/2004	Not detected		2	µg/L
7/21/2005	1.05		0.1	1/13/2005	2	U	2	µg/L
1/25/2006	0.38	I	0.1	7/21/2005	1	U	1	µg/L
7/27/2006	0.47		0.1	1/25/2006	1	U	1	µg/L
1/19/2007	0.44		0.1	7/27/2006	1	U	1	µg/L
7/30/2007	0.49		0.05	1/19/2007	1	U	1	µg/L
1/25/2008	0.46		0.05	7/30/2007	1	U	1	µg/L
8/5/2008	0.956		0.2	1/25/2008	1	U	1	µg/L
1/7/2009	0.992		0.2	8/5/2008	0.00792		0.002	mg/L
7/8/2009	0.303		0.2	1/7/2009	0.00369		0.002	mg/L
1/7/2010	0.433		0.2	7/8/2009	0.002	U	0.002	mg/L
				1/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-5S at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.31		0.01	7/27/1993	Not detected		0.002	mg/L
1/24/1994	0.86		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.66		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.9		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.05		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.02		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	2.89		0.01	12/8/1994	0.004		0.002	mg/L
4/20/1995	0.37		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.31		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.58		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	1.08		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.84		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	1.57		0.01	6/5/1996	0.002		0.002	mg/L
10/23/1996	0.31		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.64		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	0.23		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.75		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.48		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	2.12		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	1.76		0.05	7/22/1999	Not detected		0.003	mg/L
10/31/2000	0.75		0.05	4/20/2000	Not detected		0.003	mg/L
1/31/2001	0.65		0.05	10/31/2000	Not detected		0.003	mg/L
8/21/2001	0.58		0.1	1/31/2001	Not detected		0.003	mg/L
6/6/2002	0.82		0.1	8/21/2001	Not detected		0.003	mg/L
12/11/2002	0.73		0.1	6/6/2002	Not detected		3	µg/L
3/26/2003	0.73		0.2	12/11/2002	Not detected		3	µg/L
5/21/2003	0.9		0.02	3/26/2003	Not detected		3	µg/L
10/20/2003	0.818		0.02	5/21/2003	Not detected		3	µg/L
1/7/2004	0.906		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.779		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	0.642		0.1	4/20/2004	Not detected		2	µg/L
4/28/2005	1.02		0.1	10/22/2004	Not detected	U	2	µg/L
10/14/2005	2.13		0.1	4/28/2005	2	U	2	µg/L
1/25/2006	1.69		0.1	10/14/2005	1	U	1	µg/L
4/20/2006	1.62		0.1	1/25/2006	1	U	1	µg/L
10/30/2006	1.7		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	1.9		0.05	10/30/2006	1	U	1	µg/L
10/29/2007	1.7		0.05	4/26/2007	1.05	I	1	µg/L
1/24/2008	1.4	J4	0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	1.86		0.2	1/24/2008	1	U	1	µg/L
10/28/2008	1.33		0.2	4/17/2008	0.0107		0.002	mg/L
4/15/2009	1.71		0.2	10/28/2008	0.0064		0.002	mg/L
10/6/2009	1.44		0.2	4/15/2009	0.00373		0.002	mg/L
1/7/2010	1.16		0.2	10/6/2009	0.002	U	0.002	mg/L
4/7/2010	1.23		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-5D

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.16		0.01	7/27/1993	Not detected		0.002	mg/L
1/24/1994	0.79		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.55		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	0.76		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.05		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.03		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	1.09		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	1.04		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.15		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.34		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	1.33		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	0.85		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	1.78		0.01	6/5/1996	Not detected		0.002	mg/L
10/23/1996	Not detected		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.22		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	Not detected		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.42		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.5		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	1.47		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	0.6		0.05	7/22/1999	Not detected		0.003	mg/L
10/14/2000	0.81		0.1	4/20/2000	Not detected		0.003	mg/L
10/31/2000	0.43		0.05	10/14/2000	1	U	1	µg/L
1/31/2001	0.49		0.05	10/31/2000	Not detected		0.003	mg/L
8/21/2001	0.29		0.1	1/31/2001	Not detected		0.003	mg/L
6/6/2002	0.36		0.1	8/21/2001	Not detected		0.003	mg/L
12/11/2002	0.45		0.1	6/6/2002	Not detected		3	µg/L
3/27/2003	0.4		0.2	12/11/2002	Not detected		3	µg/L
5/21/2003	0.41		0.02	3/27/2003	Not detected		3	µg/L
10/20/2003	0.604		0.02	5/21/2003	Not detected		3	µg/L
1/7/2004	0.288		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.365		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	0.1	U	0.1	4/20/2004	Not detected		2	µg/L
4/28/2005	0.49		0.1	10/22/2004	Not detected	U	2	µg/L
1/25/2006	0.4		0.1	4/28/2005	2	U	2	µg/L
4/20/2006	0.45		0.1	1/25/2006	1	U	1	µg/L
10/31/2006	0.49		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	0.63		0.05	10/31/2006	1	U	1	µg/L
10/29/2007	0.43		0.05	4/26/2007	1.26	I	1	µg/L
1/24/2008	0.5		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	0.829		0.2	1/24/2008	1.28	I	1	µg/L
10/28/2008	0.826		0.2	4/17/2008	0.0109		0.002	mg/L
4/15/2009	0.918		0.2	10/28/2008	0.00395		0.002	mg/L
10/6/2009	0.914		0.2	4/15/2009	0.00454		0.002	mg/L
1/7/2010	1.57	J	0.2	10/6/2009	0.00347		0.002	mg/L
4/7/2010	0.957		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-6S

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.56		0.01	7/27/1993	Not detected		0.002	mg/L
1/24/1994	0.66		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.61		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	1.01		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.11		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	Not detected		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	2.23		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	Not detected		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.22		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.46		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.9		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	1.93		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	1.48		0.01	6/5/1996	Not detected		0.002	mg/L
10/23/1996	0.33		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.39		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	Not detected		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.44		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.51		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	1.17		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	0.07		0.05	7/22/1999	Not detected		0.003	mg/L
10/31/2000	0.38		0.05	4/20/2000	Not detected		0.003	mg/L
1/31/2001	0.51		0.05	10/31/2000	Not detected		0.003	mg/L
8/21/2001	0.38		0.1	1/31/2001	Not detected		0.003	mg/L
6/6/2002	0.6		0.1	8/21/2001	Not detected		0.003	mg/L
6/6/2002	0.56		0.1	6/6/2002	Not detected		3	µg/L
12/11/2002	0.56		0.1	6/6/2002	Not detected		3	µg/L
3/26/2003	0.53		0.2	12/11/2002	Not detected		3	µg/L
5/21/2003	0.78		0.02	3/26/2003	Not detected		3	µg/L
10/20/2003	0.665		0.02	5/21/2003	Not detected		3	µg/L
1/7/2004	0.956		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.669		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	0.303	I	0.1	4/20/2004	Not detected		2	µg/L
10/22/2004	0.26	I	0.1	10/22/2004	Not detected	U	2	µg/L
4/27/2005	0.63		0.1	10/22/2004	Not detected	U	2	µg/L
4/27/2005	0.66		0.1	4/27/2005	2	U	2	µg/L
10/13/2005	0.28	I	0.1	4/27/2005	2	U	2	µg/L
1/25/2006	0.41		0.1	10/13/2005	1	U	1	µg/L
4/20/2006	0.47		0.1	1/25/2006	1	U	1	µg/L
4/20/2006	0.45		0.1	4/20/2006	1	U	1	µg/L
10/30/2006	0.54		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	0.49		0.05	10/30/2006	1	U	1	µg/L
10/29/2007	0.5		0.05	4/26/2007	1	U	1	µg/L
1/24/2008	0.72		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	0.742		0.2	1/24/2008	1	U	1	µg/L
10/28/2008	1.2		0.2	4/17/2008	0.00838		0.002	mg/L
4/15/2009	1.35		0.2	10/28/2008	0.002	U	0.002	mg/L
10/6/2009	1.28		0.2	4/15/2009	0.002	U	0.002	mg/L
1/7/2010	1.36		0.2	10/6/2009	0.002	U	0.002	mg/L
4/7/2010	1.12		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L

Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Historical TKN and Selenium Concentrations in WTE-6D at SWERF

Date	TKN (mg/L)	QLF	MDL (mg/L)	Date	Selenium	QLF	MDL	Units-See Note 1
11/4/1993	0.07		0.01	7/27/1993	Not detected		0.002	mg/L
1/24/1994	0.22		0.01	11/4/1993	Not detected		0.002	mg/L
4/14/1994	0.48		0.01	1/24/1994	Not detected		0.002	mg/L
7/27/1994	0.67		0.01	4/14/1994	Not detected		0.002	mg/L
10/21/1994	0.02		0.01	7/27/1994	Not detected		0.002	mg/L
12/8/1994	0.04		0.01	10/21/1994	Not detected		0.002	mg/L
1/12/1995	0.3		0.01	12/8/1994	Not detected		0.002	mg/L
4/20/1995	0.73		0.01	1/12/1995	Not detected		0.002	mg/L
7/11/1995	0.12		0.01	4/20/1995	Not detected		0.002	mg/L
10/23/1995	0.54		0.01	7/11/1995	Not detected		0.002	mg/L
1/18/1996	0.59		0.01	10/23/1995	Not detected		0.002	mg/L
6/5/1996	1.05		0.01	1/18/1996	Not detected		0.002	mg/L
7/23/1996	1.82		0.01	6/5/1996	Not detected		0.002	mg/L
10/23/1996	0.19		0.01	7/23/1996	Not detected		0.002	mg/L
1/9/1997	0.2		0.01	10/23/1996	Not detected		0.002	mg/L
7/3/1997	Not detected		0.01	1/9/1997	Not detected		0.002	mg/L
4/27/1998	0.55		0.01	7/3/1997	Not detected		0.002	mg/L
11/10/1998	1.53		0.05	4/27/1998	Not detected		0.002	mg/L
2/4/1999	Not detected		0.05	11/10/1998	Not detected		0.003	mg/L
7/22/1999	1.45		0.05	2/4/1999	Not detected		0.003	mg/L
4/20/2000	0.66		0.05	7/22/1999	Not detected		0.003	mg/L
10/31/2000	0.2		0.05	4/20/2000	Not detected		0.003	mg/L
1/31/2001	0.25		0.05	10/31/2000	Not detected		0.003	mg/L
8/21/2001	0.3		0.1	1/31/2001	0.006		0.003	mg/L
6/6/2002	0.36		0.1	8/21/2001	Not detected		0.003	mg/L
12/11/2002	0.32		0.1	6/6/2002	Not detected		3	µg/L
3/27/2003	0.36		0.2	12/11/2002	Not detected		3	µg/L
10/20/2003	0.516		0.02	3/27/2003	Not detected		3	µg/L
1/7/2004	0.323		0.05	10/20/2003	Not detected		3	µg/L
4/20/2004	0.232		0.2	1/7/2004	Not detected		5	µg/L
10/22/2004	1.52		0.1	4/20/2004	Not detected		2	µg/L
4/27/2005	0.54		0.1	10/22/2004	Not detected	U	2	µg/L
10/13/2005	1.13		0.1	4/27/2005	2	U	2	µg/L
1/25/2006	0.49		0.1	10/13/2005	1	U	1	µg/L
4/20/2006	0.57		0.1	1/25/2006	1	U	1	µg/L
10/30/2006	1.7		0.1	4/20/2006	1	U	1	µg/L
4/26/2007	0.33		0.05	10/30/2006	1	U	1	µg/L
10/29/2007	0.37	J4	0.05	4/26/2007	1	U	1	µg/L
1/24/2008	0.7		0.05	10/29/2007	0.0075	U ELAB	0.0075	mg/L
4/17/2008	0.698		0.2	1/24/2008	1	U	1	µg/L
10/28/2008	2.68		0.2	4/17/2008	0.0111		0.002	mg/L
4/15/2009	3.12		0.2	10/28/2008	0.00322		0.002	mg/L
10/6/2009	2.14		0.2	4/15/2009	0.00225		0.002	mg/L
1/7/2010	2.85		0.2	10/6/2009	0.00217		0.002	mg/L
4/7/2010	1.68		0.2	1/7/2010	0.002	U	0.002	mg/L
				4/7/2010	0.002	U	0.002	mg/L


Note 1: Units (Column) Apply to Selenium and Corresponding MDL Concentrations Only

Attachment 6

Excerpt from Conditions of Certification, Lee County Solid Waste Energy Recovery Facility, PA90-30H, March 22, 2010 (Section B, Specific Condition I, H.2.c.(1))

Note that the referenced language was in the original and all revisions of the Conditions of Certification

STATE OF FLORIDA
DEPARTMENT
OF
ENVIRONMENTAL PROTECTION
(EXCERPT FROM ATTACHED)



Conditions of Certification

Lee County
Solid Waste Energy Recovery Facility

PA90-30H

March 22, 2010

XXXII. STORAGE TANK SYSTEMS	24
A. Incident Notification Requirements.....	24
B. Discharge Reporting Requirements.....	25
C. Discharge Cleanup.....	25
XXXIII. NOISE	25

SECTION B. SPECIFIC CONDITIONS

I. DEPARTMENT OF ENVIRONMENTAL PROTECTION.....	26
A. Facilities Operation.....	26
B. Adverse Impact.....	26
C. Dust and Odors	26
D. Protection of Vegetation	26
E. Environmental Control Program.....	26
F. Operational Contingency Plans.....	26
1. Operating Procedures	26
2. Contingency Plans.....	26
3. Current Engineering Plans	27
4. Application Modifications.....	27
G. Cooling Water.....	27
H. Operation.....	27
1. Wastewater Disposal	27
2. Water Discharges	27
3. Solid/Hazardous Waste	29
I. Proprietary Documents or Information - Confidentiality	30
J. Transmission Lines	30
K. Construction & Demolition Debris Recycling Facility (CDRF)	30
II. SOUTH FLORIDA WATER MANAGEMENT DISTRICT	30
A. Legal/Administrative Conditions.....	30
B. Water Use Conditions.....	33
C. Surface Water Management Conditions	37
1. General	37

EXCERPT →
FROM
ATTACHED

SECTION B. SPECIFIC CONDITIONS

SECTION B. SPECIFIC CONDITIONS

I. DEPARTMENT OF ENVIRONMENTAL PROTECTION

A. *Facilities Operation*

Nothing in these Conditions shall be construed to allow operation (including periods of pollution control equipment malfunction) that is inconsistent with, or in violation of any Federal permit or rule.

B. *Adverse Impact*

The Licensee shall take all reasonable steps to minimize any adverse impact resulting from noncompliance with any limitation specified in this certification, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

C. *Dust and Odors*

The Licensee shall employ proper odor and dust-control techniques to minimize odor and fugitive dust emissions. The applicant shall employ control techniques sufficient to prevent nuisance conditions on adjoining property.

D. *Protection of Vegetation*

The Licensee shall develop the site so as to retain a buffer of trees or shall plant a buffer of trees sufficient to minimize the aesthetic and noise impacts of the facility. The buffer, as far as practicable, shall be of sufficient height and width suitable for the purpose of mitigating both construction and operational impacts of the facility.

E. *Environmental Control Program*

An environmental control program shall be established under the supervision of a Florida registered professional engineer to assure that all construction activities conform to applicable environmental regulations and the applicable Conditions of Certification. If a violation of standards, harmful effects, or irreversible environmental damage, not anticipated by the application or the evidence presented at the certification hearing, is detected during construction, the Licensee shall notify the South District Office (DEP SD) as required by Condition VIII.

F. *Operational Contingency Plans*

1. **Operating Procedures**

The Licensee shall develop and furnish the South District Office a copy of written operating instructions for all aspects of the operations which are critical to keeping the facility working properly. The instructions shall also include procedures for the handling of suspected hazardous, toxic and infectious wastes.

2. **Contingency Plans**

The Licensee shall develop and furnish the South District Office written contingency plans for the continued operation of the system in event of breakdown. Stoppages which compromise the integrity of the operations must have appropriate contingency plans. Such contingency plans shall identify critical spare parts to be readily available.

SECTION B. SPECIFIC CONDITIONS

3. Current Engineering Plans

The Licensee shall maintain a complete current set of modified engineering plans, equipment data books, catalogs and documents in order to facilitate the smooth acquisition or fabrication of spare parts or mechanical modifications.

4. Application Modifications

The Licensee shall furnish appropriate modifications to drawings and plot plans submitted as part of the application, including operational procedures for isolation and containment of hazardous wastes.

G. Cooling Water

1. The Lee County Solid Waste Energy Recovery Facility may utilize reclaimed water from a domestic wastewater treatment plant or stormwater run-off as a source of cooling water. If the Licensee is forced to use groundwater for cooling due to non-availability of reclaimed water, such use shall be in accordance with Section B, Condition II.

2. Prior to use in the cooling tower, reclaimed water shall be treated to reduce turbidity to 5 NTU or less and disinfected by use of chlorine or other suitable biocide to achieve a 1.0 mg/l concentration of total chlorine residual after a 15 minute contact time.

H. Operation

1. Wastewater Disposal

A complete submittal of plans, drawings and specifications for leachate collection systems, pumps, lift stations, sewage collection systems, and wastewater collection systems in accordance with appropriate DEP rules shall be furnished to the South District Office for approval at least 90 days prior to start of construction for the particular of such component. In order to obtain approval, the receiving sewage treatment plant shall indicate its ability and willingness to accept the wastewater. Also plans and specifications for connections to off-site sewage and wastewater transmission systems shall be furnished to the South District Office for approval 90 days prior to start of construction. Review shall be accomplished in accordance with Section A, Condition XIX.

2. Water Discharges

a. Surface Water

Any discharges from the site stormwater system via the emergency overflow structure which results from an event LESS than a ten-year, 24-hour storm (as defined by the U.S. Weather Bureau Technical Paper No. 40, or the DOT drainage manual, or similar documents) shall meet applicable State Water Quality Standards, Chapter 62-302, F.A.C., and Chapter 40-E, F.A.C.

b. Groundwaters

All discharges to groundwaters shall be collected and treated as necessary, or otherwise be of high enough quality, to be able to meet the applicable Water Quality Standards of Sections 62-520.400 and 62-520.420, F.A.C., at the boundary of a zone of discharge approved for each potential pollution source. If monitoring should indicate a violation

SECTION B. SPECIFIC CONDITIONS

of the standards, the Licensee shall immediately notify the South District office and SFWMD and institute remedial action.

c. Groundwater Monitoring Program

(1) Sampling of the shallow aquifer groundwater quality shall be conducted in at least six well clusters in the site vicinity. At least one of these wells shall be up the hydrologic slope from the facility to provide current background data. Other wells shall be located down the hydrologic slope from the ground water discharge areas. Specific location of any new wells or modifications to the monitoring program may be proposed by the applicant, but shall be approved by the South District Office prior to the construction of the new monitoring wells.

(2) The groundwater monitoring plan submitted August 1992, as modified by April 3, 1996, amendment shall be implemented.

(3) Upon completion of construction of the groundwater monitoring system, the following information shall be submitted to the South District Office for all ground water monitoring wells and any new well(s) constructed:

Well identification	Driller's log
Latitude/Longitude	Total depth of well
Aquifer monitored	Casing diameter
Screen type & slot size	Casing type and length
Screen length	SFWMD well construction permit numbers
Elevation at top of pipe	Elevation at land surface

(4) Upon completion of construction of the groundwater monitoring system, but no less than 12 months before the commencement of operation the Licensee shall sample all ground water monitoring wells for the Primary and Secondary Drinking Water parameters included in Chapter 62-550, F.A.C. The specific parameters to be sampled are listed in Sections 62-550.310, 62-550.320 and 62-550, Part V, F.A.C.

(5) The field testing, sample collection and preservation and laboratory testing, including quality control procedures, shall be in accordance with Chapter 62-550, Part V, F.A.C. Approved methods as published by the Department or as published in Standard Methods, A.S.T.M. or EPA methods shall be used. Approved methods for chemical analyses are summarized in the Federal Register, December 1, 1976 (41FR52780) except that turbidity shall be measured by the Nephelometric Method.

(6) All required submittals shall be sent to the South District Office within 60 days of installation of the ground water monitoring system. Upon receipt and review of the required data, quarterly sampling reports shall be submitted to the South District Office commencing 12 months prior to the operation of the SWERF. Any required modifications of the groundwater monitoring system or program shall be modified in accordance with the provisions of Section A, Condition XXI. The groundwater monitoring program may be reviewed annually.