Danielle Harrington
Digitally signed by Danielle Harrington
DN: cn=Danielle Harrington, o=TestAmerica, ou=Project Management, email=danielle.harrington@testamericainc.com, c=US
Date: 2010.07.20 13:21:50 -06'00'

"MW-1A","EPA 9310 (Alpha)","F0F290481001","E87689","FL-RAD-002","Alpha -
Total","2.0","1.1","pCi/L","I","1.3","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 14:03","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-1B","EPA 9310 (Alpha)","F0F290481002","E87689","FL-RAD-002","Alpha -
Total","2.5","1.0","pCi/L","I","1.0","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 13:28","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-2AR","EPA 9310 (Alpha)","F0F290481003","E87689","FL-RAD-002","Alpha -
Total","1.21","0.67","pCi/L","I","0.81","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:50","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-2B","EPA 9310 (Alpha)","F0F290481004","E87689","FL-RAD-002","Alpha -
Total","8.0","2.0","pCi/L",,"1.7","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 12:27","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-3A","EPA 9310 (Alpha)","F0F290481005","E87689","FL-RAD-002","Alpha -
Total","9.3","1.9","pCi/L",,"1.1","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:45","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-3B","EPA 9310 (Alpha)","F0F290481006","E87689","FL-RAD-002","Alpha -
Total","6.1","1.8","pCi/L",,"1.6","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 10:08","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-4A","EPA 9310 (Alpha)","F0F290481007","E87689","FL-RAD-002","Alpha -
Total","0.91","0.63","pCi/L","I","0.87","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 10:14","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-4B","EPA 9310 (Alpha)","F0F290481008","E87689","FL-RAD-002","Alpha -
Total","1.20","0.70","pCi/L","I","0.91","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 09:42","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 18:00","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-5A","EPA 9310 (Alpha)","F0F290481009","E87689","FL-RAD-002","Alpha -
Total","3.6","1.1","pCi/L",,"0.9","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 09:39","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:21","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-5B","EPA 9310 (Alpha)","F0F290481010","E87689","FL-RAD-002","Alpha -
Total","16.6","3.4","pCi/L",,"1.8","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 08:48","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:21","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-6AR","EPA 9310 (Alpha)","F0F290481011","E87689","FL-RAD-002","Alpha -
Total","1.46","0.93","pCi/L","I","1.3","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 13:40","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:21","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-6BR","EPA 9310 (Alpha)","F0F290481012","E87689","FL-RAD-002","Alpha -
Total","4.5","1.8","pCi/L",,"1.9","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 13:06","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:30","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-7A","EPA 9310 (Alpha)","F0F290481013","E87689","FL-RAD-002","Alpha -
Total","1.6","1.1","pCi/L","IU","1.6","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 08:24","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:30","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-7B","EPA 9310 (Alpha)","F0F290481014","E87689","FL-RAD-002","Alpha -

Total","4.7","1.5","pCi/L",,"1.3","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 08:59","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:31","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-8R","EPA 9310 (Alpha)","F0F290481015","E87689","FL-RAD-002","Alpha -
Total","1.7","1.0","pCi/L","I","1.4","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 06:30","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:31","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-FL1","EPA 9310 (Alpha)","F0F290481016","E87689","FL-RAD-002","Alpha -
Total","7.9","2.6","pCi/L",,"2.4","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 10:31","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:31","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-FL2R","EPA 9310 (Alpha)","F0F290481017","E87689","FL-RAD-002","Alpha -
Total","2.3","1.5","pCi/L","IU","2.3","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:11","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-FL2RMS","EPA 9310 (Alpha)","F0F290481017S","E87689","FL-RAD-002","Alpha -
Total","90","11","pCi/L",,"3","SPK","1",,"116",,"3","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:11","AQUEOUS-Groundwater","MS","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0193086","YES","76.6",,"F0F290481"
"MW-FL2RDUP","EPA 9310 (Alpha)","F0F290481017X","E87689","FL-RAD-002","Alpha -
Total","2.7","1.9","pCi/L","I","2.5","TRG","1",,,"1","3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:11","AQUEOUS-Groundwater","DUP","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:31","TOT","0193134","0193086","YES",,,"F0F290481"
"MW-FL3","EPA 9310 (Alpha)","F0F290481018","E87689","FL-RAD-002","Alpha -
Total","3.1","1.8","pCi/L",,"2.3","TRG","1",,,,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 12:34","AQUEOUS-Groundwater","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0193086","YES",,,"F0F290481"
"EQUIPMENT BLANK","EPA 9310 (Alpha)","F0F290481019","E87689","FL-RAD-002","Alpha -
Total","1.13","0.64","pCi/L","I","0.76","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 14:30","AQUEOUS-Other","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0193086","YES",,,"F0F290481"
"FIELD BLANK","EPA 9310 (Alpha)","F0F290481020","E87689","FL-RAD-002","Alpha -
Total","0.90","0.53","pCi/L","IU","0.90","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 14:20","AQUEOUS-Other","N","20100629",,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0193086","YES",,,"F0F290481"
"F0G120000134B","EPA 9310 (Alpha)","F0G120000134B","E87689","FL-RAD-002","Alpha -
Total","0.92","0.62","pCi/L","IU","0.92","TRG","1",,,,"3.00","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:11","AQUEOUS-Other","MB",,,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0","YES",,,"F0F290481"
"F0G120000134C","EPA 9310 (Alpha)","F0G120000134C","E87689","FL-RAD-002","Alpha -
Total","57.8","6.3","pCi/L",,"1.2","SPK","1",,"117",,"3.0","87081","VISTA LANDFILL, LLC., CLASS III
(BUTTREY/KEENE RD SOUTH)","06/24/2010 11:11","AQUEOUS-Other","LCS",,,"Gen
Prep","RES","YES","07/12/2010 00:00","07/12/2010 19:32","TOT","0193134","0","YES","49.4",,"F0F290481"