



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SOLID WASTE MANAGEMENT FACILITY
INSPECTION CHECKLIST

GMS I.D. No. _____ Facility Name: FLORIDA TIRE TERMINAL
Inspection Date: 8/11/00 Permit No.: BENEFICIAL USE AGREEMENT Expiration Date: _____
Facility Address: 400 FEAGIN ST.
City: AVON PARK County: HIGHLANDS Zip: 33825
Permittee or Operating Authority: ROBERT REISIG
Telephone Number (Permittee or Operating Authority): (941) 452-5788
Inspection Participants (Include ALL Landfill and Department Employees Specifying Titles):
Principal Inspector: BOB STEWART
Other Participants: BILL NEWBOULD, MANAGER

TYPE OF FACILITY

Landfill: _____ C&D Facility: _____ Other Facilities: _____
Class I _____ Disposal _____ WTE Facility _____ Composting _____
Class II _____ Recycler _____ Transfer Station _____ MSW Shredder _____
Class III _____ Land Clearing _____ Incinerator/Trench Burner _____ Unauthorized Disposal _____
_____ Materials Recovery Facility _____ Other WASTE TIRE SITE
_____ MSW _____ Other Wastes _____

TYPE OF INSPECTION

Construction Completion _____ Complaint Investigation _____ Other _____
☒ Operation _____ Reinspection _____
Closure _____ Facility File Review _____
Post-Closure _____

REQUIREMENTS

THE REQUIREMENTS LISTED IN THIS INSPECTION CHECKLIST ARE BASED UPON RULES OF THE FLORIDA ADMINISTRATIVE CODE. A "NO" RESPONSE TO A REQUIREMENT (UNLESS OTHERWISE NOTED) REFLECTS A VIOLATION OF THE CORRESPONDING DEPARTMENT RULE(S). EACH VIOLATION IS DISCUSSED IN THE NARRATIVE SECTION OF THIS REPORT.

I. SOLID WASTE PROHIBITIONS	YES	NO	Unk	N/A
1. Unauthorized disposal/storage prohibited in areas lacking geological support? 62-701.300(2)(a)				✓
2. Unauthorized disposal/storage prohibited within 500' of a potable water well? 62-701.300(2)(c)				✓
3. Unauthorized disposal/storage prohibited in a dewatered pit unless pit is lined and has leachate controls? 62-701.300(2)(d)				✓
4. Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62-701.300(2)(e)				✓
5. Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62-701.300(2)(f)				✓
6. Unauthorized disposal/storage prohibited within 200' of any natural or artificial body of water, including wetlands, except on-site water bodies with no off-site discharge? 62-701.300(2)(g)				✓
7. Unauthorized disposal/storage prohibited on the right of way of any public highway, road or alley? 62-701.300(2)(h)				✓

Department copy (white)
Facility copy (yellow)

VI. OTHER SOLID WASTE FACILITIES		YES	NO	Unk	N/A
1.	WTE facility in compliance with all permit conditions and applicable requirements? 62-701.320(1)				✓
2.	Shredding facility in compliance with all required conditions of operation? 62-701.320(1)				✓
3.	Compost facility in compliance with all permit conditions and applicable requirements? 62-701.320(1)				✓

VII. NARRATIVE

Explanation for all "NO" responses and other comments (continue on separate sheet if necessary)

TIRES (APPROX. 75) WERE NOTED STORED ^{VERTICALLY} INSIDE THE FIRE LANE ON THE LEFT HAND SIDE OF THE LANE. THIS IS THE SECOND INSTANCE OF TIRES SEEN STORED IN THE FIRE LANE.

PLEASE REMOVE ALL TIRES FROM THE FIRE LANE TO INSURE FIRE EQUIPMENT HAVE ACCESS TO THE STORAGE AREA TO CONTAIN AND CONTROL ANY FIRES THAT MAY OCCUR ON SITE.

THE FACILITY WILL BE INSPECTED IN TWO WEEKS, AUG 25/2000, TO VERIFY THAT ALL TIRES HAVE BEEN REMOVED FROM THE FIRE LANE AND SAFELY STORED ON SITE.

Signed: Robert J. Stewart, 8/11/00
DEP Representative Date

Received: Bill Newbould, 8/11/00
Site Representative Date