

FLUDA DEPARTMENT OF ENVIRONMENTAL PROTECTION SOLID WASTE MANAGEMENT FACILITY INSPECTION CHECKLIST

GMS I.D. No	_ Facility Name: FIORIDA TIK	E IERM/NAL				- .
Inspection Date: 7/1198	BENEFICIAL USE Permit No.: AGREEMENT	Expiration Date:				_
Facility Address : 400 FeAGIN	5 7 ,				·····	-
City: AUON PARK	County: HIGHLA	NDS Zip: _	3386	15	·	_
Permittee or Operating Authority: Roll	BERT REISIG	· · · · · · · · · · · · · · · · · · ·				-
Telephone Number (Permittee or Operation	ng Authority): (941)452-	5788				·. =
Inspection Participants (Include ALL Land		•				N.
<u> </u>	WART, BILL KRUMBHO	DLZ			<u> </u>	_
Other Participants: BILL Neu	UBOULD, MGR.	<u> </u>				-
TYPE OF FACILITY Landfill: C&D Facility:Class IDisposalClass IIRecyclerClass IIILand Clearing	Other Facilities: WTE Facility Transfer Station Incinerator/Trench Burner Materials Recovery Facility MSWOther Wastes	Composting MSW Shredder Unauthorized Disp _X_Other_ <i>WASTE</i> _T		VIE Vio		-
TYPE OF INSPECTION					, ,	
Construction Completion Completion	Complaint InvestigationReinspection	Other /		1 5	r)	-
Closure Post-Closure	Facility File Review				,	•
REQUIREMENTS		*	0"86	A. D.		
THE REQUIREMENTS LISTED IN THIS IN CODE. A "NO" RESPONSE TO A REQUIREMENT RULE(S	REMENT (UNLESS OTHERWISE NOTE	D) REFLECTS A VIOLA	TION OF	THE		
I. SOLID WASTE PROHIBITIONS	· · · · · · · · · · · · · · · · · · ·		YES	NO	Unk	N/A
	phibited in areas lacking geological sup)			
2. Unauthorized disposal/storage pro 701.300(2)(c)	phibited within 500' of a potable water	er well? 62-		İ		
3. Unauthorized disposal/storage proceedings (2013) (2) (4)	phibited in a dewatered pit unless pit i	s lined and has leachate				
	phibited in an area subject to frequent in place? 62-701.300(2)(e)	and periodic flooding	1			
	phibited in any natural or artificial body	y of water including	1/			

Department copy (white) Facility copy (yellow)

alley? 62-701.300(2)(h)

6.

7.

Unauthorized disposal/storage prohibited within 200' of any natural or artificial body of water,

including wetlands, except on-site water bodies with no off-site discharge? 62-701.300(2)(g)

Unauthorized disposal/storage prohibited on the right of way of any public highway, road or

VI. OTHER SOLID WASTE FACILITIES	YES	NO	Unk	N/A
1. WTE facility in compliance with all permit conditions and applicable requirements? 62-701.320(1)				/ر
2. Shredding facility in compliance with all required conditions of operation? 62-701.320(1)				
3. Compost facility in compliance with all permit conditions and applicable requirements? 62-701.320(1)				V
VII. NARRATIVE			:	
Explanation for all "NO" responses and other comments (continue on separate sheet if necessary)	سورين	1		
FIRE LANE (18 FT. WIDE) HAS BEEN COMPLETED AT THE FAC	1611	7 /~		-
ACCORDANCE WITH LOCAL FIRE MARSHALL.				-
LARVAE AND ADULT STAGES OF MOSQUITO INSECTS WERE	SEEA	JW	THE	<u> </u>
WATER THAT WAS PONDED IN SEVERAL OF THE WASTE TIRES I	LOCA	TED	ON	- ² .
SITE,				_
Please INSURE THE WASTE TIRES CONTAINING THE MOSQUI	TOL	ADE	N	_
WATER ARE SEEDED WITH "A BAIT" MOSQUITO INHIBITING PE	LLET	S AA	מנ	
STORED IN A MANNER IN ACCORDANCE WITH CONDITION#4	OF TH	IE F	ACILI	74/5
BENEFICIAL USE AGREEMENT,		•,		-
Between the transfer to the tr				-
				_
				_
				_
				_
		-		-
				-
			<u>4:</u>	_
				_
				-
				-
				_
				
Signed: Robert J. Stewart / 7/1/98 DEP Representative Date Received: Bill Mewbor	I)	7-1	1-9	8