Danielle Harrington
Digitally signed by Danielle Harrington
DN: cn=Danielle Harrington, o=TestAmerica, ou=Project Management, email=danielle.harrington@testamericainc.com, c=US
Date: 2010.01.20 14:34:48 -07'00'

"MW-1A","EPA 9310 (Alpha)","D0A060444001","E87689","FL-RAD-002","Alpha - Total","1.4","0.86","pCi/L","IU","1.4","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:51","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-1AMS","EPA 9310 (Alpha)","D0A060444001S","E87689","FL-RAD-002","Alpha - Total","49.5","5.9","pCi/L",,"1.4","SPK","1",,"98",,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:51","AQUEOUS-Groundwater","MS","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES","49.4",,"58826110"
"MW-1ADUP","EPA 9310 (Alpha)","D0A060444001X","E87689","FL-RAD-002","Alpha - Total","1.2","0.84","pCi/L","IU","1.2","TRG","1",,,"0.2","3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:51","AQUEOUS-Groundwater","DUP","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-1B","EPA 9310 (Alpha)","D0A060444002","E87689","FL-RAD-002","Alpha - Total","2.9","1.0","pCi/L","I","0.9","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:15","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-2AR","EPA 9310 (Alpha)","D0A060444003","E87689","FL-RAD-002","Alpha - Total","2.29","0.85","pCi/L","I","0.83","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 10:54","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-2B","EPA 9310 (Alpha)","D0A060444004","E87689","FL-RAD-002","Alpha - Total","5.4","1.4","pCi/L",,"1.1","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 10:24","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-3A","EPA 9310 (Alpha)","D0A060444005","E87689","FL-RAD-002","Alpha - Total","5.1","1.2","pCi/L",,"0.9","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 08:47","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-3B","EPA 9310 (Alpha)","D0A060444006","E87689","FL-RAD-002","Alpha - Total","5.8","1.5","pCi/L",,"1.2","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 09:20","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-4A","EPA 9310 (Alpha)","D0A060444007","E87689","FL-RAD-002","Alpha - Total","1.1","0.64","pCi/L","IU","1.1","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 11:15","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-4B","EPA 9310 (Alpha)","D0A060444008","E87689","FL-RAD-002","Alpha - Total","0.93","0.61","pCi/L","I","0.80","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 11:45","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-5A","EPA 9310 (Alpha)","D0A060444009","E87689","FL-RAD-002","Alpha - Total","5.8","1.3","pCi/L",,"0.9","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:25","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-5B","EPA 9310 (Alpha)","D0A060444010","E87689","FL-RAD-002","Alpha - Total","15.8","3.1","pCi/L",,"1.8","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:50","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-6AR","EPA 9310 (Alpha)","D0A060444011","E87689","FL-RAD-002","Alpha - Total","3.1","1.0","pCi/L",,"0.9","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 09:12","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-6BR","EPA 9310 (Alpha)","D0A060444012","E87689","FL-RAD-002","Alpha -

Total","1.6","1.1","pCi/L","I","1.5","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 08:32","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-7A","EPA 9310 (Alpha)","D0A060444013","E87689","FL-RAD-002","Alpha - Total","1.2","0.80","pCi/L","IU","1.2","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 13:21","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/12/2010 17:06","TOT","0011111","0011056","YES",,,"58826110"
"MW-7B","EPA 9310 (Alpha)","D0A060444014","E87689","FL-RAD-002","Alpha - Total","4.6","1.3","pCi/L",,"1.1","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 13:55","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"MW-8R","EPA 9310 (Alpha)","D0A060444015","E87689","FL-RAD-002","Alpha - Total","3.4","1.4","pCi/L",,"1.4","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 14:30","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"MW-FL1","EPA 9310 (Alpha)","D0A060444016","E87689","FL-RAD-002","Alpha - Total","7.6","2.5","pCi/L",,"2.1","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 10:55","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"MW-FL2R","EPA 9310 (Alpha)","D0A060444017","E87689","FL-RAD-002","Alpha - Total","1.8","1.1","pCi/L","IU","1.8","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 09:51","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"MW-FL3","EPA 9310 (Alpha)","D0A060444018","E87689","FL-RAD-002","Alpha - Total","6.2","2.9","pCi/L",,"3.3","TRG","1",,,,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 11:31","AQUEOUS-Groundwater","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"EQUIPMENT BLANK 1","EPA 9310 (Alpha)","D0A060444019","E87689","FL-RAD-002","Alpha - Total","0.91","0.41","pCi/L","IU","0.91","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 13:50","AQUEOUS-Other","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"FIELD BLANK 1","EPA 9310 (Alpha)","D0A060444020","E87689","FL-RAD-002","Alpha - Total","1.5","0.84","pCi/L","IU","1.5","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 13:30","AQUEOUS-Other","N","20100106",,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0011056","YES",,,"58826110"
"F0A110000111B","EPA 9310 (Alpha)","F0A110000111B","E87689","FL-RAD-002","Alpha - Total","0.80","0.46","pCi/L","IU","0.80","TRG","1",,,,"3.00","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:51","AQUEOUS-Other","MB",,,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0","YES",,,"58826110"
"F0A110000111C","EPA 9310 (Alpha)","F0A110000111C","E87689","FL-RAD-002","Alpha - Total","48.2","5.3","pCi/L",,"1.3","SPK","1",,"98",,"3.0","87081","VISTA LF, LLC, CLASS III (BUTTREY/KEENE RD SOUTH)","01/05/2010 12:51","AQUEOUS-Other","LCS",,,"Gen Prep","RES","YES","01/11/2010 00:00","01/14/2010 09:54","TOT","0011111","0","YES","49.4",,"58826110"