

Facility Information:

Facility Name: CITRUS CENTRAL SLF

On-Site Inspection Start Date: 05/09/2008 On-Site Inspection End Date: 05/09/2008

WACS No.: 39859

Facility Street Address: 3MI E LECANTO, SR44

City: LECANTO County Name: CITRUS Zip: 34452

Inspection Participants (Include ALL Landfill and Department Personnel with Corresponding Titles):

Principal Inspector: Melissa Madden
Other Participants: Nancy Gaskin

TYPE OF FACILITY:

Landfill: C&D Facility: Waste Processing Facility: Other Facilities:

Class I Waste Tire Facility

TYPE OF INSPECTION:

Operation, Routine, Long-Term Care

ATTACHMENTS TO THE INSPECTION CHECK LIST:

This Cover Page to the Inspection Checklist may include any or all of the following attachments as appropriate.

SECTION 1.0 - FILE REVIEW

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

SECTION 3.0 - LANDFILL LONG-TERM CARE

SECTION 9.0 - WASTE TIRE FACILITIES

CITRUS CENTRAL SLF Page 1 of 12



SECTION 1.0 - FILE REVIEW

Requirements:

This section provides an opportunity for the department inspector to add a narrative explaining any requirements identified as "Not Ok" at the time of the inspection. Some requirements may be identified as "Ok" but are discussed further in the "areas of concern" portion of the narrative section.

Item No.	FILE REVIEW (Pre- or Post-Inspection, as appropriate.) Completed	Ok	Not Ok	Unk	N/A
1.1	For landfills, is the method and sequence of filling wastes according to plans? 62-701.500(2)(f)			~	
1.2	For landfills, are the following records being reported to the Department?(Check any that are Not OK.)				
	Waste reports (quarterly) 62-701.500(4)			~	
	Annual estimate of remaining life 62-701.500(13)(c)				
1.3	Is leachate sampled, tested and disposed as required? 62-701.500(8)(a) & 62-701.510(6)(c)	~			
1.4	Is gas monitoring being performed as required by the permit? 62-701.500(9) & 62-701.530(2)	~			
1.5	Are the results of the gas sampling reported to the Department quarterly? 62-701.530(2)	~			
1.6	Is water quality sampling and testing performed according to standard procedures and at the required frequencies? See 62-701.510(2) for landfills; 62-701.730(4)(b) & (10) for C&D debris sites; 62-713.400(3) for stationary soil treatment facilities.	~			
1.7	Do the results of the water quality testing suggest there may be adverse impacts to water quality from the operation of the solid waste facility? 62-701.510(3) & (4)			~	
1.8	For closed landfills and C&D disposal facilities with final elevations higher than 20 feet above grade, has a final survey report verifying the final elevations and contours of the facility been submitted to the Department? 62-701.610(3) & 62-701.730(9)(c)				~
1.9	Is financial assurance adequate? See 62-701.630 for landfills; 62-710(7)(a) & (10)(a) for WPFs; 62-701.730(11)(a) for C&D debris facilities; 62-713.600(6)(a) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities. NOTE: The Solid Waste Financial Coordinator in Tallahassee can assist with this information.	~			
1.10	Are cost estimates current and adjusted every year? See 62-701.630(4) for landfills; 62-701.710(7)(b) & (10)(a) for WPFs; 62-701.730(11)(b) for C&D debris facilities; 62-713.600(6)(b) & (c) for stationary soil treatment facilities; 62-711.500(3) for waste tire facilities.	~			
1.11	For C&D debris disposal and disposal with recycling facilities, is an Annual Report submitted to the Department for the disposal operation by April 1st of each year? 62-701.730(12)				^
1.12	For C&D recycling facilities with no disposal, is an Annual Report for the recycling operation submitted to the Department by April 1st of each year? 62-701.710(9)(b)				~
1.13	For compost facilities, has the compost product been sampled and analyzed every 20,000 tons or every 3 months (whichever is sooner)? 62-709.530(1)				~
1.14	For compost facilities, has the annual report been submitted by June 1st? 62-709.530(3)				~

CITRUS CENTRAL SLF Page 2 of 12



Ok

Not

Unk N/A

SECTION 2.0 - LANDFILL OPERATION AND MAINTENANCE

Requirements:

Item

This section provides an opportunity for the department inspector to add a narrative explaining any requirements identified as "Not Ok" at the time of the inspection. Some requirements may be identified as "Ok" but are discussed further in the "areas of concern" portion of the narrative section.

SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16))

No.	Completed		Ok		
2.1	Unauthorized disposal/storage prohibited, except yard trash, within 500' of a potable water well? 62-701.300(2)(b)	>			
2.2	Unauthorized disposal/storage prohibited, except yard trash, within 1000' of a potable water well serving a community water system? 62-701.300(2)(h)	~			
2.3	Unauthorized storage/disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for water bodies? 200 feet for community water supply wells?	¥			
2.4	Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62-701.300(2)(d)	~			
2.5	Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62-701.300(2)(e)	~			
2.6	Unauthorized disposal/storage prohibited, except yard trash, within 200' of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f)	~			
2.7	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62 -701.300(3)	~			
2.8	Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)		¥		
2.9	Are only permitted waste types disposed at facility? 62-701.340(3), 62-701.500(6)(a)&(2)(c)	~			
Item No.	LANDFILL OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
2.10	Is there a trained operator on-site at Class I and III landfills when receiving wastes? 62-701.500(1)	~			
2.11	Is there at least one spotter at each working face when receiving wastes at Class I and III landfills? 62-701.500(1)	~			
2.12	Are the following records or plans current and available on-site? (Check any that are Not OK.) Training Plan 62-701.320(15)(a) Operating Plan 62-701.500(2) Waste weight records 62-701.500(4) Precipitation records 62-701.500(8)(g) Load-checking program records 62-701.500(6)(a)	>			

CITRUS CENTRAL SLF Page 3 of 12



Item No.	LANDFILL OPERATION AND MAINTENANCE Completed	Ok	Not Ok	Unk	N/A
2.12	Training records 62-701.320(15)(a)				
	Operation record 62-701.500(3)	~			
	Quantity of leachate 62-701.500(8)(f)				
2.13	Is the operation plan substantially followed? 62-701.500(2)		~		
2.14	Is incoming waste weighed? 62-701.500(4)(a)&(2)(d)	~			
2.15	Is the method and sequence of filling wastes according to plans? 62-701.500(2)(f)	~			
2.16	Is access properly controlled to prevent unauthorized waste disposal? 62-701.500(5)	>			
2.17	Is waste compacted as required? 62-701.500(7)(a)	٧			
2.18	Are the working face and side slopes above ground graded to a slope no greater than 3 ft. horizontal to 1 ft. vertical rise? 62-701.500(7)(c)	٧			
2.19	Is a narrow working face practiced? 62-701.500(7)(d)	~			
2.20	Is the frequency, amount and quality of initial cover, as required? 62-701.500(7)(e)		~		
2.21	Is the frequency, amount and quality of intermediate cover, as required? 62-701.500(7)(f)	>			
2.22	Is litter controlled and are litter control devices maintained? 62-701.500(7)(i) and (11)(f)		~		
2.23	Is erosion control adequate? 62-701.500(7)(j)	~			
2.24	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) & (h)	~			
2.25	Is leachate disposed of or treated as required? 62-701.500(8)(b), (c) and (d)	~			
2.26	If leachate recirculation is practiced at the facility, is it done in accordance with Department requirements and the Operation Plan? 62-701.400(5)				~
2.27	Is gas controlled to not cause objectionable odors beyond the property boundary? 62-701.530(3)(b)	~			
2.28	Is gas controlled to not allow combustible gas concentrations to exceed specified limits? 62-701.530(3)(a)			~	
2.29	Are gas vents intact and functioning properly? 62-701.500(9) & 62-701.530(1)(a)3.				~
2.30	Is mixing of leachate and stormwater prevented or minimized? 62-701.500(10) & 62-701.400(9)(c)	>			
2.31	Is stormwater management system maintained and operated as required? 62-701.500(10)	>			
2.32	Is there sufficient operating equipment? 62-701.500(11)(a)	>			
2.33	Is there sufficient reserve equipment (or other arrangements)? 62-701.500(11)(b)	>			
2.34	Are communication facilities adequate? 62-701.500(11)(c)	>			
2.35	Are approved dust control methods adequate? 62-701.500(11)(d)	~			
2.36	Are fire protection and fire fighting capabilities adequate and operational? 62-701.500(11)(e)	~			
2.37	Are there required signs for operational directions and public information? 62-701.500(11)(g)	~			
2.38	Are all-weather access roads and inside perimeter roads properly maintained? 62-701.500(12)	~			
2.39	Are ground water wells intact and properly maintained? 62-701.510(2)(b), 62-701.620(9)	~			
2.40	Are all specific conditions in the permit being followed? 62-701.320(1)		~		

CITRUS CENTRAL SLF Page 4 of 12



SECTION 3.0 - LANDFILL LONG-TERM CARE

Requirements:

This section provides an opportunity for the department inspector to add a narrative explaining any requirements identified as "Not Ok" at the time of the inspection. Some requirements may be identified as "Ok" but are discussed further in the "areas of concern" portion of the narrative section.

Type Of Cover: Soil & PVC Closure/Final Cover 01/01/1991

Post-Closure Utilization: None - Future Expansion (Permit in House?)

Surrounding Land Use: Withlacooche State Forest

Item No.	LANDFILL LONG-TERM CARE Completed	Ok	Not Ok	Unk	N/A
3.1	Is site access controlled to prevent any unauthorized dumping? 62-701.600(5)(i)	~			
3.2	Are any unauthorized wastes stored or disposed at the site? 62-701.600(5)(i)	~			
3.3	Is stormwater management system maintained and operated as required? 62-701.600(5)(h)	~			
3.4	Is the final cover properly vegetated? 62-701.600(5)(f)2.	~			
3.5	Are there any signs of erosion of the final cover? 62-701.600(5)(f)2.	~			
3.6	Is there any evidence of damage to the barrier layer of the final cover? 62-701.620(1)	~			
3.7	Are areas of differential settlement being properly filled? 62-701.600(5)(f)4.	~			
3.8	Are there any areas of ponding water on the final cover? 62-701.600(5)(f)3.	~			
3.9	Is the leachate collection and removal system maintained and operated as required? 62-701.500(2)(j), 62-701.500(8)(b) & (h)				~
3.10	Is leachate disposed of or treated as required? 62-701.500(8)(b), (c) and (d)				~
3.11	Are there any signs of leachate seeps at the closed landfill? 62-701.500(8)(b) and 62-701.620(1)	~			
3.12	Condition of the ground water monitoring wells. 62-701.620(1) (Check any that are Not OK.) Access to monitoring wells Damage to monitoring wells Monitoring wells protected, secured and labeled.	~			
3.13	Are the wells for gas monitoring and detection intact and operable? 62-701.620(5)	~			
3.14	Is the gas collection system (active or passive) operating and maintained? 62-701.620(5)	~			
3.15	Is gas monitoring being conducted as required? 62-701.620(5)	~			
3.16	Are there any signs of stressed vegetation of the final cover? 62-701.620(5)	~			
3.17	Is there any evidence that gas pressure is interfering with or causing failure of the final cover? 62-701.530(1)(a)4.	~			
3.18	If required, are survey monuments properly installed? 62-701.610(2)	~			
3.19	Is there a potential hazard to public health and the environment resulting from the post-closure utilization of the landfill? 62-701.610(7)	~			
3.20	Is there a potential hazard to public health resulting from land-use changes surrounding the closed landfill?	~			
3.21	If waste is being relocated, is this performed according to the Department's requirements? 62-701.620(8)	~			
3.22	Are all specific conditions in the closure or long-term care permit being followed? 62-701.620(2)	~			

CITRUS CENTRAL SLF Page 5 of 12



SECTION 9.0 - WASTE TIRE FACILITIES

Requirements:

This section provides an opportunity for the department inspector to add a narrative explaining any requirements identified as "Not Ok" at the time of the inspection. Some requirements may be identified as "Ok" but are discussed further in the "areas of concern" portion of the narrative section.

Item No.	SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16)) Completed	Ok	Not Ok	Unk	N/A
9.1	Unauthorized disposal/storage prohibited, except yard trash, within 500' of a potable water well? 62-701.300(2)(b)	~			
9.2	Unauthorized disposal/storage prohibited, except yard trash, within 1000' of a potable water well serving a community water system? 62-701.300(2)(h)	~			
9.3	Unauthorized storage/disposal of yard trash prohibited within the minimum setbacks of (Check any that are Not OK) 62-701.300(12) 100 feet for potable water wells (except on-site)? 50 feet for water bodies? 200 feet for community water supply wells?				
9.4	Unauthorized disposal/storage prohibited in an area subject to frequent and periodic flooding unless flood protection measures in place? 62-701.300(2)(d)	>			
9.5	Unauthorized disposal/storage prohibited in any natural or artificial body of water including ground water? 62-701.300(2)(e)	~			
9.6	Unauthorized disposal/storage prohibited, except yard trash, within 200' of any natural or artificial body of water, including wetlands without permanent leachate controls, except impoundments or conveyances which are part of an on-site, permitted stormwater management system or on-site water bodies with no off-site discharge? 62-701.300(2)(f)	~			
9.7	Unauthorized open burning of solid waste prohibited except in accordance with Department requirements? 62 -701.300(3)	>			
9.8	Are the following prohibited wastes or special wastes properly managed? (Check any that are Not OK) Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e) Used oil, except as exempted 62-701.300(11) Lead-acid batteries, mercury-containing switches and lamps in WTEs 62- PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)	*			

Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE Completed	Ok	Not Ok	Unk	N/A
9.9	If the facility accepts tires from the public, is a sign posted at the facility entrance stating operating hours, cost of disposal and site rules? 62-711.540(1)(a)	>			
9.10	Are operations involving the use of open flames conducted no closer than 25 feet of a waste tire pile? 62-711.540(1)(b)	>			
9.11	If the facility accepts tires from the public, is an attendant always present on site when the site is open for business? 62-711.540(1)(c)	>			
9.12	Are fire protection services assured through notification to local fire protection authorities? 62-711.540(1)(d)	٧			
9.13	Is an annual fire safety survey conducted? 62-711.540(1)(d)	٧			
9.14	Is a copy of the annual fire safety report made part of the next quarterly report? 62-711.540(1)(d)	٧			
9.15	Does the facility have an Emergency Preparedness Manual (EPM) on-site? 62-711.540(1)(e)	٧			

CITRUS CENTRAL SLF Page 6 of 12



Item No.	WASTE TIRE FACILITY - GENERAL REQUIREMENTS FOR STORAGE Completed	Ok	Not Ok	Unk	N/A
9.16	Does the EPM contain the following information? (Check all that are Not OK.)				
	Contact names and numbers 62-711.540(1)(e)1.	95			
	List of emergency response equipment and locations on-site 62-711.540(1)(e)	~			
	Procedures to be followed in the event of a fire 62-711.540(1)(e)3.				
9.17	Is the operator at the facility maintaining records of the quantity of WT received at the site, stored at the site, and shipped from the site? 62-711.540(1)(g) and 62-711.400(5)	~			
9.18	If the operator of the site is not the owner of the property, has written authorization been obtained from the property owner to operate the facility? 62-711.540(1)(h)				~
9.19	Is adequate communications equipment available at the site? 62-711.540(1)(i)	~			
9.20	Is the owner or operator providing for control of mosquitoes and rodents so as to protect the public health and welfare? 62-711.540(1)(j)	~			
Item	WASTE TIRE FACILITY - STORAGE INDOORS Completed	Ok	Not	Unk	N/A
No.	WASTE TIKE FACILITY - STOKAGE INDOORS Completed		Ok	Olk	IN/A
9.21	Are WT piles more than 50 feet in width? 62-711.540(2)(a)				~
9.22	Are WT piles along a wall more than 25 feet in width? 62-711.540(2)(a)				~
9.23	Are widths of main aisles between piles less than 8 feet? 62-711.540(2)(b)				~
9.24	Is there less than 3 feet of clearance between the top of storage to sprinkler detectors or roof structures? 62-711.540(2)(c)				~
9.25	Is there less than 3 feet of clearance between waste tire piles and unit heaters, etc.? 62-711.540(2)(c)				~
9.26	If waste tires are stored up to15 feet in height, do walls have at least a 4-hour fire rating? 62-711.540(2)(e)				~
9.27	If waste tires are stored >15 feet in height, do walls have a fire rating of not less than 6 hours and columns one hour FR? If > 20 feet, do columns and its connections with other structural members have two hour FR? 62-711.540(2)(f)				~
9.28	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(2)(h)				~
			1		
Item No.	WASTE TIRE FACILITY - STORAGE OUTDOORS Completed	Ok	Not Ok	Unk	N/A
9.29	Is the waste tire site operated >200 feet from a body of water? 62-711.540(3)(a)	~			
9.30	Does the waste tire pile have a width < 50 feet? 62-711.540(3)(b)	~			
9.31	Does the waste tire pile have an area < 10,000 sq. ft? 62-711.540(3)(b)	~			
9.32	Does the waste tire pile have a height < 15 ft.? 62-711.540(3)(b)	~			
9.33	Is there a 50 ft. wide fire lane around the perimeter of the waste tire pile? 62-711.540(3)(c)	~			
9.34	Is there unobstructed access to the fire lane? 62-711.540(3)(c)	~			
9.35	Is the access controlled through the use of doors, fences, gates, natural barriers or other means? 62-711.540(3)(d)	~			
9.36	Is the site kept free of grass, underbrush, and other potentially flammable vegetation? 62-711.540(3)(f)	~			
9.37	Is the site bermed or given other adequate protection to prevent liquid runoff from entering water bodies? 62-711.540(3)(e)	~			
9.38	Are residuals contained on-site and disposed of in a permitted SW management facility? 62-711.540(5)				~
9.39	Does the waste tire site qualify for the exceptions to the technical and operational standards as allowed by rule? 62-711.540(6)			~	
lt o roo	WASTE TIPE FACILITY COLLECTION CENTED Completed	Ok	Nat	الماد	NI/A
Item No.	WASTE TIRE FACILITY - COLLECTION CENTER Completed	Ok	Not Ok	Unk	N/A

CITRUS CENTRAL SLF Page 7 of 12



Item No.	WASTE TIRE FACILITY - COLLECTION CENTER Completed	Ok	Not Ok	Unk	N/A
9.40	Are no more than 1500 tires at the CC at any one time? 62-711.550(1)(a)	~			
9.41	Are all waste tires, which are not used tires, removed from site yearly for recycling, processing, or disposal? 62-711.550(1)(b)	~			

CITRUS CENTRAL SLF Page 8 of 12



Open Violations:

Harm Level:

Significance Level: Minor

Deviation: Moderate

Rule: 62-701.500(7)(e)

Area: Phase II Landfill

Section: LANDFILL OPERATION AND MAINTENANCE

Moderate

Question Number: 2.20

Question: Is the frequency, amount and quality of initial cover, as required? 62-701.500(7)(e)

Explanation: Flagging resulting from insufficient initial cover, was observed in the active area outside the traffic pattern. This flagging was

observed in areas that had not been active for weeks, according to facility staff.

Corrective Action: Specific Condition C.11.a.

Operation Plan Section 7.5

Open Area Of Concern:

Rule: 62-701.320(1)

Section: LANDFILL OPERATION AND MAINTENANCE

Question Number: 2.40

Question: Are all specific conditions in the permit being followed? 62-701.320(1)

Explanation: No visible liner stakes observed at edge of liner.

Corrective Action: Specific Condition C.13.1.e.

Rule: 62-701.300(8)(d), 62-701.300(6), 62-701.300(8)(a), 62-701.300(9), 62-701.300(10), 62-701.300(5), 62-701.300(6), 62-701.3

701.300(11)(b), 62-701.300(11)(a), 62-701.300(8)(c), 62-701.300(8)(e), 62-701.300(4)

Area: CCC

Section: SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16))

Question Number: 2.8

Question: Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not

OK)

Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e)

Used oil, except as exempted 62-701.300(11)

Lead-acid batteries, mercury-containing switches and lamps in WTEs 62-701.300(9)

PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)

Explanation: DEP staff observed a ballast in the scrap metal pile.

Corrective Action: Please assure that only clean scrap metal is collected in the scrap metal storage area.

CITRUS CENTRAL SLF Page 9 of 12



Rule: 62-701.300(8)(d), 62-701.300(6), 62-701.300(8)(a), 62-701.300(9), 62-701.300(10), 62-701.300(5), 62-

701.300(11)(b), 62-701.300(11)(a), 62-701.300(8)(c), 62-701.300(8)(e), 62-701.300(4)

Area: CCC

Section: SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16))

Question Number: 2.8

Question: Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not

OK)

Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e)

Used oil, except as exempted 62-701.300(11)

Lead-acid batteries, mercury-containing switches and lamps in WTEs 62-701.300(9)

PCB wastes 62-701.300(5)

Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d) Liquids 62-701.300(10)

Explanation: Flourescent bulbs were observed stored in open, unlabeled containers.

Corrective Action: Please assure that these bulbs are stored in closed labeled containers. The containers should only be open when adding or

removing bulbs.

Rule: 62-701.300(8)(d), 62-701.300(6), 62-701.300(8)(a), 62-701.300(9), 62-701.300(10), 62-701.300(5), 62-

701.300(11)(b), 62-701.300(11)(a), 62-701.300(8)(c), 62-701.300(8)(e), 62-701.300(4)

Area: HHW

Section: SOLID WASTE PROHIBITIONS (unless "grandfathered" in, see 62-701.300(16))

Question Number: 2.8

Question: Are the following prohibited wastes or special wastes properly controlled, managed and disposed? (Check any that are Not

OK)

Hazardous waste 62-701.300(4) Biomedical waste 62-701.300(6) Yard trash 62-701.300(8)(c) Whole waste tires 62-701.300(8)(e)

Used oil, except as exempted 62-701.300(11)

Lead-acid batteries, mercury-containing switches and lamps in WTEs 62-701.300(9)

Several drums of hazardous waste were stored outside of the containment curbing in the house hold hazardous waste

PCB wastes 62-701.300(5) Lead-acid batteries 62-701.300(8)(a) White goods 62-701.300(8)(d)

White goods 62-701.300(8)(d) Liquids 62-701.300(10)

collection area.

Please place these drums in containment pursuant to Specific Condition C.9.b.5 Operations Plan Appendix A - Appendix 5 Section II.A.

Rule: 62-701.500(2)

Section: LANDFILL OPERATION AND MAINTENANCE

Question Number: 2.13

Explanation:

Corrective Action:

Question: Is the operation plan substantially followed? 62-701.500(2)

Explanation: see above

Corrective Action: see above

CITRUS CENTRAL SLF Page 10 of 12



Rule:	62-701.320(1)	
Section:	LANDFILL OPERATION AND MAINTE	ENANCE
Question Number:	2.40	
Question:	Are all specific conditions in the permi	t being followed? 62-701.320(1)
Explanation:	See above referenced Specific Conditi	ons and Corrective Actions
Corrective Action:	See Previous	
Rule:	62-701.500(7)(i), 62-701.500(11)(f)	
Area:	Phase II Landfill	
Section:	LANDFILL OPERATION AND MAINTE	ENANCE
Question Number:	2.22	
Question:	Is litter controlled and are litter control	devices maintained? 62-701.500(7)(i) and (11)(f)
Explanation:	Litter was observed in active area and south slope of Phase I.	along east and western access roads. DEP staff also observed minor litter on the
Corrective Action:	Specific Condition C.1.g.3. Operation Plan 7.9	
Inspection Comments	s:	
FDEP		Citrus County
ORGANIZATION		ORGANIZATION
Inspector		Solid Waste Director
INSPECTOR TITLE		REPRESENTATIVE TITLE
Nancy Gaskin		Susie Metcalf
INSPECTOR NAME		REPRESENTATIVE NAME
Bucy D Gaslin	5/15/2008	Suar & hollinge / 5/9/2008
INSPECTOR SIGNA	TURE DATE	REPRESENTATIVE SIGNATURE DATE

CITRUS CENTRAL SLF Page 11 of 12



Signed:

FDEP		Citrus County		
ORGANIZATION		ORGANIZATION		
Inspector		Scott Palmer		
PRINCIPAL INSPECTOR TITI	-E	REPRESENTATIVE NAME		
Melissa Madden		A Sorar Palm	/5/9/2008	
PRINCIPAL INSPECTOR NAME	ИЕ	REPRESENTATIVE SIGNATURE	DATE	
menell	5/8/2008			
PRINCIPAL INSPECTOR SIGNATURE	DATE			

NOTE: By signing this document, the Site Representative only acknowledges receipt of this Inspection Report and is not admitting to the accuracy of any of the items identified by the Department as "Not Ok" or areas of concern.

CITRUS CENTRAL SLF Page 12 of 12