

Customer Notification & Certification Form

| Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, |
|---|
| This document is being provided to: Floridas Pecduch Ests (the "Customer" located at 2 E Towers Circle Orange Beach Fl 32174 |
| located at 28 Towers Circle Open Beach Fl 32174 |
| as part of the educational and legal information documenting that the customer's used solvent will be |
| provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen is |
| cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a par |
| of this Continued Use Program, the customer is required to avoid allowing foreign material (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may |
| contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid |
| mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any |
| listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to |
| participate in the Continued Use Program. Customers already participating in the Continued Use |
| Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen |
| service representative at the time of service and will result in that Customer's solvent either not be |
| removed from Customer site or that it be removed for management as a hazardous waste. In order to |
| ensure that these program requirements are followed, customers are responsible to train their personnel |
| regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request: |
| Additional information on the Commuce oscillogram is available upon request: |
| Customers will be provided with either Safety-Kleen's 1057M Solvent or Safety-Kleen's 150 Premium |
| Gold Solvent under this Continued Use Program; both solvents are equally effective during the |
| subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program |
| Customers are also provided with two separate "contracts" (also called "service agreements"), the first |
| contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued |
| Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety- |
| Kleen's Quality Control procedures (or information proyided by the customer) determines that the |
| solvent is no longer suitable for Continued Use by Safety-Kleen. |
| Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety- |
| Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding |
| this program should be addressed through the local Safety-Kleen facility. |
| |
| Safety-Kleen Representation |
| Representative: Customer Representative: Date: 3/26/c7 Date: 3/26/c7 |
| Customer |
| Representative: Male Date: 3/26/07 |
| A signed copy of this document is to be provided to the customer and |
| one copy is to be filed at the Safety-Kleen Branch in the customer's file |

Sefety-Kleen Bystems • 5400 Legacy Drive, Custer I, Building 3 • Plano, TX 75024 • (800) 559-5740 • www.soriety-kleen.com • ©2003 Sefety-Kleen Systems. All rights reserved. All Information contained herein was current all time of publication. Sefety-Kleen Systems reserves the right to add, defets, modify or revise the products, prices and services evaluable without prior notice or obligation. Printed in USA, 03/03.



| Customer Name: Florider Oreclication Ene & Customer No. | 149547 |
|--|---|
| Date of Service: 3/26/67 No. of Containers brought ba | ck to the branch:/ |
| SK Customer Service Representative: | - 432769 Ant |
| *** * * * * * * * * * * * * * * * * * * | * |
| A. TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMI all answers must be all or the CSR cannot pick-up the solvent under the content of the c | er's site: Cup : |
| | sk one: |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No 2 |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No No |
| 4. Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No No |
| ************ | ****** |
| TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE sall answers must be the or the SK Facility cannot manage this solvent and | E BRANCH: der CUP! |
| check of | me: |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No No |
| 4. Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No No |
| ************ | **** |
| Number of drums accepted: Number of drums reject | ted: |
| Sky-foen Systems • \$400 Legacy Drive, Cluster II, Butding 3 • Prenc, TX 75024 • (800) 659-5740 • www.safety-kleen.com • 62003 Safety-Kleen Systems . All rights to gain of publication. Safety-Kleen Systems reserves the right to add, delete, modify or revise the products; prices and services available without prior rodge or obligation. | sterved. All information contained herein was current |



Customer Notification & Certification Form

| Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, |
|--|
| This document is being provided to: Floring Production Eng (the "Customer"), |
| located at 2 E Timer Circle ORMANO Beach, FZ 32174 |
| as part of the educational and legal information documenting that the customer's used solvent will be |
| provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in |
| cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part |
| of this Continued Use Program, the customer is required to avoid allowing foreign materials |
| (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may |
| contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid |
| mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any |
| listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use |
| Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen |
| service representative at the time of service and will result in that Customer's solvent either not be |
| removed from Customer site or that it be removed for management as a hazardous waste. In order to |
| ensure that these program requirements are followed, customers are responsible to train their personnel |
| regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. |
| Additional information on the Continued Use Program is available upon request. |
| |
| Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium |
| Gold TM Solvent under this Continued Use Program; both solvents are equally effective during the |
| subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first |
| contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued |
| Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety- |
| Kleen's Quality Control procedures (or information provided by the customer) determines that the |
| solvent is no longer suitable for Continued Use by Safety-Kleen. |
| |
| Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety- |
| Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. |
| and program should be addressed the organ the local Balety Ricca facility. |
| |
| Representative: Date: 12-4-06 |
| Customer DA L |
| Representative: MWasutomi Date: 12-4-06 |
| ► A signed copy of this gocument is to be provided to the customer and |
| one copy is to be filed at the Safety-Kleen Branch in the customer's file. |



| Cus | tc | comer Name: Florida Production Eng Customer No. | 140 | 9547 | | _ |
|-------|-----|--|-------|-----------|---------|----------|
| Dat | е | of Service: 12-4-06 No. of Containers brought back to | the t | oranch: | 1 | |
| SK | C | Customer Service Representative: Antine Celephan 432769 | î/ | | 1/6 | <i>-</i> |
| * * | * | * | ** | * * * * * | * * * * | |
| A. | | TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMER'S | | TE: | | |
| | | > all answers must be to or the CSR cannot pick-up the solvent under CUP | | | | |
| | 1 | check on 1. Is the quantity of solvent in the container(s) excessively large indicating | e. | • | ✓ | |
| | • | the possible addition of other (e.g., unauthorized) fluids or chemicals? | | Yes 🔲 | No | |
| | 2 | 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | | Yes 🔲 | No 🗔 | |
| | 3, | 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | | Yes 🔲 | No | |
| | 4. | Does the solvent have any different or unusual/irregular appearance ? (appearance should be greenish-brown in color and float on water) | | Yes 🗀 | No 🖾 | |
| * * : | * | **************** | * * * | **** | **** | * |
| 3. | | TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE all answers must be or the SK Facility cannot manage this solvent under | | | | |
| | | check one | | 1 | 1 | |
| ; | 1. | . Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | | Yes | No 🗀 | |
| 2 | 2. | Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits ? | | Yes 🔲 | No 🗀 | |
| 3 | 3. | Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | | Yes | No 🗀 | |
| 4 | ١. | Does the solvent have any different or unusual/irregular appearance ? (appearance should be greenish-brown in color and float on water) | | Yes | No 🔄 | |
| * * | : : | ************* | : * * | * * * * | • | |
| um | Ł | ber of drums accepted: Number of drums reject | ed: | | | |



Customer Notification & Certification Form

| Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, |
|---|
| This document is being provided to: Floridas Practication Eng (the "Customer") |
| as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request: |
| Customers will be provided with either Safety-Kleen's 105 TM Solvent or Safety-Kleen's 150 Premium Gold TM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. |
| Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. |
| Safety-Kleen Representative: Date: 1-29-67 |
| Customer Representative: 1410 Symmo Date: 1-29-07 |
| ► A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file. |

Safety-Reen Systems • 5400 Legacy Drive, Cluster I, Building 3 • Plano, TX 75024 • (800), 659-5740 • www.safety-Reen, Dorn • 072003 Safety-Reen Systems. All rights reserved. All information contained herein was current at time of publication. Safety-Reen Systems reserves the right to add, detets, modify or revise the products, prices and services available without prior notice or obligation. Printed in USA, 03/03, Form 97041.



| | | . 149547. |
|--|---|--|
| Date of Service: | 1-29-07 No. of Containers brought be | ack to the branch:/ |
| • | sentative: 432769 | 1) 4 |
| **** | ******* | **** |
| A. TO BE COMPLET all answers must be | TED BY THE SK-CSR AT THE CUSTOMS or the CSR cannot pick-up the solvent under | ER'S SITE: CUP! |
| 1. Is the quantity of solve | che ent in the container(s) excessively large indicating | ck one: |
| the possible addition of | f other (e.g., unauthorized) fluids or chemicals ? | Yes No |
| of regular SK 105/150 n | | Yes No |
| Are there any significan gloves, metal parts, etc.) | nt solids (including but not limited to, rags, paper,) that would not pass through the CUP vat screen? | Yes No |
| 4. Does the solvent have an (appearance should be gr | ny different or unusual/irregular appearance ? reenish-brown in color and float on water) | Yes No |
| ***** | ******* | *** |
| TO BE COMPLETE all answers must be | ED BY THE SK-WAREHOUSEMAN AT THE | IE BRANCH: |
| | | OO1 , |
| / | check (| one: 🗸 🗸 |
| 1. Is the quantity of solvent | check of the container(s) excessively large indicating ther (e.g., unauthorized) fluids or chemicals ? | one: ✓ ✓ Yes \(\text{No} \(\text{V} \) |
| Is the quantity of solvent the possible addition of or | in the container(s) excessively large indicating ther (e.g., unauthorized) fluids or chemicals? fferent odor in the solvent other from that | - I - I - I - I - I - I - I - I - I - I |
| Is the quantity of solvent the possible addition of ot Is there any noticeably different of regular SK 105/150 min Are there any significant s | in the container(s) excessively large indicating ther (e.g., unauthorized) fluids or chemicals? fferent odor in the solvent other from that | Yes No 7 |
| Is the quantity of solvent the possible addition of of Is there any noticeably diffusion of regular SK 105/150 min Are there any significant s gloves, metal parts, etc.) th Does the solvent have any experiments. | in the container(s) excessively large indicating ther (e.g., unauthorized) fluids or chemicals? fferent odor in the solvent other from that neral spirits? solids (including but not limited to, rass, paper | Yes No Y |
| Is the quantity of solvent the possible addition of ot Is there any noticeably diffusion of regular SK 105/150 min Are there any significant s gloves, metal parts, etc.) th Does the solvent have any experiments. | in the container(s) excessively large indicating ther (e.g., unauthorized) fluids or chemicals? Ifferent odor in the solvent other from that neral spirits? Solids (including but not limited to, rags, paper, hat would not pass through the CUP vat screen? different or unusual/irregular appearance? | Yes No Yes No |



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, This document is being provided to: located at as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request: Customers will be provided with either Safety-Kleen's 105™ Solvent or Safety-Kleen's 150 Premium GoldTM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information proyided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. Safety-Kleen Representative: Customer Representative: A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file.



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, This document is being provided to: Flerida Production Inc. (the "Customer"), located at 2 E. Tower Circle Ormand Beach, FL 32174 as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request. Customers will be provided with either Safety-Kleen's 105™ Solvent or Safety-Kleen's 150 Premium GoldTM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. Safety-Kleen Representative Customer Representative: A signed copy of this document is to be provided to the customer and

one copy is to be filed at the Safety-Kleen Branch in the customer's file.



| Custo | mer Name: | Fluida | Production | Customer No | 149 | 547 | |
|-------|------------------------------------|--|--|--|-----------------------------|-----------------------|-----------------------|
| | of Service: | 5/4/07 | | ntainers brought bac | | | / |
| | | e Representative: | 4327696 | | | | Ashin (|
| * * * | : * * * * * * | ***** | * * * * * * * * * * | ****** | * * * * * | * * * * * | * * * * |
| Α. | TO BE CO ▶ all answers | MPLETED BY must be Man or | Y THE SK-CSR AT the CSR cannot pick-u | p the solvent under (| ER'S SIT CUP! ck one: | E: | s |
| 1 | . Is the quantit the possible a | ty of solvent in the addition of other (e | container(s) excessivel e.g., unauthorized) fluid | y large indicating | CK OHO. | Yes | No 🗖 |
| 2 | . Is there any r of regular SK | noticeably differen 105/150 mineral | t odor in the solvent oth spirits ? | ner from that | | Yes | No 🖃 |
| 3 | . Are there any gloves, metal | significant solids parts, etc.) that w | (including but not limit ould not pass through t | ted to, rags, paper, he CUP vat screen? | | Yes | No 🗖 |
| 4 | . Does the solve (appearance s | ent have any differ should be greenish | rent or unusual/irregula -brown in color and flo | er appearance ? at on water) | | Yes | No 🗀 |
| * * * | * * * * * * | : * * * * * * | : * * * * * * * * | ***** | * * * * * | * * * * | * * * * |
| В. | | | THE SK-WAREH | | | | |
| | an answers | ENTRY NO PRESENT U. | , | | ck one: | 1 | ✓ . |
| 1 | . Is the quantit the possible a | y of solvent in the ddition of other (e | container(s) excessively .g., unauthorized) fluid | large indicating s or chemicals? | | Yes | No Z |
| 2. | | oticeably differen 105/150 mineral s | t odor in the solvent oth spirits ? | er from that | | Yes L | No E |
| 3. | . Are there any gloves, metal | significant solids parts, etc.) that we | (including but not limit ould not pass through th | ted to, rags, paper, he CUP vat screen? | | Yes | No 🖾 |
| 4. | | | rent or unusual/irregula -brown in color and flo | | | Yes | No |
| * * * | * * * * * * | * * * * * * * | * * * * * * * * * | * ** * * * * * | * * * * * | * * * * | |
| Num | ber of drur | ns accepted: | Numb | er of drums re | ejected: | CONTRACTOR CONTRACTOR | od bezaja was current |

904-677-9559

PURCHASE ORDER# 95691

PHONE

Safety-Kleen 5400 Legacy Dr. Cluster II. Building 3 Plano, Texas 75024

407 321-6080 CUSTOMER# 150633 TANNING RESEARCH LAB INC SERVICE TAX: 0.06500 ATTN DIANE BUCHANNAN COMS TAX: 0.06500 1190 US 1 PRODUCT TAX: 0.06500 ORMOND BEACH

REFERENCE NRR 0031269080 ₩EEK 06-12

-kleen.co

www.safety.

Safetų kieen.

www.safety-kleen.com

0.00

www.safety-kleen.com

Safety-Kieen.

.safety-kleen.com

433.82

of DATE 03/20/06 11:28 32174

· ATTACON NOR

| PRODUCT/SERVICE | S | ς |
|-----------------|---|---|
|-----------------|---|---|

| CEDUTCE, PHODUCI, | 2FH A | HCES | | |
|---|-------|--------------------|---------------|-----------------|
| SERVICE / PRODUCT SER I AL# | QTY | UNIT PRICÉ | XAT | TOTAL CHARGE |
| 100001 TEMPORARY FUEL SURCHARGE 30500 MODEL 30 W/105 RECYCLED 30151199 CLEAN 15 SPENT 0 | . 1 | 9.8500 178.2000 | 0.00 11.58 | 9.85 189.78 |
| SERVICE TERM 6 30500 MODEL 30 W/105 RECYCLED 30232544 CLEAN 15 SPENT 0 SERVICE TERM 12 | 1 | 219.9000 | 14.29 | 234 . 19 |
| TOTAL SERVICE /PRODUCTS | | 407.9500 | 25.87 | 433.82 |

USEPA TRANSPORTER 1 TXR000050930 USEPA TRANSPORTER 2 FORM CODE NR

GENERATOR USEPA FLD045144532

UNIT WI/VOLG SKOOT 60

GENERATOR STATE

US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID CLEANING COMPOUNDS (PETROLEUM NAPHTHA) (NOT USDOT REGULATED) (CONTINUED USE) TOTAL CONT 2

TYPE UM TIL QTY 32 CONTAINER# 60225025410 QTY 16 CONTAINER# 60225025411 QTV 16

DESIGNATED FACILITY NAME/ADDRESS SAFETY-KLEEN SYSTEMS, INC. 300 CENTRAL PARK DRIVE

:ANFORD

32771

SEPA 10 NO FL0984171165 TATE ID NO

TOTAL CHARGE 433.82 WASTE MIN TOTAL DUE

UNPAID BALANCE THIS RECEIPT

433.82

achine clean and good condition? Yes ecals in place and legible? usible link installed? Yes nergency closing of lid unobstructed? Yes ichine properly grounded? Yes ent solvent meets acceptance criteria? Yes

NERATOR STATUS 220 - 2200 lbs/month

stoner certifies that (i) the above named materials are properly assified, packaged, marked and labeled, and are in proper condition r transportation according to the applicable regulations of the partment of Transportation and (ii) no material change has occurred ther in the characteristics of the waste materials or in the process nerating the waste materials. Customer agrees to pay the above arges and to be bound by the terms and conditions (1) set forth in (a) and to be bound by the terms and conditions (i) set forth in a period of the second conditions provided separately to Customer of any SK agreement signed by Customer and SK, and (2) incorporated ein by reference. Unless otherwise indicated in the payment served section. SK is authorized to charge Customer's account for this insaction. Customer certifies that the individual signing this Service nowledgement is duly authorized to sign and bind Customer following provision is applicable to Safety Kleen's parts cleaner and nt gun cleaner services: Customer agrees that it will not introduce any stance into the solvent or aqueous cleaning solution, including without itation any hazardous waste or hazardous waste constituent, except the extent such introduction is incidental to the normal use of the hine. Customer further agrees that it will not clean parts/paint guns thave been containinated with or otherwise introduce polychlorinated henyls (PCB's), herbicides, pesticides, dioxins or listed hazardous te into the solvent or aqueous cleaning solution. THE EVENT OF AN EMERGENCY CALL 1-800-468-1760 (24 hours)

1

NDO) CSG# 1, Monday, Week 12 of 2006

M Route End: 3/20/2006 5:11:53 PM

Credit Status

To Number

50 - TANNING RESEARCH LAB INC

uct Price Code

EPA ID

FLD045144532

arture Time:

3/20/2006 2:31:16 PM

Price PSO Tax Rate SKDOT Number Quantity Unit Price \$178.20 \$178.20 0.065 60 544 \$219.90 \$219.90 0.065 60 \$9.85 \$9.85

> Legal Backer Not Needed

rintRouteWeek.aspx?BranchID=313... 3/14/2006



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, This document is being provided to: TAnning Reserved LAB Inc. (the "Customer"). located at 1190 45 1 Ormend Beach FZ 32174 as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request. Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium Gold Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information proyided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. 2/MDate: __ C5-61-06 Safety-Kleen Representative: Customer Representative: A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file.

Hety-Kleen Systems - 5400 Legwcy Ortva, Chuster K, Bukling 3 - Plana, TX 75024 - (800) 859-5740 - www.sofety-kleen.com - 62000 Selety-Kleen Systems. All Information contained herein was current in 9041 - Selety-Kleen Systems reserves the right to edd, deleta, modify or revise the products, prices and services available without prior notice or obligation. Printed in USA. (3003.



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, This document is being provided to: TAnning Research Lab Infthe "Customer"), provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request: Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium GoldTM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. Safety-Kleen Representative: Customer Representative: ▶ A signed copy of this document is to be provided to the customer and

Safety-Kleen Systems • \$400 Legacy Drive, Cluster II, Building 3 • Plano, TX 75024 • (800) 559-5740 • www.safety-kleen.com • ©2003 Safety-Kleen Systems. All rights reserved. All information contained herein was current set litrar of publication. Safety-Kleen Systems reserves the right to add, delete, modify or revise the products, prices and services available without prior notice or obligation. Printed in USA. 10/103.

one copy is to be filed at the Safety-Kleen Branch in the customer's file.



| Customer Name: Than as Research Lub Customer No | 150633 |
|--|-----------------------|
| Date of Service: 5/18/07 No. of Containers brought back | to the branch: |
| SK Customer Service Representative: | 432769. Antine licher |
| ************ | ***** |
| A. TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMER' all answers must be least or the CSR cannot pick-up the solvent under CUR | S SITE: |
| check or | ne: 🗸 🗸 |
| 1. Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No |
| Does the solvent have any different or unusual/irregular appearance ? (appearance should be greenish-brown in color and float on water) | Yes No No |
| ************ | ***** |
| TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE I → all answers must be Man or the SK Facility cannot manage this solvent under | BRANCH: CUP! |
| check one: | |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No No |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No |
| 4. Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No |
| ********** | **** |
| umber of drums accepted: Number of drums rejected Number of drums rejected Ty 25024 (200) 559-3740 - www.safry.ldewn.com - 62003 Safety.floem Systems and of publication. Safety.floem Systems and of publication. Safety.floem Systems and of publication. | l: 🕝 |



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program. This document is being provided to: TAnning Research Lab IM. (the "Customer"). located at 1190 USI Ormand Bench, FC 32174 as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request: Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium Gold' Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information proyided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. Safety-Kleen Representative: Customer Representative

78565

➤ A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file.



| Customer Name: TANNING Research LAB INC Customer No | 150633 |
|---|--|
| Date of Service: 4/2/27 No. of Containers brought back | |
| SK Customer Service Representative: 432769 | Antene Cokesha |
| ********** | ***** |
| A. TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMER all answers must be asset or the CSR cannot pick-up the solvent under CU | R'S SITE: IP! |
| check | one: 🗸 🗸 |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits ? | Yes No |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP yat screen? | Yes No |
| Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No |
| ************ | ***** |
| TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE ▶ all answers must be said or the SK Facility cannot manage this solvent under | BRANCH: |
| / check on | |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No No |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No P |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No |
| 4. Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No No |
| ************************************** | ***** |
| Number of drums accepted: Number of drums rejecte | ed: |
| SMY-Kleen Systems • 5400 Lagacy Drive, Cluster II, Building 3 • Piano, TX 75024 • (2007) 559-5740 • www.salety-Meen.com • ©2003 Salety-Kleen Systems. All rights resegree of publication. Selety-Kleen Systems reserves the right to add, delete, modify or revise the products; prices and services available without prior notice or obligation. I = 2002 | rved. All Information contained herein was current Printed in USA, JOSCO. |



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program,

This document is being provided to: TANNING RESEARCH LAB LOK (the "Customer"), located at 1190 US 1 Ormand Bendy, FL 32174 as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request.

Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium GoldTM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen.

Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility.

| Safety-Kleen Representative: | Date: 12/10/CF | |
|---|----------------|--|
| Customer Representative: Theador w Banner | Date: 02-10-01 | |

► A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file.



| Custon | ner Name: TANNING RESEARCH LAB TO Customer No. 1 | 50633 | <u> </u> | | | | | |
|---|---|-----------|-------------|--|--|--|--|--|
| Date of | f Service: 02/19/07 No. of Containers brought back to the | branch: | 2, | | | | | |
| SK Cu | stomer Service Representative: Antine Cickchan 432769 | Circle C | Chlo | | | | | |
| * * * | * | **** | * * * * * * | | | | | |
| A. | A. TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMER'S SITE: all answers must be | | | | | | | |
| | check one: | √ | 1 | | | | | |
| 1. | Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes | No 🔄 | | | | | |
| 2. | Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits ? | Yes | No 🖃 | | | | | |
| 3. | Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes 🔲 | No 🖃 | | | | | |
| 4. | Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes | No 🗔 | | | | | |
| * * * | *********** | * * * * * | * * * * * | | | | | |
| B. TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE BRANCH: all answers must be or the SK Facility cannot manage this solvent under CUP! | | | | | | | | |
| | check one: | 1 | 1 | | | | | |
| | Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes | No 📑 | | | | | |
| | Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits ? | Yes | No 🔼 | | | | | |
| | Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes | No | | | | | |
| | Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes | No | | | | | |
| * | | | | | | | | |
| Number of drums accepted: Number of drums rejected: | | | | | | | | |



Customer Notification & Certification Form

| Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, |
|---|
| This document is being provided to: TAnning Research Lab Inc (the "Customer"), |
| as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request. |
| Customers will be provided with either Safety-Kleen's 105 TM Solvent or Safety-Kleen's 150 Premium Gold TM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen. |
| Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility. |
| Safety-Kleen Representative: 1-8-07 |
| Customer Representative: A signed copy of this document is to be provided to the customer and |
| one copy is to be filed at the Safety-Kleen Branch in the customer's file. |



| Customer Name: 1 Annias Research LAS Customer No. / | 506 33 | | | | | |
|--|------------------------|--|--|--|--|--|
| Date of Service: $1-8-0$ No. of Containers brought back to | the branch: | | | | | |
| SK Customer Service Representative: 432769 | Anteinela | | | | | |
| ********** | ****** | | | | | |
| A. TO BE COMPLETED BY THE SK-CSR AT THE CUSTOMER'S all answers must be or the CSR cannot pick-up the solvent under CUP! | SITE: | | | | | |
| check one | : | | | | | |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals? | Yes No | | | | | |
| 2. Is there any noticeably different odor in the solvent other from that of regular SI 105/150 mineral spirits? | Yes No | | | | | |
| | Yes No | | | | | |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No | | | | | |
| 4. Does the solvent have any different or unusual/irregular appearance? (appearance should be greenish-brown in color and float on water) | Yes No | | | | | |
| ************* | ***** | | | | | |
| B. TO BE COMPLETED BY THE SK-WAREHOUSEMAN AT THE BRANCH: all answers must be all or the SK Facility cannot manage this solvent under CUP! | | | | | | |
| check one: | | | | | | |
| Is the quantity of solvent in the container(s) excessively large indicating the possible addition of other (e.g., unauthorized) fluids or chemicals ? | Yes No | | | | | |
| 2. Is there any noticeably different odor in the solvent other from that of regular SK 105/150 mineral spirits? | Yes No | | | | | |
| 3. Are there any significant solids (including but not limited to, rags, paper, gloves, metal parts, etc.) that would not pass through the CUP vat screen? | Yes No | | | | | |
| 4. Does the solvent have any different or unusual/irregular appearance ? (appearance should be greenish-brown in color and float on water) | Yes No | | | | | |
| ************* | * * * * * | | | | | |
| Number of drums accepted: Number of drums rejected Sky-Kleen Systems - 5400 Legacy Drive, Cluster II, Building 3 - Plano, TX 75024 - (800) 669-5740 - www.safety-kleen.com - ©2003 Safety-Kleen Systems At hights researce | MATHEMATICAL SOURCESTS | | | | | |



Customer Notification & Certification Form

Pursuant to the legal requirements for the implementation of Safety-Kleen's Continued Use Program, This document is being provided to: TANNING RESCARCH LAB LOW (the "Customer"), located at 1190 US 1 Ormand Beach, FL 32174 as part of the educational and legal information documenting that the customer's used solvent will be provided to Safety-Kleen as a still viable and effective solvent product for use by Safety-Kleen in cleaning drums at a Safety-Kleen facility, and will not be provided to Safety-Kleen as a waste. As a part of this Continued Use Program, the customer is required to avoid allowing foreign materials (including but not limited to paper, rags, metal parts, chemicals or solids) into the solvent that may contaminate the Continued Use Program solvent. Furthermore, the customer is required to avoid mixing or otherwise introducing polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or any listed hazardous wastes into the solvent. Customers who do not agree to these terms are not allowed to participate in the Continued Use Program. Customers already participating in the Continued Use Program who fail to abide by these terms will be notified of their non-compliance by the Safety-Kleen service representative at the time of service and will result in that Customer's solvent either not be removed from Customer site or that it be removed for management as a hazardous waste. In order to ensure that these program requirements are followed, customers are responsible to train their personnel regarding the requirements of this program, using the Continued Use package provided by Safety-Kleen. Additional information on the Continued Use Program is available upon request.

Customers will be provided with either Safety-Kleen's 105TM Solvent or Safety-Kleen's 150 Premium GoldTM Solvent under this Continued Use Program; both solvents are equally effective during the subsequent use of this solvent for cleaning Safety-Kleen's drums under this Continued Use Program. Customers are also provided with two separate "contracts" (also called "service agreements"), the first contract is for the management (reuse) of the customer's used solvent under the Safety-Kleen Continued Use Program and the second contract is to manage the solvent as a hazardous waste in the event Safety-Kleen's Quality Control procedures (or information provided by the customer) determines that the solvent is no longer suitable for Continued Use by Safety-Kleen.

Note: Generators/Customers may be held accountable for the quality of the solvent provided to Safety-Kleen under this program by the appropriate State and local regulatory authority. Any questions regarding this program should be addressed through the local Safety-Kleen facility.

| Safety-Kleen Representative: | Date: 11/20/06 |
|---|-------------------------|
| Customer Representative: <u>Sheador w Banner</u> | Date: 1/-20-06 |
| A signed carry of this document is to be provide | led to the customer and |

▶ A signed copy of this document is to be provided to the customer and one copy is to be filed at the Safety-Kleen Branch in the customer's file.



| Customer Name: TANNing Reser | arch LAB TO Customer | r No | 50633 | • | | |
|--|---|-----------------|--------------|-----------|--|--|
| Date of Service:No. of Containers brought back to the branch: | | | | | | |
| SK Customer Service Representative: Antine Cockedan 432769 Conto Chla | | | | | | |
| ***** | * * * * * * * * * * | * * * * * * | * * * * * | **** | | |
| A. TO BE COMPLETED BY THE S all answers must be for the CSR | | | TE: | | | |
| Is the quantity of solvent in the container the possible addition of other (e.g., unauto) | r(s) excessively large indicat horized) fluids or chemical | ting s ? | Yes | No 🗗 | | |
| 2. Is there any noticeably different odor in of regular SK 105/150 mineral spirits? | the solvent other from that | | Yes | No 🖃 | | |
| Are there any significant solids (including gloves, metal parts, etc.) that would not p | g but not limited to, rags, pa eass through the CUP vat sc | aper, reen ? | Yes | No E | | |
| 4. Does the solvent have any different or un (appearance should be greenish-brown in | usual/irregular appearance color and float on water) | ? | Yes | No Z | | |
| ****** | * * * * * * * * * * | * * * * * * | * * * * * | * * * * * | | |
| B. TO BE COMPLETED BY THE S all answers must be or the SK Fa | | | | ✓ | | |
| 1. Is the quantity of solvent in the container the possible addition of other (e.g., unaut | (s) excessively large indicat horized) fluids or chemicals | ing : ? | Yes | No E | | |
| 2. Is there any noticeably different odor in to of regular SK 105/150 mineral spirits? | he solvent other from that | | Yes Lawrence | No 📑 | | |
| Are there any significant solids (including gloves, metal parts, etc.) that would not p | that not limited to, rags, pa ass through the CUP vat sci | iper, reen ? | Yes | No L | | |
| 4. Does the solvent have any different or un (appearance should be greenish-brown in | | ? | Yes | No | | |
| * | * * * * * * * * * * * | * * * * * * | * * * * * | | | |
| Number of drums accepted: Salety-Ruen Systems • 5400 Legacy Drive, Cluster II, Building 3 • Plana, TX 75024 • (800) 669-5740 • vww.safely-kleen.com • ©2003 Safety-Kleen Systems. All rights reserved. All information contained herein was current at time of publication. Safety-Kleen Systems reserves the right to add, delete, modify or revise the products, prices and services available without prior notice or obligation. Printed in USA. 03/03. | | | | | | |