



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

3

Report Narrative

Client: Ricky's Oil Service

Order Number: 1015698

Solid sample results are reported on a wet weight basis except as noted.
No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

- B = Analyte found in the method blank
- J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)
- C = Analyte has been confirmed by another instrument or method
- E = Analyte exceeds the upper limit of the calibration curve.
- D = Sample or extract was analyzed at a higher dilution
- X = User defined data qualifier.
- S = Surrogate out of control limits
- U = Undetected
- a = Not Accredited by NELAP

ND = Non Detected at LOQ

DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)

Limit Of Detection (LOD) = Laboratory Detection Limit

Estimated uncertainty values are available upon request.

The test results meet the requirements of the NELAP standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

Metrics:

- A = Air
- C = Cream
- DW = Drinking Water
- L = Liquid
- O = Oil
- SL = Sludge
- SO = Soil
- S = Solid
- T = Tablet
- TC = TCLP Extract
- WW = Waste Water
- W = Wipe

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

From:

10/11/2010 07:09

#069 P.000/008



SUMMIT

ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	Arsenic	ND	mg/Kg	S	6010	1.66	1.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Barium	49.0	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Cadmium	ND	mg/Kg	S	6010	1	0.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Chromium	9.9	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Lead	ND	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Mercury	ND	mg/Kg	S	7471	1	0.2	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Selenium	ND	mg/Kg	S	6010	4	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Silver	ND	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Oil & Grease	11750.0	mg/kg	S	1664	1	1000	28-Sep-10	MPH
Truck Wash	1015698-01	20-Sep-10	PCBs	ND	mg/kg	S	8082	1	0.2	05-Oct-10	AE
Truck Wash	1015698-01	20-Sep-10	Total Hlogens	162.0ppm	Units	Matrix	Method	DF	LOQ	Run	Analysis
						S	5050/9056	1		07-Oct-10	KMG

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.setlak.com

Oct. 12 2010 04:33PM P23

FAX NO.: 3058872800

FROM: RICKY'S OIL SERVICE



SUMMIT

ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

VOC (8260B)

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	1,1,1,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,1-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,2,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,2-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloropropene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,3-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,3-Trichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,4-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,4-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dibromo-3-	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dibromoethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3,5-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,4-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	2,2-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	2-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	4-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Benzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromochloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromodichloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromoform	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Carbon Tetrachloride	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloroethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloroform	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	ds-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromochloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dichlorodichloromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Ethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Hexachlorobutadiene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Isopropylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489

Web Site: www.settek.com



SUMMIT

ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

VOC (8260B)											
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	m,p-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Methylene Chloride	ND	mg/Kg	S	8260B	30	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	n-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	n-Propylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Naphthalene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	o-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	p-Isopropyltoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	sec-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Styrene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	tert-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Tetrachloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Toluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	trans-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Trichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Trichlorofluoromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Vinyl Chloride	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromofluoromethane (sum)	105.8		S	8260B	1		29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	4-Bromofluorobenzene(sum)	89.6		S	8260B	1		29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Toluene d(8)(sum)	88.3		S	8260B	1		29-Sep-10	MO



Wash Rack Dirt

LABORATORY REPORT

Client

Ricky's Oil Service
P.O. Box 669295
Miami, FL 33166

Order Number

1015698

Project Number

Kelly Tractor

Issued

Saturday, October 09, 2010

Total Number of Pages

6 (excluding C.O.C. and cooler receipt form)

Approved By :

A handwritten signature in black ink, appearing to read "L. Dean", is written over a horizontal line.

QA Manager

NELAC Accreditation #E87688

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

From:

10/11/2010 07:08

#069 P.004/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

2

Sample Summary

Client: Ricky's Oil Service

Order Number: 1015698

Laboratory ID	Client ID	Matrix	Sampling Date
1015698-01	Truck Wash	Solid	9/20/2010

"Analytical Integrity" - EPA Certified - NELAP Certified
3310 Win Street - Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

Oct. 12 2010 04:32PM P21

FAX NO.: 33058872800

FROM: RICKY'S OIL SERVICE

#089 P.001/008

For Summit Environmental Technologies, Inc. use only

Tel: 330.253.8211 Fax: 330.253.4489

Client Name		Project Name		Analytical Parameters and Methods	
Ricky's Oil Service		Kelly Tractor		8 PCBs, Metals, Total	
P.O. Box 669295		Project Address		VOC 8021	
Miami, FL 33166		WP. 6. FL. 33417		PCB's	
Client Phone No.		Report to		Oil + Grease	
305-822-2253		Chris Ricci		Total Hydrocarbons	
Client Fax No.		Quote No.			
305-887-2800		Check if Ohio VAP samples ☒			
Contact Person		Sample Identification		Matrix: Solid, L=Liquid, O=Oil	
George Walker		#		Preservative	
		Date		Number of Containers	
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			
		Collected			
		Date			
		Collected			
		Time			

From:

10/11/2010 07:07

#069 P.002/008

Summit Environmental Technologies, Inc.
Cooler Receipt Form

Client: Ricky's Oil Order Number: 1015698
 Date Received: 9-28-10 Time Received: 0910
 Number of Cooling Units: 1 N/A
 Shipper: FED EX UPS DHL Airborne US Postal Walk-in Pickup Other: _____
 Packaging: Bubble Wrap Paper Foam None Other: _____
 Tape on cooler box: Y N N/A
 Custody Seals Intact Y N N/A
 C-O-C in plastic Y N N/A
 Ice Blue Ice present / absent / melted 19.6 °C N/A
 Sample Temperature 19.6 °C N/A
 C-O-C filled out properly Y N N/A
 Samples in separate bags Y N N/A
 Sample containers intact* Y N N/A
 *If no, list broken sample(s): _____

Sample label(s) complete (ID, date, etc.) Y N N/A
 Label(s) agree with C-O-C Y N N/A
 Correct containers used Y N N/A
 Sufficient sample received Y N N/A
 Bubbles absent from 40 mL vials** Y N N/A
 ** Samples with bubbles less than the size of a pea are acceptable.
 Was client contacted about samples Y N
 Will client send new samples Y N
 Client contact: _____
 Date/Time: _____
 Logged in by: JKH
 Comments: Sample has no label, only sample w/ chain

Rev. 6



Report Narrative

Client: Ricky's Oil Service

Order Number: 1015698

Solid sample results are reported on a wet weight basis except as noted.
No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

- B = Analyte found in the method blank
- J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)
- C = Analyte has been confirmed by another instrument or method
- E = Analyte exceeds the upper limit of the calibration curve.
- D = Sample or extract was analyzed at a higher dilution
- X = User defined data qualifier.
- S = Surrogate out of control limits
- U = Undetected
- a = Not Accredited by NELAC

ND = Non Detected at LOQ

DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)

Limit Of Detection (LOD) = Laboratory Detection Limit

Estimated uncertainty values are available upon request.

The test results meet the requirements of the NELAC standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

Metrics:

- A = Air
- C = Cream
- DW = Drinking Water
- L = Liquid
- O = Oil
- SL = Sludge
- SO = Soil
- S = Solid
- T = Tablet
- TC = TCLP Extract
- WW = Waste Water
- W = Wipe

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489

Web Site: www.settek.com

From:

10/11/2010 07:09

#069 P.000/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	Arsenic	ND	mg/Kg	S	6010	1.65	1.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Barium	49.0	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Cadmium	ND	mg/Kg	S	6010	1	0.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Chromium	9.9	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Lead	ND	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Mercury	ND	mg/Kg	S	7471	1	0.2	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Selenium	ND	mg/Kg	S	6010	4	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Silver	ND	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Truck Wash	1015698-01	20-Sep-10	Oil & Grease	11750.0	mg/kg	S	1664	1	1000	28-Sep-10	MPH
Truck Wash	1015698-01	20-Sep-10	PCBs	ND	mg/kg	S	8082	1	0.2	05-Oct-10	AE
Truck Wash	1015698-01	20-Sep-10	Total Halogens	162.0ppm	Units	Matrix	Method	DF	LOQ	Run	Analysis
						S	5050/9056	1		07-Oct-10	KMG

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.setlak.com

Oct. 12 2010 04:33PM P23

FAX NO.: 3058872800

FROM: RICKY'S OIL SERVICE

From:

10/11/2010 07:09

#089 P.007/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295
Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

VOC (82608)

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	1,1,1,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,1-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,2,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1,2-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,1-Dichloropropene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,3-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,3-Trichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,4-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2,4-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dibromo-3-	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dibromoethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,2-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3,5-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,3-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	1,4-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	2,2-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	2-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	4-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Benzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromochloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromodichloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromoforn	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Bromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Carbon Tetrachloride	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloroethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloroforn	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Chloromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	ds-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromochloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dichlorodifluoromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Ethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Hexachlorobutadiene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Isopropylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO

Page 5

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

Oct. 12 2010 04:33PM P24

FAX NO.: 33058872800

FROM: RICKY'S OIL SERVICE

From:

10/11/2010 07:10

#069 P.008/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

VOC (8260B)											
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analysis
Truck Wash	1015698-01	20-Sep-10	m,p-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Methylene Chloride	ND	mg/Kg	S	8260B	30	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	n-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	n-Propylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Naphthalene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	o-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	p-Isopropyltoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	sec-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Styrene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	tert-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Tetrachloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Toluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	trans-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Trichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Trichlorofluoromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Vinyl Chloride	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Dibromofluoromethane (sum)	105.8		S	8260B	1		29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	4-Bromofluorobenzene(sum)	89.6		S	8260B	1		29-Sep-10	MO
Truck Wash	1015698-01	20-Sep-10	Toluene d(8)(sum)	88.3		S	8260B	1		29-Sep-10	MO

Page 8

"Analytical Integrity" - EPA Certified - NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com

Oct. 12 2010 04:33PM P25

PRX NO.: 3058872800

FROM: RICKY'S OIL SERVICE

From:

10/11/2010 10:44

#079 P.003/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

SAND Blast
WASTE

LABORATORY REPORT

Client

Ricky's Oil Service
P.O. Box 669295
Miami, FL 33166

Order Number

1015696

Project Number

Kelly Tractor

Issued

Saturday, October 09, 2010

Total Number of Pages

6 (excluding C.O.C. and cooler receipt form)

Approved By :

QA Manager

NELAC Accreditation #E87688

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

2

Sample Summary

Client: Ricky's Oil ServiceOrder Number: 1015696

Laboratory ID	Client ID	Matrix	Sampling Date
1015696-01	Sand Blaster	Solid	9/20/2010

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-0211 • Fax: 330-253-4489
Web Site: www.settek.com



Summit Environmental Technologies, Inc.
595 East Tallmadge Avenue
Akron, Ohio 44310 Tel: 330/253.8211 Fax: 330/253.4489

Analysis Request/Chain of Custody

For Sunbelt Environmental Technologies, Inc. use only

Page _____ of _____
SET No _____[illegible]

From:

10/11/2010 10:44

#079 P.002/008

Summit Environmental Technologies, Inc.
Cooler Receipt Form

Client: Ricky's Oil Order Number: 1015696
Date Received: 9-25-10 Time Received: 0910
Number of Coolers/Boxes: 1 N/A
Shipper: FED EX UPS DHL Airborne US Postal Walk-in Pickup Other: _____
Packaging: Bubble Wrap Paper Foam None Other: _____
Tape on cooler/box: Y N N/A
Custody Seals intact: Y N N/A
C-O-C in plastic: Y N N/A
Ice: Blue ice present / absent / melted N/A
Sample Temperature: 19.6 °C N/A
C-O-C filled out properly: Y N N/A
Samples in separate bags: Y N N/A
Sample containers intact: Y N N/A
*If no, list broken sample(s): _____

Sample label(s) complete (ID, date, etc.): Y N N/A
Label(s) agree with C-O-C: Y N N/A
Correct containers used: Y N N/A
Sufficient sample received: Y N N/A
Bubbles absent from 40 mL vials: Y N N/A
** Samples with bubbles less than the size of a pen are acceptable.
Was client contacted about samples: Y N
Will client send new samples: Y N

Client contact: _____

Date/Time: _____

Logged in by: _____

Comments: Sample contains no label, but only sample w/ C-O-C.

Rev. 6



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

3

Report Narrative

Client: Ricky's Oil Service

Order Number: 1015696

Solid sample results are reported on a wet weight basis except as noted.
No problems were encountered during analysis of this order number, except as noted.

Data Qualifiers:

B = Analyte found in the method blank
J = Estimated concentration of analyte between MDL (LOD) and Reporting Limit (LOQ)
C = Analyte has been confirmed by another instrument or method
E = Analyte exceeds the upper limit of the calibration curve.
D = Sample or extract was analyzed at a higher dilution
X = User defined data qualifier
S = Surrogate out of control limits
U = Undetected
a = Not Accredited by NELAC

ND = Non Detected at LOQ
DF = Dilution Factor

Limit Of Quantitation (LOQ) = Laboratory Reporting Limit (not adjusted for dilution factor)
Limit Of Detection (LOD) = Laboratory Detection Limit

Estimated uncertainty values are available upon request.

The test results meet the requirements of the NELAC standard, except where noted. The information contained in this analytical report is the sole property of Summit Environmental Technologies, Inc. and that of the client. It cannot be reproduced in any form without the consent of Summit Environmental Technologies, Inc. or the client for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Summit Environmental Technologies, Inc. is not responsible for use or interpretation of the data included herein.

Matrices:

A = Air
C = Cream
DW = Drinking Water
L = Liquid
O = Oil
SL = Sludge
SO = Soil
S = Solid
T = Tablet
TC = TCLP Extract
WW = Waste Water
W = Wipe

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4488

Web Site: www.settek.com



SUMMIT

ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669293

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Arsenic	ND	mg/Kg	S	6010	1.66	1.5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Barium	26.0	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Cadmium	4.6	mg/Kg	S	6010	1	0.5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Chromium	7.1	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Lead	31.0	mg/Kg	S	6010	1	5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Mercury	ND	mg/kg	S	7471	1	0.2	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Selenium	ND	mg/Kg	S	6010	4	2.5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Silver	ND	mg/Kg	S	6010	1	2.5	29-Sep-10	VVK
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Oil & Grease	2110.0	mg/kg	S	1664	1	1000	28-Sep-10	MPH
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	PCBs	ND	mg/kg	S	8082	1	0.2	05-Oct-10	AE
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	Total Halogens	383.0ppm		S	5050/9056	1		29-Sep-10	KMG

Page 4

"Analytical Integrity" • EPA Certified • NELAP Certified
3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489
Web Site: www.settek.com



SUMMIT

ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

VOC (82608)

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Matrix	Method	DF	LOQ	Run	Analyte
Sand Blaster	1015696-01	20-Sep-10	1,1,1,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1,1-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1,2,2-Tetrachloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1,2-Trichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,1-Dichloropropene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2,3-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2,3-Trichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2,4-Trichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2,4-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2-Dibromo-3-	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2-Dibromoethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2-Dichloroethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,2-Dichloropropene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,3,5-Trimethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,3-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,3-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	1,4-Dichlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	2,2-Dichloropropane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	2-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	4-Chlorotoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Benzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Bromobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Bromochloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Bromodichloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Bromoforn	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Bromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Carbon Tetrachloride	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Chlorobenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Chloroethene	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Chloroform	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Chloromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	cis-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Dibromodichloromethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Dibromomethane	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Dichlorodifluoromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Ethylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Hexachlorobutadiene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Isopropylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO

Page 5

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489

Web Site: www.settek.com

From:

10/11/2010 10:47

#079 P.008/008



SUMMIT
ENVIRONMENTAL TECHNOLOGIES, INC.
Analytical Laboratories

October 09, 2010

Client: Ricky's Oil Service

Address: P.O. Box 669295

Miami, FL 33166

Received: 9/28/2010

Project #: Kelly Tractor

Client ID#	Lab ID#	Collection	Analyte	Result	Units	Matrix	Method	DF	LOG	Rep	Analyt
Sand Blaster	1015696-01	20-Sep-10	m,p-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Methylene Chloride	ND	mg/Kg	S	8260B	34.8	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	n-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	n-Propylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Naphthalene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	o-Xylene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	p-Isopropyltoluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	sec-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Styrene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	tert-Butylbenzene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Tetrachloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Toluene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	trans-1,2-Dichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Trichloroethene	ND	mg/Kg	S	8260B	1	0.005	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Trichlorofluoromethane	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Vinyl Chloride	ND	mg/Kg	S	8260B	1	0.01	29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Dibromofluoromethane (surr)	90.8		S	8260B	1		29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	4-Bromofluorobenzene(surr)	90.4		S	8260B	1		29-Sep-10	MO
Sand Blaster	1015696-01	20-Sep-10	Toluene d(B)(surr)	88.5		S	8260B	1		29-Sep-10	MO

Page 6

"Analytical Integrity" • EPA Certified • NELAP Certified

3310 Win Street • Cuyahoga Falls, Ohio 44223 • Phone: 330-253-8211 • Fax: 330-253-4489

Web Site: www.seitak.com

Oct. 12 2010 04:31PM P17

FAX NO.: 33058872800

FROM: RICKY'S OIL SERVICE

Winston, Kathy

From: Gary A. Conklin [Gary_Conklin@kellytractor.com]
Sent: Wednesday, October 13, 2010 7:45 AM
To: Winston, Kathy
Subject: RE: ANALYTICAL TEST RESULTS

Hi Kathy,

How should the container label read for the waste from the Parts cleaners?

Thanks Gary

Gary A. Conklin
SERVICE MANAGER

KELLY TRACTOR CO
5460 OKEECHOBEE BLVD
WEST PALM BEACH FL 33417-4587

Gary_Conklin@kellytractor.com

tel: 561-683-2015 X130 
fax: 561-681-7836
mobile: 561-436-1807 

[Want to always have my latest info?](#)

[Want a signature like this?](#)

From: Winston, Kathy [mailto:Kathy.Winston@dep.state.fl.us]
Sent: Wednesday, October 13, 2010 7:23 AM
To: Gary A. Conklin
Cc: Rick J. Krinock; Cristina M. Diaz; Bucell, Bridgette
Subject: RE: ANALYTICAL TEST RESULTS

Always a good idea to go green, saves the bottom line in the end. The citrus based ones seemed to be very popular with your type of shop and people are happy with their performance. For now, all you need to do to be in compliance concerning that wastestream is establish a container, label it properly and keep it closed if not adding or removing waste. Unless you are going to immediately convert, I will need a picture of that container and if you do convert now, I will need receipts for proper disposal of the sludge that is in the machines now.

From: Gary A. Conklin [mailto:Gary_Conklin@kellytractor.com]
Sent: Wednesday, October 13, 2010 6:58 AM
To: Winston, Kathy
Cc: Rick J. Krinock; Cristina M. Diaz; Bucell, Bridgette
Subject: RE: ANALYTICAL TEST RESULTS

Hi Kathy,

Yes I am an early riser. I am currently looking into converting these parts washers from mineral spirits to a biodegradable solution. I have received some different samples that we will be testing to see how they work.

Thanks Gary

Gary A. Conklin
SERVICE MANAGER

KELLY TRACTOR CO
5460 OKEECHOBEE BLVD
WEST PALM BEACH FL 33417-4587

Gary_Conklin@kellytractor.com

tel: 561-683-2015 X130 
fax: 561-681-7836
mobile: 561-436-1807 

[Want to always have my latest info?](#)

[Want a signature like this?](#)

From: Winston, Kathy [mailto:Kathy.Winston@dep.state.fl.us]
Sent: Wednesday, October 13, 2010 6:43 AM
To: Gary A. Conklin
Cc: Rick J. Krinock; Cristina M. Diaz; Bucell, Bridgette
Subject: RE: ANALYTICAL TEST RESULTS

Wow! Someone that is at work before I am. After I quick review it appears that your parts washer sludge is hazardous due to the presences of toluene, which unfortunately, we could have probably ascertain from the MSDS but now you have analyses for further reference. The analyses for the other two, keep them out of the hazardous waste realm, so my recommendation is that you continue handling the wash rack dirt has you have been and the sand blast dirt can be dispose of along with the rest of your solid waste (trash). I will check to see what we have left, if anything, and email you back later on where we are at or if you have return to compliance.

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Mimi Drew is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on [this link to the DEP Customer Survey](#). Thank you in advance for completing the survey.

From: Gary A. Conklin [mailto:Gary_Conklin@kellytractor.com]
Sent: Wednesday, October 13, 2010 5:51 AM
To: Winston, Kathy
Cc: Rick J. Krinock; Cristina M. Diaz
Subject: ANALYTICAL TEST RESULTS

Good morning Kathy,

Here are the test results that were faxed to me. I should be receiving the summary report for each test today or tomorrow from the lab. I will forward those to you when I receive them.

Thanks Gary

Gary A. Conklin
SERVICE MANAGER

KELLY TRACTOR CO
5460 OKEECHOBEE BLVD
WEST PALM BEACH FL 33417-4587

Gary_Conklin@kellytractor.com

tel: 561-683-2015 X130 
fax: 561-681-7836
mobile: 561-436-1807 

[Want to always have my latest info?](#)

[Want a signature like this?](#)