

Thursby, Kim

From: Kothur, Bheem
Sent: Thursday, February 10, 2022 9:18 AM
To: Thursby, Kim
Cc: Kothur, Bheem
Subject: FW: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)

Hi Kim,
Please accept the below response from Karen Violet, UES, LLC.,
If you have any questions, please let me know.
Thanks.

Bheem

From: Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Sent: Monday, February 7, 2022 2:02 PM
To: 'Karen Violet' <kviolet@universalenviro.com>
Cc: Calvin Patterson <cpatterson@universalenviro.com>; Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Subject: RE: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)

Hi Karen,
Thanks for the up dated information.

Bheem

From: Karen Violet <kviolet@universalenviro.com>
Sent: Monday, February 7, 2022 1:53 PM
To: Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Cc: Calvin Patterson <cpatterson@universalenviro.com>
Subject: RE: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Hello Bheem,

Even though you will see the email, I wanted to personally tell you I sent a correction reply to ALL recipients in reply to the first email with the RAI.

I wanted everyone included in the email to be aware of the correct address, in the event it was needed prior to the RAI response.

By the way, we have the tank testing scheduled.

Thank you,

Karen Violet
Universal Environmental Services
Sanford, Florida
407-302-3193
kviolet@universalenviro.com



From: Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Sent: Monday, February 7, 2022 11:53 AM
To: Calvin Patterson <cpatterson@universalenviro.com>; Karen Violet <kviolet@universalenviro.com>; Nicole Licata <nlicata@universalenviro.com>; 'John Houck' <jhouck@andreyevengineering.com>; 'jeller@andreyevengineering.com' <jeller@andreyevengineering.com>
Cc: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>; Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>; Farahani, Meysam <Meysam.Farahani@FloridaDEP.gov>; Rothenberger, Miranda <Miranda.Rothenberger@FloridaDEP.gov>; Eckoff, Michael <Michael.Eckoff@FloridaDEP.gov>
Subject: FW: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)
Importance: High

Hello Ronald and all,

Please correct the email address of Ronald C. Patterson through the documents and address along with all other RAI, comments.

Thanks,

Bheem

From: Thursby, Kim <Kim.Thursby@FloridaDEP.gov>
Sent: Monday, February 7, 2022 11:21 AM
To: Kothur, Bheem <Bheem.Kothur@FloridaDEP.gov>
Subject: FW: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)
Importance: High

Good morning Bheem,
The below came back undeliverable. Can you please check the email address since this is the main person on letter I need response from.

Thanks,
Kim

From: Mail Delivery System <noreply@ces.cisco.com>
Sent: Monday, February 7, 2022 10:57 AM
To: Thursby, Kim
Subject: Undeliverable: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)

Delivery has failed to these recipients or groups:

rpatterson@universalenviro.com

A problem occurred while delivering your message to this email address. Try sending your message again.

The following organization rejected your message: [67.231.154.162].

Diagnostic information for administrators:

Generating server: esa2.hc4654-24.iphmx.com

rpatterson@universalenviro.com

[67.231.154.162]

Remote Server returned '554 5.0.0 <[67.231.154.162] #5.0.0 smtp; 5.1.0 - Unknown address error 550-'5.1.1 <rpatterson@universalenviro.com>: Recipient address rejected: User unknown' (delivery attempts: 0)>'

Original message headers:

X-IronPort-DK-Sig: _floridadep-gov
Received: from mail-dm3gcc02lp2107.outbound.protection.outlook.com (HELO GCC02-DM3-obe.outbound.protection.outlook.com) ([104.47.65.107])
by obl.hc4654-24.iphmx.com with ESMTP/TLS/ECDHE-RSA-AES256-GCM-SHA384; 07 Feb 2022 10:57:20 -0500
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=ZG3w7AK19szt5IDLXHxfhF5pZhBwj5xKB4G1YhebHU+FXUcXHfCp/dUfsuulUvQFzkVGEyG5trWXYdYgSJoHg+giWNQQRlIJewPPxz7wyi2CSVSx4910stodid5icMDgXFPRGUjYcTdhHYf+BL4GBA22TENai9lXslaFP0lVurxYUhlpe8UKaGgsCfM6UQR1AQuIQcJkXEUXL9U1FBKgc7MxiXOThJ65dL61py//RWaK976DL8aArCKVVP/9P7sMUuCdAFV9vka+dxMUzmRElYaR4lmjEqJRdrnoIN6mFtx/oyUAlTpzQqlQS/a4wojGDqyGVM3l9wg7Pd/DC/DBog==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com; s=arcselector9901;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-AntiSpam-MessageData-ChunkCount:X-MS-Exchange-AntiSpam-MessageData-0:X-MS-Exchange-AntiSpam-MessageData-1;
bh=/41PyvIJvRvXUrMo9ypW4J6YMF7NkTIWYYUVEBL1UCc=;

b=nx+irW9p2hQcXZx/EB2qp+VBfJpbr+1OdS2jOaJ2oEnzFIA/yfgkmIxxv65+qAvDN20Q7Bv6np/3barRl6lVILjFHcloVUJBnL7kHLmM55ZCfT8OC73yvOjzLBGOzNFwgGqOvKx6RfzD41qH0nVLL9ohAO/pSXbWPlAsX8sDgSrnoXrH3v4BDQq9lJ92pgDj/1t3KASiUoiAjb/DmIToefhhVybCu0exEJmnoAoWrFyuxpIQ9fDsaYohKxYTC7Gu5HqJZ9DDEKAh+QeDEaQydFpuuCbfBvLcyrN4fwtrRMG8Lvtg4AcNfQXBtqrjSjkkYxycQZuaaARpvPWkH84hbACg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=none; dmarc=none; dkim=none; arc=none

DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed;
d=FloridaDEP.onmicrosoft.com; s=selector2-FloridaDEP-onmicrosoft-com;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
bh=/41PyvIJvRvXUrMo9ypW4J6YMF7NkTIWYYUVEBL1UCc=;

b=Fi1LYIn3c7PiJxJHqIYxVJwJ4+iX6EyuatHOCFgkSfZ8Iaq9DRCxrzoqKlEhvpJA7Nb0rL99zqoEGxiZSmkoi7
Bg7ybpFYZlWOKIZFVGwOLe8hwng/Z2COeZtjVEk484/3orb/S15kTVK7tw1RJl1nxwpqMF2oq8LjRy2BMPg=
Received: from SA0PR09MB6123.namprd09.prod.outlook.com (2603:10b6:806:aa::11)
by SA0PR09MB6219.namprd09.prod.outlook.com (2603:10b6:806:77::14) with
Microsoft SMTP Server (version=TLS1_2,
cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.4951.12; Mon, 7 Feb
2022 15:57:19 +0000
Received: from SA0PR09MB6123.namprd09.prod.outlook.com
([fe80::d062:1cc6:649:ff16]) by SA0PR09MB6123.namprd09.prod.outlook.com
([fe80::d062:1cc6:649:ff16%5]) with mapi id 15.20.4951.019; Mon, 7 Feb 2022
15:57:19 +0000
From: "Thursby, Kim" <Kim.Thursby@FloridaDEP.gov>
To: "'rpatterson@universalenviro.com'" <rpatterson@universalenviro.com>
CC: "Smith, Michell M." <Michell.M.Smith@FloridaDEP.gov>, "Walker, Kim
(Waste)" <Kim.Walker@FloridaDEP.gov>, "'bastek.brian@epa.gov'"
<bastek.brian@epa.gov>, "'merizalde.carlos@epa.gov'"
<merizalde.carlos@epa.gov>, "Eldredge, Susan F"
<Susan.Eldredge@dep.state.fl.us>, "Eckoff, Michael"
<Michael.Eckoff@FloridaDEP.gov>, "Ashwood, Janet"
<Janet.Ashwood@FloridaDEP.gov>, "Petersen, Dane"
<Dane.Petersen@FloridaDEP.gov>, "'kviolet@universalenviro.com'"
<kviolet@universalenviro.com>, "'jhouck@andreyevengineering.com'"
<jhouck@andreyevengineering.com>, "'jeller@andreyevengineering.com'"
<jeller@andreyevengineering.com>, "'mschorr@universalenviro.com'"
<mschorr@universalenviro.com>, "Farahani, Meysam"
<Meysam.Farahani@FloridaDEP.gov>, "Kothur, Bheem"
<Bheem.Kothur@FloridaDEP.gov>
Subject: Universal Environmental Services, LLC;FLR 000 050 369;First Request
for Additional Information (RAI)
Thread-Topic: Universal Environmental Services, LLC;FLR 000 050 369;First
Request for Additional Information (RAI)
Thread-Index: AdgcOxrf9pvX0rbQSoSrsMRyZze/vg==
Disposition-Notification-To: "Thursby, Kim" <Kim.Thursby@FloridaDEP.gov>
Return-Receipt-To: <Kim.Thursby@FloridaDEP.gov>
Date: Mon, 7 Feb 2022 15:57:19 +0000
Message-ID:
<SA0PR09MB61234FCFA0DF1BF1957B93BA922C9@SA0PR09MB6123.namprd09.prod.outlook.com>
Reply-To: "Thursby, Kim" <Kim.Thursby@FloridaDEP.gov>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
authentication-results: dkim=none (message not signed)
header.d=none;dmARC=none action=none header.from=FloridaDEP.gov;
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 71f78e04-5cf3-4259-d750-08d9ea52852c
x-ms-trafficdiagnostictype: SA0PR09MB6219:EE_
x-microsoft-antispam-prvs:
<SA0PR09MB62196AC6BECBA19B7437990A922C9@SA0PR09MB6219.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:8273;
x-ms-exchange-senderadcheck: 1
x-ms-exchange-antispam-relay: 0
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:

4MLJt8TUObLXYRPwL58sFFCacNVOjcd843bAjOlhTBZfqRvb4QFtqxYocWWcxSSUh3etjt9xar5+WG7r0KoD/NbGi
vg+Z+UT66soheAhI8dyLjzjg/hoZROl7+mGD+ffMrrK8iMX5VCgN1DMWkw7UamtbwHOiXe4hty9ai6BDFyYv2quZF

SPknM5235yIUvD+BDHSbaB/jtoS5n68mzvC/2l35jhQJ9mCPWZ+QU3tGad7J+2cRXSi1hBmbBKKNMi/nCRzquu3ns
5koloRNuEkahUmwhfjdHsw7zACgV6AAX5+uMaz5ierX2IY3vd6rOMRvKsHXDYTnM7t2hM1SaIXYieJPMLqVmK4g3i
KwuO8lwdZG1QUzOSNVZ1+lpaHTl+wz6NGXQwrNrZ0VgYl4Brt+1083GYm7hKkhle1BKcbgZbWIUlp7PVzM1LHU66
ectk80UGW43Kx5ZHxwlsqkLY4vbxx750kBMX983+BNsu9dgiNfQuzlCyBYPqyub3KHiQ6/SWpZclkgHNL0AEhytt9
8+8ELdv2WstGN+FLYg+RaiDRLyvzxt47RetEkbw3uRNB8SNY+q8tf/fV+GWyWeyu1LT/ng+s+0YEZpPcYB6To3UGT
b0elNjdQqx3C9d8Wmo0Iwl0+ClPxqDznoHVLV1nZcxWYpoJfESQwQYNw1fgygS8jEuLVreW0oHq0HMuJ3WaDu/HrF
ywIZ0cyNgFf/aBzzadxQN9f5ERz4xEz1RCLlZQ4sYykbQ+V/1+RffxhD/M0mMYb7FUPbCTyAv0J7sZwPzwHjGZCfN
swdCJcZsA4=
x-forefront-antispam-report:

CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLi;SFV:NSPM;H:SA0PR09MB6123.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(13230001)(366004)(33656002)(5660300002)(186003)(26005)(
3450700001)(107886003)(2906002)(8676002)(8936002)(9240055009)(4326008)(64756008)(66446008
) (66476007)(66556008)(7696005)(6506007)(66946007)(71200400001)(76116006)(40265005)(401407
00001)(9686003)(52536014)(38070700005)(166002)(83380400001)(55016003)(99936003)(4743002)(
86362001)(82960400001)(38100700002)(122000001)(508600001)(6916009)(316002)(54906003)(4910
01)(43620500001);DIR:OUT;SFP:1101;

x-ms-exchange-antispam-messagedata-chunkcount: 1

x-ms-exchange-antispam-messagedata-0:

=?Windows-1252?Q?NC/zWTUDM1z97CVY5ahlVy3y1+4Rk6Uy75nv5cgwu/cm+DEU5tsYTy0Y?=
=?Windows-1252?Q?vKBC12iel1vb3JAsLDU2SnV1005cimIjSj+RtG9tWNeCaSq7EcV/NrN2?=
=?Windows-1252?Q?uQnOmhr22wt09GVmbUVaZ+yrEr8etS+x+qzikighqFOkqF41pfK/erSX?=
=?Windows-1252?Q?bzKx1N8fK0+/uAeyWxsAejP5mk6Fw8UDuWHXTvMiRizU6goNtefVUBS?=
=?Windows-1252?Q?R7uYCeU0OtKvJPTklY9/GoalMCMuz9UfsOn6W0uosavHQ002VyWR1GAe?=
=?Windows-1252?Q?2AauDQmt007w+rM5/gzu43GfxdMt93WB8QsZeDEQgIbcZYOk19jo26Fi?=
=?Windows-1252?Q?Zy9lCTlrlIZjenf4pzMWajUn3gblctziUhlcf8xPVh1QtmxymmlAf9E?=
=?Windows-1252?Q?p4yuKjPwfYUdiaQ4DqwYxPkhxvZ9Kw6+/hiuyrTpanmNckIQnSlYdm7n?=
=?Windows-1252?Q?e7bxCf5hoJB7SMkS/JwchMRt47wJFAuJ7QCHb+gSL7P+RsWEgFAsVISz?=
=?Windows-1252?Q?28TMfMlrHtd4k37TI3UC16N66kcoqutQUAabkEmE3apUr+nXHAbcy0T9?=
=?Windows-1252?Q?l3wFIIdp4Nk7rQluJXry/HfwiXj64VI4cQnPPWGCnsTIYHRdn2/IdLd5v?=
=?Windows-1252?Q?Q58LvffjE7zA8QQZ846wiUTGAmjb93xRWmaU2WggZuCjgYyknxAzFJdWR?=
=?Windows-1252?Q?s9toR0lmylB+C6QdCAErmaM/HJm3w6Bh1H01mXOd5twWjmVJtWReu+Yb?=
=?Windows-1252?Q?kkWJ31V9SifARD7/OzrYQYYqlfNqjYXsVDICPnLgZvkLC5X23ATClenx?=
=?Windows-1252?Q?1W2fsjloJTaent0y9sZetj/r6W+1LKMrVs8d4DNtPJTUAzKlX+emF598?=
=?Windows-1252?Q?4B2iFEwmX943jKlKRY/zgoFMjuV6DOFXtbxPT+BQ/PRf2Rad9Eia10Gf?=
=?Windows-1252?Q?RdzKorM++AKAhn8/8DaZ8in/Z0x1OMBkfj700R20FLFAQtNTMmj3Ywer?=
=?Windows-1252?Q?kf0s5rD2SL9YRVibSLXxFLXNibjLLixfifXXRGTX94wYl/KLm6zrcLaW?=
=?Windows-1252?Q?eJ4cKYPsRG1TnNmCc9npZseZW+JdSKI FmG9g7Jy1+guAXfQaUXTEJyG5?=
=?Windows-1252?Q?XpXmYobfGcHqfUn2RPr7TONZahmmMenrC0w+eJ7OmLqifs8+enUwtjbf?=
=?Windows-1252?Q?wSax4qJ0N13jVtcc43cNpWk+PzRMZppfpEH3syEchqzdo8dBhPVEUZyg?=
=?Windows-1252?Q?QobKN1jqeFFvDAKZ5aUd99EPMCAhlkrM3TaghIw7jjg7TNC5f+wruQT5?=
=?Windows-1252?Q?92N1I5/rsGZYEt4lfbyD8MFN9iM42zRux9XtRjLUzMItn1cicbXlht/N?=
=?Windows-1252?Q?gfH08FohV2ufUZT/L3L01FdEjh4FqgWwbQXxfoCkBuF8vdr0EdrWKJTc?=
Content-Type: text/plain

MIME-Version: 1.0

X-OriginatorOrg: floridadep.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: SA0PR09MB6123.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 71f78e04-5cf3-4259-d750-08d9ea52852c


X-MS-Exchange-CrossTenant-originalarrivaltime: 07 Feb 2022 15:57:19.0599

(UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 679d4c83-aea2-4635-b4f1-9f5012551b6a

X-MS-Exchange-Transport-CrossTenantHeadersStamped: SA0PR09MB6219



Thursby, Kim

From: Thursby, Kim
Sent: Monday, February 7, 2022 10:57 AM
To: rpatterson@universalenviro.com
Cc: Smith, Michell M.; Walker, Kim (Waste); 'bastek.brian@epa.gov'; 'merizalde.carlos@epa.gov'; Eldredge, Susan F; Eckoff, Michael; Ashwood, Janet; Petersen, Dane; kviolet@universalenviro.com; jhouck@andreyevengineering.com; jeller@andreyevengineering.com; mschorr@universalenviro.com; Farahani, Meysam; Kothur, Bheem
Subject: Universal Environmental Services, LLC;FLR 000 050 369;First Request for Additional Information (RAI)
Attachments: 2-7-22 UES _RAI.Receipt.pdf

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Program and Permitting section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to epost_hwrs@dep.state.fl.us (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at www.adobe.com/products/acrobat/readstep2.html.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Michell Mason Smith
Environmental Administrator
Hazardous Waste Program & Permitting



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jeanette Nuñez
Lt. Governor

Shawn Hamilton
Secretary

REQUEST FOR ADDITIONAL INFORMATION

February 7, 2022

Universal Environmental Services, LLC
509 S. French Avenue
Sanford, Florida, 32771
cpatterson@universalenviro.com

Re: **First Request for Additional Information (RAI)**
Universal Environmental Services, LLC
EPA ID Number: FLR 000 050 369
Current Used Oil & Material Processing Permit: 266845-004-HO
DEP Application Permit Number: 266845-005-HO
Seminole County

Dear Mr. Patterson:

Thank you for your application for a Used Oil & Material Processing Permit Renewal for the above referenced Facility. A Department staff review of the application submitted on January 28, 2022, indicates the application is incomplete. Pursuant to the provisions of Rule 62-710.800(3), Florida Administrative Code (F.A.C.) and Chapter 403.722, Florida Statutes (F.S.), all processing of the application is suspended when a permit application is deemed incomplete. Please provide the information listed below and refer to this correspondence in your response.

1. Attachment 7, Unit Management Description, Special Inspections, Page 24, and Appendix E, Tank System Integrity Assessment & Ultrasonic Thickness Testing; Facility conducted the testing on May 22, 2012, and it is time to perform such test and submit the report. Please review renewal application and submit the plan of action including the schedule, start to finish.
2. Attachment 6, Emergency Preparedness, Prevention & Contingency Plan and Section 5.0 Incident Notification And Immediate Response Actions, Incident Notification Calling Numbers, Page 17: Please add National Center Calling Numbers; (800) 424 8802 and (202) 267 2675; and also add United States Environmental Protection Agency (US EPA), Region-4, Calling Numbers; (404) 562 9900 and (800) 242 1754.
3. Please provide Site Map (Figure 2) formatted to an 8.5" X 11" page in a Word document, so that the map can be easily inserted into the renewal draft permit.

4. Please provide a tank table with all the information (Refer the Existing Permit, Page 24) formatted to an 8.5" X 11" page in a Word document, so that this can be easily inserted into the renewal draft permit.

In order for the Department to continue processing your application, please submit the information requested as soon as possible, and refer to this correspondence in your response. The response must be signed, sealed, and dated by a registered Florida Professional Engineer. The Department must receive a response within 30 days of the date of this letter, or March 7, 2022 unless a written request for additional time to provide the requested information is submitted and approved. Pursuant to subsection 62-730.220(6), F.A.C. and Section 120.60, F.S., failure of an applicant to provide the timely requested information by the applicable deadline may result in denial of the permit application. You are encouraged to contact this office to discuss the items requested to assist you in developing a complete and adequate response.

Please submit the response in electronic format to HWPP@dep.state.fl.us, with a copy to Bheem.Kothur@floridadep.gov. If you have any questions, please contact Bheem R. Kothur, P.E., DEE by telephone at (850) 245-8781 or by e-mail at Bheem.kothur@floridadep.gov.

Sincerely,



Michell Mason Smith, Environmental Administrator
Hazardous Waste Program & Permitting

MS/bk

Cc:

Brian Bastek, EPA Region 4, bastek.brian@epa.gov
Carlos Merizalde, EPA Region 4, merizalde.carlos@epa.gov
Susan Eldredge, FDEP Headquarters, susan.eldredge@floridadep.gov
Michael Eckoff, FDEP Central District, Michael.eckoff@floridadep.gov
Janet Ashwood, FDEP Headquarters, janet.ashwood@floridadep.gov
Dane Petersen, FDEP Headquarters, OGC, dane.petersen@floridadep.gov
Kim A. Walker, FDEP Headquarters, kim.walker@floridadep.gov
Karen Violet, UES, LLC., kviolet@universalenviro.com
John Houck, Andreyev Engineering, Inc. jhouck@andreyevengineering.com
Jeffery E. Eller, P.E. Andreyev Engineering, Inc. jeller@andreyevengineering.com
Michael Schorr, CHMM, mschorr@universalenviro.com
Meysam Farahani, FDEP Headquarters, Meysam.farahani@floridadep.gov