From: Kothur, Bheem
To: Mayberry, Eric;
Subject: FW: CEMEX Miami Used Oil Permit, 56307-HO-004
Date: Monday, February 25, 2013 3:56:05 PM
Attachments: Evacuation Route Map_Final.pdf

Hi Eric,
Please insert into OCULUS including the e-mails under permit application related revisions.
The facility I.D. FLD 981 758 485

If you have any questions, please let me know.
Thanks.
Bheem

From: tlreed.81@gmail.com [mailto:tlreed.81@gmail.com] **On Behalf Of** Tammy Reed
Sent: Monday, February 25, 2013 3:00 PM
To: Kothur, Bheem
Subject: CEMEX Miami Used Oil Permit, 56307-HO-004

Mr. Kothur,

Attached is the evacuation route map you requested during our telephone conversation last week.

Regarding the tank inventory/removal issue and financial assurance update: Mr. Walz informed me those tanks (Legend IDs 9, 10 and 11 on Table 1 - Tank Inventory) were removed and he will locate the closure paperwork for the 2 - 20,000 gallon oily water tanks (Legend ID 11) and submit it to you. He has also updated the financial assurance amount as required.

Therefore, will you be able to proceed with issuance of the permit?

Thank you,
Tammy

--
Tammy Reed
Environmental Scientist

Koogler and Associates Inc.
4014 NW 13th Street
Gainesville FL 32609-1923
352.377.5822 x 27 (office)
352.377.7158 (fax)
treed@kooglerassociates.com

CONFIDENTIALITY: This message is the property of Koogler and Associates, Inc. The information contained in this message may contain legally privileged and confidential information. It is intended only for the use of the person(s) or addressee(s) named above. If you are not the intended recipient, you are hereby notified that any review, disclosure, distribution or duplication of this communication, and the information contained in it, is strictly prohibited. If you are not the intended recipient, please contact the sender by electronic mail and immediately destroy all copies of the original message.