From: Christopher Poole
To: Morgan, Steve; Russell, Merlin;
cc: stuart.stapleton@eqonline.com; Jerry Kubal;
Subject: RE: Status Update - EQ Florida Joint HW/SW Permit Application
Date: Thursday, May 23, 2013 5:50:52 PM
Attachments: image001.png

Thanks Steve. I appreciate the clarification and will send you the extension request.

Regards,
Chris

Christopher B. Poole, PG, CPG
Senior Associate/SE US Geo-Environmental Practice Leader
Past President, CMAA Florida Chapter
10401 Highland Manor Drive, Suite 120
Tampa, FL 33610
O| (813) 740-2300
M| (813) 447-9433
F| (813) 740-0158
Christopher.Poole@kci.com

KCI TECHNOLOGIES
Knowledge|Creativity|Innovation

From: Morgan, Steve [mailto:Steve.Morgan@dep.state.fl.us]
Sent: Thursday, May 23, 2013 4:03 PM
To: Christopher Poole; Russell, Merlin
Cc: stuart.stapleton@eqonline.com; Jerry Kubal
Subject: RE: Status Update - EQ Florida Joint HW/SW Permit Application

Chris:

The SW permit had that day (`180 days prior to permit expiration) for submittal of permit renewal with the goal that the application process would be complete and the renewal permit issued about the same time the current permit expires. By rule, the application must be submittal 61 days

prior to permit expiration to be "timely". In short, if an application is "timely", then the current permit remains in effect after the expiration date until we take action on the application. If the application is "not timely", the current permit expires on the expiration date unless the renewal application is complete prior to that date. Therefore based the November 18, 2013 expiration date for the current permit it is critical that the SW application be submitted on or before September 18, 2013. An extension of time beyond the April 30,2013 date in the permit can simply be handled by an e-mail to me asking for an extension to a date prior to September 18, 2013. So unless the delay for the RCRA permit will go beyond September 18th, the is no problem with delaying submittal of the SW application and submitting both at the same time.

Please feel free to e-mail or call me if you have any further questions.

Steven G. Morgan, Waste Management Section
Florida Department of Environmental Protection
Southwest District Office
13051 North Telecom Parkway
Temple Terrace, FL 33637-0926

phone - (813) 632-7600 ext 329
fax - (813) 632-7672
e-mail - steve.morgan@dep.state.fl.us

From: Christopher Poole [mailto:Christopher.Poole@kci.com]
Sent: Thursday, May 23, 2013 3:09 PM
To: Russell, Merlin; Morgan, Steve
Cc: stuart.stapleton@eqonline.com; Jerry Kubal; Christopher Poole
Subject: RE: Status Update - EQ Florida Joint HW/SW Permit Application

Merlin,

We are still working through several design and operational issues on the hazardous waste application that will likely take us several weeks to resolve before we are in a position to submit. Again, we are concerned about the timing of this as regards the expiration of the solid waste permit in November. The solid waste permit stipulates that we were to have submitted a complete renewal application package by April 30, 2013 and we are already nearly a month beyond this date.

Thanks for your help with this matter.

Chris

From: Russell, Merlin [mailto:Merlin.Russell@dep.state.fl.us]
Sent: Thursday, May 23, 2013 2:20 PM
To: Christopher Poole; Morgan, Steve
Cc: stuart.stapleton@eqonline.com; Jerry Kubal
Subject: RE: Status Update - EQ Florida Joint HW/SW Permit Application

Chris,

How far behind is the RCRA permit application? Can you estimate when it will be submitted?

merlin

Please take a few minutes to share your comments on the service you received from the department by clicking on this link DEP Customer Survey.

From: Christopher Poole [mailto:Christopher.Poole@kci.com]
Sent: Wednesday, May 22, 2013 4:17 PM
To: Russell, Merlin; Morgan, Steve
Cc: Stuart Stapleton (stuart.stapleton@eqonline.com); Jerry Kubal; Christopher Poole
Subject: Status Update - EQ Florida Joint HW/SW Permit Application
Importance: High

Hi, Gentlemen. I hope that this e-mail finds you well. I wanted to send you an e-mail to update you on where stand with this application and discuss a couple of questions regarding logistics. We are moving along well with this combined submittal which will consist of three volumes, as discussed previously:

- **Volume 1 of 3** – Permit Application for Construction of a Hazardous Waste Treatment Unit and Renewal Application for Operation of a Hazardous Waste Treatment and Storage Facility
- **Volume 2 of 3** – Appendices in Support of Permit

Application for Construction of a Hazardous Waste Treatment Unit and Renewal Application for Operation of a Hazardous Waste Treatment and Storage Facility

- **Volume 3 of 3** – Permit Renewal Application for Operation of a Solid Waste Processing Facility

The Solid Waste Permit Renewal application is moving towards completion ahead of the Haz permit application. Since this renewal application is time sensitive (permit expiration date 11/18/2013) and it will be contained in its entirety in a separate volume, we were wondering if we can submit this volume to Steve for review, along with the requisite renewal fee, in advance of submitting Volumes 1 and 2 to Merlin for review? Can you please confirm how many hardcopies will be required?

We will provide complete electronic copies of the three volumes for your use as well. Can you also please confirm how many electronic copies will be required?

I look forward to receiving your response. Please let me know if you have any questions or comments. Thanks for your continued assistance with this process.

Best Regards,
Chris

Christopher B. Poole, PG, CPG
Senior Associate/SE US Geo-Environmental Practice Leader
Past President, CMAA Florida Chapter
10401 Highland Manor Drive, Suite 120
Tampa, FL 33610
O| (813) 740-2300
M| (813) 447-9433
F| (813) 740-0158
Christopher.Poole@kci.com

KCI TECHNOLOGIES
Knowledge|Creativity|Innovation