

**Thursby, Kim**

---

**From:** Gene Cieply [Gene.Cieply@eqonline.com]  
**Sent:** Friday, November 01, 2013 10:28 AM  
**To:** Epost HWRS  
**Subject:** Closure

The filter press closure document has been received.



Gene A. Cieply  
*General Manager*

**EQ – The Environmental Quality Company**

**EQ Florida, Inc.**

7202 East Eighth Ave.

Tampa, FL 33619

O: 813-319-3410 M: 813-777-3998

[Gene.Cieply@eqonline.com](mailto:Gene.Cieply@eqonline.com)

Customer Service: 800-592-5489

**Emergency Response: 800-839-3975**

[www.eqonline.com](http://www.eqonline.com)

## Thursby, Kim

---

**From:** Epost HWRS  
**Sent:** Friday, November 01, 2013 10:04 AM  
**To:** 'gene.cieply@eqonline.com'  
**Cc:** Bahr, Tim; Goddard, Charles; Knauss, Elizabeth; Morgan, Steve; 'Thomas.Sprehe@kci.com'; Russell, Merlin; Tripp, Anthony  
**Subject:** EQ Florida, Inc.; FLD 981 932 494; Closure Certification for EQFL Filter Press dated October 31, 2013  
**Attachments:** 11-1-13 EQ Florida filter press certification of closure.Receipt.pdf  
**Tracking:**

In an effort to provide a more efficient service, the Florida Department of Environmental Protection's Hazardous Waste Regulation Section is forwarding the attached document to you by electronic correspondence "e-correspondence" in lieu of a hard copy through the normal postal service.

We ask that you verify receipt of this document by sending a "reply" message to [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us). (An automatic "reply message" is not sufficient to verify receipt). If your email address has changed or you anticipate that it will change in the future, please advise accordingly in your reply. You may also update this information by contacting Kim Thursby at (850) 245-8792.

The attached document is in "pdf" format and will require Adobe Reader 6 or higher to open properly. You may download a free copy of this software at [www.adobe.com/products/acrobat/readstep2.html](http://www.adobe.com/products/acrobat/readstep2.html).

Please note that our documents are sent virus free. However, if you use Norton Anti-virus software, a warning may appear when attempting to open the document. Please disregard this warning.

Your cooperation in helping us affect this process by replying as requested is greatly appreciated. If you should have any questions about the attached document(s), please direct your questions to the contact person listed in the correspondence.

Tim

Bahr

Environmental Administrator

Hazardous Waste Regulation

Department  
of Environmental  
Protection

E-Mail Address: [epost\\_hwrs@dep.state.fl.us](mailto:epost_hwrs@dep.state.fl.us)



**FLORIDA DEPARTMENT OF  
ENVIRONMENTAL PROTECTION**

BOB MARTINEZ CENTER  
2600 BLAIRSTONE ROAD  
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT  
GOVERNOR

HERSCHEL T. VINYARD JR.  
SECRETARY

November 01, 2013

**SENT VIA E-MAIL**

[gene.cieply@eqonline.com](mailto:gene.cieply@eqonline.com)

Mr. Gene Cieply, General Manager  
EQ Florida, Inc.  
7202 E. 8<sup>th</sup> Avenue  
Tampa, Florida 33619

Subject: EQ Florida, Inc.; FLD 981 932 494; Operating Permit Renewal 34875-HO-010, Closure  
Certification for EQFL Filter Press dated October 31, 2013

Dear Mr. Cieply:

Your certification of closure for the filter press is acceptable. If you have any questions, please call me at 850-245-8796 or [merlin.russell@dep.state.fl.us](mailto:merlin.russell@dep.state.fl.us).

Sincerely,

A handwritten signature in black ink, appearing to read "Merlin D. Russell Jr." with a horizontal line extending to the right.

Merlin D. Russell Jr.  
Professional Geologist II  
Hazardous Waste Program and Permitting

MR/mdr

Enclosure

cc with enclosure via e-mail:

Beth Knauss, DEP Tampa, [Elizabeth.Knauss@dep.state.fl.us](mailto:Elizabeth.Knauss@dep.state.fl.us)

Steve Morgan, DEP Tampa, [Steve.Morgan@dep.state.fl.us](mailto:Steve.Morgan@dep.state.fl.us)

Thomas Sprehe, KCI Technologies, Inc., [Thomas.Sprehe@kci.com](mailto:Thomas.Sprehe@kci.com)