

From: [Scheel, Wade](#)
To: [Kraemer, Janine](#)
Cc: [Singh, Raj](#); [Challenger, Rich](#); [McCausland, TJ](#); [White, John](#); [Wurgler, Ryan](#)
Subject: FW: Corrective actions
Date: Monday, December 09, 2013 11:07:58 AM
Attachments: [image001.png](#)
[11520.pdf](#)
[12611.pdf](#)
[FL DEP Response 12-09-2013 - signed.pdf](#)
[Ref. 05-0186.pdf](#)

Hello Janine,

Please find Stericycle's response to your request for more information regarding our position on storing hazardous waste on box trucks.

I am available to answer any questions you have on this response.

Thank you.

Wade Scheel

Director of Environmental Safety & Health



612-285-9865 • Fax: 612-285-9000 • Toll-Free: 877-927-8311 • Cell: 612-590-5039

Stericycle • 2850 100th Court NE • Blaine, MN 55449 • www.stericycle.com

From: Kraemer, Janine [<mailto:Janine.Kraemer@dep.state.fl.us>]
Sent: Monday, November 25, 2013 09:14 AM
To: Singh, Raj
Cc: White, John <John.White@dep.state.fl.us>
Subject: Corrective actions

I got the corrective action for the imported hazardous waste but still need a revised procedure or guidance document that supports Stericycle's position on storing hazardous waste on the box trucks. The Department would like to have corrective actions completed prior to issuance of reports these days, so I need a response. Oh and as a side note, I'm leaving the Department Dec. 11 and I'd like to get the report issued and cased closed before I leave (no pressure).

HAVE A GREAT DAY!

Janine Kraemer, CHMM
Environmental Consultant
Florida Department of Environmental Protection
Central District

3319 Maguire Blvd, Suite 232

Orlando FL 32803

O: 407-897-4303

F: 850-412-0488

Office Hours: Monday-Thursday 7:30-5:00, Friday 7:00-11:00

CONFIDENTIALITY NOTICE: The information in this Email is confidential and may be privileged. This Email is intended solely for the named recipient or recipients. If you are not the intended recipient, any use, disclosure, copying or distribution of this Email is prohibited. If you are not the intended recipient, please inform us by replying with the subject line marked "Wrong Address" and then deleting this Email and any attachments. Stericycle, Inc. uses regularly updated anti-virus software in an attempt to reduce the possibility of transmitting computer viruses. We do not guarantee, however, that any attachments to this Email are virus-free.

Nota de confidencialidad: La información que presenta este correo es confidencial, y puede ser de uso privilegiado. Este correo intenta ser enviado solo al destinatario, o a los destinatarios. Si usted no es el destinatario, no podrá usar, desglosar, copiar, o distribuir la información de este correo ya que está prohibido. Si usted no es el correcto destinatario, por favor infórmenos reenviándonos el mismo con el asunto "Dirección Incorrecta", y luego borre el correo y los adjuntos. Stericycle, Inc. usa regularmente actualizaciones de software anti-virus para así reducir posibles virus. De todas maneras, no garantizamos que los adjuntos estén libres de virus.